

Phase 5 — Hermes Safe Live Adapter

Generated: 2026-05-07T22:44:07Z

Result

****Status:**** BLOCKED / NO-GO LIVE

****Exact blocker:**** `hermes\_safe\_live\_chat\_adapter\_not\_configured`

Hermes gateway service is active and the authenticated Mission Control status route works, but the live test-chat adapter is still intentionally blocked. Mission Control does not return `hermes\_called:true` yet, and I did not fake it.

Production Service Proof

```
| Check | Result |
| --- | --- |
| `systemctl --user is-active hermes-gateway.service` | active |
| system-level `hermes-gateway.service` | not present / not system service |
| Mission Control service active | yes |
| Mission Control MainPID | `2121865` |
| Mission Control ActiveEnterTimestamp | `Thu 2026-05-07 18:15:50 EDT` |
| Mission Control restart for latest SpaceAgent code | blocked by interactive admin auth |
```

Hermes Route Proof

```
| Route | Result |
| --- | --- |
| Authenticated `GET /api/bridge/hermes/status` | HTTP 200 |
| Status mode | `hermes_lieutenant_status_read_only` |
| Hermes reachable from status route | yes |
| Status execution enabled | no |
| Status writes enabled | no |
| Authenticated `POST /api/bridge/hermes/test-chat` | HTTP 503 |
| `hermes_called` | false |
| Test-chat mode | `hermes_read_only_test_chat` |
| Blocker | `hermes_safe_live_chat_adapter_not_configured` |
| Test-chat execution enabled | no |
| Test-chat writes enabled | no |
| Unauthenticated status route | HTTP 401 |
| Unauthenticated test-chat route | HTTP 401 |
```

Adapter Decision

I did not build a fake provider one-shot adapter, raw shell bridge, or dashboard bypass. The current safe result is to keep Hermes blocked until a real no-tool/no-write Hermes call path is available and production Mission Control can be restarted.

A valid future adapter must meet all of these conditions:

- Redacted Mission Control context only.
- No tool execution.
- No external writes.
- No raw shell.
- No direct secret reads.
- No public Hermes UI exposure.
- No credential/token printing.
- `hermes\_called:true` only after a real Hermes call returns.

Security / Governance Confirmation

- No secrets were printed or committed.
- No `.env` file was modified.
- No auth was weakened.
- No external write occurred.
- No Zapier, HeyGen, SMB, Farmer, upload, email, or connector write occurred.
- Hermes remains lieutenant / skill-workflow specialist, not commander.

Updated Percentages

System	Previous	Current	Notes
---	---	---	---
Hermes live readiness	42%	42%	Status route works; live chat adapter still blocked.
Agent Zero to Hermes collaboration	35%	35%	Cannot prove live collaboration until `hermes_called:true`.
Gateway / Agent Hub	74%	74%	Hermes truthfully shown as gated/degraded.

Required Action

1. Provide or approve a safe Hermes live chat adapter path.
2. Restart Mission Control through approved admin authorization after adapter changes.
3. Re-run `POST /api/bridge/hermes/test-chat` and require `hermes\_called:true` before promoting Hermes from NO-GO live.

Phase 5 Decision

Hermes remains ****NO-GO LIVE**** with blocker ``hermes_safe_live_chat_adapter_not_configured``.