

day-27-failed-execution-behavior-100-closure

Day 27 - Failed Execution Behavior

Date: 2026-05-09

Branch: to-knowledge-mc

Status: CLOSED / SERVICE_DOWN PROOF

Code change: none

Report commit: pending

Rollback: no successful execution rollback required; report-only rollback is 'git revert <day27_report_commit_sha>'

Next day started: Day 28 - Approval Security

Closure Decision

Day 27 is closed for failed execution behavior.

The runtime proved a controlled failed execution path for the exact Build-Wiki Run Now scope. The action was approved, dispatch was attempted, the service start failed safely, a failed connect or run row was written, a failed audit event was written, and the UI/API state returned 'failed'

.

This does not make the Farmer service GO. The underlying service remains unavailable in this local runtime.

Blocker classification: SERVICE_DOWN

Exact blocker:

'opencloud_docs_farmer_service_not_started_in_local_runtime'

Scope

Safe proof action:

- connector: 'skill.build_wiki'
- action: 'buildwiki.run_now'
- target service: 'opencloud-docs-farmer.service'
- fork: Fork 1 only

No SMB, Fork 2, external farmers, Zapier writes, HeyGen, or broad connector execution were used.

Live Proof

Proof artifact:

'runtime/day-27-failed-execution-proof.json'

Approval id:

'apr_6bfec882-a5aa-423a-957d-aeabb9f449ee'

Run id:

'run_3d13e892-6e9e-4c18-8085-4ba6ef549160'

Audit id:

'audit_5f86c254-1158-4d97-bfba-039b1081dad7'

Create response:

- status: 201
- mode: 'run_now_approval_requested_no_execution'

- accepted for execution: false
- execution enabled: false

Approved execution response:

- status: 502
- mode: 'approval_request_approved_buildwiki_run_now_dispatched_failed'
- accepted for execution: true
- execution enabled: true
- blocked reason: 'buildwiki_run_now_systemctl_failed'
- dispatch mode: 'run_now_dispatched_failed'
- run state: 'failed'
- target service: 'opencloud-docs-farmer.service'
- next action: 'Check the local service/timer status before retrying.'

Persistence Proof

'bridge_approval_requests':

- approval state: 'approved'
- connector: 'skill.build_wiki'
- action: 'buildwiki.run_now'
- target key: 'opencloud-docs-farmer.service'
- resolved: true

'bridge_connector_runs':

- run state: 'failed'
- has audit pointer: true
- rollback ref: 'systemctl --user stop opencloud-docs-farmer.service'
- input hash present
- output hash absent because no successful output was produced

'bridge_audit_events':

- 'approval_requested'
- 'approved'
- 'failed'

UI / API State

Run Now read route:

- status: 200
- UI state: 'failed'

Build-Wiki status route:

- status: 200
- Run Now UI state: 'failed'

This is the required owner-facing behavior: the page can show a failed terminal state and a safe next action without pretending the run completed.

Safe Error Output

The proof scanned the serialized response, run row, and audit metadata for:

- private key markers
- API key/token/secret/password assignments
- bearer tokens
- raw local home paths
- auth file names
- '.env'

Result:

- unsafe output detected: false
- secret values printed: false
- raw local path exposure: false

Audit metadata keys were limited to safe execution metadata:

- accepted_for_execution
- dispatch_endpoint
- execution_enabled
- finished_at
- run_id
- source
- stderr_tail_present
- systemctl_exit_code
- systemctl_signal
- target_service

Verification

Fresh checks around this Bridge failure surface:

- 'git diff --check': pass
- 'pnpm run typecheck': pass
- focused tests: pass, 4 files / 11 tests
- 'node scripts/check-protected-file-invariants.mjs': pass
- live failed execution proof: pass
- '.env' diff check: clean

Build and full test suite were already run for the current source commit during Day 25. Day 27 changed no source files.

Files Added

- 'runtime/day-27-failed-execution-proof.json'
- 'runtime/day-27-failed-execution-behavior-100-closure.md'
- 'runtime/day-27-failed-execution-behavior-100-closure.pdf'

Safety Confirmation

- No '.env' changes.
- No secrets printed.
- No auth weakening.
- No public exposure added.
- No fake completion.
- No raw local path exposed.
- No SMB.
- No Fork 2.
- No external farmers.
- No Zapier writes.
- No HeyGen generation.

Remaining Blocker

'SERVICE_DOWN': 'opencloud-docs-farmer.service' is unavailable/inactive in the current runtime service manager.

Owner/admin action if live Farmer execution is required on this host:

1. Install or expose 'opencloud-docs-farmer.service' to the runtime user.
2. Confirm 'systemctl --user start opencloud-docs-farmer.service' works for the Mission Control runtime user.

3. Confirm 'systemctl --user is-active opencloud-docs-farmer.service'.
4. Re-run the Day 25/27 Run Now proof.

Day 28 Start

Day 28 - Approval Security begins next.

Goal:

Verify non-owner/unauthenticated approval routes cannot approve, deny, or dispatch protected actions, and owner-only controls remain protected.