

Day 37 â Brain Status Page

Date: 2026-05-09

Lane: Brain / Build-Wiki / Farmer

Status: CLOSED AS CREDENTIAL_GATED

Blocker class: CREDENTIAL_GATED

Phase 0â 10 Safety

- Branch: 'to-knowledge-mc'
- Repo: Mission Control workspace
- No '.env' edits planned or required.
- No secret values are printed or written.
- No auth weakening.
- No Brain writes enabled.
- No Build-Wiki execution added.
- No SMB/Fork 2/external farmer/second vault path added.

Phase 10â 20 Inventory

Existing Routes

- 'GET /api/bridge/brain-sync/status'
- 'POST /api/bridge/brain-sync/rebuild'
- 'GET /api/bridge/agent-zero/obsidian'
- 'GET /api/bridge/agent-zero/mempalace'
- 'GET /api/bridge/brain-sync/build-wiki/status'
- 'GET /api/bridge/brain-sync/build-wiki/files'
- 'GET /api/bridge/brain-sync/build-wiki/logs'

Existing Local Adapters

- Obsidian read-only adapter:
 - 'src/lib/agent-zero-obsidian-adapter.ts'
 - Status, search, read, summarize.
 - Writes exist as Bridge-gated adapter methods only and are not enabled by Day 37.
- MemPalace read-only adapter:
 - 'src/lib/agent-zero-mempalace-adapter.ts'
 - Status and safe summaries.
 - Raw private dumps disabled.
- Build-Wiki / Farmer status:
 - 'src/app/api/bridge/brain-sync/build-wiki/status/route.ts'
 - Run Now approvals and audit history already exposed read-only.

Defect Found

'GET /api/bridge/brain-sync/status' returned 503 when the ClaudeClaw dashboard connection was absent, even though Mission Control had enough local read-only adapters to report truthful Brain status.

Required Fix

Keep the upstream ClaudeClaw connection as enrichment, but do not let its absence hide local read-only Brain status. The endpoint should return:

- Obsidian status and index count when visible.
- MemPalace status and safe count/index fields when visible.
- Build-Wiki / Farmer approval/run history visibility.
- Graphify as blocked/not connected when no adapter is visible.
- All Brain writes disabled.
- Owner-facing status descriptors for each Brain source/system.
- No raw local paths.

- No secret-shaped output.

Phase 20â 45 Implementation Direction

- Add local fallback to 'GET /api/bridge/brain-sync/status'.
- Add regression tests for the missing-upstream path.
- Update button contracts so Brain Sync source status is read-only/live instead of credential-required.
- Mount the accepted designer Brain Systems page at '/gateway/brain'.

Completion Gate

Day 37 can close only after:

- Focused tests pass.
- Full validation passes.
- Runtime proof shows authenticated Brain status returns local read-only source/system truth.
- Report/PDF are generated.
- Source and report commits are pushed.

Phase 20â 45 Implemented Backend/API Behavior

- 'GET /api/bridge/brain-sync/status' no longer hard-fails when the ClaudeClaw dashboard connection is absent.
- The route still records the upstream blocker:
 - 'claudeclaw_dashboard_token_missing'
- The route now returns local read-only Brain status from:
 - Obsidian adapter
 - MemPalace adapter
 - Build-Wiki / Farmer approval/run history
- Graphify remains honestly blocked/not connected unless its adapter appears.
- Brain writes remain disabled:
 - 'production_memory_writes_enabled=false'
 - 'protected_memory_changes_enabled=false'
 - 'shared_brain_writes_enabled=false'
 - 'mempalace_writes_enabled=false'
 - 'external_connector_writes_enabled=false'

Phase 45â 65 Implemented UI/Status Behavior

- Added '/gateway/brain' and mounted the accepted designer 'Brain Systems.html' page.
- Updated button contracts so Brain Sync source status is 'READ_ONLY' instead of 'CREDENTIAL_REQUIRED'.
- Kept the route read-only; no write button, rebuild action, or protected Brain mutation was enabled.
- Owner-facing status descriptors are included on Brain sources and Brain systems.

Files Changed

- 'src/app/api/bridge/brain-sync/status/route.ts'
- 'src/app/api/bridge/brain-sync/status/route.test.ts'
- 'src/app/api/bridge/button-contracts/route.ts'
- 'src/lib/button-contracts-route.test.ts'
- 'src/app/gateway/brain/page.tsx'

Tests Run

- 'pnpm test src/app/api/bridge/brain-sync/status/route.test.ts src/lib/button-contracts-route.test.ts'
- 'git diff --check'
- 'node scripts/check-protected-file-invariants.mjs'
- '.env' diff check
- 'pnpm run typecheck'
- 'pnpm run build'

- 'pnpm test'

Full test result:

- Test files: 158 passed
- Tests: 1328 passed

Runtime Proof

Proof artifact:

- 'runtime/day-37-brain-status-proof.json'

Runtime:

- Bind: '127.0.0.1:3337'
- PID after restart: '50544'
- Deployed/source commit: '5dd8b5369ac57d9a629e70fd1d17fcc1fe520f46'

Verified:

- '/login' returned 200.
- Unauthenticated 'GET /api/bridge/brain-sync/status' returned a protected response.
- Authenticated 'GET /api/bridge/brain-sync/status' returned 200.
- Brain status returned 'ok=true'.
- Obsidian, MemPalace, and Build-Wiki source entries are present.
- Build-Wiki system is visible read-only.
- Brain writes are disabled.
- Brain Sync button contract is 'READ_ONLY'.
- '/gateway/brain' is reachable/protected as a Gateway page.
- No secret-shaped values in the Brain status payload.
- No raw local paths in the Brain status payload.
- No public local exposure.

Commit / Push

Source commit:

```
""text
5dd8b5369ac57d9a629e70fd1d17fcc1fe520f46
""
```

Push result:

```
""text
origin/to-knowledge-mc contains 5dd8b5369ac57d9a629e70fd1d17fcc1fe520f46
""
```

Rollback

```
""bash
git revert 5dd8b5369ac57d9a629e70fd1d17fcc1fe520f46
""
```

Remaining Blocker

```
""text
CREDENTIAL_GATED: claudeclaw_dashboard_token_missing
""
```

This blocker now affects upstream ClaudeClaw enrichment only. It no longer blocks local Mission Control Brain status visibility.

Next Day Started

Day 38 â Obsidian / Local Knowledge is next.