

day-26-denied-approval-behavior-100-closure

Day 26 - Denied Approval Behavior

Date: 2026-05-09

Branch: to-knowledge-mc

Status: CLOSED

Blocker class: NONE

Code change: none

Report commit: pending

Rollback: no execution rollback required; report-only rollback is 'git revert <day26_report_commit_sha>'

Next day started: Day 27 - Failed Execution Behavior

Closure Decision

Day 26 is closed.

Denied Bridge approvals are proven to remain non-executing. The live proof created one exact Build-Wiki Run Now approval request, denied it, verified a denial audit row, verified zero connectors run rows, then confirmed later approve and dispatch attempts were blocked.

Inventory

Existing denial implementation:

- 'POST /api/bridge/approval-requests/{id}/deny'
- 'src/lib/bridge-approval-lifecycle.ts'
- 'src/lib/bridge-approval-ui-state.ts'
- 'src/app/api/bridge/approval-requests/route.ts'
- 'src/lib/build-wiki-run-now.ts'
- 'POST /api/bridge/brain-sync/build-wiki/run-now/{id}/dispatch'

Existing tests covering the denial surface:

- 'src/lib/bridge-approval-lifecycle.test.ts'
- 'src/lib/bridge-approval-ui-state.test.ts'
- 'src/app/api/bridge/approval-requests/[id]/approve/route.test.ts'
- 'src/app/api/bridge/brain-sync/build-wiki/run-now/[id]/dispatch/route.test.ts'

No source change was required for this day. The implementation already had the required denial route, lifecycle state, UI state mapping, and dispatch guard. This day produced live proof and a report artifact.

Live Proof

Proof artifact:

'runtime/day-26-denied-approval-proof.json'

Approval id:

'apr_60a7825c-5ac3-4560-b9c7-cb6867720037'

Exact scope:

- connector: 'skill.build_wiki'
- action: 'buildwiki.run_now'
- target key: 'opencloud-docs-farmer.service'
- fork: Fork 1 only

Create response:

- status: 201

- mode: 'run_now_approval_requested_no_execution'
- accepted for execution: false
- execution enabled: false

Deny response:

- status: 200
- mode: 'approval_request_denied_no_execution'
- approval state: 'denied'
- decision: 'denied'
- accepted for execution: false
- execution enabled: false
- writes enabled: false
- denial audit event present: true
- next action: 'Approval is denied. The protected action must not execute.'

Non-Execution Proof

Runtime database proof:

- approval state: 'denied'
- resolved: true
- connector run count for denied approval: 0
- audit outcomes:
 - 'approval_requested'
 - 'denied'

Post-denial approve attempt:

- status: 409
- mode: 'approval_request_approve_blocked'
- blocked reason: 'approval_request_already_resolved'
- accepted for execution: false
- execution enabled: false
- Build-Wiki dispatch present: false

Post-denial dispatch attempt:

- status: 409
- mode: 'run_now_dispatch_blocked'
- blocked reason: 'approval_state_not_approved'
- accepted for execution: false
- execution enabled: false

Unauthenticated denial attempt:

- status: 401

UI / API State

Read route after denial:

- status: 200
- UI state: 'denied'
- approval state: 'denied'
- run present: false

Status route after denial:

- status: 200
- Run Now UI state: 'denied'

This means the UI can show a denied terminal state without pretending an execution happened.

Verification

Fresh checks run for Day 26:

- 'git diff --check': pass
- 'pnpm run typecheck': pass
- focused tests: pass, 4 files / 11 tests
- 'node scripts/check-protected-file-invariants.mjs': pass
- live denied approval proof: pass
- '.env' diff check: clean

Build and full test suite were already run for the current source commit during Day 25. Day 26 changed no source files.

Safety Confirmation

- No '.env' changes.
- No secrets printed.
- No auth weakening.
- No public exposure added.
- No connector execution occurred.
- No service command was run for the denied approval.
- No SMB.
- No Fork 2.
- No external farmers.
- No fake Done or fake success.

Files Added

- 'runtime/day-26-denied-approval-proof.json'
- 'runtime/day-26-denied-approval-behavior-100-closure.md'
- 'runtime/day-26-denied-approval-behavior-100-closure.pdf'

Remaining Blockers

None for denied approval behavior.

Day 27 Start

Day 27 - Failed Execution Behavior begins next.

Goal:

Prove failed execution records a safe failure state, safe error metadata, no secret output, and clear owner-facing retry/rollback guidance.