

Phase 3 — Hermes Live Adapter Report

Generated: 2026-05-08T00:16:19Z

Result

Status: BLOCKED / SAFE 503

Exact blocker: hermes_safe_live_chat_adapter_not_configured. Mission Control did not fake hermes_called:true.

Service Proof

```
| Check | Result |
| --- | --- |
| `hermes-gateway.service` active | `active` |
| MainPID | `1796446` |
| ActiveEnterTimestamp | `Thu 2026-05-07 15:59:46 EDT` |
| Service command | Hermes gateway service is running; local executable paths are omitted from the owner-facing report. |
```

Route Proof

```
| Route | Auth | HTTP | Key result |
| --- | --- | ---: | --- |
| `GET /api/bridge/hermes/status` | yes | 200 | ok=True, mode=hermes_lieutenant_status_read_only, health=healthy, reachable=True, auth_configured=True, blocker=None, execution_enabled=False |
| `POST /api/bridge/hermes/test-chat` | yes | 503 | ok=False, mode=hermes_read_only_test_chat, status=503, hermes_called=False, blocker=hermes_safe_live_chat_adapter_not_configured, execution_enabled=False, writes_enabled=False |
| `GET /api/bridge/hermes/status` | no | 401 | error=Unauthorized |
| `POST /api/bridge/hermes/test-chat` | no | 401 | error=Unauthorized |
```

Adapter Decision

No safe Hermes no-tool/no-write live adapter is currently proven. The available CLI one-shot pattern is not used as a substitute because it can load tools or bypass approval semantics. The correct behavior is to keep POST /api/bridge/hermes/test-chat blocked with hermes_called:false.

Guardrails Confirmed

- No provider one-shot execution was run.
- No external write was run.

- No raw shell, Docker socket, direct secret read, Zapier write, HeyGen generation, SMB/Fork 2, or farmer execution occurred.
- Unauthenticated protected routes return 401.
- OpenClaw+ naming remains correct.

Phase 3 Decision

Phase 3 remains BLOCKED until a safe Hermes adapter returns `hermes_called:true` without enabling tools, writes, shell, Docker, provider-side execution, or secret access.