

Phase 9 - Paperclip Codex and Claude Auth Separation Report

Generated: 2026-05-07T21:06:52-04:00

Result

****PARTIAL / BLOCKED FOR PAPERCLIP SMOKE****

Codex/ChatGPT and Claude/Anthropic are represented separately in the Paperclip/Gateway bridge code, but Paperclip cannot yet prove a safe no-write Codex or Claude smoke because the CLI commands are not available on this service shell PATH and Paperclip owner/session bridge is not proven.

Boolean Auth and CLI Checks

Check	Result
Codex CLI available on PATH	no
Codex auth marker present	yes
Claude CLI available on PATH	no
Claude auth marker present	yes
ANTHROPIC_API_KEY in shell env	no
ANTHROPIC_API_KEY in Mission Control repo env	no
Paperclip Codex/Claude bridge references	present
Safe Codex smoke through Paperclip	blocked
Safe Claude smoke through Paperclip	blocked

No credential values, auth-file contents, tokens, or `.env` values were printed.

Separation Status

Provider Surface	State
Codex/ChatGPT	separate auth marker exists, CLI unavailable here
Claude/Anthropic	separate auth marker exists, CLI unavailable here
Codex auth reused for Claude	no proof / not used
Anthropic API billing	avoided; API key absent
Claude Code OAuth/subscription proof	blocked until CLI/session path is available
Paperclip adapter smoke	blocked until owner/session bridge and runtime adapter are proven

Tests

Test	Result
src/lib/paperclip-bridge.test.ts	36 passed

Security Confirmation

- No secrets printed.
- No auth files printed.
- No ``.env`` changes.
- No API billing enabled.
- No Codex auth was reused for Claude.
- No CLI smoke was faked.
- No Paperclip write/task action occurred.

Updated Percentage

System	Previous	Updated
Paperclip auth separation	partial	58% PARTIAL
Paperclip overall	62% PARTIAL GO	62% PARTIAL GO

Exact Blockers

- ``codex_cli_not_available_on_service_path``
- ``claude_cli_not_available_on_service_path``
- ``paperclip_owner_session_required``
- ``paperclip_codex_claude_adapter_smoke_not_proven``

Exact Next Step

Install or expose approved Codex and Claude CLI runtime paths to the Paperclip sandbox, keep their credential stores separate, then run no-write smoke tests from inside the authenticated Paperclip session bridge.

Rollback

This phase changed only reports. Rollback command after commit:

```
`git revert <phase-9-commit>`
```