

day-56-agentmail-delivery-proof-closure

Day 56 â AgentMail Delivery Proof Closure

Date: 2026-05-10

Status: DEVELOPER-SIDE CLOSED / CREDENTIAL_GATED

Lane: AgentMail delivery proof

Objective

Implement the AgentMail send proof path without fake delivery. AgentMail send must remain behind owner approval, Bridge Session scope, credential/config readiness, and recipient allow-list enforcement.

Implementation

Files changed:

- 'src/lib/agentmail-delivery.ts'
- 'src/lib/agentmail-delivery.test.ts'
- 'src/app/api/bridge/agent-zero/agentmail/send/route.ts'
- 'scripts/check-agentmail-delivery-guard.mjs'
- 'runtime/day-56-agentmail-delivery-guard-smoke.json'
- 'runtime/day-56-route-rendering-smoke.json'
- 'runtime/day-56-agentmail-delivery-proof-closure.md'
- 'runtime/day-56-agentmail-delivery-proof-closure.pdf'

Route added:

- 'POST /api/bridge/agent-zero/agentmail/send'

Behavior added:

- Send route requires operator authentication.
- Required exact scope is 'agentmail.send'.
- Missing credential blocks before approval creation or send.
- Missing send endpoint blocks before approval creation or send.
- Recipient must be in 'AGENTMAIL_ALLOWED_RECIPIENTS' or match 'AGENTMAIL_ALLOWED_DOMAINS'.
- Without active approved Bridge Session, a configured request creates/reuses an exact pending approval request and does not send.
- With active scoped Bridge Session, configured connector, and allow-listed recipient, the server writes a Bridge Session audit record before attempting the AgentMail connector.
- Connector failure returns failed status without fake send.
- Successful connector response is required before 'accepted_for_execution=true'.

Current runtime truth:

- 'POST /api/bridge/agent-zero/agentmail/send' unauthenticated: '401'
- Authenticated send attempt: '423'
- 'status': 'blocked'
- 'blocked_reason': 'agentmail_credential_required'
- 'accepted_for_execution': 'false'
- 'agentmail_message_id': 'null'
- 'no_email_sent': 'true'
- 'no_fake_done': 'true'
- 'no_tokens_exposed': 'true'

Runtime Proof

Runtime bind:

- '127.0.0.1:3337'

Runtime PID after build/restart:

- '35081'

AgentMail delivery guard:

- Command: 'MISSION_CONTROL_API_KEY=<redacted> node scripts/check-agentmail-delivery-guard.mjs http://127.0.0.1:3337 runtime/day-56-agentmail-delivery-guard-smoke.json'
- Result: PASS
- Checked: 3
- Failures: 0

Route rendering smoke:

- Command: 'MISSION_CONTROL_API_KEY=<redacted> node scripts/check-mission-control-route-rendering.mjs http://127.0.0.1:3337'
- Result: PASS
- Routes checked: 46
- Designer pages checked: 8
- Failures: 0

Validation

Red/green test cycle:

- Initial focused test failed because 'src/lib/agentmail-delivery.ts' did not exist.
- Implementation added the AgentMail send proof contract.
- Focused tests passed: 'src/lib/agentmail-delivery.test.ts' and 'src/lib/agentmail-readiness.test.ts' â 8 tests.

Commands run:

- 'node --check scripts/check-agentmail-delivery-guard.mjs' â PASS
- 'pnpm exec vitest run src/lib/agentmail-delivery.test.ts --pool=forks --no-file-parallelism --reporter verbose' â PASS, 5 tests
- 'pnpm exec vitest run src/lib/agentmail-delivery.test.ts src/lib/agentmail-readiness.test.ts --pool=forks --no-file-parallelism --reporter verbose' â PASS, 8 tests
- 'pnpm run typecheck' â PASS
- 'pnpm run build' â PASS
- 'pnpm test' â PASS, 181 files / 1414 tests
- 'git diff --check' â PASS
- 'node scripts/check-protected-file-invariants.mjs' â PASS
- '.env diff check' â PASS

Safety

- No '.env' changes.
- No secrets printed.
- No auth weakening.
- No public local exposure added.
- No external email sent in runtime proof.
- No fake sent status.
- No fake Done.
- No raw local paths exposed.
- No Zapier writes.
- No SMB/Fork 2.
- No HeyGen generation.
- No external farmers.

Blockers

Developer-side AgentMail delivery harness:

- Blocker class: 'NONE'

Live AgentMail send:

- Blocker class: 'CREDENTIAL_GATED'
- Exact blocker: 'agentmail_credential_required'

Owner/live send proof:

- Blocker class: 'OWNER_GATED'
- Required before GO:
 - AgentMail credential configured through approved secret path.
 - 'AGENTMAIL_SEND_ENDPOINT' configured.
 - allow-listed recipient/domain configured.
 - exact approved Bridge Session with 'agentmail.send' scope.
 - connector returns confirmed message id or success.

Rollback

Rollback command after commit:

- 'git revert <day56_agentmail_delivery_commit_sha>'

Commit / Push

Commit hash:

- Pending at report creation.

Push result:

- Pending at report creation.

Next Day

Day 57 â Google Drive Readiness has automatically started after Day 56 developer-side closure. Google Drive must remain no-fake-upload and CREDENTIAL/OWNER gated until real auth and folder readiness are proven.