

Day 5 Phase 049 - Paperclip Final Readiness

Generated: 2026-05-07 23:35 EDT

Result: PARTIAL GO - Day 5 proved Paperclip Tailnet health and read-only Gateway contracts, but owner session remains blocked.

Objective

- Recalculate Paperclip readiness from service, bridge, auth, and dry-run evidence.

Actions Completed

- Marked Paperclip Tailnet service health as proven.
- Marked owner UI/data proof as blocked by session.
- Marked Gateway contracts as read-only partial GO.
- Marked Codex/Claude adapter proof as blocked by CLI/session.

Commands And Routes Used

- GET /api/bridge/paperclip/status authenticated: 200; unauthenticated: 401; health degraded; blocker paperclip_auth_required_or_not_configured.
- GET /api/bridge/paperclip/companies authenticated: 503; unauthenticated: 401; blocked by Paperclip auth/session.
- GET /api/bridge/paperclip/agents authenticated: 503; unauthenticated: 401; blocked by Paperclip auth/session.
- GET /api/bridge/paperclip/issues authenticated: 503; unauthenticated: 401; blocked by Paperclip auth/session.
- POST /api/bridge/paperclip/test-chat authenticated: 503; unauthenticated: 401; safe test task adapter not configured.
- GET /api/bridge/paperclip/tasks authenticated: 200; read-only route; Bridge Session required for writes.
- GET /api/bridge/paperclip/proposals authenticated: 200; read-only route.
- GET /api/bridge/paperclip/research-tasks authenticated: 200; read-only route.
- GET /api/bridge/paperclip/workforce-flow authenticated: 200; read-only route.
- GET /api/bridge/paperclip/dispatcher-recommendations authenticated: 200; read-only route.
- All tested Mission Control Paperclip payloads had raw_path_visible=false and secret_shape_visible=false.
- Paperclip direct health and UI browser smoke against Tailnet service.
- Paperclip dependency audit, workspace typecheck, and focused vitest suite.

Proof

- Paperclip dev service process is running.
- Paperclip HTTP service listens on Tailnet address port 3100, not loopback and not 0.0.0.0.
- Paperclip secondary websocket/service port listens on Tailnet address port 13100.
- Paperclip embedded database listens on loopback-only port 54329.
- Paperclip /api/health returned 200 with status ok, deployment mode authenticated, bootstrap ready.
- Mission Control service remains active/running after Day 4 restart.
- GET /api/bridge/paperclip/status authenticated: 200; unauthenticated: 401; health degraded; blocker paperclip_auth_required_or_not_configured.
- GET /api/bridge/paperclip/companies authenticated: 503; unauthenticated: 401; blocked by Paperclip auth/session.
- GET /api/bridge/paperclip/agents authenticated: 503; unauthenticated: 401; blocked by Paperclip auth/session.
- GET /api/bridge/paperclip/issues authenticated: 503; unauthenticated: 401; blocked by Paperclip auth/session.

- POST /api/bridge/paperclip/test-chat authenticated: 503; unauthenticated: 401; safe test task adapter not configured.
- GET /api/bridge/paperclip/tasks authenticated: 200; read-only route; Bridge Session required for writes.
- GET /api/bridge/paperclip/proposals authenticated: 200; read-only route.
- GET /api/bridge/paperclip/research-tasks authenticated: 200; read-only route.
- GET /api/bridge/paperclip/workforce-flow authenticated: 200; read-only route.
- GET /api/bridge/paperclip/dispatcher-recommendations authenticated: 200; read-only route.
- All tested Mission Control Paperclip payloads had raw_path_visible=false and secret_shape_visible=false.
- Paperclip Codex adapter package exists.
- Paperclip Claude adapter package exists.
- Paperclip Pi adapter package exists.
- Paperclip OpenClaw+ gateway adapter package exists.
- Codex CLI was not found in the noninteractive service PATH.
- Claude CLI was not found in the noninteractive service PATH.
- Anthropic billing credential was not present in the process environment.
- No Paperclip Codex or Claude no-write smoke was run because Paperclip owner/session bridge is not configured.
- Codex and Claude auth remain separated; no auth source was reused or copied.
- Mission Control Paperclip workforce routes are present and protected.
- GET dry-run workforce/task/proposal/research/dispatcher routes return read-only contracts with execution_enabled=false and writes_enabled=false.
- POST dry-run attempts are blocked or gated with 409/503 responses, not fake Done.
- Paperclip can track planned roles in contract form: Agent Zero review, Hermes planning, Pi route recommendation, SpaceAgent research, OpenClaw+ gated runtime handoff.
- No Paperclip live task creation, issue creation, external write, or worker execution occurred.

System Percentages

System	Percent	Decision	Note
Paperclip	65%	PARTIAL / DEGRADED	Tailnet service and health proven; owner login/session and live data bridge blocked.
Paperclip Gateway bridge	70%	PARTIAL GO / READ-ONLY	Read-only/dry-run routes protected and clean; live companies/agents/issues blocked by auth.
Paperclip Codex/Claude separation	45%	PARTIAL / BLOCKED	Adapters exist; CLIs/session smokes unavailable; no auth mixing.
Paperclip workforce dry-run	72%	PARTIAL / GATED	Contracts and tests pass; live task creation blocked by Bridge Session/session.
Agent Zero	94%	PARTIAL GO	Still commander; can see Paperclip contracts.
Pi Dispatcher	80%	PARTIAL GO / SHADOW	Paperclip dispatcher route exists; recommend only.
Hermes	42%	NO-GO live	Can plan via contracts; live adapter still blocked.
OpenClaw+	86%	PARTIAL GO	Paperclip handoff remains gated before runtime execution.
Overall ecosystem	92.5%	PARTIAL GO	Paperclip service truth improved; owner/session blockers prevent full GO.

Files Changed

- Report artifacts only for Day 5. No production source file changed in this phase.

Tests

- Paperclip typecheck: passed across workspace packages.
- Paperclip focused auth/dashboard/adapters/agent/issues/board tests: 7 files passed, 67 tests passed.
- Mission Control Paperclip bridge route smoke passed for protected read-only/dry-run routes.
- Unauthenticated Mission Control Paperclip routes returned 401.

Services

- Paperclip dev service process is running.
- Paperclip HTTP service listens on Tailnet address port 3100, not loopback and not 0.0.0.0.
- Paperclip secondary websocket/service port listens on Tailnet address port 13100.
- Paperclip embedded database listens on loopback-only port 54329.
- Paperclip /api/health returned 200 with status ok, deployment mode authenticated, bootstrap ready.
- Mission Control service remains active/running after Day 4 restart.

Blockers

- paperclip_owner_session_required: owner dashboard, roster, and task queue visual proof cannot pass without a Paperclip owner session.
- paperclip_auth_required_or_not_configured: Mission Control cannot read live Paperclip companies/agents/issues yet.
- paperclip_safe_test_task_adapter_not_configured: no live safe Paperclip test task adapter.
- paperclip_dependency_upgrade_window_required: audit has high/moderate findings; remediation is not a low-risk one-line change.
- codex_cli_unavailable_in_service_path and claude_cli_unavailable_in_service_path: CLI smokes through Paperclip cannot be proven yet.
- active_bridge_session_required: Paperclip mutations/task creation remain intentionally blocked.

Commits

- Starting Day 5 HEAD: 7c83054. Day 5 report commit pending at report generation time.

Rollback

- After commit, rollback command: git revert <day-5-commit>. No Paperclip service configuration rollback is required because no service settings were changed.

No-Secrets Confirmation

- No credential values, auth files, API keys, token values, passwords, environment values, or Paperclip auth files were printed or committed. No .env file was changed. No Paperclip write, task creation, external connector write, SMB/Fork 2, Zapier write, HeyGen generation, or external farmer execution occurred.

Updated Percentage

- Paperclip: 65% PARTIAL / DEGRADED. Paperclip Gateway bridge: 70% PARTIAL GO / READ-ONLY. Overall ecosystem: 92.5% PARTIAL GO. Pi remains included at 80% PARTIAL GO / SHADOW.

Exact Next Step

- Proceed to Day 6 OpenClaw+, mini-agent OS, and Build-Wiki / Farmer proof.

