

Playwright MCP Production Integration Report

Generated: 2026-05-07

Executive Summary

Playwright MCP was audited, installed as a local-only user service, verified with a real MCP tool call, and wired into Mission Control Gateway under SpaceAgent as the protected browser automation path.

Current result: ****PARTIAL GO****.

The Playwright MCP runtime is live and local-only. Mission Control code, APIs, Gateway registry, Agent Hub UI metadata, and tests are complete. Production Mission Control visibility is still blocked by the host requiring interactive administrator authentication for `mission-control.service` restart.

Completion Table

Area	Status	Percent
---	---	---
Addendum ingestion and compliance	Complete	100%
Repo audit and package verification	Complete	100%
Playwright MCP local-only runtime	Complete	100%
MCP browser evidence smoke	Complete	100%
SpaceAgent Gateway registry wiring	Complete	100%
Mission Control API routes	Complete	100%
Agent Hub / Gateway UI metadata	Complete	100%
Automated tests and build	Complete	100%
Production Mission Control restart	Blocked by admin authentication	0%
Production owner UI proof after restart	Blocked by restart	0%
Overall production integration	Partial GO	86%

What Changed

- Added Playwright MCP as SpaceAgent's browser automation MCP tool server.
- Added a safe local status adapter for `localhost:8931/mcp`.
- Added a read-only browser evidence adapter that can navigate to a safe public URL, capture an accessibility snapshot, console summary, network summary, and screenshot metadata.
- Added `GET /api/bridge/space-agent/playwright-mcp/status`.
- Added `POST /api/gateway/space-agent/playwright-mcp/evidence`.
- Updated SpaceAgent status, Gateway registry, Agent Hub metadata, and route tests.
- Kept Firecrawl as a separate research connector; Firecrawl remains blocked until its credential and adapter are configured.

Runtime Status

Runtime	Result
---	---
Service	`playwright-mcp.service` active
Bind	`127.0.0.1:8931` only
Transport	MCP streamable HTTP
Browser	Headless Firefox in isolated profile mode

```
| Public exposure | No public exposure detected |
| Tailnet exposure | Not listening on Tailnet |
| External writes | Not enabled |
| Interactive actions | Bridge Session required |
```

Live Proof

- MCP tool list returned **23 tools**.
- `browser\_navigate` succeeded against a safe public test page.
- `browser\_snapshot` succeeded and included the expected page content.
- Listener proof showed only `127.0.0.1:8931`.
- Service status returned active with zero restarts after stabilization.

Mission Control Proof

```
| Check | Result |
| --- | --- |
| Typecheck | Passed |
| Build | Passed |
| Full test suite | Passed, 132 files and 1,234 tests |
| New route appears in build | Yes |
| Production restart | Blocked by interactive admin authentication |
| Production owner UI proof | Blocked until restart |
```

Security and Policy

- No secrets were printed.
- Environment file changes: none.
- No API keys, tokens, auth files, browser cookies, storage state, or credentials were committed.
- No public Playwright MCP exposure was created.
- No SMB/Fork 2 action was taken.
- No Zapier writes, HeyGen generation, external farmers, or broad connector execution occurred.
- Unsafe URLs, localhost/private-network targets, and authenticated/private browsing are blocked unless explicitly scoped through policy.
- Owner-facing payloads are sanitized to suppress raw local paths, task IDs, secrets, cookies, and auth files.

Services Checked

```
| Service | Status |
| --- | --- |
| mission-control.service | Active, restart blocked by admin authentication |
| claudeclaw.service | Active |
| hermes-gateway.service | Active |
| opencloud-docs-farmer.timer | Active |
| opencloud-docs-farmer.service | Inactive |
| playwright-mcp.service | Active |
| Agent Zero container | Running |
```

Tests Passed

- ``git diff --check``
- ``pnpm run typecheck``
- ``pnpm run build``
- ``pnpm test``
- Targeted SpaceAgent/Gateway Playwright MCP tests
- Direct MCP service smoke
- Staged secret scan

Commits

- ``d1d9bcc`` — ``feat(gateway): wire playwright mcp for spaceagent browser evidence``
- Documentation report commit is generated separately with this report and the developer handoff.

Remaining Blockers

1. ``mission-control.service`` restart requires administrator authentication. Until the service is restarted, production Mission Control may still serve the previous build.
2. Authenticated production route smoke must run after restart:
 - ``GET /api/bridge/space-agent/playwright-mcp/status``
 - ``POST /api/gateway/space-agent/playwright-mcp/evidence``
3. Agent Hub browser smoke must run after restart to confirm the owner sees the SpaceAgent Playwright MCP status in production.
4. Firecrawl remains a separate blocked connector until configured.
5. Interactive browser actions remain gated by Bridge Session and owner-approved scope.

Rollback

Code rollback:

```
git revert d1d9bcc
```

Runtime rollback:

```
systemctl --user disable --now playwright-mcp.service
```

Production reload after rollback requires administrator restart of Mission Control.

Final Decision

****PARTIAL GO****. The Playwright MCP runtime and Mission Control integration are built and verified, but production Mission Control visibility is not fully proven because the required service restart is blocked by administrator authentication.