

Firecrawl Read-Only Proof Report

Generated: 2026-05-08 09:24 ET

Objective

Move Firecrawl from BLOCKED to connected/read-only only if an approved credential and safe backend adapter are actually available.

Final result: **BLOCKED**.

Firecrawl is still blocked for Mission Control. The production routes and Gateway node exist, and SpaceAgent can return a Firecrawl-aware ResearchPacket, but Mission Control does not have a Firecrawl credential in its service environment and the Firecrawl SDK/backend runner is not installed. No live Firecrawl scrape/crawl was executed.

Status Decision

System	Previous %	Updated %	Decision	Exact blocker
Firecrawl	35%	35%	BLOCKED	`firecrawl_credential_required`
SpaceAgent	Firecrawl path	68-76% overall	SpaceAgent	unchanged
packet-only	Firecrawl packet can be prepared,	but live Firecrawl call is blocked		
Gateway	Firecrawl node	present	present	BLOCKED
				`credential_required`

Do not mark Firecrawl GO. A live read-only smoke did not pass because the credential/backend prerequisites are missing from Mission Control.

Commands And Routes Used

Commands were run in a way that printed booleans and status only. No credential values, auth files, API keys, or token values were printed.

Production proof routes:

Route	Authenticated result	Unauthenticated result	Meaning
`GET /api/firecrawl/status`	200	401	Firecrawl status route exists and is protected
`GET /api/firecrawl/jobs`	200	401	Jobs route exists and is protected
`POST /api/firecrawl/jobs`	503	not run	unauthenticated Live job creation blocked by missing credential
`GET /api/bridge/connector-readiness`	200	401	Connector readiness route exists and is protected
`GET /api/gateway/nodes/firecrawl`	200 after alias fix	401	Direct Firecrawl node alias resolves to the Gateway Firecrawl node
`GET /api/gateway/nodes/integration_firecrawl`	200	401	Gateway node exists under `integration_firecrawl`
`POST /api/gateway/space-agent/research`	200 packet-only	not run	unauthenticated SpaceAgent can prepare a Firecrawl-aware ResearchPacket, but does not execute Firecrawl

Safe public-page smoke target: `https://example.com/`.

No broad crawl, private page, login, external write, upload, memory write, or connector execution was run.

Credential Proof

Credential checks were boolean-only.

```
| Check | Result |
| --- | --- |
| Mission Control process has `FIRECRAWL_API_KEY` | no |
| Mission Control configured env source has `FIRECRAWL_API_KEY` by name | no |
| Related ClaudeClaw env source has `FIRECRAWL_API_KEY` by name | yes, value not inspected |
| Related OpenClaw+ env source has `FIRECRAWL_API_KEY` by name | yes, value not inspected |
| Mission Control Firecrawl SDK loaded | no |
| `.env` diff clean | yes |
```

Conclusion: an approved credential may exist in related OpenClaw+ runtime source s by name, but Mission Control does not currently have an approved credential in its own service environment. I did not copy, print, or read the secret value.

Required owner/admin next step: approve a secure credential sync path into Mission Control's protected service environment, then approve/wire the read-only Firecrawl backend adapter before rerunning smoke.

Backend Adapter Proof

Mission Control has a Firecrawl API surface:

- `GET /api/firecrawl/status`
- `GET /api/firecrawl/jobs`
- `POST /api/firecrawl/jobs`
- `GET /api/bridge/connector-readiness`
- `GET /api/gateway/nodes/integration\_firecrawl`

However, the production job route intentionally blocks execution:

```
| Probe | Result |
| --- | --- |
| `POST /api/firecrawl/jobs` with `type=scrape` and public URL | HTTP 503 |
| Returned operation | no job created |
| Missing credential behavior | blocked safely |
| Firecrawl SDK/backend runner | not installed/wired |
```

If the credential becomes available before the backend runner is installed, the next blocker will be `firecrawl\_backend\_adapter\_not\_configured`.

Gateway And Agent Hub Status

Gateway exposes Firecrawl under node id `integration\_firecrawl`.

```
| Field | Production result |
| --- | --- |
| Node id | `integration_firecrawl` |
| Label | Firecrawl |
| Status | blocked |
| Read enabled | false |
| Write enabled | false |
| Execution enabled | false |
| Requires Bridge Session | true |
| Blocked reason | `credential_required` |
```

This is honest and safe. Gateway is not claiming live Firecrawl access. I also added the safe alias so `GET /api/gateway/nodes/firecrawl` returns the same blocked Firecrawl node instead of a 404.

SpaceAgent ResearchPacket Proof

SpaceAgent was asked to prepare a Firecrawl-oriented packet for a public page. It did not execute Firecrawl.

Field	Result
HTTP status	200
`ok`	true
Packet status	ready
Firecrawl status in packet	blocked missing credential
Blocked reason	`firecrawl_missing_credential_research_packet_can_still_use_browser_or_web_fallback_if_available`
Research performed	false
Evidence count	0
Web source count	0
External writes	none

Interpretation: SpaceAgent can model and return the route/packet, but Firecrawl itself remains blocked. This is not Firecrawl GO.

Files Changed

File	Purpose
`src/lib/gateway-registry-api.ts`	Adds the safe `firecrawl` node-detail alias to `integration_firecrawl`
`src/lib/gateway-registry-api.test.ts`	Verifies the alias returns a blocked, non-executing Firecrawl node
`runtime/firecrawl-readonly-proof-report.md`	Required Firecrawl proof report
`runtime/firecrawl-readonly-proof-report.pdf`	Required PDF report

No `.env` file, auth file, or credential file was changed.

Tests

Check	Result
`git diff --check`	PASS
Focused Firecrawl/Gateway/SpaceAgent tests	PASS: 5 files, 37 tests
Typecheck	PASS after Next generated types were rebuilt
Build	PASS
`.env` diff check	PASS: clean
Production authenticated route smoke	PASS for Firecrawl status, jobs, connector readiness, Gateway node, SpaceAgent research
Production unauthenticated route smoke	PASS: protected routes returned 401

Focused tests run:

- `src/lib/space-agent-routes.test.ts`
- `src/lib/gateway-pi-dispatcher.test.ts`
- `src/lib/gateway-route-planner.test.ts`
- `src/lib/gateway-model.test.ts`
- `src/lib/gateway-registry-api.test.ts`

Blockers

Blocker	Status	Required next action
`firecrawl_credential_required`	active	Owner/admin approves secure credential sync into Mission Control service environment
`firecrawl_backend_adapter_not_configured`	pending after credential	Install

1 and wire the Firecrawl SDK/read-only runner and job persistence safely |
| Live read-only smoke | not run | Rerun only after credential and backend adapter are present |

Rollback

Runtime behavior changed only for the safe read-only Gateway node alias. It does not enable Firecrawl execution or writes.

1. Revert the Firecrawl alias/report commit.
2. Restart the Mission Control runtime only if the code rollback is deployed.
3. Firecrawl will remain blocked either way until the credential/backend prerequisites are actually present.

No-Secrets Confirmation

- No Firecrawl credential value was printed.
- No auth file was printed.
- No API key or token value was printed.
- No ``.env`` file was modified.
- No external write was performed.
- No Firecrawl scrape/crawl/extract/map job was executed.
- No public local service exposure was added.
- No fake Firecrawl connected status was set.

Exact Next Step

Keep Firecrawl at ****35% BLOCKED**** with ``firecrawl_credential_required`` until an owner-approved credential sync path and backend adapter are both present. Then rerun exactly one read-only public-page smoke and update Gateway / Agent Hub only if that live smoke passes.