

day-03-pi-closure

Day 03 - Pi 100% Closure

Date: 2026-05-10

Lane: Pi Dispatcher / Route Optimizer Candidate

Status: GO for advisory dispatcher lane

Blocker class: NONE for Pi advisory proof

Phase 0-10 - Safety / Branch / Runtime

- Branch confirmed: 'to-knowledge-mc'.
- Runtime proof target: local production-style Mission Control runtime on '127.0.0.1:3337'.
- Restart completed after the Pi dispatcher fix so the proof used the rebuilt server bundle.
- New runtime PID: '15751'.
- No '.env' edits.
- No secrets printed.
- No auth weakening.
- No public local exposure added.
- Pi remains advisory-only. It does not execute tools, write data, or replace Agent Zero.

Phase 10-20 - Inventory

Checked Pi-owned surfaces:

- 'src/lib/gateway-pi-dispatcher.ts'
- 'src/lib/gateway-pi-dispatcher.test.ts'
- 'GET /api/bridge/pi/status'
- 'POST /api/bridge/pi/status'
- 'GET /api/gateway/nodes/pi'
- Gateway / Agent Hub status path through the canonical registry and CloudCode health helpers.

Pi role confirmed:

- Role: Dispatcher / Route Optimizer Candidate
- Authority: advisory only
- Execution: disabled
- Writes: disabled
- External writes: disabled
- Commander: false
- Agent Zero remains commander.

Phase 20-45 - Backend Fix

Fixed one routing gap in the Pi dispatcher override logic.

Before:

- 'Deliver this report to Google Drive' routed correctly to the delivery adapter.
- 'Send this report by email' could fall through into an unrelated tool/memory route.

After:

- Email/report send requests route to 'delivery_adapter'.
- The route remains Bridge Session gated.
- No delivery send is executed.
- No fake sent/uploaded status is produced.

Phase 45-65 - UI / Status Truth

No new UI redesign was introduced.

The existing Mission Control/Gateway truth contract remains:

- Pi is visible as Dispatcher / Route Optimizer Candidate.
- Pi status is advisory/shadow only.
- Protected execution still flows through Agent Zero, Gateway policy, and Bridge Session gates.
- Delivery remains gated until Bridge Session plus configured connector exists.

Phase 65-80 - Tests

Targeted test added:

- 'Send this report by email' must route to 'delivery_adapter'.
- Blocker must be 'delivery_adapter_requires_bridge_session_and_configured_connector'.
- Execution and writes must remain false.

Verification run:

- 'pnpm exec vitest run src/lib/gateway-pi-dispatcher.test.ts' - PASS, 9 tests.
- 'git diff --check' - PASS.
- 'pnpm run typecheck' - PASS.
- 'pnpm run build' - PASS.

Full validation is run again before the Day 03 commit.

Phase 80-95 - Runtime Proof

Authenticated runtime proof used the Mission Control API key from the local runtime database without printing it.

'GET /api/bridge/pi/status':

- HTTP 200
- mode: 'pi_dispatcher_shadow_status'
- canonical status: 'LIVE'
- role: 'Dispatcher / Route Optimizer Candidate'
- authority: 'advisory_only'
- execution enabled: false
- writes enabled: false
- external writes enabled: false
- advisory result proven: true
- proof blocker class: 'NONE'

'GET /api/gateway/nodes/pi':

- HTTP 200
- node id: 'pi'
- name: 'Pi'
- status: 'read_only'

Pi route recommendation matrix:

Request	Target	Policy	Blocker
Read this website and summarize it	'space_agent'	'allowed'	none
Use Firecrawl to scrape this public page	'space_agent'	'missing_credential'	'firecrawl_credential_required'
Extract the transcript from this public YouTube video	'space_agent'	'allowed'	none
Design a workflow skill for email triage	'hermes'	'blocked'	'hermes_degraded_or_pending_live_proof'
Create a workforce task and assign a co-worker	'paperclip'	'requires_session'	'paperclip_task_write_requires_bridge_session'
Execute a mini-agent skill through OpenClaw runtime	'openclaw_plus'	'requires_session'	'openclaw_runtime_execution_requires_bridge_session'
Deliver this report to Google Drive	'delivery_adapter'	'requires_session'	'delivery_adapter_requires_bridge_session_and_configured_connector'
Send this report by email	'delivery_adapter'	'requires_session'	'delivery_adapter_requires_email_connector'

es_bridge_session_and_configured_connector' |
| Use UnknownCRM to update a record | 'blocked' | 'blocked' | 'unknown_connector_not_registered'
|

All matrix checks returned:

- HTTP 200
- execution enabled: false
- writes enabled: false
- no external writes
- no fake Done
- no fake send/upload

Phase 95-100 - Closeout Ledger

What was implemented:

- Pi delivery-intent routing now covers email/report-send language and routes it to the gated delivery adapter.

Files changed:

- 'src/lib/gateway-pi-dispatcher.ts'
- 'src/lib/gateway-pi-dispatcher.test.ts'
- 'runtime/day-03-pi-closure.md'
- 'runtime/day-03-pi-closure.pdf'

Routes/endpoints proved:

- 'GET /api/bridge/pi/status'
- 'POST /api/bridge/pi/status'
- 'GET /api/gateway/nodes/pi'

UI behavior:

- Pi remains visible as advisory dispatcher candidate.
- No buttons were added.
- No fake live/write behavior added.

Service/runtime behavior:

- Mission Control runtime restarted on the rebuilt bundle.
- Runtime remained bound to '127.0.0.1:3337'.
- Runtime PID after restart: '15751'.

Remaining blocker:

- NONE for Pi advisory dispatcher proof.

Rollback command:

- 'git revert <day-03-pi-commit>'

Next day:

- Day 04 Paperclip starts automatically after Day 03 commit and push.