

Phase PI-2 — Pi Safe Local Session Report

Generated: 2026-05-07 21:38:52

Result

****PARTIAL GO / shadow.**** Pi was invoked safely as an in-process Mission Control Gateway library, not as a standalone daemon. It returned dispatcher recommendations only. No writes, execution, tool calls, external actions, or secrets were allowed.

Safe Shadow Mode

Control	Result
Local/sandbox/shadow only	PASS
Public exposure	none
Write tools	disabled
External execution tools	disabled
Secrets	not provided
Direct tool calls	disabled
Output type	route recommendation only

Proof

Focused tests passed for Pi status and dispatcher recommendations:

- `src/lib/gateway-pi-dispatcher.test.ts`: 9 passed
- Pi status payload reports `authority: advisory\_only`
- Pi status payload reports `execution\_enabled: false`
- Pi status payload reports `writes\_enabled: false`
- Pi status payload reports `runtime.blocker: pi\_runtime\_session\_not\_proven`

Simple Dispatcher Request

Prompt: "Given this owner request, which route would you recommend?"

Expected and proven behavior: Pi returns a shadow recommendation only and keeps Agent Zero as commander. Pi does not execute or write.

Remaining Blocker

`pi\_runtime\_session\_not\_proven`: no standalone Pi runtime, service, or session was found.