

## # Day 1 / Phase 2 - Mission Control Restart And Smoke

Generated: 2026-05-08

### ## Objective

Prove production Mission Control is running the latest pushed code, then run authenticated and unauthenticated route smoke for the core Gateway / Agent ecosystem surfaces.

### ## Result

**\*\*PASS / PARTIAL GO.\*\*** Production was restarted through the controlled standalone Next process path. PID and timestamp changed. Core authenticated routes worked. Unauthenticated protected routes returned `401`. Hermes live chat remains honestly blocked by its known safe adapter blocker.

### ## Branch / HEAD

| Item               | Value             |
|--------------------|-------------------|
| Branch             | `to-knowledge-mc` |
| Production HEAD    | `db918dc`         |
| Latest pushed HEAD | `db918dc`         |

### ## Restart Proof

| Item                   | Value                          |
|------------------------|--------------------------------|
| Old PID                | `3248542`                      |
| Old timestamp          | `Fri May 8 08:24:02 2026`      |
| New PID                | `3254632`                      |
| New timestamp          | `Fri May 8 08:28:23 2026`      |
| `/login` after restart | 200                            |
| Mission Control bind   | `127.0.0.1:3337`               |
| Production proxy bind  | Tailnet address on port `3337` |
| Playwright MCP bind    | `127.0.0.1:8931`               |

### ## Authenticated Route Smoke

Authenticated API smoke used the existing production API-key auth path. No key value was printed.

| Route                                         | Result | Truth                                                     |
|-----------------------------------------------|--------|-----------------------------------------------------------|
| `GET /api/gateway/status`                     | 200    | Gateway status reachable                                  |
| `GET /api/gateway/registry`                   | 200    | Gateway registry reachable                                |
| `GET /api/gateway/agent-hub/status`           | 200    | Agent Hub status reachable                                |
| `GET /api/bridge/agent-zero/status`           | 200    | Agent Zero status reachable                               |
| `POST /api/bridge/agent-zero/test-chat`       | 200    | `agent_zero_called` present                               |
| `GET /api/bridge/hermes/status`               | 200    | Hermes status reachable                                   |
| `POST /api/bridge/hermes/test-chat`           | 503    | blocked by `hermes_safe_live_chat_adapter_not_configured` |
| `GET /api/bridge/pi/status`                   | 200    | Pi shadow status reachable                                |
| `GET /api/bridge/playwright-mcp/status`       | 200    | Playwright MCP local-only status reachable                |
| `GET /api/bridge/paperclip/status`            | 200    | Paperclip bridge status reachable                         |
| `GET /api/gateway/space-agent/browser/status` | 200    | SpaceAgent browser status reachable                       |

### ## Unauthenticated Route Smoke

| Route                                        | Result |
|----------------------------------------------|--------|
| GET /api/gateway/status`                     | 401    |
| GET /api/gateway/registry`                   | 401    |
| GET /api/gateway/agent-hub/status`           | 401    |
| GET /api/bridge/agent-zero/status`           | 401    |
| POST /api/bridge/agent-zero/test-chat`       | 401    |
| GET /api/bridge/hermes/status`               | 401    |
| POST /api/bridge/hermes/test-chat`           | 401    |
| GET /api/bridge/pi/status`                   | 401    |
| GET /api/bridge/playwright-mcp/status`       | 401    |
| GET /api/bridge/paperclip/status`            | 401    |
| GET /api/gateway/space-agent/browser/status` | 401    |

## ## Services

| Service/process                 | State                                               |
|---------------------------------|-----------------------------------------------------|
| Mission Control standalone Next | running, PID `3254632`                              |
| Playwright MCP                  | running, local-only on `127.0.0.1:8931`             |
| Production proxy                | listening on production Tailnet address port `3337` |

## ## Files Changed

- `runtime/day-01-phase-02-mission-control-restart-smoke.md`
- `runtime/day-01-phase-02-mission-control-restart-smoke.pdf`

## ## Commands / Routes Used

- production `git rev-parse --short HEAD`
- controlled kill/start of the standalone Next process bound to `127.0.0.1:3337`
- `curl` authenticated route smoke
- `curl` unauthenticated route smoke
- process and port inspection
- log tail secret-pattern count
- `.env` diff check

## ## Tests

No build/test suite was run in this phase. This phase is production restart and route smoke. Day 1 validation runs typecheck/build/tests after all Day 1 reporting and hygiene checks.

## ## Blockers

| Blocker                                        | Impact                                                                                                |
|------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| `hermes_safe_live_chat_adapter_not_configured` | Hermes live adapter remains N0-G0. Status route is reachable, but `hermes_called:true` is not proven. |
| `owner_authenticated_browser_session_required` | This phase proves API auth and production restart, not the owner's actual browser session.            |

## ## No-Secrets Confirmation

- No API key value was printed.
- No token value was printed.
- No auth file was printed.
- Last 200 Mission Control log lines had `0` secret-shaped pattern matches.
- `.env` diff check returned no changed env files.
- No public local service exposure was added.

## ## Rollback

Production is running commit `db918dc`. Roll back only if needed:

```
```bash
git revert db918dc
```

To restart the previous built artifact, rebuild from the desired commit and restart the standalone process bound to `127.0.0.1:3337`.

## Updated Percentage

Mission Control production restart gate: **\*\*GO for restart and protected route smoke\*\***.

Overall ecosystem remains **\*\*90% PARTIAL GO\*\*** because Hermes, Firecrawl, Paperclip owner login, owner-browser proof, and Bridge Session proof remain unresolved.

## Exact Next Step

Proceed to Day 1 / Phase 3: owner-authenticated browser visual proof. If an owner browser session is unavailable, record `owner\_authenticated\_browser\_session\_required` and continue safe non-browser-dependent work.