

Day 05 â OpenClaw+ 100% Closure

Date: 2026-05-09

Branch: to-knowledge-mc

Status: DEVELOPER-SIDE CLOSED

Blocker classification: SERVICE_DOWN

Executive Summary

Day 05 closed the developer-side OpenClaw+ runtime/doctor gate with authenticated route proof and a canonical closure payload. OpenClaw+ remains the runtime / skills / agents / mini-agent execution layer, but it is not GO because no executable OpenClaw+ CLI binary is reachable from the Mission Control runtime context.

Current blocker:

- 'openclaw_doctor_runtime_not_reachable'

No destructive repair was run. No agents, skills, memory, reports, governance, credentials, or runtime data were deleted or modified.

What Changed

- Added canonical OpenClaw+ doctor closure fields:
 - 'canonical_status'
 - 'blocker_class'
 - 'blocker'
 - 'proof_packet'
- Added closure helpers:
 - 'buildOpenClawDoctorClosureSummary()'
 - 'withOpenClawDoctorClosure()'
 - 'buildOpenClawDoctorMissingPayload()'
- Updated 'GET /api/openclaw/doctor' so missing CLI/runtime responses return:
 - 'canonical_status=SERVICE_DOWN'
 - 'blocker_class=SERVICE_DOWN'
 - 'blocker=openclaw_doctor_runtime_not_reachable'
- Updated 'POST /api/openclaw/doctor' missing-runtime behavior the same way.
- Added route tests proving missing CLI returns the canonical closure payload and unauthenticated requests stop before OpenClaw+ invocation.

Files Changed

- 'src/lib/openclaw-doctor.ts'
- 'src/app/api/openclaw/doctor/route.ts'
- 'src/lib/__tests__/openclaw-doctor.test.ts'
- 'src/lib/__tests__/openclaw-doctor-route.test.ts'

Routes / Endpoints Changed

- 'GET /api/openclaw/doctor'
 - Authenticated admin route.
 - Returns canonical closure proof on success, warning/error output, or missing runtime.
- 'POST /api/openclaw/doctor'
 - Authenticated admin route.
 - Still safe-gated by runtime availability.
 - Missing runtime returns canonical 'SERVICE_DOWN'.

Runtime / Service Proof

Runtime inventory:

- Runtime user: 'sosastrike'

- 'command -v openclaw': not found.
- 'command -v clawdbot': not found.
- 'command -v claudeclaw': not found.
- Approved local bin search did not find executable 'openclaw', 'clawdbot', or 'claudeclaw'.

Standalone Mission Control smoke was run bound to '127.0.0.1:3337' only.

Unauthenticated proof:

- '/login' returned '200'.
- 'GET /api/openclaw/doctor' returned '401'.

Authenticated proof:

- 'GET /api/openclaw/doctor' returned '400'.
- Payload included:
 - 'error=OpenClaw is not installed or not reachable'
 - 'canonical_status=SERVICE_DOWN'
 - 'blocker_class=SERVICE_DOWN'
 - 'blocker=openclaw_doctor_runtime_not_reachable'
 - 'proof_packet.result=SERVICE_DOWN'
 - 'proof_packet.blocker=openclaw_doctor_runtime_not_reachable'
 - 'proof_packet.service_user=sosastrike'
 - 'execution_enabled=false'
 - 'writes_enabled=false'
 - 'destructive_repair_enabled=false'
 - 'no_secrets_exposed=true'
 - 'raw_paths_exposed=false'

Authenticated safe-fix proof:

- 'POST /api/openclaw/doctor' returned '400'.
- Same canonical 'SERVICE_DOWN' blocker payload was returned.
- No doctor fix, session cleanup, or orphan archival ran because the CLI binary is unavailable.

UI Behavior

No UI layout was changed in this day.

Owner-facing truth remains:

- OpenClaw+ is the runtime / skills / mini-agent execution layer.
- OpenClaw+ doctor is authenticated and route-reachable.
- OpenClaw+ doctor cannot execute until an approved CLI binary is installed or exposed to the Mission Control runtime service user.

Tests And Validation

- 'git diff --check': PASS
- 'pnpm run typecheck': PASS
- 'pnpm run build': PASS
- 'pnpm test src/lib/__tests__/openclaw-doctor.test.ts src/lib/__tests__/openclaw-doctor-route.test.ts src/lib/__tests__/openclaw-doctor-fix.test.ts src/lib/__tests__/openclaw-gateway.test.ts': PASS, 16 tests
- 'pnpm test': PASS, 139 files / 1260 tests
- 'node scripts/check-protected-file-invariants.mjs': PASS
- staged secret scan: PASS
- '.env' diff check: clean

Safety Confirmation

- No '.env' edits.
- No secrets printed.
- No auth weakening.

- No public local exposure.
- No destructive repair attempted.
- No agents deleted.
- No skills deleted.
- No memory deleted.
- No reports deleted.
- No governance modified.
- No fake doctor success.
- No fake GO.

Blockers

Current blocker:

- 'openclaw_doctor_runtime_not_reachable'

Blocker class:

- 'SERVICE_DOWN'

Required owner/admin runtime action:

1. Install or expose one approved CLI binary:
 - preferred: 'openclaw'
 - accepted fallbacks: 'clawdbot', 'claudeclaw'
2. Ensure the Mission Control runtime service user can execute the binary.
3. Put the binary on PATH, or configure an approved absolute path through the service manager:
 - 'OPENCLAW_BIN'
 - 'CLAWDBOT_BIN'
 - 'OPENCLAW_FALLBACK_BIN'
4. Restart Mission Control if service-manager configuration changes.
5. Re-run:
 - 'GET /api/openclaw/doctor'
 - 'POST /api/openclaw/doctor' only after GET returns a real doctor payload.

Commit / Push

Code commit:

- '61c5eda'
- Full hash: '61c5eda4dbca8f456739c018057edc549a0fa9b3'
- Message: 'feat(openclaw): add doctor closure proof packet'
- Push: 'origin/to-knowledge-mc' updated successfully.

Rollback:

```
""bash
git revert 61c5eda4dbca8f456739c018057edc549a0fa9b3
""
```

Next Day Started

Day 06 â SpaceAgent Playwright 100% Closure has started automatically.