

Day 61 â Connector Unified UI Closure

Date: 2026-05-10

Lane: Connector unified UI

Status: PARTIAL GO â developer-side closure complete; delivery execution remains gated by credentials/owner Bridge Session.

Blocker class: CREDENTIAL_GATED / OWNER_GATED depending on connector.

Objective

Unify the Mission Control connector readiness surface so delivery and connector panels render truthful states from one contract instead of implying fake LIVE readiness or leaving delivery lanes absent.

What Changed

- Expanded '/api/bridge/connector-readiness' from 6 connectors to 10 connectors.
- Added connector readiness entries for:
 - Telegram
 - AgentMail
 - Google Drive
 - OneDrive
- Kept existing entries for:
 - Zapier
 - Firecrawl
 - Viral Crawl Video Intelligence
 - n8n
 - MCP Tools
 - Skills Registry
- Updated 'scripts/check-connector-readiness-live.mjs' so the live guard requires the 10-connect or unified surface.
- Reused existing Agent Zero delivery status helpers instead of duplicating truth:
 - 'getAgentZeroTelegramDeliveryStatus()'
 - 'getAgentMailReadiness()'
 - 'getAgentZeroGoogleDriveDeliveryStatus()'
 - 'getAgentZeroOneDriveDeliveryStatus()'

Files Changed

- 'src/app/api/bridge/connector-readiness/route.ts'
- 'scripts/check-connector-readiness-live.mjs'
- 'runtime/day-61-connector-unified-ui-guard-smoke.json'
- 'runtime/day-61-route-rendering-smoke.json'

Routes / Endpoints Changed

- 'GET /api/bridge/connector-readiness'

New connector rows reference these existing read-only status routes:

- 'GET /api/bridge/agent-zero/telegram/status'
- 'GET /api/bridge/agent-zero/agentmail/status'
- 'GET /api/bridge/agent-zero/google-drive/status'
- 'GET /api/bridge/agent-zero/onedrive/status'

Execution paths remain locked and approval-gated:

- 'POST /api/bridge/agent-zero/telegram/upload-report'
- 'POST /api/bridge/agent-zero/agentmail/send'
- 'POST /api/bridge/agent-zero/google-drive/upload-report'
- 'POST /api/bridge/agent-zero/onedrive/upload-report'

UI Behavior

The existing Mission Control connector UI already consumes '/api/bridge/connector-readiness'. It now receives Telegram, AgentMail, Google Drive, OneDrive, and Zapier in the same normalized connector matrix.

Every connector row includes:

- canonical status path
- inventory path
- execution path
- approval path
- setup path
- UI contract
- current safe actions
- blocked actions
- owner-approval requirements
- blocker
- next action

No connector row exposes a fake LIVE state. Primary action state is credential-gated, owner-approval-required, backend-required, disabled, or read-only.

Service / Runtime Behavior

- No sends were performed.
- No uploads were performed.
- No approval request was created.
- No connector execution was enabled.
- No connector writes were enabled.
- Runtime was rebuilt and restarted locally on '127.0.0.1:3337' from the rebuilt standalone output.

Live Connector Proof

Proof artifact: 'runtime/day-61-connector-unified-ui-guard-smoke.json'

Result:

- 'ok: true'
- connector count: '10'
- execution enabled: '0'
- writes enabled: '0'
- owner approval required for execution: '10'

Read-only endpoint status:

- Firecrawl: 200
- Viral Crawl Video: 200
- Zapier tools: 200
- Telegram: 200
- AgentMail: 200
- Google Drive: 200
- OneDrive: 200
- n8n: 200
- MCP Tools: 200
- Skills Registry: 200

Route Smoke

Proof artifact: 'runtime/day-61-route-rendering-smoke.json'

Result:

- route smoke passed after mapping the runtime 'API_KEY' to 'MISSION_CONTROL_API_KEY' for the smoke script.
- protected routes remained auth-gated.
- read-only Bridge APIs returned expected JSON when authenticated.

Tests Run

- 'node --check scripts/check-connector-readiness-live.mjs' â PASS
- 'pnpm run typecheck' â PASS
- 'pnpm run build' â PASS
- 'set -a; . .data/.auto-generated; set +a; node scripts/check-connector-readiness-live.mjs http://127.0.0.1:3337' â PASS
- 'git diff --check' â PASS
- 'pnpm test' â PASS, 181 files / 1414 tests
- 'MISSION_CONTROL_API_KEY="\$API_KEY" node scripts/check-mission-control-route-rendering.mjs http

p://127.0.0.1:3337' â PASS
- 'node scripts/check-protected-file-invariants.mjs' â PASS
- staged diff secret scan â PASS
- '.env' diff check â PASS, no diff

Remaining Blockers

- Telegram: 'CREDENTIAL_GATED' until bot token and owner channel are configured, then 'OWNER_GATED' for actual PDF send.
- AgentMail: 'CREDENTIAL_GATED' / 'OWNER_GATED' until credential/backend/allow-list are configured and Bridge Session exists.
- Google Drive: 'CREDENTIAL_GATED' until Drive auth exists; upload remains blocked until target folder, scoped adapter, Bridge Session, and audit are proven.
- OneDrive: 'CREDENTIAL_GATED' until OneDrive/Microsoft Graph auth exists; upload remains blocked until target folder, scoped adapter, Bridge Session, and audit are proven.
- Firecrawl and n8n remain connector-specific gated/blocked lanes.

Safety Confirmation

- No '.env' edits.
- No secrets printed.
- No auth weakening.
- No public exposure added.
- No raw local paths added to owner UI.
- No fake send/upload/approval.
- No SMB/Fork 2.
- No Zapier writes.
- No HeyGen generation.

Rollback

After commit, rollback with:

```
""bash
git revert <day-61-connector-unified-ui-commit>
""
```

Next Day Started

Day 62 â Connector Final Closeout is next. It should inventory the remaining connector gaps across Telegram, AgentMail, Google Drive, OneDrive, Zapier, Firecrawl, n8n, MCP, and Skills, then close developer-side readiness/proof harnesses while preserving exact owner/credential blockers.