

day-79-openclaw-gateway-integration

Day 79 - OpenClaw+ + Gateway Integration

Status: SERVICE_DOWN

Blocker class: SERVICE_DOWN

Exact blocker: openclaw_doctor_runtime_not_reachable

What Changed

OpenClaw+ now has a Gateway-safe runtime status adapter. Gateway and Agent Hub no longer have to rely only on the static registry assumption for OpenClaw+. The data contract now uses the existing OpenClaw+ doctor closure proof and converts it into owner-facing Gateway status without exposing raw command output, secrets, or local paths.

OpenClaw+ remains visible as the runtime / skills / agents / mini-agent execution layer. It is not marked GO or LIVE because the current runtime cannot reach the OpenClaw+ doctor CLI.

Files Changed

- src/lib/openclaw-gateway-runtime.ts
- src/lib/gateway-agent-hub.ts
- src/lib/gateway-registry-api.ts
- src/app/api/gateway/agent-hub/status/route.ts
- src/app/api/gateway/agent-hub/agents/[id]/route.ts
- src/app/api/gateway/agent-hub/agents/[id]/health/route.ts
- src/app/api/gateway/nodes/[id]/route.ts
- src/lib/__tests__/openclaw-gateway-runtime.test.ts
- src/lib/gateway-agent-hub.test.ts
- runtime/day-79-openclaw-gateway-integration-proof.json
- runtime/day-79-openclaw-gateway-integration.md
- runtime/day-79-openclaw-gateway-integration.pdf

Routes Changed

- /api/gateway/agent-hub/status now attaches openclaw_plus_runtime.
- /api/gateway/agent-hub/agents/openclaw-plus now attaches openclaw_plus_runtime.
- /api/gateway/agent-hub/agents/openclaw-plus/health now reflects OpenClaw+ doctor proof.
- /api/gateway/nodes/openclaw-plus now aliases to the openclaw_plus Gateway node and overlays sanitized runtime truth.

UI Behavior

Agent Hub can now render OpenClaw+ from current runtime proof:

- canonical status: SERVICE_DOWN
- owner status: SERVICE_DOWN
- blocker: openclaw_doctor_runtime_not_reachable
- execution enabled: false
- writes enabled: false
- destructive repair enabled: false

No Gateway designer HTML, CSS, or class names were modified.

Service / Runtime Behavior

The new adapter performs a safe read-only doctor check using OpenClaw+ doctor. It does not run doctor --fix, does not execute skills, does not write, and does not dispatch external actions.

Runtime proof used a local-only standalone Mission Control server bound to 127.0.0.1:3337. The server was started for proof with PID 80407 and shut down after the smoke checks.

Tests And Checks

- git diff --check: PASS
- pnpm run typecheck: PASS
- pnpm run build: PASS
- focused OpenClaw+/Agent Hub tests: PASS, 2 files, 8 tests
- pnpm test: PASS, 199 files, 1485 tests
- protected-file invariants: PASS
- secret scan contract: PASS
- raw exposure scan contract: PASS
- .env diff check: clean
- unauthenticated protected route smoke: PASS, 41 routes, 0 failures
- local authenticated OpenClaw+ API smoke: PASS, 3 routes, API key not printed

Proof

Proof artifact: runtime/day-79-openclaw-gateway-integration-proof.json

Observed OpenClaw+ runtime result:

- /api/gateway/nodes/openclaw-plus: 200, SERVICE_DOWN
- /api/gateway/agent-hub/agents/openclaw-plus/health: 200, SERVICE_DOWN
- /api/gateway/agent-hub/status: 200, SERVICE_DOWN

All three proof routes reported no execution enabled, no writes enabled, no secrets exposed, and no raw paths exposed.

Remaining Blocker

OpenClaw+ CLI/runtime doctor is not reachable from the Mission Control runtime service user.

Blocker classification: SERVICE_DOWN

This is truthful and safe to carry forward because the developer-side Gateway/Agent Hub integration, tests, proof harness, and owner-facing blocker state are complete.

Rollback

git revert <day-79-openclaw-gateway-integration-commit>

Commit / Push

Commit hash: recorded after commit in the final handoff.
Push result: pending until commit is created and pushed.

Next Day

Day 80 - Multi-Agent Status Consistency has automatically started after this lane closes.