

## # Day 05 Phase 9 â OpenClaw+ Doctor And Security Follow-up

### ## Objective

Advance OpenClaw+ health and security posture with safe, non-destructive checks/fixes.

### ## Result

PARTIAL.

### ## Actions Executed

1. Ran authenticated OpenClaw+ doctor route:
  - 'GET /api/openclaw/doctor'
2. Ran security scan route:
  - 'GET /api/security-scan'
3. Parsed returned score/check categories and blockers.

### ## Evidence

- OpenClaw+ doctor route returned '400' with runtime error state:
  - OpenClaw not installed/reachable in this runtime context.
- Security scan returned '200' with:
  - 'overall=needs-attention'
  - 'score=63'
  - notable warning/fail areas include:
    - 'auth\_pass' (not configured)
    - 'hsts\_enabled' (not enabled)
    - 'openclaw config found' (warn / skipped)
    - 'open\_ports' (fail)
    - backup/receipt-signing informational warnings

### ## Safe-Fix Constraint Applied

- No destructive host changes were applied.
- No '.env' changes were made in this phase.
- No governance/memory/agent/skill deletion occurred.

### ## Classification

- OpenClaw+ health: **\*\*PARTIAL / BLOCKED in current runtime context\*\***
- Security hardening: **\*\*PARTIAL\*\***

### ## Files Changed

- 'runtime/day-05-phase-9-openclaw-security-followup.md'
- 'runtime/day-05-phase-9-openclaw-security-followup.pdf'

### ## Blockers

- 'openclaw\_doctor\_runtime\_not\_reachable'
- 'production\_security\_scan\_hardening\_items\_remain'

### ## Owner/Admin Action Package

1. Provide approved OpenClaw runtime path/config for this production context.
2. Approve host-level hardening items (firewall/open ports/HSTS policy path) outside app-only scope.

### ## Exact Next Step

Apply approved OpenClaw runtime-path fix and rerun doctor; then apply safe app-level security hardening and rerun '/api/security-scan'.