

## # Day 04 Phase 2 â Paperclip Owner Session Implementation

### ## Objective

Advance Paperclip from service-health-only evidence toward owner login/session proof, and produce an exact owner action package when automation cannot complete owner-authenticated steps.

### ## Actions Executed

1. Verified Paperclip bridge/state code and default endpoint behavior in 'src/lib/paperclip-bridge.ts'.
2. Confirmed expected local endpoint baseline:
  - default local URL: 'http://127.0.0.1:3100'
3. Probed Paperclip local service endpoints:
  - 'GET http://127.0.0.1:3100/api/health'
  - 'GET http://127.0.0.1:3100/login'
4. Confirmed current automation environment could not establish owner-authenticated Paperclip session proof.

### ## Commands Used

- 'rg'/'sed' inspection of Paperclip bridge implementation
- 'curl' probes to Paperclip local endpoints

### ## Proof

- Local Paperclip endpoint probes returned '000' (connection unavailable in current runner context).
- Owner-authenticated Paperclip UI/login flow could not be proven in this automation window.

### ## Blocker

- 'paperclip\_owner\_session\_required'

### ## Owner Action Package

1. Open Paperclip URL in owner-authenticated session (local/Tailnet instance used by deployment).
2. Complete owner sign-in flow.
3. Confirm owner can open:
  - company dashboard
  - agent roster
  - task queue
4. Notify Codex after login completion.
5. Codex follow-up verification immediately after owner login:
  - 'GET /api/bridge/paperclip/status'
  - 'GET /api/bridge/paperclip/companies'
  - 'GET /api/bridge/paperclip/agents'
  - 'GET /api/bridge/paperclip/issues'

### ## Safety/Policy Confirmation

- No public exposure added.
- Writes/task creation remain blocked unless Bridge Session + adapter path is active.
- Paperclip remains positioned before OpenClaw+ in operating chain.

### ## Files Changed

- Report artifact only for this phase.

### ## Tests

- Covered indirectly by existing Paperclip bridge and route tests in 'pnpm run test' (PASS).

### ## Commits

- No new commit yet for this phase checkpoint.

### ## Rollback

- No runtime mutation performed in this phase.

### ## No-Secrets Confirmation

- No auth tokens printed.
- No session cookies printed.
- No '.env' changes.

#### ## Updated Percentage

- Paperclip remains PARTIAL GO until owner login + read-only data route proof is complete.

#### ## Exact Next Step

- Execute owner login action package, then re-run Paperclip bridge read routes with authenticated proof.