

Day 2 - Hermes Safe Live Adapter Report

Objective

Move Hermes from NO-GO live toward Mission Control live proof by confirming the service state, protected route behavior, and whether a safe no-tool/no-write Hermes live adapter can be truthfully enabled.

Result

****NO-GO live remains.**** Hermes service is active and the Mission Control Hermes routes are auth-protected, but `POST /api/bridge/hermes/test-chat` still returns the honest blocker `hermes\_safe\_live\_chat\_adapter\_not\_configured`.

Mission Control did ****not**** fake `hermes\_called:true`.

Updated Percentage

System	Previous	Current	Decision
Hermes	42%	42%	NO-GO live
Agent Zero to Hermes live collaboration	35%	35%	Blocked until Hermes live call is proven
Gateway Hermes route surface	80%	80%	Route exists, auth works, blocker is honest

Actions

Action	Result
Confirmed `hermes-gateway.service` active	PASS
Confirmed authenticated Hermes status route	PASS, HTTP 200
Confirmed unauthenticated Hermes status route	PASS, HTTP 401
Confirmed unauthenticated Hermes test-chat route	PASS, HTTP 401
Ran authenticated Hermes test-chat route	PASS for honest blocker, HTTP 503
Checked whether Hermes exposes a local TCP chat API	Not proven; service process does not expose a Hermes chat listener
Inspected Hermes CLI safe-adapter feasibility	Blocked: one-shot mode auto-by-passes approvals and normally loads configured toolsets
Modified `.env` files	No
Printed secrets or auth files	No
Enabled shell/tools/writes from Hermes	No

Commands And Routes Used

Commands were run against the production host without printing tokens or auth files:

Command / Route	Purpose	Result
`systemctl --user is-active hermes-gateway.service`	Confirm Hermes gateway service state	`active`
`systemctl --user show hermes-gateway.service`	Confirm MainPID and active timestamp	Active with existing Hermes PID
`GET /api/bridge/hermes/status` with Mission Control API auth	Status smoke	HTTP 200
`GET /api/bridge/hermes/status` without auth	Auth gate smoke	HTTP 401
`POST /api/bridge/hermes/test-chat` with Mission Control API auth	Live Hermes proof attempt	HTTP 503, `hermes_called:false`
`POST /api/bridge/hermes/test-chat` without auth	Auth gate smoke	HTTP 401
Hermes CLI help inspection	Determine whether a safe no-tool/no-write adapter	

exists | No safe adapter proven |

Proof

Authenticated Hermes test-chat returned:

Field	Value
HTTP status	503
`ok`	false
`hermes_called`	false
`blocker`	`hermes_safe_live_chat_adapter_not_configured`
`response_source`	`mission_control_guardrail_contract`
execution enabled	false
writes enabled	false

The owner-facing reply correctly identified Agent Zero as commander and Hermes as lieutenant while preserving the blocker. No completion, delivery, write, or execution claim was made.

Safe Adapter Finding

Hermes has a one-shot CLI mode, but its own help and source inspection show that mode is not acceptable for this Mission Control adapter as currently exposed:

Requirement	Current Hermes one-shot behavior
No tools	Not safely guaranteed; configured CLI toolsets are normally loaded
No approval bypass	Fails; one-shot mode sets approval bypass behavior
No writes	Not proven; normal Hermes session behavior may write logs/session state
No shell	Not safely proven as an adapter contract
No secrets	Secret values were not printed, but credential-backed provider use would need a stricter approved contract

Because of that, Mission Control must keep returning the explicit blocker instead of pretending Hermes was called safely.

Files Changed

File	Change
`runtime/day-02-hermes-safe-live-adapter-report.md`	Added this detailed proof report
`runtime/day-02-hermes-safe-live-adapter-report.pdf`	Generated PDF report

No application code was changed in this phase.

Tests

Test	Result
Hermes service status	PASS
Authenticated status route	PASS
Unauthenticated status route	PASS, protected with 401
Unauthenticated test-chat route	PASS, protected with 401
Authenticated test-chat route	PASS for honest blocker, not live GO
`.env` diff check	PASS, no `.env` changes
`git diff --check`	PASS

Services

Service	State
Mission Control	Already restarted and accepted in Day 1; not repeated
`hermes-gateway.service`	Active

Blockers

Blocker	Impact	Exact Next Step
`hermes_safe_live_chat_adapter_not_configured`	Prevents Hermes live GO and Agent Zero to Hermes live collaboration proof	Add a dedicated local Hermes read-only adapter that disables tools, memory writes, shell, file writes, connectors, approval bypass, and raw secret access by contract

Rollback

No code or service changes were made. Rollback is not required for application behavior. If this report needs to be reverted, remove this report file and its PDF in a report-only revert.

No-Secrets Confirmation

No token values, API keys, Telegram bot token, auth files, or secret files were printed or committed. `.env` files were not modified.

Final Decision

Hermes remains ****NO-GO live****. The route is safer than a fake success: it is protected, it returns an exact blocker, and it does not claim `hermes\_called:true` until a real safe adapter exists.