

next-delivery-adapter-implementation-path

NEXT-3 â Delivery Adapter Implementation Path

Objective

Move delivery from repeated blocked checks to concrete adapter-path implementation and exact blockers.

Result

PARTIAL (adapter routes are wired; Google Drive/OneDrive route status mapping was fixed; connectors remain blocked/gated until auth + Bridge approval).

Implementation Work Completed

1. Confirmed Telegram upload route uses Agent Zero adapter path:
 - 'POST /api/bridge/agent-zero/telegram/upload-report'
2. Confirmed Bridge Session gating in Telegram adapter ('active_bridge_session_required' / 'owner_approval_pending' behavior).
3. Fixed Google Drive upload route HTTP status mapping:
 - was hard-coded '423'
 - now returns '200' on success, '502' on failed adapter execution, '423' while blocked.
4. Fixed OneDrive upload route HTTP status mapping:
 - was hard-coded '423'
 - now returns '200' on success, '502' on failed adapter execution, '423' while blocked.
5. Confirmed no route claims send/upload success while still blocked by missing approval/session/auth.

Files Changed

- 'src/app/api/bridge/agent-zero/google-drive/upload-report/route.ts'
- 'src/app/api/bridge/agent-zero/onedrive/upload-report/route.ts'
- 'runtime/next-delivery-adapter-implementation-path.md'
- 'runtime/next-delivery-adapter-implementation-path.pdf'

Current Delivery Truth

- Telegram: gated/blocked until connector + approved Bridge Session.
- Google Drive: adapter route implemented; upload connector still blocked.
- OneDrive: adapter route implemented; upload connector still blocked.
- AgentMail: registry/gateway visibility exists; outgoing send remains Bridge-scoped and connector-dependent.

Exact Blockers

- 'telegram_report_delivery_adapter_not_configured' or 'active_bridge_session_required'
- 'google_drive_upload_connector_not_configured'
- 'onedrive_upload_connector_not_configured'
- 'agentmail_send_connector_not_configured' (or domain/approval gate blocker when applicable)

Safety Confirmations

- No fake send/upload claims.
- No token printing.
- No raw local path exposure in delivery responses.
- No '.env' changes.

Next Step

After owner-approved Bridge Session and connector auth availability, run one real scoped send/upload proof per provider and verify success/audit.