

Paperclip Codex and Claude Auth Separation Proof

Generated: 2026-05-07T22:07:23.842Z

Executive Result

Paperclip Codex/Claude auth separation is ****PARTIAL GO****.

The production host has protected Codex and Claude auth homes present, and the Paperclip sandbox source includes Codex and Claude adapter references. However, neither the Codex CLI nor Claude CLI is available on the production PATH, so no safe no-write model smoke was executed and no adapter is marked live.

Current Truth

Area	Result
---	---
Paperclip role	Workforce Control Plane before OpenClaw+
Codex CLI	Unavailable on production PATH
Codex auth home	Present, values not inspected
Claude CLI	Unavailable on production PATH
Claude auth hint	Present, values not inspected
Anthropic API key	Not present in checked runtime/config surfaces
API billing mode	Avoided by default
Paperclip Codex adapter reference	Found in sandbox source
Paperclip Claude adapter reference	Found in sandbox source
Safe Codex no-write smoke	Blocked: codex_cli_unavailable
Safe Claude no-write smoke	Blocked: claude_cli_unavailable

Auth Separation Requirements

Requirement	Status
---	---
Do not mix Claude with Codex auth files	PASS, no combined route was used
Codex/ChatGPT account mode preferred	BLOCKED until Codex CLI is installed/proven
Claude Code OAuth/subscription mode preferred	BLOCKED until Claude CLI is installed/proven
Do not use Anthropic API billing by default	PASS
Do not print auth file contents	PASS
Do not print tokens or keys	PASS
Do not modify .env	PASS
Do not commit secrets	PASS

Paperclip Adapter Readiness

Adapter	Source Reference	Runtime CLI	Auth Source	Live Smoke
---	---	---	---	---
Codex / ChatGPT	present	missing	protected home present	blocked

| Claude / Anthropic | present | missing | protected home hint present | blocked |

What This Means

Paperclip can be modeled as the workforce control layer and can hold references to Codex and Claude adapters, but it cannot truthfully run those adapters yet. The next production step is to install or expose the official Codex and Claude CLIs in the approved service PATH, then run no-write smoke checks using account/OAuth auth, not API billing.

Exact Blockers

| Blocker | Impact | Required Fix |

| --- | --- | --- |

| codex_cli_unavailable | Paperclip cannot run a Codex no-write smoke. | Install or expose the approved Codex CLI in the service PATH and verify account auth without printing secrets. |

| claude_cli_unavailable | Paperclip cannot run Claude Code OAuth/subscription smoke. | Install or expose the approved Claude CLI in the service PATH and verify subscription/OAuth auth without printing secrets. |

| paperclip_adapter_runtime_not_registered | Paperclip adapter references exist, but runtime registration is not proven. | Register adapters only after CLI/auth smoke passes. |

Security Confirmation

- No auth files were printed.
- No token, API key, password, or secret value was printed.
- No .env file was modified.
- No external write was executed.
- No Anthropic API billing key was used.
- No Paperclip task/co-worker action was executed.
- No Zapier, HeyGen, SMB, or farmer action was executed.

Completion Estimate

| Component | Percent | Status |

| --- | ---: | --- |

| Auth source discovery | 80% | protected homes detected without reading contents |

| Codex adapter source readiness | 55% | reference found, runtime CLI missing |

| Claude adapter source readiness | 55% | reference found, runtime CLI missing |

| Billing avoidance | 95% | API key not present in checked surfaces |

| Live no-write adapter proof | 0% | blocked until CLIs exist |

| Paperclip Codex/Claude auth phase | 48% | PARTIAL GO |

Final Decision

Paperclip Codex + Claude auth separation: ****PARTIAL GO****.

No live adapter execution can be claimed until the Codex and Claude CLIs are installed or exposed in the approved runtime PATH and safe no-write smoke checks pass.

