

day-02-hermes-100-closure

Day 02 â Hermes 100% Closure

Date: 2026-05-09

Branch: to-knowledge-mc

Status: DEVELOPER-SIDE CLOSED WITH SERVICE_DOWN

Blocker classification: SERVICE_DOWN

Executive Summary

Day 02 closed the developer-side Hermes lane without claiming GO. Mission Control now exposes a canonical Hermes closure status and proof packet on the authenticated Hermes status route.

Hermes read-only Mission Control test-chat is guarded and can return 'hermes_called:true' through the safe no-tool/no-write adapter. However, the host runtime still does not expose a reachable Hermes CLI/gateway/auth runtime, so the lane remains 'SERVICE_DOWN' until an approved Hermes runtime binary/gateway is installed or exposed to the Mission Control service user.

What Changed

- Added canonical Hermes closure status mapping:
 - 'LIVE'
 - 'READY'
 - 'OWNER_GATED'
 - 'CREDENTIAL_GATED'
 - 'SERVICE_DOWN'
 - 'BLOCKED'
 - 'DISABLED'
- Added a Hermes proof packet with timestamp, checked route/service, result, blocker, blocker class, audit pointer, rollback command, and explicit no-secret/no-raw-path fields.
- Updated '/api/bridge/hermes/status' to return:
 - 'canonical_status'
 - 'blocker_class'
 - 'live_chat_status'
 - 'proof_packet'
- Tightened Hermes install detection so an approved absolute binary path detected by the route counts as installed, while no detected binary remains 'SERVICE_DOWN'.
- Added tests for the Hermes canonical closure mapper.

Files Changed

- 'src/lib/hermes-bridge.ts'
- 'src/app/api/bridge/hermes/status/route.ts'
- 'src/lib/hermes-bridge.test.ts'

Routes / Endpoints Changed

- 'GET /api/bridge/hermes/status'
 - Authenticated route now returns canonical closure status and proof packet.

No external-write route was enabled.

No Bridge execution path was opened.

No public local exposure was added.

Runtime Proof

Local production-style standalone server was run on '127.0.0.1:3337' with a temporary runtime API key.

Unauthenticated proof:

- 'GET /api/bridge/hermes/status' returned '401'.
- '/login' returned '200'.

Authenticated proof:

- 'GET /api/bridge/hermes/status' returned '200'.
- Hermes status response:
 - 'canonical_status=SERVICE_DOWN'
 - 'blocker_class=SERVICE_DOWN'
 - 'live_chat_status=blocked'
 - 'health=unreachable'
 - 'reachable=false'
 - 'auth_configured=false'
 - 'execution_enabled=false'
 - 'blocker=hermes_not_installed'
- 'POST /api/bridge/hermes/test-chat' returned '200'.
- Safe test-chat response:
 - 'hermes_called=true'
 - 'response_source=mission_control_safe_live_adapter'
 - 'execution_enabled=false'
 - 'writes_enabled=false'
 - 'blocker=null'
- Answer confirmed Agent Zero is commander and Hermes is lieutenant without executing anything
- .
- 'GET /api/gateway/agent-hub/status' returned '200'.
- Agent Hub Hermes state remained gated:
 - 'status=gated'
 - 'blocked_reason=hermes_degraded_or_pending_live_proof'
 - 'execution_enabled=false'
 - 'write_enabled=false'

Runtime host checks:

- 'command -v hermes': no binary found.
- 'command -v hermes-agent': no binary found.
- 'command -v hermes-gateway': no binary found.
- 'systemctl --user is-active hermes-gateway.service': no active service result in this local context.

Tests And Validation

- 'git diff --check': PASS
- 'pnpm run typecheck': PASS
- 'pnpm run build': PASS
- 'pnpm test src/lib/hermes-bridge.test.ts': PASS, 21 tests
- 'pnpm test': PASS, 138 files / 1256 tests
- 'node scripts/check-protected-file-invariants.mjs': PASS
- staged secret scan: PASS
- '.env' diff check: clean

Safety Confirmation

- No '.env' edits.
- No secrets printed.
- No auth weakening.
- No public local exposure.
- No external writes.
- No tool execution enabled.
- No fake sent/uploaded/done behavior.
- Tony is not active commander.
- Agent Zero remains commander.
- Hermes remains read-only/no-write unless a future Bridge Session explicitly gates a registered protected action.

Blocker

Blocker: 'hermes_not_installed'

Classification: 'SERVICE_DOWN'

Required owner/admin/runtime action:

Install or expose an approved Hermes runtime binary and gateway service to the Mission Control runtime service user. After installation, rerun:

- 'GET /api/bridge/hermes/status'
- 'POST /api/bridge/hermes/test-chat'

Hermes cannot be marked GO until the runtime/gateway is reachable and the live status route no longer reports 'SERVICE_DOWN'.

Commit / Push

Code commit:

- '5f04bd2b9ec3f471128a15674c4c4a3d4238c58d'
- Message: 'feat(hermes): add closure status proof packet'
- Push: 'origin/to-knowledge-mc' updated successfully.

Rollback:

```
""bash
git revert 5f04bd2b9ec3f471128a15674c4c4a3d4238c58d
""
```

Next Day Started

Day 03 â Pi 100% Closure has started automatically.