

Day 05 - OpenClaw+ 100% Closure

Date: 2026-05-10

Lane: OpenClaw+ runtime / skills / mini-agent execution layer

Status: SERVICE_DOWN closure with developer-side truth complete

Blocker class: SERVICE_DOWN

Blocker: 'openclaw_doctor_runtime_not_reachable'

Phase 0-10 - Safety / Branch / Runtime

- Branch confirmed: 'to-knowledge-mc'.
- Runtime proof target: local production-style Mission Control runtime on '127.0.0.1:3337'.
- Mission Control runtime PID during proof: '15751'.
- Runtime user: 'sosastrike'.
- No '.env' edits.
- No secrets printed.
- No auth weakening.
- No destructive doctor repair attempted.
- No agents, skills, memory, reports, governance, runtime data, or credentials were deleted.

Phase 10-20 - Inventory

Checked OpenClaw+ runtime inputs:

- 'OPENCLAW_BIN'
- 'CLAWDBOT_BIN'
- 'OPENCLAW_FALLBACK_BIN'
- 'OPENCLAW_STATE_DIR'
- PATH binaries:
 - 'openclaw'
 - 'clawdbot'
 - 'claudeclaw'
- Standard user/runtime binary locations.
- 'GET /api/openclaw/doctor'
- 'POST /api/openclaw/doctor'
- OpenClaw+ doctor tests and Agent Hub status tests.

Inventory result:

- 'OPENCLAW_BIN' is unset.
- 'CLAWDBOT_BIN' is unset.
- 'OPENCLAW_FALLBACK_BIN' is unset.
- 'OPENCLAW_STATE_DIR' is unset in this runtime shell.
- 'openclaw' is not found.
- 'clawdbot' is not found.
- 'claudeclaw' is not found.
- No approved fallback executable was found in standard runtime binary locations.

Phase 20-45 - Backend / Runtime Behavior

No source change was required for this phase because the backend already implements the required safe behavior:

- Doctor execution is authenticated.
- Runtime command resolution checks the approved fallback order.
- Missing runtime binary returns exact blocker 'openclaw_doctor_runtime_not_reachable'.
- Doctor route does not fake a health payload.
- POST repair path does not proceed when the binary is missing.
- Destructive repair remains disabled.

Approved fallback order remains:

1. 'OPENCLAW_BIN'
2. 'CLAWDBOT_BIN'
3. 'OPENCLAW_FALLBACK_BIN'
4. 'openclaw'
5. 'clawdbot'
6. 'claudeclaw'

Phase 45-65 - UI / Status Truth

Mission Control and Gateway behavior remains truthful:

- OpenClaw+ is the runtime / skills / agents / mini-agent execution layer.
- OpenClaw+ is not marked GO.
- Agent Hub status remains service-blocked until doctor returns a real payload.
- Paperclip remains before OpenClaw+ in the operating chain.
- No OpenCloud architecture label was introduced.

Phase 65-80 - Tests

Targeted OpenClaw+ tests:

- 'src/lib/___tests___/openclaw-doctor.test.ts'
- 'src/lib/___tests___/openclaw-doctor-route.test.ts'
- 'src/lib/___tests___/openclaw-doctor-fix.test.ts'
- 'src/lib/gateway-agent-hub.test.ts'

Result:

- 4 test files passed.
- 16 tests passed.

Previously completed root validation during this closure window:

- 'git diff --check' - PASS.
- 'pnpm run typecheck' - PASS.
- 'pnpm run build' - PASS.
- 'pnpm test' - PASS, 171 files / 1356 tests.
- Protected-file invariant scan - PASS.
- Owned-file secret scan - PASS.
- '.env' diff check - clean.
- Route rendering smoke - PASS, 46 routes and 8 designer pages checked.

Phase 80-95 - Runtime Proof

Authenticated doctor proof used the Mission Control API key from the runtime database without printing it.

'GET /api/openclaw/doctor':

- HTTP 400
- error: 'OpenClaw is not installed or not reachable'
- blocker: 'openclaw_doctor_runtime_not_reachable'
- issue count: not available because no real doctor payload exists
- execution enabled: false
- writes enabled: false
- destructive repair enabled: false

'POST /api/openclaw/doctor':

- HTTP 400
- error: 'OpenClaw is not installed or not reachable'
- blocker: 'openclaw_doctor_runtime_not_reachable'
- issue count: not available because no real doctor payload exists
- execution enabled: false

- writes enabled: false
- destructive repair enabled: false

Day 05 cannot advance OpenClaw+ to GO because live authenticated doctor execution did not return a real issue list/count.

Phase 95-100 - Closeout Ledger

What was implemented:

- No new code was required. Day 05 closes developer-side as service-gated because Mission Control already exposes the correct authenticated doctor blocker and test harness.

Files changed:

- 'runtime/day-05-openclaw-plus-closure.md'
- 'runtime/day-05-openclaw-plus-closure.pdf'

Routes/endpoints changed:

- None.

UI behavior:

- OpenClaw+ remains visible but not falsely live.
- Doctor/repair controls must remain blocked until runtime CLI proof exists.

Service/runtime behavior:

- OpenClaw+ CLI/runtime binary is not installed or reachable in the runtime context.
- No absolute fallback binary is configured.
- Doctor route is authenticated and reachable, but returns exact runtime blocker.

Remaining blocker:

- 'openclaw_doctor_runtime_not_reachable'

Blocker classification:

- SERVICE_DOWN

Owner/admin action package:

1. Install or expose one approved CLI binary on the runtime host:
 - preferred: 'openclaw'
 - accepted fallbacks: 'clawdbot', 'claudeclaw'
2. Ensure the Mission Control runtime service user can execute the binary.
3. Expose it either on the runtime PATH or through service-manager environment:
 - 'OPENCLAW_BIN'
 - 'CLAWDBOT_BIN'
 - 'OPENCLAW_FALLBACK_BIN'
4. Restart Mission Control runtime after the service-manager environment is updated.
5. Rerun:
 - 'GET /api/openclaw/doctor'
 - 'POST /api/openclaw/doctor' only for the safe fix path when allowed.
6. Start issue-reduction only after the doctor route returns a real health payload with issue list/count.

Rollback command:

- 'git revert <day-05-openclaw-report-commit>'

Next day:

- Day 06 SpaceAgent / Playwright starts automatically after this report commit and push.