

Generated: 2026-05-07T22:02:45.771Z

Executive Result

Paperclip is now represented truthfully in Mission Control as a ****PARTIAL GO**** production integration slice.

The previous Mission Control bridge only checked the loopback sandbox URL, so it reported Paperclip as not running even though Paperclip was active on Tailnet. The bridge now discovers the safe Tailnet sandbox endpoint, confirms the upstream health endpoint is reachable, and keeps workforce APIs gated until Paperclip auth/session bridging is proven.

Current Production Truth

Area	Result
---	---
Paperclip role	Workforce Control Plane before OpenClaw+
Direct Paperclip health	PASS
Mission Control Paperclip status route	PASS
Mission Control unauthenticated protection	PASS
Owner-facing UI URL	Tailnet-only URL available
Public exposure	Blocked / not exposed
Persistent production service	Not enabled yet
Companies/agents/issues APIs	BLOCKED until Paperclip auth/session bridge is configured
External writes	Disabled
Secrets exposure	None detected
.env changes	None

Verified Route Evidence

Route	Auth	Result	Notes
---	---	---	---
Paperclip direct health	none	200	deploymentMode=authenticated, bootstrapStatus=ready
Mission Control Paperclip status	owner/admin API auth	200	reachable=true, configured=true, endpoint=tailnet:3100
Mission Control Paperclip status	unauthenticated	401	protected route blocks unauthenticated access
Paperclip companies	owner/admin API auth	503	blocked by paperclip_auth_required_or_not_configured
Paperclip agents	owner/admin API auth	503	blocked by paperclip_auth_required_or_not_configured
Paperclip issues	owner/admin API auth	503	blocked by paperclip_auth_required_or_not_configured

Service Access Model

Field Value
--- ---
UI mode Tailnet-only sandbox
Tailnet URL http://100.116.35.95:3100
Loopback URL not reachable in this runtime
Public internet exposure false
Persistent service enabled false
Execution enabled false
Writes enabled false
Sandbox expected true

Before / After

Check Before After
--- --- ---
Mission Control bridge endpoint loopback:3100 only tailnet:3100 after safe discovery
Status route truth degraded, not running degraded, reachable, auth-gated
Paperclip direct health reachable on Tailnet reachable on Tailnet
Workforce APIs not reached reached but blocked by Paperclip auth/session gap
Owner-facing claim not running reachable but auth-gated

Architecture Placement

Paperclip sits in the accepted Gateway operating chain:

Owner -> Gateway -> Agent Zero / Pi / Hermes -> Paperclip -> OpenClaw+ -> mini-agents / specialist agents / skills / tools / reports / approvals

Paperclip does not replace Agent Zero, Hermes, Pi, SpaceAgent, OpenClaw+, or any existing agent. It is the workforce and task orchestration layer. OpenClaw+ remains the runtime, skills, adapters, reports, governance, and execution layer.

Completion Estimate

Component Percent Status
--- ---: ---
Paperclip service discovery 90% PASS, Tailnet health proven
Paperclip Mission Control status route 85% PASS, bridge reports real endpoint
Paperclip owner access 65% PARTIAL, Tailnet URL reachable but owner login not browser-proven in this slice
Paperclip workforce APIs 35% BLOCKED, auth/session bridge required
Paperclip production service hardening 40% BLOCKED, persistent service not enabled yet
Paperclip overall 62% PARTIAL GO

Tests Passed

- Mission Control typecheck passed.
- Paperclip bridge focused tests passed.

- Paperclip bridge route tests passed.
- Paperclip routing gauntlet passed.
- Agent Hub focused tests passed.
- Mission Control production build passed.
- Production Mission Control restart succeeded after build.
- Authenticated Paperclip status smoke passed.
- Unauthenticated Paperclip status smoke returned 401.

Remaining Blockers

Blocker	Why It Matters	Exact Next Step
paperclip_auth_required_or_not_configured	Mission Control cannot list Paperclip companies, agents, or issues yet.	Configure a safe Paperclip session/API bridge or owner-authenticated proxy without exposing credentials.
Owner login proof not captured	Browser proof is needed before owner access is marked GO.	Run owner-authenticated browser smoke against the Tailnet URL.
Persistent service not enabled	Paperclip is reachable as sandbox/Tailnet process, not yet hardened as production service.	Create service plan after auth bridge and sandbox checks pass.
Workforce actions not proven	Co-worker and issue creation must stay blocked until auth and Bridge Session policy are wired.	Add read-only list routes first, then dry-run work product routes.

Security Confirmation

- No secrets were printed.
- No auth files were printed.
- No API keys or tokens were exposed.
- No .env changes were made.
- No external writes were executed.
- No Zapier or HeyGen actions were executed.
- No SMB/Fork 2 action was performed.
- No farmer execution was performed.
- No public Paperclip exposure was enabled.

Final Decision

Paperclip service health and owner access slice: ****PARTIAL GO****.

The bridge now reports the real Tailnet Paperclip sandbox endpoint and blocks honestly where auth/session integration is still missing. The next production phase should wire the Paperclip auth/session bridge and run owner-authenticated browser proof before enabling any workforce operations.