

day-34-farmer-service-status-100-closure

Day 34 â Farmer Service Status 100% Closure

Date: 2026-05-09

Lane: Build-Wiki/Farmer service status

Status: CLOSED WITH SERVICE_DOWN

Blocker classification: SERVICE_DOWN

Exact blocker: 'systemctl_command_not_found_in_local_runtime'

What Was Implemented

- Added an explicit safe 'service_probe' to the Build-Wiki/Farmer status route.
- The status route now reports farmer service/timer state even when the external registry row or active farmer metadata is unavailable.
- Added regression coverage proving the status route:
 - exposes 'opencloud-docs-farmer.service'
 - exposes 'opencloud-docs-farmer.timer'
 - reports 'systemctl_command_not_found_in_local_runtime' when the local runtime cannot run systemctl
 - does not expose raw local paths
 - does not expose secrets
 - preserves single-vault / no-env / no-secret notices

Files Changed

Source:

- 'src/app/api/bridge/brain-sync/build-wiki/status/route.ts'
- 'src/app/api/bridge/brain-sync/build-wiki/status/route.test.ts'

Artifacts:

- 'runtime/day-34-farmer-service-status-proof.json'
- 'runtime/day-34-farmer-service-status-100-closure.md'
- 'runtime/day-34-farmer-service-status-100-closure.pdf'

Routes / Endpoints Changed

- Updated 'GET /api/bridge/brain-sync/build-wiki/status'

New response field:

- 'service_probe'

'service_probe' includes:

- 'systemctl_available'
- 'blocker'
- 'service_unit'
- 'timer_unit'
- 'timer_active'
- 'timer_unit_file_state'
- 'service_active_state'
- 'service_sub_state'
- 'last_result'
- 'last_exit_status'
- 'next_run_at'
- 'last_run_at'
- 'last_run_started_at'
- 'last_run_exited_at'

UI Behavior

Mission Control / Brain Sync / Build-Wiki UI can now show farmer service truth even when active farmer metadata is missing:

- service: 'opencloud-docs-farmer.service'

- timer: 'opencloud-docs-farmer.timer'
- blocker: 'systemctl_command_not_found_in_local_runtime'
- Run Now remains owner-approval gated.
- Resume sync remains owner-approval gated.
- External farmer remains credential-gated.
- Logs/raw/wiki views remain read-only.

No fake service-active or timer-active state is shown.

Service / Runtime Proof

Local Mission Control standalone runtime:

- Bind: '127.0.0.1:3337'
- Source commit: '0d0803b'
- Runtime PID after restart: '39222'
- '/login': '200'
- unauthenticated Build-Wiki status: '401'
- authenticated Build-Wiki status: '200'

Live 'service_probe':

- 'systemctl_available: false'
- 'blocker: systemctl_command_not_found_in_local_runtime'
- 'service_unit: opencloud-docs-farmer.service'
- 'timer_unit: opencloud-docs-farmer.timer'
- 'timer_active: false'
- 'timer_unit_file_state: unknown'
- 'service_active_state: unknown'
- 'service_sub_state: unknown'
- 'last_result: unknown'

Run Now state remains truthful:

- target service: 'opencloud-docs-farmer.service'
- UI state: 'failed'
- approval state: 'approved'
- run state: 'failed'
- dispatch surface: 'approval_route_exact_scope_dispatch'

Proof artifact:

- 'runtime/day-34-farmer-service-status-proof.json'

Tests Run

- 'pnpm test 'src/app/api/bridge/brain-sync/build-wiki/status/route.test.ts''
 - PASS: 1 file / 1 test
- 'pnpm run typecheck'
 - PASS
- 'pnpm run build'
 - PASS
- 'pnpm test'
 - PASS: 157 files / 1325 tests
- 'git diff --check'
 - PASS
- 'node scripts/check-protected-file-invariants.mjs'
 - PASS
- Staged secret/raw-path scan
 - pending report commit
- '.env' diff check
 - PASS, no '.env' changes

Remaining Blocker

'SERVICE_DOWN': this local runtime cannot execute or inspect the systemd user unit because 'systemctl' is unavailable.

Owner/admin action to move this lane to live service proof:

- Run Mission Control on the runtime host where 'systemctl --user' is available to the service user.

- Verify:

- 'systemctl --user is-active opencloud-docs-farmer.timer'
- 'systemctl --user is-active opencloud-docs-farmer.service'
- 'GET /api/bridge/brain-sync/build-wiki/status' shows real timer/service values.

Safety Confirmation

- No '.env' changes.
- No secrets printed.
- No auth weakening.
- No public local exposure added.
- No SMB / Fork 2 / external farmers.
- No second vault.
- No Zapier writes.
- No HeyGen generation.
- No broad connector execution.
- No fake service-active state.
- No raw local paths exposed in proof/report artifacts.

Commit / Push

Source commit:

- '0d0803b' â 'feat(buildwiki): expose farmer service probe'

Report commit:

- this report artifact commit

Push:

- pending report commit and push

Rollback

Source rollback:

```
""bash
git revert 0d0803b
""
```

Report rollback:

```
""bash
git revert <day34_report_commit_sha>
""
```

Next Day Started

Day 35 â Farmer Audit Trail 100% Closure starts automatically after this report is committed and pushed.