

day-22-authenticated-visual-proof-100-closure

Day 22 â Authenticated Visual Proof 100% Closure

Date: 2026-05-09

Status: CLOSED developer-side / OWNER_GATED for true owner visual proof

Lane

Authenticated Visual Proof.

What Was Implemented

Added a safe authenticated visual proof harness for Mission Control protected pages.

The harness:

- Probes protected routes without authentication and records whether they redirect/deny as expected.
- Captures screenshots only when a session cookie is explicitly provided through runtime environment.
- Never writes the provided session cookie value to disk.
- Distinguishes local proof smoke from true owner visual proof.
- Marks true owner visual proof as 'OWNER_GATED' unless the session is explicitly owner-confirmed.
- Scans its own proof packet for raw local paths and secret-shaped values.

Files Changed

- 'scripts/capture-auth-visual-proof.mjs'
- 'src/lib/authenticated-visual-proof.ts'
- 'src/lib/authenticated-visual-proof.test.ts'

Routes Covered

Default protected visual proof targets:

- '/tkmc'
- '/gateway'
- '/gateway/agent-hub'
- '/gateway/bridge-session'
- '/gateway/agent-hub/paperclip'

UI Behavior

No owner-facing UI was changed in this lane.

The new harness supports authenticated screenshot proof for the current Mission Control / Gateway surfaces without relying on legacy screenshot scripts or hardcoded login credentials.

Service / Runtime Behavior

Mission Control proof runtime was rebuilt and restarted locally on:

- Bind: '127.0.0.1:3337'
- New PID: '97123'
- '/login': 200

No public exposure was added.

Proof Artifacts

- 'runtime/day-22-authenticated-visual-proof-harness.json'

- owner session available: false
 - owner visual proof claimed: false
 - blocker class: 'OWNER_GATED'
 - blocker: 'owner_authenticated_browser_session_required'
 - unauthenticated protected route probes: 5/5 protected
 - raw path scan: passed
 - secret shape scan: passed
- 'runtime/day-22-local-session-visual-smoke.json'
 - local proof session available: true
 - owner visual proof claimed: false
 - authenticated route loads: 5/5 returned 200
 - screenshots: 5
 - raw path scan: passed
 - secret shape scan: passed
- 'runtime/day-22-local-session-visual-smoke/tkmc.png'
 - 'runtime/day-22-local-session-visual-smoke/gateway.png'
 - 'runtime/day-22-local-session-visual-smoke/gateway-agent-hub.png'
 - 'runtime/day-22-local-session-visual-smoke/gateway-bridge-session.png'
 - 'runtime/day-22-local-session-visual-smoke/gateway-agent-hub-paperclip.png'

The local-session smoke proves the harness works against the current local runtime. It is not claimed as owner visual proof.

Tests Run

- RED check:
 - 'pnpm test src/lib/authenticated-visual-proof.test.ts'
 - initial failure confirmed missing module.
- Focused green check:
 - 'pnpm test src/lib/authenticated-visual-proof.test.ts'
 - 1 file / 4 tests passed.
- Validation:
 - 'git diff --check': passed
 - 'pnpm run typecheck': passed
 - 'pnpm run build': passed
 - 'pnpm test': passed, 151 files / 1310 tests
 - 'node scripts/check-protected-file-invariants.mjs': passed
 - staged secret scan: passed
 - '.env' diff check: clean

Deploy / Restart / Smoke Result

Source changed, so the local Mission Control proof runtime was restarted after build.

- Previous proof server screen: 'mc-day21-owner-status'
- New proof server screen: 'mc-day22-auth-visual-proof'
- New runtime PID: '97123'
- '/login': 200
- Unauthenticated protected route probes: 5/5 protected
- Local-session authenticated page loads: 5/5 returned 200

Production owner visual proof still requires the owner's actual authenticated browser/session and must not be marked GO from local proof smoke.

Remaining Blocker

'owner_authenticated_browser_session_required'

Blocker classification: 'OWNER_GATED'

What is needed:

- Owner opens or provides a safe owner-authenticated Mission Control browser/session.
- Run the harness in owner-confirmed mode without printing/storing the session value.
- Capture the required protected page evidence and confirm no secrets/raw paths/fake buttons.

Rollback

Code rollback:

```
""bash
git revert fbacaf8
""
```

Commit / Push

Code commit:

- 'fbacaf8' â 'feat(runtime): add authenticated visual proof harness'

Push result:

- pushed to 'origin/to-knowledge-mc'

Next Day Started

Day 23 â Approval Request Model starts automatically.