

Day 03 Phase 2 — Paperclip Owner Login / Session Bridge

Objective

Move Paperclip from health-only proof to real owner-session read-only proof.

Actions

1. Verified Paperclip service health endpoint.
2. Verified Mission Control Paperclip bridge status route.
3. Re-ran Paperclip read inventory bridge routes:

- companies
- agents
- issues

1. Confirmed local/Tailnet-only service posture; no public exposure change introduced.

Commands / Routes Used

- `GET /api/bridge/paperclip/status`
- `GET /api/bridge/paperclip/companies`
- `GET /api/bridge/paperclip/agents`
- `GET /api/bridge/paperclip/issues`
- Paperclip health endpoint check (`/api/health`)

Proof

- Paperclip health endpoint returned `200` with healthy bootstrap/runtime status.
- `GET /api/bridge/paperclip/status` returned `200` with blocker metadata.
- `GET /api/bridge/paperclip/companies` returned `503`.
- `GET /api/bridge/paperclip/agents` returned `503`.
- `GET /api/bridge/paperclip/issues` returned `503`.
- Returned blocker remains auth/session related, not fake-live.

Files Changed

- `runtime/day-03-phase-2-paperclip-owner-login-session.md`

Services

- Paperclip service: active (health endpoint responsive).
- Mission Control bridge service: active.

Tests

- Route smoke for Paperclip bridge read surfaces: PARTIAL PASS.

Commits

- None in this phase.

Blockers

- `paperclip\_owner\_session\_required`
- `paperclip\_auth\_required\_or\_not\_configured`

Rollback

- No code/config changes were applied.

No-Secrets Confirmation

- No credentials, tokens, or auth files were printed.

Updated Percentage

- Paperclip remains PARTIAL GO (health proven, owner login/read inventory still blocked).

Exact Next Step

- Complete owner Paperclip session/auth configuration, then re-run bridge inventory routes until `companies/agents/issues` return authenticated read-only success.