

NEXORA TOUCH – API Integration Guide

v3.2

Version: 3.2 | **Updated:** 2026-06-09

Base: Clean Architecture .NET 8 API with CQRS (MediatR) and JWT authentication

Changes from v3.1: Added Public Invite Link (US-30): 4 new endpoints
(GET /public/merchant-invite , POST /staff/join-public-invite ,
GET /merchant/settings/invite-link , PUT /merchant/settings/invite-link). Enhanced
GET /api/v1/userprofile/me (US-31) to include business and staffProfile fields.

Table of Contents

Part 1 – API Reference

- 21. GET /api/v1/public/merchant-invite ✨ NEW
- 22. POST /api/v1/staff/join-public-invite ✨ NEW
- 23. GET /api/v1/merchant/settings/invite-link ✨ NEW
- 24. PUT /api/v1/merchant/settings/invite-link ✨ NEW
- 25. GET /api/v1/userprofile/me ⭐ UPDATED (+ business , staffProfile)

Part 2 – Business Flow Sequences

- Flow 12: Staff Join via Public Invite Link ✨ NEW

Part 3 – Enums Reference ✨ NEW (SubscriptionPlan , SubscriptionStatus , BusinessStaffRole)

Base URLs

Environment	Base URL	Swagger UI
Local	https://localhost:7012	https://localhost:7012/swagger

Environment	Base URL	Swagger UI
Test (Dev)	https://test-api.nexoratouch.com	/api/index.html? url=/api/specification.json

Authentication Header

All protected endpoints require:

Authorization: Bearer <accessToken>

Part 1 — API Reference

21. GET /api/v1/public/merchant-invite

Base route: GET /api/v1/public/merchant-invite

Auth: AllowAnonymous — no JWT required

Rate limit: PublicTouchPolicy

Resolves a merchant's public invite link. Called by staff before sign-in to preview the business they are joining.

GET /api/v1/public/merchant-invite

Fetch merchant info by referral code.

Query parameters:

Parameter	Type	Required	Description
ref	string	Yes	Merchant's referralCode (from the shared URL ?ref=...&type=invite)

Response 200 :

```
{
  "businessId": "aaaabbbb-cccc-dddd-eeee-ffffgggghhhh",
  "businessName": "Nail Hub Dev",
  "logoUrl": "https://cdn.example.com/logos/nail-hub.png",
  "isInviteActive": true,
  "referralCode": "ABC123XY"
}
```

Response codes:

Status	ErrorCode	Description
200	—	Merchant info returned
400	STAFF_PUBLIC_INVITE_DISABLED	Merchant has disabled the public invite
404	USER_INVALID_REFERRAL_CODE	ref does not match any merchant

22. POST /api/v1/staff/join-public-invite

Base route: POST /api/v1/staff/join-public-invite

Auth: [Authorize] — Bearer JWT required

Staff user joins a merchant via public invite link. Creates a `BusinessStaffLink` with `Status = Pending` that the merchant must approve. If the user has no `StaffProfile` yet, one is created automatically.

POST /api/v1/staff/join-public-invite

Request body:

Field	Type	Required	Constraints
referralCode	string	Yes	NotEmpty — merchant's referral code

Field	Type	Required	Constraints
displayName	string	Yes	2–100 chars
phoneNumber	string	No	International format (e.g. +84901234567)
position	string	No	Max 100 chars
bio	string	No	Max 500 chars
photoUrl	string	No	Valid URL

```
{
  "referralCode": "ABC123XY",
  "displayName": "Nguyen Van A",
  "phoneNumber": "+84901234567",
  "position": "Nail Technician",
  "bio": "5 years experience",
  "photoUrl": null
}
```

Response 204 : No Content

Merchant receives an in-app notification (`StaffPublicJoinRequest`) when this succeeds. The created link has `Status = Pending` and requires merchant approval via dashboard.

Business logic:

- 1. Resolves business from `referralCode` ; throws `404` if not found
- 2. Checks `IsPublicInviteEnabled = true` ; throws `400` if disabled
- 3. Finds or creates `StaffProfile` for the authenticated user (auto-generates unique `StaffCode`)
- 4. Updates `phoneNumber` on `UserProfile` if provided
- 5. Guards against duplicate: throws `409` if a `BusinessStaffLink` already exists (any status)
- 6. Creates `BusinessStaffLink` with `Status = Pending` , `Role = Staff`
- 7. Sends `StaffPublicJoinRequest` notification to merchant

Response codes:

Status	ErrorCode	Description
204	—	Join request submitted; pending merchant approval

Status	ErrorCode	Description
400	STAFF_PUBLIC_INVITE_DISABLED	Merchant has disabled the public invite
400	COMMON_VALIDATION_ERROR	Validation failed (e.g. <code>displayName</code> empty or too short)
401	COMMON_UNAUTHORIZED	Missing or invalid JWT
404	USER_INVALID_REFERRAL_CODE	<code>referralCode</code> does not match any merchant
409	STAFF_ALREADY_LINKED_TO_BUSINESS	Link already exists between this user and merchant (any status)

23. GET /api/v1/merchant/settings/invite-link

Base route: GET /api/v1/merchant/settings/invite-link

Auth: [Authorize] — merchant JWT required

Get the merchant's public invite link settings. FE builds the shareable URL from these two fields:
`/?ref={referralCode}&type=invite` .

GET /api/v1/merchant/settings/invite-link

Response 200 :

```
{
  "isEnabled": true,
  "referralCode": "ABC123XY"
}
```

Field	Type	Description
isEnabled	bool	Whether the public invite feature is active (default: <code>true</code>)
referralCode	string	Merchant's unique referral code; forms the <code>ref</code> query param in the invite URL

Response codes:

Status	ErrorCode	Description
200	—	Settings returned
401	COMMON_UNAUTHORIZED	Missing or invalid JWT
404	BUSINESS_NOT_FOUND	Merchant has no Business record

24. PUT /api/v1/merchant/settings/invite-link

Base route: PUT /api/v1/merchant/settings/invite-link

Auth: [Authorize] — merchant JWT required

Toggle the public invite feature on or off.

PUT /api/v1/merchant/settings/invite-link

Request body:

Field	Type	Required	Description
isEnabled	bool	Yes	true to enable, false to disable

```
{ "isEnabled": false }
```

Response 200 : Returns updated settings (same shape as GET):

```
{
  "isEnabled": false,
  "referralCode": "ABC123XY"
}
```

When isEnabled = false , calls to GET /public/merchant-invite?ref=... and POST /staff/join-public-invite will return 400 STAFF_PUBLIC_INVITE_DISABLED .

Response codes:

Status	ErrorCode	Description
200	—	Setting updated; returns new state
401	COMMON_UNAUTHORIZED	Missing or invalid JWT
404	BUSINESS_NOT_FOUND	Merchant has no Business record

25. GET /api/v1/userprofile/me

Base route: GET /api/v1/userprofile/me

Auth: [Authorize] — Bearer JWT required

★ **Updated in v3.2** — response now includes two new nullable fields: `business` (for merchants) and `staffProfile` (for users with a staff profile). All previously existing fields are unchanged.

GET /api/v1/userprofile/me

Response 200 — Merchant with StaffProfile:

```
{
  "id": "guid",
  "email": "merchant@example.com",
  "firstName": "Nguyen",
  "lastName": "Van A",
  "fullName": "Nguyen Van A",
  "phoneNumber": "+84901234567",
  "userType": "Merchant",
  "status": "Active",
  "profileImage": {
    "url": "https://cdn.example.com/profile.jpg",
    "thumbnailUrl": "https://cdn.example.com/profile-thumb.jpg"
  },
  "isEmailVerified": true,
  "isPhoneVerified": false,
  "isKYCVerified": false,
  "lastLoginAt": "2026-06-09T08:00:00Z",
  "dateOfBirth": null,
  "gender": null,
  "city": "Houston",
  "state": "TX",
  "country": "US",
  "zipCode": "77001",
  "address": "123 Main St",
  "contactInfo": null,
  "referralCode": "ABC123XY",
  "business": {
    "id": "biz-guid",
    "name": "Nail Hub Dev",
    "slug": "nail-hub-dev",
    "logoUrl": "https://cdn.example.com/logo.png",
    "businessType": "Nail Salon",
    "onboardingStep": 5,
    "onboardingCompletedAt": "2025-01-15T10:00:00Z",
    "isPublic": true,
    "subscription": {
      "plan": 2,
      "status": 0,
      "trialEndsAt": null,
      "currentPeriodEnd": "2025-12-31T23:59:59Z"
    }
  }
},
"staffProfile": {
```



```

    "id": "staff-guid",
    "displayName": "Van A",
    "photoUrl": null,
    "position": "Manager",
    "staffCode": "N3X7K2M1",
    "isProfileComplete": true,
    "linkedBusinesses": [
      {
        "businessId": "biz-guid-2",
        "businessName": "Other Shop",
        "logoUrl": null,
        "role": 0,
        "status": 1
      }
    ]
  }
}

```

Response 200 — Regular user (no merchant, no staff profile):

```

{
  "id": "guid",
  "email": "user@example.com",
  ...
  "business": null,
  "staffProfile": null
}

```

New field — business (BusinessSummaryDto | null):

Field	Type	Description
id	guid	Business ID
name	string	Business display name
slug	string	URL-friendly slug
logoUrl	string?	Logo image URL
businessType	string?	Type label (e.g. "Nail Salon")
onboardingStep	int	Last completed onboarding step (1–5)

Field	Type	Description
onboardingCompletedAt	datetime?	UTC timestamp when onboarding was completed
isPublic	bool	Business is publicly discoverable
subscription	object?	Current subscription; see below
subscription.plan	int	See SubscriptionPlan enum
subscription.status	int	See SubscriptionStatus enum
subscription.trialEndsAt	datetime?	Trial expiry (UTC)
subscription.currentPeriodEnd	datetime?	Billing period end (UTC)

business is populated when userType == "Merchant" and the user has a Business record.
null for all other user types.

New field — staffProfile (StaffSummaryDto | null):

Field	Type	Description
id	guid	StaffProfile ID
displayName	string	Display name shown to customers
photoUrl	string?	Profile photo URL
position	string?	Job title/position
staffCode	string	Unique staff code (e.g. "N3X7K2M1")
isProfileComplete	bool	Whether the staff profile has been fully set up
linkedBusinesses	array	Businesses this user is linked to
linkedBusinesses[].businessId	guid	Business ID
linkedBusinesses[].businessName	string	Business display name
linkedBusinesses[].logoUrl	string?	Business logo URL
linkedBusinesses[].role	int	See BusinessStaffRole enum
linkedBusinesses[].status	int	See BusinessStaffLinkStatus enum

`staffProfile` is populated whenever the user has a `StaffProfile` record, regardless of `userType`. A single user can have **both** `business` and `staffProfile` populated simultaneously.

Caching: Redis, 30-minute TTL. Unchanged from v3.1.

Response codes:


Status	ErrorCode	Description
200	—	Profile returned
401	COMMON_UNAUTHORIZED	Missing or invalid token
404	USER_NOT_FOUND	User not found

Part 2 — Business Flow Sequences

Each flow has two representations:

1. **Sequence diagram** — shows all actors and API calls in order
2. **Step list** — exact endpoints, request bodies, and responses

Flow 12: Staff Join via Public Invite Link



Step-by-step:

— MERCHANT SIDE —

1. GET /api/v1/merchant/settings/invite-link
Authorization: Bearer <merchantToken>
→ 200 { isEnabled: true, referralCode: "ABC123XY" }
2. [Optional] PUT /api/v1/merchant/settings/invite-link
Authorization: Bearer <merchantToken>
{ "isEnabled": true }
→ 200 { isEnabled: true, referralCode: "ABC123XY" }
3. Share URL: /?ref=ABC123XY&type=invite

— STAFF SIDE (unauthenticated preview) —

4. GET /api/v1/public/merchant-invite?ref=ABC123XY
(no Authorization header)
→ 200 {
 "businessId": "biz-guid",
 "businessName": "Nail Hub Dev",
 "logoUrl": "https://...",
 "isInviteActive": true,
 "referralCode": "ABC123XY"
}
5. POST /api/v1/authentication/signin
{ "email": "staff@example.com", "password": "..." }
→ 200 { "accessToken": "eyJ...", "refreshToken": "..." }

— STAFF SIDE (authenticated join) —

6. POST /api/v1/staff/join-public-invite
Authorization: Bearer <staffToken>
{
 "referralCode": "ABC123XY",
 "displayName": "Nguyen Van A",
 "phoneNumber": "+84901234567",
 "position": "Nail Technician",
 "bio": "5 years experience",
 "photoUrl": null
}
→ 204 No Content
[Merchant receives StaffPublicJoinRequest notification]

— MERCHANT APPROVES (existing flow) —

7. PUT /api/v1/merchant/staff/links/{linkId}/approve
Authorization: Bearer <merchantToken>
→ 200
[BusinessStaffLink.Status → Active]

Part 3 — Enums Reference

Only new enums introduced in v3.2. For existing enums see [v3.1 guide — Part 3](#).

SubscriptionPlan

Used in GET /api/v1/userprofile/me → business.subscription.plan .

Value	Name	Description
0	Starter	Free starter tier
1	Pro	Pro tier
2	Premium	Premium tier
3	Enterprise	Enterprise tier

SubscriptionStatus

Used in GET /api/v1/userprofile/me → business.subscription.status .

Value	Name	Description
0	Active	Subscription is active and paid

Value	Name	Description
1	Trialing	Within free trial period
2	PastDue	Payment overdue
3	Cancelled	Subscription cancelled

BusinessStaffRole

Used in `GET /api/v1/userprofile/me → staffProfile.linkedBusinesses[].role` .

Value	Name	Description
0	Staff	Regular staff member
1	Manager	Manager role

Note: `BusinessStaffLinkStatus` enum (values 0–3: Pending, Active, Inactive, Rejected) was introduced in v3.1 and is used in `staffProfile.linkedBusinesses[].status` . See v3.1 guide for reference.