

CHAPTER 8

0801.19.10

YOUNG COCONUT

Young coconut refers to the whole fruit with exocarp (which is between 7 to 8 months old) with water and gelatinous kernel. It is mainly traded for drinking its natural water - "coconut water".

This ASEAN subheading also covers young coconut whose endocarp has been removed or shelled.

However, young coconut whose outer fibrous husk (mesocarp) has been partially or completely removed should be classified under 0801.12.00.



Pictures 1. Examples of young coconut

Coconuts: Young versus Mature


There are several different ways to enjoy fresh coconuts, which can be young or mature. Young coconuts have either a green or yellow exocarp or a white "husk" if the exocarp has been removed, while mature coconuts are brown, hairy variety. The nutrients and physical characteristics change as a coconut matures.

Young coconuts have more 'water' and soft, gel-like meat, and mature coconuts have firm meat and less 'water'. Fresh coconuts for drinking are typically harvested from the tree while they are green, each can contain between 200 ml to 1 l. Any nuts younger than five months of age tend to be in coarse taste. Young coconut should be harvested at 7 to 8 months maturity to obtain the maximum volumes of water and the delicious gelatinous meat (kernel).

The major chemical constituents of coconut water are sugars and minerals and minor ones are fat and nitrogenous substances.

	Mature Coconut Water	Tender/young Coconut Water
Total solids%	5.4	6.5
Reducing sugars %	0.2	4.4
Minerals %	0.5	0.6
Protein %	0.1	0.01
Fat %	0.1	0.01
Acidity mg %	60.0	120.0
pH	5.2	4.5
Potassium mg%	247.0	290.0
Sodium mg%	48.0	42.0
Calcium mg%	40.0	44.0
Magnesium mg %	15.0	10.0
Phosphorous mg%	6.3	9.2
Iron mg%	79.0	106.0
Copper mg%	26.0	26.0

Table 1. Approximate Analysis of Mature and tender/young Coconut Water



Picture 2. Structure of coconut

(Source: Malaysia)

0802.12.10

BLANCHED ALMOND

Almond in shell selected from quality stocks, are shelled, sorted, washed, steamed at 90-100°C, and peeled to remove the skin, are known as blanched almonds. They are sorted and maybe cut into style (sliced, slivered, diced) and specific sizes as required, and are dried and packaged.



Picture 1. Blanched Whole Almonds



Picture 2. Blanched Sliced Almonds



Picture 3. Blanched Slivered Almonds

(Source: Indonesia)

0803.90.10

LADY'S FINGER BANANA

Lady's Finger bananas (*Musa acuminata*) also known as Sugar bananas, Finger bananas, Fig bananas, Date bananas or Sucrier. Their fruits are small about (8 - 12.5 cm) in length, diameter 3 – 4 cm and light yellow thin-skinned, very sweet and aromatic. Lady's Finger

bananas are eaten fresh or used in desserts. They are known for being sweeter than the standard banana.

ASEAN Countries	Local Name
Brunei Darussalam	Pisang Mas
Cambodia	Chek Pong Moan (chicken egg banana)
Indonesia	Pisang Mas
Laos	Kuay Khai
Malaysia	Pisang Mas
Myanmar	Nga Pyaw Thee
The Philippines	Señorita
Singapore	Pisang Mas
Thailand	Kluay Khai (egg banana)
Vietnam	Chuoí Ngu or Chuoí Cau

Table 1. Names of Lady's Finger banana in ASEAN Countries



Pictures 1, 2 and 3. Lady's Finger bananas (*Musa acuminata*)

(Source: Malaysia)

0803.90.20

CAVENDISH BANANA (*MUSA ACUMINATA*)

Cavendish bananas are the fruits of one of a number of banana cultivars belonging to the Cavendish subgroup of the AAA banana cultivar group. The same term is also used

to describe the plants on which the bananas grow. They include commercially important cultivars like 'Dwarf Cavendish'.



Picture 1. Cavendish Banana

Source of Image : <https://bibitbunga.com/product/tanaman-pisang-cavendish/>

(Source: Malaysia)

0803.90.30

**CHESTNUT BANANA (HYBRID OF *MUSA ACUMINATA* AND *MUSA BALBISIANA*,
CULTIVAR BERANGAN)**

Chestnut banana, scientifically known as hybrid of *Musa acuminata* and *Musa balbisiana* (a cultivated variety of Berangan) is the most produced fruit and consumed fresh. The flesh is reddish, soft, sweet and fragrant.

Scientific name:	<i>Musa acuminata</i> × <i>Musa balbisiana</i> c.v. Berangan
Common name:	Pisang Berangan, Chestnut banana
Type:	Fruit plant
Origin:	Cultivar



Picture 1 : Chesnut Banana

Source of Image : <https://www.fruitwerkz.com/products/pisang-berangan>

(Source: Malaysia)

0805.50.10

LEMON (*CITRUS LIMON*, *CITRUS LIMONUM*)

Common name: Lemons

Scientific name: *Citrus limon*

Local name in Malaysia: Limau Lemon or Limau Asam



Pictures 1. Lemon

Common name: Sweet Lemon

Scientific name: *Citrus limonum*

Local name in Malaysia: Limau Susu



Pictures 2. Sweet Lemon

(Source: Malaysia)

0805.50.20

LIMES (*CITRUS AURANTIFOLIA*, *CITRUS LATIFOLIA*)

Common name: Limes

Scientific name: *Citrus aurantifolia*

Local name in Malaysia: Limau Nipis



Picture 1. Lime

Common name: Kaffir Limes
 Scientific name: *Citrus latifolia*
 Local name in Malaysia: Limau Purut



Pictures 2. Kaffir Lime or Limau Purut

(Source: Malaysia)

0810.90.10

LONGANS; MATA KUCING

Longan or *Dimocarpus longan* or *Euphoria longan* (*Sapindaceae* family) also known as dragons eye. The fruits, in drooping clusters, are globes, 2 - 2.8 cm in diameter, with thin, brittle, yellow-brown to light reddish-brown rind, more or less rough (pebbled).



Picture 1. Longan

Mata Kucing - *Euphoria malaiense* (Sapindaceae family) literally translated means cats eye. The fruits are round, up to 2cm in diameter (some larger) with a rough, brownish skin, fruit borne on small bunches. The flesh is translucent, white and sweet. The flesh thickness varies but is generally about 5.0 mm thick whilst the seed is large in comparison to the flesh.



Picture 2. Mata Kuching

(Source: Malaysia)

0810.90.94

POMEGRANATE (*PUNICA SPP.*), SOURSOP OR SWEETSOPS (*ANNONA SPP.*), BELL FRUIT (*SYZYGIVM SPP.*, *EUGENIA SPP.*), MARIAN PLUM (*BOUEA SPP.*), PASSION FRUIT (*PASSIFLORA SPP.*), COTTONFRUIT (*SANDORICUM SPP.*), JUJUBE (*ZIZIPHUS SPP.*) AND TAMPOI OR RAMBAI (*BACCAUREA SPP.*)

These are local fruits that are grown or produced and processed in ASEAN Member States.

1. Pomegranate

Common name: Pomegranate

Scientific name: *Punica granatum*

Local name in Malaysia: Delima



Picture 1. Pomegranate

2. Soursop

Common name: Soursop

Scientific name: *Annona muricata*

Local name in Malaysia: Durian Belanda/Nona

Local name in Indonesia: Sirsak



Picture 2. Soursop

3. Sweetsop

Common name: Sweetsop

Scientific name: *Annona squamosa*

Local name in Malaysia: Nona serikaya



Picture 3. Sweetsop

4. Bell fruit

Common name: Bell fruit

Scientific name: *Syzygium aqueum*, *Eugenia aquea*
Local name in Malaysia: Jambu Air



Picture 5. Bell fruit/Jambu Air



Picture 6. Bell fruit

MY Local Name: Jambu Bol (*Syzygium malaccanese*)



Picture 7. Bell fruit

MY Local Name: Jambu Mawar (*Syzygium jambos*, *Eugenia jambos*)



Picture 8. Bell fruit

MY Local Name: Jambu Semarang (*Syzygium samarangense*, *Eugenia javanica*)

5. Marian Plum

Common name: Marian Plum

Scientific name: *Bouea macrophylla*

Local name in Malaysia: Kundang



Picture 9. Marian Plum

6. Passion fruit

Common name: Markisa

Scientific name: *Passiflora* spp.

Local name in Malaysia: Buah susu



Picture 10. Passion fruit

7. Cottonfruit

Common name: Cottonfruit

Scientific name: *Sandoricum koetjape*, *Sandoricum indicum*, *Sandoricum nervosum*

Local names in Malaysia: Kecapi/ Sentol/ Sentul/ Santol

Local names in Thailand: Krathon/Sathon



Picture 11. Cottonfruit

8. Jujube

Common name: Jujube

Scientific name: *Ziziphus spp.*

Local name in Malaysia: Bidara



Picture 12. Jujube

9. Tampoi or Rambai

Common name: Rambai

Scientific name: *Baccaurea motleyana*

Local name in Malaysia: Rambai or tampoi



Picture 13. Tampoi or Rambai

(Source: Malaysia)

ใช้ในราชการมตุลการเท่านั้น
ไม่มีผลผูกพันทางกฎหมาย