

CHAPTER 12

1207.10.10

PALM NUTS SUITABLE FOR SOWING/PLANTING

Palm nuts suitable for sowing/planting should be accompanied by a certificate issued by the relevant authorities in the exporting country that they are of a quality suitable for sowing/planting.



Picture 1. Palm nuts suitable for sowing



Picture 2. Palm Nuts



Picture 3. Selecting high quality oil palm seeds



Picture 4. Oil palm nursery stock

(Source: Malaysia)

1211.90.13

RAUWOLFIA SERPENTINA ROOTS

Rauwolfia roots are roots of plants in the *Apocynaceae* family. Roots of this plant, i.e, *Rauwolfia serpentina* roots or Rauwolfia roots, produce the alkaloid reserpine which is the essential ingredient in many medicines for the treatment of mental illness and hypertension.



Picture 1. Rauwolfia root

1211.90.95

AGARWOOD (GAHARU) CHIPS

Agarwood, also known as oud, oodh or agar, is a dark resinous heartwood that forms in *Aquilaria* and *Gyrinops* tree species in Southeast Asia, with Indonesia, Malaysia, Vietnam, Cambodia, Thailand, Laos and Papua New Guinea. This resin is produced as a result of pathological or wounding processes. Trees, occasionally become infected with a parasite mould secrete a fragrant, protective oil into wounded areas (roots, branches or sections of the trunk), which gradually become harder and dark brown to black. The heartwood (central part of a tree, which is darker in color than the sapwood) is relatively light and pale color before infection. Normally harvesters would cut only the infected parts or cutting down the tree. Agarwood (dark brown /black parts) can be traded in many forms, from large lumps of wood to woodchips, wood powder or sawdust, leaves for tea, distilled oil and manufactured products such as incense and perfumes.

Gaharu tree species	
1.	<i>Aquilariamicrocarpa</i>
2.	<i>Aquilariamalaccensis</i>
4.	<i>Aquilariamicrocarpa</i>
5.	<i>Aquilaria. beccariana</i>
6.	<i>Aquilariacummingiana</i>
8.	<i>Gyrinopsversteegii</i>



Picture 1. Dried agarwood



Picture 2. Dried agarwood

(Source: Malaysia)

1211.90.97

BARK OF PERSEA (PERSEA KURZII KOSTERM)

“Persea Kurzii Kosterm” (*Lauraceae*) is an aromatic tree with a thick bark. It is generally found in dry evergreen forests and dry dipterocarp forests in Southeast Asia. Its bark is used mostly in making joss sticks.

(Source: Thailand)

1212.21.11

EUCHEUMA SPINOSUM

Scientific name/Genus	<i>Eucheuma spinosum</i> is a genus of red algae (<i>Rhodophyta</i>)
Dimension, color, special identification	Has rounded cylindrical or compressed thallus , irregular branches, has a little spike spreading in all of thallus. It can be red, reddish, brown, and yellowish green. Dimension (mature seaweed) is around 20-30 cm



Picture 1. Fresh



Picture 2. Dried

(Source: Indonesia)

1212.21.12

EUCHEUMA COTTONII

Scientific name/Genus	<i>Eucheuma cottonii</i> is a genus of red algae (<i>Rhodophyta</i>)
Dimension, color, special identification	Has rounded cylindrical or compressed thallus, irregular branches (di-tricotomus), and also has blue nodule and spines. It can be red, reddish brown, yellowish green. Dimension (mature seaweed) is around 20-30 cm



Picture 1. Fresh



Picture 2. Dried


(Source: Indonesia)

1212.99.10

STONES AND KERNELS OF APRICOT, PEACH (INCLUDING NECTARINE) OR PLUM

A stone fruit, also called a drupe or pits, is a fruit with a large "stone" inside. The stone is sometimes called the seed, but that is a mistake, the seed is inside the stone. Prunus is

a genus of trees and shrubs, which includes the plums, cherries, peaches, nectarines, apricots and almonds. The fruit from this genus are commonly called the stone fruit.



Peach Kernels



Peach stones





Plum stones



Nectarine stones

(Source: Malaysia)