SAP Certification Notes

Personal reference – certifications, renewal rules, and useful links

Certifications Targeted (Technical + Functional)

- Related area: BTP, HANA and ABAP
- **C_S4EWM** – Extended Warehouse Management (EWM) in SAP S/4HANA
- **C_FIORD** – SAP Fiori (development / B.Tech track)
- **C_TS4CFI** – Finance, SAP S/4HANA
- **C_TS462** – Sales, SAP S/4HANA
- **C_THR81** – HR (Human Resources / SAP SuccessFactors-HCM area)
- **C_TS422** – Production Planning and Manufacturing, SAP S/4HANA
- **C_ABAPD** – ABAP backend developer
- **C_ADBTP** – SAP Certified Associate – Administrator for SAP BTP (most advanced and in-demand)

Exam Attempts and Renewal

- Can take 2 certificates, with 2 attempts for each certificate.
- Renewal certificates can be renewed freely, but only before they expire.
- After expiry, the certificate must be paid for again.

Language Options


- Danish, French, Mandarin, German, Spanish – combining these languages with SAP global certificates can be a strong career advantage.
- Germany, France, Norway, Ireland , Denmark, Spain

Useful Links

- **SAP S4/HANA:** https://stockholm.cob.csuchico.edu/fiori
- **SAP ABAP:** merida.cob.csuchico.edu:8038 – SAP WebGUI
- **SAP Universal ID:** Software Downloads
- **SAP Software Center:** me.sap.com/softwarecenter
- **SAP EXAM LINK:** https://learning.sap.com/lecturers


Account Details

- **SAP Universal ID username: P2012822579, PW- **************
- Login through Email ID: **souhardyagayenset@sanjivani.edu.in**



https://support.sap.com/en/my-support/software-downloads.html?isu_page=1

https://www.sap.com/account/universal-id.html
SAP Universal ID




https://me.sap.com/softwarecenter
Login Here for check

Status


- Ready to take the exam.

You can Use Both for Learn
SAP Software/SAP Website but software is better


SAP HANA Login: (Learner Login)
ID-LEARN-421
Pw- ************
Client-ID-475
Link- https://stockholm.cob.csuchico.edu/sap/bc/ui2/flp




SAP HANA Login: (Teacher Login)
ID-TEACH-008
Pw- ************
Client-ID-475
Link- https://stockholm.cob.csuchico.edu/sap/bc/ui2/flp



SAP ABAP LOGIN:
ID-SANJ-007
PW- ************
Client ID-105
Link:- https://merida.cob.csuchico.edu:8038/sap/bc/gui/sap/its/webgui/





After Login





Process of ABAP Step-by-step guide
SE21
SE11
SE10 (Transaction check/status check)
SM30
SE10 (Transaction check/status check)
SE16
SE38


First step-1
Create a Package






Change Package
Package Check
Package Check Including Subpackages
More
Package: YZABAP_007
Saved
Properties
Use Accesses
Package Interfaces
Subpackages
Package Hierarchy
Package Properties
Superpackage:
Change
Main Package
Adding further objects not possible
Transport Attributes
Transport Layer: ZMER
Merida Dummy layer
Software Component: HOME
Record Object Changes in Transport Requests


Change Package
Package Check
Package Check Including Subpackages
More
Package: YZABAP_007
Saved
Properties
Use Accesses
Package Interfaces
Subpackages
Package Hierarchy
Package Hierarchy
Package En...
Description
YZABAP_007
YZABAP_007_Package



Package ID: YZABAP_007

*****Extra Notes*****----------


[10:38 am, 10/10/2026] souhardyagayen99: vendor master data LFA1
[10:38 am, 10/10/2026] souhardyagayen99: pricing master data T6A3S
[10:38 am, 10/10/2026] souhardyagayen99: for Sales VKORG
[10:38 am, 10/10/2026] souhardyagayen99: IBUPA for Bussiness partner
[10:39 am, 10/10/2026] souhardyagayen99: IBUPA Vendor for vendor
[10:54 am, 10/10/2026] souhardyagayen99: WE80
WE20
idoc in SAP
WRICEF W=Workflow, R=Report, I=Interface, C=change Request, E= Enhancement, F=Form


[11:04 am, 10/10/2026] souhardyagayen99: **Dynpro Structure**
Transaction Code
Fields
Screen
Attributes
PBO
PAI
[12:15 pm, 10/10/2026] souhardyagayen99: SE16 for see SAP Transaction Tables
[12:18 pm, 10/10/2026] souhardyagayen99: MARA Material Master Data
[12:30 pm, 10/10/2026] souhardyagayen99: parallely open 6 screen in SAP
[12:32 pm, 10/10/2026] souhardyagayen99: Command Purpose
/nSE16 Opens transaction SE16 in the current session, leaving the current transaction
/oSE16 Opens transaction SE16 in a new SAP session
/nMM01 Opens transaction MM01 in the current session
/oMM01 Opens transaction MM01 in a new SAP session
/i Closes the current SAP GUI session
/n Ends the current transaction and returns to the SAP Easy Access screen
/nex Logs off from SAP GUI immediately, closing all sessions without the normal confirmation
/o Displays the session overview, where you can create or manage sessions
Easy way to remember:
- /n = New transaction in the same session.

- /o = Open a new session.
- /i = Close the current session.


----------***----------
SE


DOMAIN NAME
YSTUD_ID_007 saved
YSTUD_NAME_007
YSTUD_AGE_007
YSTUD_COURSE_007
YSTUD_GENDER_007
YSTUD_EMAIL_007








Check ---> Activate-->Save--> Give Packege anme properly what you have given previously


Diction
Display <-> Change
Other Object...
Check
Activate
Where-Used List
Display Object
Domain: YSTUD_NAME_007
Active
Short Description: YSTUDENT_NAME_26
Properties
Definition
Value Range
Format
Data Type: CHAR
Character String
No. Characters: 50
Decimal Places: 0
Output Characteristics
Output Length: 50
Routine:
Sign


Diction
Display <-> Change
Active <-> Inactive
Other Object...
Check
Activate
Where-Used
Domain: YSTUD_AGE_007
Inactive
Short Description: YSTUDENT_AGE_007
Properties
Definition
Value Range
Format
Data Type: INT4
4-Byte Integer, -2.147.483.648 to +2.147.483.64
No. Characters: 10
Decimal Places: 0
Output Characteristics
Output Length: 10
Routine:
Sign
Case-sensitive


Dictionary: Display Do
Display <-> Change
Other Object...
Check
Activate
Where-Used List
Display Object List
Display N
Domain: YSTUD_COURSE_007
Active
Short Description: YSTUD_COURSE_007
Properties
Definition
Value Range
Format
Data Type: CHAR
Character String
No. Characters: 10
Decimal Places: 0
Output Characteristics
Output Length: 10
Routine:
Sign
Case-sensitive



Dictionary: Display Dor
Display <-> Change
Other Object...
Check
Activate
Where-Used List
Display Object List
Display Na
Domain: YSTUD_EMAIL_007
Active
Short Description: YSTUD_EMAIL_007
Properties
Definition
Value Range
Format
Data Type: CHAR
Character String
No. Characters: 50
Decimal Places: 0
Output Characteristics
Output Length: 50
Routine:
Sign
Case-sensitive





You must have to cilck **save-->check ---> activate**


Data Type


YSTUDENT_ID_007
YSTUDENT_NAME_007
YSTUDENT_AGE_007
YSTUDENT_COURSE_007
YSTUDENT_EMAIL_007
YSTUDENT_GENDER_007



ABAP Dictionary: Initial
Check
Activate
Where-Used List
Environment Analysis
Online Manual
Delete
Copy...
More
Database table
View
Data type
YSTUDENT_ID_007
Type Group
Domain
Search help
Lock object
Display
Change
Create



Dictionary: Change Data Element
Display <-> Change
Other Object...
Check
Activate
Where-Used List
Display Object List
Display Navigation Window
Application He
Data element: YSTUDENT_ID_007
Active
* Short Description: YSTUDENT_ID_007
Attributes
Data Type
Further Characteristics
Field Label
Elementary Type
Domain
Built-in type
Data Type: NUMC
Numerical Text
Length: 10
Reference Type
Referenced Type
Reference to built-in type
Data Type:



Dictionary: Change Data Element
Documentation
Supplementary Documentation
More
Data element: YSTUDENT_ID_007
Active
* Short Description: YSTUDENT_ID_007
Attributes
Data Type
Further Characteristics
Field Label
Length
Field Label
Short: 10
STUD ID
Medium: 20
STUD ID
Long: 40
STUD ID
Heading: 55
STUD ID



Dictionary: Display Data Ele
Display <-> Change
Other Object...
Check
Activate
Where-Used List
Display Object List
Display Navig
Data element: YSTUDENT_NAME_007
Active
Short Description: YSTUDENT_NAME_007
Attributes
Data Type
Further Characteristics
Field Label
Elementary Type
Domain
Built-in type
Data Type: CHAR
aracter String
Length: 50
Reference Type
Referenced Type
Reference to built-in type
Data Type:



Dictionary: Change Data Element
Documentation
Supplementary Documentation
More
Data element: YSTUDENT_NAME_007
Active
* Short Description: YSTUDENT_NAME_007
Attributes
Data Type
Further Characteristics
Field Label
Length
Field Label
Short: 10
STUD NAME
Medium: 20
STUD NAME
Long: 40
STUD NAME
Heading: 55
STUD NAME



Dictionary: Display Data Element
Display <-> Change
Other Object...
Check
Activate
Where-Used List
Display Object List
Display Navigation Window
Data element: YSTUDENT_COURSE_007
Active
Short Description: YSTUDENT_COURSE_007
Attributes
Data Type
Further Characteristics
Field Label
Elementary Type
Domain
Built-in type
Data Type: CHAR
aracter String
Length: 10
Reference Type
Referenced Type
Reference to built-in type
Data Type:



Dictionary: Change Data Element
Documentation
Supplementary Documentation
More
Data element: YSTUDENT_COURSE_007
Active
* Short Description: YSTUDENT_COURSE_007
Attributes
Data Type
Further Characteristics
Field Label
Length
Field Label
Short: 10
STUD COURS
Medium: 20
STUD COURS
Long: 40
STUD COURS
Heading: 55
STUD COURS



Dictionary: Display Data Element
Display <-> Change
Other Object...
Check
Activate
Where-Used List
Display Object List
Display Navigation Window
Applica
Data element: YSTUDENT_AGE_007
Active
Short Description: YSTUDENT_AGE_007
Attributes
Data Type
Further Characteristics
Field Label
Elementary Type
Domain
Built-in type
Data Type: INT4
yte Integer, -2.147.483.648 to +2.147.483.647
Length: 10
Reference Type
Referenced Type
Reference to built-in type
Data Type:


Dictionary: Change Data Element
Documentation
Supplementary Documentation
More
Data element: YSTUDENT_AGE_007
Active
* Short Description: YSTUDENT_AGE_007
Attributes
Data Type
Further Characteristics
Field Label
Length
Field Label
Short: 10 STDU AGE
Medium: 20 STDU AGE
Long: 40 STDU AGE
Heading: 55 STDU AGE



Dictionary: Display Data Element
Display <-> Change
Other Object...
Check
Activate
Where-Used List
Display Object List
Display Navigation Wind
Data element: YSTUDENT_EMAIL_007
Active
Short Description: YSTUDENT_EMAIL_007
Attributes
Data Type
Further Characteristics
Field Label
Elementary Type
Domain
Built-in type
Data Type: CHAR
aracter String
Length: 50
Reference Type
Referenced Type
Reference to built-in type
Data Type:



Dictionary: Change Data Element
Documentation
Supplementary Documentation
More
Data element: YSTUDENT_EMAIL_007
Active
* Short Description: YSTUDENT_EMAIL_007
Attributes
Data Type
Further Characteristics
Field Label
Length
Field Label
Short: 10
STUD EMAIL
Medium: 20
STUD EMAIL
Long: 40
STUD EMAIL
Heading: 55
STUD EMAIL



Dictionary: Display Data Element
Display <-> Change
Other Object...
Check
Activate
Where-Used List
Display Object List
Display Navigation Window
Application Help
Documer
Data element: YSTUDENT_GENDER_007
Active
Short Description: YSTUDENT_GENDER_007
Attributes
Data Type
Further Characteristics
Field Label
Elementary Type
Domain
Built-in type
Data Type: CHAR
aracter String
Length: 10
Reference Type
Referenced Type
Reference to built-in type
Data Type:


Dictionary: Change Data Element
Documentation
Supplementary Documentation
More
Data element: YSTUDENT_GENDER_007
Active
* Short Description: YSTUDENT_GENDER_007
Attributes
Data Type
Further Characteristics
Field Label
Length
Field Label
Short: 10
STUD GEN
Medium: 20
STUD GEN
Long: 40
STUD GEN
Heading: 55
STUD GEN


Database Table:










This is very Crucial Table that mahe to map correctly in each data type and size









Click Technical setting




Save




SAVE--->ACTIVATE--->then this option will come





Create ---> save




SM30



SAP menu
SAP Business Workplace
Add to Favorit
Favorites
Package Builder
ABAP Dictionary Maintenance
Call View Maintenance
Data Browser
ABAP Editor
Transport Organizer
Customizing - Edit Project
Data Browser
SAP Menu
Financial Services Network Connector






Edit--->New Item-->Save






Click Create





check ---> Activate---> F8


Final OUTPUT




Transport Organizer and Data Browser used for view only






Transport Organizer
Create...
Further Settings...
Get Standard Settings
Transport Organizer Tools
Display Individually
More
User: SANJ-007
Request Type
Customizing Requests
Workbench Requests
Transport of Copies
Relocations
Global Information
Transport Proposals
0
Transports
0
Repairs
Request Status
Modifiable
Released
Display


Transport Organizer: Requests
Refresh
Create Request...
Display Request
Add User
Change Owner...
Delete...
Include Objects...
Check Objects
Release Directly
MERK905164 SANJ-007 YABAP_26_TR
MERK905165 SANJ-007 Development/Correction
Table Definition
Technical Attributes of a Table
Package
Domain
Data Element
Function Group
Program
Table
Table Contents
Definition of a Maintenance and Transport Object




In Data browser:







Click Execute



Sir will provide this things……
SAP Software download link:
Eclipse Addons link of SAP
Case Study of ABAP
Script….


Next lecture 23 OCT 2026 & 24 OCT 2026……..







Then check mark and then Save to enable search bar

Eclipse SAP HANA and ABAP Installation:



eclipse-workspace - Eclipse IDE
File Edit Navigate Search Project Run Window Help
Problems Javadoc Declaration
Welcome
Help Contents
Search
Show Context Help
Show Active Keybindings... Ctrl+Shift+L
Tip of the Day
Tips and Tricks...
Report Bug or Enhancement...
Cheat Sheets...
Perform Setup Tasks...
Check for Updates
Install New Software...
Eclipse Marketplace...
About Eclipse IDE
Report a Problem
Sponsor
Contribute




- **Name:** `ABAP Development Tools`
- **Location:** `https://tools.hana.ondemand.com/latest`


Install
Available Software
Select a site or enter the location of a site.
Work with:
type or select a site
Add...
Manage...
type filter text
Select All
Deselect All
Name
Version
There is no site selected.
Add Repository
Name:
ABAP Development Tools
Local...
Location:
https://tools.hana.ondemand.com/latest
Archive...
OK
Add
Cancel
Details
Show only the latest versions of available software
Group items by category
Show only software applicable to target environment
Contact all update sites during install to find required software
Hide items that are already installed
What is already installed?
< Back
Next >
Finish
Cancel


Click on ADD


eclipse-workspace - Eclipse IDE
File Edit Navigate Search Project
Problems
Javadoc
Install
Available Software
Check the items that you wish to install.
Work with:
ABAP Development Tools - https://tools.hana.ondemand.com/latest
Add...
Manage...
type filter text
Select All
Deselect All
Name
Version
ABAP Development Tools
Modeling Tools for SAP BW/4HANA and SAP BW powered by SAP HANA
10 items selected
Details
Show only the latest versions of available software
Group items by category
Show only software applicable to target environment
Contact all update sites during install to find required software
Hide items that are already installed
What is already installed?
Sponsored by people like you and b
< Back
Next >
Finish
Cancel


Select both module and click next




Click Next




It is showing that Installing…..




I accept --->finish





Restart Eclipse





In others perspective you can see ABAP & HANA options


Open Perspective
ABAP
ABAP Enterprise Services and Integration
ABAP Profiling
BW Data Product Generator
BW Modeling
Debug
Git
Java (default)
Java Browsing
Java Type Hierarchy
Planning
Resource
Team Synchronizing
Open
Cancel



Connection type- Custom Application Server


Application Server- merida.cob.csuchico.edu


https://merida.cob.csuchico.edu:8038/sap/bc/gui/sap/its/webgui/?

Instance No-38

System Name-Merida

System Details	
System ID	MER
System Name	Merida
Instance Number	38
Client	**105**
User Details	



New ABAP Project
Connection Settings
Secure Network Communication (SNC) is disabled. For security reasons, you should enable SNC.
Connection Parameters
System ID: *
MER
Connection Type:
Custom Application Server
Message Server: *
Group: *
Message Server Port:
Application Server: *
merida.cob.csuchico.edu
Instance Number: *
38
RFC Gateway Server:
RFC Gateway Server Port:
SAProuter String:
Secure Network Settings
Activate Secure Network Communication (SNC)
SNC Level:
Highest available security level
SNC Name:
Single Sign-On (SSO):
Disabled
< Back
Next >
Finish
Cancel



New ABAP Project
Logon to System
System ID: MER
Client: * 105
User: * SANJ-007
Password: *
Language: * EN
< Back
Next >
Finish
Cancel

----------***----------

SE38

YAG27.txt





Click Change

And Paste this code

```
*&---------------------------------------------------------------------*
*& Report YABAP_AG_007
*& Purpose: Display student records from table YAG007
*&---------------------------------------------------------------------*
*REPORT YABAP_AG_007.

DATA: gt_students TYPE TABLE OF yag007,
      gs_student  TYPE yag007.

START-OF-SELECTION.

  SELECT *
    FROM yag007
    INTO TABLE @gt_students.

  IF sy-subrc = 0.

    WRITE: / 'STUDENT INFORMATION SYSTEM'.
    ULINE.

    LOOP AT gt_students INTO gs_student.

      WRITE: / 'Student ID   :', gs_student-student_id.
      WRITE: / 'Student Name :', gs_student-student_name.
      WRITE: / 'Age          :', gs_student-age.
      WRITE: / 'Course       :', gs_student-course.
```

```
    WRITE: / 'Email        :', gs_student-email.
    WRITE: / 'Gender       :', gs_student-gender.

    ULINE.


  ENDLOOP.

ELSE.


  WRITE: / 'No student records found in table YAG007.'.


ENDIF.
```

Before paste clear the code ide
Now Check---> Activate--->Execute(F8) [Direct Processing]
OUTPUT



SU01 (Unloack Transaction Code)







----------_****_----------

SE38

YAG28.txt





Click Change

```
*&---------------------------------------------------------------------*
*& Report YABAP_AG_007
*& Student Search Application Using Parameters
*& Database Table: YAG007
*&---------------------------------------------------------------------*
```

```
REPORT YABAP_AG_28.

PARAMETERS:
  p_id     TYPE yag007-student_id,
  p_name   TYPE yag007-student_name,
  p_course TYPE yag007-course.

DATA:
  gt_students TYPE TABLE OF yag007,
  gs_student  TYPE yag007.

START-OF-SELECTION.

  IF p_id IS INITIAL
    AND p_name IS INITIAL
    AND p_course IS INITIAL.

    SELECT *
     FROM yag007
     INTO TABLE @gt_students.

  ELSE.

    SELECT *
     FROM yag007
     INTO TABLE @gt_students
     WHERE student_id   = @p_id
       OR student_name = @p_name
       OR course       = @p_course.

  ENDIF.

  IF gt_students IS NOT INITIAL.

    WRITE: / 'STUDENT SEARCH RESULTS'.
    ULINE.

    WRITE: / 'STUDENT ID',
           20 'STUDENT NAME',
           40 'AGE',
           50 'COURSE',
           65 'GENDER'.

    ULINE.

    LOOP AT gt_students INTO gs_student.

      WRITE: / gs_student-student_id,
             20 gs_student-student_name,
             40 gs_student-age,
```

```
            50 gs_student-course,
            65 gs_student-gender.

  ENDLOOP.

  ULINE.


  WRITE: / 'Total Records:', lines( gt_students ).


ELSE.

  WRITE: / 'No matching student records found.'.


ENDIF.
```

Before paste clear the code ide
Paste this code and click ---->save-->check-->Activate-->Execute(F8) [Direct Processing]





P_ID- 7 or 8 or 9
Then Execute



YAG29.txt

```
*&---------------------------------------------------------------------*
*& Report YABAP_AG_29
*& Student Registration Application
*& Database Table: YAG007
*&---------------------------------------------------------------------*

REPORT YABAP_AG_29.

PARAMETERS:
  p_id     TYPE yag007-student_id,
  p_name   TYPE yag007-student_name,
  p_age    TYPE yag007-age,
  p_course TYPE yag007-course,
  p_email  TYPE yag007-email,
  p_gender TYPE yag007-gender.

DATA:
  gs_student TYPE yag007.

START-OF-SELECTION.

*---------------------------------------------------------------------*
* STEP 1: VALIDATE MANDATORY FIELDS
*---------------------------------------------------------------------*

  IF p_id IS INITIAL
     OR p_name IS INITIAL
     OR p_age IS INITIAL
     OR p_course IS INITIAL.
```

```
    WRITE: / 'ERROR: ID, Name, Age and Course are mandatory.'.
    RETURN.

  ENDIF.

*---------------------------------------------------------------------*
* STEP 2: CHECK DUPLICATE STUDENT ID
*---------------------------------------------------------------------*

  SELECT SINGLE student_id
    FROM yag007
    WHERE student_id = @p_id
    INTO @DATA(lv_student_id).

  IF sy-subrc = 0.

    WRITE: / 'ERROR: Student ID already exists.'.
    RETURN.

  ENDIF.

*---------------------------------------------------------------------*
* STEP 3: PREPARE STUDENT RECORD
*---------------------------------------------------------------------*

  gs_student-student_id   = p_id.
  gs_student-student_name = p_name.
  gs_student-age          = p_age.
  gs_student-course       = p_course.
  gs_student-email        = p_email.
  gs_student-gender       = p_gender.

*---------------------------------------------------------------------*
* STEP 4: INSERT STUDENT INTO DATABASE
*---------------------------------------------------------------------*

  INSERT yag007 FROM @gs_student.

  IF sy-subrc = 0.


    COMMIT WORK AND WAIT.

    WRITE: / 'STUDENT REGISTERED SUCCESSFULLY'.
    ULINE.


    WRITE: / 'Student ID   :', gs_student-student_id.
    WRITE: / 'Student Name :', gs_student-student_name.
    WRITE: / 'Age          :', gs_student-age.
    WRITE: / 'Course       :', gs_student-course.
    WRITE: / 'Email        :', gs_student-email.
```

```
  WRITE: / 'Gender       :', gs_student-gender.
ELSE.
  ROLLBACK WORK.
  WRITE: / 'ERROR: Student registration failed.'.
ENDIF.
```

Before paste clear the code ide
Check-->Activate-->Execute



Field	Sample value
P_ID	1000000001
P_NAME	RAHUL
P_AGE	20
P_COURSE	BTECH
P_EMAIL	rahul@example.com
P_GENDER	M



I have done reverse Entry

CRUDE Operation in SAP

YAG30.txt

```
*&---------------------------------------------------------------------*
*& Report YABAP_AG_30
*& Student Information System - ALV Display
*& Database Table: YAG007
*&---------------------------------------------------------------------*

REPORT YABAP_AG_30.

*----------------------------------------------------------------------*
* INTERNAL TABLE
*----------------------------------------------------------------------*
```

```
TABLES yag007.

DATA: gt_students TYPE STANDARD TABLE OF yag007,
      gs_student  TYPE yag007.

*---------------------------------------------------------------------*
* SELECTION SCREEN
*---------------------------------------------------------------------*

SELECT-OPTIONS:
  s_id     FOR yag007-student_id,
  s_name   FOR yag007-student_name,
  s_course FOR yag007-course.

*---------------------------------------------------------------------*
* MAIN PROCESSING
*---------------------------------------------------------------------*

START-OF-SELECTION.

  SELECT *
    FROM yag007
    INTO TABLE @gt_students
    WHERE student_id   IN @s_id
      AND student_name IN @s_name
      AND course       IN @s_course.

  IF gt_students IS INITIAL.

    MESSAGE 'No student records found' TYPE 'I'.

  ELSE.

*---------------------------------------------------------------------*
* DISPLAY ALV
*---------------------------------------------------------------------*

    TRY.


        cl_salv_table=>factory(
          IMPORTING
            r_salv_table = DATA(go_alv)
          CHANGING
            t_table      = gt_students
        ).

        go_alv->get_functions( )->set_all( abap_true ).


        go_alv->get_columns( )->set_optimize( abap_true ).
```

```
    go_alv->display( ).
  CATCH cx_salv_msg INTO DATA(gx_error).
    MESSAGE gx_error->get_text( ) TYPE 'I'.
  ENDTRY.
ENDIF.
```


Before paste clear the code panel
Then Check--->Activate--->Execute(F8)
And Give Range 7-10




OUTPUT:





SE93


More
Favorites
Package Builder
ABAP Dictionary Maintenance
Call View Maintenance
Data Browser
ABAP Editor
Maintain Transaction Codes
User Maintenance
Transport Organizer
Customizing - Edit Project
SAP Menu
Financial Services Network Connector
Global Bike Transactions
Office
Cross-Application Components
Maintain Transaction
More
Transaction Code:
YZSTUDENT_GET_007
Display
Change
Create

Create


Create Transaction
* Transaction code: YZSTUDENT_GET_007
Transaction attributes
* Short text: YZSTUDENT_GET_007
Start object
Program and dynpro (dialog transaction)
Program and selection screen (report transaction)
Method of a class (OO transaction)
Transaction with variant (variant transaction)
Transaction with parameters (parameter transaction)


Change Dialog Transaction
More
Transaction Code: YZSTUDENT_GET_007
Package: YZABAP_007
Start Options
* Transaction Text: YZSTUDENT_GET_007
* Program: YABAP_AG_007
* Dynpro Number: 1000
Authorization Object:
Values
Editing of standard transaction variant allowed
Classification
Transaction classification
Professional User Transaction
Transaction code YZSTUDENT_GET_007 saved




Click Save


Transaction code YZSTUDENT_GET_007 saved

----------*****----------


ST22 (Transaction Code)

DUMP for Checking there is any Dump value are present or not


More
Favorites
Package Builder
ABAP Dictionary Maintenance
Call View Maintenance
Data Browser
ABAP Editor
Maintain Transaction Codes
ABAP Dump Analysis
User Maintenance
Transport Organizer
Customizing - Edit Project
SAP Menu
Financial Services Network Connector
Global Bike Transactions
Office


ABAP Runtime Errors - Client 105
MER (105)
More
Exit
Parameters
Standard
Today
25
Runtime Errors
Yesterday
63
Runtime Errors
Own selection
Date: 23.10.2026
Time: 00:00:00
Host:
Work Process Index:
User: SANJ-007
Client: 105
To be stored:
to:
Save
Enter

Click Today





Current Date	Time	Application Server	User	Client	K..	Runtime Error	Exception	Canceled Program
23.10.2026	14:50	merida_MER_38	UTIT-185	105	C	CALL_FUNCTION_CONFLICT_TYPE	CX_SY_DYN_CALL_ILLEGAL_TYPE	ZPRG_SUM_TWO_NUM
23.10.2026	04:03:06	merida_MER_38	SANJ-040	105	C	DYNPRO_NOT_FOUND		YABAP_AG_29
23.10.2026	04:02:03	merida_MER_38	SANJ-040	105	C	DYNPRO_NOT_FOUND		YABAP_AG_29
23.10.2026	03:58:59	merida_MER_38	SANJ-040	105	C	DYNPRO_NOT_FOUND		YABAP_AG_29
23.10.2026	03:56:57	merida_MER_38	SANJ-002	105	C	DYNPRO_NOT_FOUND		YABAP_BP_002
23.10.2026	03:54:28	merida_MER_38	SANJ-002	105	C	DYNPRO_NOT_FOUND		YABAP_BP_002
23.10.2026	03:14:33	merida_MER_38	SANJ-000	105	C	SYNTAX_ERROR		SAPLALDB
23.10.2026	02:52:17	merida_MER_38	GLBI-180	105	C	UNCAUGHT_EXCEPTION	CX_SQL_EXCEPTION	CL_SQL_STATEMENT==
23.10.2026	02:49:22	merida_MER_38	SANJ-000	105	C	SYNTAX_ERROR		SAPLALDB
23.10.2026	01:12:38	merida_MER_38	UTIT-110	105	C	SYNTAX_ERROR		SAPLALDB
23.10.2026	00:59:34	merida_MER_38	UTIT-185	105	C	TSV_TNEW_PAGE_ALLOC_FAILED		ZCOMPANY_CODE_02_
23.10.2026	00:55:44	merida_MER_38	UTIT-185	105	C	TSV_TNEW_PAGE_ALLOC_FAILED		ZCOMPANY_CODE_02_
23.10.2026	00:53:56	merida_MER_38	UTIT-110	105	C	SYNTAX_ERROR		SAPLALDB


It will give you direction but not give any solution


----------_******_----------


SE93




Maintain Transaction
More
Transaction Code: YZSTUDENT_GET1_007
Display
Change
Create



Create Transaction
* Transaction code: YZSTUDENT_GET1_007
Transaction attributes
* Short text: YZSTUDENT_GET1_007
Start object
Program and dynpro (dialog transaction)
Program and selection screen (report transaction)
Method of a class (OO transaction)
Transaction with variant (variant transaction)
Transaction with parameters (parameter transaction)






Click Save-->Check--->activate--->Execute(F8)

Transaction code YZSTUDENT_GET1_007 saved





Click Execute



Client	STUD ID	STUD NAME	STDU AGE	STUD COURS	STUD EMAIL	STUD GEN
105	7	SOUHARDYA GAYEN	27	M.TECH	SOUHARDYAGAYENSET@SANJIVANI.EDU.IN	M
105	8	ROHIT	30	B.TECH	ROHIT@GMAIL.COM	M
105	9	SANYA	25	MBA	SANYA@GMAIL.COM	F
105	10	S2AG	27	CSE	SOUHARDYAGAYEN99@GMAIL.COM	M

SE80(transaction code)
Workbench





YABA_31 CRUD

```
*&---------------------------------------------------------------------*
*& Report YABAP_AG_31
*& Purpose: Update Student Records
*& Database Table: YAG007
*&---------------------------------------------------------------------*

REPORT YABAP_AG_31.

* CRUD - Create, Read, Update and Delete

*---------------------------------------------------------------------*
* SELECTION SCREEN
*---------------------------------------------------------------------*

PARAMETERS:
  p_id     TYPE yag007-student_id OBLIGATORY,
  p_name   TYPE yag007-student_name OBLIGATORY,
  p_age    TYPE yag007-age OBLIGATORY,
  p_course TYPE yag007-course OBLIGATORY,
  p_email  TYPE yag007-email,
  p_gender TYPE yag007-gender OBLIGATORY.

*---------------------------------------------------------------------*
* DATA DECLARATION
*---------------------------------------------------------------------*

DATA gs_student TYPE yag007.

*---------------------------------------------------------------------*
* MAIN PROCESSING
*---------------------------------------------------------------------*

START-OF-SELECTION.

* Step 1: Find the student

  SELECT SINGLE *
    FROM yag007
    WHERE student_id = @p_id
    INTO @gs_student.

  IF sy-subrc <> 0.
    MESSAGE 'Student ID does not exist' TYPE 'I'.
    RETURN.
  ENDIF.

* Step 2: Update student details
```

```
  gs_student-student_name = p_name.
  gs_student-age          = p_age.
  gs_student-course       = p_course.
  gs_student-email        = p_email.
  gs_student-gender       = p_gender.

* Step 3: Update database record

  UPDATE yag007 FROM @gs_student.

  IF sy-subrc = 0.

    COMMIT WORK AND WAIT.


    MESSAGE 'Student record updated successfully' TYPE 'S'.


  ELSE.

    ROLLBACK WORK.

    MESSAGE 'Student record update failed' TYPE 'E'.

  ENDIF.
```





YABAP_AG_32

```
*&---------------------------------------------------------------------*
*& Report YABAP_AG_32
*& Purpose: Delete Student Records
*& Database Table: YAG007
*&---------------------------------------------------------------------*

REPORT yabap_ag_32.

*---------------------------------------------------------------------*
* SELECTION SCREEN
*---------------------------------------------------------------------*

PARAMETERS:
  p_id TYPE yag007-student_id OBLIGATORY.

*---------------------------------------------------------------------*
* DATA DECLARATION
*---------------------------------------------------------------------*

DATA:
  gs_student TYPE yag007.

*---------------------------------------------------------------------*
* MAIN PROCESSING
*---------------------------------------------------------------------*

START-OF-SELECTION.

* Step 1: Check whether the student exists

  SELECT SINGLE *
    FROM yag007
```

```
  WHERE student_id = @p_id
  INTO @gs_student.

IF sy-subrc <> 0.
  MESSAGE 'Student ID does not exist' TYPE 'I'.
  RETURN.
ENDIF.

* Step 2: Delete the student record

DELETE FROM yag007
  WHERE student_id = @p_id.

* Step 3: Check the deletion result

IF sy-subrc = 0.

  COMMIT WORK AND WAIT.


  MESSAGE 'Student record deleted successfully' TYPE 'S'.

ELSE.

  ROLLBACK WORK.

  MESSAGE 'Student record deletion failed' TYPE 'E'.

ENDIF.
```



YABAP_AG_33

```
*&---------------------------------------------------------------------*
*& Report YABAP_AG_33
*& Purpose: Student Input Validation and Registration
*& Database Table: YAG007
*&---------------------------------------------------------------------*

REPORT yabap_ag_33.

*---------------------------------------------------------------------*
* SELECTION SCREEN
*---------------------------------------------------------------------*

PARAMETERS:
  p_id     TYPE yag007-student_id OBLIGATORY,
  p_name   TYPE yag007-student_name OBLIGATORY,
  p_age    TYPE yag007-age OBLIGATORY,
  p_course TYPE yag007-course OBLIGATORY,
  p_email  TYPE yag007-email,
  p_gender TYPE yag007-gender OBLIGATORY.

*---------------------------------------------------------------------*
* DATA DECLARATION
*---------------------------------------------------------------------*

DATA:
  gs_student     TYPE yag007,
  gv_existing_id TYPE yag007-student_id.

*---------------------------------------------------------------------*
* MAIN PROCESSING
*---------------------------------------------------------------------*

START-OF-SELECTION.

* Step 1: Validate Student ID

  IF p_id IS INITIAL.
    MESSAGE 'Student ID cannot be blank' TYPE 'E'.
  ENDIF.

* Step 2: Validate Student Name

  IF p_name IS INITIAL.
    MESSAGE 'Student name cannot be blank' TYPE 'E'.
  ENDIF.

* Step 3: Validate Age
```

```
  IF p_age <= 0 OR p_age > 100.
    MESSAGE 'Age must be between 1 and 100' TYPE 'E'.
  ENDIF.

* Step 4: Validate Course

  IF p_course IS INITIAL.
    MESSAGE 'Course cannot be blank' TYPE 'E'.
  ENDIF.

* Step 5: Validate Gender

  TRANSLATE p_gender TO UPPER CASE.

  IF p_gender <> 'M' AND p_gender <> 'F'.
    MESSAGE 'Gender must be M or F' TYPE 'E'.
  ENDIF.

* Step 6: Check for Duplicate Student ID

  SELECT SINGLE student_id
    FROM yag007
    WHERE student_id = @p_id
    INTO @gv_existing_id.

  IF sy-subrc = 0.
    MESSAGE 'Student ID already exists' TYPE 'E'.
  ENDIF.

* Step 7: Prepare Student Record

  CLEAR gs_student.

  gs_student-student_id   = p_id.
  gs_student-student_name = p_name.
  gs_student-age          = p_age.
  gs_student-course       = p_course.
  gs_student-email        = p_email.
  gs_student-gender       = p_gender.

* Step 8: Insert Student Record


  INSERT yag007 FROM @gs_student.

  IF sy-subrc = 0.

    COMMIT WORK AND WAIT.

    MESSAGE 'Student registered successfully' TYPE 'S'.
```

```
 ELSE.
   ROLLBACK WORK.
   MESSAGE 'Student registration failed' TYPE 'E'.
 ENDIF.
```



YABAP_AG_34

```
*&---------------------------------------------------------------------*
*& Report YABAP_AG_34
*& Purpose: Internal Tables and Loops
*& Database Table: YAG007
*&---------------------------------------------------------------------*

REPORT yabap_ag_34.

*----------------------------------------------------------------------*
* DATA DECLARATION
*----------------------------------------------------------------------*

TYPES: BEGIN OF ty_student,
         student_id   TYPE yag007-student_id,
         student_name TYPE yag007-student_name,
         age          TYPE yag007-age,
         course       TYPE yag007-course,
         gender       TYPE yag007-gender,
       END OF ty_student.

DATA:
  gt_students TYPE STANDARD TABLE OF ty_student,
```

```
  gs_student  TYPE ty_student,
  gv_count    TYPE i.

*---------------------------------------------------------------------*
* MAIN PROCESSING
*---------------------------------------------------------------------*

START-OF-SELECTION.

* Step 1: Retrieve students from database

  SELECT student_id,
         student_name,
         age,
         course,
         gender
    FROM yag007
    INTO TABLE @gt_students.

* Step 2: Check whether records exist

  IF gt_students IS INITIAL.
    WRITE: / 'No student records found'.
    RETURN.
  ENDIF.

* Step 3: Count the records

  DESCRIBE TABLE gt_students LINES gv_count.

  WRITE: / '=========================================='.
  WRITE: / '       STUDENT INFORMATION SYSTEM'.
  WRITE: / '=========================================='.
  WRITE: / 'Total Students:', gv_count.
  SKIP.

* Step 4: Display column headings

  WRITE: / 'ID',
           15 'STUDENT NAME',
           40 'AGE',
           48 'COURSE',
           62 'GENDER'.

  ULINE.

* Step 5: Loop through internal table


  LOOP AT gt_students INTO gs_student.
```

```
  WRITE: / gs_student-student_id,
           15 gs_student-student_name,
           40 gs_student-age,
           48 gs_student-course,
           62 gs_student-gender.

  ENDLOOP.

  SKIP.
  WRITE: / '=============================================='.
  WRITE: / 'Student report completed successfully'.
  WRITE: / '=============================================='.
```

Check-->Activate-->Execute(F8)
OUTPUT




Interview Question
SCC1 TransactionCode Used for release of transaction code from client
Sanbox is mainthings here we are doing all backend works…..
When clients wants sandbox access, (SAP gives only development team access) SAP usally don't give that access because here backend team is doing hit and trail method

Functional Team ---> Teachnical Team (Development Team) ---> Sandbox (Admin SAP) you can war room (cl1/cl2/cl3/cl4….)


WE02
BD87 to trigger the idox to the further thing

SMARTSTYLES
It is used for UI Maintainance


SMARTFORMS
Most of the revenew is coming here 60% SAP developer's are working here…..



SAP Easy Access
smartforms
More
Favorites
Package Builder
ABAP Dictionary Maintenance
Call View Maintenance
Data Browser
ABAP Editor
Maintain Transaction Codes
ABAP Dump Analysis
Object Navigator

Type here



SAP Smart Forms: Initial Sc
More
Form
Style
Text Module
YZABAP_007
Display
Change
Create
Smart Forms Homepage


SAP Form Builder: Change Form YZABAP_007
MER (105)
Form Painter
More
Exit
Form
YZABAP_007
Global Settings
Form Attributes
Form Interface
Global Definitions
Pages and Windows
%PAGE1New Page
Form: YZABAP_007
Inactive
Description: New Form
General Attributes
Output Options
Created By: SANJ-007
Date: 23.10.2026
Time: 22:38:54
Changed by: SANJ-007
Date: 23.10.2026
Time: 22:38:54
Package:
Language Attributes
Language: EN
Translate
Access
Internal error (RC = 2, FORM = SFP_DESIGN_START, NR = 2)
Save
Continue
Cancel



Create Object Directory Entry
Object: R3TR SSFO YZABAP_007
Attributes
Package: YZABAP_007
Person Responsible: SANJ-007
Original System: MER
Original language: EN English
Created On:
Local Object
Lock Overview
SAP Form Builder: Change Form YZABAP_007
MER (105)
Exit
Form Painter
More
Form
Edit
Goto
Utilities
Environment
System
Help
GUI Actions and Settings
Settings...
Form Painter on/off (F9)
Field List on/off (Ctrl+Shift+F4)
Form Information
Upload
Download Form
Download Subtree
Return to Active Version
Activate without check
YZABAP_007
Global Settings
Form Attributes
Form Interface
Global Definitions
Pages and Windows
%PAGE1New Page
Active
General Attributes
Package:
Language Attributes
Language: EN
Translate
Access
Save
Continue
Cancel



SPRO
If you have SPRO Access Then you are the real SAP Consultant










SE16 Transaction Code is Used to see All Table data
It is actually Master Table Data
MARA Transaction Code is Material data Management


YAGFM
SE80





Object Navigator
Edit Object
More
Repository Browser
Package
YZABAP_007
Object Name
Description
YZABAP_007
YZABAP_007_Package
Dictionary Objects
Programs
Function Groups
YZABAP_007
Extended Table Maintenance (Generated)
Function Modules
Type Groups
Dictionary Structures
Types


Edit Object
More
Repository Browser
Function Group
YZABAP_FM_007
Object Name
Description
YZABAP_007
YZABAP_007_Package
Dictionary Objects
Programs
Function Groups
YZABAP_007
Extended Table Maintenance (Generated)
Function Modules
Type Groups
Dictionary Structures
Types

Press---> Enter


Function Builder: Change YZABAP_FM_007
Pattern
Pretty Printer
Function Module Documentation
More
Exit
Repository Browser
Function Group
YZABAP_FM_007
Function module: YZABAP_FM_007
Inactive
Attributes
Import
Export
Changing
Tables
Exceptions
Source code
Object Name
Description
YZABAP_FM_007
YZABAP_FM_007
Function Modules
YZABAP_FM_007
YZABAP_FM_007
Includes
LYZABAP_FM_007TOP
LYZABAP_FM_007UXX
LYZABAP_FM_007UXX
FUNCTION YZABAP_FM_007.
*"----------
""Local Interface:
*"----------
ENDFUNCTION.
Save
Cancel



Paste code here

```
*&---------------------------------------------------------------------*
*& Report YABAP_AG_41
*& Purpose: Retrieve Student Using Function Module
*& Database Table: YAG007
*&---------------------------------------------------------------------*

REPORT yabap_ag_007.

PARAMETERS p_id TYPE yag007-student_id OBLIGATORY.

DATA gs_student TYPE yag007.

START-OF-SELECTION.

  CALL FUNCTION 'YAG_GET_STUDENT'
    EXPORTING
      iv_student_id = p_id
    IMPORTING
      es_student    = gs_student
    EXCEPTIONS
      student_not_found = 1
      OTHERS            = 2.

  CASE sy-subrc.

    WHEN 0.

      WRITE: / 'STUDENT DETAILS'.
      ULINE.

      WRITE: / 'Student ID   :', gs_student-student_id.
      WRITE: / 'Student Name :', gs_student-student_name.
      WRITE: / 'Age          :', gs_student-age.
```

```
  WRITE: / 'Course       :', gs_student-course.
  WRITE: / 'Gender       :', gs_student-gender.

 WHEN 1.

  MESSAGE 'Student ID does not exist' TYPE 'I'.

 WHEN OTHERS.


  MESSAGE 'Error retrieving student details' TYPE 'I'.


ENDCASE.
```


SAVE Enhance---> Check---> Activate

That I can call anyhere anytime like global veriable define

SE37







Click Source code
And then paste it …

```
FUNCTION yzabap_fm_007.


  CLEAR es_student.

  SELECT SINGLE *
    FROM yag007
    WHERE student_id = @iv_student_id
    INTO @es_student.

  IF sy-subrc <> 0.
    RAISE student_not_found.
  ENDIF.

ENDFUNCTION.
```


Then Click Activate





New Homework for practice:


Field	Domain name	Data type	Length
Serial number	YDOM_SNO_007	NUMC	6
Order ID	YDOM_ORDER_007	CHAR	20
Customer ID	YDOM_CUST_007	CHAR	20
Product code	YDOM_PCODE_007	CHAR	20
Product name	YDOM_PNAME_007	CHAR	50
Category	YDOM_CAT_007	CHAR	20
Package cost	YDOM_COST_007	CURR	13
Email ID	YDOM_EMAIL_007	CHAR	100

Domain name	Data type	No. of characters	Decimal places
YDOM_SNO_007	NUMC	6	0
YDOM_ORDER_007	CHAR	20	0
YDOM_CUST_007	CHAR	20	0
YDOM_PCODE_007	CHAR	20	0
YDOM_PNAME_007	CHAR	50	0
YDOM_CAT_007	CHAR	20	0
YDOM_COST_007	CURR	13	2
YDOM_EMAIL_007	CHAR	100	0



Dictionary: Change Domain
More
Domain: YDOM_COST_007
Inactive
* Short Description: YDOM_COST_007
Properties
Definition
Value Range
Format
* Data Type: INT4
4-Byte Integer, -2.147.483.648 to +2.147.483.647
No. Characters: 10
Decimal Places: 0
Output Characteristics
Output Length: 11
Routine:
Sign
Case-sensitive
YDOM_COST_007 saved View Details
Dictionary: Change Data Element
Documentation
Supplementary Documentation
More
Data element: YDOM_COST_007
Inactive(Revised)
* Short Description: YDOM_COST_007
Attributes
Data Type
Further Characteristics
Field Label
Elementary Type
Domain
Built-in type
Data Type: INT4
4-Byte Integer, -2.147.483.648 to +2.147.483.647
Length: 10
Reference Type
Referenced Type
Reference to built-in type
Data Type:


Favorites
Package Builder
ABAP Dictionary Maintenance
Call View Maintenance
ABAP Editor
Customizing - Edit Project
Object Navigator
Data Browser
ABAP Editor
Maintain Transaction Codes
ABAP Dump Analysis
Object Navigator
User Maintenance
Transport Organizer
Customizing - Edit Project






Save-->activate-->then



****MOST IMP***

SAP ABAP (Teach Login ID)
Link- https://merida.cob.csuchico.edu:8038/sap/bc/gui/sap/its/webgui/#
Client ID-105
System- MER
User ID-SUKG-000
Pw-**********



---------***--------