SharePoint Intake Artifacts: EDA

Summary

Of 782 ERs, 100 (13%) have usable documents in a top-level "Finalized Artifacts" folder. Adding "Working Artifacts" raises that to 236 ERs (30%). Usable = presentations, PDF, Word and images.

Set	Folders read
A	Finalized Artifacts only
B1	Finalized Artifacts; Working Artifacts when Finalized has no usable files
B2	Finalized and Working Artifacts

Headline	A	B1	B2
ERs with usable files	100 (13%)	236 (30%)	236 (30%)
Usable files	264	616	870
Usable files per ER (median / max)	2 / 17	1 / 24	2 / 46
Tokens per ER, GPT-5 mini (median / p90)	4,595 / 12,302	2,915 / 11,913	3,096 / 17,807
ERs over 24K tokens (text / text + captions)	2 / 9	8 / 18	16 / 27
Cleaned images per ER (median / mean)	2 / 6.0	0 / 6.0	0 / 7.9
ERs with an Idea Card or Value Case by name	15	78	90
Files named "Value Card"	0	0	0

Part 1: Corpus overview

Scope

The EDA covers the 02 Intake Artifacts SharePoint library, where each top-level folder is one ER (Planview Work Entry). In-scope document types follow the business guidance.

	Document types
Needed	Value Card / Value Case (replaces Idea Card), Candidate Architecture (CA), Data Architecture (DA), supporting files such as kickoff slides and notes, including images
Not needed	Gate 0 and Gate 1 estimate workbooks (ClassicHEM / SlimHEM), Stakeholder Engagement Workbook, Bill of Materials (BOM), all Excel files, emails (.msg), archives and other unreadable files (.zip, .one, .vsd)

Step	Coverage	Method
Metadata inventory	All 782 ERs, 4,199 files	Name, type, size, folder and dates; no files opened
Content analysis	870 in-scope files in Finalized and Working Artifacts	Every file opened; no sampling

How the sets are defined

Folders count only when directly inside the ER folder (`<ER>/Finalized Artifacts` , `<ER>/Working Artifacts`); their subfolders are included.


Measure	Value
ERs in the library	782
ERs with at least one file	734
Files	4,199 (19.6 GB)
ERs with a Finalized Artifacts folder only	70
ERs with a Working Artifacts folder only	150
ERs with both folders	47
ERs with neither folder	467

	A: Finalized only	B1: Finalized, else Working	B2: Finalized + Working
ERs with any file in the set	117	260	267
ERs with usable files	100 (13%)	236 (30%)	236 (30%)
ERs without usable files in the set	682	546	546

Part 2: Finalized and Working Artifacts ERs

Files per ER

Usable files per ER	ERs	Mean	Median	p90	Max
A	117	2.26	2	4	17
B1	260	2.37	1	4.1	24
B2	267	3.26	2	6.4	46



eda7_summary.csv · ERs with at least one file in each set

File types

Category	A	B1	B2	In scope
Presentations	187	390	515	Yes

Category	A	B1	B2	In scope
PDF	61	134	224	Yes
Word	14	86	120	Yes
Images	2	6	11	Yes
Email (.msg)	35	114	178	No
Other (.zip, .one, .vsd)	11	12	12	No
Gate estimates	140	272	378	No
Excel (other)	119	198	300	No
Templates	13	52	84	No
BOM	25	28	33	No
Stakeholder Engagement Workbook	2	6	8	No
Total files	609	1,298	1,863	
In-scope files	264 (43%)	616 (47%)	870 (47%)	

Extraction and text quality

In-scope files	A	B1	B2
Text extracted	260 (98.5%)	598 (97.1%)	844 (97.0%)
Empty text	1	9	10
Image-only	2	6	11
Failed	1	3	5

Low-text signals	A	B1	B2
Files under 50 tokens	4	18	25
PDFs under 20 characters per page (likely scanned)	1	9	10
Slides with images and under 20 text characters	35	48	76

Tokens

Tokens per ER, GPT-5 mini tokenizer (`o200k_base`; text only; ERs with usable files)

	A	B1	B2
ERs	100	236	236
Mean	6,226	5,609	8,007
Median	4,595	2,915	3,096
p90	12,302	11,913	17,807
p95	21,072	21,128	31,298
Max	30,418	100,423	120,586
Total tokens	622,598	1,323,650	1,889,668
ERs over 24K	2	8	16

Images

Cleaned = images under 10 KB, with a side under 150 px, or identical across 3 or more ERs removed. Cleaned counts are estimates.

Per ER (ERs with image-capable files)

	A	B1	B2
ERs	99	230	230
Raw images (mean / median / p90 / max)	120 / 66 / 226 / 1,076	93 / 31.5 / 230 / 1,076	120 / 39.5 / 315 / 1,870
Cleaned images (mean / median / p90 / max)	6.0 / 2 / 15 / 60	6.0 / 0 / 12 / 198	7.9 / 0 / 23 / 198

Per file

	A	B1	B2
Image-capable files	260	592	838
Files with at least 1 image	96.5%	93.9%	88.9%

	A	B1	B2
Raw images per file (mean / median / p90 / max)	45.8 / 10 / 126 / 946	36.0 / 6 / 92 / 946	32.9 / 6 / 77 / 946
Cleaned images per file (mean / median / p90)	2.3 / 0 / 4	2.3 / 0 / 4	2.2 / 0 / Not reported
Raw → cleaned images	11,895 → 595 (5.0%)	21,319 → 1,375 (6.4%)	27,535 → 1,826 (6.6%)

Per file, by type

Type	Set	Files	With at least 1 image	Raw per file (median / p90 / max)	Cleaned per file (mean)
.pptx	A	186	98.4%	15.5 / 126 / 164	1.9
	B1	389	99.0%	11 / 116 / 208	2.2
	B2	513	98.6%	16 / 110 / 208	2.2
.pdf	A	61	93.4%	6 / 87 / 946	3.6
	B1	134	85.8%	4.5 / 74 / 946	3.7
	B2	222	77.9%	3 / 52 / 946	2.8
.docx	A	13	84.6%	2 / 3 / 13	1.0
	B1	69	81.2%	1 / 2 / 13	0.5
	B2	103	64.1%	1 / 2 / 32	0.9

How images were cleaned

Removed by	A	B1	B2
Shared across 3 or more ERs only	7,049 (59%)	12,880 (60%)	17,183 (62%)
Both rules	3,049 (26%)	4,916 (23%)	5,596 (20%)
Small size only	1,202 (10%)	2,148 (10%)	2,930 (11%)
Kept	**595 (5%)**	**1,375 (6%)**	**1,826 (7%)**

Most-shared images	Size (px)	Seen in
Logo (PNG)	337 x 133	Up to 175 ERs
Spacer (EMF)	1 x 1	173 ERs
Slide background (JPEG)	2000 x 1125	Up to 148 ERs

Image captions

Images were captioned with Delia's prompt: unique images (by SHA-256), size and dimension filters, and a blur filter (Laplacian variance under 100 skipped). Each unique image counts once per ER.

Unique images	A	B1	B2
Captioned	541	1,037	1,275
Skipped by blur filter	543	781	930
Failed	1	1	3

Tokens per caption	Mean	Median	p90	Max
1,275 captions	347	187	883	1,808

Tokens per ER (o200k)	A	B1	B2
Text only: median / p90	4,595 / 12,302	2,915 / 11,913	3,096 / 17,807
Captions only: median / p90	2,632 / 11,520	1,471 / 10,342	2,056 / 10,659
Text + captions: median / p90	**9,671 / 22,018**	**5,013 / 19,901**	**5,408 / 26,323**
Text + captions: max	52,704	115,013	138,916
ERs over 24K: text only → text + captions	2 → 9	8 → 18	16 → 27

Key documents by file name

Value and Idea Cards (files / ERs)

Name pattern	A	B1	B2
Idea Card	10 / 10	76 / 40	113 / 51
Value Card	0 / 0	0 / 0	0 / 0
Value Case	5 / 5	60 / 45	64 / 48
ERs with any card	15 (15%)	78 (33%)	90 (38%)
ERs with no card by name	85	158	146

Candidate and Data Architecture (files / ERs; by file name, not verified against content)

Name pattern	A	B1	B2
Candidate Architecture (CA)	37 / 32	61 / 49	88 / 53
Data Architecture (DA)	10 / 10	17 / 15	31 / 15

Folder depth

Depth below the Finalized / Working folder (in-scope files)

Depth	A	B1	B2
0 (directly in the folder)	221	462	548
1	41	142	297
2	2	12	24
3 or more	0	0	1
In subfolders	**43 (16%)**	**154 (25%)**	**322 (37%)**

Key observations and open questions

1. **Working Artifacts more than doubles coverage:** 100 ERs (A) vs 236 (B1, B2).
2. **Named cards sit mostly in Working:** ERs with an Idea Card or Value Case by name are 15 (A), 78 (B1), 90 (B2). No file is named "Value Card".
3. **B1 adds small ERs; B2 adds volume:** B1's median is 1 usable file per ER; B2 adds 254 files to the same 236 ERs.

4. **Tokens per ER are moderate except in B2's tail:** median 3K to 5K in every set; ERs over 24K are 2 (A), 8 (B1), 16 (B2) on text alone, and 9, 18, 27 with image captions added.
5. **Over half of every set is excluded types:** 345 of 609 files in A and 993 of 1,863 in B2.
6. **Real images are few:** after removing logos, spacers and template backgrounds, a typical file has none and a typical ER has 0 to 2.
7. **No naming convention for Value Case, CA or DA files:** for now these can only be found by greedy file-name matching. Where matching fails, the fallback is to use all files in the folders, which in the worst case consumes unnecessary tokens, and the valid file may be buried under other content and cut off by the token limit.
8. **Open question: subfolders.** 16% of usable files in A and 37% in B2 sit in subfolders below the Finalized / Working folder.

Questions from the analysis

#	Question	Answer
1	Check the feasibility of accessing these files	The SharePoint links can now be accessed using the Planora service principal.
2	Are the files accessible with existing SharePoint credentials?	Yes, the access role has been granted to the existing credentials.
3	Are all the files or URLs active? If not, what percentage are dead or inactive?	All the files from the provided link are active and accessible.
4	What to do in case of dead or inactive URLs?	If links are dead and there are no usable files, the fallback is to use the data available from Planview.
5	Number of files used per ER	About 2 usable files per ER. Finalized only: median 2, average 2.3, max 17 (100 ERs). Finalized + Working: median 2, average 3.3, max 46 (236 ERs).
6	Any identifier that would help identify the value card, like a specific naming convention?	No. Without a convention, value cards can't be reliably identified by file name; a naming convention would be needed.

#	Question	Answer
7	Do we need to revisit the token count threshold based on the analysis?	No, the 24K limit covers almost all ERs. Finalized only: median 4.6K tokens per ER, p90 12.3K; 2 ERs exceed 24K. Finalized + Working: median 3.1K, p90 17.8K; 16 ERs exceed 24K. The few ERs above 24K would need file prioritisation or trimming. Images are not included.