

IMPERIUM NEW GENERATION

Ten Organ-Agents Formation Plan V0.2

English machine-oriented version for agents / Servitor. The Russian PDF is the Owner-facing reference.

Core rule

Formal IMPERIUM plans are now produced as two PDF variants: Russian for Owner understanding and English for agents/Servitor. This plan defines the new development rail: create all 10 local CLI Organ-Agents inside IMPERIUM_NEW_GENERATION, run stress tests and learning cycles, then begin controlled fusion. No merge after the first 3 agents.

Target folder: IMPERIUM_NEW_GENERATION/. Future accepted name after proof and clean fusion: IMPERIUM_RISING/.

Forbidden at initial formation: early fusion, visual assets, UI/3D work, canon writes outside IMPERIUM_NEW_GENERATION.

1. Purpose

IMPERIUM_NEW_GENERATION is the sandbox for the next brain architecture. Each Organ becomes a local narrow agent with its own rules, skills, memory, tools, inbox/outbox, state, receipts, and CLI entrypoint.

The Organ-Agents are not LLMs. They are script-first / data-first / rules-first brain nodes that focus external big models by producing routes, verdicts, constraints, required receipts, warnings, and tool recommendations.

The external acceleration research identified five first-order engineering boosters: ContextOps, Scriptorium Quality Gate Stack, Inquisition Scanner Layer, Repo Intelligence + Ledger, and Performance Surgeon Toolkit. In New Generation these become skills/sensors under organ control, not external authority.

2. The 10 Organ-Agents

#	Organ-Agent	Primary function
1	THRONE_AGENT	Core boundary, protected truth, unauthorized core-touch rejection.
2	CUSTODES_AGENT	Filter zone, admission, Throne/Core protection, core contamination detection.
3	INQUISITION_AGENT	Risk audit, fake-green detection, dirty artifact detection, purge plan.
4	DOCTRINARIUM_AGENT	Laws, gates, doctrine conflicts, required law sets.
5	ADMINISTRATUM_AGENT	Task envelope, route sheet, ledger, receipts, permanent archive.
6	ASTRONOMICON_AGENT	Goals, roadmap, stage map, decomposition, future alignment.
7	STRATEGIUM_AGENT	Tactics, operation order, resource load, execution strategy.
8	OFFICIO_AGENTIS_AGENT	Roles, response contracts, role skill packs, context discipline.
9	MECHANICUS_AGENT	Tools, scripts, wrappers, quality gates, OSS tool intake.
10	SCHOLA_IMPERIALIS_AGENT	Learning, correction memory, training cases, agent strengthening.

Sanctum is not counted as one of the 10 organs in this plan. Sanctum is the operator surface that later displays state, routes, event ledgers, and CLI/API controls.

3. First 3 agents: formation stress test only

The first three agents - Administratum, Custodes, Mechanicus - prove the local CLI Organ-Agent model. They do not trigger early fusion.

Task -> Administratum route -> Custodes admission -> Mechanicus tools -> answers -> receipts	
Agent	MVP proof
ADMINISTRATUM_AGENT	Create task envelope and route sheet, register answers, write receipts, maintain permanent archive.
CUSTODES_AGENT	Produce admission verdict, reject core touch, define required gates, request evidence.
MECHANICUS_AGENT	Match task to tools/skills, recommend quality gates, track candidate OSS tools without making them authority.

4. Folder spine

```
IMPERIUM_NEW_GENERATION/  
CORE/  
PROTOCOLS/  
INTAKE/  
EXCHANGE/  
SERVITOR/  
ORGAN_BUS/  
ORGAN_AGENTS/  
THRONE_AGENT/  
CUSTODES_AGENT/  
INQUISITION_AGENT/  
DOCTRINARIUM_AGENT/  
ADMINISTRATUM_AGENT/  
ASTRONOMICON_AGENT/  
STRATEGIUM_AGENT/  
OFFICIO_AGENTIS_AGENT/  
MECHANICUS_AGENT/  
SCHOLA_IMPERIALIS_AGENT/  
TOOLS/  
agent_cli/  
quality/  
context/  
scanners/  
MEMORY/  
ARCHIVE/  
ADMINISTRATUM_PERMANENT_ARCHIVE/  
LEDGER/  
REPORTS/  
RECEIPTS/  
STRESS_TESTS/  
MERGE_BOARD/
```

5. Scope law

Permission	Paths
Read access	Whole main repo, IMPERIUM_TEST_VERSION, existing reports/bundles/receipts.
Write access	IMPERIUM_NEW_GENERATION only.
Canon writes	Forbidden until Phase 7 controlled fusion and Owner approval.
Canon change proposals	Only through IMPERIUM_NEW_GENERATION/MERGE_BOARD/.

This prevents young agents from contaminating canon while still allowing them to study current IMPERIUM.

6. Standard Organ-Agent structure

```
ORGAN_AGENTS/<ORGAN>_AGENT/  
agent_manifest.json  
role_contract.md  
operating_rules.md
```

```

brain_node/
decision_rules/
vocabulary/
scoring/
route_patterns/
cases/
templates/
path_rules/
tool_or_skill_rules/
skills/
memory/
inbox/
outbox/
state/
receipts/
logs/
learning/
runner/

```

Agents run on demand via CLI, read their own zone, and write answer/receipt files. They do not keep an LLM in memory and do not consume constant CPU/GPU.

7. Minimum 3000 config/data units per agent

Each Organ-Agent must have ≥ 3000 counted config/data units. These are not neural parameters. They are inspectable brain-node parameters: rules, examples, terms, phrase banks, route cases, scoring weights, templates, tool definitions, path rules, allowed/forbidden patterns, and correction cases.

Category	Approx. minimum	Purpose
Decision rules	300-500	If/then decision logic.
Allowed/forbidden patterns	300-500	Scope, paths, core, tool protection.
Vocabulary / phrases	300-600	Terms, verdict language, response blocks.
Response fragments	200-400	Human voice without chatter.
Verdict templates	100-250	Standardized decisions.
Route patterns	100-300	Next organs and task routes.
Skill/tool references	100-300	Action arsenal.
Risk/scoring weights	100-300	Threat/usefulness ranking.
Example/correction cases	200-500	Manual learning without heavy ML.
Path/scope/style/task rules	300-700	Connection to real repo/task classes.

Filler and duplicate avalanche are not accepted. Every corpus must pass count and quality checks.

8. Memory model

```

memory/
short_term.jsonl
working_memory.json
correction_memory.jsonl
approved_learning.jsonl
rejected_learning.jsonl

```

All agents have memory buffers. Administratum additionally owns the permanent archive from day one:

```

ARCHIVE/ADMINISTRATUM_PERMANENT_ARCHIVE/
task_archive/
receipt_archive/
route_archive/
answer_archive/
learning_archive/
index/

```

9. CLI-first operation

```
python IMPERIUM_NEW_GENERATION\TOOLS\agent_cli\imperium_ng_cli.py agent status --agent CUSTODES

python IMPERIUM_NEW_GENERATION\TOOLS\agent_cli\imperium_ng_cli.py ask ^
--agent CUSTODES ^
--question IMPERIUM_NEW_GENERATION\EXCHANGE\SERVITOR\inbox\question_001.json

python IMPERIUM_NEW_GENERATION\TOOLS\agent_cli\imperium_ng_cli.py route ^
--task IMPERIUM_NEW_GENERATION\INTAKE\normalized\demo_task_001.json
```

Expected route: Administratum TASK_ENVELOPE_CREATED -> Custodes ADMIT_WITH_GATES/REJECT -> Mechanicus TOOLS_AVAILABLE -> final ROUTE_RECEIPT_CREATED.

10. Question/Answer protocol

```
Question pack:
{
  "question_id": "Q-NEWGEN-0001",
  "task_id": "TASK-NEWGEN-PILOT-0001",
  "from": "SERVITOR",
  "to": "CUSTODES_AGENT",
  "question_type": "FILTER_ZONE_ADMISSION",
  "payload": {
    "requested_zone": "SECOND_BRAIN_PERFORMANCE_SURGEON_ZONE",
    "intended_paths": ["IMPERIUM_TEST_VERSION/SECOND_BRAIN/"],
    "requested_tools": ["performance_audit", "css_pressure_scan"]
  }
}

Answer pack:
{
  "answer_id": "A-NEWGEN-0001",
  "organ": "CUSTODES_AGENT",
  "verdict": "ADMIT_WITH_GATES",
  "confidence": 0.86,
  "allowed_paths": ["IMPERIUM_TEST_VERSION/SECOND_BRAIN/"],
  "forbidden_actions": [
    "touch_throne_core",
    "disable_performance_gates",
    "delete_receipts",
    "claim_pass_without_runtime_audit"
  ],
  "required_receipts": [
    "gate_ack",
    "changed_files_list",
    "runtime_audit_receipt",
    "final_report"
  ],
  "next_organisms": ["MECHANICUS_AGENT", "ADMINISTRATUM_AGENT"]
}
```

11. Build phases

Phase	Content	PASS
0	Root structure, protocols, schemas, core boundary, write policy.	Valid JSON schemas; no canon writes; no UI/assets.
1	First 3 CLI agents: Administratum, Custodes, Mechanicus.	Status/ask/route work; memory/receipts/archive work; 3000 units each.
2	Law/risk agents: Doctrinarium, Inquisition.	Law verdicts, fake-green/unsafe-delete samples, Custodes escalation.
3	Planning/strategy/role agents: Astronomicon, Strategium, Officio.	Stage maps, execution strategy, role contracts, context warnings.
4	Core/learning agents: Throne, Schola.	Core boundary rejection, training cases, learning proposals.

Phase	Content	PASS
5	Full 10-agent stress-test campaign.	Full routes, useful disagreements, explicit blockers, no fake green.
6	Learning and strengthening cycle.	Every failure classified; agents strengthened by approved learning.
7	Controlled fusion / Merge Board.	Valuable promoted only after Custodes/Inquisition/Doctrinarium checks.
8	Rename accepted form to IMPERIUM_RISING.	All 10 stable, stress tests passed, merge plan accepted.

12. Tool integration timeline

Tool phase	When	Tools	Purpose
A	Phase 0-1	Tool candidate registry only.	Mechanicus knows candidates but they are not authority.
B	After first 3	uv, Ruff, pytest, jsonschema.	Validate runners/schemas/stress tests without tool storm.
C	Phase 2	bandit, pip-audit, gitleaks candidate, ripgrep scanner rules.	Inquisition scanner basics, advisory first.
D	Phase 3	ripgrep, jq/yq, scoped context builder, role skill packs, context budget law.	Reduce limits and context avalanche.
E	Phase 4-5	SQLite -> DuckDB -> Datasette.	Archive, receipts, tasks, reports become queryable.
F	Phase 5	Playwright, Lighthouse CI, CSS pressure scanner, FPS comparator.	Performance Surgeon Toolkit for runtime truth.
G	After all 10	Semgrep CE, tree-sitter wrappers, Repomix scoped exporter, OSV scanner.	Sandbox/gated mode only via Custodes/Inquisition.

13. Full stress campaign

- Second Brain performance optimization task.
- Visual AAA task with visual construction blocked before performance acceptance.
- Freelance website + 3 presentations + development log task.
- Repo cleanup task.
- ContextOps/token-saving task.
- Tool intake task from Deep Research.
- Dirty artifact rejection task.
- Canon merge candidate review task.
- Agent self-improvement task.
- Owner manual CLI interaction task.

14. Merge Board

Category	Meaning
valuable_to_promote	Clean useful material prepared for canon promotion.
blocked_by_law	Blocked by law or doctrine conflict.
blocked_by_quality	Failed quality/stress/performance gates.

Category	Meaning
rejected_dirty	Dirt, fake green, unsafe behavior, stale artifacts.
needs_owner_decision	Requires Owner decision.
learning_needed	Missing rules/parameters/cases; agent must be strengthened.

Fusion begins only after all 10 agents and the learning cycle. New agents help decide what enters canon, what is blocked, and why.

15. Immediate next steps

Step	Action
1	Commit these two PDF plans as the New Generation guide/star.
2	Prepare a Servitor prompt for only the basic foundation of the first 3 agents.
3	The first prompt must build common protocols, folder spine, CLI skeleton, memory buffers, Administratum archive, and E2E demo route.
4	Do not require deep individual architecture yet. First prove the common base.
5	Then discuss each agent one by one in depth and build the remaining 7.

Owner-facing meaning: build 10 working CLI brain nodes, not 10 talking documents. First 3 prove the model. All 10 absorb IMPERIUM, reject dirt, reveal missing knowledge, and only then start controlled fusion toward IMPERIUM_RISING.