

Soumiya Ayyappan_W2_D3


Step1:




Step 2:





Step 3:



8150523.sql
joins.sql
hospital_practice.sql
shop.sql
purcha.sql
employee.sql
home > kasm-user > .dbclient > query > 1786961878402@@127.0.0.1@3306@ShopEasy_Profile > shop.sql > ...
▷Run | ⧉Select
11 insert into customers values
12 (1,'Amit Sharma','amit@shop.com','9876543210','Delhi','India'),
13 (2,'Neha Verma','neha@shop.com',' ','mumbai','india'),
14 (3,'Ravi Kumar',NULL,'''9567843210','Bangalore','India'),
15 (4,'Amit Sharma','amit@shop.com','9876543210','Delhi','India'),
16 (5,NULL,'john@shop.com','9999999999','Chennai','INDIA');
▷Run | +Tab | JSON
17 select * from customers; 2ms
customers
Search Results
Export
Cost: 6ms
1
Total 5
Customer int
FullName varchar(10
Email varchar(12
Phone varchar(2
city varchar(5
Country varchar(5
1 Amit Sharma amit@shop.com 9876543210 Delhi India
2 Neha Verma neha@shop.com mumbai india
3 Ravi Kumar (NULL) '9567843210 Bangalore India
4 Amit Sharma amit@shop.com 9876543210 Delhi India
5 (NULL) john@shop.com 9999999999 Chennai INDIA

Step 4:



▷Run | +Tab | JSON
18 SELECT COUNT(*) AS TotalRecords FROM customers; 3ms
▷Run | +Tab | JSON | ⧉Select
19 SELECT
20 SUM(
CASE
customers
Search Results
Export
TotalRecords
5


SELECT
SUM(CASE WHEN FullName IS NULL OR TRIM(FullName) = '' THEN 1 ELSE 0 END
) AS NullNames,
SUM(CASE WHEN Email IS NULL OR TRIM(Email) = '' THEN 1 ELSE 0 END
) AS NullEmails,
SUM(CASE WHEN Phone IS NULL OR TRIM(Phone) = '' THEN 1 ELSE 0 END
) AS NullPhones
FROM customers; 4ms
customers
Search Results
Export
Cost: 7ms
1
Total 1
NullNames
NullEmails
NullPhones
1
1
1


Run | Tab | JSON | Select
SELECT FullName, Email, COUNT(*) AS DupCount
FROM customers
GROUP BY
FullName,
Email
HAVING
COUNT(*) > 1; 3ms
customers
Search Results
Export
FullName
varchar(10
Email
varchar(12
DupCoun


▷Run | +Tab | JSON
35 SELECT DISTINCT Country FROM customers; 2ms
36
customers
Search Results
Export
Country
varchar(5
India

Step 5:


▷Run | ▢Select
36 UPDATE customers
37 SET
38 FullName = TRIM(FullName),
39 City = CONCAT(
40 UPPER(LEFT(TRIM(City), 1)),
41 LOWER(SUBSTRING(TRIM(City), 2))
42),
43 Country = UPPER(TRIM(Country));
▷Run | +Tab | JSON
44 select * from customers; 2ms
45
customers
Search Results
Export
Cost: 6ms
1
Total 5
Customer int
FullName varchar(10
Email varchar(12
Phone varchar(2
city varchar(5
Country varchar(5
1 Amit Sharma amit@shop.com 9876543210 Delhi INDIA
2 Neha Verma neha@shop.com Mumbai INDIA
3 Ravi Kumar (NULL) '9567843210 Bangalore INDIA
4 Amit Sharma amit@shop.com 9876543210 Delhi INDIA

```
▷Run
47  UPDATE customers SET Phone = NULL WHERE TRIM(Phone) = '';
    ▷Run | +Tab | JSON
48  select * from customers;  2ms
49
50
51
52  -- Replace missing values.
```

customers

Search Results | Export | Cost: 6ms | 1 | Total 5

Customer int	FullName varchar(10	Email varchar(12	Phone varchar(2	city varchar(5	Country varchar(5
1	Amit Sharma	amit@shop.com	9876543210	Delhi	INDIA
2	Neha Verma	neha@shop.com	(NULL)	Mumbai	INDIA
3	Ravi Kumar	(NULL)	'9567843210	Bangalore	INDIA
4	Amit Sharma	amit@shop.com	9876543210	Delhi	INDIA
5	(NULL)	john@shop.com	9999999999	Chennai	INDIA

```
▷Run
53  UPDATE customers SET Country = 'INDIA' WHERE Country IS NULL;
    ▷Run | +Tab | JSON
54  select * from customers;  3ms
55
    ▷Run
56  UPDATE Customers
57  SET
```

customers

Search Results | Export | Cost: 8ms | 1 | Total 5

Customer int	FullName varchar(10	Email varchar(12	Phone varchar(2	city varchar(5	Country varchar(5
1	Amit Sharma	amit@shop.com	9876543210	Delhi	INDIA
2	Neha Verma	neha@shop.com	(NULL)	Mumbai	INDIA
3	Ravi Kumar	(NULL)	'9567843210	Bangalore	INDIA
4	Amit Sharma	amit@shop.com	9876543210	Delhi	INDIA
5	(NULL)	john@shop.com	9999999999	Chennai	INDIA

```
UPDATE customers
SET FullName = 'Unknown Customer'
WHERE
    FullName IS NULL;
▷Run | +Tab | JSON
select * from customers;  2ms
```

customers

Search Results | Export | Cost: 6ms | 1 | Total

Customer int	FullName varchar(100)	Email varchar(12	Phone varchar(2	city varchar(5	Country varchar(5
1	Amit Sharma	amit@shop.com	9876543210	Delhi	INDIA
2	Neha Verma	neha@shop.com	(NULL)	Mumbai	INDIA
3	Ravi Kumar	(NULL)	'9567843210	Bangalore	INDIA
4	Amit Sharma	amit@shop.com	9876543210	Delhi	INDIA
5	Unknown Custome	john@shop.com	9999999999	Chennai	INDIA


Step 6:


```
FROM
    customers c1
    JOIN customers c2 ON c1.FullName = c2.FullName
    AND c1.Email = c2.Email
    AND c1.CustomerID > c2.CustomerID;
▷Run | +Tab | JSON
select * from customers;  2ms
```

customers

Search Results | Export | Cost: 7ms | 1 | Total 5

Customer int	FullName varchar(100)	Email varchar(12	Phone varchar(2	city varchar(5	Country varchar(5
1	Amit Sharma	amit@shop.com	9876543210	Delhi	INDIA
2	Neha Verma	neha@shop.com	(NULL)	Mumbai	INDIA
3	Ravi Kumar	(NULL)	'9567843210	Bangalore	INDIA
4	Amit Sharma	amit@shop.com	9876543210	Delhi	INDIA
5	Unknown Custome	john@shop.com	9999999999	Chennai	INDIA


▷Run | +Tab | JSON | Select
69 SELECT *
70 FROM customers
71 WHERE
72 Phone IS NOT NULL
73 AND (
74 LENGTH(Phone) < 10
75 OR LENGTH(Phone) > 12
76); 2ms
customers
Search Results
Export
Cost: 6ms
1
Total 0
Customer int
FullName varchar(10
Email varchar(12
Phone varchar(2
city varchar(5
Country varchar(5


▷Run | +Tab | JSON | Select
80 SELECT
81 COUNT(*) AS Total,
82 COUNT(DISTINCT Email) AS UniqueEmails,
83 SUM(
84 CASE
85 WHEN City IS NULL THEN 1
86 ELSE 0
87 END) AS NullCities
88 FROM customers; 3ms
89
90
customers
Search Results
Export
Total
UniqueEmails
NullCities
5
3
0