

AI TOOLS FOR RESEARCH

LAB EXERCISE SHEET

Scientific Writing Using Prism and LaTeX

Convert Your Own Research Paper into a Complete LaTeX Manuscript

Prism	https://prism.openai.com
Overleaf	https://www.overleaf.com

Student Name: Soumik Bhattacharyya Roll No.: MDE2026005

Selected Paper Title: Single-LLM Versus Multi-Agent Debate Systems for Scientific Hypothesis Generation

1. Aim

To learn AI-assisted scientific writing and LaTeX document preparation by converting an existing research paper authored or co-authored by the student into a complete, structured, compilable LaTeX manuscript using Prism. The final project will be exported to Overleaf to test LaTeX portability and independent compilation.

2. Learning Outcomes

- Create and organize a scientific manuscript in a LaTeX project.
- Use Prism to assist with text-to-LaTeX conversion, equations, tables, figures, citations, and debugging.
- Use labels and cross-references correctly instead of hard-coded numbers.
- Verify that AI-assisted conversion preserves scientific meaning, numerical results, and citations.
- Export a LaTeX project and validate it independently in Overleaf.
- Maintain a prompt log and critically reflect on the benefits and limitations of AI-assisted scientific writing.

3. Input Required Before the Lab

- ☑ One research paper authored or co-authored by you, in PDF/Word/Google Docs or another usable format.
- ☑ Original figure files, wherever available.
- ☑ Tables and mathematical equations from the paper.
- ☑ Complete reference list or bibliography information.
- ☑ Access to Prism and Overleaf using the URLs given on the cover page.

4. Important Rule

This is a conversion and scientific-document preparation exercise, not a paper-generation exercise. Do not use AI to invent new results, modify numerical values, create unsupported citations, or change the scientific conclusions of your original paper.

PART A. Start the Prism Project

Step 1. Open Prism and create a new project

1. Open Prism using <https://prism.openai.com>.
2. Sign in with the account available to you.
3. Create a new LaTeX project and give it a meaningful name, for example: Paper_Title_LaTeX.
4. Create or identify the main LaTeX source file, normally main.tex.
5. Compile once before adding the full manuscript so that you know the basic project works.

Suggested Prism prompt: “Create a clean LaTeX article skeleton for a scientific research paper. Include title, authors, abstract, keywords, Introduction, Related Work, Methodology, Experimental Setup, Results and Discussion, Conclusion, and References. Do not generate scientific content.”

Step 2. Create the minimum LaTeX structure

```
\documentclass{article}
\usepackage{graphicx}
\usepackage{amsmath}
\usepackage{booktabs}
\usepackage{cite}

\title{Your Research Paper Title}
\author{Author Names}

\begin{document}
\maketitle

\begin{abstract}
```

```
% Insert original abstract
\end{abstract}

\section{Introduction}
\section{Related Work}
\section{Methodology}
\section{Experimental Setup}
\section{Results and Discussion}
\section{Conclusion}

\bibliographystyle{plain}
\bibliography{references}
\end{document}
```

- ☒ The skeleton compiles successfully in Prism.
- ☒ The generated PDF shows the title and section headings.

PART B. Convert the Original Paper into LaTeX

Step 3. Transfer title, authors, affiliations, abstract, and keywords

6. Copy the title exactly from your paper.
7. Enter all author names and affiliations exactly.
8. Insert the original abstract.
9. Insert the original keywords.
10. Compile and compare the output with the original paper.

Suggested Prism prompt: “Convert the following text into clean LaTeX. Preserve the exact wording, terminology, scientific meaning, numerical values, and citations. Do not add, remove, or reinterpret any scientific claim.”

Item	Verified?	Observation
Title and author information preserved	Yes	Preserved
Abstract meaning preserved	Yes	Preserved
Numerical values preserved	Yes	Preserved
No new claim introduced	Yes	Works well when prompted correctly
Keywords preserved	Yes	Preserved

PART C. Convert All Scientific Sections

Step 4. Convert the Introduction and remaining sections

11. Transfer the Introduction into Prism in manageable blocks.
12. Convert the text into LaTeX without changing the scientific content.
13. Use section and subsection commands only where they reflect the original manuscript structure.
14. Repeat the procedure for Related Work, Methodology, Dataset, Experimental Setup, Results, Discussion, Limitations, and Conclusion, wherever applicable.
15. Compile after every major section rather than waiting until the entire paper has been transferred.

Suggested Prism prompt: “Convert this section into properly structured LaTeX. Preserve paragraph order, citations, terminology, equations, and all technical details. Do not summarize and do not introduce new content.”

```
\section{Methodology}
\label{sec:methodology}

\subsection{Data Preparation}
...

\subsection{Proposed Method}
...
```

PART D. Equations and Mathematical Notation

Step 5. Convert equations to LaTeX

16. Identify every equation or important mathematical expression in the original paper.
17. Convert each equation into LaTeX mathematical notation.
18. Verify every operator, symbol, subscript, superscript, fraction, summation, Greek symbol, and variable.
19. Add a label to equations that are referenced in the text.
20. Use LaTeX cross-references instead of manually typing equation numbers.

Suggested Prism prompt: “Convert the following equation into valid LaTeX. Preserve the mathematics exactly. Then list the meaning of each variable and flag any ambiguity instead of guessing.”

```
\begin{equation}
RMSE = \sqrt{\frac{1}{N} \sum_{i=1}^N (y_i - \hat{y}_i)^2}
\label{eq:rmse}
\end{equation}
```

The error is computed using Equation~\ref{eq:rmse}.

Equation Check	Status
Mathematics matches original	NA
Variable notation consistent	NA
Equation label added	NA
Cross-reference works	NA

NOTE: The paper had no scope of adding an equation. So I manually uploaded a screenshot of an equation and checked if PRISM works.

$$f(x) = \int_0^x (t^2 + 2t) dt$$

Equation screenshot:

LaTeX (Prism) Code:

```
\begin{equation}
```

```
f(x) = \int_0^x (t^2 + 2t) \, dt
```

```
\end{equation}
```

PART E. Tables

Step 6. Recreate tables in LaTeX

21. Select every important table from the original paper. At minimum, complete one full table during the lab.
22. Provide the table data to Prism and ask for LaTeX table code.
23. Compare every cell with the original paper before accepting the output.
24. Add a caption and label, then reference the table from the text.

Suggested Prism prompt: “Convert this table into publication-quality LaTeX. Preserve every row, column heading, unit, decimal value, and result exactly. Do not round, reorder, or reinterpret any value.”

```
\begin{table}[ht]
\centering
\caption{Performance comparison of different models}
\label{tab:results}
\begin{tabular}{lccc}
\toprule
Model & Accuracy & Precision & F1-score \\
\midrule
Model A & 0.91 & 0.89 & 0.90 \\
Model B & 0.93 & 0.92 & 0.92
\end{tabular}
```

```
\bottomrule
\end{tabular}
\end{table}

The comparative results are shown in Table~\ref{tab:results}.
```

PART F. Figures

Step 7. Add figures and cross-references

- 25. Upload original figure files to the Prism project. Use meaningful file names.
- 26. Insert each figure with an appropriate width, caption, and label.
- 27. Reference the figure using its LaTeX label.
- 28. Compile and check figure quality, placement, caption, and numbering.

```
\begin{figure}[ht]
\centering
\includegraphics[width=0.8\linewidth]{proposed_framework.png}
\caption{Overview of the proposed framework.}
\label{fig:framework}
\end{figure}
```

As shown in Figure~\ref{fig:framework}, ...

Suggested Prism prompt: “Check this figure environment for correct LaTeX syntax, captioning, file path, sizing, and cross-referencing. Do not change the scientific caption unless there is a clear grammatical error.”

PART G. Citations and Bibliography

Step 8. Create references.bib and convert citations

- 29. Create a bibliography file named references.bib.
- 30. Enter the bibliographic details of the references used in the original paper.
- 31. Replace manually typed citation numbers with LaTeX citation commands.
- 32. Compile the bibliography and verify that every in-text citation resolves correctly.
- 33. Compare the generated reference list against the original paper.

Suggested Prism prompt: “Create a BibTeX entry from the bibliographic information below. Use only the information supplied. Do not invent DOI, volume, issue, page numbers, publisher, or venue details.”

```
@article{smith2025,
  author = {John Smith and Alice Brown},
  title   = {Example Research Paper},
  journal = {Journal of Artificial Intelligence},
  year    = {2025},
  volume  = {10},
  number  = {2},
  pages   = {100--115}
}
```

Verification rule: AI-generated or AI-reformatted references must be checked against the original publication information before submission.

PART H. Cross-Referencing

Step 9. Replace hard-coded numbers with labels and references

Object	Label Example	Reference Example
Section	\label{sec:methodology}	Section~\ref{sec:methodology}
Figure	\label{fig:framework}	Figure~\ref{fig:framework}

Table	<code>\label{tab:results}</code>	<code>Table~\ref{tab:results}</code>
Equation	<code>\label{eq:rmse}</code>	<code>Equation~\ref{eq:rmse}</code>

- ☑ At least one section reference works.
- ☑ At least one figure reference works.
- ☑ At least one table reference works.
- ☑ At least one equation reference works.

PART I. Prism AI for LaTeX Debugging

Step 10. Diagnose and document at least three LaTeX problems

Possible problems include undefined citations, undefined references, missing braces, missing packages, figure-path errors, table overflow, equation syntax errors, and bibliography compilation problems.

Suggested Prism prompt: “Explain this LaTeX compilation error. Identify the likely cause, show the minimum correction required, and explain why the correction works. Do not rewrite unrelated parts of the document.”

NOTE: Prism works pretty well and does not return any error. The following table consists of common latex errors

Error / Problem	Likely Cause	Prism Suggestion	Final Correction
Undefined control sequence	A LaTeX command was used without loading the required package.	Identify the command and determine which package provides it.	Add the required package in the preamble, such as <code>\usepackage{graphicx}</code> , <code>\usepackage{amsmath}</code> , or <code>\usepackage{booktabs}</code> .
Undefined reference	A <code>\ref{...}</code> points to a missing or incorrectly named <code>\label{...}</code> .	Check whether the referenced object has a matching label and recompile.	Add/correct the corresponding <code>\label{...}</code> and compile again so the reference is resolved.
Missing } inserted / runaway argument	A closing brace <code>}</code> is missing or braces are incorrectly nested.	Locate the command or environment with unmatched braces.	Add the missing closing brace and check the surrounding command structure.
Figure not found	The filename or path in <code>\includegraphics{...}</code> does not match the uploaded figure file.	Check the figure filename, extension, and project path.	Correct the filename/path or place the figure in the appropriate Figures/ directory.

PART J. AI-Assisted Scientific Writing

Step 11. Improve one paragraph without changing the science

34. Select one paragraph from your original paper.
35. Save the original paragraph as Version A.
36. Use Prism to improve clarity and scientific style. Save the output as Version B.
37. Review every change and create your own final Version C.

Suggested Prism prompt: “Improve the clarity, conciseness, grammar, and scientific tone of this paragraph. Preserve all technical terminology, citations, numerical values, causal claims, limitations, and scientific meaning. Do not introduce new claims.”

What to Submit	Version
Original paragraph (A)	First, scientific novelty is difficult to operationalize. Similarity-based measures can reward unusual wording, while expert ratings may be subjective and expensive. Second, scientific validity often cannot be determined from existing literature alone; it requires experiments or prospective prediction. Third, LLMs may hallucinate mechanisms, references, or experimental outcomes. These risks are especially serious when a multi-agent system repeats and reinforces an unsupported claim.

	Fourth, multi-agent debate has substantial engineering costs. Performance depends on the number of agents, role prompts, communication structure, debate rounds, and aggregation method \cite{smit2024mad}. Fifth, consensus may suppress minority ideas. Agents may converge prematurely on a plausible but incorrect explanation. Sixth, many evaluations rely on LLM judges, which can introduce shared biases and make systems appear stronger than they are. Finally, the existing evidence is heterogeneous. Studies use different domains, prompts, models, datasets, expert panels, and evaluation scales. Results from biomedical hypothesis generation cannot automatically be generalized to chemistry, materials science, social science, or theoretical research. Comparisons between single- and multi-agent systems are also often confounded by unequal token budgets, retrieval access, or model capability. Researchers should also report negative results and failure cases. Examples include duplicated hypotheses, unsupported citations, incorrect interpretations of papers, disagreement that never resolves, and experiments that fail because the proposed mechanism was not operationalized correctly. Such reporting is particularly important for scientific applications because a system can appear successful under language-based evaluation while failing when its claims are tested in the laboratory.
Prism-assisted paragraph (B)	Scientific novelty is difficult to operationalize. Similarity-based measures may reward unusual wording, whereas expert ratings can be subjective and expensive. Scientific validity often cannot be determined from the existing literature alone; it requires experiments or prospective prediction. LLMs may also hallucinate mechanisms, references, or experimental outcomes. These risks are especially serious when a multi-agent system repeats and reinforces an unsupported claim. Multi-agent debate also incurs substantial engineering costs. Its performance depends on the number of agents, role prompts, communication structure, debate rounds, and aggregation method \cite{smit2024mad}. Consensus may suppress minority ideas, and agents may converge prematurely on a plausible but incorrect explanation. Moreover, many evaluations rely on LLM judges, which can introduce shared biases and make systems appear stronger than they are. Finally, the available evidence is heterogeneous: studies use different domains, prompts, models, datasets, expert panels, and evaluation scales. Results from biomedical hypothesis generation therefore cannot automatically be generalized to chemistry, materials science, social science, or theoretical research. Comparisons between single- and multi-agent systems are also often confounded by unequal token budgets, retrieval access, or model capability. Researchers should also report negative results and failure cases, including duplicated hypotheses, unsupported citations, incorrect interpretations of papers, unresolved disagreement, and experiments that fail because the proposed mechanism was not operationalized correctly. Such reporting is particularly important for scientific applications because a system may appear successful under language-based evaluation yet fail when its claims are tested in the laboratory.
Your final verified paragraph (C)	Scientific novelty is difficult to operationalize. Similarity-based measures may reward unusual wording, whereas expert ratings can be subjective and expensive. Scientific validity often cannot be determined from the existing literature alone; it requires experiments or prospective prediction. LLMs may also hallucinate mechanisms, references, or experimental outcomes. These

	risks are especially serious when a multi-agent system repeats and reinforces an unsupported claim. Multi-agent debate also incurs substantial engineering costs. Its performance depends on the number of agents, role prompts, communication structure, debate rounds, and aggregation method \cite{smit2024mad}. Consensus may suppress minority ideas, and agents may converge prematurely on a plausible but incorrect explanation. Moreover, many evaluations rely on LLM judges, which can introduce shared biases and make systems appear stronger than they are. Finally, the available evidence is heterogeneous: studies use different domains, prompts, models, datasets, expert panels, and evaluation scales. Results from biomedical hypothesis generation therefore cannot automatically be generalized to chemistry, materials science, social science, or theoretical research. Comparisons between single- and multi-agent systems are also often confounded by unequal token budgets, retrieval access, or model capability. Researchers should also report negative results and failure cases, including duplicated hypotheses, unsupported citations, incorrect interpretations of papers, unresolved disagreement, and experiments that fail because the proposed mechanism was not operationalized correctly. Such reporting is particularly important for scientific applications because a system may appear successful under language-based evaluation yet fail when its claims are tested in the laboratory.
--	--

Brief analysis: Identify what Prism improved, what you rejected or modified, and whether any edit could have changed the scientific meaning.

PART K. Consistency Check

Step 12. Ask Prism to report inconsistencies

Suggested Prism prompt: “Review this manuscript for consistency in terminology, abbreviations, variable names, mathematical notation, dataset names, model names, capitalization, units, figure references, table references, and citation style. Report inconsistencies only. Do not rewrite the manuscript.”

Inconsistency Found	Original Usage	Corrected Usage
LLM is defined only in the abstract, not redefined in the main text; NLP and AI appear without definitions (main.tex:33, main.tex:68, main.tex:160).	“NLP researchers”; “AI co-scientist”; “AI Scientist”	Define natural language processing (NLP) and artificial intelligence (AI) at first use in the main text.
Evaluation terminology alternates between “LLM-judge” and “LLM judges” (main.tex:245, main.tex:512).	“single LLM-judge score”; “many evaluations rely on LLM judges”	Use LLM judge consistently as the singular term and LLM judges for plural references.
The independent Research Gaps list starts at item 7 because its counter continues from Section 5 (main.tex:541).	Section 7 starts at 7. Controlled architecture comparisons and ends at 14. Human–AI collaboration.	Renummer the Section 7 list from 1–8.
Bibliography author formatting mixes complete author lists, literal et al. strings, and blank authors (references.bib:56, references.bib:127).	Some entries give full author lists, while others use literal “et al.” or incomplete author information such as “Qi, et al.”	Use a consistent author-entry format based on the verified bibliographic information.
arXiv records inconsistently use eprint, doi, and note. The unsrt style ignores doi and eprint, so identifiers appear only for entries containing note (references.bib:38, references.bib:63).	Some entries include arXiv identifiers while others do not display them consistently.	Use one consistent arXiv identifier format across the bibliography.

Acronyms and model names in bibliography titles are not protected from unsrt capitalization changes, affecting forms such as AI, LLM, NLP, SciMON, and MetaGPT.	“ai scientist”, “llms”, “llm-based”, “Scimon”, “Metagpt”	Protect intended capitalization for names such as AI, LLM, NLP, SciMON, and MetaGPT in the BibTeX titles.
---	--	---

PART L. Export to Overleaf and Validate Portability

Step 13. Export the Prism project

38. Export or download the complete LaTeX project from Prism.
39. Confirm that the exported package includes .tex files, references.bib, figures, and any other required files.
40. Keep the exported files unchanged for the first Overleaf compilation attempt so that you can genuinely test portability.

Step 14. Import into Overleaf

41. Open <https://www.overleaf.com>.
42. Create a new project and upload/import the complete Prism project.
43. Select the correct main .tex file if Overleaf does not detect it automatically.
44. Compile the project.
45. If compilation fails, identify the cause before making corrections.

NOTE: Compiles in overleaf without error.

PART M. Prompt Log

Step 15. Maintain evidence of AI usage

Record at least five meaningful prompts. The prompts should show that you gave Prism precise, task-specific instructions rather than asking it simply to “fix” or “write” the document.

N o.	Task	Prompt Used	Accepted / Modified / Rejected
1.	File Structure Creation	1. Create a clean LaTeXarticle skeletonfor a scientific researchpaper. Include title,authors, abstract, keywords,Introduction, RelatedWork, Methodology,ExperimentalSetup,ResultsandDiscussion,Conclusion,and References.Do not generate scientific content. 2. check the file literaturereviewpaper...pdf, copy the exact title, author name, under affiliation, write "Department of Information Technology, Indian Institute of Information Technology Allahabad, Uttar Pradesh, India", abstract, keywords. Copy exactly. Do not add, remove, change, modify, fabricate anything. 3. Add "Soumik Bhattacharyya" in author name, currently it shows an affiliation without name. remove second author. in email add "mde2026005@iiita.ac.in"	All Accepted
2.	Text-to-LaTeX	1.check the references section in the LiteratureReviewPaper...pdf. create a bib file in this project. copy all the references correctly. do NOT faricate new references,	All Accepted

		fields or field values. work with whatever information is provided. if something is not provided, keep that field blank. 2. in the main file, copy the text (content) from introduction section. Preserve paragraph order,citations, terminology, equations,and all technical details. Do not summarise and do not fabricate new content. copy contents exactly. When referencing citations or another section. reference using standard latex commands (\ref) and not just copying the citation number. 3. in the main file, copy the text (content) from Background and Conceptual Foundation section. Change the section name from Related Work to that. Check that it has three subsections. Preserve paragraph order,citations, terminology, equations,and all technical details. Do not summarise and do not fabricate new content. copy contents exactly. When referencing citations or another section. reference using standard latex commands (\ref) and not just copying the citation number. 4. for all sections and subsections, change the names to the ones used in the pdf. maintain order 5.in the main file, copy the text (content) from Thematic Literature Review section. Check that it has five subsections. Preserve paragraph order,citations, terminology, equations,and all technical details. Do not summarise and do not fabricate new content. copy contents exactly. When referencing citations or another section. reference using standard latex commands (\ref) and not just copying the citation number. 6.in the main file, copy the text (content) from Comparison of Existing Approaches section. Check that it has three subsections and as you correctly figured out, two of those are out-of place. but copy the content and place as we currently have the section in main.tex. There is a table and two figures, do not copy them now. copy only the text. Do not summarise and do not fabricate new content. copy contents exactly. When referencing citations or another section. reference using standard latex commands (\ref) and not just copying the citation number. 7.in the main file, copy the text (content) from section 5 and 5.1. Check that it has three subsections. Preserve paragraph order,citations, terminology, equations,and all technical details. Do not summarise and	
--	--	--	--

		do not fabricate new content. copy contents exactly. When referencing citations or another section. reference using standard latex commands (\ref) and not just copying the citation number. 8.in the main file, copy the text (content) from section 6 to 9. do not copy the tables and figures at this point. Preserve paragraph order,citations, terminology, equations,and all technical details. Do not summarise and do not fabricate new content. copy contents exactly. When referencing citations or another section. reference using standard latex commands (\ref) and not just copying the citation number.	
3.	Equation conversion	NA	NA
4.	Table conversion	Convert table 1 from section 4 into publication-quality LaTeX. Preserve every row, column heading, unit, decimal value, and result exactly.Do not round, reorder, or reinterpret any value.	Accepted
5.	Figure conversion	1.Add the figures in section 4.1 and 8. check that in the original document there is numbering order issue. which should not be an issue as latex use own numbering rather than manual. use exact caption. 2.in figure 2, instead of [htbp], use something else that places the figure exactly where it is written	1. Accepted 2. Rejected
6.	Debugging	NA	NA
7.	Scientific writing	improve the clarity, conciseness,grammar, and scientific tone of section 6.Preserve all technical terminology, citations, numerical values,causal claims, limitations, and scientific meaning.Do not introduce new claims.	Modified
8.	Consistency check	Review this manuscript for consistency in terminology, abbreviations, variable names,mathematical notation, dataset names,model names, capitalization, units, figure references,table references,and citation style. Report inconsistencies only. Do not rewrite the manuscript.	Rejected (No severe issues were found)

PART N. Final Verification Against the Original Paper

Step 16. Complete the verification checklist

- ☒ Title, authors, affiliations, abstract, and keywords match the original paper.
- ☒ All major sections of the original paper are present.
- ☒ All numerical results and dataset statistics are unchanged.
- All equations are mathematically equivalent to the original.
- ☒ All tables contain the correct values, units, labels, and captions.
- ☒ All figures are present and correctly referenced.
- ☒ All citations resolve and no reference has been fabricated.
- ☒ All section, equation, table, and figure cross-references work.
- ☒ The Prism project compiles without errors.

☒ The exported project has been tested in Overleaf.

PART O. Reflection

Step 17. Write a 200-word reflection

46. Which part of converting the paper into LaTeX was easiest?
47. Which part required the most manual effort?
48. Which Prism feature was most useful and why?
49. Did Prism introduce any technical, citation, numerical, or scientific errors?
50. How much manual correction was required?
51. Did the same project compile in Overleaf without modification?
52. What precautions should researchers take when using AI for scientific writing?

Reflection : Converting the paper into LaTeX was a relatively smooth process. The easiest part was the text-to-LaTeX conversion, as Prism produced a very clean output. Converting the paper section by section required the most manual effort, but working with smaller sections helped avoid errors during the process. The most useful Prism feature was the prompt-to-LaTeX conversion, as it made the transition from the original manuscript to structured LaTeX straightforward. Prism did not introduce any technical, citation, numerical, or scientific errors in the converted manuscript. Consequently, almost no manual correction was required, although manual verification was still necessary to ensure that the converted document remained consistent with the original paper. The same project also compiled successfully in Overleaf without modification, confirming its portability. My opinion on the final question is that researchers should manually verify AI-generated or AI-assisted content, particularly technical details, citations, and scientific claims. More importantly, AI-generated text is not entirely the author's own wording, which can reduce the author's sense of ownership over the final manuscript. AI assistance can be useful for reducing mechanical effort and improving document preparation, but researchers should retain responsibility for the final work and, wherever possible, write and finalize the content themselves.

5. Final Submission

Submit one folder using the following naming convention: StudentName_RollNumber

```
StudentName_RollNumber/
|
|-- Original_Paper.pdf
|-- Prism_Final_Paper.pdf
|-- Overleaf_Final_Paper.pdf
|-- main.tex
|-- references.bib
|-- Figures/
|-- Prompt_Log.pdf or .docx
|-- Error_Log.pdf or .docx
`-- Reflection.pdf or .docx
```

6. Minimum Requirements

- ☑ Complete conversion of your own research paper into LaTeX.
- ☑ At least one equation converted and cross-referenced, if the paper contains equations. If the paper contains no equations, state this explicitly.
- ☑ At least one table converted to LaTeX, if the paper contains tables.
- ☑ At least one figure inserted and cross-referenced, if the paper contains figures.
- ☑ At least five verified references managed through LaTeX/BibTeX.
- ☑ At least four working cross-references across sections, tables, figures, and/or equations.
- ☑ At least three documented LaTeX errors or formatting problems and their fixes.
- ☑ At least five meaningful Prism prompts in the prompt log.
- ☑ One original versus Prism-assisted paragraph comparison.
- ☑ Prism-to-Overleaf portability test.

7. Expected Workflow

Own Research Paper → Prism → Structured LaTeX → Equations / Tables / Figures → Citations → Debugging → Verification → Export → Overleaf → Final Compilable Manuscript

Key Principle: Use AI to reduce the mechanical effort of scientific document preparation, but retain human responsibility for scientific correctness, numerical accuracy, citation validity, interpretation, and final authorship.

Useful Links: Prism | Overleaf