


D:/Users/soumy/GitHub
/STM32_MCU_Peripherals
/Peripherals/I2C_Test/stm32f429
_i2c_driver/Src/syscalls.c



```
graph TD; A["D:/Users/soumy/GitHub  
/STM32_MCU_Peripherals  
/Peripherals/I2C_Test/stm32f429  
_i2c_driver/Src/syscalls.c"] --> B["sys/stat.h"]; A --> C["stdlib.h"]; A --> D["errno.h"]; A --> E["stdio.h"]; A --> F["signal.h"]; A --> G["time.h"]; A --> H["sys/time.h"]; A --> I["sys/times.h"];
```

The diagram illustrates the header file dependencies for the source file `syscalls.c`. A central box at the top lists the file's path: `D:/Users/soumy/GitHub/STM32_MCU_Peripherals/Peripherals/I2C_Test/stm32f429_i2c_driver/Src/syscalls.c`. Eight blue arrows point from this central box to eight separate boxes below, each representing a header file: `sys/stat.h`, `stdlib.h`, `errno.h`, `stdio.h`, `signal.h`, `time.h`, `sys/time.h`, and `sys/times.h`.

sys/stat.h

stdlib.h

errno.h

stdio.h

signal.h

time.h

sys/time.h

sys/times.h