

Microsoft

PDF 

PL-300


Hide All Questions

Question 1



HOTSPOT -

You plan to create the Power BI model shown in the exhibit. (Click the Exhibit tab.)



The data has the following refresh requirements:

- ☞ Customer must be refreshed daily.
- ☞ Date must be refreshed once every three years.
- ☞ Sales must be refreshed in near real time.
- ☞ SalesAggregate must be refreshed once per week.

You need to select the storage modes for the tables. The solution must meet the following requirements:

- ☞ Minimize the load times of visuals.
- ☞ Ensure that the data is loaded to the model based on the refresh requirements.

Which storage mode should you select for each table? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Customer:	▼ DirectQuery Dual Import
Date:	▼ DirectQuery Dual Import
Sales:	▼ DirectQuery Dual Import
SalesAggregate:	▼ DirectQuery Dual Import

Hide Answer

Correct answer:

Box 1: Dual -

Customer should use the dual storage mode.

Dual: Tables with this setting can act as either cached or not cached, depending on the context of the query that's submitted to the Power BI dataset. In some cases, you fulfill queries from cached data. In other cases, you fulfill queries by executing an on-demand query to the data source.

Note: You set the Storage mode property to one of these three values: Import, DirectQuery, and Dual.

Box 2: Dual -

You can set the dimension tables (Customer, Geography, and Date) to Dual to reduce the number of limited relationships in the dataset, and improve performance.

Box 3: DirectQuery -

Sales should use the DirectQuery storage mode.

DirectQuery: Tables with this setting aren't cached. Queries that you submit to the Power BI dataset—for example, DAX queries—return data from

DirectQuery tables can be fulfilled only by executing on-demand queries to the data source. Queries that you submit to the data source use the query language for that data source, for example, SQL.

Box 4: Import -

Import: Imported tables with this setting are cached. Queries submitted to the Power BI dataset that return data from Import tables can be fulfilled only from cached data.

Reference:

<https://docs.microsoft.com/en-us/power-bi/transform-model/desktop-storage-mode>

Answer Area

Customer:	▼ DirectQuery Dual Import
Date:	▼ DirectQuery Dual Import
Sales:	▼ DirectQuery Dual Import
SalesAggregate:	▼ DirectQuery Dual Import

[-] [_Jay_](#) 226 points 11 months ago

Technically Yes, Correct

Dual (Composite) Mode:

The dual storage mode is between Import and DirectQuery. it is a hybrid approach, Like importing data, the dual storage mode caches the data in the table. However, it leaves it up to Power BI to determine the best way to query the table depending on the query context.

- 1) Sales Must be Refreshed in Near real time so "Direct Query"
- 2) Sales Aggregate is once per week so "Import" (performance also required)
- 3) Both Date and Customer has relationship with both Sales and SalesAggregate tables so "Dual" because to support performance for DirectQuery(Sales) and Import(SalesAggregate)

[-] [mustafaalhnuty](#) 2 points almost 2 years ago

thanks for sharing your comment so I would ask if in case the Sales and the Sales Aggregate fact tables are both in near real-time will be a Direct Query not dual? thanks in advance

[-] [mustafaalhnuty](#) 2 points almost 2 years ago

I mean for Both Date and Customer dimension tables

[-] [Nawabi](#) 30 points over 2 years ago

Correct. IF someone still unable to understand I would highly recommend going through this link. Excellent explanation

[-] [__Sai_Mounika__](#) 1 point over 1 year ago

the link provided is on spot

[-] [Raj1690](#) 5 points over 1 year ago

My interpretation of the answer:

there are 2 fact tables connected to 2 dim tables. Sales fact table needs DirectQuery.. Sales Aggregate table needs to weekly refreshes hence Import mode. But both dimension tables have to serve these fact tables and hence they will be in DUAL MODE. Am I correct?

[-] [Swah119](#) 1 point about 1 month ago

Customer - Dual

Date- Dual
Sales - Directquery
Salesaggregate - Dual

[-] **Indako** 1 point 4 months ago

Import - Customer is cached
Import - Date is cached
Direct Query - Sales is not cached
Dual - Sales Aggregation either cached or not cached

[-] **examtopicsms99** 1 point 10 months ago

If the tables are from the same database in this model. Then there is only one frequency of refresh possible. It cannot be weekly, since it says "Customer must be refreshed daily."
Also Import mode generally minimizes the load time of visuals compared to Dual mode. This is because Import mode caches all the data in-memory, allowing for very fast query performance and quick rendering of visuals
Customer: Import - refresh daily requirement
Date: Dual - just because Sales is direct query and might be more efficient to have as Dual.
Sales: Direct Query - Real Time by requirements
Sales Aggregate: Imported, is weekly, but there is no saving in refresh, since the refresh is daily because the Customers table.

[-] **Gbucci72** 4 points 12 months ago

I don't agree, sales are to be done near real time so direct query is right. Sales aggregates once a week, then dual is ok as we want performance too. Customer is dual too. while Date, updated once every 3 yrs can be import.

[-] **rcaliandro** 3 points 12 months ago

In PBI there are 3 connection modes:
1 - Import Mode, all the data is loaded into the model once and you need to manually refresh data before get latest updates
2 - Direct query mode (or similar live for Azure Analysis Service or SSAS), in which PBI sends queries to the sources each time a visualization is refreshed or interacted with
3 - Dual, it is a hybrid mode
Saying that, we need for sure a direct query for the sales (since it is near real time) then the sales aggregate should be put to Import since there is an once per week update. Finally, as Microsoft suggest, the dimension tables should be set to dual (date and customers in this case)

[-] **Nishi_06** 1 point about 1 year ago

Dual Mode

[-] **docoumn** 1 point over 1 year ago

The answer is correct

[-] **GowthamMupparapu** 1 point over 1 year ago

Why does Sales Aggregate use Import as per the solution? Where as Date uses Dual.
In both the cases there is no real time refresh required, why are we going with Import mode for sales aggregate??
BTW, I understand logic behind selecting Dual for Date as it is dimension table and we intend to reduce number of limited relationships.

[-] **LOCObi** 2 points over 1 year ago

Sales need to be real time so a DirectQuery storage mode.
Sales aggregate as is a weekly load you can use Import Mode and save on performance.
As you have one of each, the other table connected to this source should be Dual. If they were not connected they would be Import mode.

[-] **Mal42** 2 points over 1 year ago

Dual, dual, direct query, import

[-] **TrustMyAnswers** 2 points almost 2 years ago

Give answer is correct. The tables that are connected to both Direct Query and Import should be set as Dual.

[-] **allapu** 1 point almost 2 years ago

Customer(dual), date(dual), sales(direct query) , salesaggregate(import)

[-] **lgetmyrole** 2 points almost 2 years ago

1. Customer table: Import mode should be used because it needs to be refreshed daily, and importing the data will provide better performance for visuals.
2. Date table: Import mode should be used because even though it is refreshed once every three years, importing it will not significantly affect performance, and it ensures that visual loads quickly.
3. For Sales table: Dual mode should be used for this table because it needs to be refreshed in near real-time.
4. SalesAggregate Tab: Import mode should be used because it needs to be refreshed once per week, and importing the data will insure better visual performance.

[-] **lgetmyrole** 1 point almost 2 years ago

3. Date table: Import mode should be used because even though it is refreshed once every three years, importing it will not significantly affect performance, and it ensures that visual loads quickly.

[-] **Shalaleh** 1 point over 2 years ago

Dual
Dual
DQ
Import

[-] **lizbette** 2 points over 2 years ago

This link is helpful in describing when to use which import mode. The requirement of the data (real-time refresh vs. performance) and the relationships in the exhibit are what this question comes down to.
<https://learn.microsoft.com/en-us/training/modules/choose-power-bi-model-framework/1-introduction>

[-] **DUVANES** 3 points over 2 years ago

Dual
Dual
DirectQuery
Import

[-] **Maria86** 3 points over 2 years ago

I found the perfect explanation why the answer is correct:

[-] **Plinio** 1 point over 2 years ago

Hi everybody! Does anyone could explain me why 1 and 2 must be Dual? Could be Import or no way?

[-] **Jew0598** 1 point over 2 years ago

The customer table should be stored in Direct Query mode as the table has a solid line on the top. The solid line means Direct query, and a dashed bar at the top of the table means Dual.
So I think the answer is Direct Query, Dual, Dual, Import.

[-] **hungry85** 1 point over 2 years ago

the answer approach is correct

[-] **UserNo1** 1 point over 2 years ago

Is this correct?: The tables should be set to DUAL since it will interact with a DQ table (sales) for query optimization reasons

[-] **Raza12** 1 point over 2 years ago

i think the given answer is Right. please check the link and confirm back for the rest of the people.

[-] **Namenick10** 3 points almost 3 years ago

Customer: Dual
Date: Dual
Sales: DirectQuery
SalesAggregate: Import

[-] **Churato** 2 points almost 3 years ago

Direct Query
Dual
Dual
Import

[-] **zerone72** 3 points almost 3 years ago

@Elena3061 I guess you should dual instead of DirectQuery because of their relationship with both import mode table and directQuery mode table. Take a look at _Jay_'s post and at the "Limited Relationship" paragraph in this article <https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-relationships-understand>

[-] **Elena3061** 2 points almost 3 years ago

Can someone explain for me why should we use Dual instead of DirectQuery for Date and Customer tables? Thank you

[-] **gabrysr1997** 4 points almost 3 years ago

is the answer correct?

Question 2



You have a CSV file that contains user complaints. The file contains a column named Logged. Logged contains the date and time each complaint occurred. The data in Logged is in the following format: 2018-12-31 at 08:59.

You need to be able to analyze the complaints by the logged date and use a built-in date hierarchy.

What should you do?

- A. Apply a transformation to extract the last 11 characters of the Logged column and set the data type of the new column to Date.
- B. Change the data type of the Logged column to Date.
- C. Split the Logged column by using at as the delimiter.
- D. Apply a transformation to extract the first 11 characters of the Logged column.

Hide Answer

[-] **_Jay_** 100 points almost 3 years ago

Selected Answer: C
Answer C is best approach
Split the Logged column by using "at" as the delimiter.

[-] **SylUK** 1 point 7 months ago

correct answer

[-] **GuerreiroJunior** 3 points over 2 years ago

Agreed with you Jay

[-] **Jay_98_11** 2 points over 2 years ago

agreed

[-] **red_02** 9 points over 2 years ago

If you choose to split it will create 2 columns but extract will give 1 column.

[-] **Meebler** 42 points over 2 years ago

C,

You should split the Logged column by using "at" as the delimiter. This will allow you to separate the date and time into separate columns, which will enable you to analyze the complaints by date and use a built-in date hierarchy. Alternatively, you could also use a transformation to extract the date and time from the Logged column and set the data type of the new columns to Date and Time, respectively. Option A is incorrect because it only extracts the last 11 characters of the Logged column, which would not include the date. Option B is incorrect because the data in the Logged column is in a non-standard date format and cannot be directly converted to the Date data type. Option D is incorrect because it only extracts the first 11 characters of the Logged column, which would not include the time.

[-] **AFarag** 3 points over 2 years ago

delimiter uses only one character, so "at" is not valid

[-] **cabbagepie** 11 points over 2 years ago

You actually can do that if you click on the "Select or enter delimiter" in the "Split Column by Delimiter" window that pops up after you click on "Split Column" in the "Transform" tab on top of your Power BI window. After you select the --Custom-- option from the drop down menu in the "Select or enter delimiter" drop down list, you can write "at" in the text box that appears below the drop down list.

[-] **dodoinparis** 1 point about 2 years ago

Correct answer

[-] **Lulu_2022** 2 points 26 days ago

Selected Answer: D

To enable Power BI's built-in date hierarchy, the column must be recognized as a valid Date type. The time and the extra text ("at") prevent Power BI from interpreting it correctly as a date.

By extracting the first 11 characters, you get just:

2018-12-31

It is not mentioned that time is needed.

[-] **arslanamjad** 1 point about 2 months ago

Selected Answer: C

Splitting the Logged column by the delimiter "at" separates the date and time into different columns, allowing you to convert the date part into a proper Date type and use Power BI's built-in date hierarchy for analysis.

[-] **Thejani** 1 point 3 months ago

Selected Answer: C

I think C

[-] **theamachine** 2 points 3 months ago

Selected Answer: D

1. The question didnt asked for time, it asked for date only.
 2. When using a delimited, there are two spaces before and after "at".
 3. C result still requires cleanup as it will give two columns one of them is the time.
- So the answer is D for sure.

[-] **2pado** 2 points 3 months ago

Selected Answer: D

Both answers C and D are correct, both get the job done since the question doesn't specify you need to keep the time. The time is meaningless, so keeping it is unnecessary. I guess I understand why people would like both columns, but it's better to just get rid of unnecessary columns to improve the model

[-] **BP215** 1 point 3 months ago

Selected Answer: C
Correct answer

[-] **Fellow_Commentor** 1 point 4 months ago

Selected Answer: D
The Correct Answer is D for two main reasons
1) The question is only interested in creating a DATE hierarchy, so time is irrelevant here, extracting the first 11 characters covers the entire Date.
2) the 'at' delimiter of option C will include the spaces as suffix and prefix, in the new split columns

[-] **Kbo05** 1 point 5 months ago

Selected Answer: C
Split the logged column with the delimiter space

[-] **teenthabo** 2 points 7 months ago

Selected Answer: D
D. Apply a transformation to extract the first 11 characters of the Logged column.
Extracting the first 11 characters will give you 2018-12-31, which is the date part. You can then set the data type of this new column to Date. This is the most straightforward and efficient approach.

[-] **Shrav95** 2 points 7 months ago

Selected Answer: D
Explanation:
The Logged column format is "2018-12-31 at 08:59".
To analyze by date and use a built-in date hierarchy, you need to extract just the date part.
The first 11 characters ("2018-12-31") represent the date.
Once extracted, you can convert this new column into a Date data type for proper analysis and use of the date hierarchy.
This ensures that the data is in a suitable format for date-based analysis.

[-] **MANANDAVEY** 1 point 7 months ago

Selected Answer: C
Answer is correct. Tried and tested.

[-] **BIFakeGuru** 4 points 8 months ago

Selected Answer: B
I have seen the same question in the Microsoft PL-300 preparation course on Coursera and here is the answer to that question:
You have a CSV file that contains user complaints. The table contains a column called Logged, which has data and the time of each complaint. The data is logged in the following format: 2022-12-21 at 08:35. You want to analyze the complaints by the logged date and utilize Power BI's built-in date hierarchy. What should you do?
- Split the logged column using 'at' as a delimiter.
- You can use the same column as the date hierarchy.
- Apply transformation to extract the column's first characters that only contain the date.
- Change the data type of the logged column to Date. ✓

[-] **BIFakeGuru** 1 point 8 months ago

Selected Answer: D
I have seen the same question in the Microsoft PL-300 preparation course on Coursera and here is the answer to that question:
You have a CSV file that contains user complaints. The table contains a column called Logged, which has data and the time of each complaint. The data is logged in the following format: 2022-12-21 at 08:35. You want to analyze the complaints by the logged date and utilize Power BI's built-in date hierarchy. What should you do?

- 1- Split the logged column using 'at' as a delimiter.
- 2- You can use the same column as the date hierarchy.
- 3- Apply transformation to extract the column's first characters that only contain the date.
- 4- Change the data type of the logged column to Date. ✓

[-] **AlexBear** 1 point 8 months ago

Selected Answer: D

My bad, A is talking about the last 11 characters, so my choice is D.

[-] **AlexBear** 1 point 8 months ago

Selected Answer: A

And yeah you should change the data type after D so the correct answer should be A

Question 3



You have a Microsoft Excel file in a Microsoft OneDrive folder.

The file must be imported to a Power BI dataset.

You need to ensure that the dataset can be refreshed in powerbi.com.

Which two connectors can you use to connect to the file? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

A. Excel Workbook

B. Text/CSV

C. Folder

D. SharePoint folder

E. Web

Hide Answer

[-] **Fer079** 94 points almost 3 years ago

Selected Answer: DE

We can import an excel file from multiple connectors (excel workbook, folder, web, sharepoint) but if we must refresh the data from the service with no gateways then We must use web and sharepoint connectors

[-] **Kikong75** 1 point 5 months ago

and why not Excel Workbook?: I think that this connector allows you to connect directly to an Excel file stored in OneDrive for Business. While some may argue that it could create a "local copy," this connector actually connects to the file in the cloud and allows you to refresh the dataset (with scheduled refreshes) in PowerBI.com without the need for a gateway.

[-] **gstep** 1 point 7 months ago

A, D and E are valid answers, which two are tem more accurate?

[-] **9f73003** 2 points over 1 year ago

It would depend if there is authentication involved with the SharePoint folder or the Web address, what if they are using basic auth? Anyway, either of the answers, a,b,c,d all offer difficulty for me to answer as the correct one. So, I guess it is which is the most correct?

[-] **Shalaleh** 4 points over 2 years ago

but OneDrive is cloud and we do not need a gateway.

[-] **NevilleV 2 points** almost 3 years ago

Try it. D and E won't work. Its looking for a URL

[-] **Fer079 19 points** almost 3 years ago

I tried both and they work perfectly, and of course, you need the path (in this case the URL of the excel file on One Drive) of the file, so I don't see the problem you say...

[-] **KobeData 15 points** almost 3 years ago

Works just fine, this is how you do it :)

[-] **GuerreiroJunior 5 points** over 2 years ago

Agreed KobeData

[-] **fred92 37 points** almost 3 years ago

Selected Answer: DE

A, B, C: wrong! Would work technically, but the connection will be only to the local copy of the file, no refresh from the online version stored on OneDrive

D: correct, but more complicated than option E

E: correct, this is the best option to import from OneDrive

[-] **Swah119 1 point** about 1 month ago

Selected Answer: DE

D& E should be the answer

[-] **Lulu_2022 1 point** about 2 months ago

Selected Answer: DE

D. SharePoint Folder

OneDrive for Business is built on SharePoint Online.

Using the SharePoint Folder connector allows Power BI to access all files in a document library.

You can then filter by file name or folder path to isolate your Excel file.

This method supports scheduled refresh in the Power BI Service.

E. Web

You can use the Web connector with a direct link to the Excel file stored in OneDrive.

Make sure to clean the URL (remove ?web=1) and authenticate using Organizational Account.

This also supports refresh in powerbi.com, as long as you use OAuth2 authentication3.

[-] **BP215 1 point** 3 months ago

Selected Answer: DE

DE is the right answer

[-] **Kbo05 1 point** 5 months ago

Selected Answer: AB

Excel/Workbook, Text/CSV

[-] **NgocPham 1 point** 6 months ago

Selected Answer: DE

For people who are using chat GPT, if you ask another question: which connectors allow refresh from powerbi.com, it will show you that if the file is on OneDrive, we should connect it via SharePoint, not a direct support. It answered A because it is a possibility and GPT does not always consider all the logic.

[-] **Ajani161 3 points** 6 months ago

Selected Answer: AE

It doesn't say Sharepoint folder. It explicitly says OneDrive.

[-] **b2775a4** 4 points 6 months ago

Selected Answer: AD

Correct Answers:

A. Excel Workbook: This is a direct and commonly used connector for importing Excel files into Power BI. It supports OneDrive integration and allows scheduled refreshes on powerbi.com.

D. SharePoint Folder: If the file is stored in a OneDrive folder, which is backed by SharePoint in the backend, the "SharePoint Folder" connector can be used to access it. This method is also refreshable.

Explanation of Other Options:

B. Text/CSV: Not applicable for Excel files unless the file is exported as a .csv. Even then, it won't support refresh like the Excel connector.

C. Folder: Used for combining files in a folder but not specifically for accessing a single Excel file in OneDrive.

E. Web: Can be used if the file is accessible via a web URL (e.g., a public link), but this is not optimal or commonly used for OneDrive-stored files.

[-] **Fatima300** 2 points 6 months ago

Selected Answer: AD

Since the Excel file is stored in a OneDrive folder, you need a connector that allows cloud-based access and scheduled refresh in Power BI Service.

✅ A. Excel Workbook (Correct)

This is the most direct and recommended way to connect to an Excel file stored in OneDrive.

It allows scheduled refresh in Power BI Service.

✅ D. SharePoint Folder (Correct)

OneDrive for Business is built on SharePoint, so the SharePoint Folder connector can also be used.

This is useful if you need to access multiple files in a OneDrive folder at once.

It supports scheduled refresh in Power BI Service.

[-] **Odidepse** 1 point 7 months ago

Selected Answer: AE

I tested this and answer is confirmed A and E. Question is what connectors, Excel workbook is a clear choice as stated on the question "Microsoft Excel file in a Microsoft OneDrive folder" when you select the 'excel workbook' connector, it grabs the file from one Drive. And E is the other clear answer (Web) connector, on the excel file , go to file>Info>copy path. Use the path and paste it on the URL section and I was able to retrieve and do a refresh. Nothing on the question that states excel is stored on a sharepoint folder so it is A and E for me.

[-] **mdnaseershah** 2 points 8 months ago

Selected Answer: AD

Tried Option A and it works. When you have OneDrive syncing on your machine then this option is simple and Straight forward.

D: Onedrive for business is built on SharePoint Online, hence you can access Ondrive files from SharePoint folder connector

[-] **jaume** 1 point 9 months ago

I would vote for A and D options.

Excel connector looks like requiring local gateway and web option in Semantic Model (former Dataset) I just tried is offering "Web API" and "Web Page" available options which doesn't look correct to me

[-] **SanaCanada** 4 points 10 months ago

Selected Answer: AD

Correct Answer A and D

A. Excel Workbook

D. SharePoint folder

You can use the "Excel Workbook" connector to connect to the Excel file stored in OneDrive and import it into a Power BI dataset. This connector allows you to select the OneDrive folder where the file is located and specify the file name.

You can also use the "SharePoint folder" connector to connect to the OneDrive folder and import the Excel file into a Power BI dataset. This connector allows you to specify the URL of the OneDrive folder and navigate to the Excel file within the folder.

Using either of these connectors ensures that the dataset can be refreshed in Power BI, as the connection to the OneDrive folder will remain active even if the Excel file is updated or moved within the folder.

No confusion, and no need to discuss further

[-] **CandySays** 4 points over 1 year ago

<https://www.youtube.com/watch?v=CYSMZxaXNLk>

[-] **masto71** 1 point 6 months ago

The video is two years old, and it seems that Microsoft has resolved the issue since then. I tested it, and it worked in my case.

[-] **T_bone** 1 point 11 months ago

I believe A & C are the right answers. I have my excel file in Onedrive and I connect to the dataset through this means and refresh my dashboards. We can import excel files directly from Onedrive which is cloud. gateway connection isnt needed.

[-] **nammm112** 1 point 11 months ago

Selected Answer: DE
schedule refresh without a gateway

[-] **Mustafa__** 1 point 12 months ago

Answer: A. Excel Workbook and D. SharePoint folder

Reason:

Excel Workbook (A): Directly connects to an Excel file stored in OneDrive. Power BI supports this connection type, and the dataset can be refreshed in Power BI service.

SharePoint folder (D): Connects to files stored in SharePoint, which includes OneDrive for Business. This allows Power BI to access and refresh the Excel file as long as it's in a SharePoint or OneDrive for Business folder.

Text/CSV (B): Used for CSV files, not Excel files.

Folder (C): Used for multiple files in a folder, not specifically for a single Excel file.

Web (E): Used for web URLs, not for files stored in OneDrive.

[-] **asdren88** 1 point 11 months ago

that is how I understood it as well. As mentioned we have an Excel file in one drive.
So we would first connect with the SharePoint folder, and then get the Excel from that folder.

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: DE
You need to ensure that the dataset can be refreshed in powerbi.com

[-] **niceguysfinishlast** 1 point about 1 year ago

a and c are correct. it requires physical copies to be imported into the power bi dataset and not some data gateway as in the case of web and sharepoint.

[-] **KipngenhVinnie** 1 point about 1 year ago

The correct Answer that i am very sure of is E, i always connect my google sheet file to power BI using web option and it always get refreshed on schedule refresh

[-] **HenryBiz** 1 point about 1 year ago

Selected Answer: DE
Tested.

[-] **CaptainSappy11** 1 point over 1 year ago

Selected Answer: DE
Since the File is in excel format and residing in cloud (OneDrive), we can connect to it easily either by SharePoint or Web Connectors.

[-] **emmanueladisa1** 1 point over 1 year ago

Chatgpt says the answer is sharepointfolder and web and I agree

[-] **9f73003** 4 points over 1 year ago

ChatGPT is wrong A TON!!! Be very careful with that thing.

[-] **Muying_Zhao** 5 points over 1 year ago

Selected Answer: AC

"The file must be imported to a Power BI dataset." that may be the key of this question, as the 4 options can connect to the online file, if want this file can be imported to a Power BI dataset, Sharepoint folder and Web will have some limitations, but Excel Workbook and Folder can definitely be imported to this Power BI dataset.

Excel Workbook and Folder related documents:

Connect to a folder from Power Query Online:

<https://learn.microsoft.com/en-us/power-query/connectors/folder#connect-to-a-folder-from-power-query-online>

Connect to an Excel workbook from Power Query Online:

<https://learn.microsoft.com/en-us/power-query/connectors/excel#connect-to-an-excel-workbook-from-power-query-online>

[-] **Dani_eL** 5 points over 1 year ago

Selected Answer: AC

A & C connectors present you the common dialog window allowing you to pickup the file from your ONE DRIVE

FOLDER(available from windows explorer).

No credentials needed, no extra authentication

[-] **shs31** 4 points over 1 year ago

option D&E - The SharePoint folder connector also work for files hosted on OneDrive for Business.

[-] **Uhoh** 1 point over 1 year ago

thnx was looking for this :)

[-] **SumaiyaKS** 4 points over 1 year ago

The correct answer is E - Web

<https://learn.microsoft.com/en-us/power-bi/connect-data/desktop-use-onedrive-business-links>

[-] **HoanNguyenVNmese** 2 points over 1 year ago

2 answers brah

[-] **asnygen** 1 point over 1 year ago

Chatgpt: Excelworkbook and Web

[-] **bbshu0801** 5 points over 1 year ago

Chatgpt is not always right.

[-] **9f73003** 1 point over 1 year ago

ChatGPT is wrong a ton and DANGEROUS! Seriously. People need to do their homework and recognize ChatGPT for the entertainment piece that it is, and that is all it is.

[-] **cs3122** 5 points over 1 year ago

GPT probably found its answer from this site, unfortunately

[-] **Ryan_042** 5 points over 1 year ago

Selected Answer: AC

- The biggest difference between AC and DE is about authentication. With AC you already have the OneDrive folder synced to your computer, so once the dataset is published into the Power BI service, no further configuration needs to be made (assume that gateway was installed on your computer).

- On top of that all 4 option is possible, but AC requires the least operation. Since the question does not mention anything about authentication, AC should be the most suitable

[-] **CookieMingkee** 5 points over 1 year ago

The requirement is "You need to ensure that the dataset can be refreshed in powerbi.com". No assumption on what you need to configure so that the dataset is updated. If you're connected through the Web or SharePoint Location, the

ability to refresh from Power BI is already available with no additional connection configuration.

[-] **venupurna** 28 points almost 2 years ago

This was in the exam today.
I passed the exam with 911 score.
My answer : SharePoint Folder and Web

[-] **TrustMyAnswers** 1 point almost 2 years ago

D and E, because the data needs to be refreshed from PBI Service.

[-] **Kish1604** 3 points almost 2 years ago

Selected Answer: DE
Connecting via SharePoint folder or Web does not require Gateway service

[-] **IrynaVilner** 1 point almost 2 years ago

My answer is A,C

[-] **sankeytm** 3 points almost 2 years ago

Selected Answer: DE
Referred to -
<https://learn.microsoft.com/en-us/power-bi/connect-data/desktop-use-onedrive-business-links>

[-] **Pratham8285** 5 points almost 2 years ago

Selected Answer: DE
It's definitely DE as explained from Microsoft instructor

[-] **Igetmyrole** 2 points almost 2 years ago

A & D are the two connectors we use to connect to the file.
That is because:
A. Excel Workbook: Power BI supports direct connections to Excel files in OneDrive, allowing you to import data and refresh it in Power BI Service.
D. SharePoint folder: OneDrive for Business is often integrated with SharePoint, and you can use the SharePoint folder connector to access files stored in a SharePoint document library, which can include OneDrive files.

[-] **Acrious** 2 points about 2 years ago

Selected Answer: DE
In the Excel connector you can see the documentation says "If the Excel workbook is online, use the Web connector to connect to the workbook."

[-] **Bnxyl** 1 point about 2 years ago

The answer is D and E.
This is what stands out in the question
"You need to ensure that the dataset can be refreshed in powerbi.com."
You can sync your one drive with SharePoint folder and then for one drive, no gateway is needed so you can just use web for connecting

[-] **globalexamtopics** 1 point about 2 years ago

ChatGPT4:
According to the document, to connect to the Excel file in a Microsoft OneDrive folder for importing to a Power BI dataset, you can use the following two connectors:
Excel Workbook (Option A): Power BI allows you to get data from many types of files, including Excel workbooks. You can select the Excel option when using the Get data feature in Power BI Desktop.
SharePoint - Team Sites (Option D): Saving your Power BI Desktop files to SharePoint Team Sites is similar to saving to OneDrive for Business. The main difference is how you connect to the file from Power BI. You can specify a URL or connect to the root folder.

[-] **Maniula** 3 points about 2 years ago

ChatGPT doesn't know the question, which is about Excel Workbook but on OneDrive, not on your computer.
The answer is Web & Sharepoint (can be synced with OneDrive).

[-] **AlanTech** 1 point about 2 years ago

From reading materials:

According to the document, to connect to a Microsoft Excel file in a Microsoft OneDrive folder and ensure that the dataset can be refreshed in powerbi.com, you can use the following two connectors:

Excel Workbook (Option A): Power BI allows you to get data from many types of files, including Excel workbooks. You can select the Excel option when using the Get Data feature in Power BI Desktop.

SharePoint - Team Sites (Option D): Saving your Power BI Desktop files to SharePoint Team Sites is similar to saving to OneDrive for Business. The main difference is how you connect to the file from Power BI. You can specify a URL or connect to the root folder.

[-] **ET_phone_home_son** 1 point about 2 years ago

Selected Answer: DE

The answer depends on the requirement to be able to refresh the dataset in Power BI Service - of the choices here, only the Web and SharePoint Folder connectors permit scheduled refresh in PBI Service.

[-] **JJMC5544** 1 point about 2 years ago

Selected Answer: DE

Surely, when you use SharePoint Folder, you need to use root folder, not subfolders.

Web is directly connection to excel file

[-] **Amosrab** 1 point about 2 years ago

D and E

[-] **CrisRondaloGonzalez** 1 point about 2 years ago

Selected Answer: DE

To connect PowerBi to a one drive folder you need a digital link

[-] **inejo** 2 points about 2 years ago

Hola de nuevo, es A y E, de acuerdo con este vídeo <https://youtu.be/RSh3ZaPUX24>

[-] **NLeeXTung** 2 points about 2 years ago

Selected Answer: DE

The question asks us "Dataset can be refreshed in PBI" so when the report published to any other owner's Workspaces it can be refreshed

- Options A - B - C use the local address of your single file/folder although it stay in Onedrive but this is your synced local file/folder

- Options D - E of course using web address (https://)

[-] **mhv22** 3 points about 2 years ago

CHATGPT answer :

To ensure that the dataset can be refreshed in powerbi.com from a Microsoft Excel file in a Microsoft OneDrive folder, you can use the following connectors:

A. Excel Workbook: This connector allows you to connect directly to Excel files and import data from them into Power BI.

D. SharePoint folder: Since the file is located in a Microsoft OneDrive folder, which is often associated with SharePoint, you can use the SharePoint folder connector to connect to the OneDrive folder and import the Excel file.

Therefore, the correct connectors to use in this scenario are A. Excel Workbook and D. SharePoint folder.

[-] **PREM77** 1 point about 2 years ago

Ans: (A)Excel Workbook and (D) SharePoint folder.

option C (Folder) and option E (Web) are not the appropriate connectors for connecting to an Excel file in a Microsoft OneDrive folder.

[-] **Jagu_sheth** 1 point about 2 years ago

Selected Answer: AD

Excel Workbook and Sharepoint are the best methods to connect data in this scenario

[-] **SanaCanada** 1 point about 2 years ago

The Web connector in Power BI allows you to connect to various web-based data sources, such as web pages, web APIs, and OData feeds. While it is not specifically designed to connect to OneDrive, you may be able to use the Web connector to access OneDrive data if you have a way to authenticate and access the API for your OneDrive account. However, using one of the other connectors specifically designed for OneDrive (such as Excel Workbook or SharePoint Folder) would likely be a more straightforward and efficient way to connect to your Excel file in OneDrive.

[-] **snrg564** 2 points over 2 years ago

The correct connectors to connect to a Microsoft Excel file in a Microsoft OneDrive folder and ensure dataset refresh in Power BI are:

A. Excel Workbook

E. Web

Explanation:

A. Excel Workbook: This connector allows you to connect directly to an Excel file (.xlsx) stored in OneDrive and import data into Power BI. It provides a seamless integration between Excel and Power BI.

E. Web: This connector enables you to connect to a file hosted on the web, including files stored in OneDrive. By providing the URL of the Excel file in OneDrive, you can import its data into Power BI and set up automatic refreshes.

Both these connectors, Excel Workbook and Web, provide the necessary functionality to connect to a file in OneDrive and import it into Power BI while ensuring dataset refresh in Power BI service.

[-] **safz** 1 point about 2 years ago

web is not recommended for connecting Excel files stored in OneDrive .

[-] **madyjoe21** 1 point about 2 years ago

why not?

[-] **madyjoe21** 1 point about 2 years ago

that is my understanding too

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: AD

Excel workbook is in OneDrive and OneDrive is cloud and we do not need a gateway.

[-] **SanaCanada** 2 points over 2 years ago

Selected Answer: AD

If the Excel file is stored in OneDrive, then the best connectors to use for refreshing the file in Power BI service are:

Excel Workbook connector - This connector allows you to import data from an Excel workbook stored in OneDrive and create a dataset in Power BI. Once the dataset is created, you can publish it to Power BI service and set up scheduled refresh to ensure the data is up-to-date.

SharePoint Folder connector - This connector allows you to access files stored in SharePoint and OneDrive for Business, including Excel workbooks. You can use this connector to import data from an Excel workbook stored in OneDrive, create a dataset in Power BI, and set up scheduled refresh.

If the Excel file is stored locally on your computer or on a network drive, then the best connector to use for refreshing the file in Power BI service is:

[-] **SanaCanada** 6 points over 2 years ago

Selected Answer: AD

Further clarification

The Web connector in Power BI is not the best option for connecting to an Excel file. There are other connectors specifically designed for connecting to Excel files, such as the Excel Workbook connector and the SharePoint Folder connector.

The Web connector is best suited for connecting to web-based data sources that expose data through a URL or web address, such as web pages, web APIs, and OData feeds.

To connect to an Excel file stored in OneDrive or SharePoint, you should use the Excel Workbook or SharePoint Folder connector, respectively. These connectors are specifically designed to connect to Excel files and allow you to import data from the Excel file and create a dataset in Power BI.

Once the dataset is created, you can then publish the dataset to the Power BI service and set up scheduled refresh to ensure the data is up-to-date.

[-] **wellingtonluis** 1 point over 2 years ago

Guys, How do you connect excel file in one drive via SharePoint ?

[-] **luojihench** 1 point over 2 years ago

AC are correct, tried, one drive is a folder after all.

[-] **pepix74** 2 points over 2 years ago

From chatGPT:

OneDrive is a web-based storage service. However, in the context of this question, option E (Web) is not a suitable connector to use for importing the Excel file to a Power BI dataset because the Web connector is designed for connecting to web-based APIs and web services, and not for importing files from cloud-based storage solutions like OneDrive.

To import an Excel file from OneDrive to Power BI, it is recommended to use the Excel Workbook connector or the SharePoint folder connector, depending on how the file is stored.

Therefore, in this specific scenario, option E (Web) is not the correct answer.

[-] **DUVANES** 1 point over 2 years ago

Selected Answer: DE

El archivo de .xlsx se encuentra en una carpeta de OneDrive, por lo que conectarse a ella puede ser a través de una carpeta SP o Web

[-] **Akin_Eren** 2 points over 2 years ago

Selected Answer: AC

A and C seems correct -- if you connect to your excel file on one drive through Excel connection, the updates on one drive document are reflected on Power BI <https://learn.microsoft.com/en-us/power-bi/connect-data/refresh-excel-file-onedrive>

[-] **PowerBiDAXSQL** 5 points over 2 years ago

These tricky questions are so annoying.

[-] **mecham** 2 points over 2 years ago

Selected Answer: DE

Key Phrase :: Each correct answer presents a complete solution.

[-] **Mutti** 1 point over 2 years ago

Wie so nicht A und C das ist doch viel sinnvoller!

[-] **ewelaela** 1 point over 2 years ago

Selected Answer: DE

Otherwise we would only connect locally and it wouldn't be possible to refresh it in power bi service.

[-] **JainiFleischer** 1 point over 2 years ago

A and C

[-] **Nikeferr** 2 points over 2 years ago

make a test with my personal onedrive space from office 365 logged on my windows 11, then i can catch the excel using excel connectors and folder connector, it works but only personal onedrive, maybe on ONEDRIVE FOR BUSINESS the answer is other.

[-] **LucianaFS** 3 points over 2 years ago

This is a very tricky question. The options A and E are correct IF Microsoft OneDrive had synchronized with a folder at personal computer... Otherwise the answer is D and E.

[-] **marcionlinerj** 1 point over 2 years ago

Selected Answer: E

I Agree. E is a better solution.

[-] **KarthikKumarK** 6 points over 2 years ago

Selected Answer: DE

If data should be refreshed, Then refresh will work when the connectors are web or SharePoint folder. It means, data should be available all time (online). If we use local path, It required a gateways.

Thanks

Karthik

[-] **golden_retriever** 2 points over 2 years ago

The question is tricky. It stated "OneDrive Folder", not "OneDrive for Business Folder", which turns to Sharepoint and has path. Mere OneDrive has no path at all.

[-] **Hoeishetmogelijk** 6 points over 2 years ago

Selected Answer: DE

D & E

[-] **Pauwels** 3 points over 2 years ago

Selected Answer: DE

I have Try them,

A, B, C Totally impossible.

E work

D i got some errors surely i miss something

[-] **lukelin08** 2 points over 2 years ago

Selected Answer: DE

D & E seem to be the consensus

[-] **Glubbs** 1 point almost 3 years ago

Selected Answer: DE

To keep the dataset on powerbi.com updated, should be online. (I believe also must be considered the right OneDrive version - <https://www.microsoft.com/en-ca/microsoft-365/onedrive/onedrive-for-business>)

[-] **Namenick10** 2 points almost 3 years ago

Selected Answer: DE

D & E correct

[-] **Churato** 4 points almost 3 years ago

Selected Answer: DE

D and E. that's the way that I actually do on my job

[-] **Djibsonx7** 3 points almost 3 years ago

It's DE i think referred from

<https://learn.microsoft.com/en-us/power-bi/connect-data/refresh-excel-file-onedrive>

[-] **PinkZebra** 4 points almost 3 years ago

Selected Answer: DE

Two options:

- Copy and edit Path of the Excel file then use "Web" Connector: Option E

- Copy and edit Path of the OneDrive folder then use "Sharepoint Folder" connector: Option D

Source: <https://www.youtube.com/watch?v=GGHbbg6yi-A>

[-] **adrale26** 1 point almost 3 years ago

I think the option is Web insted of Excel woorkbook <https://learn.microsoft.com/en-us/power-bi/connect-data/desktop-use-onedrive-business-links>

[-] **zagiell** 2 points almost 3 years ago

You have to ensure that data will be update. So should will be correct answer Sharepoint folder and web? Because you have to import Excel workbook and folder, but Web and Sharepoint folder update automatically.

[-] **nucleus21** 1 point almost 3 years ago

A.Excel workbook with web path to the file
D.Sharepoint Folder with web path to OneDrive (sharepoint) root domain >navigation to file
since it needs to be refreshed online option C will fail as it calls the folder from local path

[-] **Snow_28** 2 points almost 3 years ago

A. Excel workbook
C. Folder

[-] **bjornopjemic** 6 points almost 3 years ago

Isn't Web an option as well?
<https://learn.microsoft.com/en-us/power-bi/connect-data/desktop-use-onedrive-business-links>

[-] **NevilleV** 1 point almost 3 years ago

I dont think so. Where do you find a URL for One Drive

[-] **OGESSIUSER** 4 points almost 3 years ago

Selected Answer: AC
A. Excel Workbook
C. Folder

[-] **GPerez73** 2 points almost 3 years ago

It is correct for me

[-] **Guru1337** 1 point almost 3 years ago

So I agree with the answer, but I believe you could also use the Text/Csv connector. So B should in theory also be a valid answer.

[-] **GPerez73** 3 points almost 3 years ago

It says Excel file, so B does not meet the requeriment

[-] **NevilleV** 1 point almost 3 years ago

Not! The question states Excel file not Text/csv


Question 4



HOTSPOT -

You are profiling data by using Power Query Editor.

You have a table named Reports that contains a column named State. The distribution and quality data metrics for the data in State is shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

There are [answer choice] different values in State including nulls.

There are [answer choice] non-null values that occur only once in State.

- 4
- 65
- 69
- 73

- 4
- 65
- 69
- 73

Hide Answer

Correct answer:

Box 1: 69 -

69 distinct/different values.

Note: Column Distribution allows you to get a sense for the overall distribution of values within a column in your data previews, including the count of distinct values (total number of different values found in a given column) and unique values (total number of values that only appear once in a given column).

Box 2: 4 -

Reference:

<https://systemmanagement.ro/2018/10/16/power-bi-data-profiling-distinct-vs-unique/>

Answer Area

There are [answer choice] different values in State including nulls.

4
65
69
73

There are [answer choice] non-null values that occur only once in State.

4
65
69
73

[-] **olajor** 146 points almost 3 years ago

69 is always the right choice! ;)

[-] **loganzz** 9 points 12 months ago

69 and 4

[-] **yaguitoEC** 5 points about 2 years ago

Yes, best answer

[-] **learnazureportal** 28 points almost 3 years ago

Answer is correct

[-] **BP215** 2 points 3 months ago

69 and 4

[-] **pavanmanideep** 1 point 6 months ago

Different should include Distinct and Unique records

[-] **ddd29291998** 3 points 11 months ago

Actually, I tested and "unique" also counts a unique blank cell if you have it

[-] **rcaliandro** 3 points 12 months ago

69 and 4 is the correct option:

There are 69 different values in State including nulls

There are 4 non-null values that occur only once in State

[-] **rcaliandro** 1 point 12 months ago

69 and 4 is the correct option:

[-] **CaptainSappy11** 2 points over 1 year ago

Answer is correct.

[-] **sm222** 18 points over 1 year ago

For everyone confused, the rule to remember is that Unique values are a subset of distinct values. So, every unique value is a distinct value but distinct values are not always unique.

[-] **shulaijia** 1 point over 1 year ago

Answer is correct

[-] **TrustMyAnswers** 6 points almost 2 years ago

Given answers are correct. 69 distinct, 4 unique.

[-] **thomas_90** 4 points almost 2 years ago

69 and 4

[-] **SaiCharan534** 2 points almost 2 years ago

69 , 4 :)

[-] **lgetmyrole** 9 points almost 2 years ago

69 and 4 are correct.

The column has 69 distinct values, which includes all unique values (4) plus the empty values(nulls).

There are 4 unique values in the column, those are non-null values that occur only once in the "State" column.

[-] **n_uttam28** 3 points almost 2 years ago

69 and 4

[-] **madyjoe21** 1 point about 2 years ago

Why the 4 unique values are not considered distinct values as well? I didn't get it! Does anyone could help me please? Ty.

Answer: 73 and 4

[-] **Bamlaku** 11 points almost 2 years ago

This Column Distribution feature allows you to get a sense for the overall distribution of values within a column in your data previews, including the count of distinct values (total number of different values found in a given column) and unique values (total number of values that only appear once in a given column). In other words, distinct values represent the total number of different values found in a given column, while unique values represent the total number of values that only appear once in a given column.

Cheers!

[-] **Xtophine** 1 point almost 2 years ago

Nice explanation!!!

[-] **powerbot9000** 1 point over 1 year ago

Perfect explanation, but correct me if I am wrong this data set would then have 65 null values?

[-] **mustafaalhnuty** 1 point almost 2 years ago

every unique value is considered as distinct so sum with distinct my friend :)

[-] **ET_phone_home_son** 1 point about 2 years ago

69 Distinct (Different) values (including null) / 4 Unique (1 (UNI) appearance each) values

[-] **Vandey** 3 points about 2 years ago

Can anyone share the downloaded pdf for the exam. Because I am writing the exam tomorrow

[-] **inejo** 2 points about 2 years ago

69 y 4 esta bn

[-] **LouStar2** 6 points about 2 years ago

This was on the exam.
I thought I understood it but now certain I got the first answer wrong.
It helps me to notice that unique values are counted within the distinct values.
So yeah, 69 and 4

[-] **Shalaleh** 3 points over 2 years ago

69 different values
4 unique

[-] **glenman0202** 3 points over 2 years ago

Correct. There are 69 different values in the column, 4 of which only occur once.

[-] **DUVANES** 1 point over 2 years ago

1. Hay 69 valores diferentes en State, incluidos los valores nulos.
2. Hay 4 valores no nulos que aparecen solo una vez en State.

[-] **JuliaYan** 2 points over 2 years ago

69&4 is correct

[-] **yordiye** 2 points over 2 years ago

73
4 ABOSOLUTLY CORRECT ..HERE IS THE EVIDENCE distinct in this table tells you the total count of how many values are present, while unique tells you how many of those values only appear once.

[-] **Jew0598** 1 point over 2 years ago

Hey, the column distribution clearly mentions that there are 69 distinct values out of which 4 values occurs only once.
So clearly, its 69 & 4.

[-] **Ashishsingh07** 1 point over 2 years ago

There are literally two numbers mentioned in the question oxo.

[-] **opek** 2 points over 2 years ago

69 nice
4

[-] **synru** 1 point over 2 years ago

null value is counted in distinct and unique values

[-] **MawadaRaafat** 2 points over 2 years ago

it will not be counted in case of unique because it occurred 4% I think it happened more than one time

[-] **lukelin08** 6 points over 2 years ago

69 & 4. Answer is correct

[-] **andregrahamnz** 2 points over 2 years ago

69/4, 100%

[-] **Churato** 4 points almost 3 years ago

Unique represents values that appears just 1 time (Only once) at this column...
If Null is greater than 1, it counts JUST as a "Distinct" and will NOT change the "Unique Value".
PS: In case of just 1 Null row, it WILL increase the Unique (just +1, no matters how many times it will occurred, JUST +1)!!!
..So, 69 different values (including Nulls) are on this Column AND it's not possible to define How many rows it has (so far, so good! this is not required here)

AND, as... Null is GREATER than 1 (just checking the percentage), we concluded that : There are 4 Unique non-nulls values that occurred only once in State.

the answer is:

69 for the first and 4 to the last one.

[-] **Churato 1 point** almost 3 years ago

Please, disregard the "PS"

[-] **Nurgul 6 points** almost 3 years ago

The given answer is correct.

There are 69 different values in State including nulls.

There are 4 non-null values that occur only once in State.

[-] **div4lyfe 4 points** almost 3 years ago

answer is correct

Question 5



HOTSPOT -

You have two CSV files named Products and Categories.

The Products file contains the following columns:

☞ ProductID

☞ ProductName

☞ SupplierID

☞ CategoryID

The Categories file contains the following columns:

☞ CategoryID

☞ CategoryName

☞ CategoryDescription

From Power BI Desktop, you import the files into Power Query Editor.

You need to create a Power BI dataset that will contain a single table named Product. The Product will table includes the following columns:

☞ ProductID

☞ ProductName

☞ SupplierID

☞ CategoryID

☞ CategoryName

☞ CategoryDescription

How should you combine the queries, and what should you do on the Categories query? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Combine the queries by performing a:

Append
Merge
Transpose

On the Categories query:

Delete the query.
Disable the query load.
Exclude the query from report refresh.

Hide Answer

Correct answer:

Box 1: Merge -

There are two primary ways of combining queries: merging and appending.

- * When you have one or more columns that you'd like to add to another query, you merge the queries.
- * When you have additional rows of data that you'd like to add to an existing query, you append the query.

Box 2: Disable the query load -

Managing loading of queries -

In many situations, it makes sense to break down your data transformations in multiple queries. One popular example is merging where you merge two queries into one to essentially do a join. In this type of situations, some queries are not relevant to load into Desktop as they are intermediate steps, while they are still required for your data transformations to work correctly. For these queries, you can make sure they are not loaded in Desktop by un-checking 'Enable load' in the context menu of the query in Desktop or in the Properties screen:

Reference:

<https://docs.microsoft.com/en-us/power-bi/connect-data/desktop-shape-and-combine-data> <https://docs.microsoft.com/en-us/power-bi/connect-data/refresh-include-in-report-refresh>

Answer Area

Combine the queries by performing a:

Append
Merge
Transpose

On the Categories query:

Delete the query.
Disable the query load.
Exclude the query from report refresh.

[-] **GPerez73** 68 points almost 3 years ago

Ok for me

[-] **mustafaalhnuty** 3 points almost 2 years ago

Ok for me too 👍

[-] **Nurgul** 26 points almost 3 years ago

The given answer is correct.
Combine the queries by performing a: Merge.
On the Categories query: Disable the query load.

[-] **BP215** 1 point 3 months ago

Given answer is correct

[-] **Bob_38** 1 point 10 months ago

Correct

[-] **rcaliandro** 1 point 12 months ago

Of course we need to merge the two queries (join them) and we have also to disable the query load. The answer is OK for me

[-] **thomas_90** 1 point almost 2 years ago

answer is correct

[-] **lgetmyrole** 6 points almost 2 years ago

Merge & Exclude the query from report refresh are correct answers.
Use the merge to combine the "Products" and "Categories" queries based on the "CategoryID" column.
Once we have combined the queries, we don't need the standalone "Categories" query because we have merged its data into the "Product" table. We "Exclude the query from report refresh" to ensure it doesn't unnecessarily reload when refreshing the report.

[-] **ET_phone_home_son** 1 point about 2 years ago

Merge / Disable query load

[-] **inejo** 1 point about 2 years ago

La respuesta es correcta Combinar, pq se requiere complementar la primera tabla y Deshabilitar la carga de la consulta, para mejor rendimiento.

[-] **DUVANES** 1 point over 2 years ago

1. Combine las consultas realizando: Merge - Combinar
2. En la consulta Categorías: Deshabilite la carga de consultas.

[-] **svg10gh** 5 points over 2 years ago

This is correct
- Merge
- Disable the query load

[-] **GuerreiroJunior** 3 points over 2 years ago

I totally agree with the answer, Merge and disable the category query

[-] **PsgFe** 4 points over 2 years ago

correct
- Merge
- Disable the query load

[-] **SSN_18** 1 point over 2 years ago

correct answer

[-] **GSKop** 1 point over 2 years ago

Correct

[-] **AlexYang_** 1 point over 2 years ago

- Merge
- Disable load

[-] **reyn007** 3 points over 2 years ago

I understand the merge and the disable query concept but why don't you delete the categories table after merge

[-] **Hoeishetmogelijk** 7 points over 2 years ago

Usually the import is not a one time exercise and you will want to be able to refresh the datamodel with updated sources. Then you will need the Categories QUERY again.

This first option is about deleting the Categories QUERY, not the Categories TABLE.

[-] **Addictedx_19** 1 point over 2 years ago

Thanks 🙏, very clear now

[-] **ZSun** 3 points about 2 years ago

You should not thank him, because this answer didn't answer any question.

This is a good explanation of "disable query update", but not explanation of "delete the query" in fact, the answer is simple. If i delete query, i got nothing to upload to Power BI, think about this.

[-] **lukelin08** 3 points over 2 years ago

Answer is correct for me

[-] **psychosystema** 3 points over 2 years ago

Answer is correct, disabling the query load for Categories will exclude it from appearing as a table.

[-] **JohnHail** 2 points almost 3 years ago

ok, make sense

[-] **ClassMistress** 2 points almost 3 years ago

Correct answer

[-] **Zainah22** 2 points almost 3 years ago

Right Ans

[-] **Dovoto** 1 point almost 3 years ago

Correct answer

[-] **adizzz54** 2 points almost 3 years ago

Right Ans

[-] **val38** 3 points almost 3 years ago

OK for me

[-] **VeroF** 4 points almost 3 years ago

Ok for me too

Question 6

You have an Azure SQL database that contains sales transactions. The database is updated frequently.

You need to generate reports from the data to detect fraudulent transactions. The data must be visible within five minutes of an update.

How should you configure the data connection?

- A. Add a SQL statement.
- B. Set the Command timeout in minutes setting.
- C. Set Data Connectivity mode to Import.
- D. Set Data Connectivity mode to DirectQuery.

Hide Answer

[-] **lukelin08** 30 points over 2 years ago

Selected Answer: D

D is correct for me

[-] **lgetmyrole** 6 points almost 2 years ago

D is the correct answer.

DirectQuery model allows Power BI to directly query the data source (Azure SQL database, in this case) in real-time or near real-time. When data is updated in the database, DirectQuery ensures that the reports reflect the most current data without the need to import and refresh the data into the Power BI model.

[-] **bona2024** 1 point 2 months ago

Selected Answer: D

Direct Query will give near real time data

[-] **BP215** 1 point 3 months ago

Selected Answer: D

D is the right answer

[-] **SliqueCia** 1 point 6 months ago

Selected Answer: D

Since the data is near real time, DirectQuery is necessary

[-] **Odidepse** 1 point 7 months ago

Selected Answer: D

Presented answer is correct, within 5 minutes can only be achieved through direct query

[-] **DexTorao** 2 points 9 months ago

D for direct query

[-] **tejas9patil** 1 point 10 months ago

Selected Answer: D

For near real time data, always use direct query

When it is not feasible to cache data in power BI, due to size constraints, always use direct query

[-] **Bob_38** 1 point 10 months ago

Selected Answer: D

correct

[-] **rcaliandro** 3 points 12 months ago

Selected Answer: D

Also for me is D. Set the connectivity mode to Direct Query. Because the data is refreshed each 5 minutes and the data in this way is not loaded into a cache but it is always refreshed

[-] **RedRoss** 2 points over 1 year ago

Selected Answer: D

It'll not load the data in power query but go back to the original data source (SQL DB) which is updated frequently.

[-] **sankeytm** 2 points almost 2 years ago

Selected Answer: D

D is correct for me

[-] **Chenemi** 1 point about 2 years ago

Selected Answer: D

dIRECT QUERY IS BEST

[-] **ET_phone_home_son** 2 points about 2 years ago

Selected Answer: D

Near real-time data needed, so DirectQuery is needed.

[-] **Jagu_sheth** 1 point about 2 years ago

Selected Answer: D

Correct Ans

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: D

Direct Query is the best choice!

[-] **lizbette** 1 point over 2 years ago

Selected Answer: D

DirectQuery - best for real-time, or if you have large datasets to pull from

<https://learn.microsoft.com/en-us/training/modules/get-data/6-storage-mode>

[-] **DUVANES** 1 point over 2 years ago

Selected Answer: D

D. Establezca el modo de conectividad de datos en DirectQuery.

[-] **ClassMistress** 2 points over 2 years ago

D is the correct answer

[-] **Nuli** 1 point over 2 years ago

D is correct because the database is updated frequently.

[-] **scotchtapebunny** 4 points over 2 years ago

Yup! D seems most appropriate.

[-] **ClassMistress** 3 points almost 3 years ago

D. Set Data Connectivity mode to DirectQuery because the data is accessed frequently.

[-] **CHT1988** 3 points almost 3 years ago

Selected Answer: D

D. Set Data Connectivity mode to DirectQuery.

[-] **samad1234** 2 points almost 3 years ago

DirectQuery

[-] **adizzz54** 3 points almost 3 years ago

Selected Answer: D
Direct query

[-] **OGESSIUSER** 3 points almost 3 years ago

Selected Answer: D
D. Set Data Connectivity mode to DirectQuery.

[-] **MilouSluijter** 3 points almost 3 years ago

D

Question 7

DRAG DROP -

You have a folder that contains 100 CSV files.

You need to make the file metadata available as a single dataset by using Power BI. The solution must NOT store the data of the CSV files.

Which three actions should you perform in sequence. To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

From Power BI Desktop, select **Get Data**, and then select Folder.

From Power Query Editor, expand the Attributes column.

From Power Query Editor, remove the Content column.

From Power Query Editor, remove the Attributes column.

From Power BI Desktop, select Get Data, and then select Text/CSV.

From Power Query Editor, combine the Content column.

Answer Area

Hide Answer

Correct answer:

Actions

From Power BI Desktop, select **Get Data**, and then select Folder.

From Power Query Editor, expand the Attributes column.

From Power Query Editor, remove the Content column.

From Power Query Editor, remove the Attributes column.

From Power BI Desktop, select Get Data, and then select Text/CSV.

From Power Query Editor, combine the Content column.

Answer Area

From Power BI Desktop, select **Get Data**, and then select Folder.

From Power Query Editor, remove the Content column.

From Power Query Editor, expand the Attributes column.

[-] **emmanuelkech** 244 points almost 3 years ago

I think the correct flow is
Get data then select folder
Remove content Colum
Expand Attribute Colum

[-] **GabryPL** 28 points over 2 years ago

what about:

- 1) get data from folder
- 2) expand attribute
- 3) remove content column

why should this order be wrong?

[-] **5767542** 6 points 7 months ago

your answer is wrong. It should be in this order

Get Data from the folder:

This is the first step where you connect to the folder that contains your CSV files. Power BI will recognize all the CSV files in the folder and generate a dataset with both file metadata and content.

Remove Content Column:

After you load the data from the folder, Power BI typically presents two columns: Content (which contains the actual data of the CSV files) and Attributes (which contains the metadata). In this step, you would remove the Content column to ensure you're only working with the metadata (e.g., file names, paths, creation dates).

Expand Attributes:

The Attributes column contains a record with metadata for each file. To make the metadata more accessible and usable in your report, you'll need to expand this column. Expanding will break the record down into individual metadata fields (e.g., file name, file path, etc.), so that you can work with these attributes as separate columns in Power Query.

[-] **HN_3532** 19 points over 2 years ago

It's not wrong, but the rule of thumb is "Filter left. Format right.". Removing columns is vertical filtering, so it should be on top.

[-] **Nemesizz** 1 point over 2 years ago

What do u mean with vertical filtering?

[-] **itenginerd** 6 points almost 2 years ago

Horizontal filtering = removing rows we don't want.

Vertical filtering = removing columns we don't want.

[-] **33148b2** 2 points 6 months ago

Am I the only one who thinks that "The solution should NOT store data from CSV files" is trick part in the question?

[-] **Pitxunet** 1 point 6 months ago

But after these three steps, the metadata is not combined in a single dataset as requested, is it?

[-] **pnb11** 40 points almost 3 years ago

These are right answer

1. Get data the select folder
2. Remove attribute column (because this column contain information about file which not needed).
3. Combine Content column (which contain actual data which needed for us)

[-] **BIFakeGuru** 3 points 8 months ago

pnb11 is wrong, Emmanuelkech is right

We want the metadata which is the "attributes column", not the data aka "content"

[-] **moleskin** 4 points 10 months ago

emmanuelkech has the right answer here, content column is not required, so it should be removed. Attributes column is to be expanded.

[-] **Hoeishetmogelijk** 25 points over 2 years ago

See the requirement "The solution must NOT store the data of the CSV files."

So the content column must be removed.

[-] **Shakilpatil** 10 points over 2 years ago

The question is not to store data of files

[-] **Tata11** 32 points almost 3 years ago

Hello dear, Metadata means information about files. It's why we remove content.

[-] **jaydenkl** 5 points over 2 years ago

agreed

[-] **fellipecao** 4 points over 2 years ago

I have tested and works.

Some ppl said to "combine attribute", but its not possible.The options is not available.

[-] **NevilleV** 7 points almost 3 years ago

I agree that this is the requirement. The thing that bothers me is WHY? Why would you want to create a dataset with only the metadata?

[-] **cnmc** 12 points over 2 years ago

audit purpose. Not everything is about the business results, for big corps you'd care about how it's run too

[-] **Guru1337** 52 points almost 3 years ago

It should be remove Content not combine, since the file data is NOT to be stored.

[-] **GPerez73** 7 points almost 3 years ago

I agree

[-] **Churato** 3 points almost 3 years ago

Tested here and it works. Thankyou!

[-] **Lulu_2022** 1 point 27 days ago

Correct Sequence of Actions

- Use Folder as Data Source
- Connect to the folder containing your 100 CSV files.
- This imports metadata like file name, date modified, and file path—not the contents.
- Remove the "Content" Column
- The "Content" column contains the actual file binary data.
- Removing this ensures the CSV content isn't loaded or stored in the dataset—keeping the model lightweight.
- Expand the Attributes Column
- This column holds metadata like file size, creation time, last modified, etc.
- Expanding it enriches your dataset with relevant info for analysis without loading the actual file contents.

[-] **BhavnishM** 2 points 4 months ago

I just tested this on my end.

The correct order is :

get the data from the folder

in Power query editor expand the attributes column (this fulfils the objective of storing metadata)

remove the content columns (this would not store the actual data)

[-] **Fatima300** 1 point 6 months ago

1- Get Data and Select Folder → Loads all file metadata, including Content and Attributes.

2- Expand the Attributes Column → Extracts details like file size, date modified, and type.

3- Remove the Content Column → Deletes the actual CSV data, keeping only metadata. Why This Order?

If you remove Content before expanding Attributes, you might lose important metadata.

[-] **jaume** 1 point 9 months ago

Everybody agree on the first step to "Get data and select folder".

Since "not storing data of the csv filed" is a requisite, second step should be "...remove the content column".

Finally, as another requisite is to "...make the file metadata available" we should expand the "Attributes" column where these details are hosted

[-] **JPShields** 1 point 10 months ago

I don't see why we combine the content column if it should not be stored. It should be removed surely

[-] **hassan899** 1 point 10 months ago

how are is this type of question graded? does the order have to be correct to get the whole points or is it graded per correct selection?

[-] **SidneyHod** 1 point 11 months ago

Get data then select folder

Remove content Colum

Expand Attribute Colum

[-] **rcaliandro** 2 points 12 months ago

Not sure about that but in my opinion it is:

A - From Power BI Desktop, select Get Data and then select Folder

B - From Power Query Editor, expand the Attributes column

C - From Power Query Editor, remove the Content column

[-] **janssen135** 3 points about 1 year ago

answer:

From Power BI Desktop, select Get Data, and then select Folder.

From Power Query Editor, remove the Content column.

From Power Query Editor, expand the Attributes column.

[-] **AP0409** 1 point about 1 year ago

The question mentioned do NOT store data of csv files. This means we have to remove Attributes. So the correct order is:

1. Get data, select folder

2. Remove Attribute

3. Combine Content

[-] **soheil.dabooyeh29** 1 point over 1 year ago

the solution would be:

1- Get Data from Folder

2- Expand (Priority) the Attributes Column

3- Combine the Content Column

[-] **Dani_eL** 1 point over 1 year ago

I have the feeling this question is a voluntary trap of Microsoft :-)

When you test the conflictual solutions in PBI Desktop you will see that combining content will add a bunch of crap in your semantic model..including the data that we are forbidden to store, it's common sense. It is written in the question itself, metadata only and as metadata is also included in Attributes, you need to expand attributes to get the entire metadata context.

[-] **KKPanda77** 1 point over 1 year ago

Tricky and Interesting

[-] **nattomi** 20 points over 1 year ago

Its explained here which makes sense

Get data then select folder

Remove content Colum
Expand Attribute Colum

[-] **JudT 2 points** over 1 year ago

Thank you!

[-] **Inesd 1 point** about 1 year ago

Totally agree

[-] **JohnChung 3 points** over 1 year ago

I go with below instead of Combine the Content column for 3)

- 1) get data from folder
- 2) expand attribute
- 3) remove content column

Combine Content column will have all data of the csv files

[-] **Ditendra 2 points** over 1 year ago

the correct sequence of actions is: From Power BI Desktop, select Get Data, and then select Folder -> From Power Query Editor, remove the Content column -> From Power Query Editor, remove the Attributes column
since attributes column contains extra info about files we should remove that and only keep clean meta data.

[-] **TigerTienie 4 points** almost 2 years ago

Only meta data must be shown and NO data must be stored.

Try this out practical, following steps work.

- 1)
Get Data from folder
- 2) Expand Attribute columns
- 3) Remove Content column

[-] **Fisher 3 points** almost 2 years ago

expand the attributes.

Expanding the attributes means that you create columns in your dataset to capture the metadata about each file, such as file names, file paths, file sizes, and other relevant attributes. This approach keeps the metadata in your dataset without storing the actual data from the CSV files.

By expanding the attributes, you ensure that you have the necessary information to work with the file metadata in your Power BI reports and visualizations while adhering to the requirement of not storing the CSV file data within your Power BI dataset.

[-] **Igetmyrole 8 points** almost 2 years ago

First step: From Power BI desktop, select get data, and then select folder. This is the first step to access the files within the folder.

Second Step: From Power Query Editor, expand the attributes column. This step is necessary to access the file metadata.

Third Step: From Power BI Query Editor, remove the content column. This step is crucial to exclude the actual file data and keep only the metadata.

Are the correct steps. Others will not work because of the following reasons :

Removing the "attributes" column would prevent us from accessing the file metadata.

Selecting "text/csv" from the "Get Data" menu would be necessary if we want to import the data from the CSV files themselves, but our requirement is to extract metadata only, so this step is not needed.

Combining the "Content" column is not necessary because we want to remove it to avoid storing the data, not combine it.

[-] **Mabuse1 2 points** about 2 years ago

Dear friends. If you don't combine content, you won't get just one dataset. Each SCV file would become a separate table when uploaded into report. If you just try that, you'll see that you're wrong and official answer is correct.

[-] **Bnxyl 1 point** about 2 years ago

1. Get data and then select a folder
2. Delete Attributes folder Since we want to ensure that we don't store unnecessary data
3. Combine both tables using Content column into a single dataset

[-] **Maniula** 2 points about 2 years ago

Attributes = metadata, remove content

[-] **minhnhhat123** 1 point almost 2 years ago

u said Attributes = metadata, the requirement is not include the data of files, so it should be remove attr right?

[-] **J_Dawg_PBI** 3 points about 2 years ago

This wasn't explained very well in the course I'm taking? What's the logic behind this answer?

From what I understand, expanding the attribute column will display the data, which I would think goes against the instruction not to store any data. Wouldn't combining them be the same thing as appending them?

[-] **itenginerd** 2 points almost 2 years ago

The attributes ARE the metadata you're looking for. Expanding that column breaks the metadata out into separate fields so you can make use of these data points. So you remove the file contents and expand the attributes into metadata columns.

The goal here is to create a report *about* the files, not about what's in them. Like a count of Excel files vs. PDFs, or documents created by month.

[-] **ET_phone_home_son** 3 points about 2 years ago

Get Data (Folder) > Remove content > Expand attributes

[-] **visionary4ever** 3 points about 2 years ago

Correct Answer:

- 1) get data from folder
- 2) remove content column (because we don't need to combine files, we just want meta data)
- 3) expand attribute

[-] **Alvin_2113** 3 points about 2 years ago

The answer is correct, I just tried and it works.

Get Data From Folder

Expand Attribute Column

Combine Content Column

[-] **elesglar** 1 point about 2 years ago

Yes, but YOU DO NOT want to store data from the files. It's for metadata purposes only (Folder names)

[-] **sergeyitaly** 1 point about 2 years ago

To make the file metadata available as a single dataset in Power BI without storing the data of the CSV files, you should perform the following actions in sequence:

Get Data: Select Get Data and then select Text/CSV. This action allows you to connect to the folder that contains the CSV files in Power BI.

Combine the Content Column: After connecting to the folder, you should combine the content column of the CSV files. This step merges the data from all the files into a single column.

Expand the Attributes Column: Once the content column is combined, you can expand the attributes column to extract the metadata of the files. This action separates the metadata into individual columns.

Therefore, the correct sequence of actions is as follows:

Get Data

Combine the Content Column

Expand the Attributes Column

Actions to remove the contents and attributes columns are not necessary since the goal is to extract and retain the file metadata without storing the data of the CSV files.

[-] **oreshetnik** 1 point almost 2 years ago

After Combine, the Attribute Column is no longer there.

[-] **safz** 1 point about 2 years ago

i would remove content column as it will reduce the dataset size and simplify the dataset structure,

[-] **vat4444** 1 point about 2 years ago

Get data then select folder
Remove content Colum
Expand Attribute Colum

[-] **rmeng** 1 point about 2 years ago

In order to not break the query folding:
1) get data from folder
2) expand attribute
3) remove content column

[-] **UlyUkr** 2 points over 2 years ago

Just tested in real life. The correct sequence is:
1. Get data from the folder
2. Remove attributes (it contains information about files which is not required).
3. Combine Content.

[-] **UlyUkr** 2 points over 2 years ago

I take my words back. Did not read carefully. We need metadata here and not the actual data.
So the correct sequence is:
1. Get data from the folder
2. Remove Content.
3. Expand Attribute.

[-] **SanaCanada** 5 points over 2 years ago

Correct answer
Get DATA then select Folder
Remove Content Column
Expand Attribute Column

In the first step of the data modeling process in Power BI, it is generally recommended to analyze the data and remove any unnecessary content columns first before expanding attribute columns.
Content columns are those that do not provide any meaningful information for analysis, such as ID columns, timestamp columns, or other metadata columns. These columns are typically used for identification or administrative purposes and are not relevant for analysis. Removing them can simplify the data model, reduce query time, and improve performance.
Therefore, the general approach is to remove unnecessary content columns first before expanding attribute columns in Power BI. This will help simplify the data model and improve performance, while still providing the necessary information for analysis.
No confusion, and no need to discuss further

[-] **ilk777** 2 points over 2 years ago

Get Data > Remove Content > Expand Attribute
Remove is before expand because:
1) Always make it smaller before any operations
2) Avoid the chance of having an attribute named "Content" conflict with the Content column.

[-] **DUVANES** 1 point over 2 years ago

1. En Power BI Desktop, elija Obtener datos y, a continuación, seleccione Carpeta.
2. En el Editor de Power Query, remueva la columna Contenido.
3. Desde Power Query Editor, expanda la columna Atributos.

[-] **Akin_Eren** 2 points over 2 years ago

1) Get data from folder
2) Expand Attribute
3) Remove content

[-] **srikanth923** 1 point over 2 years ago

Here are three steps to get the metadata of files from a chosen folder:
Select the folder and get its data.
Expand the attributes column.
Remove the content column since we only need the metadata of the files and not their actual data.

[-] **RooneySmith** 8 points over 2 years ago

Seeing how this answer doesn't make any sense at all, and as many of other questions' answers, I wonder: Is this correction trusted?? And I if tomorrow I want to pass the exam no matter what, should I answer the way it's answered here or should I follow what I believe is correct??

[-] **vero1971_** 2 points over 2 years ago

Why is a wrong answer in some questions ?

[-] **Taras_Navakhatska** 1 point over 2 years ago

Looks like that correct answer builds after voices.

[-] **Patrick666** 4 points over 2 years ago

Get data then select folder
Remove content Colum
Expand Attribute Colum

[-] **lukelin08** 15 points almost 3 years ago

I agree that it should be remove content. However it is another ambiguous possible answer from Microsoft, because after getting the data as the first step, the last two steps (Remove content column, & Expand attribute column) can be done in any order. The order doesn't matter for the last two steps, it would work either way. So again its annoying if Microsoft dont allow for both answers to be correct due to the order.

[-] **NevilleV** 4 points almost 3 years ago

Agreed. The order of the last 2 don't matter

[-] **cldrmn** 2 points over 2 years ago

Agreed.

[-] **herr_serfin** 1 point over 2 years ago

I agree, but i would first expand before remove something.

[-] **Nurgul** 8 points almost 3 years ago

Actions:
From Power BI Desktop, select Get Data, and then select Folder.
From Power Query Editor, remove the Content column.
From Power Query Editor, expand the Attributes column.

[-] **RichardOgoma** 9 points almost 3 years ago

1. Get data and select folder
2. Remove the content column
3. Expand the attributes column

You'll have only metadata of the files remaining.

[-] **Tata11** 9 points almost 3 years ago

"You need to make the file metadata (metadata= information about files) available" so, get data, remove content, expand attribute.

A business intelligence (BI) developer creates a dataflow in Power BI that uses DirectQuery to access tables from an on-premises Microsoft SQL server. The

Enhanced Dataflows Compute Engine is turned on for the dataflow.

You need to use the dataflow in a report. The solution must meet the following requirements:

- ☞ Minimize online processing operations.
- ☞ Minimize calculation times and render times for visuals.
- ☞ Include data from the current year, up to and including the previous day.

What should you do?

- A. Create a dataflows connection that has DirectQuery mode selected.
- B. Create a dataflows connection that has DirectQuery mode selected and configure a gateway connection for the dataset.
- C. Create a dataflows connection that has Import mode selected and schedule a daily refresh.
- D. Create a dataflows connection that has Import mode selected and create a Microsoft Power Automate solution to refresh the data hourly.

Hide Answer

[-] **SanaCanada** 53 points over 2 years ago

Selected Answer: C

Correct Answer C

Based on the requirements mentioned, the best option would be to choose option C: Create a dataflows connection that has Import mode selected and schedule a daily refresh.

Option A is not the best choice as it requires online processing operations, which goes against one of the requirements.

Option B is not necessary since the SQL Server is on-premises and not in a cloud environment. Gateway connections are typically used for cloud-based data sources that require access to on-premises data.

Option D refreshes the data too frequently and might lead to unnecessary processing operations, which goes against one of the requirements.

Therefore, the best approach is to use Import mode with daily scheduled refreshes to include data from the current year, up to and including the previous day. This would minimize online processing operations and also reduce calculation times and render times for visuals.

No confusion, and no need to discuss further

[-] **BhavnishM** 1 point 4 months ago

gateways are needed for on premises DB.

[-] **KAYBOL** 10 points almost 2 years ago

I would think Gateways are need for ON premises DB.

[-] **IxIsa** 45 points almost 3 years ago

C, because one of the requirements is 'Minimize online processing operations'. Although the dataflow uses DirectQuery, the Dataset can be refreshed with Import.<https://learn.microsoft.com/en-us/power-bi/transform-model/dataflows/dataflows-directquery>

[-] **Sunny_Liya** 3 points almost 3 years ago

Need a gateway

[-] **Dovoto** 18 points almost 3 years ago

The BI developer has already created the dataflow, so the gateway must be present. Import and daily scheduled refresh should do the trick.

[-] **Shalaleh** 1 point over 2 years ago

in all options, it says : " create a dataflow...." it means we already do not have the dataflow

[-] **Maniula** 3 points about 2 years ago

No, it's already created by the developer. Your task is "to use the dataflow in a report"

[-] **spamhz** 2 points almost 2 years ago

direct query is to on prem database, does it still use online processing operation?

[-] **thanhtran7** 6 points over 2 years ago

"Although the dataflow uses DirectQuery, the Dataset can be refreshed with Import." -> I don't understand this point. Can you help explain more details?

[-] **NLeeXTung** 6 points about 2 years ago

Imagine the Dataflow like the Common Data Model which has been ETL from the external data sources and PBI Desktop will connect to Dataflow by Import mode to create its dataset

[-] **jaume** 2 points 9 months ago

The "Enhanced Dataflows Compute Engine" (ECE) is a feature designed to improve the performance of data transformations in PBI dataflows by using optimized processing and caching...but I think it cannot be used with DirectQuery option enabled but Import mode!!

As one of the requisites is about ensuring data is updated up to the previous day, I think option C should be the right one as it's scheduling daily refresh.

Once again I feel like these questions are not testing our knowledge about PBI and/or data analysis but the main important thing is to understand all the statements in the right way

[-] **nelrosell** 4 points 11 months ago

must be A: Since the Enhanced Dataflows Compute Engine is turned on, you can use DirectQuery to access the dataflow. This allows you to query the data in real-time without importing it into Power BI, minimizing online processing operations

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: C

"Include data from the current year, up to and including the previous day." and "Minimize online processing operations"

C. Create a dataflows connection that has Import mode selected and schedule a daily refresh

[-] **Daniel16** 1 point about 1 year ago

I don't understand that we already have a dataflow using DirectQuery to access tables, why do we need to create a dataflow connection with Import mode?

[-] **shazzzy** 1 point over 1 year ago

Answer: A

[-] **RoxyRishi** 1 point over 1 year ago

What is the correct one finally

[-] **ajelizi** 4 points over 1 year ago

Selected Answer: B

The right answer is

B. Create a dataflows connection that has DirectQuery mode selected and configure a gateway connection for the dataset. This option allows you to use DirectQuery mode, minimizing online processing operations, while also ensuring that you can access on-premises data from the Microsoft SQL server using a gateway connection.

[-] **Inesd** 1 point about 1 year ago

I also think that B is the correct answer. For those who have voted for C is possible to use import mode from Dataflow without gateway ?

[-] **LOCOBI** 1 point over 1 year ago

Option C.

Althought the dataflow (witch is a collection of tables) gets its data from Direct Query. The Dataset (Model of those tables) can use import, and because of that, save recourses.

So that discarts options A and B.

Also for option B a Gateway connection is not needed since the SQL sever is ON PREMISE and a gateway is used for cloud envarioment that require access for on premise data.

Then you can also think that since we are trying to minimize resource, the hourly refresh is more expensive that option C

So option C is correct

[-] **AZFabio** 1 point over 1 year ago

Selected Answer: C

correct

[-] **momo1165** 1 point over 1 year ago

C: Import will:

1. Minimize online processing operations.

2. Minimize calculation times and render times for visuals.

the daily scheduled refresh will keep data updated and thus Include data from the current year, up to and including the previous day.

[-] **T1M2P** 7 points over 1 year ago

This question was in Exam today.

[-] **mordaro** 1 point almost 2 years ago

Selected Answer: C

C because it meets all requirements

[-] **Igetmyrole** 7 points almost 2 years ago

The correct answer is C.

It is because:

Import mode allows us to load and store the data from the DirectQuery source in the Power BI service. This minimizes online processing operations, as calculations are performed during data refresh rather than in real-time during report rendering.

Scheduling a daily refresh ensures that our dataflow data is up to date while minimizing the frequency of refresh operations.

Since we only need data up to and including the previous day, a daily refresh is sufficient.

[-] **Chenemi** 1 point about 2 years ago

Selected Answer: C

SINCE WE ARE MINIMIZING ONLINE PROCESSING

[-] **pverde** 1 point about 2 years ago

Selected Answer: C

C is correct

[-] **Mphatso** 4 points about 2 years ago

The best option to meet the given requirements would be:

B. Create a dataflows connection that has DirectQuery mode selected and configure a gateway connection for the dataset.

Explanation:

The requirement to minimize online processing operations suggests that DirectQuery mode should be used. DirectQuery allows Power BI to directly query the on-premises SQL server without importing the data into Power BI.

The requirement to minimize calculation times and render times for visuals is also achieved through DirectQuery mode. With DirectQuery, calculations are performed on the SQL server, reducing the computational load on Power BI.

The requirement to include data from the current year, up to and including the previous day can be handled by configuring a gateway connection. The gateway allows Power BI to establish a secure connection to the on-premises SQL server and retrieve the required data.

Option B fulfills all the requirements by using DirectQuery mode and configuring a gateway connection for the dataset.

[-] **Anshulk** 1 point about 2 years ago

Selected Answer: C

C option as it decreases the processing time.

[-] **lhtra** 1 point over 2 years ago

Need a gateway

[-] **Shalaleh** 5 points over 2 years ago

Selected Answer: C

guys! first, the dataflow have been created in power bi service. that means a gateway has already installed so we do not need a gateway. just we need to create dataflow Connection. and this connection should minimize online processing, that means the dataflow should use import mode. and we need a daily refresh. therefore option C is the correct option.!

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: B

"to access tables from an on-premises Microsoft SQL server." do not we need a gateway?

[-] **vishals729** 2 points over 2 years ago

the answer will be option B as you will need a gateway connection for connecting securely to a sql databse

[-] **glenman0202** 3 points over 2 years ago

Selected Answer: C

C is the correct answer. DirectQuery is slower than import in regards to calculation times and render times for visuals, so both A and B are automatically disqualified. Additionally, there is no reason to refresh data hourly, as a daily refresh (C) is adequate for the requirements.

[-] **DUVANES** 1 point over 2 years ago

Selected Answer: C

C. Cree una conexión de flujos de datos que tenga seleccionado el modo de importación y programe una actualización diaria.

[-] **hungry85** 2 points over 2 years ago

I think A is also correct since you have to avoid separate refresh schedule

[-] **Akin_Eren** 2 points over 2 years ago

Selected Answer: B

B seems to correct answer to me. Direct Query is the way to "Serving data to customers in a managed and performance-minded way"

[-] **skaha** 1 point over 2 years ago

Did dataflow project now. C is the correct answer. when connect dataflow it shows pop up window with flows-tables and at the bottom l>>oad-transform-cancel(means import mode is predefined by PBI desktop tool. in Gateway refresh schedule daily(suitable for the question) or weekly options.

[-] **BWayne32** 2 points over 2 years ago

I eliminated A and B coz it says 'faster visual refresh' so only import would make sense, so out of the remaining C makes more sense.

[-] **yordiye** 1 point over 2 years ago

A Avoid separate refresh schedules: DirectQuery connects directly to a dataflow, which removes the need to create an imported dataset. As such, by using DirectQuery with your dataflows means you no longer need separate refresh schedules for the dataflow and the dataset to ensure your data is synchronized. <https://learn.microsoft.com/en-us/power-bi/transform-model/dataflows/dataflows-develop-solutions>

[-] **MikeDoesBI** 1 point over 2 years ago

Hello, I would think B because with in premise the Gateway is required.

[-] **oakey66** 2 points over 2 years ago

This doesn't seem correct. Based on this link, you should use directquery:

<https://learn.microsoft.com/en-us/power-bi/transform-model/dataflows/dataflows-develop-solutions>

Avoid separate refresh schedules: DirectQuery connects directly to a dataflow, which removes the need to create an imported dataset. As such, using DirectQuery with your dataflows means you no longer need separate refresh schedules for the dataflow and the dataset to ensure your data is synchronized.

This explicitly calls out that you should not need refresh schedules. Am I missing something?

[-] **lukelin08** 3 points over 2 years ago

Selected Answer: C

C is correct

[-] **PCCCCCC** 3 points over 2 years ago

Why its cant be A, they have compute setting turned ON, we can directly use Direct Query from dataflow

[-] **Ashishsingh07** 1 point over 2 years ago

The only explanation comes to my mind is that DQ has less computation capability than import and computation is one of our constraints.

[-] **Churato** 3 points almost 3 years ago

Selected Answer: C

Dovoto, yes the BI devoloper already created the Dataflow

[-] **Manzy2599** 1 point almost 3 years ago

Is it b or c?

[-] **Snow_28** 3 points almost 3 years ago

B. because it uses direct query to access the tables with the connection of on-premises SQL server which would require a gateway for the connection.

[-] **saurinkhamar** 4 points almost 3 years ago

B. Could be an answer. OnPremise SQL server to be connected which would require Gateway

[-] **GPerez73** 2 points almost 3 years ago

I also think so

[-] **fdsdgxcvbsfhshfg** 6 points almost 3 years ago

Selected Answer: C

C is legit

Question 9



DRAG DROP

-

You publish a dataset that contains data from an on-premises Microsoft SQL Server database.

The dataset must be refreshed daily.

You need to ensure that the Power BI service can connect to the database and refresh the dataset.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Add the dataset owner to the data source.

Configure an on-premises data gateway.

Configure a virtual network data gateway.

Add a data source.

Configure a scheduled refresh.

Answer Area

1

2

3

4

>

<

Hide Answer

Correct answer:

Answer Area

- 1 Configure an on-premises data gateway.
- 2 Add a data source.
- 3 Add the dataset owner to the data source.
- 4 Configure a scheduled refresh.

[-] **svg10gh** 52 points over 2 years ago

Current sequence looks good

[-] **SanaCanada** 35 points over 2 years ago

Given Answer is correct

Set up an on-premises data gateway: Download and install an on-premises data gateway on a machine that has access to the SQL Server database. Make sure that the gateway is registered to the same workspace as the dataset.

Configure a data source: In the Power BI service, go to the dataset settings, and select the data source. Then, enter the necessary details, including the server name, database name, and credentials.

Schedule refresh: In the dataset settings, go to the "Scheduled refresh" tab, and set up a refresh schedule. Ensure that the gateway is selected as the "Data source credentials" option.

Publish the dataset: Finally, publish the dataset to the Power BI service. The dataset will be refreshed according to the schedule you set up, and the on-premises data gateway will allow the service to connect to the SQL Server database.

No confusion, and no need to discuss further

[-] **lizbette** 3 points over 2 years ago

3rd step should be add dataset owner to the data source

[-] **lizbette** 3 points over 2 years ago

then the 4th step should be schedule the refresh

[-] **LouStar2** 12 points about 2 years ago

Publish the dataset isn't one of the answers tho

[-] **jaume** 4 points 9 months ago

Publish the dataset is not available answer.

No confusion and no need to discuss further on that

[-] **Lulu_2022** 1 point 28 days ago

The answer is correct.

note: it is better first adding the owner and then scheduling the refresh to avoid you being the default dataset owner.

[-] **Madhu155** 2 points 10 months ago

Configure an on-premises data gateway

Install and set up the on-premises data gateway to enable secure data transfer between the on-premises SQL Server and Power BI service.

Add a data source

Add the SQL Server database as a data source within the configured gateway, providing necessary connection details (e.g., server name, database name, and credentials).

Add the dataset owner to the data source

Ensure the dataset owner has access to the data source in the gateway, granting them permission to use the connection for refreshing the dataset.

Configure a scheduled refresh

Set up the dataset in Power BI to refresh on a daily schedule, using the gateway to pull updated data from the SQL Server.

Note : adding a data source, adding the dataset owner to the data source, and configuring a scheduled refresh—are performed within Power BI Service

[-] **VladAbz** 1 point 10 months ago

What if I add the Data Source before setting up the Data Gateway?

[-] **rcaliandro** 2 points 12 months ago

The answers seems OK to me:

1 - Configure an om-prem gateway

2 - Add a data source

3 - Add the dataset owner to the data source

4 - Configure a scheduled refresh

[-] **MANANDAVEY** 1 point over 1 year ago

correct sequence

[-] **6f38739** 4 points over 1 year ago

This question is dumb AF, like it doesnt really matter if you create dataset or gateway first, all you need to remember is to have it ready before running refresh,

[-] **panic_attack** 5 points over 1 year ago

This was on the exam on 22/2/2024 (:

[-] **Chellz** 3 points over 1 year ago

I don't understand what "add dataset owner to the data source" does. If the "data source" is the on-prem SQL DB and "you" are or are going to be the owner of the dataset, shouldn't you be added to the SQL DB first to be able to set it up in the gateway?

[-] Igetmyrole 4 points almost 2 years ago

Here are the correct Sequences:

First Step : Add a data source. This involves specifying the connection details, such as the server's name, database name, and authentication credentials.

Second Step: Configure an on-premises data gateway. The gateway acts as a bridge between our on-premises data sources and the Power BI service in the cloud. It allows secure data transfer and access.

Third Step: Add the dataset owner to the data source. Ensure that the dataset owner (the Power BI user or service account) has appropriate permissions to access the on-premises SQL server database. This is important for successful data retrieval during refresh.

Fourth Step: Configure a scheduled refresh. Schedule the refresh to occur daily to keep the dataset up to date.

[-] tranquanghuy211 3 points almost 2 years ago

Nope, the first step should be Configure data gateway. then, in second step we could have ability to add data source.

[-] **JudT** 2 points over 1 year ago

That was on video...

[-] Chenemi 6 points about 2 years ago

SETUP ON PREMISES DATA GATEWAY

ADD DATA SOURCE

ADD DATASET OWNER

SCHEDULE REFRESH

[-] safz 1 point about 2 years ago

comparing to the given answer, i would select add data owner as the last one - <https://learn.microsoft.com/en-us/training/modules/manage-datasets-power-bi/5-dataset-refresh>

[-] CookieMingkee 1 point over 1 year ago

You cannot schedule a refresh if the data owner is not established.

[-] **killershark** 4 points over 2 years ago

One thing I didn't understand is that first we need to add data source and then configure an on-premises data gateway. Someone please help me understand why we are not following this order?

[-] niceguysfinishlast 1 point about 1 year ago

FIRST DONWLOAD THE DATEGATEWAY FROM POWER BI .COM

[-] DUVANES 3 points over 2 years ago

1. Configure una puerta de enlace de datos local.
2. Agregue un origen de datos.
3. Agregue el propietario del conjunto de datos al origen de datos.
4. Configure una actualización programada.

[-] Heyzzzzzzzzzzzzzzzzzzzz 4 points over 2 years ago

Could anyone provide a link to this? Seem like this requires pragmatic experience

[-] **semauni** 2 points over 2 years ago

<https://learn.microsoft.com/en-us/training/modules/manage-datasets-power-bi/4-power-bi-gateway>
and the study page after that

<https://learn.microsoft.com/en-us/training/modules/manage-datasets-power-bi/5-dataset-refresh>

It does not necessarily talk about this order, but it does help to understand how this works. With those pages I was able to logically put the four things in the correct order.

[-] **KoS83** 2 points over 2 years ago

Any good link for this topic?

[-] **MalenaLIU** 1 point over 2 years ago

Why Add a data source must be before Add dataset owner to data source?

[-] **PetJoh422** 6 points over 2 years ago

You first need to add a source to the gateway and then give permission to that source.
Without adding the source to the gw list there is nothing to give access to

[-] **JoaoTrade** 1 point over 2 years ago

Correct.

[-] **jsking** 1 point over 2 years ago

Configure an on-premises data gateway.
Add the dataset owner to the data source.
Add a data source.
Configure a scheduled refresh.

[-] **jsking** 3 points over 2 years ago

I changed my mind. The answer provided is correct because the owner needs a data source to own in the first place so add a data source should be second

[-] **Hansen_G** 1 point over 2 years ago

Agree.

Question 10



You attempt to connect Power BI Desktop to a Cassandra database.

From the Get Data connector list, you discover that there is no specific connector for the Cassandra database.

You need to select an alternate data connector that will connect to the database.

Which type of connector should you choose?

- A. Microsoft SQL Server database
- B. ODBC
- C. OLE DB
- D. OData

Hide Answer

[-] **GuerreiroJunior** 52 points over 2 years ago

Selected Answer: B

B is Correct because, B 'cause it allows you to connect to data sources that aren't identified in the Get Data lists.

The ODBC connector lets you import data from any third-party ODBC driver simply by specifying a Data Source Name (DSN) or a connection string. As an option, you can also specify a SQL statement to execute against the ODBC driver.

List details a few examples of data sources to which Power BI Desktop can connect by using the generic ODBC interface:

<https://learn.microsoft.com/en-us/power-bi/connect-data/desktop-connect-using-generic-interfaces>

[-] **Pinha** 36 points over 2 years ago

The answer is B

- * Cassandra has an ODBC driver available that can be used to connect to the database using the ODBC connector in Power BI.
- * Microsoft SQL Server database is specifically designed to connect to SQL Server databases,
- * OLE DB is designed to connect to Microsoft databases and other third-party databases,
- * OData is designed to connect to web-based data sources

[-] **2pado** 1 point 3 months ago

Selected Answer: B

Oh my god this is such a random, incredibly specific and difficult question to answer, how many people will actually know this? this is nonsense

[-] **BP215** 1 point 3 months ago

Selected Answer: B

B is correct

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: B

ODBC is correct

[-] **Kiran37** 1 point about 1 year ago

ODBC allows to connect other DB

[-] **AZFabio** 1 point over 1 year ago

Selected Answer: B

correct

[-] **Igetmyrole** 4 points almost 2 years ago

B is the correct answer.

ODBC (Open Database Connectivity) is a general-purpose data access that allows us to connect to a wide range of databases, including Cassandra, using ODBC drivers.

[-] **Nunya101** 1 point almost 2 years ago

Open database connector

[-] **Chenemi** 1 point about 2 years ago

Selected Answer: B

odbc allows connection to third party database

[-] **MoxieTT** 5 points about 2 years ago

This was on the exam

[-] **kayani29** 1 point about 2 years ago

Given answer is correct

[-] **sergeyitaly** 4 points about 2 years ago

To connect Power BI Desktop to a Cassandra database when there is no specific connector available, you should choose option B: ODBC (Open Database Connectivity) connector.

ODBC is a widely-used standard for connecting to various types of databases, including Cassandra. It provides a common interface that allows applications like Power BI to communicate with different database systems using the same API. By leveraging the ODBC connector, you can establish a connection to the Cassandra database and retrieve data for analysis and visualization in Power BI.

[-] **inejo** 1 point about 2 years ago

La respuesta es correcta :)

[-] **MoxieTT** 10 points about 2 years ago

Awful question. This is a prime example of why the current exam, is not fit for purpose and needs revamped. How is this relevant to the day-to-day role of a data analyst?

[-] **Sophieeeeeee** 1 point about 1 year ago

Totally agree. There are too many questions should be related to the data engineer instead of data analyst...I don't need to know this to provide a good analysis to solve clients' business problems...

[-] **Shalaleh** 1 point over 2 years ago

Microsoft open database connectivity

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: B

B is the correct answer.

[-] **DUVANES** 1 point over 2 years ago

Selected Answer: B

B. ODBC

[-] **jasking** 2 points over 2 years ago

Selected Answer: B

Answer is correct.

<https://learn.microsoft.com/en-us/power-bi/connect-data/desktop-connect-using-generic-interfaces>

[-] **JoaoTrade** 1 point over 2 years ago

Selected Answer: B

B is correct

Question 11

DRAG DROP

-

You receive annual sales data that must be included in Power BI reports.

From Power Query Editor, you connect to the Microsoft Excel source shown in the following exhibit.

	Month	MonthNumber	2019	2020	2021
1	Jan	1	345	5526	3456
2	Feb	2	758	773	0
3	Mar	3	37763	570	null
4	Apr	4	8364	9417	null
5	May	5	58256	276	null
6	June	6	6722	235	null
7	July	7	55225	6297	null
8	Aug	8	673	63	null
9	Sep	9	552	357	null
10	Oct	10	7838	24214	null
11	Nov	11	83544	257	null
12	Dec	12	32455	389	null

You need to create a report that meets the following requirements:

- Visualizes the Sales value over a period of years and months
- Adds a slicer for the month
- Adds a slicer for the year

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Answer Area

Select the Month and MonthNumber columns.

Select **Unpivot other columns**.

Rename the Attribute column as Year and the Value column as Sales.

Select the 2019, 2020, and 2021 columns.

Select **Transpose**.



1

2

3



Hide Answer

Correct answer:

Answer Area

1

Select the Month and MonthNumber columns.

2

Select **Unpivot other columns**.

3

Rename the Attribute column as Year and the Value column as Sales.

[-] **GuerreiroJunior** 64 points over 2 years ago

Correct Answer!

[-] **Igetmyrole** 35 points almost 2 years ago

Here are the correct three actions should be performed in sequence:

Action 1: Select the Month and MonthNumber Columns. These columns will be used for the slicers to filter the data by month.

Action 2: Select unpivot other columns. This action will transform the 2019, 2020, and 2021 columns into rows, creating a column called "Attribute" that contains the years and a column called "Value" that contains the sales data. This step makes the data more suitable for visualization and filtering by year.

Action 3: Rename the Attribute column as Year and the value column as sales. Renaming the columns provides a more descriptive and meaningful structure for your data.

After performing these actions, your data will be in a format that allows you to create visuals and add slicers for the month and year in Power BI.

[-] **2pado** 1 point 3 months ago

Jesus this is so unfair, i was able to tell what was going on AFTER i opened power bi and tested it, but this would be so abstract to answer by just looking at the table? Jesus christ!!

[-] **TMOTM** 6 points 11 months ago

on the exam 11/9/24 and I got this right surprisingly. Pivot does my head in.

[-] **rcaliandro** 1 point 12 months ago

In my opinion:

- 1 - Select Month and MonthNumber columns
- 2 - Select Unpivot other columns
- 3 - Rename the attribute column as year and the value column as sales

[-] **Kiran37** 1 point about 1 year ago

Correct answer

[-] **spamhz** 5 points almost 2 years ago

i was tricked by "unpivot OTHER COLUMNS" do take note!

[-] **ET_phone_home_son** 1 point about 2 years ago

Select Month & MonthNo > Unpivot other columns > Rename attribute (Year) and values (Sales)

[-] **Shalaleh** 3 points over 2 years ago

answer is correct!

[-] **semauni** 11 points over 2 years ago

Answer is correct! Transpose would cause the rows and columns to swap, so the months would become columns and the years would become rows. And, as another person here already stated, for an Unpivot you select the columns that you would like to remain the same, not the rows you want transformed.

[-] **DUVANES** 2 points over 2 years ago

1. Seleccione las columnas Mes y MonthNumber.
2. Seleccione Despivotar otras columnas.
3. Cambie el nombre de la columna de atributos as Año y la columna Valor a Ventas.

[-] **Heshybay** 1 point over 2 years ago

The first action is to select the columns for 2019, 2020, and 2021.

[-] **pisanoagus** 4 points over 2 years ago

Not really. You first select the first two columns, then unpivot other columns (which are the year columns) Then you rename the output

[-] **apher** 1 point over 2 years ago

That's correct

[-] **mtvl123** 2 points over 2 years ago

It's correct!

[-] **jsking** 1 point over 2 years ago

Provided answer is correct.

[-] **JoaoTrade** 1 point over 2 years ago

Correct. A, B and C

Question 12



You have a project management app that is fully hosted in Microsoft Teams. The app was developed by using Microsoft Power Apps.

You need to create a Power BI report that connects to the project management app.

Which connector should you select?

- A. Microsoft Teams Personal Analytics
- B. SQL Server database
- C. Dataverse
- D. Dataflows

Hide Answer

[-] **Abasifreke** 35 points almost 3 years ago

You can use the Microsoft Power BI template to import data into Power BI from Project for the web and Project Online. When you're using the template, you're connected to your Microsoft Dataverse instance, where your Microsoft Project web app data is stored.

[-] **LOCOTI** 1 point over 1 year ago

Good answer

[-] **alojt** 1 point over 2 years ago

Amazing stuff! This is exactly what I needed :D
Great Q&A material I can test my knowledge on.
@Abasifreke Thank you for the short summary and providing us with the link.

[-] **lizbette** 18 points over 2 years ago

Selected Answer: C

Microsoft Dataverse for Teams is a built-in, low-code data platform for Microsoft Teams that lets users build custom apps, bots, and flows in Microsoft Teams by using Power Apps, Power Virtual Agents, and Power Automate. Dataverse for Teams—built on Microsoft Dataverse—provides relational data storage, rich data types, enterprise-grade governance, and one-click solution deployment to the Microsoft Teams app store.

[-] **FelipeChaves** 1 point 4 days ago

Selected Answer: C

Dataverse

[-] **HarshilT** 1 point about 1 month ago

Selected Answer: C

Since the project management app is developed using Power Apps and hosted in Microsoft Teams, it most likely stores its data in Microsoft Dataverse for Teams (a lightweight version of Dataverse designed specifically for Teams environments). Dataverse is the backend data platform for Power Apps. Power BI can directly connect to Dataverse to pull data for reporting. This allows to build rich, interactive reports using the same tables and data used by Power App.

[-] **Swah119** 1 point about 1 month ago

Selected Answer: C

Microsoft Power BI template to import data into Power BI from Project for the web and Project Online. When you're using the template, you're connected to your Microsoft Dataverse instance, where your Microsoft Project web app data is stored.

[-] **Lulu_2022** 1 point about 2 months ago

Selected Answer: C

To connect Power BI to a project management app built with Power Apps in Microsoft Teams, you should use the Microsoft Dataverse for Teams connector.

✅ Why?

When you build a Power App inside Teams, it stores its data in a lightweight version of Dataverse called Dataverse for Teams. Power BI can connect to this data using the Dataverse connector, but you'll need to:

Identify the correct environment (each Teams app has its own Dataverse environment).

Use the Dataverse (legacy) or Dataverse connector in Power BI Desktop.

Authenticate and select the appropriate tables (they often start with the prefix ms_ or custom_).

> 🗝️ Note: You must have appropriate permissions in Teams and Dataverse to access the data.

[-] **Risenga** 1 point 2 months ago

Selected Answer: A

Because the data is stored on teams

[-] **A2daP** 1 point 2 months ago

Selected Answer: C

C DATAVERSE

[-] **Thejani** 1 point 3 months ago

Selected Answer: C

This should be C

[-] **Ankriv** 1 point 3 months ago

Selected Answer: C

Dataverse

[-] **BP215** 1 point 3 months ago

Selected Answer: C

Dataverse

[-] **c11bdc3** 1 point 5 months ago

Selected Answer: C

Microsoft Dataverse

[-] **Hosna2023** 1 point 6 months ago

Selected Answer: C

Dataverse is a secure storage place that organizes and holds all the data for apps built with Power Apps.

[-] **rcaliandro** 2 points 12 months ago

Selected Answer: C

Dataverse is the correct one

[-] **danielkace28** 1 point about 1 year ago

c option

[-] **Nishi_06** 1 point about 1 year ago

Selected Answer: C

Dataverse

[-] **Dani_eL** 2 points over 1 year ago

Selected Answer: C

When using Microsoft Power BI template , you're connected to your Microsoft Dataverse instance

[-] **Saluk_DE** 3 points over 1 year ago

Selected Answer: C
Dataverse

[-] **TrustMyAnswers** 2 points almost 2 years ago

Selected Answer: C
Dataverse.

[-] **allapu** 1 point almost 2 years ago

Dataverse

[-] **Igetmyrole** 4 points almost 2 years ago

The correct answer is C (Dataverse) because it is a database platform often used in conjunction with power apps. In other words, if your project management app is built using Power Apps and stores its data in Dataverse.

[-] **HoanNguyenVN** 1 point almost 2 years ago

C. Dataverse

[-] **AK055** 3 points about 2 years ago

Selected Answer: C
Dataverse

[-] **xkapelis** 1 point about 2 years ago

Selected Answer: C
c only

[-] **Shalaleh** 4 points over 2 years ago

Selected Answer: C
Dataverse

[-] **Andrew9834523** 2 points over 2 years ago

Selected Answer: C
Dataverse

[-] **MagicMan99** 2 points over 2 years ago

The answer is C

[-] **DUVANES** 1 point over 2 years ago

Selected Answer: C
Dataverse

[-] **srikanth923** 4 points over 2 years ago

Selected Answer: C
The answer is C. Dataverse allows you to use the data from the business applications such as Microsoft teams directly in power bi.

[-] **Winner2099** 1 point over 2 years ago

C Data verse is correct

[-] **lukelin08** 3 points over 2 years ago

Selected Answer: C
C, Dataverse is correct

[-] **Churato 1 point** almost 3 years ago

Dataverse

[-] **Lkra1 1 point** almost 3 years ago

Selected Answer: C

is C 100%

[-] **Nurgul 1 point** almost 3 years ago

Selected Answer: C

I think it's Dataverse

[-] **eckip 3 points** almost 3 years ago

Selected Answer: C

correct

Question 13

HOTSPOT

-

You are using Power BI Desktop to connect to an Azure SQL database.

The connection is configured as shown in the following exhibit.

SQL Server database

Server ⓘ
mydb.database.windows.net

Database (optional)
db1

Data Connectivity mode ⓘ
☒ Import
☐ DirectQuery

Advanced options
Command timeout in minutes (optional)

SQL statement (optional, requires database)

☒ Include relationship columns
☐ Navigate using full hierarchy
☐ Enable SQL Server Failover support

OK Cancel

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct solution is worth one point.

Answer Area

The default timeout for the connection from Power BI Desktop to the database will be

▼

unlimited
one minute
10 minutes

The Navigator will display

▼

all the tables
only tables that contain data
only tables that contain hierarchies

Hide Answer

Correct answer:

Answer Area

The default timeout for the connection from Power BI Desktop to the database will be

▼

unlimited
one minute
10 minutes

The Navigator will display

▼

all the tables
only tables that contain data
only tables that contain hierarchies

[-] **Sushvij** 76 points over 2 years ago

10min

Only tables with data

If navigate using full hierarchy is unchecked you can see only tables(rows n columns) with data. Otherwise you can see all tables

[-] **CookieMingkee** 9 points over 1 year ago

If you only follow the documentation from Microsoft, it is open to interpretation unless you stepped through the process.

I cannot add a screenshot in this post but use the this link to use as a reference on how exactly the Navigator would look like using with the "Navigate using full hierarchy" is checked and unchecked.

I connected to an Azure SQL Database with tables containing data and others are blank. Marking the "Navigate using full hierarchy" will list the Schemas first and the hierarchy for each object under each schema (e.g. dbo, db_onwer, etc.).

Unmarking the "Navigate using full hierarchy" will show all the tables whether with data or without data.

[-] **GuerreiroJunior** 31 points over 2 years ago

The default time out is 10 minutes, but if it takes more than it you can enter another value in minutes to keep the connection open longer.

1. 10 minutes

2. All the tables

Reference:

<https://learn.microsoft.com/en-us/power-query/connectors/azuresqldatabase>

[-] **Mo2011** 6 points about 1 year ago

Wrong, as per Microsoft-> If cleared, the navigator displays only the tables whose columns and rows contain data (copied from MS)

[-] **RedRoss** 6 points over 1 year ago

it says in your reference link for "Navigate using full hierarchy" :

If checked, the navigator displays the complete hierarchy of tables in the database you're connecting to. If cleared, the navigator displays only the tables whose columns and rows contain data.

Which means, it'll only show the tables with data and not all tables.

[-] **Hansen_G** 15 points over 2 years ago

Navigate using full hierarchy is unchecked. Only table with data will be displayed.

[-] **ppt_powerbi** 30 points over 2 years ago

Only tables with data.

From your reference link, under Connect using advanced options, it clearly shows that "Navigate using full hierarchy If checked, the navigator displays the complete hierarchy of tables in the database you're connecting to. If cleared, the navigator displays only the tables whose columns and rows contain data."

[-] **Throneroom** 3 points over 2 years ago

True, I have seen it

[-] **Mo2011** 1 point over 1 year ago

No it shows all the tables only if Navigate using full hierarchy is checked but the exhibit shows it is cleared so it shows ONLY tables contain data

[-] **Danylessoucis** 2 points over 2 years ago

Right.10mn and All the tables because "Navigate using full hierarchy : If checked, the navigator displays the complete hierarchy of tables in the database you're connecting to. If cleared, the navigator displays only the tables whose columns and rows contain data".

[-] **Danylessoucis** 6 points over 2 years ago

My bad, only tables with data for that reason

[-] **ThucNguyen1994** 1 point 7 days ago

Command timeout in minutes: If your connection lasts longer than 10 minutes (the default timeout), you can enter another value in minutes to keep the connection open longer. This option is only available in Power Query Desktop.

Navigate using full hierarchy: If checked, the navigator displays the complete hierarchy of tables in the database you're connecting to. If cleared, the navigator displays only the tables whose columns and rows contain data.

[-] **BP215** 1 point 3 months ago

Correct answer

[-] **627628c** 2 points 7 months ago

10 Minutes

Only tables with data

Per Microsoft Learn:

"Navigate using full hierarchy - If checked, the navigator displays the complete hierarchy of tables in the database you're connecting to. If cleared, the navigator displays only the tables whose columns and rows contain data."

<https://learn.microsoft.com/en-us/power-query/connectors/azure-sql-database>

[-] **rcaliandro** 2 points 12 months ago

10 minutes, only tables that contain data

[-] **Kiran37** 1 point about 1 year ago

correct answer

[-] **Jane97** 1 point about 1 year ago

10 MINUTES

ONLY TABLES WITH DATA

[-] **SilentAnalyst** 4 points over 1 year ago

The solution is correct.

10 minutes default timeout

Only tables that contain data

reference to

<https://learn.microsoft.com/en-us/power-query/connectors/azure-sql-database>

[-] **WRTopics** 2 points almost 2 years ago

10 Min.

All Tables.

I work with DirectQuery in my job.

[-] **lbritics** 2 points almost 2 years ago

and what does fialeover do?

[-] **Igetmyrole** 2 points almost 2 years ago

The correct answers are:

** 10 minutes . The default timeout for the connection from Power BI Desktop to Azure SQL database is 10 minutes.

** All the tables : the navigator will display all the tables available in the specified database, regardless of whether they contain data or hierarchies.

[-] **Unzi_** 4 points almost 2 years ago

Correct!:

Command timeout in minutes: If your connection lasts longer than 10 minutes (the default timeout), you can enter another value in minutes to keep the connection open longer. This option is only available in Power Query Desktop.

Navigate using full hierarchy: If checked, the navigator displays the complete hierarchy of tables in the database you're connecting to. If cleared, the navigator displays only the tables whose columns and rows contain data.

Include relationship columns: If checked, includes columns that might have relationships to other tables. If this box is cleared, you won't see those columns.

<https://learn.microsoft.com/en-us/power-query/connectors/azure-sql-database>

[-] **Bamlaku** 6 points almost 2 years ago

Answer is correct:

10 minutes (default)

Only tables with Data

Navigate using full hierarchy: If checked, the navigator displays the complete hierarchy of tables in the database you're connecting to. If cleared, the navigator displays only the tables whose columns and rows contain data.

<https://learn.microsoft.com/en-us/power-query/connectors/azure-sql-database>

[-] **Makaroni** 2 points about 2 years ago

Is the answer ALL Tables or Only tables that contain data? I think the real confusing is there?

[-] **ahhida** 4 points about 2 years ago

Yes answer is 10 min , only tables with data as this is azure sql server not on premises sql server

<https://learn.microsoft.com/en-us/power-query/connectors/azure-sql-database>

[-] **SanaCanada** 5 points over 2 years ago

Please ignore my first answer, after reviewing in detail

Correct answer is 10 Minutes and Only Table with Data

If "Navigate using full hierarchy" is unchecked in the Fields pane in Power BI Desktop, then only the tables and fields that contain data will be displayed in the report view. Any tables or fields that do not have data will be hidden from view.

However, it's important to note that this option controls the behavior of the Fields pane in the report view, and does not affect the data that is loaded into the report. Even if the option is unchecked, all tables and fields in the data model will still be available for use in the report. They just won't be visible in the Fields pane unless they contain data.

So, if you want to ensure that only the tables and fields with data are shown in the report view, you can uncheck "Navigate using full hierarchy" in the Fields pane. But if you want to include all tables and fields in the data model, even if they don't

currently contain data, you should leave the option checked.

[-] **SanaCanada** 1 point over 2 years ago

So, if you want to ensure that only the tables and fields with data are shown in the report view, you can uncheck "Navigate using full hierarchy" in the Fields pane. But if you want to include all tables and fields in the data model, even if they don't currently contain data, you should leave the option checked.

[-] **Shalaleh** 1 point over 2 years ago

Navigate using full hierarchy If checked, the navigator displays the complete hierarchy of tables in the database you're connecting to. If cleared, the navigator displays only the tables whose columns and rows contain data.

[-] **Shalaleh** 1 point over 2 years ago

Include relationship columns If checked, includes columns that might have relationships to other tables. If this box is cleared, you won't see those columns.

[-] **SanaCanada** 1 point over 2 years ago

Correct Answer 10 Minutes and All tables

The Navigator window in Power BI will display all tables available in the data source, regardless of whether or not they contain data. However, when you preview the data in the Navigator window, only the tables that have data will display data in the preview.

When you connect to a data source in Power BI, the Navigator window will typically display a list of tables, views, and other objects available in the data source. This list may include tables that are empty or have no data.

No confusion, and no need to further discuss

[-] **semauni** 2 points over 2 years ago

I would say there is a need to further discuss it. The documentation about Azure SQL database states that if full hierarchies is unchecked, 'the navigator displays only the tables whose columns and rows contain data', as others have already stated and linked to. What you describe is my experience with Microsoft SQL Server as well, but Azure SQL database appears to be an exception.

[-] **semauni** 4 points over 2 years ago

I think the real confusion is, should you answer what the documentation tells you or should you answer based on experience (because some have apparently tested it and agree with you) :)

[-] **ushakiranraju** 1 point over 2 years ago

10 MIN

Only tables with data

[-] **DUVANES** 2 points over 2 years ago

1. 10 Minutos

2. All Tables

[-] **DUVANES** 1 point over 2 years ago

<https://learn.microsoft.com/es-es/power-query/connectors/azure-sql-database#connect-using-advanced-options>

[-] **shmmmini** 1 point over 2 years ago

Tested it, and it shows everything, though the documentation says it should show only tables and columns with data

[-] **Nemesizz** 1 point over 2 years ago

10 min.

Only tables with data.

Navigate using full hierarchy:

If checked, the Navigator displays the complete hierarchy of tables in the database you're connecting to. If cleared, Navigator displays only the tables whose columns and rows contain data

Source:

<https://learn.microsoft.com/en-us/power-query/connectors/sql-server>

[-] **KoS83** 1 point over 2 years ago

Correct

[-] **jijita** 2 points over 2 years ago

1. 10 MINUTES
2. ALL TABLES (I TRIED THIS)

[-] **Ashishsingh07** 5 points over 2 years ago

1. 10 Minutes
2. All the tables (I just tried this out)

[-] **Vikash14** 2 points over 2 years ago

10 mins

All the tables

If checked, the navigator displays the complete hierarchy of tables in the database you're connecting to. If cleared, the navigator displays only the tables whose columns and rows contain data.

Reference : <https://learn.microsoft.com/en-us/power-query/connectors/azuresqldatabase>

[-] **Vikash14** 3 points over 2 years ago

Sorry my bad as Navigate is not checked : it would show tables with data

[-] **NICOx** 1 point over 2 years ago

It's correct, 10 min and all tables because we have not query

[-] **JoaoTrade** 2 points over 2 years ago

I agree with 10 min, but not sure on the only tables that contain data.. i would say all the tables

[-] **Kai_don** 1 point over 2 years ago

It should be 10 mins and all the tables.

Question 14

HOTSPOT

-

You have the Azure SQL databases shown in the following table.

Name	Stage	Server URL
db-powerbi-dev	Development	dev.database.windows.net
db-powerbi-uat	Test	uat.database.windows.net
db-powerbi-prod	Production	prod.database.windows.net

You plan to build a single PBIX file to meet the following requirements:

- Data must be consumed from the database that corresponds to each stage of the development lifecycle.
- Power BI deployment pipelines must NOT be used.
- The solution must minimize administrative effort.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Create:

	▼
One parameter	
Two parameters	
Three parameters	

Parameter type:

	▼
Text	
True/False	
Decimal number	

Hide Answer

Correct answer:

Answer Area

Create:

	▼
One parameter	
Two parameters	
Three parameters	

Parameter type:

	▼
Text	
True/False	
Decimal number	

[-] **SanaCanada** 108 points over 2 years ago

Given answer is correct

To meet the requirements specified, we can use a single parameter in the PBIX file that controls which database is used for data consumption based on the stage of the development lifecycle.

We can use a Text parameter type in Power BI to achieve this. The parameter can be used to switch between the different database connections when a user interacts with the report. The text parameter could include values such as "Development", "Staging", and "Production", which correspond to the different databases shown in the table.

The parameter can then be used in the queries to dynamically filter the data based on the selected stage of the development lifecycle. By using a single parameter, we can minimize administrative effort and ensure that the report works with each stage of the development lifecycle.

No confusion, and no need to discuss further

[-] **nelrosell** 1 point 11 months ago

no not correct

[-] **inejo** 4 points about 2 years ago

Gracias por tu explicación :)

[-] **Nemesizz** 10 points about 2 years ago

Why not two parameters, one for the name and other for the server?

prikha16 3 points about 2 years ago

How will give this parameter in the source step of the queries for tables? we need to give server and DB name?

CookieMingkee 88 points over 1 year ago

It is a trick question. You have to pay attention to the names of the databases and the servers.

Databases:

db-powerbi-dev

db-powerbi-uat

db-powerbi-prod

Servers:

dev.database.windows.net

uat.database.windows.net

prod.database.windows.net

The only differences among the 3 names are "dev", "uat", and "prod".

Create a single parameter as Text and Suggested value as List of Values.

Your list of values will be:

dev

uat

prod

In the Power Query editor use the parameter value and concatenate it with the rest of the database and server name.

Source = Sql.Database("#"ParameterName&".database.windows.net", "db-powerbi-"&#"ParameterName")

If the Parameter Value selected from the list is "uat", the connection is interpreted as:

Source = Sql.Database("uat.database.windows.net", "db-powerbi-uat")

I hope that clarifies the answer.

BellaL9 22 points over 2 years ago

Create: 2 parameters

Parameter type: text

Alam4545 2 points almost 2 years ago

why do you think about server name? just deal with three different database name with one parameter. That's it!

semauni 3 points over 2 years ago

I would agree if this table was not available. In this case, both the server and the database name are tied to the test stage, so that column encompasses both. SanaCanada explains very well how to accomplish the connection with just one parameter.

Shalaleh 2 points over 2 years ago

would you please explain more?

ThucNguyen1994 1 point 4 days ago

Instead of creating two separate parameters (ServerName and DatabaseName), you only need one parameter Environment, and use logic like this in Power Query:

let

envMap = [

Development = [Server = "dev.database.windows.net", DB = "db-powerbi-dev"],

Test = [Server = "uat.database.windows.net", DB = "db-powerbi-uat"],

Production = [Server = "prod.database.windows.net", DB = "db-powerbi-prod"]

],

selectedEnv = envMap[Environment],

Source = Sql.Database(selectedEnv[Server], selectedEnv[DB])

in

Source

Lulu_2022 1 point about 2 months ago

the answer is correct

1 parameter

if Environment = "Dev" then "dev-server.database.windows.net"

else if Environment = "Test" then "test-server.database.windows.net"

else "prod-server.database.windows.net"

If you're switching server or database names:

Use Text as the parameter type.

Example values:

"dev-server.database.windows.net"

"test-server.database.windows.net"

This type works well for building dynamic connection strings in Power Query using conditional logic.

[-] **nelrosell** 1 point 11 months ago

The given database names are different from each environment as well as the server name.

So it needs two parameters, if the given database names are same then we only need one parameter for the server name.

[-] **rcaliandro** 1 point 12 months ago

We need one-text parameter in order to switch the various environments (dev, test, prod)

[-] **Kiran37** 1 point about 1 year ago

Correct , create Parameter for 2 Environment

[-] **Jane97** 1 point about 1 year ago

To meet the requirements specified, we can use a single parameter in the PBIX file that controls which database is used for data consumption based on the stage of the development lifecycle.

We can use a Text parameter type in Power BI to achieve this. The parameter can be used to switch between the different database connections when a user interacts with the report. The text parameter could include values such as "Development", "Staging", and "Production", which correspond to the different databases shown in the table.

The parameter can then be used in the queries to dynamically filter the data based on the selected stage of the development lifecycle. By using a single parameter, we can minimize administrative effort and ensure that the report works with each stage of the development lifecycle

[-] **abhijeetbgmcanada** 3 points over 1 year ago

one param approach will work only if , each full connection string can be prepared like <database>. <other part of URL>. in that case, 3 env.s can be switched as per need. if both cannot be combined in a single entity, then 2 params are needed. (I don't have exact idea about how the connection gets created in textual form internally). kindly confirm if i am wrong and upvote if correct.

[-] **SumaiyaKS** 1 point over 1 year ago

I think coz db name is an optional param, one would do for the server name alone

[-] **Saluk_DE** 1 point over 1 year ago

Connection is done with two different fields "Server" and "Database", so you will need also two parameters for that. Answer should be 2 parameters, both text.

[-] **lcass27** 4 points almost 2 years ago

Correct Answers: One Parameter / Text

In Power Query, in Advance Editor you can use 1 parameter to update the stage of the server and the database by modifying the M Code as follows:

```
'=Sql.Database(parameter&"ServerUrl", "DatabaseName"&parameter)'
```

[-] **abhijeetbgmcanada** 1 point over 1 year ago

But in such solution, when the database name changes from dev to uat to prod, parameter values will place the URL of dev uat and prod, but how database name will change automatically? (i.e. suppose you statically give database name as dev db name, then param value comes as uat env URL. then how this will work ? hence I feel 2 params are needed.

[-] **Igetmyrole** 1 point almost 2 years ago

The correct answers are Two Parameters and Text.

** Two Parameters: it is because we have three stages; Development, Test, and Production, which means we need parameters to dynamically switch between these stages. We have two columns in the table that are relevant for the scenario, "Stage" (to determine the stage) and "Server URL" (to specify the database server URL).

** Text: Text parameter is suitable for the scenario because we want to use them to switch between different server URLs based on the selected stage.

[-] **TrainingCA06** 1 point over 1 year ago

No NO NO, the answer is right.: 1 Parameter type text, and then when you configure it show an option to LIST, in the list you add each environment.

[-] **cs3122** 1 point over 1 year ago

You can accomplish this with 1 parameter instead. It would contain "Dev" "uat" and "Prod", and you can apply it to both columns

[-] **ApacheKafka** 1 point about 2 years ago

I think we just need 1 parameter because all the databases have different names and url to represent each of the stages.

Using 2 parameters is waste of resources as just 1 parameter can serve the purpose. In this case we can chose to use either the database name or url.

The stage column is only an additional information to clarify each database name or url.

I hope this is clear.

[-] **JJMC5544** 2 points about 2 years ago

1 Parameter with "List of Values"

[-] **Scobie** 4 points about 2 years ago

SanaCanada is correct here only one parameter is needed. With one parameter with the parameter type of "Text" and Suggested Values to be "List of values" you can set three values as dev, uat, and prod.

In the Azure they contain the same structure for the Name and Server URL.

"db-powerbi-" & ".database.windows.net"

The only thing that changes between the stages is dev, uat, and prod and for each of the stages the Name and Server URL is the same value for that stage. E.g, "db-powerbi-dev" & "dev.database.windows.net"

[-] **Cyprien_B** 1 point about 2 years ago

To be a bit more precise, when modifying the source in Power Query, we can click on "Advanced" and modify the source URL for a URL that contains both text and parameters.

[-] **prikha16** 1 point about 2 years ago

Those of you who are saying one, have you tried it yourself?

I am not able to edit the code in advanced editor using one parameter.

I would go with 2 parameters.

[-] **KARELA** 3 points about 2 years ago

Please share resources from where this is referenced.

[-] **Sandy2010** 1 point over 2 years ago

Given answer is correct

[-] **Vidharthi** 1 point over 2 years ago

I think we need to create three parameter for, dev test, prod ?

[-] **joaowendling** 4 points over 2 years ago

No, we just need one text parameter, that will reflect what is the stage of development. One parameter can have multiple values (dev, test, prod)

[-] **MANARSA** 2 points over 2 years ago

Answer is correct

[-] **luisnc** 1 point over 2 years ago

please explain?

Question 15

You are creating a query to be used as a Country dimension in a star schema.

A snapshot of the source data is shown in the following table.

Country	City
USA	Seattle
USA	New York
USA	Denver
UK	Manchester
UK	London
Japan	Tokyo
Brazil	Rio
Brazil	Sao Paulo

You need to create the dimension. The dimension must contain a list of unique countries.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Delete the Country column.
- B. Remove duplicates from the table.
- C. Remove duplicates from the City column.
- ☒ D. Delete the City column.
- ☒ E. Remove duplicates from the Country column.

Hide Answer

[-] **MarcoW91PL** 40 points over 2 years ago

DE is correct we only need the countries

[-] **AnnaBi** 12 points over 2 years ago

Agree

The table has to contain unique values for "Country" column, so

- delete the city column --> in fact this column is not requested
- Remove duplicates from the Country column

[-] **BP215** 1 point 3 months ago

Selected Answer: DE

DE is the right answer

[-] **Minh2712** 1 point 5 months ago

Selected Answer: DE
DE are the correct answers

[-] **4b88f2d** 1 point 5 months ago

Selected Answer: BD
I'm not sure why you need E answer. They tell every answer is a part of solution. In the moment y firstly delete city column, you don't need specifically remove Country column, because is the only column you have, so B answer would be correct. Furthermore, as SOF_SH said: "Remove duplicate from a specific column does Not exist in Power BI, the action that does exist is Remove Duplicates."
Tricky question, I'm not sure honestly.

[-] **olalekanadedoyin** 1 point 5 months ago

Selected Answer: DE
DE is correct. We need just the country's column.
Remove duplicates from the country's column and delete the city column to enhance performance.

[-] **Dylan23** 1 point 8 months ago

Selected Answer: DE
why need to delete the city column ?

[-] **2pado** 1 point 3 months ago

Because the exercise is only asking you to have a list of unique countries

[-] **LuluSkyy** 3 points 10 months ago

We all need the dimension to contain the list of unique countries. so we delete the city column because we don't need it and remove the duplicates from the country column. The correct answer is DE

[-] **Mi4as** 1 point 5 months ago

Finally, a full explanation of why only DE is correct and no option for B.
Only with DE option no need to think about ordering. I checked the E option and received the unique list of countries at this step. This means it doesn't matter whether we delete the city column before or after deduplication rather than B which may have effect only after E.

[-] **Bob_38** 1 point 10 months ago

Selected Answer: DE
correct

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: DE
DE is correct we first remove the city column than we remove duplicates from the Country column

[-] **Rayen_BF** 1 point 12 months ago

Selected Answer: DE
Correct answers are D and E, as they mentionned in the question, the need to create a "list of unique countries" so it will not make sense in removing only duplicates from country and leaving a column of uncompleted cities, so it's necessary to delete this column.

[-] **SOF_SH** 2 points about 1 year ago

Remove duplicate from a specific column does Not exist in Power BI, the action that does exist is Remove Duplicates.

[-] **Kiran37** 1 point about 1 year ago

De is correct

[-] **Tsbki** 6 points over 1 year ago

Selected Answer: BD

DB should also be accepted since the table has only one row after deleting City column.

[-] **gomathi_1991** 2 points 10 months ago

DE will work in whichever order it is executed. But, DB will give expected result only if D is executed first. As the order of execution is open ended in this question, I'd say DE would be the better answer.

[-] **cs3122** 4 points over 1 year ago

Selected Answer: DE

DE is correct, but feel like BD could also work, since it technically does the same thing

[-] **StressFree** 2 points over 1 year ago

It was so easy that I was suspicious...

[-] **daviduzo** 2 points over 1 year ago

one could say it was stress free

[-] **gulutulu** 1 point over 1 year ago

CONFUSING OPTIONS....BEST OPTION IS
NEWCOUNTRY=ALLNOBLANKROW(COUNTRY[COUNTRY])

[-] **henryjamesalexander** 1 point over 1 year ago

Selected Answer: DE

DE is correct

[-] **mordaro** 1 point almost 2 years ago

Selected Answer: DE

piece of cake d, e

[-] **TrustMyAnswers** 2 points almost 2 years ago

Selected Answer: DE

D and E are correct.

[-] **WRTopics** 1 point almost 2 years ago

Selected Answer: DE

DE and BE Would Work. !!

[-] **Igetmyrole** 1 point almost 2 years ago

B & E are the correct answers.

B. Remove duplicates from the table: this action will ensure that only unique rows (combinations of Country and City) remain in the table, effectively removing any duplicate countries.

E. Remove duplicates from the country column: This action specifically removes duplicates from the "Country" column, ensuring that we have a list of unique countries.

B & E actions, when performing in sequence, will give you a dimension with a list of unique countries, which is what we need for the star schema.

[-] **Mi4as** 2 points almost 2 years ago

DE or ED give you absolutely the same result. I hate questions like this because the test has only one correct answer :(Even more, "delete the city column" and "remove duplicates from the table" (step: Table.Distinct) it still correct. So, we have three correct answers.

[-] **pverde** 1 point about 2 years ago

Selected Answer: DE

DE is correct

[-] **cvviswanath7** 1 point about 2 years ago

The solution requires Unique values for the Country column from the given table.

Steps to be taken:

1. Remove all the other columns present (In this case, the City column). These columns are not needed for the dimension table being created, as stated in the question.

Option D

2. Now we are left with the Country column which has duplicate values. We now remove the duplicates from this column.

Option E

[-] **inejo** 1 point about 2 years ago

D y E porque solo necesitamos el país

[-] **Shalaleh** 3 points over 2 years ago

Selected Answer: DE

Because the Dim table is for country, countries should be unique and we need them we cannot remove the country column.

[-] **junaidd2107** 4 points over 2 years ago

DB is also correct, removing the City column table only has 1 column so removing duplicates from table also works

[-] **liilval** 1 point over 2 years ago

DE and DA both works, after deleting the city column, just the country column stays

[-] **liilval** 1 point over 2 years ago

De and DB*****

[-] **RazaTheLegend** 2 points over 2 years ago

Selected Answer: DE

Agree

The table has to contain unique values for "Country" column, so

- delete the city column --> in fact this column is not even requested
- Remove duplicates from the Country column

Question 16



DRAG DROP

-

You use Power Query Editor to preview the data shown in the following exhibit.

ABC SKU	123 price	ABC 123 discount
Valid 100% Error 0% Empty 0% 11 distinct, 11 unique	Valid 100% Error 0% Empty 0% 9 distinct, 7 unique	Valid - % Error 63% Empty - %
P00001	100	0.08
P00002	150	0.03
P00003	130	Error
P00004	200	0.06
P00005	80	Error
P00006	350	Error
P00007	100	Error
P00008	200	0.05
P00009	135	Error
P00010	90	Error
P00011	120	Error

You need to clean and transform the query so that all the rows of data are maintained, and error values in the discount column are replaced with a discount of 0.05. The solution must minimize administrative effort.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Select the **discount** column.
- Select the **price** column.
- For the discount column, change Data Type to **Decimal Number**.
- For the discount column, change Data Type to **Whole Number**.
- Select **Replace Errors** to replace each error value with 0.05.

Answer Area



Hide Answer

Correct answer:

Answer Area

- Select the **discount** column.
- Select **Replace Errors** to replace each error value with 0.05.
- For the discount column, change Data Type to **Decimal Number**.

[-] **RazaTheLegend** 62 points over 2 years ago

Order is correct, we need to correct the errors first. Thus we select the column and then replace errors then change the data type.

[-] **Arnav123** 3 points 7 months ago

yes I agree because we change the data type before replacing the errors, it may result in producing an error.

[-] **Asaase** 5 points 8 months ago

I disagree. This is better.....

Select Discount > Set Discount type to Decimal > Replace errors with 0.05

Reason: practically, errors could have arisen because of wrong data type. It is best to correct the data type first (some errors may actually go away). Then you replace the remaining errors with 0.05.

If you replace errors first, you totally miss out on potential corrections with the data type change

[-] **BIFakeGuru** 2 points 7 months ago

Changing the data type at the end is important because if you attempt to change the data type before addressing errors, Power Query might throw an error for the entire column.

[-] **waxlyrical** 6 points about 1 year ago

I disagree with the order; we should change data type before replacing errors. Errors may arise from changing the data type and if this is done last the errors will remain on load.

[-] **ET_phone_home_son** 19 points about 2 years ago

Select Discount > Replace errors with 0.05 > Set Discount type to Decimal

[-] **Lulu_2022** 1 point 27 days ago

If you replace before changing the data type, Power Query might not detect the errors properly—especially if the profiling shows mixed types (abc 123). By converting to Decimal first, errors become explicit and easier to manage.

Would you like help writing a Power Query formula for this or optimizing the steps inside a query folding scenario? You're handling this like a pro.

[-] **BP215** 1 point 3 months ago

I disagree with the order; we first change the data type and then replace the error.

[-] **Jasmine121** 1 point 6 months ago

I will go for 1 5 3, which are Select > Replace Error > set to Decimal

[-] **rcaliandro** 2 points 12 months ago

First of all: Select discount column,

Then: Replace errors to replace each error value with 0.05

Finally: For the discount column change data type to decimal number

[-] **Kiran37** 1 point about 1 year ago

correct answer

[-] **shazzzy** 2 points over 1 year ago

Change data type last because if the error is relating to the column not being convertible to decimal then that action will fail. If you replace to 0.05 first you are guaranteed it is convertible to decimal.

[-] **AliD84** 2 points over 1 year ago

Correct answer is: Select Discount > Replace errors with 0.05 > Set Discount type to Decimal

This sequence does not work in P-BI: Select Discount > Set Discount type to Decimal > Replace errors with 0.05

[-] **Detviler** 3 points over 1 year ago

This was so logical. No argument for this one.

[-] **Pratham8285** 5 points almost 2 years ago

Is it incorrect if I set the Discount type to Decimal before replacing the errors?

[-] **lgetmyrole** 2 points almost 2 years ago

The correct three consecutive actions are:

Action 1: Select the discount column. This is the column we need to transform.

Action 3: From the discount column, change data type to decimal Number. This step is necessary to work with numeric values.

Action 5: Select replace error to replace each error value with 0.05. This will address the requirement of replacing error values with the desired discount value.

Action 2: select the price column. Selecting the price column is not relevant to the requirement of cleaning and transforming the discount column.

Action 4: From the discount column, change data type to whole number. Changing the data type of the discount column to a whole number is not appropriate since the discount values are decimal numbers, and you want to replace errors with 0.05, which is not a whole number.

[-] **XAPT_Kft** 5 points over 1 year ago

This order is correct:

- Select the discount column
- Change data type to decimal
- Select Replace Errors

TESTED

[-] **RicoPallazzo7** 1 point almost 2 years ago

are you sure about the order?

I mean, if i modify the type after the replacement, isn't the same?

Or even better, because you're not causing other problems of types before the casting

[-] **inejo** 2 points about 2 years ago

De acuerdo con la respuesta

[-] **newusername** 3 points about 2 years ago

Why do we need to change the datatype?

[-] **LouStar2** 1 point about 2 years ago

its currently stored as text

its a decimal value so store it as a decimal

[-] **nick0651** 1 point almost 2 years ago

yes , it is required to change the datatype of the column

[-] **alojt** 1 point over 2 years ago

Yes please. It would be great if someone explain the 5 & 3 answer order. Assuming the answers are 1-5 top to bottom. Could/Should the answer be 3 & 5 instead?

[-] **alojt** 2 points over 2 years ago

Oh no, I get it now. Of course, you want to get rid of the errors first. :)

[-] **abhishek15695121** 1 point over 2 years ago

given answers are correct


[-] **MarcoW91PL** 1 point over 2 years ago

Correct

Question 17

HOTSPOT

You attempt to use Power Query Editor to create a custom column and receive the error message shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

The error is caused by [answer choice].

	▼
error values in the source data	
mismatched data types	
NULL values	

The desired outcome of the custom column is [answer choice].

	▼
1A	
A&1	
A1	

Hide Answer

Correct answer:

Answer Area

The error is caused by [answer choice].

	▼
error values in the source data	
mismatched data types	
NULL values	

The desired outcome of the custom column is [answer choice].

	▼
1A	
A&1	
A1	

[-] **RazaTheLegend** 47 points over 2 years ago

Given answers are correct

[-] **Igetmyrole** 20 points almost 2 years ago

Mismatched data types and A1 are the correct answers. The custom column expression is trying to concatenate (use the "&" operator) a text value and a number value, which are mismatched data types. In this case, the left side of the operator is a text value (e.g., "A"), and the right side is a number value (e.g., 1).

To achieve the desired outcome of the custom column as "A1", you should ensure that both sides of the "&" operator have the same data type, which is text in this case.

[-] **BP215** 1 point 3 months ago

Correct answer

[-] **LuluSkyy** 1 point 10 months ago

correct

[-] **rcaliandro** 2 points 12 months ago

The error is caused by mismatched data types (text and number). The desired outcome of the custom column is A1. The given answer is OK

[-] **Kiran37** 1 point about 1 year ago

correct answer

[-] **PBI2916** 2 points over 1 year ago

I tried "A"&1 to create custom column . It gives the same error as shown in the picture.

[-] **KARELA** 2 points about 2 years ago

can someone please share the resource from where this is referenced?

[-] **Shalaleh** 5 points over 2 years ago

Given answer is correct.

[-] **dataguru08** 2 points over 2 years ago

Can someone please explain why is it A1?

[-] **joaowendling** 21 points over 2 years ago

In the error message, you can see that we are trying to concatenate two "parts", the left one (which is "A") and the right one (which is the number 1). The "&" is how we are concatenating (in Power Query the syntax "abc"&"def" will result in "abcdef")

[-] **lizbette** 5 points over 2 years ago

can someone explain the syntax? where did the "&" come from? what does the { } mean"

[-] **abhishek15695121** 3 points over 2 years ago

given answers are correct

[-] **MarcoW91PL** 2 points over 2 years ago

Correct Answer

Question 18



From Power Query Editor, you attempt to execute a query and receive the following error message.

Datasource.Error: Could not find file.

What are two possible causes of the error? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

A. You do not have permissions to the file.

- B. An incorrect privacy level was used for the data source.
- C. The file is locked.
- D. The referenced file was moved to a new location.

Hide Answer

[-] **andrewkravchuk97** 61 points about 2 years ago

So, the correct selections would be:

- A. You do not have permissions to the file.
- D. The referenced file was moved to a new location.

Other options cause another message:

B. If an incorrect privacy level is set for a data source, you might receive an error related to data privacy like:

"Formula.Firewall: Query 'QueryName' references other queries or steps, so it may not directly access a data source. Please rebuild this data combination."

C. If a file is locked, for example because it is open in another application and that application has locked the file for exclusive access, the error message might be something like: "DataSource.Error: The process cannot access the file because it is being used by another process."

[-] **Romain_D** 7 points almost 2 years ago

Selected Answer: AD

<https://learn.microsoft.com/en-us/power-query/dealing-with-errors>

[-] **edbf978** 2 points over 1 year ago

Do you have any tips for navigating Microsoft Learn to find the right article in the exam environment?

[-] **720b680** 1 point 8 months ago

Selected Answer: AD

So, the correct selections would be:

- A. You do not have permissions to the file.
- D. The referenced file was moved to a new location.

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: AD

Can be either

A. You do not have permissions to the file.

OR

D. The referenced file was moved to a new location.

[-] **Kiran37** 1 point about 1 year ago

correct answer

[-] **bipin24x7** 2 points over 1 year ago

Selected Answer: AD

AD Seems correct

[-] **RedRoss** 1 point over 1 year ago

Selected Answer: AD

<https://learn.microsoft.com/en-us/power-query/dealing-with-errors>

[-] **HoatBQ** 2 points over 1 year ago

Mismatched Data -> A1

[-] **Dani_eL** 2 points over 1 year ago

Selected Answer: AD

A: no permission on file or above because of heritance(folder/drive)
D: file does not exist at mentioned location

[-] **Dsbuff** 2 points over 1 year ago

Selected Answer: AD
A, D correct. references

[-] **Nuli** 1 point over 1 year ago

Answer is correct

[-] **mordaro** 1 point almost 2 years ago

Selected Answer: AD
A,D correct in B and C cases you will receive different errors

[-] **lgetmyrole** 2 points almost 2 years ago

A & D are correct answers.
A. You do not have permission to the file: if there is no permission to access the file, you will encounter this error.
D. The referenced file was moved to a new location: if the file that that query is trying to access has been moved to a different location or path, Power Query won't be able to find it, resulting in this error. We should verify the file's location and update the data source settings accordingly.

[-] **nicknam123** 2 points about 2 years ago

why A ? because error will be "denied" and not "not found"

[-] **madyjoe21** 1 point about 2 years ago

Selected Answer: AD
I would say A and D.

[-] **Acrious** 2 points about 2 years ago

Selected Answer: AD
correct

[-] **Bamlaku** 1 point about 2 years ago

Selected Answer: CD
Two possible causes of the error Datasource.Error: Could not find file in Power BI are:
The referenced file was moved to a new location: If the file you are trying to connect to as a data source has been moved or renamed, Power BI will not be able to find it and will display this error message.
The file is locked: If the file is open by another person, it may be locked and cannot be accessed until it is closed.

Question 19



You have data in a Microsoft Excel worksheet as shown in the following table.

	A	B	C
1	SKU	price	discount
2	P00001	100	0.08
3	P00002	150	0.03
4	P00003	130	#DIV/0!
5	P00004	200	0.06
6	P00005	80	#NAME?
7	P00006	350	#N/A
8	P00007	100	#NULL!
9	P00008	200	0.05
10	P00009	135	#NUM!
11	P00010	90	#REF!
12	P00011	120	#VALUE!

You need to use Power Query to clean and transform the dataset. The solution must meet the following requirements:

- If the discount column returns an error, a discount of 0.05 must be used.
- All the rows of data must be maintained.
- Administrative effort must be minimized.

What should you do in Power Query Editor?

- A. Select Replace Errors.
- B. Edit the query in the Query Errors group.
- C. Select Remove Errors.
- D. Select Keep Errors.

Hide Answer

[-] **lgetmyrole** 17 points almost 2 years ago

A. Select Replace Errors. is the correct answer. Because selecting "Replace Errors" allows you to replace any errors in the discount column with a specified value, which in the case is 0.05 as per the requirement.
Option B is not necessary for this specific task. Option C would remove rows with errors entirely, which is not in line with the requirement to maintain all rows of data. Option D would keep rows with errors as they are, which is not what we want since we want to replace errors with a specific value.

[-] **kamsri** 10 points almost 2 years ago

THE ANSWERE IS A

[-] **rcaliandro** 2 points 12 months ago

Selected Answer: A
We can directly replace errors with 0.05. It is the quickest way to do that.

A -Select Replace Errors is correct

[-] **Kiran37** 1 point about 1 year ago

Correct answer

[-] **yaya32** 2 points about 1 year ago

Selected Answer: A

A for me

[-] **AZFabio** 1 point over 1 year ago

Selected Answer: A

Replace Errors

[-] **YouHaku** 3 points over 1 year ago

Selected Answer: A

Replace the errors, pretty straight forward

[-] **CheyrouLag** 4 points almost 2 years ago

Selected Answer: A

c'est correct mon reuf

[-] **fifi96** 3 points about 2 years ago

The correct option to achieve the requirements is:

A. Select Replace Errors.

By selecting "Replace Errors" in Power Query Editor, you can specify a value (in this case, 0.05) to be used whenever an error is encountered in the specified column (discount column). This ensures that if the discount column returns an error, a discount of 0.05 will be used, while maintaining all rows of data and minimizing administrative effort.

[-] **pverde** 2 points about 2 years ago

Selected Answer: A

A - Select Replace Errors is correct

[-] **andrewkravchuk97** 4 points about 2 years ago

A. Select Replace Errors - is correct.

C&D will remove some rows

Option B, "Edit the query in the Query Errors group", would technically also allow to achieve the required result. However, this would not be the optimal solution given the constraints provided in the scenario, which specifies that administrative effort must be minimized.

Question 20



You have a CSV file that contains user complaints. The file contains a column named Logged. Logged contains the date and time each complaint occurred. The data in Logged is in the following format: 2018-12-31 at 08:59.

You need to be able to analyze the complaints by the logged date and use a built-in date hierarchy.

What should you do?

- A. Apply the Parse function from the Data transformations options to the Logged column.
- B. Change the data type of the Logged column to Date.
- C. Split the Logged column by using at as the delimiter.

D. Create a column by example that starts with 2018-12-31.

Hide Answer

[-] **tranquanhuy2111** 20 points almost 2 years ago

Selected Answer: C

A: cause error.

C: correct, although it lacks step change data type

[-] **bsdk_jinx** 7 points over 1 year ago

Datatype is changed automatically you need not do it manually :)

[-] **Kish1604** 10 points almost 2 years ago

Change Data Type step is not required since the data type gets updated automatically after splitting the column by delimiter

[-] **bdub1976** 3 points over 1 year ago

Yep, the answer is C and using delimiter "at" is the easiest path and will automatically adjust the column to date format upon hitting Ok. Also, this method retains the time column in time format. If time was not a requirement, then you might be better using Extract Table Using Examples to minimize the data imported.

[-] **momo1165** 14 points over 1 year ago

Question appears multiple times with different answer options, in this set of answers, C is correct.

[-] **Lulu_2022** 1 point about 2 months ago

Selected Answer: D

The best answer is: D. Create a column by example that starts with 2018-12-31.

Here's why:

The original format "2018-12-31 at 08:59" is not recognized as a valid date by Power BI because of the "at" text.

Using Column from Examples in Power Query lets you easily extract just the date portion (2018-12-31) without writing M code.

Once extracted, you can change the new column's data type to Date, which enables Power BI's built-in date hierarchy (Year, Quarter, Month, Day).

Why not the others?

A. Parse function: Power BI doesn't have a built-in "Parse" function that can handle this custom format directly.

B. Change data type to Date: This will fail because the "at" string makes the format invalid for automatic conversion.

C. Split by "at": This works, but it creates two columns and requires extra cleanup. Option D is more efficient and intuitive.

[-] **Elnaeem** 1 point 2 months ago

Selected Answer: B

Artificial intelligence (Gemini) answer:

The most effective solution to analyze complaints by the logged date and use a built-in date hierarchy in Power BI, given the "2018-12-31 at 08:59" format, is to change the data type of the Logged column to Date.

Here's why:

* Power BI's Intelligent Handling: Power BI is very good at recognizing common date and time formats.

[-] **Fellow_Commentor** 1 point 4 months ago

Selected Answer: D

Column By Example i.e, Answer D is correct, since it automatically extracts the date from the column and changes its type to DATE in the new column.

Again, using 'at' as delimiter will introduce spaces as prefix and suffix and create an unneeded time column which is not asked for in the question

[-] **BIFakeGuru** 1 point 7 months ago

Selected Answer: B

I had a similar question in the Microsoft pl-300 preparation Course (on coursera):

"

You have a CSV file that contains user complaints. The table contains a column called Logged, which has data and the time of each complaint. The data is logged in the following format: 2022-12-21 at 08:35. You want to analyze the complaints by the logged date and utilize Power BI's built-in date hierarchy. What should you do?

- Split the logged column using 'at' as a delimiter. ✗
- You can use the same column as the date hierarchy. ✗
- Apply transformation to extract the column's first characters that only contain the date. ✗
- Change the data type of the logged column to Date. ✓

"

So answer is B, Probably because PowerBI can recognize Date in that format

[-] **Asukaaaaa** 2 points 6 months ago

I have also encountered this question in Coursera. It did provide the correct answer as change the data type, but I tried it in PowerBI which does not recognize it as a Date format

[-] **Sangameshks** 1 point 8 months ago

Selected Answer: D

If we create a column with date format. Power bi will automatically identify it as date column

[-] **Srilatha_B** 2 points 8 months ago

Selected Answer: B

Data Type change is direct and allows to analyze by date, month, year etc. No need to split and analyze.

[-] **GiuseppeTanda** 1 point 8 months ago

Selected Answer: C

C work faster then D because automaticcally reconize the data type for date and time. D require an additional step to change data type from text and in both case you will have 2 column as final result.

[-] **LuluSkyy** 3 points 10 months ago

I want to say the answer is D because the question talks about a built in date hierarchy

[-] **Deva_1** 4 points 10 months ago

Selected Answer: D

D. Create a column by example that starts with 2018-12-31

is the correct answer bcz if you add column from example(i.e. 2018-12-31) then it gives only data format.

Answer C is wrong bcz if we use "at as delimiter then the space before at will be added in the data format so the column will not automatically detect as a date format.

[-] **Bhanu__prakash** 8 points over 1 year ago

Have you even tried? The space before 'at' will be removed automatically, that's the beauty of intelligence in Power BI. I've tried, both C and D options work. But for option D, the data type will be set to text and we need to add additional step to change data type, wherein for option C, Power BI automatically recognizes and changes the data type.

[-] **rcaliandro** 2 points 12 months ago

This is similar to another question in which "C - Split the Logged column by using at as the delimiter" was the right answer. But why in this case "D. Create a column by example that starts with 2018-12-31" is wrong???

[-] **Kiran37** 1 point about 1 year ago

correct answer

[-] **greenlever** 3 points about 1 year ago

Selected Answer: C

Tested. Data type as Date is set auto BUT

Create by example - data type is not set to Date.

[-] **jsav1** 1 point about 1 year ago

Selected Answer: C

C is the more reliable option

[-] **yaya32** 1 point about 1 year ago

Selected Answer: C
C for me

[-] **Sheree_Data** 2 points over 1 year ago

Microsoft Fabric said choice D.

[-] **shazzzy** 3 points over 1 year ago

ANS. C I tested D and it didn't change the data type to Date, it remained as text. I also tested C without using spaces before and after the 'at' and it DID change the data type to date. The fact that there are two questions like this but C is common to both questions makes extra sure it is correct. C!

[-] **KRISTINMERIEANN** 2 points over 1 year ago

Selected Answer: D
d

[-] **TrainingCA06** 1 point over 1 year ago

be careful, this is the same question #10, and in 10 the right answer was D and here C. crazy

[-] **sdfokjwov** 1 point over 1 year ago

They've got different answers - In #10, D is the simplest, in this Q, C is

[-] **28485e1** 4 points over 1 year ago

There is another question verbatim like this one and the answer is, "extract the first 11 characters." Delimiter answer appears on both. Is it saying that extracting the characters is a better option if available? I don't understand.

[-] **Dani_eL** 4 points over 1 year ago

Tested in PBI with dummy data :
A & B will cause an error in the data --> you will read "error" instead of original data
D will truncate the date correctly but will keep the original string format (no hierarchy possible)
C will split correctly and apply correct format on the fly, date for date and time for time

[-] **JohnChung** 4 points over 1 year ago

Selected Answer: D
I tried. D is correct.
It is easy to create a new column only contains the date with Examples

[-] **momo1165** 2 points over 1 year ago

D adds another column, C does not

[-] **Adja_Fall** 2 points over 1 year ago

C divise la colonne en 2 donc il y a bien une nouvelle colonne

[-] **bbshu0801** 5 points over 1 year ago

Selected Answer: C
Same question with #10, Topic 1. So the answer should be same which is C.

[-] **Dsbuff** 3 points over 1 year ago

Selected Answer: C
C is correct. By splitting the Logged column, you can separate the date and time into two columns.

[-] **fellywashe** 1 point over 1 year ago

Just checking is at a delimiter?? someone please assist

[-] **XAPT_Kft** 4 points over 1 year ago

Selected Answer: C

C is absolutely correct.

Split sets the data type for the date field automatically. In the case of D solution, additional step is needed to change data type of the new column.

[-] **ElieG** 3 points over 1 year ago

Can anyone please explain why it is not A? And what is the difference in answer between this question and question number 10?(because it is the same but different answers options)

[-] **XAPT_Kft** 4 points over 1 year ago

Selected Answer: D

<https://learn.microsoft.com/en-us/power-bi/create-reports/desktop-add-column-from-example>

[-] **StressFree** 4 points over 1 year ago

Selected Answer: A

The correct answer is:

A. Apply the Parse function from the Data transformations options to the Logged column.

The Parse function is used to convert the data in the Logged column from text to a date/time format. This is necessary to analyze the complaints by the logged date. The other options are not necessary for this task. Splitting the Logged column by using "at" as the delimiter would result in two separate columns for the date and time, which is not what you want. Creating a column by example that starts with "2018-12-31" would also result in a column that contains only one specific date, which is not what you want. You want to analyze the complaints by the logged date, which can be any date, not just "2018-12-31"

[-] **AliCB** 3 points over 1 year ago

Selected Answer: B

This is because changing the data type of the Logged column to Date will automatically create a date hierarchy for the column, which will allow you to drill down and filter by year, quarter, month, and day. You can also use the date hierarchy to perform time-based calculations using DAX formulas.

Option C is not correct because splitting the Logged column by using at as the delimiter will create two separate columns: one for the date and one for the time. This will not create a date hierarchy for the original column, and it will also lose the time information that might be useful for the analysis.

[-] **Ditendra** 1 point over 1 year ago

for automatically detecting data type I guess date and time must be separated by a space not by at

[-] **AliCB** 1 point over 1 year ago

Selected Answer: B

B. Change the data type of the Logged column to Date.

This is because changing the data type of the Logged column to Date will automatically create a date hierarchy for the column, which will allow you to drill down and filter by year, quarter, month, and day. You can also use the date hierarchy to perform time-based calculations using DAX formulas

[-] **madyjoe21** 3 points over 1 year ago

deja vu

[-] **thetester** 3 points over 1 year ago

Why not D?

[-] **IrynaVilner** 2 points almost 2 years ago

answer: D, just one step to get logged date column

DRAG DROP

-

You have two Microsoft Excel workbooks in a Microsoft OneDrive folder.

Each workbook contains a table named Sales. The tables have the same data structure in both workbooks.

You plan to use Power BI to combine both Sales tables into a single table and create visuals based on the data in the table. The solution must ensure that you can publish a separate report and dataset.

Which storage mode should you use for the report file and the dataset file? To answer, drag the appropriate modes to the correct files. Each mode may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Storage modes

DirectQuery

Import

LiveConnect

Push

Answer Area

Report file:

Storage mode

Dataset file:

Storage mode

Hide Answer

Correct answer:

Answer Area

Report file: Import

Dataset file: DirectQuery

[-] **j1234** 48 points almost 2 years ago

Report file: Import: In Power BI, when you import data, it means that the data is loaded into the Power BI Desktop file. In this case, you would import the data from both Excel workbooks into your Power BI Desktop report file. This allows you to create visuals and reports based on the imported data. Importing the data ensures that you can work with the data even when you're not connected to OneDrive.

Dataset: DirectQuery: To keep the data in OneDrive and maintain a live connection to the source, you should use DirectQuery for the dataset. DirectQuery allows Power BI to retrieve and query data from the original data source (in this case, the Excel workbooks in OneDrive) in real-time without importing it into the dataset. This ensures that your dataset is always up-to-date and reflects changes made to the source data.

[-] **Seda_** 48 points about 1 year ago

Your answer is wrong. When we read the question we understand that we need to import Excel workbooks using web connector and first of all our source data is Excel. For Excel data source, Direct Query mode is not supported even if

the connector is web. Please read Microsoft's direct query supported resources article.
THE CORRECT ANSWER IS DEFINITELY REPORT FILE:IMPORT DATASET FILE:IMPORT
NOTE: FRIENDS, PLEASE DON'T FORGET. HIGHLY VOTED ANSWERS ARE NOT ALWAYS CORRECT.

[-] **edbf978** 8 points over 1 year ago

Thanks for your answer! I am a bit confused by the need for direct query.

I see this requirement: "The solution must ensure that you can publish a separate report and dataset." So does using direct query stop the two semantic models from merging or something?

The question doesn't say anything about required real-time elements so I don't understand why direct query is needed unless it relates to the separation of report and dataset.

Otherwise seems like something you would decide based on size of data source and the real time accuracy requirement from the business...

But I have never published a dataset without a report so I am not knowledgeable on the subject..

[-] **JudT** 4 points over 1 year ago

Load and Transform Data in Power Query. Close and Apply your power query Logic in PBI. Build your semantic model and publish it on service without any reports. Open a new Pbi instance and connect to your pulished semantic model (via Get Data Menu and select Power BI semantic Models) and a connected live mode will be established. This is the best way to achive this requirement. Hope this will help.

[-] **Wadyba** 4 points 6 months ago

My brother, you are just quoting documentation. You are not answering the question.

[-] **Wadyba** 5 points 6 months ago

The answer is import for both files. You can not use direct query for dataset in Excel and OneDrive. So which language are you going to use to query the folder. Direct Query is for relational databases where you or the system use SQL to query the source.

[-] **Mo2011** 22 points about 1 year ago

Wrong answer, THERE IS NO DIRECT QUERY FOR EXCEL FILES, ONLY IMPORT MODE

[-] **Pitxunet** 3 points 6 months ago

You're right. I saw the simulation on a super tutorial in YouTube and the answer is Import Mode for both because there is no other storage mode for Excel files and the report inherits the storage mode from the dataset.

[-] **Jane97** 1 point about 1 year ago

Dataset: Direct Query.

To keep the data in OneDrive and maintain a live connection to the source, you should use Direct Query for the dataset. Direct Query allows Power BI to retrieve and query data from the original data source (in this case, the Excel workbooks in OneDrive) in real-time without importing it into the dataset. This ensures that your dataset is always up-to-date and reflects changes made to the source data.

[-] **Arth_1111** 3 points 11 months ago

Wrong!!!

[-] **INDEAVR** 38 points over 1 year ago

I think what they meant to say in this question is that you need to split the report and the dataset and publish them to Service separately:

<https://learn.microsoft.com/en-us/power-bi/guidance/report-separate-from-model>

I have done this many times and the solution is:

1. You split your pbix to a report pbix and a dataset pbix
2. You publish the dataset to Power BI service.
3. You live connect your report to the Power BI dataset and then publish it as well.

<https://powerbi.tips/2020/06/split-an-existing-power-bi-file-into-a-model-and-report/>

So the correct answer is:

Report => Liveconnect

Dataset => Import

Technically, the dataset may use any other connection type but in this case I think it is Import.

[-] **Shree07** 1 point over 1 year ago

This is the correct answer. If we have a separate dataset and a report connecting to this dataset then it would be a Live connect and the Dataset can be Import.

[-] **JudT** 1 point over 1 year ago

I agree. Thank you for your contribution

[-] **Hyla** 46 points almost 2 years ago

The question is not very clear.

I would do it this way:

1 Import by Dataset

2 Live connect (to dataset) for report(s).

[-] **ee0625a** 2 points 7 months ago

Import Mode for the dataset file (to load and transform data from the Excel workbooks). Live Connection for the report file (to connect to the published dataset in Power BI). Live Connection in this scenario refers to connecting the report file to the published Power BI dataset in the workspace, not directly to the Excel workbooks.

[-] **Lulu_2022** 2 points about 1 month ago

Why this setup works:

Import mode is ideal for Excel files stored in OneDrive — Power BI can refresh them automatically in the cloud.

Live connection allows you to build multiple reports on top of a single dataset, minimizing development effort and ensuring centralized data governance.

This approach aligns with best practices for separating semantic models (datasets) from report layers, especially in enterprise or team-based environments.

Would you like help setting up the live connection or combining the Excel tables in Power Query? I can walk you through it! 🗨️



[-] **Mizan2390** 4 points about 2 months ago

Report file: Live Connection

Once the dataset is published, the report file should use Live Connection to reference the dataset from Power BI service instead of importing the data again.

Dataset File: Import

Since Power BI does not support DirectQuery for Excel files in OneDrive, you must import the data.

[-] **a2c7cd3** 1 point about 1 month ago

Yes, this is the correct answer. If you look closely at the question, it refers to creating a separate report and dataset.

This means you should first create a dataset using a DirectQuery connection and publish it to the Power BI service.

Then, in Power BI Desktop, connect to the published dataset using a live connection, build your report, and finally publish this new report back to the Power BI service.

[-] **cbryan** 1 point 2 months ago

Answer is correct because when you import a report file (.PBIX) while using DirectQuery to a dataset, you're essentially separating report development from the dataset model.

Even though the report file is in import mode, it doesn't necessarily mean the underlying data is imported. If the report is built on a DirectQuery dataset, the visualizations still pull live data from the dataset, ensuring real-time updates. The imported PBIX file only contains the report layout, filters, and visuals, keeping it lightweight while leveraging the external dataset for calculations and queries.

[-] **slamusry** 1 point 2 months ago

Direct Query does not support excel files.

I think both will be import

[-] **akin200bode** 1 point 3 months ago

Dataset File—Import Mode: Using import mode means the data from both Excel files is brought into the Power BI dataset. This allows the combining of the two Sales tables into one table, scheduling refreshes (so the dataset is updated daily or as required), and maintaining full control over the data transformations. Note that Import mode truly “stores” a copy of the data in the dataset (but this is acceptable because the requirement is to have the combined data available for reporting).

Report File—Live Connection: For the report file, if connected live to the published dataset, then the visuals are based on the dataset that is kept up-to-date via scheduled refreshes. A live connection does not store any additional data in the report file; it simply points to the dataset. This gives the flexibility to publish the report and dataset as separate assets and ensures that any updates in the dataset are immediately available in the report visuals.

[-] **Jasmine121** 1 point 6 months ago

Both import.
Direct Query doesn't support sharepoint folder/files.

[-] **Fatima300** 3 points 6 months ago

Dataset File: Import Mode
Report File: Live Connection
Excel doesn't support DirectQuery, so Import Mode is required for the dataset.
Live Connection lets the report use the published dataset without duplicating data.
Push Mode isn't relevant (used for real-time streaming, not Excel).

[-] **MANANDAVEY** 2 points 7 months ago

both answers are import you can check on microsoft learn

[-] **jaume** 1 point 9 months ago

I think DirectQuery connection is available when connecting to an excel workbook when is hosted in OneDrive or Sharepoint but it's not clear report must be connected to the Dataset or to excel file. Since there is a Dataset (current Semantic Model), I would move for the Import mode for the report unless any size constraint as it would optimize render of the visuals.

For the Dataset, I guess you could set up DirectQuery connection to ensure data is updated without any other refresh action but, again, there are no requirements about size, performance... to clearly decide between Import or DirectQuery.

"Live Connection" is a method to build a report in PBI Desktop without having to build a Semantic Model... this could be the answer for the report in case we could understand the requisite "...publish a SEPARATE report and dataset" means report and dataset should be not connected

[-] **FabricioMoreno** 3 points 9 months ago

Para esta pregunta, la mejor respuesta sería:
Report file: LiveConnect
Dataset file: Import
Explicación:
Dataset (Import): Este archivo debe configurarse en modo Import, ya que estamos tratando con datos estáticos en archivos de Excel almacenados en OneDrive. El modo Import permite cargar y almacenar los datos en el modelo de Power BI, facilitando la creación de un conjunto de datos independiente y optimizando el rendimiento para análisis rápidos.
Report (LiveConnect): En el archivo de informe, configuramos LiveConnect, lo cual permite conectarse dinámicamente al conjunto de datos importado. Esto asegura que cualquier cambio en el conjunto de datos se refleje automáticamente en el informe sin necesidad de replicar los datos.
Esta configuración permite un informe independiente del conjunto de datos, minimizando el esfuerzo administrativo y optimizando el rendimiento.

[-] **hsetin** 2 points 10 months ago

Excel file stored in one drive is not same as an excel file on your desktop. Live connect can be used with onedrive url to source the excel data. So the answer is live Connect for Dataset, and import for Report file

[-] **Dany_pop** 2 points 10 months ago

Report file: Import
Dataset file: Import
The question said there are two Microsoft Excel workbooks in a Microsoft OneDrive Folder which requires an Excel connector (or Web). NOTE: Excel connector only supports the Import storage mode

[-] **rcaliandro** 1 point 12 months ago

Import, DirectQuery

[-] **agelee** 7 points about 1 year ago

1. Report file: LiveConnect
2. Dataset file: Import

[-] **Smyrol** 1 point about 1 year ago

It's import to the dataset and then live connection to report
that's how we build it at work

[-] **4r3k** 1 point about 1 year ago

Copilot says: B

[-] **4ae4e69** 3 points about 1 year ago

You cannot create a DirectQuery / Live connection to an Excel spreadsheet per Microsoft's documentation on Power BI data sources. For excel it seems the mode is import.

[-] **jsav1** 6 points about 1 year ago

You need to publish the report and dataset separately, i.e. they are not in the same pbix. The dataset would use import but once it is published into the Power BI Service the report uses a live connection to the dataset.

[-] **Leopards** 9 points over 1 year ago

In this video it says both are : Import
I don't see anyone given this answer in the discussion.

[-] **9f73003** 5 points over 1 year ago

The answer provided is rubbish!
A standalone report file uses a liveconnect storage mode!! The dataset imports.

[-] **55884** 4 points over 1 year ago

I would say its:
report file: import
dataset file: liveconnect
report: this is because there were no requirement for real-time and due to the requirement's complexity (combining 2 tables into 1 table) THEN visualize the data. we use import to reduce their high complexity by setting report storage mode as import.
dataset: due to the question's requirement "create visuals based on the data in the table", there were no semantic model in the picture. so, liveconnect will be the most suitable because liveconnect can create the visuals/report directly from the existing data without the need of semantic model (unlike directquery where it connects the semantic model to data).
this is my reference: <https://learn.microsoft.com/en-us/power-bi/connect-data/service-live-connect-dq-datasets>
correct me if I'm wrong!

[-] **Aero_1898** 3 points over 1 year ago

Report either Live or Direct and dataset should be import because you can create daxis in the dataset and publish it and for the report you can connect it with the dataset via live or direct or dual and publish it

[-] **SilentAnalyst** 1 point over 1 year ago

I think the write answer is:
Report file: Import
Dataset file: LiveConnect
Remember that we want to have a 'separate report' and dataset.
For this to work we first the two Excel files to the Power Bi Desktop (do whatever we need to do to transform and prepare it). and this without any reports publish it to the Power Bi Services.
Now we have a semantic model and a report (and empty report) on the workspace of Power BI services. we don't need the report and we can just delete it.

Now in power BI we open a new document and select 'Get Data'>'Power BI datasets' and choose the semantic model that we just published. This is going to be a Liveconnect and I think this is the only way we can connect to a semantic model on Power BI services (if anyone knows any other way, tell me).

[-] **da66a09** 4 points over 1 year ago

shouldn't it the other way round? you wouldn't import the data into the report. you would just connect to the published dataset

Report = Live Connection

Dataset = Import

"Live connection is a way of connecting a Power BI report to a published Power BI semantic model."

Source = <https://learn.microsoft.com/en-us/power-bi/connect-data/service-live-connect-dq-datasets>

[-] **7Veritas** 1 point 8 months ago

True. The answer should be: ReportFile - LiveConnect; Dataset file - Import. This is how it would work out:

I. First, you'd create and publish your dataset:

1. Create a new Power BI file
2. Import the Sales tables from both Excel workbooks
3. Combine/model the data as needed
4. Publish this as your dataset to the Power BI service

II. Then, to create a report with LiveConnect:

1. Open Power BI Desktop
2. Click "Get Data"
3. Select "Power BI datasets"
4. Choose the dataset you published in step I.
5. This automatically creates a Live Connection to that dataset

The report will now be connected to your published dataset, and you can create visuals using the data from your combined Sales tables.

[-] **pscbbs** 8 points over 1 year ago

It is not possible to DirectQuery an excel file - this is only for databases or APIs which support it.

Your dataset should use import - it will import the excel data into the PBI service.

Your Report should connect to that dataset, and by default that's done with DirectQuery mode since the data is already in the native PBI format after it's been imported by the service. (you can also import in your report, but it would be redundant)

[-] **Chellz** 4 points over 1 year ago

The Storage mode is for TABLES in your model. The question asks that you must be able to publish a separate report and dataset. That means the 2 tables must be imported to the model. However, report and dataset are the instances that you publish to Power BI Service workspace. There's no storage mode property that you can set for report and dataset.

[-] **edbf978** 2 points over 1 year ago

Does anyone know how to connect to excel files via direct query? I have tried connecting directly to the files, using SharePoint connector and web connector in power bi desktop and all default to import storage mode and cannot be changed.

Also if anyone knows how to create a dataset file that doesn't have an accompanying report please provide some guidance. Chat GPT recommended using a PBIT file but this doesn't seem like it meets the requirement of a "dataset file"...

[-] **CookieMingkee** 1 point over 1 year ago

How exactly can you change the report's data model from Import to DirectQuery?

I created a simple Excel file in OneDrive and created a Semantic Model (Power BI Dataset) in Power BI Service. I then created a new report, selected Power BI Dataset as source but the only option is "connect".

After connecting, I went to the Model View and highlighted the table. In Advance, the Storage Mode is blank and greyed out. Unless someone validated the answer by doing, I'll stick with Import on both Report and Data Model.

[-] **da66a09** 1 point over 1 year ago

Report = Live Connection

Dataset = Import

"Live connection is a way of connecting a Power BI report to a published Power BI semantic model."

Source = <https://learn.microsoft.com/en-us/power-bi/connect-data/service-live-connect-dq-datasets>

You would import the excel files not direct query

[-] **CookieMingkee** 4 points over 1 year ago

I am able to walkthrough this scenario.

1. I created a blank report using the two Excel files as my dataset connecting via Web and appended it. The method here Import for the dataset.

2. I then published the report. This step created a report with no visuals and a dataset that can be refreshed.

3. I created a new report connecting to the dataset created in step 2.

4. In the report, I selected to Transform the data and Power BI Desktop suggested that I need a direct query connection keeping a local model of the dataset.

5. In the Model View, I selected the table and checked the Advanced Property and can confirm that my storage model is Direct Query.

With the above step, my answer to the question here is as follows:

Dataset = Import

Report = Direct Query

[-] **LOCOBI** 1 point over 1 year ago

Why not Live connection?

[-] **bbshu0801** 6 points over 1 year ago

Actually I've no idea what this question want to ask.

[-] **Dsbuff** 4 points over 1 year ago

For dataset files, I'd think it should be "Import" mode. DirectQuery mode keeps the data in the source system and sends queries in real-time. However, Excel files, especially when stored in cloud services like OneDrive, do not support DirectQuery as they are file-based and not database services.

[-] **golia** 5 points over 1 year ago

chatgpt answer:Report File Storage Mode: Import

Reason: Importing data into the report file is suitable when you want to create a self-contained report with the data embedded within it. This is beneficial for scenarios where you want the report to be portable and not dependent on the live connection to the original data source. It provides better performance for visualizations and interactivity within the report.

Dataset File Storage Mode: Direct Query

Reason: Using Direct Query for the dataset file allows you to create a connection between Power BI and the original data source (in this case, your Excel workbooks on OneDrive). Direct Query mode ensures that the dataset in Power BI is always synchronized with the latest data in the Excel tables. This way, any changes made to the data in the Excel workbooks reflect immediately in the Power BI dataset, providing real-time or near-real-time data updates without importing the data into Power BI.

[-] **RMUK** 4 points almost 2 years ago

I think,

Step 1: create dataset (Import)

Step 2: create report with DirectQuery mode (use dataset from step 1)

[-] **Aero_1898** 3 points almost 2 years ago

Given answer seems correct , I will create a dataset file separately with Import mode so that i can use Power bi published data set in the Power bi report , So dataset is import and report is Direct Query

[-] **bogomol312_111** 3 points almost 2 years ago

I think for the Dataset it can be Live Connection,

[-] **IrynaVilner** 6 points almost 2 years ago

There is no storage mode "Live Connection"

[-] **fra9031** 6 points almost 2 years ago

What does it mean storage mode for report and dataset files? Should not it be considered for the tables of the datamodel only?

[-] **Mati_123** 6 points almost 2 years ago

I think that the import mode is beneficial for both cases.

[-] **Nawna** 1 point almost 2 years ago

Guys it's the given answer correct ?

[-] **bbshu0801** 1 point over 1 year ago

import and DirectQuery

Question 22



You use Power Query to import two tables named Order Header and Order Details from an Azure SQL database. The Order Header table relates to the Order Details table by using a column named Order ID in each table.

You need to combine the tables into a single query that contains the unique columns of each table.

What should you select in Power Query Editor?

- A. Merge queries
- B. Combine files
- C. Append queries

Hide Answer

[-] **DataEngDP** 19 points over 1 year ago

There are two primary ways of combining queries: merging and appending.
For one or more columns that you'd like to add to another query, you merge the queries.
For one or more rows of data that you'd like to add to an existing query, you append the query.
<https://learn.microsoft.com/en-us/power-bi/connect-data/desktop-shape-and-combine-data>

[-] **Thejani** 1 point 3 months ago

Selected Answer: A
A is correct , using Order ID column.

[-] **ee0625a** 2 points 7 months ago

Selected Answer: A
Merging the two using the common OrderID Column is a better option

[-] **faruk3d** 1 point 11 months ago

Selected Answer: A
A is correct

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: A
Of course A, merging (join) queries

[-] **Kiran37** 1 point about 1 year ago

Merge is correct

[-] **Tinashe16** 2 points about 1 year ago

Merge is correct, because of the distinct individual columns which should remain

[-] **Muthukumar_Subbaiyan** 4 points over 1 year ago

As per my understanding both the tables are related to orders, one is header data i.e is dimension, another one is Fact, so column's will be different in both the tables, in such case we need to user Merge

[-] **AZFabio** 4 points over 1 year ago

Selected Answer: A
Merge = SQL join

[-] **Roh1410** 2 points over 1 year ago

Merge Queries

[-] **08b2ddd** 4 points over 1 year ago

I hope I get this one on my exam...

[-] **Dsbuff** 1 point over 1 year ago

Selected Answer: A
A is correct, hands down.

[-] **TrustMyAnswers** 3 points almost 2 years ago

Selected Answer: A
Answer A is correct.

[-] **IrynaVilner** 3 points almost 2 years ago

Answer A is correct

[-] **gradmes** 4 points almost 2 years ago

Selected Answer: A
A. Merge queries

[-] **riwahof** 3 points almost 2 years ago

Selected Answer: A
Seriously, who even proposes C?

[-] **faes** 5 points almost 2 years ago

People who're learning

[-] **jl234** 2 points almost 2 years ago

Selected Answer: C
To combine two tables in Power Query Editor into a single query that contains the unique columns of each table, we should select option C, which is "Append queries."

[-] **MateoRook** 4 points almost 2 years ago

Correct answer is A. Merge combines columns. Append combines rows. The question is about related tables.

[-] **TDwayne** 3 points over 1 year ago

You can also think of Append like a Union in SQL, it just puts datasets beneath eachother but does not merge any unique values together. Sorry if the explanation is unclear I am still learning myself as well.

[-] **sankeytm** 3 points almost 2 years ago

Selected Answer: A
Option A is correct

[-] **SwapnJ** 2 points almost 2 years ago

Option A

[-] **Mati_123** 2 points almost 2 years ago

option D is correct

Question 23



For the sales department at your company, you publish a Power BI report that imports data from a Microsoft Excel file located in a Microsoft SharePoint folder.

The data model contains several measures.

You need to create a Power BI report from the existing data. The solution must minimize development effort.

Which type of data source should you use?

- A. Power BI dataset
- B. a SharePoint folder
- C. Power BI dataflows
- D. an Excel workbook

Hide Answer

[-] **Nomios** 141 points 11 months ago

It should be dataset, because the case states there is already a report published and the datamodel contains measures. therefore and to be able to use the measures in the datamodel you should connect to the existing dataset (which was created when you published the report) instead of starting from scratch with the files in the SharePoint folder.

[-] **NatRob** 5 points over 2 years ago

After reading the question multiple times, the biggest takeaway is that its asking directly for data. A SharePoint folder HOLDS data, but it is not data itself. I agree with this and think its the existing dataset

[-] **Hoeishetmogelijk** 9 points over 2 years ago

The question is confusing because it doesn't tell clearly that there are two reports. So the second report can reuse the dataset of the first one.

[-] **bbshu0801** 1 point over 2 years ago

Yea, I think so.

[-] **ZSun** 8 points about 2 years ago

I think the question is clear:

Publish the first report, and then create the second report from dataset of the first report

[-] **LOCOBI** 2 points over 1 year ago

The question also implies that there is a report already created, so using the PBI dataset will include the calculated metrics

[-] **cabbagepie** 1 point over 2 years ago

can you provide documentation/reference links on this please?

[-] **5d477b6** 2 points 10 months ago

You can check the semantic model, they changed the name from dataset to semantic model.

[-] **Green13** 7 points almost 2 years ago

The answer is Sharepoint folder. The data model was for the previously published PowerBi report. Creating a new report from existing data refers to all Sales data on the sharepoint folder.

[-] **TopCat1583** 11 points over 2 years ago

B is the correct answer. you have to take the data from the data source. How is a data set in power BI a data source? The data source is the excel document.

[-] **rashjan** 24 points almost 3 years ago

Selected Answer: A
reuse the existing dataset.

[-] **Geetster** 1 point 3 months ago

Selected Answer: A
It contains measures

[-] **Humphrey42** 1 point 3 months ago

Selected Answer: A
A is correct

[-] **Manasdextrous** 2 points 3 months ago

Selected Answer: B
We have to use the base dataset to make a report not the power bi published dashboard data which is been added into the power bi cached files.

[-] **MirianeAn** 1 point 4 months ago

Selected Answer: C
Dossier Sharepoint, car le fichier Excel utilisé se trouve dans un dossier Sharepoint

[-] **Hosna2023** 1 point 6 months ago

Selected Answer: A
By using a Power BI dataset, you can reuse the existing data model—including all the measures—in your new report without having to recreate them, which minimizes development effort.

[-] **tecnoyescas** 1 point 6 months ago

Selected Answer: A
Its a power bi dataset because youre using the same data, it just take some clicks to connect to the semantic model.

[-] **Sonuf** 1 point 8 months ago

Selected Answer: D
MOST WEBSITES HAS THIS ANSWER AS D

[-] **ThandaPanda11** 1 point 8 months ago

Selected Answer: A

reusing existing data to get the measures that are already created is best

[-] **Jaitin** 1 point 9 months ago

Selected Answer: A

power bi datasets are most common approach to reuse single data for multiple reports

[-] **rcaliandro** 2 points 12 months ago

Selected Answer: A

The correct answer is A-Power BI dataset (now has been renamed as Power BI semantic models)

[-] **NilinET** 1 point about 1 year ago

Selected Answer: A

Dataset has been renamed to semantic model, so PBI dataset should be equivalent to PBI Semantic model.

<https://learn.microsoft.com/en-us/power-bi/connect-data/service-datasets-rename>

Back to the question, for the purpose of minimizing development effort, by using an existing semantic model may save time from clear, transform and load the data source.

[-] **Kiran37** 1 point about 1 year ago

Selected Answer: B

correct

[-] **Nishi_06** 1 point about 1 year ago

a sharepoint folder

[-] **Migs123** 3 points about 1 year ago

Selected Answer: B

The first two sentences were meant to confuse you. The actual question is which "data source"

[-] **supersoniccat** 1 point about 1 year ago

I agree. the correct answer should be Dataset, as it refers to create a new PBI based on data (and a dataset) already built

[-] **antouan** 2 points about 1 year ago

Selected Answer: A

The correct answer should be Dataset. A connection with the Share folder was initiated for the first report. After publishing the report a Power BI dataset was created and by connecting with it we minimize the development.

[-] **e31df62** 1 point about 1 year ago

Selected Answer: A

Agree with Nomios!

Answer I am going with: Existing Dataset bc the qs clearly states that the report is already published and the data model of that published report contains measures. Therefore, to be able to use those measures in the already published dataset, use: Existing dataset)

[-] **Grey_Head** 1 point over 1 year ago

Selected Answer: A

The solution must minimize development effort.

[-] **canopus112** 2 points over 1 year ago

Selected Answer: B

Answer is B. Even though there was a published page before, they are trying to create a NEW report which you have to use the sharepoint folder url to get access to the files. lol

[-] **dataguy1** 2 points over 1 year ago

Hi , im preparing for the 'Microsoft Certified: Power BI Data Analyst Associate' cert. Ive completed all modules that were on the Syllabus twice and there was no mention of the dataverse. I can see its Power app module thats not on the syllabus....does anyone have a comprehensive of all modules required?

[-] **Uhoh** 7 points over 1 year ago

Selected Answer: B

The question is: "Which type of data source should you use?"

The Power BI dataset is NOT a data source.

<https://learn.microsoft.com/en-us/power-bi/connect-data/desktop-data-sources>

Thus, since it should have minimal developing impact, it should be answer B "Sharepoint folder".

[-] **chelchoul** 4 points over 1 year ago

Power BI dataset is literally the 2nd option of your link. Answer is A

[-] **Jyothi988** 2 points over 1 year ago

Selected Answer: B

Sharepoint

[-] **LOCObI** 1 point over 1 year ago

Dataset included calculated tables, while a data flow is a collection of tables.

[-] **oOHichamOo** 1 point over 1 year ago

A is the answer:

I am not convinced with B, the published dataset is already connected to the existing data, and to minimize effort of modeling and creating all the measures you will just reuse everything

[-] **Krichounette** 1 point over 1 year ago

Selected Answer: A

For me is the answer A. the keywords for me are: you publish and not you want to publish or you will publish."Existing Data".

Also, the solution must 'minimize developement effort' . If we want to minimize the effort, we won't do the same thing with reconnecting to the sharepoint folder.

[-] **Andreasdest** 1 point over 1 year ago

Selected Answer: A

you shall connect to the existing & published PowerBI dataset in order to minimize development effort and reuse the measures. If you connect to SP folder, then you shall start building from scratch

[-] **SHENOOOO** 1 point over 1 year ago

Selected Answer: A

The Dataset is already there, and the question mentioned that we should minimize development, so the dataset and measures are already existing. A should be the correct answer.

[-] **Briarheart1096** 4 points over 1 year ago

This Question appeared in the Mock Exam provided in Coursera Power BI course and has Sharepoint Folder as the correct answer. Even though i think it should be Dataset

[-] **Masamune1** 3 points over 1 year ago

Selected Answer: A

Without a shadow of a doubt, if we want to create a report in PowerBI from a data model that contains measurements, we need to connect directly to that model, so we will use the Power BI Datasets option, if we connected to a Sharepoint folder , we would start from an excel file and nothing could be reused from the data model and its measurements.

[-] **LemonYeti** 3 points over 1 year ago

The key word here was "publish", in order to access datasets they need to be published first therefore the answer is A.

[-] **Saluk_DE** 3 points over 1 year ago

Selected Answer: A

The set is already done and contains measures. You can build a report on the same dataset.

[-] **Brita_bm** 3 points over 1 year ago

Correct answer is A

[-] **Preethamailapuram** 2 points over 1 year ago

We will utilize an existing Power BI Dataset, the data source of which is a SharePoint folder. Consequently, the data source for the upcoming report will also be solely a SharePoint folder. So answer is B.

[-] **CookieMingkee** 2 points over 1 year ago

Selected Answer: A

The requirements are:

You need to create a Power BI report from the existing data.

The solution must minimize development effort.

Using the Power BI Dataset already lessens the development effort and already contains measures that can be used for the new report.

[-] **Rolfvo93** 2 points over 1 year ago

TBH, dataset makes the most sense regarding inflation in the Sharepoint folder. If so, we would have to take the derivative of the inflation to adjust for unexpected polynomial functions which could expand from one folder to the next (which would cause a chain reaction), and eventually leading to power BI shutting down.

[-] **TrustMyAnswers** 1 point almost 2 years ago

Selected Answer: A

A, as it is needed to minimize efforts.

[-] **Kish1604** 2 points almost 2 years ago

Selected Answer: A

Since the solution must minimize development efforts and we already have a report with same dataset published, the answer should be Power BI dataset.

[-] **SwapnJ** 1 point almost 2 years ago

I think it should be a Sharepoint folder. Option B

[-] **Nagarajutd15** 3 points almost 2 years ago

Answer is "A --> Power BI dataset" because the question says "You need to create a Power BI report from the existing data. The solution must minimize development effort." If we use power bi dataset the development efforts will be less.

[-] **Igetmyrole** 1 point almost 2 years ago

The correct answer is D (an Excel Workbook) it is because using an Excel Workbook as a data source allows you to directly import the data from the EXCEL file into power bi without the need for additional data transformation steps.

[-] **dayrell** 1 point almost 2 years ago

Selected Answer: B

Fastest way, like the it is asking.

[-] **Alexks** 2 points almost 2 years ago

B:SharePoint Folder

Because the data you need is stored in an Excel file in a SharePoint folder, you would access and use that data as your source. This allows you to efficiently work with the existing data and create the report with the least development effort. If you had mentioned that the data is already in a Power BI dataset, then option A would have been the correct choice.

[-] **monaimonai** 2 points about 2 years ago

Selected Answer: A
data model contains measures

[-] **Acrrious** 3 points about 2 years ago

Selected Answer: A
It states that it already imported the data from an excel file for an existing report. You are now adding another report that uses the same data. So you just use the dataset

[-] **RooneySmith** 3 points about 2 years ago

Selected Answer: B
Option A is possible choice, but you may be encountered to an error message saying "DirectQuery isn't available for this dataset", then it would add development effort. This is why B is safer as there is no difference in the process between choosing a dataset or Sharepoint folder. It would increase the load time, but there is no development effort behind it.

[-] **AK055** 1 point about 2 years ago

Selected Answer: B
Sharepoint folder

[-] **Ravisha27** 1 point about 2 years ago

Selected Answer: A
re-using power BI dataset is a clear choice here.

[-] **zak2003** 3 points about 2 years ago

To reuse the existing imported data, we use PBI Dataset resource. Refer >>> <https://learn.microsoft.com/en-us/power-bi/connect-data/service-datasets-discover-across-workspaces>

[-] **Stefan1986** 2 points about 2 years ago

Selected Answer: B
Using a Power BI dataset would be an appropriate option as well, and it might offer certain advantages over the SharePoint Folder data source depending on your specific requirements and scenario. However, if your goal is to minimize development effort, using the SharePoint Folder data source directly might be a more straightforward approach. It allows you to quickly import data from the Excel file without the need for additional data modeling in Power BI Desktop. It could be especially useful when the Excel file already contains the necessary measures, and you only need to create visuals for reporting

[-] **Ob90882** 1 point over 1 year ago

In this case you cannot benefit from the existing measures that were created in the existing model. By not using the existing model you have the re-create these.

[-] **Lavoisier** 3 points about 2 years ago

The question is to select the type of data source. The answer can't be A, because Power BI dataset is not a type of data source. The answer is B. SharePoint Folder is a type of data under the category File data source. Ref: <https://learn.microsoft.com/en-us/power-bi/connect-data/desktop-data-sources>

[-] **Green13** 1 point almost 2 years ago

<https://learn.microsoft.com/en-us/power-bi/connect-data/service-datasets-discover-across-workspaces>
"In Power BI Desktop: from the Home ribbon, select Get data > Power BI datasets."

[-] **RicoPallazzo7** 1 point almost 2 years ago

A power bi dataset IS a data source <https://support.microsoft.com/en-us/office/use-power-bi-desktop-to-connect-with-your-project-data-df4ccca1-68e9-418c-9d0f-022ac05249a2>
It says about a report

[-] **garvenor** 2 points about 2 years ago

B.The excel dataset is held in SharePoint therefore SharePoint becomes our source.

[-] **JJMC5544** 2 points about 2 years ago

"you publish a Power BI report" what do they mean? You have published ? You will publish ? It is difficult to determine whether the question is referring to a specific past instance, an ongoing action, or a future action.

[-] **visionary4ever** 5 points about 2 years ago

Selected Answer: A

A. Power BI dataset

The Power BI dataset would be the best option in this scenario. If you've already published a Power BI report that imports data from an Excel file located in SharePoint and the data model contains several measures, you can simply use the existing Power BI dataset to create a new report. This would significantly minimize the development effort as you wouldn't need to import and transform the data again or recreate the measures.

In Power BI Desktop, you can select "Power BI Datasets" as your data source and then select the published dataset you want to use. This method allows you to create multiple reports from a single dataset, enabling dataset reusability and consistency across reports.

Options B, C, and D would require additional data loading and transformation efforts, which are not necessary in this case as the dataset has already been created and published.

[-] **AlejandroErazo** 1 point about 2 years ago

Power BI dataset is not a data source. Option B is correct

[-] **JonDave** 1 point about 2 years ago

Im going with power bi dataset. You already have the sharepoint dataset imported in a previous report. Use that dataset (power bi dataset) to generate new reports. It takes no development effort (i.e. obtaining the sharepoint link, ensuring correct permissions, etc)

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: A

The dataset includes measures. it means dataset is already in power bi.

[-] **lizbette** 2 points over 2 years ago

Selected Answer: A

Existing Power BI Dataset

The key here is that you already have a published Power BI report, and you want to create a new report from that existing data. Using the existing dataset should minimize development effort because the existing file already has a model
<https://learn.microsoft.com/en-us/power-bi/connect-data/service-datasets-understand>

[-] **Addictedx_19** 1 point over 2 years ago

I strongly support sharepoint site because based on best practice, sales reports are better managed by direct query to the data source

[-] **SanaCanada** 2 points over 2 years ago

Selected Answer: B

Given the answer is correct B.....no confusion, and no need to discuss further
Plain and simple question

[-] **newGodking** 1 point over 2 years ago

The appropriate solution is SharePoint. Although the question doesn't mention the existing model, it can be challenging to organize old Power BI data. Starting from scratch is a simpler alternative.

[-] **codeson** 2 points over 2 years ago

Yes, its A

[-] **NLeeXTung** 2 points over 2 years ago

Final answer is A. Reason why is:

- + In the question, it contains this sentences: "...The data model contains several measures...from the existing data...minimize development effort" and ..
- + .. If you aware that the first sentence said: "you publish a Power BI report that imports data from a Microsoft Excel file located in a Microsoft SharePoint folder" which should be written in simple past not simple present --> So you already have the data from Sharepoint in PBI dataset.
- + B only correct if the question is How to collect data from Sharepoint and have no other context.

[-] **Aneran** 2 points over 2 years ago

To minimize development effort, you should use a SharePoint folder as your data source. Since your Microsoft Excel file is already located in a SharePoint folder, using this folder as your data source will allow you to easily import data into your Power BI report without the need for any additional data connectors or setup. Additionally, by using a SharePoint folder as your data source, you can take advantage of Power BI's built-in support for SharePoint, which makes it easy to keep your data up to date and share your report with others.

[-] **Andrew9834523** 1 point over 2 years ago

Selected Answer: A
should be Dataset

[-] **Abhi256** 1 point over 2 years ago

Selected Answer: B

In Power BI connect to the Microsoft Excel file located in the Microsoft SharePoint folder. This connector will allow you to import the data from the Excel file into Power BI and create a report from the existing data model with minimal development effort.

[-] **DUVANES** 2 points over 2 years ago

Selected Answer: A

Se debe minimizar el esfuerzo de Desarrollo, utilizar el conjunto de Datos de Power Bi que ya tiene toda la transformación y las medidas.

[-] **TopCat1583** 3 points over 2 years ago

B- I say SharePoint folder. The data source is Excel file nested in the SharePoint folder. I have several report deriving from one data source(excel inside a SP folder) in my job now. Think this way the data source is imported to Power BI, key work imported meaning the information is saving in Power BI but not updating. How will the imported Power BI data set update when the Excel file updates. It will not upddate?

[-] **srikanth923** 5 points over 2 years ago

Selected Answer: A

The answer is A. Although there are two possible answers, if you use Power BI datasets, any data cleaning steps applied and measures created in the dataset will be automatically applied when the dataset is imported. However, if you import the dataset into Power BI using the SharePoint folder, you'll need to apply the data cleaning steps again, which requires more development work.

[-] **skaha** 1 point over 2 years ago

Published report on PBI service, has dataset(existing data), can make many reports as needed. So A- Power BI Dataset is the correct answer.

[-] **BabaJee** 3 points over 2 years ago

Selected Answer: A
existing dataset to minimise efforts makes sense

[-] **Astroid_1994** 2 points over 2 years ago

This question ought to be asked like this: You create a Power BI report for your company's sales division that imports data from a Microsoft Excel file that is housed in a Microsoft SharePoint folder. The data model includes a number of

measurements. From the current data, a Power BI report must be made. The solution must reduce the amount of development work. Which kind of data source ought you to employ?

[-] **MBA_1990** 4 points over 2 years ago

Selected Answer: A
reuse of existing data

[-] **VinayKadaya** 2 points over 2 years ago

I guess the first line "For Sales Team" has an implication here. The data set in Powerbi report that we publish for sales team has measures specific for them. And since the objective or end users of the second Power Bi report is not stated, it would imply we have to obtain data without any filters (which may have been in the first data set)

[-] **PsgFe** 2 points over 2 years ago

minimize the effort with the measures already created.
Use the dataset.

[-] **Dr_Do** 4 points over 2 years ago

Selected Answer: A
Several measures to be reused --> Dataset

[-] **Hoeishetmogelijk** 4 points over 2 years ago

Selected Answer: A
I read this question case like this:
1. You publish a Power BI report with its dataset including measures
2. You create a second Power BI report using the existing data with a minimal of effort.
So my conclusion would be to reuse the dataset that was published together with the first report. So answer A.

[-] **Shiiton** 1 point over 2 years ago

Sharepoint! Powerbi dataset wouldn't allow to use some features which was not declared in the question if was going to be necessary or not.

[-] **albi123** 1 point over 2 years ago

Answer is "A"

[-] **Churato** 1 point almost 3 years ago

"...you publish a Power BI report..."
"...The solution must minimize development effort."
So the solution is A

[-] **Churato** 3 points almost 3 years ago

Selected Answer: A
A) There's a Dataset already used once

[-] **xxfangxx** 4 points almost 3 years ago

Selected Answer: A
"You need to create a Power BI report from the existing data."
the keywords here is "EXISTING DATA"

[-] **lukelin08** 1 point almost 3 years ago

Selected Answer: A
Can use the existing dataset, it contains measures and the requirement was for least development effort. Its entirely possible to use an existing dataset to create a new report within the PowerBI service

[-] **Lkra1** 3 points almost 3 years ago

Selected Answer: B

Its a sharepoint folder, we are specifically being told that the data is in a SharePoint location

[-] **Dovoto 2 points** almost 3 years ago

Yes. The Microsoft Excel file is in a SharePoint location. But we are asked to "create a Power BI report from the existing data. The solution must minimize development effort". So we can reuse the existing dataset.

[-] **Nurgul 2 points** almost 3 years ago

Selected Answer: A

Choosing a Power BI dataset will minimize the development effort.

[-] **RichardOgoma 6 points** almost 3 years ago

Selected Answer: B

I looked at the data lineage view in my workspace, and you're correct. If the question was dataset, then the existing Power BI dataset should be reused. In this case, you connect to the data source which is the share point folder.

[-] **saurinkhamar 5 points** almost 3 years ago

B. a SharePoint folder as a datasource. Dataset is not a datasource.

Dataset supports multiple datasources.

[-] **RichardOgoma 2 points** almost 3 years ago

I looked at the data lineage view in my workspace, and you're correct. If the question was dataset, then the existing Power BI dataset should be reused. In this case, you connect to the data source which is the share point folder.

[-] **aish 2 points** almost 3 years ago

Power BI is also a type of data source.

<https://learn.microsoft.com/en-us/power-bi/connect-data/desktop-data-sources>

[-] **alosh 3 points** almost 3 years ago

Selected Answer: A

A : is The Correct Answer (Dataset)

the data is already Existing

[-] **alosh 1 point** almost 3 years ago

A : is The Correct Answer (Dataset)

the data is already Existing

[-] **GGrace 2 points** almost 3 years ago

A is the correct answer, we just reuse the existing PBI report dataset

[-] **blito123 2 points** almost 3 years ago

Dataset is correct, no?

[-] **d94949999 1 point** almost 3 years ago

Power BI Dataflow is the right answer?

[-] **d94949999 4 points** almost 3 years ago

Selected Answer: B

I think B is the right answer

HOTSPOT

-

You have a folder that contains 50 JSON files.

You need to use Power BI Desktop to make the metadata of the files available as a single dataset. The solution must NOT store the data of the JSON files.

Which type of data source should you use, and which transformation should you perform? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Data source type:

	▼
Folder	
JSON	
Text/CSV	

Transformation:

	▼
Combine the files of the Content column.	
Delete the Attribute column.	
Delete the Content column.	
Expand the Attribute column.	

Hide Answer

Correct answer:

Answer Area

Data source type:

	▼
Folder	
JSON	
Text/CSV	

Transformation:

	▼
Combine the files of the Content column.	
Delete the Attribute column.	
Delete the Content column.	
Expand the Attribute column.	

[+] **Florinuca** 38 points over 1 year ago

The answer is correct !

- Folder
- Delete the Content column

[+] **Aero_1898** 11 points over 1 year ago

buddy you will not be able to see the meta data if you don't expand the attribute

[+] **YuanQingTan** 3 points 8 months ago

Without expanding the attributes column,

the table will show the date accessed, date modified, date created of the files
These also counts as metadata of the files right?
So without expanding the attributes column, the first requirement could be fulfilled
But without deleting the content column, the second requirement could not be fulfilled

[-] **Arnav123** 1 point 7 months ago

yes, you would because it states deleting the content column not delete the content. If content is deleted then there is no actual information of the data, but the metadata will still be there; as it is not part of the content column. Attributes: file name, file ext., file paths and so on.

[-] **Bhanu__prakash** 4 points over 1 year ago

I agree with you, but this question is a little hypothetical. Assume that the table has 5000 columns, what would you prefer the first step to be?

Option 1:

- Expand attribute column
- Delete content column

In this case, after expanding, you'll have to scroll a lot to the left, little tough, and then delete content column, end result would be storing metadata.

Option 2:

- Delete content column
- Expand attribute column

This is most preferable, as you'll see content column in the first column position, delete it and then expand attribute column, end result would be storing metadata.

I'd still go with option 2 in terms of ease. My answer would be "Delete content column" for 2nd question.

[-] **Raj1690** 4 points over 1 year ago

I think she is right because the solution says you should get the metadata and "solution must NOT store the data of the JSON files". You won't satisfy the second part of the question till you delete the content column first.

[-] **finlarian** 16 points over 1 year ago

I saw video and the answer is

- Folder
- Combine the files of Content column

[-] **PD_Ve** 5 points 10 months ago

In the video, the author explains the answer to 2 different questions: the first question requires the steps to store the metadata, in which case, the solution is folder/expand the attributes column. The second question requires the steps to store the data, in which case your answer it is the correct one. For the purpose of the question on discussion, the correct answer, according to the video is folder/expand attribute column.

[-] **loganzz** 2 points 12 months ago

It's wrong. We do not need content.

[-] **7Veritas** 3 points 8 months ago

I agree. Since we need to choose only one option from Transformation, it has to be 'Delete the Content column' to comply with the question (Solution must NOT store the data of the JSON files). Expanding the Attribute column provides more metadata (which would be desirable), but selecting this option won't allow us to 'delete the content column' to comply with the question.

[-] **Jonathan_2024** 2 points about 1 year ago

You're awesome! Many thanks!

[-] **pradeepsb12588** 2 points about 1 year ago

you saved my time , god bless you dear

[-] **BhavnishM** 1 point 4 months ago

EVEN THOUGH YOU SHOULD EXPAND ATTRIBUTES COLUMN FOR THE METADATA, THE MUST NOT REQUIREMENT GETS PRIORITY. HENCE DELETE THE CONTENT COLUMN IS RIGHT.

[-] **FabricioMoreno** 1 point 9 months ago

Usar la opción Folder permite importar múltiples archivos como una lista con metadatos en Power Query.
La transformación Expand the Attribute column asegura que trabajas únicamente con la información de los metadatos sin almacenar los datos completos de los archivos JSON, cumpliendo con el requisito de no almacenar los archivos JSON completos.

[-] **jaume** 2 points 9 months ago

It's weird.... this is almost exactly the same as question 15 replacing csv files with JSON files.
No discussion about first answer being "Folder".
Be aware of both requisites:
- ".....make the metadata of the files available...." --> this is data in "Attributes"
- "...solution must NOT store the data of the JSON files" ---> second answer should be to "Delete the content column"
I guess we should consider expanding attributes is implicit as a third step

[-] **Raiist** 1 point 9 months ago

correct

[-] **JPShields** 1 point 10 months ago

If we dont also expand the attributes column we wont get all the metadata will we?

[-] **LuluSkyy** 1 point 10 months ago

The correct answer is Folder and expand the attribute column because the attribute column stores the metadata.

[-] **00c7ee4** 1 point 12 months ago

Folder y Delete Content:
claramente indica que no debe guardar los datos de JSON, posteriormente que se expanda los atributos o no es secundario

[-] **Mattiek** 2 points 12 months ago

Just tested it. Should be Folder and Expand attribute. The content column will not expand or even show up when you don't delete the the content column.

[-] **rcaliandro** 1 point 12 months ago

We need first to load from folder in order to get all the metadata files from it (50 JSON) then we need to remove the content column which is binary

[-] **Kiran37** 1 point about 1 year ago

The answer is correct !
- Folder
- Delete the Content column

[-] **agelee** 4 points about 1 year ago

I tested and the correct option is to "Expand the Attribute column". The "Content" column is automatically removed when we close the PowerQuery. But if we don't click "Expand the Attribute column" we loose these information.

[-] **shazzzy** 2 points over 1 year ago

Tested - it's folder, expand attribute. There are no contents in the file in the data pane, only attributes. This is because the column is 'binary'

[-] **dmp1990** 2 points over 1 year ago

The thing here is that the question is not about the order or de number of actions hat you have to follow in order to achieve the solution. The question is,"which action you have to perform?", so independently of the order, you are going to have to

delete the content column. So the answer given is correct.

[-] **INDEAVR** 12 points over 1 year ago

I tested it. The correct answer is

- 1) Folder
- 2) Expand the Attribute column.

I tested with Deleting the Content column and without deleting it, in both cases the content is not visible when you load the data in Power BI Desktop. In order to see the full metadata you should expand the Attributes column.

[-] **hakanc123** 1 point over 1 year ago

Image is not shown?

[-] **AZFabio** 1 point over 1 year ago

I believe the correct transformation steps would be :

1. Expand attributes
2. Delete content
3. Combine files, getting just 1 table with metadata

[-] **vcite** 6 points over 1 year ago

The answer is incorrect !

- Folder
 - Expand the attribute column
- Done this in Power BI Desktop

[-] **benni_ale** 2 points over 1 year ago

To get METADATA (and not JSON data) I would get data from FOLDER , EXPAND the Attribute column and DELETE the Content column

[-] **MANANDAVEY** 3 points over 1 year ago

Data source type: Folder

Transformation: Delete the Content column.

This approach will allow you to access the metadata for all the JSON files in the folder without importing the actual data from the JSON files into the dataset.

Question 25



You have a PBIX file that imports data from a Microsoft Excel data source stored in a file share on a local network.

You are notified that the Excel data source was moved to a new location.

You need to update the PBIX file to use the new location.

What are three ways to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From the Datasets settings of the Power BI service, configure the data source credentials.
- B. From the Data source settings in Power BI Desktop, configure the file path.
- C. From Current File in Power BI Desktop, configure the Data Load settings.
- D. From Power Query Editor, use the formula bar to configure the file path for the applied step.

E. From Advanced Editor in Power Query Editor, configure the file path in the M code.

Hide Answer

[-] **Florinuca** 22 points over 1 year ago

The answer is correct!

B, D and E are the correct options!

[-] **Thejani** 1 point 3 months ago

Selected Answer: BDE

b,d,e are correct

[-] **Pradeepr10** 1 point 3 months ago

Selected Answer: BDE

B,D,E .others are wrong

[-] **TheAgent** 1 point 3 months ago

Selected Answer: BDE

B, D, and E are the correct answers

[-] **ee0625a** 3 points 7 months ago

Selected Answer: BDE

Choice A does not help update the file path but applies to datasets already published to the Power BI service. Choice C also does not allow you to change the file path of a data source. It only controls how data is loaded (e.g., cache settings).

[-] **f133b89** 1 point 7 months ago

Selected Answer: BDE

correct

[-] **DexTorao** 1 point 9 months ago

B , D and E

[-] **MANANDAVEY** 4 points 10 months ago

Selected Answer: BDE

B. From the Data source settings in Power BI Desktop, configure the file path.

This option allows you to update the connection information for the Excel data source, including changing the file path to the new location.

D. From Power Query Editor, use the formula bar to configure the file path for the applied step.

If the source step in Power Query shows the file path, you can change it directly in the formula bar to reflect the new file location.

E. From Advanced Editor in Power Query Editor, configure the file path in the M code.

The Advanced Editor lets you edit the M code directly, which includes updating the file path to the new location of the Excel data source.

[-] **rcaliandro** 2 points 12 months ago

Selected Answer: BDE

B. From the Data source settings in Power BI Desktop, configure the file path.

D. From Power Query Editor, use the formula bar to configure the file path for the applied step.

E. From Advanced Editor in Power Query Editor, configure the file path in the M code

Given answer is correct

[-] **niceguysfinishlast** 1 point about 1 year ago

correct

[-] **Kiran37** 1 point about 1 year ago

Correct answer

[-] **JudT** 1 point over 1 year ago

Checked: Correct

[-] **AZFabio** 1 point over 1 year ago

Selected Answer: BDE

Correct

[-] **benni_ale** 1 point over 1 year ago

Selected Answer: BDE

Not sure about A though

[-] **benni_ale** 7 points over 1 year ago

Actually I did a quick research and apparently YOU CAN EDIT THE CREDENTIALS FROM SERVICE but YOU CANNOT EDIT THE INPUT PATH FROM SERVICE... Meaning you can only do it from Desktop. So BDE are correct.

[-] **LOCOBI** 1 point over 1 year ago

Correct answer BDE

[-] **Manoj1152** 2 points over 1 year ago

B,C,E IS CORRECT

[-] **FinelogBiseum** 2 points over 1 year ago

C is INCORRECT!

[-] **JustdoBI** 1 point over 1 year ago

c is correct as well IMO. Data Source settings has the "change source option".

[-] **anett19** 1 point over 1 year ago

options C is not about changing it through 'transform data' and then 'data source settings'. (where the path can be changed indeed). In the answer is mentioned the 'data load' which is under 'current file' when you go to 'option and settings' from file menu. And there you don't have the possibility to change the path

Question 26



Case Study -

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study -

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

General Overview -

Northwind Traders is a specialty food import company.

The company recently implemented Power BI to better understand its top customers, products, and suppliers.

Business Issues -

The sales department relies on the IT department to generate reports in Microsoft SQL Server Reporting Services (SSRS). The IT department takes too long to generate the reports and often misunderstands the report requirements.

Existing Environment. Data Sources

Northwind Traders uses the data sources shown in the following table.

Name	Type	Data size
Source1	Azure SQL database	2 GB
Source2	Microsoft Excel spreadsheet	5 MB

Source2 is exported daily from a third-party system and stored in Microsoft SharePoint Online.

Existing Environment. Customer Worksheet

Source2 contains a single worksheet named Customer Details. The first 11 rows of the worksheet are shown in the following table.

CustomerID	CustomerCRMID	CompanyName	Address	City	Region	PostalCode	Country	Phone
1	ALFKI	Alfreds Futterkiste	Obere Str. 57	Berlin	DE	12209	Germany	030-0074321
2	ANATR	Ana Trujillo Emparedados y helados	Avda. de la Constitución 2222	México D.F.	MX	5021	Mexico	(5) 555-4729
3	ANTON	Antonio Moreno Taquería	Mataderos 2312	México D.F.	MX	5023	Mexico	(5) 555-3932
4	AROUT	Around the Horn	120 Hanover Sq.	London	UK	WA1 1DP	UK	(171) 555-7788
5	BERGS	Berglunds snabbköp	Berguvsvägen 8	Luleå	SWE	S-958 22	Sweden	0921-12 34 65
6	BLAUS	Blauer See Delikatessen	Forsterstr. 57	Mannheim	DE	68306	Germany	0621-08460
7	BLONP	Blondesddsl père et fils	24, place Kléber	Strasbourg	FRA	67000	France	88.60.15.31
8	BOLID	Bólido Comidas preparadas	C/ Araquil, 67	Madrid	SPN	28023	Spain	(91) 555 22 82
9	BONAP	Bon app'	12, rue des Bouchers	Marseille	FRA	13008	France	91.24.45.40
10	BOTTM	Bottom-Dollar Markets	23 Tsawassen Blvd.	Tsawassen	BC	T2F 8M4	Canada	(604) 555-4729

All the fields in Source2 are mandatory.

The Address column in Customer Details is the billing address, which can differ from the shipping address.

Existing Environment. Azure SQL Database

Source1 contains the following tables:

- Orders
- Products
- Suppliers
- Categories
- Order Details
- Sales Employees

The Orders table contains the following columns.

Name	Is nullable	Data type	Example value	Key
OrderID	No	Int	10248	Primary key
CustomerID	Yes	NCHAR	VINET	Not applicable
OrderDate	Yes	Date	2021-01-04	Not applicable
RequiredDate	Yes	Date	2021-02-01	Not applicable
ShippedDate	Yes	Date	2021-01-16	Not applicable
Freight	Yes	Decimal	32.38	Not applicable
ShipName	Yes	NVARCHAR	Vins et alcools Chevalier	Not applicable
ShipAddress	Yes	NVARCHAR	59 rue de l'Abbaye	Not applicable
ShipCity	Yes	NVARCHAR	Reims	Not applicable
ShipRegion	Yes	NVARCHAR	FRA	Not applicable
ShipPostalCode	Yes	NVARCHAR	51100	Not applicable
ShipCountry	Yes	NVARCHAR	France	Not applicable

The Order Details table contains the following columns.

Name	Is nullable	Data type	Example value	Key
OrderID	No	Int	10248	Foreign key to Orders
ProductID	No	Int	11	Foreign key to Products
UnitPrice	No	Decimal	14	Not applicable
Quantity	No	Smallint	12	Not applicable
Discount	No	Decimal	0.15	Not applicable

The address in the Orders table is the shipping address, which can differ from the billing address.

The Products table contains the following columns.

Name	Is nullable	Data type	Example value	Key
ProductID	No	Int	11	Primary key
ProductName	No	NVARCHAR	Queso Cabrales	<i>Not applicable</i>
SupplierID	Yes	Int	5	Foreign key to Suppliers
CategoryID	Yes	Int	4	Foreign key to Categories
QuantityPerUnit	Yes	NVARCHAR	1 kg pkg.	<i>Not applicable</i>
Discontinued	No	Bit	0	<i>Not applicable</i>

The Categories table contains the following columns.

Name	Is nullable	Data type	Example value	Key
CategoryID	No	int	4	Primary key
CategoryName	No	nvarchar	Dairy Products	<i>Not applicable</i>
Description	Yes	nvarchar	Cheeses	<i>Not applicable</i>

The Suppliers table contains the following columns.

Name	Is nullable	Data type	Example value	Key
SupplierID	No	Int	5	Primary key
CompanyName	No	NVARCHAR	Cooperativa de Quesos 'Las Cabras'	<i>Not applicable</i>
Address	Yes	NVARCHAR	Calle del Rosal 4	<i>Not applicable</i>
City	Yes	NVARCHAR	Oviedo	<i>Not applicable</i>
Region	Yes	NVARCHAR	Asturias	<i>Not applicable</i>
PostalCode	Yes	NVARCHAR	33007	<i>Not applicable</i>
Country	Yes	NVARCHAR	Spain	<i>Not applicable</i>
Phone	Yes	NVARCHAR	(98) 598 76 54	<i>Not applicable</i>

The Sales Employees table contains the following columns.

Name	Is nullable	Data type	Example value	Key
EmployeeID	No	Int	1	Primary key
LastName	No	NVARCHAR	Davolio	<i>Not applicable</i>
FirstName	No	NVARCHAR	Nancy	<i>Not applicable</i>
Title	Yes	NVARCHAR	Sales Representative	<i>Not applicable</i>
HireDate	Yes	Date	2015-02-01	<i>Not applicable</i>
Region	Yes	NVARCHAR	WA	<i>Not applicable</i>
Country	Yes	NVARCHAR	USA	<i>Not applicable</i>
EmailAddress	No	NVARCHAR	ndavolio@northwindtraders.com	<i>Not applicable</i>

Each employee in the Sales Employees table is assigned to one sales region. Multiple employees can be assigned to each region.

Requirements. Report Requirements

Northwind Traders requires the following reports:

- Top Products
- Top Customers
- On-Time Shipping

The Top Customers report will show the top 20 customers based on the highest sales amounts in a selected order month or quarter, product category, and sales region.

The Top Products report will show the top 20 products based on the highest sales amounts sold in a selected order month or quarter, sales region, and product category. The report must also show which suppliers provide the top products.

The On-Time Shipping report will show the following metrics for a selected shipping month or quarter:

- The percentage of orders that were shipped late by country and shipping region
- Customers that had multiple late shipments during the last quarter

Northwind Traders defines late orders as those shipped after the required shipping date.

The warehouse shipping department must be notified if the percentage of late orders within the current month exceeds 5%.

The reports must show historical data for the current calendar year and the last three calendar years.

Requirements. Technical Requirements

Northwind Traders identifies the following technical requirements:

- A single dataset must support all three reports.
- The reports must be stored in a single Power BI workspace.
- Report data must be current as of 7 AM Pacific Time each day.
- The reports must provide fast response times when users interact with a visualization.
- The data model must minimize the size of the dataset as much as possible, while meeting the report requirements and the technical requirements.

Requirements. Security Requirements

Access to the reports must be granted to Azure Active Directory (Azure AD) security groups only. An Azure AD security group exists for each department.

The sales department must be able to perform the following tasks in Power BI:

- Create, edit, and delete content in the reports.
- Manage permissions for workspaces, datasets, and reports.
- Publish, unpublish, update, and change the permissions for an app.
- Assign Azure AD groups role-based access to the reports workspace.

Users in the sales department must be able to access only the data of the sales region to which they are assigned in the Sales Employees table.

Power BI has the following row-level security (RLS) Table filter DAX expression for the Sales Employees table.

[EmailAddress] = USERNAME()

RLS will be applied only to the sales department users. Users in all other departments must be able to view all the data.

You need to create the semantic model.

Which storage mode should you use for the tables in the semantic model?

- A. DirectQuery
- B. Dual
- C. Import
- D. live connection

Hide Answer

[-] **Tex02** 15 points 11 months ago

I agree with C as reports are updated at 7am only and needs fast response times.

[-] **9d92039** 11 points 11 months ago

Selected Answer: B

Import for the excel file, DirectQuery for the tables on SQL server

[-] **lechuc508** 1 point 3 months ago

Selected Answer: C

I chose C

[-] **BhavnishM** 4 points 4 months ago

Selected Answer: C

Seen similar question in measure up as well, C is the correct answer :

DirectQuery doesn't supports RLS and since Dual is a combination of import and direct query, Dual is not supported as well. You are storing historical data , past 3 years and current year. Import is the best fit for historical data.

[-] **ERIK2025** 1 point 4 months ago

Selected Answer: C

updated at 7am only

[-] **Nik0987** 2 points 4 months ago

Selected Answer: C
agree with C

[-] **Mi4as** 1 point 5 months ago

Selected Answer: C
Any word about RLS in the comments below. It means DirectQuery (or Dual) is not supported and only Import is available.

[-] **carrascal8** 1 point 5 months ago

Selected Answer: B
Dual:
Conectar Azure SQL en DirectQuery para evitar almacenar 2 GB en Power BI.
Conectar Excel en modo Import porque es liviano (5 MB) y evitar consultas lentas.

[-] **Fatima300** 2 points 6 months ago

Selected Answer: C
Import Mode is the best choice. It ensures fast report performance, daily refreshes

[-] **f133b89** 4 points 7 months ago

Selected Answer: C
Storage Mode Recommendation:
Use Import mode for all tables in the semantic model. This ensures:
Fast performance during report interactions.
Dataset size is minimized due to Power BI's efficient compression techniques.
Data can be refreshed daily to meet the 7 AM Pacific Time requirement.

[-] **Odidepse** 1 point 7 months ago

Selected Answer: C
Best answer is c, it cannot be direct query , it gives faster query performance but a trade off is fast visual response time which is a requirement / I wont go with live connection
you are building dataset in powerbi and I wont go for dual mode, Nothing is captured on the import and direct query . Import mode for the dataset (semantic model) presents the best solution for the refresh security and fast response times for 'visual' interaction.

[-] **Srilatha_B** 2 points 7 months ago

Selected Answer: B
One of the datasource is Azure SQL DB which is 5GB. Import doesn't make sense

[-] **RahulPawar1998** 1 point 7 months ago

Selected Answer: C
Import is the correct answer, because the time is set for the 7 AM data and for this the import option is best.

[-] **Arnav123** 2 points 7 months ago

Selected Answer: B
Dual because you can chose what you want to import (eg. historical data) and what you want to use with direct query (eg.recent sales data). Import will help in increasing performance and direct query will keep the data size minimized.

[-] **Mo_Suhail** 2 points 9 months ago

Selected Answer: B
It's B Dual as the question asks to minimize the size of the dataset.

[-] **stephenrooke** 2 points 9 months ago

Its B Dual as the question asks to minimise the size of the dataset. Normally to do this you'd use direct query but as there is an excel spreadsheet this must be imported hence you need to use dual. Using import would create a larger dataset as it would pull the database data into the dataset

[-] **Davery** 1 point 11 months ago

Isn't there a 1 GB limit for the import mode. Source 1 is 2 GB. So therefore must be dual?

[-] **gomathi_1991** 1 point 10 months ago

There is no mentioning of Pro in the question. So, it could be any capacity. Also, we could limit the data to 3 calendar years while importing and the data is not expected to have real time data.

[-] **MonikaStop** 4 points 11 months ago

Selected Answer: B
I think it should be B

[-] **RG10** 1 point 11 months ago

OPTION B: DUAL

[-] **faruk3d** 5 points 11 months ago

Selected Answer: C
C: Import

[-] **rcaliandro** 5 points 11 months ago

Selected Answer: C
Very small datasets updated once a day, also for me is C

[-] **1CY1** 3 points 10 months ago

There doesn't seem to be anything in the case study material or the answers given here to support the use of Dual. Everything seems to support import.
--> Ans : C

Question 27

HOTSPOT

-

You have a Power BI semantic model that contains the data sources shown in the following table.

Name	Description
Employee review data	Contains sensitive information Must NOT be folded into any other data sources
Sales opportunities	Contains less sensitive information Must only be available internally

You need to configure the privacy levels of the data sources.

What should you configure for each data source? To answer, select the appropriate options in the answer area.

NOTE: Each correct answer is worth one point.

Answer Area

Employee review data:

None
Organizational
Private
Public

Sales opportunities:

None
Organizational
Private
Public

Hide Answer

Correct answer:

Answer Area

Employee review data:

None
Organizational
Private
Public

Sales opportunities:

None
Organizational
Private
Public

[-] **rcaliandro** 14 points 11 months ago

Answer is correct. Employee review data seems to be private since it contains sensitive information. And sales opportunities is organizational since it contains less informative information but still internal

[-] **LuluSkyy** 1 point 10 months ago

Correct

[-] **ChopChop007** 1 point 11 months ago

Correct!

[-] **Jayaruwan** 1 point 11 months ago

Given answer is correct

[-] **Tex02** 1 point 11 months ago

private and organisational

Question 28



You plan to use Power BI Desktop to create a bug tracking dashboard that will pull data from Analytics in Azure DevOps.

From Power BI Desktop, you need to configure a data connector to authenticate to Azure DevOps. The solution must meet the following requirements:

- Use Analytics views.
- Filter data from the cloud.

Which connector should you use?

- A. OData queries
- B. Azure DevOps (Boards only)
- C. Azure DevOps Server (Boards only)
- D. OData Feed

Hide Answer

[-] **Tex02** 26 points 11 months ago

I think it is B because this link - has this point - Select Get Data > Online Services, Azure DevOps (Boards only) for cloud services or select Azure DevOps Server (Boards only) for on-premises. Then select Connect. Analytics views only support queries against work items and test cases. I am assuming this is about DevOps on the cloud

[-] **weiqb** 4 points 8 months ago

you are right.

<https://learn.microsoft.com/en-us/azure/devops/report/powerbi/data-connector-connect?view=azure-devops>

[-] **nelrosell** 1 point 11 months ago

A is correct answer

[-] **nelrosell** 2 points 11 months ago

Sorry B, you are right

[-] **BIFakeGuru** 9 points 7 months ago

Selected Answer: D

D. OData Feed

Azure DevOps Analytics views expose data through OData feeds.

Using the OData Feed connector allows Power BI to pull data from Azure DevOps Analytics while leveraging its built-in filtering capabilities.

Why not the other options?

A. OData Queries: While this is a generic term, Power BI uses the "OData Feed" connector to interact with OData sources.

B. Azure DevOps (Boards only): This connector is designed specifically for Azure Boards data but doesn't support Analytics views or advanced filtering.

C. Azure DevOps Server (Boards only): This connector is for on-premises Azure DevOps Server and not the cloud version.

[-] **f394748** 1 point 9 days ago

Selected Answer: B

According to MS Docs

[-] **AmieM** 1 point 22 days ago

Selected Answer: B

-OData Feed > Works but less optimized for Analytics Views, and manual URL handling

-Azure DevOps Server > For on-premises TFS/Azure DevOps Server, not cloud

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: C

To meet both requirements — using Analytics views and filtering cloud-based data — you should use the Azure DevOps (Boards only) connector in Power BI Desktop.

✅ Why This Connector?

It connects directly to Azure DevOps Analytics views, which are optimized for reporting on work items like bugs, tasks, and user stories.

It supports cloud-based filtering, meaning the data is filtered at the source before being loaded into Power BI.

It's designed specifically for Azure Boards data, which is perfect for bug tracking dashboards.

You'll find it in Power BI Desktop under: > Get Data → Online Services → Azure DevOps (Boards only)

[-] **225401f** 1 point about 2 months ago

Selected Answer: B

I think it is B

[-] **EdwardTan014** 2 points 2 months ago

Selected Answer: D

Azure DevOps Analytics views provide structured OData feeds that allow you to query and filter data from the cloud.

OData Feed is the recommended connector in Power BI for pulling data from Azure DevOps Analytics views.

This approach ensures you can apply filters dynamically and retrieve bug tracking data efficiently.

Why Not the Other Options?

A. OData queries – This option refers to writing direct OData queries manually, but the standard OData Feed connector is better suited for integration.

B. Azure DevOps (Boards only) – This connector is limited to Boards data and does not support Analytics views.

C. Azure DevOps Server (Boards only) – This applies only to on-premises Azure DevOps Server, not cloud-based Azure DevOps.

Using OData Feed, you can authenticate, fetch analytics data, and filter efficiently for your bug tracking dashboard.

[-] **225401f** 1 point 2 months ago

Selected Answer: D

I think it is D

[-] **b92fc92** 2 points 4 months ago

Selected Answer: B

B in my opinion

[-] **b92fc92** 2 points 4 months ago

Selected Answer: B

B in my opinion

[-] **naretkhu** 2 points 5 months ago

Selected Answer: B

Analytics views only support Azure Boards data : <https://learn.microsoft.com/en-us/azure/devops/report/powerbi/data-connector-connect?view=azure-devops>

[-] **tecnoyescas** 2 points 6 months ago

Selected Answer: B

The answer is B. In the microsoft documentations is explained.

<https://learn.microsoft.com/en-us/azure/devops/report/powerbi/create-quick-report?view=azure-devops>

[-] **Pitxunet** 2 points 6 months ago

Selected Answer: A

So I checked the Microsoft documentation again. They specifically recommend OData queries to load the Analytics data into Power BI out of the three available methods (OData Query, OData Feed, Azure DevOps).

You can find the information here:

<https://learn.microsoft.com/en-us/azure/devops/report/powerbi/overview?view=azure-devops>

[-] **Pitxunet** 2 points 6 months ago

Selected Answer: B

It's not OData Feed because it is not a good option to filter the data, which is one of the requirements in the question. I found this on the Learn Microsoft site:

The method demonstrated in this article works for small organizations, because it always pulls in all the data into Power BI. Most of the filtering that's specified in the Power Query Editor is done client-side. For information about other approaches, see Power BI integration Overview.

[-] **Pitxunet** 3 points 6 months ago

Selected Answer: B

It is B. This is the learn.microsoft documentation about it:

<https://learn.microsoft.com/en-us/azure/devops/report/powerbi/create-quick-report?view=azure-devops>

Connect to an Analytics view

4. Select Get Data > Online Services, then select Azure DevOps (Boards only) for cloud services or select Azure DevOps Server (Boards only) for on-premises. Select Connect. Analytics views only support queries against work items and test cases.

[-] **Fatima300** 1 point 6 months ago

Selected Answer: A

OData queries allow Power BI to connect to Analytics views in Azure DevOps and filter data from the cloud.

OData Feed is another term used for the OData connector that can pull data from cloud services, including Azure DevOps Analytics. but requires manual setup compared to OData queries here

Options B and C are for Boards only, which does not meet the requirement for using Analytics views. Option D is more general and less specific to Azure DevOps Analytics.

[-] **jtm2001** 2 points 6 months ago

Selected Answer: B

the example used in this learn article is exactly the same as the question.

<https://learn.microsoft.com/en-us/azure/devops/report/powerbi/create-quick-report?view=azure-devops>

check below a section from the article on learn :

With Power BI Desktop, you can easily connect to an Analytics view to start creating reports for your project in Azure DevOps. An Analytics view provides a simplified way to specify the filter criteria for a Power BI report based on Analytics data.

Important

Analytics views only support Azure Boards data (work items).

[-] **Onketsu** 2 points 6 months ago

Selected Answer: B

<https://learn.microsoft.com/en-us/azure/devops/report/powerbi/data-connector-connect?view=azure-devops>

[-] **MANANDAVEY** 4 points 7 months ago

Selected Answer: D

To create a bug tracking dashboard in Power BI that pulls data from Analytics in Azure DevOps, you should use the OData Feed connector. Here's why:

Use Analytics Views:

Analytics in Azure DevOps provides data through OData endpoints.

The OData Feed connector allows Power BI to access these endpoints and utilize Analytics views.

Filter Data from the Cloud:

The OData Feed connector supports querying and filtering data directly from the cloud source, reducing the amount of data imported into Power BI.

[-] **f133b89** 3 points 7 months ago

Selected Answer: D

Use Analytics Views:

Analytics views in Azure DevOps are exposed via OData, which allows querying data from the cloud using structured formats.

The OData Feed connector in Power BI is designed to connect to OData endpoints, such as Azure DevOps Analytics views.

Filter Data from the Cloud:

The OData Feed connector allows you to apply filters and queries to fetch only the required data from Azure DevOps in the cloud.

[-] **leela1507** 5 points 7 months ago

Selected Answer: B

To meet the requirements of using Analytics views and filtering data from the cloud, you should use the **Azure DevOps (Boards only)** connector. This connector is specifically designed to work with Analytics views in Azure DevOps and supports cloud-based data filtering (<https://learn.microsoft.com/en-us/azure/devops/report/powerbi/data-connector-connect?view=azure-devops>).

[-] **Arnav123** 1 point 7 months ago

Selected Answer: A

A over D because it is odata query is more streamlined and efficient

[-] **mdnaseershah** 2 points 8 months ago

Selected Answer: B

<https://learn.microsoft.com/en-us/azure/devops/report/powerbi/data-connector-connect?view=azure-devops>

[-] **2de72fd** 1 point 8 months ago

Selected Answer: D

While B seems to be the correct option, the question says you need to authenticate for the Azure service. That step is done in OData feed. Option B has analytics view but you do not authenticate for the Azure service (the step doesn't exist). Ref: <https://learn.microsoft.com/en-us/azure/devops/report/powerbi/data-connector-connect?view=azure-devops>. Therefore the answer should be D.

[-] **Ajr01** 2 points 8 months ago

Selected Answer: A

To authenticate to Azure DevOps, use the OData queries connector in Power BI Desktop, as it supports accessing and filtering Analytics views from the cloud.

[-] **raavan108** 2 points 8 months ago

Selected Answer: D

<https://learn.microsoft.com/en-us/azure/devops/report/powerbi/overview?view=azure-devops>

[-] **et_phone_home_777** 2 points 8 months ago

Selected Answer: B

B - See <https://learn.microsoft.com/en-us/azure/devops/report/powerbi/create-quick-report?view=azure-devops>

[-] **Rio98** 2 points 8 months ago

Selected Answer: D

OData Feed is the connector designed for retrieving data from OData services, which Azure DevOps provides for Analytics views

[-] **Rio98** 3 points 8 months ago

Selected Answer: D

A. OData queries: This is a method for querying OData but not the actual connector you need to use in Power BI.

B. Azure DevOps (Boards only): This connector is specifically for Boards (work items) and does not support Analytics views or advanced filtering.

C. Azure DevOps Server (Boards only): This is for on-premises Azure DevOps Server, not the cloud version, which you are using.

So the answer is D

[-] **Jaitin** 3 points 8 months ago

Selected Answer: D

The correct answer is:

D. OData Feed

Why Not the Other Options?:

A. OData Queries: While related, this is not a specific connector option in Power BI Desktop.

B. Azure DevOps (Boards only): This connector is limited to Azure Boards and does not integrate with Analytics Views.

C. Azure DevOps Server (Boards only): This is for on-premises Azure DevOps Server, not Azure DevOps Services (cloud).

[-] **Mo_Suhail** 1 point 9 months ago

Selected Answer: D

OData Feed allows you to connect directly to Azure DevOps Analytics views, which are accessible via the OData protocol. Analytics Views in Azure DevOps are specifically designed to simplify querying and visualizing data from Azure DevOps services, and OData Feed is the connector that supports accessing these views.

Filtering data from the cloud is supported by OData feeds, as you can apply filters within the OData query before importing the data into Power BI.

[-] **huoyq163** 1 point 9 months ago

Selected Answer: D

I think D,

<https://learn.microsoft.com/en-us/azure/devops/report/powerbi/overview?view=azure-devops>

[-] **jaume** 2 points 9 months ago

In the link shared by f3ecb98 below, I understand to connect to Azure DevOps data an OData connector is needed.

I've checked in Power BI Desktop available "OData connector" is presented as "ODat Feed" (once connected, an OData code must be written to set the OData queries retrieving data, but these are not connectors) so I would vote for Answer D

[-] **Layla0322** 3 points 9 months ago

Selected Answer: D

A. OData queries: While this refers to querying OData, Power BI does not have a specific connector called "OData queries." Instead, it uses the OData Feed connector.

B. Azure DevOps (Boards only): This connector is used for Board-related data but does not support Analytics views or OData.

[-] **CindyWuu** 1 point 9 months ago

OData queries themselves are not a connector but a method of retrieving data via OData feeds. You would use the OData Feed connector to apply these queries.

[-] **ASC88** 1 point 10 months ago

Selected Answer: D

We need a connector, ODATA is the only one that is a connector.

[-] **f3ecb98** 3 points 10 months ago

Selected Answer: D

This is explained in <https://learn.microsoft.com/en-us/azure/devops/report/powerbi/odataquery-connect?view=azure-devops>, there is no such thing as an OData query connector, it is called an OData Feed connector in Power BI.

[-] **3433bf6** 2 points 10 months ago

Selected Answer: A

OData Queries, refer to the document. <https://learn.microsoft.com/en-us/azure/devops/report/powerbi/odataquery-connect?view=azure-devops>

----> "All filtering is done server-side." <-----

Power BI can execute OData queries. OData queries are powerful and can filter and aggregate data before returning it to Power BI

[-] **3433bf6** 4 points 10 months ago

Changed my mind, it's still B, this is the only one mentioned analytics views and in the sample part it mentioned the data can be filtered in analytics view.

"Return to the view under the Analytics view in the web portal and adjust the filters to decrease the size of the dataset."

This line explains all.

<https://learn.microsoft.com/en-us/azure/devops/report/powerbi/data-connector-connect?view=azure-devops>

[-] **LuluSkyy** 4 points 10 months ago

Chat GPT says the correct answer is D - OData feed as its the correct connector to use Analytical views and filter data from the cloud.

[-] **desibaby09** 1 point 9 months ago

no it doesn't, it says the answer is B Azure DevOps

[-] **desibaby09** 1 point 9 months ago

no it doesn't, it says the answer is D OData Feed

[-] **Davery** 2 points 10 months ago

Selected Answer: A

OData Queries so that it has the ability to filter

[-] **f07fa5c** 2 points 10 months ago

Selected Answer: B

Belive its B

[-] **Davery** 1 point 10 months ago

Selected Answer: A

Copilot says it is A Azure DevOps (Boards only), is designed specifically for connecting to Azure DevOps Boards. While it can be useful for accessing work items and board-related data, it does not support Analytics views or filtering data from the cloud as required for your bug tracking dashboard.

For your needs, OData queries remain the best choice because they allow you to leverage Analytics views and filter data directly from the cloud.

[-] **Ganga425** 2 points 11 months ago

Selected Answer: B

I think B

To connect Power BI Desktop to Azure DevOps for creating a bug tracking dashboard, you should use the Azure DevOps (Boards only) data connector. Here are the steps to configure it:

Open Power BI Desktop.

Sign in to the service. First-time access requires you to sign in and authenticate your credentials.

Go to Get Data > Online Services.

Select Azure DevOps (Boards only) for cloud services or Azure DevOps Server (Boards only) for on-premises1.

Connect and specify the necessary parameters, such as the Collection URL and Team Project name

[-] **MonikaStop** 2 points 11 months ago

Selected Answer: B

B is the right answer

[-] **rab21** 3 points 11 months ago

Selected Answer: B

B is the right answer

[-] **9d92039** 1 point 11 months ago

Selected Answer: A

Using OData, you can directly query Analytics for Azure DevOps from a supported browser. Use the returned JSON data as you like. Enterprise organizations can generate queries that span multiple projects or an entire organization or project collection.

[-] **Jayaruwan** 3 points 11 months ago

Selected Answer: A

OData queries
It can filter data

[-] **RG10** 1 point 11 months ago

Correct!

Question 29

HOTSPOT

-

You use Power Query Editor to preview the data shown in the following exhibit.

Column1	Column2	Column3	Column4
Valid 82% Error 0% Empty 18%	Valid 82% Error 0% Empty 18%	Valid 82% Error 0% Empty 18%	Valid 82% Error 0% Empty 18%
10 distinct, 9 unique	10 distinct, 9 unique	10 distinct, 9 unique	8 distinct, 5 unique
1			
2			
3 metric_order	metric	actual	goal
4 1	Project Percent Complete	55	60
5 2	On-Time Task Completion	97	100
6 3	Promised Requirements Met	92	100
7 5	Costs	1,570,250	1,580,000
8 4	Team Utilization Rate	110	95
9 6	Customer Satisfaction Index	78	90
10 7	Team Satisfaction Index	91	90
11 8	Post-Deployment Support Hours	100	85

You confirm that the data will always start on row 3, and row 3 will always contain the column names.

How should you shape the query? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

To configure the query to start on row 3, select [answer choice]

▼

Keep top rows
Remove errors
Remove top rows

To use the values in row 3 as the column names, select [answer choice]

▼

Rename
Replace values
Use first row as headers

Hide Answer

Correct answer:

Answer Area

To configure the query to start on row 3, select [answer choice]

Keep top rows
Remove errors
Remove top rows

To use the values in row 3 as the column names, select [answer choice]

Rename
Replace values
Use first row as headers

[-] **LuluSkyy** 10 points 10 months ago

Answer is correct
Remove Top 2 rows
Use first rows as headers

[-] **rcaliandro** 3 points 11 months ago

The answer is correct.
We need to remove top 2 rows first and then user first row as headers

[-] **faruk3d** 1 point 11 months ago

-remove top rows
-use first row as headers

Question 30

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a data source that contains a column. The column contains case sensitive data.

You have a Power BI semantic model in DirectQuery mode.

You connect to the model and discover that it contains undefined values and errors.

You need to resolve the issue.

Solution: You implicitly convert the values into the required type.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **Alexander14** 4 points 7 months ago

Selected Answer: B

Implicitly converting values into the required type does not address the issue of case sensitivity in the column. The problem arises because Power BI, depending on the data source and model configuration, may not handle case-sensitive data as expected. Undefined values and errors may occur when case sensitivity isn't correctly managed.

[-] **Alexander14** 2 points 7 months ago

Normalizing the casing in the source query or Power Query Editor will resolve the issue of undefined values and errors caused by case sensitivity

[-] **7Veritas** 2 points 8 months ago

Selected Answer: B

No, this solution does not meet the goal.

Implicitly converting values into a required type would not resolve issues related to case sensitivity in DirectQuery mode. This solution might actually cause more problems or errors because:

- Case sensitivity issues are related to text comparison and matching, not data type conversion
- In DirectQuery mode, operations are pushed to the source database, and implicit conversions might not handle case sensitivity correctly
- Implicit conversions could potentially create more undefined values or errors if the conversion fails

[-] **Kemmy2002** 1 point 8 months ago

Selected Answer: B

you have to correct the errors first then change the data type

[-] **LuluSkyy** 2 points 10 months ago

B is correct, you must first replace the errors before changing the data type.

[-] **Jayaruwan** 2 points 11 months ago

Selected Answer: B

You have to correct errors before setting the data type

[-] **Tex02** 3 points 11 months ago

I believe the answer is correct as case sensitive data would need to be checked in the source system or explicitly handled in a query with an UPPER() or similar function

Question 31



Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a data source that contains a column. The column contains case sensitive data.

You have a Power BI semantic model in DirectQuery mode.

You connect to the model and discover that it contains undefined values and errors.

You need to resolve the issue.

Solution: You change the semantic model mode.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **Fatima300** 2 points 6 months ago

Selected Answer: B

B. No

Changing the semantic model mode (e.g., from DirectQuery to Import) won't fix case sensitivity issues or errors in the data. You need to transform or clean the data to resolve these issues.

[-] **FraGuara** 1 point 11 months ago

My answer would be A. Yes:

Switching from DirectQuery to Import mode would resolve the issue with case sensitivity. Power Query can handle case sensitivity effectively, but its functions are limited when operating in DirectQuery mode. By switching to Import mode, you gain full access to Power Query's data transformation capabilities, allowing you to standardize the case of your data before it is loaded into the model.

[-] **BhavnishM** 1 point 4 months ago

it is no where written in the question that error is due to case sensitivity. You need to transform the data here and not change the semantic model mode. So, the answer is NO.

[-] **Jayaruwan** 1 point 11 months ago

Selected Answer: B

Given answer is correct

[-] **kenyJen** 3 points 11 months ago

B. I dont think changing the semantic mode will solve the issue.

[-] **Tex02** 1 point 11 months ago

agree - case sensitivtiy should be handled with a function etc

Question 32



Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a data source that contains a column. The column contains case sensitive data.

You have a Power BI semantic model in DirectQuery mode.

You connect to the model and discover that it contains undefined values and errors.

You need to resolve the issue.

Solution: You normalize casing in the source query or Power Query Editor.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **859e6cd** 1 point 21 days ago

Selected Answer: A

<https://learn.microsoft.com/en-us/power-bi/connect-data/desktop-data-types>

Because the engine that stores and queries data in Power BI is case insensitive, take special care when you work in DirectQuery mode with a case-sensitive source. Power BI assumes that the source has eliminated duplicate rows. Because Power BI is case insensitive, it treats two values that differ only by case as duplicate, whereas the source might not treat them as such. In such cases, the final result is undefined.

To avoid this situation, if you use DirectQuery mode with a case-sensitive data source, normalize casing in the source query or in Power Query Editor.

[-] **lechuc508** 1 point 3 months ago

Selected Answer: A

A is the correct answer

[-] **BhavnishM** 1 point 4 months ago

Selected Answer: B

You need to check the column quality, column profile to solve the issue. Changing the CASE will not resolve undefined errors.

[-] **Garrison** 2 points 7 months ago

Selected Answer: A

Why is every question so convoluted lol, theres like 3 total questions in this thing that everyone agrees on

[-] **aa83599** 2 points 7 months ago

Selected Answer: B

'Undefined Values' cannot be fixed by adjusting casing

[-] **SylUK** 1 point 7 months ago

Selected Answer: A

A is the answer because the main objective of normalization, is to eliminate redundancy, minimize data modification errors and simplify the query process.

[-] **Srilatha_B** 4 points 7 months ago

Selected Answer: A

<https://learn.microsoft.com/en-us/power-bi/connect-data/desktop-data-types>

See Note as you scroll down

[-] **jaume** 4 points 9 months ago

In Q36 I voted "No" answer as converting values to required types maybe could fix some unidentified values but I don't think that would fix the errors. Now, although information in the link shared by f3ecb98 and fgo states details bout case sensitivity difference in the PBI engine and PBI tool, I should keep opinion normalize casing could fix some undefined values but don't think this could fix the errors so my vote is for the second option B.No

[-] **fgo** 1 point 9 months ago

For me

Answer is NO

I didn't see how "normalize casing in the source query or Power Query Editor" can address the issue of undefined values and errors in the model ?

[-] **fgo** 11 points 9 months ago

I review my post

Answer is A see the not below from note <https://learn.microsoft.com/en-us/power-bi/connect-data/desktop-data-types>
Note

Because the engine that stores and queries data in Power BI is case insensitive, take special care when you work in DirectQuery mode with a case-sensitive source. Power BI assumes that the source has eliminated duplicate rows.

Because Power BI is case insensitive, it treats two values that differ only by case as duplicate, whereas the source might not treat them as such. In such cases, the final result is undefined.

To avoid this situation, if you use DirectQuery mode with a case-sensitive data source, normalize casing in the source query or in Power Query Editor.

[-] **f3ecb98** 4 points 10 months ago

Selected Answer: A

This exact scenario is explained in the docs (at the "Case sensitivity" part): <https://learn.microsoft.com/en-us/power-bi/connect-data/desktop-data-types>. According to Microsoft, normalize casing in the source query should be the solution.

[-] **VladStan** 2 points 11 months ago

The questions says "OR":

So, either "Power Query Editor" (which is IMO wrong due to Direct Query mode) OR

"You normalize casing in the source query" (which is true, again IMO)

I would say that the answer is "A - Yes"

[-] **dpkamalarani** 3 points 11 months ago

Answer is no, direct query mode cannot be edited in power query

[-] **billy1903** 1 point 9 months ago

But it says in source query or query editor, you can change it in source query, so answer will be A

[-] **d216393** 1 point 11 months ago

Agree with you.

[-] **hy00** 1 point 11 months ago

I think the given answer is correct

[-] **BhavnishM** 1 point 4 months ago

there is no given answer, it's the most voted answer ATM. Given answer will be labelled as correct answer.

Question 33



Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a data source that contains a column. The column contains case sensitive data.

You have a Power BI semantic model in DirectQuery mode.

You connect to the model and discover that it contains undefined values and errors.

You need to resolve the issue.

Solution: You add an index key and normalize casing in the data source.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **Tex02** 13 points 11 months ago

I think the answer is A. adding the index key won't fix the problem by itself but you are also normalising the case which will resolve it.

[-] **Sohang51** 4 points 11 months ago

Actually i dont understand that how normalising the case will resolve the issue as undefined values and errors can also be related to missing values and unmatched data type..?

[-] **9945b17** 1 point about 1 month ago

The answer is A, as we are focusing on the data source normilisation this can fix the error
As they have mentioned, the data is case sensitive.
Missing values and unmatched data types are assumptions that lead to more confusion.

[-] **dpkamalarani** 6 points 11 months ago

A is right

[-] **13a8051** 1 point 14 days ago

Selected Answer: A

A should be the answer - Index key should be added to uniquely identify each row, which helps avoid join issues with case-sensitive data and makes DirectQuery more stable and reliable.

[-] **lechuc508** 1 point 3 months ago

Selected Answer: A

i chosen A

[-] **BhavnishM** 1 point 4 months ago

Selected Answer: B

The column contains case sensitive data doesn't means undefined errors can be fixed by resolving case

[-] **Pitxunet** 1 point 6 months ago

Selected Answer: A

The answer is "Yes". I found the following in the Microsoft documentation:

"Because the engine that stores and queries data in Power BI is case insensitive, take special care when you work in DirectQuery mode with a case-sensitive source. Power BI assumes that the source has eliminated duplicate rows. Because Power BI is case insensitive, it treats two values that differ only by case as duplicate, whereas the source might not treat them as such. In such cases, the final result is undefined.

To avoid this situation, if you use DirectQuery mode with a case-sensitive data source, normalize casing in the source query or in Power Query Editor."

Source: <https://learn.microsoft.com/en-us/power-bi/connect-data/desktop-data-types>

Therefore, the solution is to normalize casing at the source.

[-] **kbcity1** 2 points 7 months ago

Selected Answer: B

The answer is B, adding an index key and normalizing casing in the data source does not resolve the issue of undefined values and errors in the Power BI semantic model in DirectQuery mode.

[-] **f133b89** 1 point 7 months ago

Selected Answer: A

Yes, this solution meets the goal.

[-] **leela1507** 1 point 7 months ago

Selected Answer: A

Answer A

[-] **7Veritas** 1 point 8 months ago

Selected Answer: B

Adding Index does not resolve the question, it is an unnecessary complication, hence the solution is B.

While normalizing casing in the data source would help address case-sensitivity issues, adding an index key is unnecessary and doesn't contribute to solving the specific problem of undefined values and errors caused by case-sensitive data.

Adding an index key:

- Doesn't address case sensitivity issues
- Adds unnecessary complexity
- Is not relevant to resolving undefined values and errors caused by case-sensitive data
- Creates additional overhead without solving the core problem

[-] **shreejoshi** 2 points 8 months ago

Selected Answer: B

Adding index will not affect other column value or it's type. so error will remain the same.

[-] **Andrew_17** 2 points 9 months ago

Case sensitive data was resolved in data source

[-] **Enuoma** 1 point 10 months ago

Answer is A. Yes, adding an index key can help resolve issues related to undefined values or error. Normalizing casing ensures that case-sensitive data is consistent reducing chance of mismatches or errors

[-] **hsetin** 1 point 10 months ago

aCCORDING TO PERPLEXITY, the answer is still NO, as this does not solve the issue of undefined values and errors, and also direct query does not really work well with normalizing teh case either.

[-] **ae8a90c** 1 point 10 months ago

Selected Answer: A

I believe the option A is correct

[-] leah.pring 4 points 10 months ago

According to Copilot, the answer is A. Here is the explanation I got:

Yes, adding an index key and normalizing the casing in the data source can help resolve the issue of undefined values and errors in a Power BI semantic model in DirectQuery mode.

Here's why:

Index Key: Adding an index key can improve query performance and ensure that each row is uniquely identifiable, which helps in avoiding errors related to duplicate or missing data1.

Normalizing Casing: Normalizing the casing ensures consistency in the data, which can prevent mismatches and errors that arise from case sensitivity issues1.

These steps should help in cleaning up the data and making it more reliable for analysis in Power BI.

<https://learn.microsoft.com/en-us/power-bi/guidance/directquery-model-guidance>

Question 34



You import two Microsoft Excel tables named Customer and Address into Power Query. Customer contains the following columns:

- ☞ Customer ID
- ☞ Customer Name
- ☞ Phone
- ☞ Email Address
- ☞ Address ID

Address contains the following columns:

- ☞ Address ID
- ☞ Address Line 1
- ☞ Address Line 2
- ☞ City
- ☞ State/Region
- ☞ Country
- ☞ Postal Code

Each Customer ID represents a unique customer in the Customer table. Each Address ID represents a unique address in the Address table.

You need to create a query that has one row per customer. Each row must contain City, State/Region, and Country for each customer.

What should you do?

- A. Merge the Customer and Address tables.
- B. Group the Customer and Address tables by the Address ID column.
- C. Transpose the Customer and Address tables.
- D. Append the Customer and Address tables.

Hide Answer

[-] mannerism 64 points almost 3 years ago

Remember Merge is JOIN, APPEND is UNION

[-] **Geetster** 1 point 3 months ago

Selected Answer: A
Merge will add columns

[-] **Thejani** 1 point 3 months ago

Selected Answer: A
A is correct

[-] **BP215** 1 point 3 months ago

Selected Answer: A
A is correct

[-] **MirianeAn** 1 point 4 months ago

Selected Answer: A
Fusionner, car les tables ont des colonnes différentes et une colonne IDclient commune aux deux tables

[-] **Kbo05** 1 point 5 months ago

Selected Answer: A
JOIN 2 cables with the common field

[-] **Iron_Jade** 2 points 5 months ago

Selected Answer: A
Merge will add columns while Append will add rows

[-] **Hosna2023** 3 points 6 months ago

Selected Answer: A
By merging the two tables on the Address ID, you combine each customer's data with the corresponding address details, resulting in one row per customer that includes City, State/Region, and Country.

[-] **raavilam** 4 points 6 months ago

Selected Answer: A
Merge(join) using the common filed Address ID

[-] **lucasnatanael93** 1 point 6 months ago

Selected Answer: A
E a letra A, pois ira pega ID Cliente com ID de endereço ira fazer 1 para 1

[-] **Hoooota** 2 points 7 months ago

Selected Answer: A
Merge because its kind of join

[-] **ThandaPanda11** 3 points 8 months ago

Selected Answer: A
Merging two tables will help us in getting the required columns from other table

[-] **DexTorao** 1 point 9 months ago

A- Merge

[-] **mv79** 4 points 9 months ago

You can't append them because they aren't the same columns, so you can merge them using the address_id. I checked merge.

[-] **ChopChop007** 1 point 11 months ago

Merge is correct.

[-] **rcaliandro** 3 points 12 months ago

Selected Answer: A

The right answer is A. Merge the Customer and Address tables.

Because we need to merge (join) the customer table with the address table via the addressId

[-] **Kiran37** 1 point about 1 year ago

Selected Answer: A

Merge is correct it combine two table & act as join

[-] **Nishi_06** 1 point about 1 year ago

Merge the Customer and Address tables.

[-] **Grey_Head** 1 point over 1 year ago

Selected Answer: A

Merge will add the additional columns needed.

[-] **Roh1410** 1 point over 1 year ago

Selected Answer: A

Merge the tables

[-] **cs3122** 2 points over 1 year ago

Selected Answer: A

A. Merge - you essentially want to join the columns together, which is what Merge does.

[-] **SHENOOOO** 1 point over 1 year ago

Selected Answer: A

A is the correct answer.

[-] **Saluk_DE** 1 point over 1 year ago

Selected Answer: A

joining tables is called "MERGE".

[-] **TrustMyAnswers** 4 points almost 2 years ago

Selected Answer: A

Merge is the right choice, as you are "joining" both tables based on Address Id.

[-] **Xtophine** 2 points almost 2 years ago

The answer is A, because in order to query the column we need to join the two different table based on their common column.

[-] **Igetmyrole** 1 point almost 2 years ago

The correct answer is A (Merge the Customer and Address tables), it is because merging in power query is used to combine data from multiple tables or queries into a single query based on one or more common columns. Merging is typically used to bring related data together, enrich or denormalize data, or create new composite datasets.

[-] **juliettelauryer** 2 points almost 2 years ago

Selected Answer: A

Merge = JOIN tables

[-] **mustafaalhnuty** 2 points almost 2 years ago

Selected Answer: A
merging in power bi is basically joining of 2 tables.

[-] **visionary4ever 1 point** about 2 years ago

Selected Answer: A
merging in power bi is basically joining of 2 tables.
In this case, Customer [LEFT JOIN] ADDRESSES

[-] **Kriko 1 point** about 2 years ago

Selected Answer: A
We should use Merge.

[-] **codeson 2 points** about 2 years ago

Think of Append as Appendix (normally at the end of a book) so it cant be the right answer

[-] **Shalaleh 2 points** over 2 years ago

Selected Answer: A
Merge is correct.

[-] **Andrew9834523 2 points** over 2 years ago

Selected Answer: A
Merge is correct

[-] **DUVANES 1 point** over 2 years ago

Selected Answer: A
Merge is Join

[-] **srikanth923 3 points** over 2 years ago

Selected Answer: A
The answer is A. Both tables have a column called "address ID" that tells you where each person lives. To combine these tables, you can match up (merge) the rows with the same "address ID" and put them together into one big table.

[-] **LokeshJ 4 points** over 2 years ago

A is corect Merge the tables

[-] **PsgFe 3 points** over 2 years ago

The customer table has the id Address foreign key field.
To create a query that has one row per customer,
Merge the Customer and Address tables

[-] **lukelin08 2 points** over 2 years ago

Selected Answer: A
A is correct, we merge the tables

[-] **Pauwels 4 points** over 2 years ago

Merge because we are adding more columns to the Customer table

[-] **samad1234 3 points** almost 3 years ago

A is correct

[-] **Nurgul 2 points** almost 3 years ago

Selected Answer: A
A is correct. We merge 2 tables using the AdressID.

[-] **ns_guy** 4 points almost 3 years ago

Selected Answer: A

A is correct, transposing just re-orientes the data; and appending will stack the tables not create the combined records you need

[-] **OGESSIUSER** 3 points almost 3 years ago

Selected Answer: A

A. Merge the Customer and Address tables

[-] **eckip** 1 point almost 3 years ago

Selected Answer: A

a is correct

Question 35



You have a Microsoft Excel file in a Microsoft OneDrive folder.

The file must be imported to a Power BI semantic model.

You need to ensure that the semantic model can be refreshed in PowerBi.com.

Which two connectors can you use to connect to the file? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

A. Web

B. Excel Workbook

C. Folder

D. Text/CSV

E. SharePoint folder

Hide Answer

[-] **rcaliandro** 16 points 11 months ago

Selected Answer: AE

For me is AE

[-] **Tex02** 1 point 11 months ago

agree - this exact question is back at the beginning and it is Web and Sharepoint

[-] **Kalyso** 1 point 11 months ago

I share your point of view.

[-] **VladStan** 5 points 11 months ago

A and E are the correct answers. Just tested it now end to end and it works. Refreshing is performed as well.
For B/C to be refreshed online, you'd need a Gateway which is not mentioned here.

[-] **larahm** 1 point 4 months ago

Selected Answer: AE

A y E. EL enunciado da por entendido que es una actualizacion automatica y sin puesta de enlace...

[-] b2775a4 1 point 6 months ago

Selected Answer: AE

Correct Answers:

A. Web:

When the Excel file is stored in a OneDrive folder, you can use the Web connector with the file's URL link. This allows Power BI to access the file directly from OneDrive, and the dataset can be refreshed in PowerBI.com as long as the URL points to the latest file.

E. SharePoint Folder:

Since OneDrive is backed by SharePoint, you can use the SharePoint Folder connector to access the file. The SharePoint connector ensures that the file is accessible and refreshable in Power BI.

Why Not the Other Options?

B. Excel Workbook:

While this connector works for local Excel files, it does not guarantee refreshability when the file is stored in OneDrive.

C. Folder:

This connector is used to combine data from multiple files in a folder, but it is not specifically designed for OneDrive or SharePoint.

D. Text/CSV:

This connector is used for text or CSV files, not for Excel files.

[-] Odidepse 2 points 7 months ago

Selected Answer: AB

Tested this myself, A is the first obvious answer, you use the 'Excel Workbook' connector and it will grab to a one drive folder as stated on the question Microsoft Excel file in a Microsoft OneDrive folder. The other one is a definite web, as the excel file is on the one drive path and nothing is mentioned on the sharepoint folder, these are the steps that I took: Navigate the excel file stored on one drive, go to file, copy path. Then go to powerbi desktop app, get datasource, use 'web' connector and on the URL section, paste the path. SharePoint folder required root url of the sharepoint, nothing on the question outlines that the excel document is stored on sharepoint.

[-] 5767542 2 points 7 months ago

Selected Answer: BE

B. Excel Workbook and E. SharePoint Folder are the correct connectors because both are optimized for accessing files stored in OneDrive for Business, and they support scheduled refreshes in Power BI Service (PowerBi.com), ensuring your data stays up-to-date without manual intervention.

[-] Arnav123 1 point 7 months ago

Selected Answer: BE

BE

It is not A because the web connector is used to retrieve data from the web not access files.

[-] BIFakeGuru 1 point 7 months ago

Selected Answer: AE

A & E, Otherwise you'll need to implement a data gateway (for onpremise data sources)

[-] Srilatha_B 1 point 8 months ago

Selected Answer: BE

excel fil - so B / E both feasible options.

[-] mdnaseershah 1 point 8 months ago

Selected Answer: BE

To ensure that the semantic model can be refreshed in Power BI service (PowerBI.com), you can use the following two connectors:

B. Excel Workbook: This connector allows you to directly import data from an Excel file stored in OneDrive, ensuring that the data can be refreshed in Power BI service.

E. SharePoint folder: If your OneDrive is linked to SharePoint, this connector can be used to access and refresh the Excel file in Power BI service.

These connectors support automatic refresh capabilities, making them suitable for your requirements.

[-] **Rio98** 2 points 8 months ago

Selected Answer: BE

Excel Workbook (Option B):

You can connect to an Excel file stored on OneDrive using the Excel Workbook connector. This connector will allow Power BI to connect to the Excel file, and the model can be refreshed in Power BI Service (PowerBI.com) as long as the file is stored on OneDrive and is properly linked.

When you use OneDrive, Power BI can automatically refresh the data in the report from the Excel file, and it will be kept in sync with the source.

SharePoint Folder (Option E):

A SharePoint folder connector can also be used to access files stored in a SharePoint Online document library, which includes OneDrive for Business files. By using the SharePoint folder connector, you can easily import the Excel file from OneDrive, and the Power BI model can be refreshed in PowerBI.com, similar to the Excel Workbook option.

[-] **jaume** 2 points 9 months ago

Selected Answer: BE

I've connected several times to excel files to get data into PBI and, while hosted in a OneDrive folder, everything refresh fine connecting directly to the file using "Excel Workbook" connector and using "Sharepoint folder" connector. Never used the "Web" connector to get data from an excel file.

Gateway should be set for the option C in case that folder would be in a local network but I don't think it's needed connecting to an excel file hosted in a OneDrive folder

[-] **b92fc92** 1 point 11 months ago


Selected Answer: AE

AE in my opinion

Question 36



You use Power Query Editor to preview a column named Date as shown in the following exhibit.



You need to change the Date column to contain only the year. The solution must minimize administrative effort.

What should you do?

- A. Split the column by delimiter.
- B. Split the column by number of characters.

C. Extract the text after the delimiter.

D. Transform the column to contain only the year.

Hide Answer

[-] **BhavnishM** 1 point 4 months ago

Selected Answer: D

all 4 solutions will lead to the desired result. But A,B,C will require additional steps.

[-] **Fatima300** 3 points 6 months ago

Selected Answer: D

D. Transform the column to contain only the year. You can do this by selecting the "Date" column, then choosing Transform > Date > Year in Power Query Editor, which will automatically convert the column to show only the year.

[-] **ee0625a** 2 points 6 months ago

Selected Answer: D

D. Transform the column to contain only the year is the fastest and most efficient method in Power Query.

[-] **a5de5a2** 3 points 7 months ago

Selected Answer: A

Option A

If we need to minimize administrative efforts , we ideally should use built in delimiter in power query

[-] **Ricky_lm** 2 points 8 months ago

Selected Answer: D

Select Column - Transform - Date - Year - Year

[-] **ChopChop007** 3 points 10 months ago

Selected Answer: D

D it is.

[-] **Davery** 3 points 10 months ago

Selected Answer: D

D is the correct answer - Transform the column to contain only the year. This approach directly modifies the column to display only the year, without the need for additional steps like splitting or extracting text.

[-] **LuluSkyy** 1 point 10 months ago

I agree.

[-] **b92fc92** 4 points 10 months ago

Selected Answer: D

Why A? the column is Date type, so D is possible, D in my opinion

Question 37



HOTSPOT

-

You are designing the data model for a Power BI semantic model.

You have the following tables in the star schema.

Name	Description
Date	Contains one row for each day from the last five years: Each row contains attributes for the year, quarter, month, week of the year, and day of the week. Date is the unique identifier of a row.
Patient	Contains one row per patient: Each row contains attributes for the patient key, patient source ID, first name, last name, date of birth, gender, address, city, state, and country. Patient key is the unique identifier of a row.
Test	Contains one row per test: Each row contains attributes for the test key, test source ID, type, and name. The test key is the unique identifier of a row.
Test Result	Contains one row per administered test: Each row contains attributes for the date the test was administered, test key, patient key, result value, and comments.

Which table is the fact table of the star schema, and which column in the Patient table is the surrogate key of the star schema? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Fact table:

Date
Patient
Test
Test Result

Surrogate key:

Date of birth
Last name
Patient key
Patient source ID

Hide Answer

Correct answer:

Answer Area

Fact table:

Date
Patient
Test
Test Result

Surrogate key:

Date of birth
Last name
Patient key
Patient source ID

Fact Table: Test Result

Surrogate Key in Patient Table: Patient Key

The fact table is the central table in a star schema and contains measurable data (e.g., metrics, values) and foreign keys to connect to dimension tables.

The Test Result table is the fact table because:

It contains measurable data like "result value."

It includes foreign keys to dimensions like date, test key, and patient key.

A surrogate key is a unique identifier for a row in a table, typically used as the primary key in star schemas.

The Patient Key is explicitly stated as the unique identifier for rows, making it the surrogate key.

[-] **Onketsu** 1 point 6 months ago

D and C

Fact tables contain the content of the data warehouse and store different types of measures like additive, non-additive, and semi-additive measures. Fact tables provide the (usually) additive values that act as independent variables by which dimensional attributes are analyzed.

[-] **kenyJen** 4 points 10 months ago

Given answers are correct.

[-] **1CY1** 4 points 10 months ago

Given answer is what I thought as well.

Ans : D, C

Question 38



You use Power BI Desktop to import two tables named Customer and Contacts.

The Customer table contains the following columns:

- Customer_Name
- Customer ID
- Website

The Contacts table contains the following columns:

- Contact ID
- Contact Email
- Contact Name
- Customer Name

A web-based contact form is used to fill the Contacts table. The data is not sanitized.

You need to create a merge for the Customer and Contacts tables.

What should you do?

A. Disable fuzzy matching.

B. Enable fuzzy matching.

C. Set Join Kind to Left Outer.

Hide Answer

[-] **NyashaDuri** 23 points 7 months ago

Selected Answer: B

First

Why enable fuzzy matching? Since it says the Contacts table is filled using a web-based form without data sanitisation, there may be inconsistencies in how customer names are entered. Fuzzy matching will help match similar strings, accommodating for typos, capitalisation differences, and other minor variations in the customer names.

"No confusion, and no need to discuss further" /s

jk feedback welcome especially where I might be mistaken

[-] **Zander3** 4 points 6 months ago

Selected Answer: B

Because the Contacts table is populated via a web-based form and the data isn't sanitized, you may encounter typos or formatting differences in the "Customer Name" field. Enabling fuzzy matching allows the merge to identify similar entries even if they're not an exact match, ensuring a more accurate join between the Customer and Contacts tables.

Question 39



HOTSPOT

-

You are using Microsoft Power BI Desktop to profile data in Power Query Editor.

Table data is displayed as shown in the following exhibit.

ABC 123 _id	ABC 123 date	data.Entries.menuAmount
1	2024-02-07	01/01/1900
1	2024-02-07	02/01/1900
1	2024-02-07	Error

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

Before you can transform the date column to show only the day, you must

[answer choice]:

- ▼
- change the data type.
 - use the Parse command on the column.
 - use the Replace Values command on the column.

To fix the error displayed for the data.Entries.menuAmount column, you must

[answer choice]:

- ▼
- change the data type.
 - rename the column.
 - use Conditional Formatting.

Correct answer:

Answer Area

Before you can transform the date column to show only the day, you must

[answer choice]:

- change the data type.
- use the Parse command on the column.
- use the Replace values command on the column.

To fix the error displayed for the data.Entries.menuAmount column, you must

[answer choice]:

- change the data type.
- rename the column.
- use Conditional Formatting.

[-] **Pitxunet** 21 points 6 months ago

In both cases you need to change the data type first

[-] **Lulu_2022** 1 point 28 days ago

- Before transforming a column to show only the day, you must
 - Power BI needs the column to be in Date/Time format to enable any kind of date-specific transformation (like extracting day, month, year).
- To fix errors in the menuAmount column, which contains data entry issues:

Change the data type

 - Most common cause of errors in numeric columns is incorrect or inconsistent typing (e.g. text or nulls in a number column).

[-] **Idmir** 1 point 2 months ago

cambiar el tipo de datos para dos preguntas

[-] **lechuc508** 1 point 3 months ago

change the data type for two questions

[-] **larahm** 1 point 4 months ago

cambiar tipo de datos en ambos casos

[-] **Mi4as** 2 points 5 months ago

Completely wrong options for answers, and no one gave the result = day number.
 We can do this in a step: = Table.TransformColumns("#"Changed Type",{{"Date.Entries.menuAmount", Date.Day, Int64.Type}})
 So just click RM - transform - Day - Day = done, and you will get day number and Integer data type in one GO.
 First block:
 A) Change datatype. I tried to do that and any manipulation didn't return the date as datatype or day from the error value.
 B) Parse we don't have it under the column. This is available only for text datatype (we have date datatype) or for xml/json file (under transformation tab - not a column menu).
 C) Replace Value - not a Replace Error.
 The second block either hasn't suitable option.

[-] **langarz** 1 point 6 months ago

Power Query (M language) does not have a built-in PARSE function like in SQL or DAX

[-] **Zander3** 1 point 6 months ago

Date column -Use the Parse command on the column-The parse command takes a text string and breaks it down into structured parts. If a column contains concatenated values, text with delimiters, you would use the Parse to split or extract the specific components you need for analysis.
 data.Entries.menu.Amount column- Change data type-In Power BI, the date value "01/01/1900" represents a zero value. To fix this, change the data type to a numeric type (such as Decimal Number or Whole Number). This adjustment should display the correct amounts and eliminate the errors.

HOTSPOT

-

You have a Power BI semantic model named Model1 that contains a table named Sales.

Sales contains 10 million records and the following data.

Column name	Data type	Description
PurchaseID	Text	Contains a unique ID for each order
CustomerID	Text	Contains a unique ID for each customer
PurchaseDateTime	Date/Time/Timezone	Contains the date and time that each order occurred
Region	Text	Contains the region where each order occurred
TotalAmount	Decimal number	Contains the total cost of each order

The related report displays the weekly sales per region.

You need to minimize the size of Model1.

How should you modify the CustomerID column and the PurchaseDateTime column? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

CustomerID:

▼

Change the data type to Binary.

Remove any duplicate values.

Remove the column.

PurchaseDateTime:

▼

Change the data type to Duration.

Remove the column.

Split the column into separate date and time columns.

[Hide Answer](#)

Correct answer:

Answer Area

CustomerID:

Change the data type to Binary.
Remove any duplicate values.
Remove the column.

PurchaseDateTime:

Change the data type to Duration.
Remove the column.
Split the column into separate date and time columns.

[-] **BhavnishM** 3 points 4 months ago

just a short explanation on the answer:

to minimize data size you should remove unnecessary columns, since you don't need customer id it is removed
storing datetime timezone data type data takes more storage space than splitting it into 2 components and storing it as date and time.

[-] **e5accfd** 2 points 4 months ago

Remove the column and split. Answers are correct. The purpose of the related report is to recognize weekly sales so removing Customer ID wouldn't impact the report, but you do need Order ID to recognize the revenue in the right period, which leads to second part, you only need dates to recognize the sales in the appropriate week, I would split the Date column then delete the time column

[-] **Rilabear** 1 point 4 months ago

1.Change to Binary
2. seperate into date and time
text needs more storage than integer, and timezone not needed for second one.

[-] **4b88f2d** 3 points 5 months ago

Remove column / Split

[-] **33148b2** 1 point 6 months ago

Removing duplicates always seems to be the best option. For the second field, deleting the column or duration doesn't make sense, although splitting increases the size of the data is the only applicable option.

[-] **Fellow_Commentor** 2 points 4 months ago

Removing Duplicate customer IDs will remove crucial data from the Table, since the same customer can have multiple purchases in the same region. The unique value here is Purchase ID not customer ID.
At the same time, we do not know the nature of the content of the customer id field so we cannot convert it to binary either.
So the only Option left is removing the column Customer ID altogether.

[-] **4b88f2d** 1 point 5 months ago

You can't remove duplicates from a Columna who has only unique values as is CustomerID. So is remove columns for me. And splitting is the only answer with sense in the second part.

[-] **langarz** 1 point 6 months ago

Answers seem not to make sense

[-] **Zander3** 4 points 6 months ago

Since the report only displays weekly sales per region and doesn't require customer-level detail, you can remove the CustomerID column entirely to reduce model size.

For the PurchaseDateTime column, splitting it into separate Date and Time columns lets you keep only the date portion (if that's all that's needed for weekly grouping), thereby minimizing unnecessary data.

[-] **cevara** 1 point 6 months ago

What are we going to get if we remove CustomerID column!?

[-] **Pitxunet** 1 point 6 months ago

It can only be the suggested answer.

[-] **nebeskijahac** 1 point 6 months ago

How does splitting the column into separate date and time columns reduce the model size?

[-] **Mi4as** 1 point 5 months ago

DateTime columns have high cardinality because each unique timestamp is treated as a distinct value. By splitting the column, you reduce the number of unique values in each column, which lowers cardinality and improves compression.

[-] **nebeskijahac** 1 point 6 months ago

should be:

- remove the column
- change the data type to Duration (this data type requires less space)

[-] **Mats2** 2 points 6 months ago

No, splitting the column reduces the cardinality, and is the correct answer.

Question 41



You have a Microsoft Power BI Desktop report named Report1 that uses an Azure SQL database as a data source.

A user named User1 plans to create a report by using the same data source as Report1.

You need to simplify the connection to the data source for User1.

Which type of file should you create?

- A. PBIDS
- B. XLSX
- C. PBIT
- D. PBIX

Hide Answer

[-] **Oleh777** 11 points 6 months ago

Selected Answer: A

Answer: A. PBIDS

A .pbids (Power BI data source) file is specifically designed to simplify connections to a data source. If the user double-clicks the .pbids file, Power BI Desktop opens and automatically connects them to the specified data source—making it easy for someone else (User1) to reuse the same Azure SQL connection as in Report1.

[-] **a8d510b** 1 point 6 months ago

Selected Answer: A

Answer is A

[-] **Bildey** 2 points 6 months ago

Selected Answer: A

A PBIDS file is specifically designed to simplify the connection to a data source in Power BI.

Question 42



HOTSPOT

-

You have a Power BI semantic model.

You discover that the semantic model contains values that display as errors.

You need to use data profiling features in Power Query to preview the data and identify the issues.

What should you select to gain insight into the number of errors in the model, and what should you select to resolve the errors? To answer, select the appropriate options in the answer area.

NOTE: Each correct answer is worth one point.

Answer Area

To gain insight, select:

	▼
Column distribution	
Column quality	
Formula Bar	
Monospaced	

To resolve the errors, select:

	▼
Keep Errors	
Remove Duplicates	
Remove Empty	
Replace Errors	

Hide Answer

Correct answer:

Answer Area

To gain insight, select:

▼

Column distribution

Column quality

Formula Bar

Monospaced

To resolve the errors, select:

▼

Keep Errors

Remove Duplicates

Remove Empty

Replace Errors

[-] **Mi4as** 1 point 5 months ago

"Replace error" is correct, but the first block doesn't have any useful option.

"Column distribution" shows distinct/unique count - not help at all, and if we have an error(our case) it shows nothing.

"Column quality" shows the per cent valid/error/empty. OK, we have 52% of errors and what?

What we really need here that the "Column profile" which shows all the information to identify the scope of error and replace errors.

[-] **BhavnishM** 1 point 4 months ago

both column quality and column profile are used to analyze errors. Since , column profile is not the an option, column quality is right.

[-] **Zander3** 4 points 6 months ago

"Column quality" is what helps us gain insight because it shows the number of valid values, errors, and empty values in a column. For resolution, "Replace errors" would actually allow us to fix those errors, unlike options like "Remove duplicates" or

"Remove empty," which don't actually address the errors themselves.

Question 43

You plan to create a Power BI semantic model named Model1 that will contain data from an Azure SQL database named DB1.

Model1 must show updated data within two minutes of the data being updated in DB1.

You need to select a connectivity mode for the connection to DB1.

What should you choose?

A. DirectQuery

B. live connection

C. import

Hide Answer

[-] **Nadja_nghol** 1 point 29 days ago

Selected Answer: A

Live connection mode allows you to connect directly to an Analysis Services model, either in Azure Analysis Services or SQL Server Analysis Services, it's not this case; because of the refresh short time the correct answer is 'DirectQuery

[-] **Minh2712** 2 points 5 months ago

Selected Answer: A
DirectQuery, as the model requires near real-time refresh.

[-] **Anloindian123** 1 point 6 months ago

Selected Answer: A
DirectQuery is best. 2 minutes is very close to real-time

[-] **Pitxunet** 1 point 6 months ago

Selected Answer: A
It seems the most appropriate solution for having the data updated all the time. No point in using import if we need to refresh the model every two minutes

Question 44



You need to create a semantic model in Power BI Desktop. The solution must meet the following requirements:

- The model must contain a table named Orders that has one row per order. Each row will contain the total amount per order.
- The orders must be filtered to the selected CustomerID value.
- Users must select the CustomerID value from a list.
- The list of customers must come from an OData source.

Which three objects should you create in Power Query Editor? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- ☒ A. an Orders query that has a filter on CustomerID
- ☐ B. a Customers query that has a filter on CustomerID
- ☐ C. an Orders query that has a single column containing a list of customers
- ☒ D. a Customers query that has a single column containing a list of customer IDs
- ☒ E. a parameter for CustomerID that uses a query to populate the suggested values
- ☐ F. a parameter for CustomerID that uses manually entered values to populate the suggested values

Hide Answer

[-] **lechuc508** 1 point 3 months ago

Selected Answer: ADE
A. an Orders query that has a filter on CustomerID
D. a Customers query that has a single column containing a list of customer IDs
E. a parameter for CustomerID that uses a query to populate the suggested values

[-] **8578db1** 2 points 3 months ago

Selected Answer: ADE
A. only orders query that satisfies requirements

- D. Customers Query only exists to give a filter.
E. Param needs to be drop down, not manually entered.

[-] **SushiPowerBI_175** 4 points 3 months ago

Selected Answer: ADE

A. an Orders query that has a filter on CustomerID

This ensures the Orders table only includes rows related to the selected CustomerID.

D. a Customers query that has a single column containing a list of customer IDs

This query will provide the source for the list of selectable CustomerIDs, and it's coming from an OData source as per the requirement.

E. a parameter for CustomerID that uses a query to populate the suggested values

This parameter enables users to select a CustomerID from a dynamic list, which aligns with the requirement to select the value from a list and to link it with the Customers query.

Question 45

HOTSPOT -

You have two Azure SQL databases that contain the same tables and columns.

For each database, you create a query that retrieves data from a table named Customer.

You need to combine the Customer tables into a single table. The solution must minimize the size of the data model and support scheduled refresh in powerbi.com.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Option to use to combine the Customer tables:

	▼
Append Queries	
Append Queries as New	
Merge Queries	
Merge Queries as New	

Action to perform on the original two SQL database queries:

	▼
Delete the queries	
Disable including the query in report refresh	
Disable loading the query to the data model	
Duplicate the queries	

Hide Answer

Correct answer:

Box 1: Append Queries as New -

When you have additional rows of data that you'd like to add to an existing query, you append the query.

There are two append options:

- * Append queries as new displays the Append dialog box to create a new query by appending multiple tables.
- * Append queries displays the Append dialog box to add additional tables to the current query.

Incorrect: When you have one or more columns that you'd like to add to another query, you merge the queries.

Box 2: Disable loading the query to the data model

By default, all queries from Query Editor will be loaded into the memory of Power BI Model. You can disable the load for some queries, especially queries that used as intermediate transformation to produce the final query for the model.

Disabling Load doesn't mean the query won't be refreshed, it only means the query won't be loaded into the memory. When you click on Refresh model in Power

BI, or when a scheduled refresh happens even queries marked as Disable Load will be refreshed, but their data will be used as intermediate source for other queries instead of loading directly into the model. This is a very basic performance tuning tip, but very important when your Power BI model grows bigger and bigger.

Reference:

<https://docs.microsoft.com/en-us/power-query/append-queries>

<https://radacad.com/performance-tip-for-power-bi-enable-load-sucks-memory-up>

Answer Area

Option to use to combine the Customer tables:

	▼
Append Queries	
Append Queries as New	
Merge Queries	
Merge Queries as New	

Action to perform on the original two SQL database queries:

	▼
Delete the queries	
Disable including the query in report refresh	
Disable loading the query to the data model	
Duplicate the queries	

[-] **Namenick10** 72 points almost 3 years ago

Correct

- Append Queries as New
- Disable loading the query to the data model

[-] **JJMC5544** 12 points about 2 years ago

When you append queries as new, you have 2 queries to disable, but answer says "Disable loading query" not "Disable loading queries", but when you append queries, you have 1 query to disable

[-] **Kish1604** 10 points almost 2 years ago

The second option says "Action to perform on original 2 database queries"

[-] **rick1997** 4 points almost 2 years ago

Amazing catch.

[-] **LuanDao** 1 point almost 2 years ago

I strongly agree with you, the answer must be A for the first box.

[-] **deyoz** 1 point over 1 year ago

I understand, we cannot select all the queries at once to disable the load, that is why its "query" instead of "queries".

[-] **lukelin08** 22 points almost 3 years ago

Answer is correct. However just Append is also valid. Its just that due to the two part answer box's given and needing an answer, then it means the first box must be using Append (as new)

[-] **nandoscuizato** 1 point 11 months ago

Also agree!

[-] **PinkZebra** 1 point almost 3 years ago

Agreed.

[-] **BP215** 1 point 3 months ago

Correct answer

[-] **Kbo05** 1 point 5 months ago

Append queries as New and Disable loading the query to the data model

[-] **Tata777** 1 point 7 months ago

please explain the answer just agreed with the answer isn't a discussion

[-] **Panstar5** 2 points 11 months ago

I have a different view point, what if the two table has the same row data from 2 different table database users, the combine option "append query" may lead to duplication of records ! The Question statement does not state anything about Field as Unique CUST_ID or other, User may need to use Trim function for (ID Field Name), the merge table option as New table may avoid duplicates and can generate clean table ! with minimum size

[-] **rcaliandro** 3 points 12 months ago

Since the second is:

- Disable loading the query to the data model
- then we need to append (same structure) as new
- Append Queries as New

[-] **Nicknamefordiscussions69** 2 points about 1 year ago

Correct

[-] **des2907** 3 points about 1 year ago

I think the answer is right because if you use "Append Queries" you will have issues with the second option "Disable loading into the model", because this action must be performed in both table. That is why I think.

[-] **sm222** 4 points over 1 year ago

Whenever you read that the tables have same structure use append.

Append as new or not depends on if you want to keep the original table or not. Generally you don't want to keep it in the data model. This will not increase the data model size so you should not load it in the data model.

[-] **FloxTBoTy** 1 point over 1 year ago

Interesting

[-] **LOCOBI** 1 point over 1 year ago

Append is also Correct. Its just that due to the two part answer box's given and needing an answer, then it means the first box must be using Append

[-] **Florinuca** 6 points over 1 year ago

Taking into account the fact that it is strictly about 2 tables to append that have exactly the same structure (number of columns, their names) why would you do "as new"? Why do "disable loading to the data model" for 2 tables, when you can only do it for one? We also notice "query" in the answers.

And in the documentation, the example for "Append queries as new" is used when more than 3 tables are involved in the query and which do not have the same structure (number of columns, names).

I think the correct answer is :

- Append Queries
- Disable loading the query to the data model

[-] **DataGeorge** 1 point over 1 year ago

what is the need to retain the original two queries after we have created a new query by appending them ? Wouldn't append as new create a standalone query ?

[-] **TrustMyAnswers** 1 point almost 2 years ago

Given answer is correct.

You must Append as New and then disable load from the original tables.

[-] **rohjay** 7 points almost 2 years ago

By default, all queries from Query Editor are loaded into the memory of the Power BI model. However, you have the option to disable loading for specific queries, particularly those used as intermediate transformations to generate the final query for the model.

Disabling the load does not mean the query won't be refreshed; it simply prevents the query from being loaded into memory. Even if a query is marked as "Disable Load," it will still be refreshed when you manually click "Refresh model" in Power BI or during a scheduled refresh. However, the data from these queries will be utilized as intermediate sources for other queries, instead of being loaded directly into the model. This performance tuning tip is particularly valuable as your Power BI model grows larger.

[-] **LeeTheRed** 3 points almost 2 years ago

There are different ways to come to the same conclusion BUT the answer is correct in this case based on the need to disable the TWO ORIGINAL QUERIES. The only way that you can ended up with three queries (two originals and one new, thus need to disable two original queries) was if the APPEND AS NEW was selected in the first step.

[-] **lgetmyrole** 2 points almost 2 years ago

The correct Answers are:

- * Append Queries: because it is used to combine the Customer table into as single table. This will stack the data from both tables on top of each other, creating a unified Customer Table.

- * Disable loading the query to the query to the data model: since we want to minimize the size of the data model and avoid duplicating the data from the SQL databases, we should prevent these queries from being loaded into the Power BI data model.

[-] **ttabdul2** 2 points almost 2 years ago

The answer is correct because when you use "Append query" the original queries will no longer be there. but it is only when you use "append query as new" that you will need to perform the next question that has to do with disabling the loading of queries

[-] **JJMC5544** 3 points about 2 years ago

Appending 2 Queries (Query-B to Query-A) , and Disable Loading Query-B is same size with Appending 2 Queries as New (Query-C) and Disable Loading Queries-A and Query-B.

Because Answer says "Disable loading the query" , not "Queries", It is :

Append Queries and Disable Loading the Query

[-] **vivian_data** 1 point about 2 years ago

I finally understood this, thanks sm for the explanation!

[-] **vivian_data** 6 points about 2 years ago

Actually I re-read it and it says

"Action to perform on the original *TWO* SQL database queries"

so it makes sense to append AS NEW.

[-] **Lavi29** 4 points about 2 years ago

I think there are two possible combinations of reply of replies and anyone can be correct:

1. append as new + disable load
2. append + delete 2 tables

[-] **dataguru08** 1 point over 2 years ago

Can someone please explain why the correct answer is "Append Queries as New" instead of "Append queries"?

[-] **McPebs** 4 points about 2 years ago

In my opinion, the correct answer should be "Append Queries" because we have to "minimize the size of the data model". If we create a New Query, the size of model increase (1 additional query than the previous model)

[-] **Shalaleh** 2 points over 2 years ago

because we need to uncheck the loading option in the two table. so we need a new table in order to refresh

[-] **CG31** 3 points over 2 years ago

Append as new

Disable query loading

The tables have the same structure, columns so they will be appended=> you get more rows.

You disable the query loading when using the initial tables as intermediary steps>> same refresh process, easier to use the final table in queries, a simpler structure.

Hope this helps

[-] **TopCat1583** 2 points over 2 years ago

I choose Merge as New. Yet I learned my lesson. The question never said the data was exactly the same in the two SQL data bases. This make sense now. Thanks for commenting below folks.

[-] **shmmmini** 1 point over 2 years ago

I would say append Query. Because if you append as new, then you have to uncheck the Load into the report for the two original queries, not only for one query in the second step answer. Here, they say in the query (Which I assume is the one on which We didn't apply the append step)

[-] **DUVANES** 1 point over 2 years ago

1. Anexar consultas como una nueva.

2. Deshabilitar la carga de la consulta en el modelo de datos.

[-] **srikanth923** 3 points over 2 years ago

To combine two tables with the same columns, you can use the "Append queries as new" function. This will add the data from the second table as new rows to the first table.

To speed up the loading time, you can also disable the loading of the original tables since they are no longer needed after the append operation. This will help reduce the overall load time of your data model.

[-] **Debs23** 2 points over 2 years ago

Since the merged query is dependent on original 2 queries, won't doing "disable loading the query to the data model" also prevent the merged query from getting refreshed with new data? This is something I was experimenting with one of my dashboards, and saw that disabling load on a table prevents that table, and tables using that table as a source from getting new data. Please clarify.

[-] **iccent2** 1 point over 2 years ago

What happens if we decide to delete the original 2 queries?

[-] **Xikta** 2 points over 2 years ago

Data cannot refresh

[-] **md_sultan** 5 points over 2 years ago

If you select only append then from second question you need to disable the both table. So in the model you won't have any table. For this reason the first answer has to be append as new . So that you get overall three table and the initial two table can be deleted.

[-] **Patrick666** 1 point over 2 years ago

Append Queries as New

- Disable loading the query to the data model

[-] **Hoeishetmogelijk** 4 points over 2 years ago

I agree with "Disable loading the query to the data model"

But I am sure that it should be "Append Queries" rather than "Append Queries as New"

Reading the page below, you see that "Append Queries" can be used for 2 tables and ""Append Queries as New" must be used for 3 or more tables to append.

[-] **lukelin08** 4 points over 2 years ago

I suggest testing it. I have tested it and you can "Append Queries as New" on only two tables. This is necessary given the two part question where you have to "Disable loading the query to the data model" on the 2 original queries

[-] **Hoeishetmogelijk** 1 point over 2 years ago

Ah, I see what you mean. The catch is in the frase "Action to perform on the original TWO Queries" in front of the second answer box. When both original queries are not being load in the data model, then there must be one created with "Append querie as NEW" that will be loaded in the data model.

[-] **Pocu** 1 point over 2 years ago

For this case, I would say merging the two tables is actually better because there might be a lot of duplicated customer records. Appending doesn't really make sense because it will cause data duplication issue. Though the comparing process is not easy because the customer ID might be different for the same customer in two databases. Correct me if wrong.

[-] **Hoeishetmogelijk** 2 points over 2 years ago

I'm afraid you are thinking of a SQL Merge here.

The naming differences are indeed confusing:

Power BI Append = SQL Union All

Power BI Merge = SQL Join

[-] **samad1234** 6 points almost 3 years ago

1.Append queries as new.

2.Disable loading the query to the data model

[-] **MauDV** 5 points almost 3 years ago

I'd say Append queries for the first box, Appending queries as new would increase the size of the model I believe

[-] **Nurgul** 3 points almost 3 years ago

The given answer is correct.

1. Append queries as new. 2.Disable loading the query to the data model.

[-] **Adhi_Adhi** 1 point almost 3 years ago

I think we need to use the merge queries to combine.

[-] **bmaaaata** 6 points almost 3 years ago

Can someone explain why Append as New instead of just Append? Appending as New will create additional table which takes space

[-] **INDEAVR** 7 points almost 3 years ago

I think that the second part of the answer is the reason. When we disable loading into the model, we cannot use them anymore, so that is why we append in a New query.

Question 46



You use Power BI Desktop to create a report named RPT1 that loads data from a Microsoft Excel file named File1.

File1 is located in a network share.

File1 is moved to a different folder.

When you open RPT1 in Power BI Desktop, you discover that the report displays outdated data.

You need to ensure that the data in File1 refreshes properly.

What should you do?

- A. Change the data source.
- B. Clear the permissions of File1.
- C. Export a PBIDS file.
- D. Modify the permissions for File1.

Hide Answer

[-] 225401f 2 points about 2 months ago

Selected Answer: A


I think it is A

Question 47

HOTSPOT

-

You have a query that contains customer data in Power Query Editor as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

Some values in the [answer choice] column are repeated.

Customer ID
Customer Key
Customer Name

To standardize the values in the Phone column to 10 digits and exclude country calling codes, [answer choice].

extract the text after the ")" delimiter
extract the last 12 characters
split the column at the right-most occurrence of ")"

Hide Answer

Correct answer:

Answer Area

Some values in the [answer choice] column are repeated.

To standardize the values in the Phone column to 10 digits and exclude country calling codes, [answer choice].

Customer ID
Customer Key
Customer Name

extract the text after the ")" delimiter
extract the last 12 characters
split the column at the right-most occurrence of ")"

[-] **c42611c** 2 points about 2 months ago

1. Customer Name

2. Extract the last 12 characters

-Customer Name because it has a greater number of distinct vs unique values in the column. This implies that there are repeating values in it.

-Second statement requires 10 digits in the phone number. If choose "extract the text after the ")" delimiter", it will leave a leading whitespace for certain rows since there is a space after the ")" in certain rows and this counts as a digit which would make it 11 digits which does NOT meet the requirement.

BUT, if we use the other option "Extract the last 12 characters", then it will NOT include the leading whitespace and correctly satisfy the 10 digit requirement as well as not including whitespace which can throw off calculations, sort orders, etc.

[-] **bp_a_user** 1 point about 2 months ago

correct!

Question 48

You have a Power BI report named Report that contains the following tables.

Name	Description
Product	10 rows with a primary key named ProductId
Sales person	Five rows with a primary key named SalesPersonId
Calendar	Standard calendar table without time columns that is generated from a calculated table
Customer	25 rows with a primary key named CustomerId
Invoice	12 million rows from the last three months with many-to-one relationships to Product, Sales Person, Calendar, and Customer

For the last three days, refresh in Power BI has failed, and you receive the following error message: "You have reached the maximum allowable memory allocation for your tier. Consider upgrading to a tier with more available memory."

You need to resolve the error and ensure that query response times are minimized for end users.

What should you do?

- A. Merge the Sales person and invoice tables based on the SalesPersonId column.
- B. Change the invoice table to a DirectQuery table and read the data live from the source, retaining only the dimension tables as import tables.
- C. Reduce the size of the invoice table by summarizing sales by Product, Sales person, Calendar, and Customer.
- D. Change the invoice table to a composite table that contains historical data as a DirectQuery table and hot data as an import table, and then partition the table.

Hide Answer

[-] **PhoebeZ** 2 points 17 days ago

Selected Answer: C

here is what Gemini says: The feature in Option D is designed for fact tables that have a long history of data (e.g., many years of transactions). It works by partitioning the table so that recent, "hot" data is imported for fast performance, while older, "cold" data is left in DirectQuery mode to save memory.

The problem in the question states that the Invoice table already only contains data from the "last three months." There is no older, historical data to partition off into DirectQuery mode. The entire 12-million-row table is considered "hot" data.

Therefore, since the recent data itself is too large, the correct solution is C (summarizing the data). This directly reduces the number of rows within that three-month period, which solves the memory issue.

[-] **Lulu_2022** 3 points 28 days ago

Selected Answer: D

- Keeps "hot" recent data (e.g. last 30 days) fast with import mode
- Pushes bulk historical data (e.g. older than 6 months) to DirectQuery
- Memory load drops, and the most viewed data stays performant
- Partitioning lets you manage refresh logic smartly and incrementally

Question 49



You have a table named DIMCountries that contains a column named Country as shown in the following table.

Country
Afghanistan
afghanistan
Albania
Algeria
American Samoa
Andorra
andorra
Antarctica
Argentina

You plan to use DIMCountries as a dimension in a report.

You need to ensure that the Country column in DIMCountries lists each country only once.

Which two actions should you perform on the Country column? Each correct answer presents part of the solution.

NOTE: Each correct answer is worth one point.

- A. Change Data category to Country.
- B. Remove duplicate values.
- C. Apply a clean transform.
- D. Replace the empty fields.
- E. Apply a Capitalize Each Word transform.

Hide Answer

[-] **13a8051** 6 points about 2 months ago

Selected Answer: BD

The two correct actions are:

B. Remove duplicate values

This will ensure each country appears only once by removing duplicate rows in the Country column.

D. Replace the empty fields

This ensures that there are no blank or null values in the Country column, which might otherwise appear as missing or extra entries.

[-] **225401f** 5 points about 2 months ago

Selected Answer: BE

Correct answer is B E

[-] **Lulu_2022** 1 point 28 days ago

Selected Answer: BE

- B. Remove duplicate values

→ This directly guarantees that each country is represented only once in your dimension table—essential for proper slicer and relationship behavior.

- E. Apply a Capitalize Each Word transform

→ Power Query is case-sensitive, so "canada" ≠ "Canada" when removing duplicates. Capitalizing ensures consistent casing before deduplication.

[-] **dca556d** 3 points about 1 month ago

Selected Answer: BE

Power Query is case-sensitive, so Remove Duplicates alone will not remove duplicate values that differ only in letter casing.

Why not D? - Replacing empty fields won't solve the problem because no matter what we replace the empty values with, they will still remain.

Question 50



HOTSPOT

-

You plan to use Power Query Editor to get data from an API.

The API returns a JSON response.

You have a username and password for the API.

Which data source and authentication method should you use to connect to the API? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Data source:
Dataflows
JSON
OData
Web

Authentication:
Anonymous
Basic
Organizational account
Web API

Hide Answer

Correct answer:

Answer Area

Data source:
Dataflows
JSON
OData
Web

Authentication:
Basic
Organizational account
Web API

[-] **Lulu_2022** 1 point 28 days ago

- Data Source:

→ Web

Power Query's Web connector can handle REST APIs and retrieve JSON payloads via GET or POST requests.

- Authentication Method:

→ Basic

This allows you to securely provide your username and password for the API.

[-] **13a8051** 2 points about 2 months ago

Data source:

Web

Power Query uses the Web connector to fetch data from APIs (which typically return JSON or XML).

Authentication method:

Basic

Since you have a username and password, the most common authentication for APIs that require these is Basic Authentication (username and password sent encoded in the HTTP header).

If the API uses some other auth method (like OAuth), that would differ, but given username/password, Basic Auth is the standard.

Question 51



DRAG DROP -

In Power Query Editor, you have three queries named ProductCategory, ProductSubCategory, and Product.

Every Product has a ProductSubCategory.

Not every ProductSubCategory has a parent ProductCategory.

You need to merge the three queries into a single query. The solution must ensure the best performance in Power Query.

How should you merge the tables? To answer, drag the appropriate merge types to the correct queries. Each merge type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Join kinds	Answer Area
Full outer	
Inner	
Left anti	
Left outer	
Right anti	
Right outer	

Left Table	Right Table	Join Kind
Product	ProductSubCategory	Join kind
ProductSubCategory	ProductCategory	Join kind

Hide Answer

Correct answer:

Box 1: Inner -

Every Product has a ProductSubCategory.

A standard join is needed.

One of the join kinds available in the Merge dialog box in Power Query is an inner join, which brings in only matching rows from both the left and right tables.

Box 2: Left outer -

Not every ProductSubCategory has a parent ProductCategory.

One of the join kinds available in the Merge dialog box in Power Query is a left outer join, which keeps all the rows from the left table and brings in any matching rows from the right table.

Reference:

<https://docs.microsoft.com/en-us/power-query/merge-queries-inner> <https://docs.microsoft.com/en-us/power-query/merge-queries-left-outer>

Join kinds

Full outer

Inner

Left anti

Left outer

Right anti

Right outer

Answer Area

Left Table	Right Table	Join Kind
Product	ProductSubCategory	Inner
ProductSubCategory	ProductCategory	Left outer

[-] [learnazureportal](#) 51 points almost 3 years ago

Answer is correct

[-] [fred92](#) 38 points almost 3 years ago

Answer is correct: 1. Inner join, 2. Left outer join

If each row in table A has a matching row in table B, always use inner join because it has the best performance.

[-] [NevilleV](#) 7 points almost 3 years ago

Question 1. You in all likelihood have to say 10 products each with a parent category, But your subcategories are eg 3 because product 1, 2 and 3 are subcategory socks, product 4, 5 and 6 are subcategory shoes and 7, 8 and 9 are shirts. Sure every Product has a SubCategory but they aren't duplicates. I think the answer to Question 1 is Left Outer. Question 2 is also Left outer

[-] [fred92](#) 3 points almost 3 years ago

When you join tables (inner join) you'll get all rows from T1 and all rows from T2 that meet the join and where conditions. It is not relevant if the cardinality is 1 or many on one or both sides.

In your example the result would be:

product 1 - socks

product 2 - socks

product 3 - socks

product 4 - shoes

product 5 - shoes

... and so on

[-] [ThucNguyen1994](#) 1 point 7 days ago

To ensure complete product data, you need to retain all SubCategories — even those without a parent Category. Therefore, when merging ProductSubCategory with ProductCategory, you should use a Left Outer Join

The reason for choosing an Inner Join between Product and ProductSubCategory is that it offers better performance compared to a Left Join.

[-] [smohtram](#) 1 point 2 months ago

the answer is left outer for both options since it is the safest and the best performant join in the long term. Inner join is technically correct for option 1, if you are 100% sure that table 1 has matching rows in table 2 BUT if in future, even if you have one missing value or mismatch , then you risk dropping the entire row based on inner join. Therefore, the safest option would be left outer for both.

[-] [Ash_34](#) 3 points 12 months ago

Answer is correct:

1. Inner Join - Because both table have matching rows
2. Left Outer - We can get all the matching and unmatched records from left table

[-] **rcaliandro** 1 point 12 months ago

The answer is correct: we need first an INNER JOIN between product and productSubcategory (in this way we will optimize since every product has a product subcategory) and we also need a left outer join between subcategory and category (left because not every product subcategory has a product category)

[-] **powerbot9000** 1 point over 1 year ago

My biggest challenge with this specific question is paying attention to the clearly labeled headers vs. ignoring the order in which the tables were stated within the question itself.

[-] **natattack** 5 points over 1 year ago

How are you supposed to know that you shouldn't conserve all table information?

[-] **mustafadev** 1 point over 1 year ago

How do you get product attribute from D option? is there right information you have in 2nd table regarding product?

[-] **TrustMyAnswers** 1 point almost 2 years ago

Answer is correct.

1. Inner Join
2. Left Outer Join

[-] **marcolapo92** 7 points almost 2 years ago

- A. Inner Join because we have only one row in Product for each ProductSubCategory.
- B. Left Join because we do not need rows from ProductCategory which do not match any ProductSubCategory

[-] **Pocu** 5 points almost 2 years ago

- 1: either Left outer or inner (same results)
- 2: left outer

To fully understand this question, there are a few points:

(1) Which to keep and which can be ignored. At the end of the day, we need to analyze the sales so all products need to be kept but unused subcategory and category can be ignored.

(2) best performance : according to point1, we keep all products and ignore unused subcategories and categories. If it doesn't mention "best performance" and we want to keep all the subcategories and categories (which might be the case in real world cases), we can do full outer join on 3 tables.

(3) left outer vs inner in question 1:

As "Every Product has a ProductSubCategory", Let's say if there are subcategory 1,2,3 in product query and 1,2,3,4 in ProductSubCategory table, either left outer or inner join results in 1,2,3.

(4) Let's say we have SubCategory 1,2 and we have Categories Sport, Drinks. SubCategory 1 is under Category Sport but Subcategory 2 is not under any Category. As we need to keep SubCategory 1,2, we need to do a Left outer join. If we keep Category Drinks then it defeats the purpose of "Best performance".

[-] **lgetmyrole** 5 points almost 2 years ago

* The correct answer for the first option is Inner Join: it is because we want to keep only the rows where there's matching ProductSubCategory for each Product.

* The correct answer for the second option is Left outer join: it is because not every ProductSubCategory has a parent ProductCategory, so we want to keep all ProductSubCategories while matching them with any available ProductCategories.

[-] **zdgjn** 2 points almost 2 years ago

If I am building something from the client why would I take risk of missing out data from ProdSubCategory table in the Event say a new item in any table not present in other comes in? Answer is not practical for "Inner Join"

[-] **zdgjn** 3 points almost 2 years ago

Please can somebody share source where it states Inner join better than Left join?

[-] **JJMC5544** 3 points about 2 years ago

When Product and ProductSubCategory are merged, it will be still named as Product table.
So second line should show Product, instead of ProductSubCategory.
So confusing.

[-] **DUVANES** 1 point over 2 years ago

1. Inner
2. Left Outer

[-] **Shastrimath** 1 point over 2 years ago

Answer is correct

[-] **srikanth923** 4 points over 2 years ago

Answer:

- Inner join is the best option if you only want the matching rows from both tables.
- Left outer join is useful if you want all the records from one of the tables. In this scenario, we want all the records from the "product subcategory" table, so we should use a left outer join.

[-] **herr_serfin** 5 points over 2 years ago

For first one , wouldnt inner and full outer give same results?

[-] **Artefa8** 1 point over 2 years ago

1. Inner Join
2. Left Outer

[-] **lukelin08** 1 point over 2 years ago

Answer seems correct -

1. Inner join
2. Left Outer Join

[-] **gtc108** 9 points almost 3 years ago

Answer is correct:

1. Inner join
2. Left Outer Join b/c you want to keep everything to the left (subCategory)

[-] **samad1234** 3 points almost 3 years ago

1. Inner join,
2. Left outer join

Question 52

You are building a Power BI report that uses data from an Azure SQL database named erp1.

You import the following tables.

Name	Description
Products	Contains the product catalog
Orders	Contains high-level information about orders
Order Line Items	Contains the product ID, quantity, and price details of an order

You need to perform the following analyses:

☞ Orders sold over time that include a measure of the total order value

Orders by attributes of products sold

The solution must minimize update times when interacting with visuals in the report.

What should you do first?

- A. From Power Query, merge the Order Line Items query and the Products query.
- B. Create a calculated column that adds a list of product categories to the Orders table by using a DAX function.
- C. Calculate the count of orders per product by using a DAX function.
- D. From Power Query, merge the Orders query and the Order Line Items query.

Hide Answer

[-] **PinkZebra** 97 points almost 3 years ago

Selected Answer: D

I'm very sure it's D. It's the Header/Detail Schema, and the most optimal way is to flatten the header into the detail table.

[-] **tranquanghuy2111** 12 points almost 2 years ago

Totally agree, in Star Schema, we should only have one FACT table of ONE object (here is order). So, in this example, we should combine Order and Order Detail into one FACT table.

[-] **NevilleV** 9 points almost 3 years ago

D. doesn't have a common field. The answer has to be A

[-] **PinkZebra** 10 points almost 3 years ago

I agree that it's not clearly stated in the question that Order and Order Line tables have common field (for example: order ID)

If there is no common fields, there is no way to implement the requirements (calculating order value from Order line).

[-] **ApacheKafka** 11 points about 2 years ago

There is no way D doesn't have a common field. There wouldn't be an order line if there was no Order ID in it. so just because it is not stated doesn't mean it doesn't exist.

[-] **shako** 3 points almost 2 years ago

I was first going with A but from the explanations I got from his source and re-reading the question between the lines, it is obvious that the answer is D.

[-] **Joamagafer** 3 points over 1 year ago

My option here was A. Nothing in the question makes me think I need any High level Info on Orders (i.e. Orders table). In the 'Order Line Item' I have everything I need to calculate 'Total Order Value' (i.e. Quantity * Price) plus the Product ID, which I'd use to get the Product Attributes required.

In my opinion and based on the requirements, I don't think we even need/should to load 'Orders' table, as this would not be a requirement for the task in hand, thus we would be loading extra info that is not needed.

[-] **David_Zed** 43 points almost 3 years ago

Selected Answer: A

Should be A, because we need to get " Orders sold over time that include a measure of the total order value Orders by attributes of products sold"

Order line detail for quantities ordered, and product for product's attribute

[-] **WZ17** 16 points over 2 years ago

I think you're forgetting about the "over time" part of the objective. You cannot show a distribution of sales over time without having a date column which does not seem to be present in Products or Order Line Items.

[-] **Legato** 4 points over 2 years ago

Exactly

[-] **Hoeishetmogelijk** 1 point about 2 years ago

The date column is also not specified in the Orders, so this argument doesn't make sense.

[-] **Maniula** 9 points about 2 years ago

What do you mean? High-level info about orders includes date of the order.

[-] **golden_retriever** 19 points over 2 years ago

Price is also an attribute to the product, which is present in Order line detail. The key word here is a product sold. The sold items are present only in the Order line detail. So A is INCORRECT

[-] **Shalaleh** 6 points over 2 years ago

it is not good idea to merge dim table with fact table!

[-] **Hoeishetmogelijk** 1 point about 2 years ago

It is not a good idea, but in this case it is the only way to aggregate the order value per product attributes.

[-] **penguin07** 1 point 16 days ago

Selected Answer: A

Brings product attributes (name, category, etc.) into the order line items table.

Lets you calculate total order value easily (Price × Quantity).

This is the best way to flatten the model and reduce need for real-time joins.

Best for performance and required analysis

Choosing option D adds unnecessary complexity, as product details will still be needed later for deeper insights. Merging Order Line Items with Products (option A) upfront simplifies the model, supports comprehensive analysis, and ensures better performance with minimal effort.

[-] **Lulu_2022** 1 point about 2 months ago

Selected Answer: D

The best first step is D. From Power Query, merge the Orders query and the Order Line Items query.

Here's why:

You're analyzing orders over time and calculating total order value, which likely requires combining order-level and line-item-level data.

Merging these two tables in Power Query (before loading to the model) ensures the heavy lifting is done during data prep, not at query time—this minimizes update times when interacting with visuals.

It also allows you to precompute total order values or simplify relationships, which improves performance.

Option A (merging Order Line Items with Products) might be useful later for product-level analysis, but it doesn't directly support the time-based order value analysis as efficiently as Option D does.

[-] **DreamIT2025** 1 point about 2 months ago

Selected Answer: A

If we select A, which means we join Order details and product table. This can give me everything related to product wise total sale. Over we can get order wise sales also.

[-] **arslanamjad** 1 point about 2 months ago

Selected Answer: D

Merging the Orders query with the Order Line Items query (Option D) is the best first step because it creates a single, denormalized fact table combining order details like dates with line item data such as quantities and prices. This simplifies the data model and improves performance by reducing complex relationships and runtime joins, enabling faster aggregations and filtering—especially for analyzing orders sold over time with total value. Product attributes can stay in a separate

dimension table linked by relationships, preserving a clean star schema. Overall, this approach minimizes update times and enhances report responsiveness.

[-] **Enya2493** 1 point about 2 months ago

Selected Answer: A

You're doing analysis based on:

Total order value over time → requires line-level transaction data

Attributes of products sold → product info needs to be present at line level

Merging Order Line Items with Products gives you a clean fact table with all required info in one place, optimized for aggregation.

This results in faster visuals and lower model complexity.

Considering the question specifically states, "The solution must minimize update times when interacting with visuals in the report," Answer D brings in unnecessary redundancy and will likely hurt performance, especially as data grows.

[-] **hieubon** 1 point 4 months ago

Selected Answer: A

A because Orders by attributes of products sold meant that you have to join fact with prod. If choose D you still have to merge with prod. It not minimize update times when interacting with visuals

[-] **binny89** 2 points 5 months ago

Selected Answer: A

The order table's description says "contain high level information about order". Nothing else. And most importantly, the requirement is 1) order quantity, 2) order value and 3) order by product attributes - nothing else valuable can be acquired from the order table? Therefore if the requirement is to minimize update time of visual, don't bother connecting order and order line item table. Answer should be A

[-] **MANANDAVEY** 2 points 7 months ago

Selected Answer: D

Answer is D. Tried and Tested.

[-] **Pey1nkh** 2 points 7 months ago

Selected Answer: A

Why not D:

Merging these two tables would help calculate the total order value but does not associate product attributes (e.g., categories) with orders.

Without merging Order Line Items and Products, you cannot analyze orders by product attributes effectively.

[-] **esrath** 2 points 7 months ago

Selected Answer: D

Note: We must suggest the action we should perform FIRST.

Of course, we need the Products table for the product attributes but first, we need to merge the Orders and Order Line Items to get the time-based information from the Orders table. We need that for the "Orders sold over time". The Order Line Items table does not have time-based information(Date). As per the question, it only has those 3 columns.

After using number D as the first step, we can merge the Product table, write DAX for total order value, etc...

[-] **AlexBear** 2 points 8 months ago

Selected Answer: A

I choose A.

The Products table contains product attributes (e.g., category, brand), but it cannot directly connect to the Orders table since there's no shared key. The Order Line Items table acts as a bridge between the Products table (via Product ID) and the Orders table (via Order ID). By merging Products with Order Line Items, the resulting table includes both product attributes and order-level details, enabling comprehensive analysis.

For analysis 1 (orders sold over time with total order value): Use the merged table to calculate total order value (Quantity × Price) for each order and aggregate by the order date from the Orders table.

For analysis 2 (orders by product attributes): Filter and group the merged table by product attributes (e.g., category or brand) to analyse sales performance for specific product groups.

[-] **Rahultakle** 2 points 8 months ago

Selected Answer: D

D is right, Merging the Orders query with the Order Line Items query in Power Query creates a more efficient data model. This reduces the number of relationships and joins that need to be processed during report interactions, leading to faster update times. With the merged data, calculations such as total order value and orders by product attributes become simpler and more efficient. This reduces the need for complex DAX calculations that can slow down report performance

[-] **Madhu1551546** 1 point 8 months ago

The Order Line Items table contains only the following columns:

Product ID

Quantity

Price Details

It does not include a date column or other high-level order information. The Orders table, on the other hand, likely contains essential information such as:

Order Date (for time-based analysis)

Order ID (to link with Order Line Items)

Customer Details (if needed)

so Answer is D

[-] **DexTorao** 1 point 9 months ago

D - From Power Query, merge the Orders query and the Order Line Items query

[-] **NLeeXTung** 2 points 10 months ago

Selected Answer: D

Hello everyone, to make it clear we must to know:

--- PBI will do the best aggregation base on Star Schema model, we now have 1 Fact table (Order Line Items) and 2 Dim tables (Products, Orders). Orders has common field with Products (ProductID), and pretty sure time series field (OrderDate); Orders Line Items has Price and Quantity.

--- We need summarize some values like "price" and "quantity" over-time by attributes product. But we only have common field in Dim table (Orders) so we need to merge Dim (Orders) and Fact (Order Line Items) to new single Fact table to design the right Star Schema model.

=> So that D is correct

[-] **Ganga425** 1 point 11 months ago

Might be option A. How about the orders by attribute without accessing the Product datasource ?

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: D

We need first, in such way to join orders and order line query. So the right answer is:

D. From Power Query, merge the Orders query and the Order Line Items query.

[-] **HenryBiz** 3 points about 1 year ago

Selected Answer: D

D. Since Order and Order Lines tables are parts of the fact table, so combine them first and make the combination the centre of the star schema, then join the DIM table Product.

[-] **SureshReddyMoole** 3 points about 1 year ago

D. From Power Query, merge the Orders query and the Order Line Items query.

By merging these queries, you create a single table that contains all the necessary information about orders and their line items. This simplifies the data model and reduces the overhead of handling multiple tables and relationships, leading to more efficient interactions with visuals in your report.

[-] **jsav1** 2 points about 1 year ago

Selected Answer: D

D - Consolidate the order and order line items query first - you will need information from both tables

[-] **tarekff** 1 point over 1 year ago

The main advantage of D over A is that Merging Orders with Order Line Items creates a fact table in a star schema, instead of having two fact table.

[-] **55884** 3 points over 1 year ago

Here me out, in able to fulfill both requirements, A and D are correct.

D fulfill the first requirement, and A fulfill the second requirement. But the question ask "what should you do FIRST".

That was why the answer should be D. Because it's the first thing the requirement ask us to do.

[-] **SHENOOOO** 1 point over 1 year ago

Selected Answer: D

I believe the answer should be D. The question asks about the amount of the order over time. The first table only contains the Product Catalog. it doesn't have anything to do with the requirements in the question.

[-] **momo1165** 1 point over 1 year ago

D is the correct answer!

[-] **mustafadev** 2 points over 1 year ago

How you get product attribute from D option? is there right information you have in 2nd table regarding product?

[-] **discoverp** 2 points almost 2 years ago

Selected Answer: D

Orders table has high-level order info, while OrderLines has more granular order info. The only way to link OrderLines (which also contains ProductID and price of each order) to Orders would be via an FK reference i.e. OrderID.

[-] **lgetmyrole** 6 points almost 2 years ago

The correct answer is D.

To perform the analyses of orders sold over time and orders by attributes of products sold in a Power BI report while minimizing update times when interacting with visuals, we should do, From Power Query, merge the Orders query and the Order Line items query. Because:

By merging the Orders query and the Order Line items query in Power Query, we combine the relevant data into a single table. After merging the tables in Power Query, you can establish relationships between the tables, ensuring that they are related properly in the data model. Once tables are merged and relationships are set up, we can then create measures in DAX to calculate the total order value and analyze orders by attributes of products sold. This calculation will perform more efficient because we have reduced the data complexity through merging and proper data modeling.

[-] **65945de** 1 point over 1 year ago

Hi, can you explain again why we have to merge two tables? I'm not sure for star scheme, should it be the case as long as the relationship between two tables has been established, and that would be fine?

[-] **Dani_eL** 2 points over 1 year ago

he cannot, it's a chatGpt copy/paste answer

[-] **rgabage** 1 point almost 2 years ago

Selected Answer: A

Should be A, because we need to get " Orders sold over time that include a measure of the total order value Orders by attributes of products sold"

[-] **Acrious** 1 point about 2 years ago

Selected Answer: D

As many have said, its not great that the details aren't there but.

1) I believe its 2 different requirements. The first one has the little picture and doesn't require us to merge anything to answer as Order will have the total amount so we dont need so SUM anything in order details

2) requires details about the products that won't be on the orders table. Someone mentioned product ID would be on Order. No it would not, or you would simply have ALREADY merged orders and order lines since you can have multiple products on an order.

So I am going with D. Although I don't like any of them

[-] **Abi_17** 2 points about 2 years ago

I think it should be A and D.

All the three tables have to be connected. Assuming there is a common field between Orders and OrderLine.

In first scenario we need information like order date to show order value over time, Order date will probably be there in orders table and value should be taken from OrderLine. So these tables need to be connected for this.

In the next scenario we need to show orders by product attributes, for which we need to connect orderline table with products table.

[-] **niksy123** 1 point over 1 year ago

It asks which first, I think this is why D is correct

[-] **Abi_17** 1 point about 2 years ago

I think it should be A.

In first scenario we need information like order date to show orders over time, the column is supposed to be in the order table. We can have it even though it is not connected to Orderline or product table.

In the next scenario we need to show orders by product attributes, for which we need to connect orderline table with products table.

[-] **Abi_17** 1 point about 2 years ago

@Moderator, pls don't approve this. Adding a new one.

[-] **Mabuse1** 1 point about 2 years ago

Selected Answer: D

D

[-] **Maniula** 5 points about 2 years ago

Selected Answer: D

Orders with line details as Fact table, Products will be a Dimension

[-] **J_Dawg_PBI** 1 point about 2 years ago

How the hell are you supposed to answer this question without knowing what exactly is on the tables? The table descriptions for the Products and Orders tables are very vague. How do you know which one contains the product attributes? Am I missing something here?

[-] **itenginerd** 2 points almost 2 years ago

I'm seeing it as a star schema question. You've got two fact tables and one dimension table. You merge the fact tables so that you only have one fact table and a proper star schema.

[-] **Lavoisier** 1 point about 2 years ago

Selected Answer: D

The question is about the order "Sold". That information is on the Order, it can't be on the product. So we need to merge Order and Order line tables.

[-] **Mowji** 3 points about 2 years ago

Selected Answer: D

I chose A previously, but I think D is a better choice. Product table is a dim table, which means it won't update as frequently as fact table. So merge two fact tables would be a good idea to minimize update times.

[-] **rania** 1 point about 2 years ago

I agree with D, it's header and detail tables that can be merged

[-] **Anshulk** 1 point about 2 years ago

Selected Answer: D

I think D is correct option bcoz, performing product or multiplication at power query level will optimize the solutions.

[-] **ahhida 2 points** about 2 years ago

Answer is D , if we merged product with order detail we will increase the size by repeating the product data on each row in the order detail which is not good at all

[-] **Shalaleh 1 point** over 2 years ago

Selected Answer: D

GPT: Merging the Orders query and the Order Line Items query in Power Query will allow you to create a single query that combines the necessary data from the different tables. This will make it easier and more efficient to perform the required analyses, as you will have all the information you need in one place.

[-] **sa56 1 point** over 2 years ago

I think Order line items has the diff products associated with the particular order. So we can order ID since we have that info in orderline Items. Extra piece of info that we need is products attribute that will come from products table

[-] **lizbette 3 points** over 2 years ago

This is a badly worded question. Answer could be either A or D, really depends on what common columns are in each table.

[-] **Addictedx_19 1 point** over 2 years ago

I agree with D, Product query should stand alone because It's the product catalog.

[-] **jiriz 2 points** over 2 years ago

Selected Answer: A

A - because Total order value is a measure (which should be calculated from orderline), so why merge order? :)

[-] **Tony5647 1 point** about 2 years ago

This is exactly my thoughts. From the question and request, I don't see the point of merging with Orders table. All request will be answered by merging Products and Order Line Items. No need to merge with Orders

[-] **DUVANES 1 point** over 2 years ago

Selected Answer: D

Ordernes y Order Line Items

[-] **MANARSA 2 points** over 2 years ago

It is A, because D, does not make sense to merge (Dimensional Table : Orders, with Fact Table: Order Line)

[-] **MANARSA 1 point** over 2 years ago

After reading PinkZebra's answer, it is D

[-] **PetJoh422 1 point** over 2 years ago

A:

Because we need to merge Product Attributes (ProductName) with Price and date, order details such as date and price are in the OrderIDDetails and ProductNames in the Product table

[-] **1sourabhpatel1 2 points** over 2 years ago

why we are not writing dax for it??

[-] **PetJoh422 1 point** over 2 years ago

Must minimize refresh time for the visuals, DAX slows it down

[-] **Imranasif 1 point** over 2 years ago

Answer is A:

Orders by attributes of products sold

Orders = measure of order price from orders line query (total number of orders)

Attribute= product sold (name of products) will come from product query

[-] **jiriz** 1 point over 2 years ago

Selected Answer: A

SEMI-SQL:

Select Sum(ol.TotalAmount)

From OrderLine ol

Inner Join Product p On p.Id = ol.Id

Order By p.Attribute1, p.Attribute2...

[-] **srikanth923** 3 points over 2 years ago

The answer is D. We need to merge the "orders" table and the "order line details" table as the first step to simplify the data and make it easier to analyze. After which we can use the products table to perform the analysis (total order value orders by attributes of product sold).

[-] **XavierF08** 1 point over 2 years ago

Selected Answer: D

The Requirements are:

Orders sold over time that include a measure of the total order value(Details are in Orders AND Order Line)

Orders by attributes of products sold(Details are in Orders)

Products could only contain Product Details only which is not needed on the requirements.

[-] **KMLearn3** 1 point over 2 years ago

It's the only option that fits the given options because you need the attributes of the product table and the quality of the order lines.

The information about total orders and orders over time should be accessible in the Order Table.

This analysis does not need any Product information.

So first we have to merge the tables before we can start building our visuals.

[-] **pbidb** 2 points over 2 years ago

D seems correct. Order and Order line details provide detailed order information and should be merged as new. The new merged table can then be connected to the product query

[-] **unbeat77** 3 points over 2 years ago

Since the question is : What would you do first? so it makes sense to first join Order details with Order table. Then use that merged table as a join/lookup table for products. So the first thing we did is Option D. That's why it is correct!

[-] **hungry85** 1 point over 2 years ago

D should be the right answer because from the order line items you have the product ID where all other information concerning the product can be obtained

[-] **imnotmikx** 1 point over 2 years ago

Selected Answer: D

Answer should be D

[-] **SMPL** 1 point over 2 years ago

Selected Answer: D

As a first step this looks correct

[-] **sbilal** 1 point over 2 years ago

Selected Answer: D

D seems to make more sense to me.

[-] **iccent2** 2 points over 2 years ago

Let us put all assumption to rest and work with what we have.
I do not see any pairing field such as Order ID just as we have Product ID.
I think the examiners know what they are doing and i will go with option A

[-] **PsgFe** 1 point over 2 years ago

I understand that denormalizing this model a little and merging Orders and Order Line Items.
This fact table relates to the Product dimension (Star Schema.)
D. In Power Query, merge the Orders query and the Order Line query

[-] **Luxtra** 1 point over 2 years ago

It seems, only the "Order" Table has Date Information, while only "Products" Table has "attributes of products sold". Quantity of Products sold is needed from "Order Line Items". Personally, I would merge Orders and Order Line to only retrieve the Dates, disable loading "Orders" and create a relationship between "Order Line Items" and "Products". (Reduces data volume, as writing the entire Product Catalogue Data in every order line will create huge amounts of duplicate data). So Answer D.

[-] **AlexYang_** 1 point over 2 years ago

Selected Answer: D
D is what we do first, and we can do A in the following step.

[-] **KarthikKumark** 12 points over 2 years ago

Selected Answer: D
The answer is D based on the question! "What should you do first?"
1st we should merge the Order & Order Lines items.
Next, merge the Order line items & Product.
If you feel you have clear understanding after reading above solution, Please give a upvote.
Thanks,
Karthik

[-] **SkullCrusher** 2 points over 2 years ago

Selected Answer: D
D sounds about right, assuming the tables have a common column Order ID. Order Line items doesn't seem to have the time details. If it does, it would be self sufficient to fulfil the requirement..

[-] **Ayush_Tiwari** 3 points over 2 years ago

D is the right answer i think because it is clearly mentioned orders sold over time so orders quantity and orders price is mentioned in order line but date will be in order table so we need to merge order and order line to get the result.

[-] **Hoeishetmogelijk** 3 points over 2 years ago

Selected Answer: A
I think the answer is A
For these two requirements:
- Orders sold over time that include a measure of the total order value
- Orders by attributes of products sold
are only the Products and the Order Line Items tables needed. As the Order Line Items table has the column ProductID, these tables can be merged (joined) together.

[-] **Lucky_me** 2 points over 2 years ago

Selected Answer: D

It doesn't ask for product information in the result and the objective is to minimize the read, (less tables), price is in order details and time is in order,
D is correct

[-] **Hoeishetmogelijk** 1 point over 2 years ago

It DOES ask for product information in the result.

Please read this requirement: "Orders by attributes of products sold"

[-] **andregrahamnz** 7 points over 2 years ago

This one is fairly controversial and comes down to reading skills really. As other commentators have stated there are three key concepts required; date information, order value (price*quantity), and 'attributes of products sold'. We know the date and order value are present in Order Line Items. The only question is where are we most likely to find 'attributes of products sold'. The obvious answer is already the Products table, but this is further reinforced by the fact that the answer also indicates there is a matching key between Order Details and Product. There is no such explicitly stated matching key between orders and order line items.

The only correct answer to this is A. Anybody saying D has not properly absorbed and thought about the information available.

[-] **Raza12** 1 point over 2 years ago

Selected Answer: D

it seems D is correct, the given explanation is also point on "D"

[-] **Raza12** 1 point over 2 years ago

Its "D" , make sense, and already explained

[-] **Raza12** 1 point over 2 years ago

Seems D is Correct, as Product Query have only Product information.

[-] **evipap** 3 points over 2 years ago

After a lot of thought and after reading all the comments here I believe the right answer is A. The reason is that the table named Orders has only HIGH LEVEL INFORMATION. We need total order value that is available only from Order Line items Table. Thus Order table is useless. We also need attributes of products sold so Products table is necessary too. So answer is A for sure.

[-] **Namenick10** 1 point almost 3 years ago

Selected Answer: D

Should be D

[-] **alosh** 1 point almost 3 years ago

Selected Answer: D

D - we start from the first column

[-] **susunz** 2 points almost 3 years ago

Selected Answer: A

"Orders by attributes of products sold"

[-] **gtc108** 1 point almost 3 years ago

Answer is D: Order Line is the dim table between Product and Order.

[-] **Djibsonx7** 3 points almost 3 years ago

Selected Answer: D

It's D, product table is a dimension table which must not contain any fact records

[-] **juanceee** 2 points almost 3 years ago

Selected Answer: D

Obviously it's D. You have the price and quantity for the order. you don't need the product details

[-] **NevilleV** 2 points almost 3 years ago

Order Line Items contain the Product ID. thats the only link

Correct Answer A

[-] **lukelin08** 4 points almost 3 years ago

Selected Answer: D

Answer given is correct. If you merged the product table you would have a huge amount of recurring product values for each order (this goes against the idea of normalisation)

[-] **lukelin08** 1 point over 2 years ago

Hmm im not sure now. It could be either. Due to it not clearly showing which table has the date column or information.

[-] **rikarikarika888** 1 point almost 3 years ago

It is definitely A

[-] **saurinkhamar** 1 point almost 3 years ago

A. All fields are covered with OrderLine and product query.

[-] **susunz** 3 points almost 3 years ago

Selected Answer: A

by attributes of products sold

Question 53



You have a Microsoft SharePoint Online site that contains several document libraries.

One of the document libraries contains manufacturing reports saved as Microsoft Excel files. All the manufacturing reports have the same data structure.

You need to use Power BI Desktop to load only the manufacturing reports to a table for analysis.

What should you do?

- A. Get data from a SharePoint folder and enter the site URL. Select Transform, then filter by the folder path to the manufacturing reports library.
- B. Get data from a SharePoint list and enter the site URL. Select Combine & Transform, then filter by the folder path to the manufacturing reports library.
- C. Get data from a SharePoint folder, enter the site URL, and then select Combine & Load.
- D. Get data from a SharePoint list, enter the site URL, and then select Combine & Load.

Hide Answer

[-] **fred92** 32 points almost 3 years ago

Selected Answer: A

We have to import Excel files from SharePoint, so we need the connector SharePoint folder which is used to get access to the files stored in the library. SharePoint list is a collection of content that has rows and columns (like a table) and is used for task lists, calendars, etc.

Since we have to filter only on manufacturing reports, we have to select Transform and then filter by the corresponding folder path.

[-] **lgetmyrole** 12 points 11 months ago

The Correct Answer is A.

To load only the manufacturing reports (Microsoft Excel Files) from a specified SharePoint document library into Power BI Desktop for analysis, we should do, Get data from a SharePoint folder and enter the site URL. Select Transform, then filter by the folder path to the manufacturing reports library. Option B is not the right answer choice because "SharePoint list" is selected, and you need to access files in a document library, not a list. Option C and Option D both include "Combine & Load", which typically combines multiple queries or tables and loads them into Power BI. However, since we only want to load files from a specific folder within the SharePoint library, we should use the "Transform" option to filter and select the desired data before loading it into Power BI.

[-] **Thejani** 1 point 3 months ago

Selected Answer: A

I guess answer is A

[-] **BP215** 1 point 3 months ago

Selected Answer: A

A is correct

[-] **ThandaPanda11** 1 point 8 months ago

Selected Answer: C

Answer can be C As it is not mentioned there to transform we have to only load the files from folder

[-] **Sangameshks** 1 point 8 months ago

I agree, but if you read question carefully. You will find the need for filtering

[-] **DexTorao** 1 point 9 months ago

A. Get data from a SharePoint folder and enter the site URL Select Transform, then filter by the folder path to the manufacturing reports library.

[-] **VladAbz** 1 point 10 months ago

Cant we directly give the path of the original sharepoint folder. i.e. the one that contains the Manufacturing Report excel file? So we wont need to again filter by that library. Just Combine and Load? I think C is right.

[-] **SanaCanada** 5 points 11 months ago

Selected Answer: A

Correct the answer A

Explanation: Since the manufacturing reports are saved as Excel files in a specific document library within SharePoint Online, the best option is to use Power BI Desktop to get data from the SharePoint folder that contains the manufacturing reports. After entering the site URL, select Transform to open Power Query Editor, and then filter the folder path to the manufacturing reports library so that only the Excel files in that library are loaded to the table for analysis. Option A is the correct choice for this scenario.

No confusion, and no need to discuss further

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: A

A is the correct one. You need to select sharepoint folder as source, then insert the sharepoint URL and, as every source, select Transform:

A. Get data from a SharePoint folder and enter the site URL Select Transform, then filter by the folder path to the manufacturing reports library. OK

[-] **Leiaaaaa** 2 points almost 2 years ago

Someone please explain this to me, B says combine and transform which is mentioned in the explanation but why is that not the answer?

[-] **niksy123** 1 point over 1 year ago

B says SharePoint list

[-] **PrudhviKilli** 2 points about 2 years ago

I guess answer is b, but not sure why it is A. Can someone please assist me with explanation

[-] **mhv22** 1 point about 2 years ago

Why not C ? are the same stes as what is explained as solution,,,

[-] **Chita_3385** 1 point about 2 years ago

Yes, I think it's c too. And I check others' comments, maybe C is missing the step to choose files.

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: A

A is correct.

[-] **DUVANES** 1 point over 2 years ago

Selected Answer: A

I gree the expication.

[-] **srikanth923** 1 point over 2 years ago

Selected Answer: A

The answer is A. Once you import the Sharepoint folder in Power BI, you can clean the data by transforming it and then filter it to show only the data you need based on the specific path.

[-] **svg10gh** 1 point over 2 years ago

A is correct answer.

[-] **MBA_1990** 1 point over 2 years ago

Selected Answer: A

A is correct

[-] **viethoa** 2 points over 2 years ago

Selected Answer: A

Answer is Get data from a SharePoint Online folder and enter the site URL. Select Combine & Transform, then filter by the folder path to the manufacturing reports library.

[-] **AlexYang_** 1 point over 2 years ago

Selected Answer: A

A is correct!

[-] **Hoeishetmogelijk** 1 point over 2 years ago

Selected Answer: C

C. Get data from a SharePoint folder, enter the site URL, and then select Combine & Load.

[-] **Hoeishetmogelijk** 1 point over 2 years ago

Selected Answer: D

The answer is D

Once the site URL is entered, the user selects "Combine & Transform Data" or "Combine & Load". But not just "Transform". Also there is no need to filter by the folder path, because the folder path is already in the URL.

[-] **Hoeishetmogelijk** 1 point over 2 years ago

I mean: the answer is: C. Get data from a SharePoint folder, enter the site URL, and then select Combine & Load.
Of course it is about a SharePoint FOLDER

[-] **itenginerd 2 points** almost 2 years ago

> Also there is no need to filter by the folder path, because the folder path is already in the URL
...except for the fact that the SharePoint folder dialog explicitly requires the site root URL *without* the folder.

[-] **JukMar 1 point** almost 3 years ago

correct, A should be the correct answer

[-] **TimO_215 2 points** almost 3 years ago

Selected Answer: B

I think that the answer is B. The question says that you are using Power Query Desktop. According to the documentation, you would click "Transform" if you are using Power Query Online, but you click "Combine & Transform" if you are using Power Query Desktop.

[-] **KMLearn3 1 point** over 2 years ago

Even the text in the answer note box refers to combine & transform.

[-] **TimO_215 6 points** almost 3 years ago

I spoke too soon, I am in agreement with A. I would delete this comment, but I can't find a way to do it.

[-] **fdsdgxcvbsdfhshfg 4 points** almost 3 years ago

Selected Answer: A

We need to access the subfolders; we have to filter using Folder Path column

[-] **Manikom 4 points** almost 3 years ago

Selected Answer: A

I think A is correct.

SharepointFolder 'combine&load' should load all files and not only Manufacturing ones so this should exclude answer C.
Sharepointlist doesn't have 'Combine&Tranform', 'Combine&Load' options so this excludes answers B and D

[-] **Hoeishetmogelijk 1 point** over 2 years ago

These line clearly states that the document library only contains Manufacturing reports of the same structure: "One of the document libraries contains manufacturing reports saved as Microsoft Excel files. All the manufacturing reports have the same data structure."

[-] **alosh 3 points** almost 3 years ago

Selected Answer: A

A is correct

[-] **Nomios 1 point** almost 3 years ago

Answer: None are correct!

From Get Data in PowerBI desktop the only options are:

- SharePoint folder
- SharePoint Online List
- SharePoint List

So this excludes answers A & C

From the navigator screen you only have the options 'Load' or 'Transform Data'.

'Combine' is not an available option.

So this excludes answers B, C & D

[-] **Pushliang 3 points** almost 3 years ago

A IS RIGHT.

[-] **eckip 2 points** almost 3 years ago

Selected Answer: A

I tried it out. For me all answers are not completely correct.

C & D: Are wrong because you have to filter somehow, otherwise you will get all files also from other document libraries.

A: Sounds correct until you also have to combine the files after filtering. This is missing here. Otherwise it works exactly like this.

B: SharePoint List connector needs many more steps. After entering the site URL, you have to do many transformation steps and I did not manage to come until the combine step. So the answer as it is here seems to be wrong for me.

I would go with A.

[-] **Avnin** 2 points almost 3 years ago

The description of the answer is the content from B

[-] **Muffinshow** 4 points almost 3 years ago

Selected Answer: C

C

The explanation is correct but the answer i wrong

[-] **d94949999** 1 point almost 3 years ago

I think option A itself is right

Question 54

DRAG DROP -

You have a Microsoft Excel workbook that contains two sheets named Sheet1 and Sheet2.

Sheet1 contains the following table named Table1.

Products
abc
def
ghi
jkl
mno

Sheet2 contains the following table named Table2.

Products
abc
xyz
tuv
mno
pqr
stu

You need to use Power Query Editor to combine the products from Table1 and Table2 into the following table that has one column containing no duplicate values.

Products
abc
xyz
tuv
mno
pqr
stu
def
ghi
jkl

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

From Power Query Editor, remove errors from the table.

From Power Query Editor, select **Table1**, and then select **Remove duplicates**.

From Power Query Editor, merge Table1 and Table2.

From Power BI Desktop, import the data from Excel, and select **Table1** and **Table2**.

From Power Query Editor, append Table2 to Table1.

Answer Area

Hide Answer

Correct answer:

Actions

From Power Query Editor, remove errors from the table.

From Power Query Editor, select **Table1**, and then select **Remove duplicates**.

From Power Query Editor, merge Table1 and Table2.

From Power BI Desktop, import the data from Excel, and select **Table1** and **Table2**.

From Power Query Editor, append Table2 to Table1.

Answer Area

From Power BI Desktop, import the data from Excel, and select **Table1** and **Table2**.

From Power Query Editor, append Table2 to Table1.

From Power Query Editor, select **Table1**, and then select **Remove duplicates**.

[-] **Muffinshow** 474 points almost 3 years ago

Import From Excel
Append Table 2 to Table 1
Remove Duplicates

[-] **33148b2** 8 points 6 months ago

I agree with you of that "Import" would be the initial option. Also, there is no reason to remove errors, there is no error.

[-] **BIFakeGuru** 4 points 8 months ago

Let's go 1 by 1:

1. "Remove Errors" - Overkill for a simple task with clear values
2. "Select Table 1 + Remove Duplicates" - Could be part of a solution if we append on table 1
3. "Merge Table 1 and Table 2" - Merged table Would have 2 columns, but we need 1 only
4. "Import Data from Excel" - Sure, no discussion here
5. "Append Table 2 to Table 1" - Seems a valid step, will result in a table with values from table 1 + table 2, in this order, which is not what we want. A better answer would be "Append Table 1 to Table 2" OR "Append Table 2 to Table 1 using "append queries as New""

So, that suggestion might lead to some confusion, which is why I think they need to change it.

So According to that, Here is the most logical solution for me:

"

Import Data from Excel
Append Table 1 to Table 2
Select Table 1 + Remove Duplicates
"

[-] **moleskin** 1 point 10 months ago

Sorry about my newbie ignorance, but appending Table 2 to Table 1 creates two columns in Table 1, which have to be merged after appending. It seems to me that only after merging the two columns it makes sense and it is possible to remove duplicates. Much appreciated if errors in my conclusion could be pointed out.

[-] **hquesada** 3 points 6 months ago

Append will create two columns if they have different names. In this case the column name is the same, so it will append rows from Table2 to Table1 in the same column.

[-] **Uhoh** 3 points over 1 year ago

Performed these actions and get the correct result. This should be the answer.

[-] **juanceee** 2 points almost 3 years ago

Agreed, that's the correct

[-] **alosh** 5 points almost 3 years ago

Correct

[-] **Sjefen** 3 points almost 3 years ago

Agreed

[-] **KoS83** 2 points over 2 years ago

Thought exactly the same

[-] **Djibsonx7** 1 point almost 3 years ago

Correct

[-] **cygwin** 1 point over 2 years ago

agreed

[-] **JonDave** 8 points about 2 years ago

this is correct but the column values are in the wrong order.

recreating the exact steps gives:

abc

def

ghi

jkl

mno

xyz

tuv

pqr

stu

[-] **Datapassion** 2 points over 1 year ago

In the Append dialog box, you should have put Sheet 2 as the First table and Sheet 1 as the second table (as specified in the solution). That way, you get the value in the correct order.

I don't get why people upvoted your comment.

[-] **BIFakeGuru** 1 point 8 months ago

That is if you use "Append Queries as new", but if you take it literally, "Append Table 2 to Table 1" Means adding the values of Table 2 at the end of Table 1

The correct answer should be: "Append Table 1 to Table 2"

Otherwise they should specify "as new queries" and it's just a lot

[-] **65945de** 1 point over 1 year ago

can you help me what's the difference "append table 2 to table.1" vs. "append table 1 to table 2"? thanks!

[-] **Joamagafer** 2 points over 1 year ago

There wouldn't be any difference except the order the new query would have the items in.

i.e. "append table 2 to table.1" would should Items of Table 2 on top and then Table 1 and vice-versa. But for this question there's only 1 append option.

[-] **Giuditta** 1 point over 1 year ago

is it is only append and not append as new the resulted query will still be table 1 (in the case of this question). so the third action makes sense because the appended tables are still named table 1
in a more practice sense no difference can be highlighted.

[-] **CookieMingkee** 2 points over 1 year ago

There is no append table 2 to 1 in the selection. Be careful with the words, you maybe referring to the other option merge table 2 to table 1, not "append".

[-] **emmanuelkech** 73 points almost 3 years ago

Import From Excel since it has not been loaded to Powerbi initially
Append Table 2 to Table 1
Remove Duplicates from the table appended to (Table1)

[-] **Thejani** 1 point 3 months ago

Import
Append table 2 to 1
Remove Duplicates

[-] **BP215** 1 point 3 months ago

Correct answer

[-] **BhavnishM** 1 point 4 months ago

I agree that removing errors is a good practice but importing the data is necessary here.
this should be the correct sequence:
import table 1 and table 2
with table 1 selected append table 2 into table 1
remove the duplicates from the resulting table 1

[-] **Kbo05** 1 point 5 months ago

Import both the data sets to power query editor and then append both of them into single table, then remove errors from the appended table.

[-] **Shangamitra** 2 points 7 months ago

The given answer works.
I see many going for import but in the import statement it is mentioned to select two table which is not needed to append

[-] **jaume** 4 points 9 months ago

I think to assume tables are already loaded in Power BI Desktop because the question is mentioning we need to use Power Query Editor is little too much, exam is not about English language but PBI knowledge so, in my opinion, first answer should be

1.- From Power BI Desktop, import the data from Excel and select Table 1 and Table 2

No discussion about second answer:

2.- From Power Query Editor, append Table 2 to Table 1

I was surprised with the "Remove Errors" step proposed as a solution, why that step when no errors should be expected out of specific tables of the exercise? I can confirm this step is not needed for this specific exmple I checked it in PBI and it's adding absolutely no vlue to the final result, therefore, third answer should be

3.- From Power Query Editor select Table 1 and then select Remove Duplicates

Not an option here but, wheusing Merge and/or Append, last step should be disabling load data from the secondary table

[-] **LuluSkyy** 3 points 10 months ago

The question says from power query. Meaning the data has already been imported from excel and now you need to list the steps in power query. It's a tricky question

[-] **23042b9** 3 points 10 months ago

If the question specifies using Power Query Editor in Power BI, the steps should focus on how to manage data directly within Power BI rather than assuming the data is already loaded from Excel. So the answer is correct

[-] **ivory11** 2 points 10 months ago

D E A, pls revise the answer

[-] **Rahhal** 4 points 12 months ago

Load both tables into Power Query Editor:

Open Power Query Editor and import Sheet1 and Sheet2 from the Excel workbook. This will make Table1 and Table2 available for manipulation.

Append Queries:

Append Table1 and Table2 to combine the rows from both tables into a single table. This creates a unified table with all products listed.

Remove Duplicates:

Apply the "Remove Duplicates" transformation to the appended table to ensure that only unique products are kept in the final result.

[-] **rcaliandro** 2 points 12 months ago

In my opinion it is wrong!

We need first of all to import the two tables from excel, then we have to append queries and finally we need to remove duplicates.

So the solution would be: D-E-B

[-] **nivkr** 2 points 12 months ago

actually it would be append table 1 to table 2

[-] **273cc69** 2 points about 1 year ago

why we need to append these tables, because to append the table the structure of the tables should be same. But here the structure of the tables are not same

[-] **Nicknamefordiscussions69** 6 points about 1 year ago

Import From Excel

Append

Remove Duplicates

[-] **d5b48ff** 8 points about 1 year ago

Answer is incorrect... who decided that it was correct? This is misleading and confusing.

1) Import from Excel

2) Append

3) Remove Duplicates

[-] **DataEngDP** 2 points over 1 year ago

Import

Append

Remove duplicates

[-] **SilentAnalyst** 11 points over 1 year ago

You need to import the tables first.

And removing Error is not a necessary step specially in this case, there won't be any errors to remove.

I think the best answer is:

1. From Power BI Desktop, import the data from Excel, and select Table1 and Table2.

2. From Power Query Editor, append Table2 and Table1.

3. From Power Query Editor, select Table1, and then Remove duplicates.

[-] **FloxTBoTy** 1 point over 1 year ago

exactly

[-] **Dani_eL** 1 point over 1 year ago

Solution IS CORRECT because:

tested and validated solution:

create an excel sheet with one table in each sheet.

THEY MUST BE TABLES (ctrl+t)

In PBI Desktop create New report

-> click transform data: opens query editor

-> New Source : excel -> select Table1 & Table2 (DO NOT SELECT SHEETS!!)

->Power Query > Home > Combine > Append Queries > table to append : select Table1

The major difference between Append table 1 to table 2 is the order of data after append.

To get the right order as in the question, you select Table2 and you append Table1 to it.

Right click Products Header > Remove Duplicates

Result is exactly what is shown in question:

Products

abc

xyz

tuv

mno

pqr

stu

def

ghi

jkl

[-] **Dani_eL** 2 points over 1 year ago

typo error : NOT CORRECT

[-] **Dani_eL** 2 points over 1 year ago

sorry... IS CORRECT because the question asks for 3 actions and you can solve it with 2 actions (append tables, remove duplicates) So I assume you have to choose an action that will not harm your solution and bring some benefits to it. The only benefit being removing errors...

[-] **CandySays** 7 points over 1 year ago

Who is deciding these answers are correct? The answer marked here as 'correct' is simply not. There are no errors to remove.

The question is also horribly ambiguous, as it doesn't suggest whether you should start In Power Bi or Excel?

[-] **mustafadev** 7 points over 1 year ago

Import From Excel

Append Table 2 to Table 1

Remove Duplicates

100% tested

[-] **Roh1410** 2 points over 1 year ago

1. Import Excel from the get data option.

2. Append Table 2 to Table 1.

3. Remove the Duplicates in the Table 1 Column.

[-] **__Sai_Mounika__** 1 point over 1 year ago

I thought the same but answer they provided is different. How do we know if the data is imported into PBI Desktop or not from the question?

[-] **Amino23** 2 points over 1 year ago

D then E then B

[-] **powerbot9000** 4 points over 1 year ago

Are we supposed to assume every table will have errors? because these tables would not have thrown errors

[-] **CookieMingkee** 4 points over 1 year ago

- (1) It should import the 2 Excel files.
- (2) Append Table 2 to Table 1.
- (3) Remove duplicates

[-] **alexeko** 3 points over 1 year ago

But we need to merge. Otherwise we would not have new columns, right?

[-] **afrobillionaire** 2 points over 1 year ago

Merging will increase the number of columns.
Appending will increase the number of rows.
Generally, you would merge when you want to do a "Join" operation. Here it's not the case.

[-] **sreenathk** 3 points almost 2 years ago

first please understand difference between Append and Merge

[-] **victorlfcarvalho** 5 points almost 2 years ago

In my opinion, the correct is Import, Append and Remove Duplicate.
We can try to do it on Power Query right now, creating this two tables and testing to your own.
It doesnt get errors, just duplicates.

[-] **IrynaVilner** 3 points almost 2 years ago

I did the same). No errors as well. My answer is "Import, Append, Remove Duplicates"

[-] **wally91** 6 points almost 2 years ago

It's wrong... The correct sequence is Import, Append and Remove Duplicates

[-] **lgetmyrole** 6 points almost 2 years ago

The correct sequences are as follows:
** First Step: From power BI Desktop, import the data from Excel, and select table1 and table2. This because importing the data into Power BI Desktop is the first step.
** Next Step: From power Query Editor, append Table2 to Table1. Because this action will combine the data from both tables vertically, creating a single table with all the products.
**Third Step: From Power Query Editor, remove errors from the table. Clean up the data and remove any potential errors.

[-] **Dpm0692** 6 points about 2 years ago

tested this
import from Excel
Append Table 2 to Table 1 (note in the append step it asks which table is first and that is table 2, second table is table 1)
Remove Duplicates
Order is correct.

AmitBI 1 point about 2 years ago

it should be Step 4, then Step 5 and last Step 1

Please see Step 2 mention remove duplicates from table1 but Table 1 doesn't have any duplicates, We need to remove duplicates only after appending two tables. So Step 1

LeeTheRed 1 point almost 2 years ago

After you have appended table2 to table1, there will be duplicates in table1.

J_Dawg_PBI 3 points about 2 years ago

I'm not an expert but don't you need to import tables before merging them?

vivian_data 1 point about 2 years ago

How do we know not to use Merge?

Maniula 3 points about 2 years ago

Because you want to get one column

sa56 1 point over 2 years ago

Import - Append - remove duplicate

UlyUkr 3 points over 2 years ago

Import from Excel, then Append two tables and then remove duplicates.

Errors not applicable here. Merge is to add columns, not rows.

voodimac 8 points over 2 years ago

4) From Power BI Desktop, import the data from Excel, and select Table1 and Table2.

5) From Power Query Editor, append Table2 to Table1

2) From Power Query Editor, select Table1, and then select Remove duplicates

DUVANES 1 point over 2 years ago

1. En Power BI Desktop, importe los datos de Excel y seleccione Tabla1 y Tabla2.

2. En el Editor de Power Query, anexe Tabla2 a Tabla1.

3. En el Editor de Power Query, seleccione Tabla1 y, a continuación, seleccione Quitar duplicados.

TopCat1583 1 point over 2 years ago

gotta get the data into power BI first.

1sourabhpatel1 7 points over 2 years ago

the answer is wrong!!!

the correct answer is :

1>Import From Excel

2>Append Table 2 to Table 1

3>Remove Duplicates

Ayush_Tiwari 1 point over 2 years ago

i think the correct answer is

1- From Power Query import data from excel

2- Append Table 2 to table1

3- Remove duplicates from table 1

Jew0598 2 points over 2 years ago

It's assumed to be loaded into Power BI Desktop as the question mentions that you need to make use of the Power query editor. So, I think the provided answer is correct but not sure of the error step.

23042b9 1 point 10 months ago

I agree with you. If the question specifies using Power Query Editor in Power BI, the steps should focus on how to manage data directly within Power BI rather than assuming the data is already loaded from Excel.

[-] **cabbagepie** 3 points over 2 years ago

can you please quote where the question explicitly says that the data is already loaded into Power BI? I only see "You have [...] Excel workbook that contains two sheets". Having the Excel can be accomplished in many ways that don't automatically imply it being loaded in Power BI. For example, having them on your desktop so please highlight what I omitted.

[-] **sobiero** 6 points over 2 years ago

I think the provided answer is correct because of the statement " You need to use Power Query Editor..." which means the Work Book is already loaded.

[-] **cabbagepie** 2 points over 2 years ago

I see that as a requirement like "you will need to do this", rather than a "you are at this step".

[-] **Taras_Navakhatska** 4 points over 2 years ago

Why incorrect answer was applied?

[-] **Bidhi** 3 points over 2 years ago

- 1) From Power BI Desktop, Import Data from Excel and Select Table 1 and Table 2
- 2) From Power Query Editor, Append Table 2 to Table 1 - This means we need to select Table 2 and click on append queries and select append to Table 1. This appends the existing Table 2 and Table 1 (the appended table here changes to Table 2)
- 3) From Power Query Editor, Select Table 2 (which is the appended table now) and then select Remove Duplicates

[-] **HSPBI** 3 points over 2 years ago

Why should I remove errors? It doesn't make sense.

I think :

Import from excel

Append

Remove duplicates

[-] **cabbagepie** 1 point over 2 years ago

yes, exactly. the data in the example seems to be error free

[-] **Astroid_1994** 2 points over 2 years ago

The two tables (1 and 2) are assumed to have been loaded into the power query editor. Considering how the question was framed.

1. From power query editor, append table 1&2
- 2 From power query editor, remove error (because some of the data maybe entered manually and not properly formatted)
3. From power query editor, select table 1, and then select remove duplicate.

My view to this question

[-] **riccardoto** 4 points over 2 years ago

Don't agree with this. (1) I don't understand where do you get that the tables are already loaded (2) I don't understand why should fix errors that are not there in the problem statement.

[-] **sbilal** 2 points over 2 years ago

Import from Excel

Append tables 2 to 1

Remove Duplicates

[-] **svg10gh** 1 point over 2 years ago

Import From Excel : since it has not been loaded to Powerbi initially so need to load

Append Table 2 to Table 1

then Remove Duplicates

this should be sequence

[-] **GuerreiroJunior** 1 point over 2 years ago

1st - Import from Excel Workbook,
2nd - Append Table 2 to Table 1
3rd - Remove Duplicates.

Note: We dont see any error in the both data that we have in this tables.

[-] **asaad79** 1 point over 2 years ago

Import From Excel
Append Table 2 to Table 1
Remove Duplicates

[-] **Motivator** 4 points over 2 years ago

Import From Excel
Merge Table 2 to Table 1
Remove Duplicates.

Note: Since the abc column is common on both table, then it should be merge and not append. I believe this is clear

[-] **AlexYang_** 1 point over 2 years ago

Import From Excel
Append Table 2 to Table 1
Remove Duplicates

[-] **Patrick666** 1 point over 2 years ago

Import From Excel since it has not been loaded to Powerbi initially
Append Table 2 to Table 1
Remove Duplicates from the table appended to (Table1)

[-] **Pauwels** 4 points over 2 years ago

Import From Excel
Append Table 2 to Table 1
Remove Duplicates

[-] **Analysis** 2 points over 2 years ago

I have tested the scenario
Import from EXCEL
Append Table2 to Table1
Remove Duplicates

[-] **Clodia** 2 points almost 3 years ago

I need a clarification here: Shouldn't we append Table1 to Table2? I know it's not an option - but the values from Table2 seem to be shown first in the final table which means that Table1 is actually added at the end of Table2 (appended) and the Remove Duplicates action should be applied to Table2.

[-] **rehoboth2165** 2 points almost 3 years ago

You are very correct but the option is not in the answers, so it's best to go with append table 2 into 1 .

[-] **lukelin08** 5 points almost 3 years ago

In addition to the given answer being incorrect. When appending two tables with duplicate data (as tested) no errors are shown in the table created. So there is no need to remove errors in table (as none are presented) therefore correct answer is
1.Import data from Excel.
2.Append Table2 to Table1.
3.Select Table1 and remove duplicates
Simple one to test and try out using PowerBI Desktop yourself

[-] **Nurgul 6 points** almost 3 years ago

- 1.Import data from Excel.
- 2.Append Table2 to Table1.
- 3.Select Table1 and remove duplicates

Question 55



You need to update the Power BI model to ensure that the analysts can quickly build drill-downs from business unit to product in a visual.

What should you create?

- A. a group
- B. a calculated table
- C. a hierarchy
- D. a calculated column

Hide Answer

[-] **jiriz 8 points** over 2 years ago

Selected Answer: C
C is correct

[-] **jaume 2 points** 8 months ago

Selected Answer: C
Hierarchy is the one to be used to drill down a visual

[-] **Shalaleh 3 points** over 2 years ago

Selected Answer: C
for drill-down always need hierarchy

[-] **Nisa93 2 points** over 2 years ago

C is correct

[-] **anasben 3 points** over 2 years ago

Selected Answer: C
C is correct answer

[-] **lukelin08 3 points** over 2 years ago

Selected Answer: C
C is correct answer

[-] **louisak 2 points** over 2 years ago

Drill = Hierachy

[-] **Booster21 2 points** over 2 years ago

Selected Answer: C
The answer is correct.

[-] **Booster21 3 points** almost 3 years ago

The answer is correct.

Question 56



HOTSPOT -

You need to create the Top Customers report.

Which type of filter should you use, and at which level should you apply the filter? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Filter type:

Top N
Basic
Advanced

Level:

Page
Visual
Report

Hide Answer

Correct answer:

Box 1: Top N -

The Top Customers report will show the top 20 customers based on the highest sales amounts in a selected order month or quarter, product category, and sales region.

Box 2: Visual -

The reports must show historical data for the current calendar year and the last three calendar years.

Applying specific measures to the visual-level filter of a visualization is a very powerful technique to completely customize the items shown in a report. The presence of this filter requires special measures in order to display values related to items not included in the visual level filter.

Reference:

<https://www.sqlbi.com/articles/filtering-the-top-3-products-for-each-category-in-power-bi/>

Answer Area

Filter type:

Top N
Basic
Advanced

Level:

Page
Visual
Report

[-] **PinkZebra** 54 points over 2 years ago

TopN

Visual

(TopN is a visual specific filter)

[-] **Lavoisier** 3 points over 1 year ago

It is not true... TOPN can be applied on Visual, Page or Report level... In this case, it is on the report

[-] **SteveTheBeast** 21 points over 1 year ago

Just tested it. TOP N only works on a visual. The option doesn't appear in Page or Report filtering.

[-] **MauDV** 11 points over 2 years ago

Since it's talking about Top Customers Report, I would assume all of the report is based off the top customers, so shouldn't box 2 be Report level?

[-] **Joe75** 18 points over 2 years ago

You can't use TopN in report or Page level

[-] **ArtJC** 3 points over 1 year ago

Correct is TopN on Report Level, as required.

You apply filter on filter pane, where you can set it per Visual/Page/Report level !

[-] **bdub1976** 2 points about 1 year ago

Negative. Your options in PBI are filter on visual, page or all pages. While technically all pages could be considered at the "report level," you still can only add a TopN filter at the visual level. Period, end of story.

[-] **Lulu_2022** 1 point 29 days ago

Filter Type: Top N

- This filter type allows you to rank and display the top 20 customers based on a numeric measure like Total Sales.
- It's ideal for scenarios where you want to show only the highest-performing entities (customers, products, etc.).

✅ Filter Level: Visual-level filter

- Applying the Top N filter at the visual level ensures that it only affects the specific visual showing the top customers.
- This keeps other visuals unaffected and maintains flexibility across the report page.

🔧 How to implement it:

- Add a table or matrix visual showing Customer Name and Total Sales.
- In the Filters pane, select Customer Name.
- Change the filter type to Top N.
- Set the number to 20.
- Use Total Sales as the By Value field.
- Click Apply filter.

Let me know if you'd like help building a dynamic slicer to switch between Top 10, Top 20, or Top 50 customers!

[-] **SylUK** 1 point 6 months ago

TOPN and VISUAL are the correct answer.

The Top N filter is applied at the visual level, meaning it only affects the data displayed on a specific chart or table.

[-] **MoneyStacking** 9 points 9 months ago

Passed with 917/1000

Question and answers were exactly the same but different order with the options!

Answer given:

- TopN
- Visual

[-] **b7c21a9** 4 points 10 months ago

28-Mar-24 - This Q came up

[-] **Dani_eL** 1 point 11 months ago

Requirement is to build 3 reports.

Top Customer report description only include Top customers and nothing else.

So it seems legit to put the filter at report level.

Furthermore, if you need to pin the report in a dashboard instead of the visual, you 'll get the filter too

[-] **Dani_eL** 1 point 11 months ago

my bad... there is no Top N at report level but at visual there is

[-] **madyjoe21** 2 points 12 months ago

It is possible use TopN filter in report and page level. Please, check this video:

<https://www.youtube.com/watch?v=4N-KocuYyNU>

[-] **jl234** 1 point over 1 year ago

As it mentioned "The Top Customers report will show the top 20 customers based on the highest sales amounts in a selected order month or quarter, product category, and sales region.", I believe that the TopN filter should be applied on "Report level". If it is applied on visual level, only specific visual will be affected, but not the "selected order month or quarter, product category, and sales region" on the report.

[-] **lukelin08** 5 points about 2 years ago

Given answer is correc

TopN

Visual

(TopN is a visual specific filter)

You need to create the On-Time Shipping report. The report must include a visualization that shows the percentage of late orders.

Which type of visualization should you create?

- A. pie chart
- B. scatterplot
- C. bar chart

[Hide Answer](#)

[-] **Namenick10** 36 points almost 3 years ago

C. bar chart

[-] **Sucheta_SM** 25 points almost 3 years ago

Pie chart because from 100% what % is late orders. Please feel free to correct me.

[-] **Fer079** 41 points almost 3 years ago

The report must show "The percentage of orders that were shipped late by country and shipping region", so I think that the Bar chart fits better

[-] **BabaJee** 12 points over 2 years ago

The bar chart makes more sense due to the complexity of two added factors ie. country and shipping region. Otherwise you will have to create two Pie Charts

[-] **sa56** 3 points over 2 years ago

A. Pie chart.

A pie chart is an effective way to show the percentage of a whole, in this case, the percentage of late orders. The pie chart will display the percentage of late orders by country and shipping region. It is an excellent way to show a summary of the data and quickly identify areas that need attention. However, if you also want to compare the percentage of late orders between different countries or regions, a bar chart might be more appropriate.

[-] **AfulRa** 3 points over 1 year ago

<https://theconversation.com/heres-why-you-should-almost-never-use-a-pie-chart-for-your-data-214576>

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: C

- The On-Time Shipping report requires showing the percentage of late orders by country and shipping region.
- A bar chart is ideal for comparing values across categories — in this case, countries or regions.
- It provides clear visual separation, supports sorting, and handles multiple categories efficiently.
- You can easily add data labels to show percentages and use conditional formatting to highlight regions exceeding the 5% threshold.

[-] **MANANDAVEY** 1 point 6 months ago

Selected Answer: C

Bar Chart

[-] **Layla0322** 1 point 7 months ago

Selected Answer: C

The C. Bar Chart is the best choice for this visualization because:

It can handle multiple dimensions (e.g., country and shipping region) simultaneously.
It clearly represents the percentage of late orders for each dimension.

It avoids the clutter and limitations of pie charts, which are unsuitable for multidimensional data.

[-] **jaume** 1 point 8 months ago

Selected Answer: C

Pie chart would visualize % break down for total 100% of late orders but not % of late orders out of total orders.

Scatterplot could visualize late orders by country and shipping region and set bubble size related to the % of late orders over total orders but would be not the most effective visual.

Bar chart is best way amongst suggested options to represent the % of late orders and would also mak easier to compare % values between different customers, regions, shipment regions....

[-] **Smitpowerbi** 2 points about 1 year ago

C. bar chart

[-] **MoneyStacking** 4 points over 1 year ago

Selected Answer: C

Passed with 917/1000

Question and answers were exactly the same but different order with the options!

[-] **IVO999** 1 point over 1 year ago

Selected Answer: C

Bar chart, more detailed visualization

[-] **JohnChung** 3 points over 1 year ago

Selected Answer: A

I think we can use a pie chart, which is an effective way to show percentages.

The case study requires a visual to show the percentage of orders shipped late for a selected month or quarter. This can be achieved by making a pie chart with interaction setting as filter

[-] **kimii1993** 7 points over 1 year ago

Selected Answer: C

This was on the exam today. Passed with 917/1000

[-] **iamak96** 1 point over 1 year ago

what are the sources u took to prepare for the exam?

[-] **9f73003** 1 point over 1 year ago

Are you really going to check back on this question for this individual's answer??

[-] **jl234** 3 points almost 2 years ago

Selected Answer: C

The answer should be Bar chart. By using Pie chart, one can not include too much information in it. But refer to the question, "The On-Time Shipping report will show the following metrics for a selected shipping month or quarter:

The percentage of orders that were shipped late by country and shipping region

Customers that had multiple late shipments during the last quarter". We can't put all these into a pie chart.

[-] **WRTopics** 1 point almost 2 years ago

A. Pie Chart

[-] **JJMC5544** 11 points about 2 years ago

Selected Answer: C

Pie chart could help, but question says "a visualisation". Regions, countries and percentages would be complex to show in a pie chart, would need multiple pie charts. But questions says "a visual".

So if we use a stacked column chart:

- Each column represents a country,
- And the stacked segments represent different shipping regions.
- The height of each segment represents the percentage of late shipments.

[-] **halofrosty** 4 points about 2 years ago

Selected Answer: C

As of submitting this comment most voted answer is A. However we need to refer not only to the question itself but the case study, where it states the requirement for showing the data by country and shipping region dimensions, hence pie chart is not meeting the 'full' requirement.

[-] **VNAS06** 3 points about 2 years ago

I believe the answer will be Bar chart. As mentioned, - "The On-Time Shipping report will show the following metrics for a selected shipping month or quarter:

The percentage of orders that were shipped late by country and shipping region

Customers that had multiple late shipments during the last quarter

Northwind Traders defines late orders as those shipped after the required shipping date.

The warehouse shipping department must be notified if the percentage of late orders within the current month exceeds 5%.

The reports must show historical data for the current calendar year and the last three calendar years."

I think Pie Chart would not fit. Please let me know, if I'm wrong.

[-] **Mcisneros** 1 point about 2 years ago

I initially chose pie chart. I think that it does work, but I think the reason C is the correct answer is because pie charts excel at summarizing a value column by one single dimension. The requirements need the value summarized by country and shipping region which would look messy as a pie chart but discernable in a bar chart.

[-] **UlyUkr** 9 points about 2 years ago

There is no definite answer here, Microsoft is always confusing. Not sure sometimes if they are testing the knowledge of Power BI, because all they do is trick you. Real customer would never give such puzzled requirements.

Based on the question itself, I would show a Pie Chart to show the % of Late orders out of all orders. But based on the requirements in the report, I would show a 100% Stacked bar chart by Country and shipping region.

[-] **Outsider** 2 points about 2 years ago

The case is complex, because the question ask for "a" visualization. So, just one visualization should shown all the information asked?

"The On-Time Shipping report will show the following metrics for a selected shipping month or quarter: The percentage of orders that were shipped late by country and shipping region".

Pie chat is the best, but that will need at least 2 visualizations. we have Time Month and Quarter and 2 DIM.

Putting all in just 1 visualization, the bar chart will solve the problem. So, C

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: A

A pie chart is a type of visualization that is often used to display data as a percentage or a proportion of a whole. In this case, the On-Time Shipping report is showing the percentage of orders that were shipped late. The pie chart would be an ideal choice because it allows us to see the relative size of each category (i.e., country and shipping region) as a slice of the whole pie.

[-] **SanaCanada** 2 points over 2 years ago

Selected Answer: C

Beuase

The On-Time Shipping report will show the following metrics for a selected shipping month or quarter
there is two axis, so Pie Chart could be fit there

[-] **Retro01** 2 points over 2 years ago

Selected Answer: A

best way to represent any percentage of data is donut and pie chart

[-] **sa56** 1 point over 2 years ago

You need to create the On-Time Shipping report. The report must include a visualization that shows the percentage of late orders.

Which type of visualization should you create?

- A. pie chart
- B. scatterplot
- C. bar chart

[-] **SanaCanada** 1 point over 2 years ago

Correct Answer C

C. Bar chart.

A bar chart is the most appropriate type of visualization to show the percentage of late orders. The horizontal axis can represent the time period, and the vertical axis can represent the percentage of orders that were delivered on time. Each bar can represent a specific time period, and the length of the bar can represent the percentage of orders that were delivered on time during that time period. The bars can be color-coded to differentiate between on-time and late orders. This type of visualization allows for easy comparison of the percentage of on-time deliveries over time. A pie chart would not be ideal for this scenario as it is better suited to show the composition of a whole. A scatterplot would also not be appropriate as it is used to show the relationship between two variables.

No confusion, and no need to discuss further

[-] **Minio1** 2 points over 2 years ago

wrong; the question didn't ask in a time period. So pie chart is most ideal

[-] **Retro01** 1 point over 2 years ago

its a wrong approach, best way to represent any percentage of data is donut and pie chart

[-] **Ridderxxl** 4 points over 2 years ago

Selected Answer: C

Pie charts in general are garbage, but we are guessing the opinion of Microsoft here not trying to make a decent BI - <https://xviz.com/blogs/pie-charts-good-bad-or-ugly/>

[-] **reyn007** 2 points over 2 years ago

Selected Answer: C

The answer is C because it is based on late orders by month and quarter, you cannot visualise that on a pie chart

[-] **reyn007** 2 points over 2 years ago

Selected Answer: C

In my opinion C is the correct answer due to the 2 variables

[-] **charles879987** 4 points over 2 years ago

The answer should be STACKED bar chart. You have country/region on axis and shipped on time/late as stacked bars.

[-] **catpoisoncat** 1 point over 2 years ago

totally agree with you

but I guess they considered stacked bar chart is part of bar chart category?

[-] **youssef_yt89** 2 points over 2 years ago

Selected Answer: A

Pie chart, so A

[-] **jsking** 2 points over 2 years ago

Selected Answer: A

Come on guys, its a pie chart! This is a very basic question.

[-] **iccent2** 3 points over 2 years ago

Those that are saying A should watchh this video first and then decide.

I think the bar chart makes more sense here.

Calculate Bar Chart Percent of Total in Power BI

<https://www.youtube.com/watch?v=xYd4KHrkUCA>

[-] **malekdk** 1 point over 2 years ago

Selected Answer: C
C. Bar Chart

[-] **AzureJobsTillRetire** 4 points over 2 years ago

Selected Answer: C
Requirements:
The On-Time Shipping report will show the following metrics for a selected shipping month or quarter:
The percentage of orders that were shipped late by country and shipping region
Pie chart can show percentage but Bar Chart can easily show percentage by country and shipping region.
ref: Calculate Bar Chart Percent of Total in Power BI
<https://www.youtube.com/watch?v=xYd4KHrkUCA>

[-] **Anne2909** 2 points over 2 years ago

Selected Answer: A
A. Pie because Percentage

[-] **Mati_123** 1 point over 2 years ago

C. Bar Chart

[-] **Hoeishetmogelijk** 1 point over 2 years ago

Selected Answer: A
A. Pie Chart

[-] **Namenick10** 2 points over 2 years ago

Selected Answer: C
C. bar chart

[-] **louisaoak** 1 point over 2 years ago

Selected Answer: A
% should be pie chart

[-] **YokoSumiGaeshi** 5 points over 2 years ago

Selected Answer: A
I would say A. Pie Chart.
The question is:
"You need to create the On-Time Shipping report. The report must include a visualization that shows the percentage of late orders.
Which type of visualization should you create?"
The first sentence of the question sets the context : "You need to create the On-Time Shipping report"
The real question is : "The report must include a visualization that shows the percentage of late orders. Which type of visualization should you create?"
And for this specific question, a pie chart makes more sense than any of the other options.

Question 58



HOTSPOT -

You need to create a KPI visualization to meet the reporting requirements of the sales managers.

How should you create the visualization? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Indicator:

Date[month]
Sales[sales_amount]
Sales[sales_id]
Targets[sales_target]
Weekly_Returns[total_returns]

Trend axis:

Date[month]
Sales[sales_amount]
Sales[sales_id]
Targets[sales_target]
Weekly_Returns[total_returns]

Target goals:

Date[month]
Sales[sales_amount]
Sales[sales_id]
Targets[sales_target]
Weekly_Returns[total_returns]

Hide Answer

Correct answer:

The sales managers require a visual to analyze sales performance versus sales targets.

Box 1: Sales[sales_amount]

Value; The main measure which we want to evaluate

Example:

Sales = sum(FactInternetSales[SalesAmount])

Box 2: Date[month]

Trend; How Value performs in a time period, is it going upward, downward or not?

You can use Months as trend axis.

Box 3: Targets[sales_target]

Target; What we want to compare the Value with

Reference:

<https://radacad.com/kpi-visual-in-power-bi-explained>

Answer Area

Indicator:

Date[month]
Sales[sales_amount]
Sales[sales_id]
Targets[sales_target]
Weekly_Returns[total_returns]

Trend axis:

Date[month]
Sales[sales_amount]
Sales[sales_id]
Targets[sales_target]
Weekly_Returns[total_returns]

Target goals:

Date[month]
Sales[sales_amount]
Sales[sales_id]
Targets[sales_target]
Weekly_Returns[total_returns]

Namenick10 44 points over 2 years ago

- Sales [sales_amount]
- Date [month]
- Targets [sales_target]

Booster21 15 points over 2 years ago

The answer is correct.

Lulu_2022 1 point 29 days ago

The given answer is correct

- Sales [sales_amount]
- Date [month]
- Targets [sales_target]

Oe18c76 2 points 9 months ago

This is an easy one!

- Sales [sales_amount]
- Date [month]
- Targets [sales_target]

CMPB 5 points about 1 year ago

in the exam today, 12/30/2023

AKUMAR2104 5 points over 1 year ago

on exam today

SamuComqi 8 points over 1 year ago

I passed the exam today (948/1000). My answer was:

- Sales [sales_amount]

- Date [month]
- Targets [sales_target]

[-] **Jejemon** 2 points about 2 years ago

Correct answer. Tested. Value = Indicator, Trend Axis -= Month, Target = Target Sales

[-] **lukelin08** 2 points about 2 years ago

Given answer is correct

- Sales [sales_amount]
- Date [month]
- Targets [sales_target]

Question 59

HOTSPOT -

You publish the dataset to powerbi.com.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
You need an on-premises data gateway to refresh the dataset.	☐	☐
You need to configure a scheduled refresh of the dataset.	☐	☐
You can use Basic authentication on the dataset to connect to the data.	☐	☐

Hide Answer

Correct answer:

Answer Area

Statements	Yes	No
You need an on-premises data gateway to refresh the dataset.	☐	☒
You need to configure a scheduled refresh of the dataset.	☐	☒
You can use Basic authentication on the dataset to connect to the data.	☐	☒

[-] **fdsdgxcvbsfhshfg** 76 points almost 3 years ago

- No (it's Azure SQLDB; cloud based)
- No (we need Direct Query)
- No (we use Azure AD; OAuth2)

[-] **NotMeAnyWay** 24 points almost 3 years ago

No - Azure SQL Server, therefore no need for an on-premise Gateway as Service and Azure are in the cloud.
No - DirectQuery mode for the DB connection, so no need to schedule a refresh. DirectQuery is a live connection.
No - Azure SQL supports the following connections from Power BI: Windows, Database and Microsoft Account. (Basic is reserved for Power Query Online. Do not confuse Database with Basic.):
<https://learn.microsoft.com/en-us/power-query/connectors/azuresqldatabase>
<https://learn.microsoft.com/en-us/power-bi/connect-data/service-azure-sql-database-with-direct-connect>

[-] **Lulu_2022** 1 point 29 days ago

no - no need for gateway
no - latency s maximum 5 min and import and refresh every 5 min could cause delay
no - Basic authentication does not work

[-] **HenryBiz** 2 points about 1 year ago

from the link <https://learn.microsoft.com/en-us/power-query/connectors/azure-sql-database>. It states in the summary section that,
"Authentication types supported Windows (Power BI Desktop, Excel, Power Query Online with gateway)
Database (Power BI Desktop, Excel)
Microsoft Account (all)
Basic (Power Query Online)
Service Principal"
So for the 3rd statement, I think it is "YES".

[-] **CMPB** 8 points over 1 year ago

in the exam today, 12/30/2023

[-] **madyjoe21** 2 points over 1 year ago

and your answers were?

[-] **AKUMAR2104** 2 points about 2 years ago

on exam today

[-] **Madalina1** 2 points almost 2 years ago

and the right answer is?

[-] **rmeng** 4 points about 2 years ago

Guys, take into account (Direct Query) = OAuth2. There is no Basic connection
No
No
No

[-] **UlyUkr** 3 points about 2 years ago

No, No, No.

[-] **nmosq** 5 points over 2 years ago

No, it's a Azure SQL DB - No nneed to use gateway
No, we use Direct Query, so no need to set refresh schedules
Yes, it says: "yon can use..." not "you can ONLY use", which is true, we can use basic or OAuth2

[-] **youssef_yt89** 3 points over 2 years ago

No
No
Yes

[-] **Chokochoko** 2 points over 2 years ago

The third question stated that "you can use" which I feel it's a question of Yes, I can or No, I can't. Since we can use it, then I am of the opinion that YES is the right answer

[-] **AzureJobsTillRetire** 5 points over 2 years ago

Box1: No

Here below is directly copied from PowerBI service gateway connection configuration page for a dataset that comes out of an Azure SQL database. "You don't need a gateway for this dataset, because all of its data sources are in the cloud, but you can use a gateway for enhanced control over how you connect".

The question asks if gateway is needed. No you do not need a gateway, but you can use a gateway.

Box2: No

Again, you do not "need" to configure a scheduled refresh of the dataset if DirectQuery is used, but nothing stops you doing so.

Box3: Yes

There are two authentication methods, being basic and OAuth2, you might use on the dataset to connect to the database/data. With basic authentication method, you will be asked for user name and password. If you use database credential here, you can use the Basic Authentication method. You can use basic authentication but it does not mean you have to use it.

[-] **AzureJobsTillRetire** 3 points over 2 years ago

In Question #2Topic 5 we were asked to choose the DirectQuery connection that uses either a database credential or the end-user's credentials. I think most people go with a database credential. In that case, we may use the basic authentication here.

[-] **zerone72** 8 points almost 3 years ago

1- You definitely don't need a gateway as Azure SQL is cloud based.

2- The question says that "transactions must be updated within 5 minutes". Therefore, (unless you plan to create a composite model) you should connect to the DB in direct query mode, hence you don't need to schedule any refresh.

3- Azure SQL allow to use OAuth2. This doesn't mean that you can't use basic authentication anymore. The question asks if you CAN use basic authentication and you can still use it, even though you have the option to use azure authentication.

In my opinion the answer is : NO, NO , YES !

[-] **Wadyba** 7 points over 2 years ago

I disagree with you on the 3rd question. The requirement is that Litware uses Azure Active Directory (Azure AD) to authenticate users. Requirements must be adhered to.

[-] **June15** 3 points almost 3 years ago

Isn't the Azure SQL database - cloud base? Do we still need gateway?

[-] **fdsdgxcvbsfhshfg** 2 points almost 3 years ago

No need for a gateway

[-] **Tsuk** 2 points almost 3 years ago

It's because of word "plan to" , I guess

Question 60



What should you create to meet the reporting requirements of the sales department?

- A. a measure column that uses the following formula: `SUMX(FILTER('Sales', 'Sales'[sales_amount] > 0)), [sales_amount])`
- B. a calculated column that uses the following formula: `ABS(Sales[sales_amount])`
- C. a calculated column that uses the following formula: `IF(ISBLANK(Sales[sales_amount]),0, (Sales[sales_amount]))`
- D. a measure that uses the following formula: `SUM(Sales[sales_amount])`

[-] **Orkhanann** 30 points over 2 years ago

According to other websites the correct options are

- A. a measure that uses a formula of SUM (sales[sales_id])
- B. a calculated column that use a formula of COUNTA(sales [sales_id])
- C. a measure that uses a formula of COUNTROWS (Sales)
- D. a calculated column that use a formula of SUM (sales [sales_id])

The sale department require reports that contain the number of sales transactions.

Correct answer is C

[-] **Hoeishetmogelijk** 7 points over 2 years ago

Sharp observation of you! The people of examtopics.com should place the correct options here!

[-] **madyjoe21** 1 point over 2 years ago

Could you share the link?

[-] **iccent2** 2 points over 2 years ago

Did you see COUNTROWS among the options provided for this very question?

[-] **MayaYao** 2 points over 2 years ago

You are talking about the other question.

[-] **Vlemton** 6 points over 2 years ago

Agreed: none of the options count the number of transactions.

[-] **StudyPurposes** 1 point almost 2 years ago

Can you please share the other websites?

[-] **Nemesizz** 2 points about 2 years ago

Share the site please?

[-] **anormalhuman** 3 points over 1 year ago

Those are completely different answers. Please ignore this person. The answer is A.

[-] **powerbi_learner** 1 point over 1 year ago

how?why not D...sales value won't be negative..it is always positive...then why we need filter?

[-] **fdsdgxcvbsdfshf** 18 points almost 3 years ago

None seem to be correct as sales department requires the number of transactions

[-] **olajor** 5 points almost 3 years ago

agreed, these options are for another question entirely

[-] **Mizaan** 1 point almost 3 years ago

I agree as well, none apply

[-] **MayaYao** 4 points over 2 years ago

Improve data quality. Correct Answer is A. Sales team have multiple requirements.

[-] **Jasm_74** 1 point about 2 months ago

Selected Answer: A

The options are wrong

[-] **varuns** 1 point 12 months ago

Selected Answer: A

A: SUMX(FILTER('Sales', 'Sales'[sales_amount] > 0)),[sales_amount])

[-] **anishk** 2 points about 1 year ago

The SUMX is an iterator function which Only counts the numbers in the column. Blanks, logical values, and text are ignored.

<https://learn.microsoft.com/en-us/dax/sumx-function-dax>

Correct answer is A

[-] **0b90882** 2 points over 1 year ago

Selected Answer: A

Correct answer is: A: SUMX(FILTER('Sales', 'Sales'[sales_amount] > 0)),[sales_amount])

[-] **1CY1** 1 point 10 months ago

Why are you going to have a sales amount less than 0 ???

[-] **1CY1** 1 point 10 months ago

Ok I see it there...

You are concerned with the quality and completeness of the sales data. You must ensure that negative and missing sales_amount values do NOT contribute to the total sales amount calculation.

[-] **Jane777** 2 points over 1 year ago

I think this is the important information: You are concerned with the quality and completeness of the sales data. You must ensure that negative and missing sales_amount values do NOT contribute to the total sales amount calculation.

Since the sales managers require a visual to analyze sales performance, we will need a measure based on sales_amount that ignores the potentially incorrect values - negative and blank values. I would choose A.

[-] **JudT** 1 point over 1 year ago

Good point Jane

[-] **Shalaleh** 1 point over 2 years ago

Options are wrong, we should use Countrows function.

[-] **sa56** 4 points over 2 years ago

dejavu

[-] **Nurialzard** 9 points over 2 years ago

This is a duplicate of question 4 of topic 8 but with the selection of answers from question 5 topic 8. I would suggest to ignore this one

[-] **iccent2** 5 points over 2 years ago

I think the angle this question is coming from is from this sentence..."You must ensure that negative and missing sales_amount values do NOT contribute to the total sales amount calculation."

[-] **juanceee** 9 points almost 3 years ago

this exact question appear in my exam 10/29/2022

[-] **powerbibuddy** 3 points over 2 years ago

given options were same as I see this same question on another website with different options in answer section

HOTSPOT -

You need to grant access to the business unit analysts.

What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Permissions required in powerbi.com:

	▼
Access permissions to an app	
The Member role to the workspace	
The Viewer role to the workspace	

Permissions for the profit and loss dataset:

	▼
Build	
Delete	
Reshare	

Hide Answer

Correct answer:

Answer Area

Permissions required in powerbi.com:

	▼
Access permissions to an app	
The Member role to the workspace	
The Viewer role to the workspace	

Permissions for the profit and loss dataset:

	▼
Build	
Delete	
Reshare	

[-] **LucasCovey** 74 points over 2 years ago

I am part of an organization (with an organizational Workspace) and I just tested with another colleague - the only way to allow building via the underlying dataset was granting "Viewer" role in the Workspace, and then going into "Manage permissions" on the dataset in the Workspace and granting Build permission.

I tried by adding the colleague JUST to the app (not Viewer role in Workspace) and it did not let them build from the dataset! Hope this helps someone else who was unable to test.

[-] **StressFree** 7 points over 1 year ago

LucasCovey: pro

[-] **Namenick10** 53 points almost 3 years ago

- The Viewer roler to the workspace
- Build

[-] **shakes103** 4 points over 2 years ago

The Viewer role only grants "read only" access to the dataset. Therefore it cannot be correct for this question.

[-] **Peguero** 1 point over 2 years ago

is correct "access permission to an app" for the first question?

[-] **YokoSumiGaeshi** 12 points over 2 years ago

That is why we grant the Build right in the second part of the question. Viewer role + Build right on the dataset is perfectly valid and is the answer to this question.

[-] **Jew0598** 3 points over 2 years ago

In Power BI, you can share a report with a user just for view only or give them access to view and build or to Edit.
<https://radacad.com/power-bi-user-access-levels-build-and-edit-are-different#:~:text=In%20Power%20BI%2C%20you%20can,and%20build%20or%20to%20Edit.>

[-] **539d541** 6 points 11 months ago

Given answer is only partially correct, the analysts must not be allowed to reshare.

-Access to an app

-Build

[-] **c63b646** 1 point about 1 year ago

I believe it should be

- Viewer (To keep the RLS applicable)

- Build

[-] **JJMC5544** 7 points about 2 years ago

VIEWER to stay in RLS

BUILD to let analysts create new report including with only RLS allowed content.

[-] **rmeng** 1 point about 2 years ago

Given answer is correct.

[-] **Retro01** 2 points over 2 years ago

The Viewer role to the workspace and Build permission

[-] **BabaJee** 2 points over 2 years ago

the current answer is correct as the app allows build permission to the underlying dataset.

<https://intercom.help/cognition360/en/articles/4731210-powerbi-adding-app-permissions>

[-] **Wadyba** 13 points over 2 years ago

One of the requirements is that Analysts must be able to access only the profit and loss data of their respective business unit. For this requirement to be achieved, you need to configure Row-level Security (RLS), and RLS only applies to the Viewer role. Thus:

-Viewer

-Build

[-] **iccent2** 3 points over 2 years ago

Correct answers are:

Viewer

Build

[-] **iccent2** 2 points over 2 years ago

I change my earlier submission:

- Access permission to an app

- Build

If the analyst can build, then that means they are not viewers.

[-] **iccent2** 1 point over 2 years ago

But again, we are told by Microsoft that:

"Contributors and Viewers can also share items in a workspace, if they have Reshare permissions"

So, what can we make of that in relation to question 1?

I would revert to Viewer.

<https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

[-] **iccent2** 2 points over 2 years ago

Again, Access permission to an app, is it one of the permissions in powerbi.com?

We have Admin, Member, Contributor and Viewer. Or is it not so?

[-] **Patrick666** 3 points over 2 years ago

Access permission to an app

Build

[-] **disndat7** 3 points over 2 years ago

"Access permission to an app" is correct, as this allows users to build contents with the datasets in the app (which is what the business analyst required to do). Refer to: <https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-create-distribute-apps#create-and-manage-audiences>

[-] **ThariCD** 19 points almost 3 years ago

To be able to build new reports based on underlying dataset you need Build permission, not Reshare permission so the second option should be Build.

[-] **fdsdfgxcvbsfhshfg** 5 points almost 3 years ago

correct

[-] **charles879987** 2 points over 2 years ago

No build permission option in app audience access. only reshare dataset or reshare dataset with build permission.

Question 62



HOTSPOT -

How should you distribute the reports to the board? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Grant access by:

	▼
Sharing individual reports	
Using a workspace membership	
Using an app	

Grant access to:

	▼
A dynamic distribution list	
A mail-enabled security group in Azure Active Directory	
Individual user emails	

Correct answer:

Answer Area

Grant access by:

	▼
Sharing individual reports	
Using a workspace membership	
Using an app	

Grant access to:

	▼
A dynamic distribution list	
A mail-enabled security group in Azure Active Directory	
Individual user emails	

[-] **Namenick10** 73 points almost 3 years ago

1. Using an App
2. A mail-enabled security group in Azure Active Directory

[-] **fdsdgxcvbsfhshfg** 14 points almost 3 years ago

- Using an app - as they require CUSTOM NAVIGATION
- AAD

[-] **539d541** 2 points 11 months ago

- App
- AD group

[-] **Bolatayo** 2 points over 1 year ago

- App
- AAD

[-] **JJMC5544** 4 points about 2 years ago

Question says "How should you distribute...", not "How should analysts..."
If you give them app how will they be able to produce report.
They are in RLS as a Viewer.

[-] **Shalaleh** 1 point over 2 years ago

Using an App
Security group in AAD

The reports must be made available to the board from powerbi.com. An Azure Active Directory (Azure AD) group will be used to share information with the board.

[-] **Shalaleh** 6 points over 2 years ago

Analysts must be able to create new reports from the dataset that contains the profit and loss data, but the reports built by the analysts must NOT be included in the quarterly reports for the board.---> that's why we are using an app not membership of the workspace

[-] **Sophieeeee** 1 point about 1 year ago

And it is mentioned in the technical requirements that "The company wants to provide the board with a single package of reports that will contain custom navigation and links to supplementary information."...so Using an app for sure

[-] **powerbibuddy** 6 points over 2 years ago

Using as App
A mail enabled security group

Question 63

You need to ensure that the data is updated to meet the report requirements. The solution must minimize configuration effort.

What should you do?

- A. From each report in powerbi.com, select Refresh visuals.
- B. From Power BI Desktop, download the PBIX file and refresh the data.
- C. Configure a scheduled refresh without using an on-premises data gateway.
- D. Configure a scheduled refresh by using an on-premises data gateway.

Hide Answer

[-] **fdsdgxcvbsfhshfg** 20 points almost 3 years ago

Selected Answer: C

Trick question, depends whether the Microsoft Dynamics 365 is cloud or on prem.

[https://learn.microsoft.com/en-us/previous-versions/dynamicscrm-2016/administering-dynamics-365/dn708055\(v=crm.8\)#in-this-topic](https://learn.microsoft.com/en-us/previous-versions/dynamicscrm-2016/administering-dynamics-365/dn708055(v=crm.8)#in-this-topic)

[-] **simba_10** 17 points almost 3 years ago

From your link:

"Scheduled refresh of reports isn't supported with Dynamics 365 (on-premises) datasets that are published to the Power BI service. You can refresh reports using in Microsoft Power BI Desktop or Microsoft Office Excel and then upload the reports to the Power BI service."

So D is impossible. C is correct.

[-] **MoneyStacking** 2 points over 1 year ago

At the 'Data type' table, it literally says Azure SQL database

[-] **JudT** 1 point over 1 year ago

Migrating to the cloud with Business Central can help you reduce costs associated with maintaining on-premises systems, streamline operations by using more timely data, and enhance security. You'll also have access to AI capabilities such as Copilot, enabling your teams to work smarter, adapt faster, and perform better.

[-] **MayaYao** 9 points over 2 years ago

The question mentions that "The balance sheet is IMPORTED." My understanding is that it is on-premise and the correct answer is D.

[-] **Hoeishetmogelijk** 5 points over 2 years ago

Selected Answer: C

Somewhere in the requirements: "An Azure Active Directory (Azure AD) group will be used to share information with the board."

So apparently the solution is build on Azure. So answer: C

[-] **Hoeishetmogelijk** 4 points over 2 years ago

Ah! And even more clearly: the table with data sources states clearly "Azure SQL Database"!

[-] **539d541** 1 point 11 months ago

Selected Answer: C

Azure SQL is on the cloud. It follows that the rest of the solution would be for Dynamics also

[-] **Smyrol** 1 point about 1 year ago

Azure SQL Server is considered as ON_PREM
checki it....

[-] **Acrious** 1 point about 2 years ago

Selected Answer: C

It is the only option that works

[-] **xkapelis** 2 points about 2 years ago

Selected Answer: C

C ONLY

[-] **charles879987** 4 points over 2 years ago

C is the answer. The database is on Azure database, not on-premise

[-] **AzureJobsTillRetire** 2 points over 2 years ago

Selected Answer: C

Both C and D can achieve the results, but gateway requires more configuration effort, so the answer goes to C.
Do not discount D just because it uses on-premise data gateway. Gateway can be used even if all data in a dataset is in Azure.

Here below is directly copied from PowerBI service gateway connection configuration page for a dataset that comes out of an Azure SQL database. "You don't need a gateway for this dataset, because all of its data sources are in the cloud, but you can use a gateway for enhanced control over how you connect".

[-] **blrjohn** 1 point about 2 years ago

On-premises allows multiple users to connect to multiple on-premises data sources.
The report has to be related in a many-to-one relationship.

Question 64



What is the minimum number of Power BI datasets needed to support the reports?

- A. a single imported dataset
- B. two imported datasets
- C. two DirectQuery datasets
- D. a single DirectQuery dataset

Hide Answer

[-] **milb** 163 points almost 3 years ago

Take a rest boys, we earned it.

[-] **ZillowGosia** 21 points almost 2 years ago

Finger crossed for every one. Good luck with exam <3. and thank yuo to every one who helped with anserws.

[-] **VinayKadaya** 55 points over 2 years ago

But, but, I am starting from reverse.

[-] **LearningBinomics** 8 points almost 2 years ago

waaaajajajajajajajaja

[-] **MayaYao** 103 points over 2 years ago

Take a rest girls, we earned it.

[-] **yordiye** 18 points over 2 years ago

Take a rest girls & women :) We earned it ! Oh the answer is A

[-] **Nemesizz** 2 points over 2 years ago

Why A?

[-] **sa56** 3 points over 2 years ago

Yet to give Exam, will rest after that

[-] **Caterpillar_Soni** 8 points about 2 years ago

No body comes here to comment after giving the EXAM, until unless you failed it.

[-] **Aldeus** 7 points over 1 year ago

i'm crying rn

[-] **fred92** 30 points almost 3 years ago

Selected Answer: B

It's already stated correctly in the given answer.

"Analysts must be able to create new reports from the dataset that contains the profit and loss data"

"Analysts must NOT be able to make new reports by using the balance sheet data"

Due to this different permissions you need 2 datasets. Import mode.

[-] **MayaYao** 5 points over 2 years ago

You can have multiple options. A single imported dataset can meet the requirements as well.

P&L is Azure SQLDB - normally DirectQuery. If there is an option - one DirectQuery and one import will be more appropriate.

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: B

we need to import 2 tables: Product catalog and one with the revenue information

[-] **Odidepse** 9 points 7 months ago

Selected Answer: B

2025 Batch good luck :-)

[-] **0a4bf3a** 4 points 8 months ago

Selected Answer: B

To all those taking the exam soon, just remember: No confusion, and no need to discuss further!

[-] **imshop** 1 point 10 months ago

Good luck musti.

[-] **Arth_1111** 1 point 11 months ago

Selected Answer: B

BBBBBBBBBBBBBBBBBBBBbbbbb

[-] **stacieinwonderland** 2 points about 1 year ago

If I studied all the questions carefully and know all the answers by heart, will I pass the exam for sure?

[-] **moniqbk** 1 point about 1 year ago

let us know

[-] **Rainbow_May** 2 points 10 months ago

he/she didn't reply to you meaning a success! people who failed might come this website again to learn the questions lol

[-] **HenryBiz** 1 point about 1 year ago

Selected Answer: B

PnL and BS data must be separated because of the different sharing settings.

[-] **Invisible_Monk99** 6 points about 1 year ago

Tomo is my exam....!

[-] **e3ddceb** 4 points about 1 year ago

The minimum number of Power BI datasets needed to support the reports is B. two imported datasets.

Reasoning:

1. One dataset for balance sheet and product catalog data. This dataset can be accessed by all analysts.
2. Another dataset for profit and loss data. This dataset needs to be filtered by business unit, so it should be separate to allow for row-level security. This will ensure that analysts can only access the data of their respective business unit.

[-] **MoneyStacking** 16 points over 1 year ago

Guys and girls, we finally made it.

I just passed with 917/1000. Save your time and learn and memorize all these questions because 85% of the 50 exam questions were exactly the same as here.

Cheers and goodluck!

[-] **Rainbow_May** 1 point 10 months ago

thank you for sharing!!

[-] **Twinkling** 13 points over 1 year ago

Went through the questions in the last three weeks but only once, passed exam today 800+. Truly appreciate everyone who input in the comments section, I almost learned everything about this exam from each of you. Wish you all good luck!

[-] **JohnChung** 2 points over 1 year ago

Selected Answer: B

Hints from the wordings in security requirements "Analysts must be able to create new reports from the dataset that contains the profit and loss data"

Use of relative clause for dataset implies there are more than one datasets

[-] **08b2ddd** 4 points over 1 year ago

I have my exam tomorrow, gone through these questions 3 times, 4/5/6 times for the ones I got wrong. Will update how I go tomorrow.

[-] **08b2ddd** 36 points over 1 year ago

Hi, Just an update. I got 958/1000 but was hungover af and not feeling my best. Every single question bar 1 was from these 250 questions. Guys it was so easy, finished it in 30 minutes. The most important thing is to know these questions BY HEART! know every single answer (or at least a decent amount of them) and you will be fine. The questions are exactly the same. Obviously read the comments and don't go by what this website says it is.

[-] **madyjoe21** 2 points over 1 year ago

Thank you for this update! I'm taking my exam this week or the next one

[-] **madyjoe21** 10 points over 1 year ago

Hey guys! I just got 906/1000. There was about 10 questions that wasn't from here, 1 case study and 2 different sequence questions that use the same scenario, both from here. The language was a bit different as well, like sematic dataset/data model. Advise: know the answers here, I mean, learn them not only memorize it because you going to need it for the other questions that are not from here.

[-] **brunocbento** 5 points over 1 year ago

I'm wishing all of you who are taking the exam eventually, that you all pass! I'm taking mine still this year, I just finished all the questions and now it's revision and practice time again and again. I'll get back after the exam to give some feedback on how was it and what should we expect. Thank you so much to all the community here for helping in all the questions :) Take care!

[-] **sono_moma** 7 points over 1 year ago

my brain is fried did all the questions in 3 days have exam tomorrow let's see.

[-] **LeeTheRed** 18 points over 1 year ago

I just came back from the exam. Just scrapped through with around 800 points (transcript not available yet, just a screen flashing at the end of the exam). I'd said most if not all of the questions were from this website (don't ask me which one because I forgot them right away after the exam except for one question which I remember because I was struggling with it and that was the one that you have to merge 5 or 6 different database tables together(Managers/RegionManager etc...), I spent a lot of times on this question so make sure you put extra attention on it! The rest were easy! There were 48 questions and one scenario question. Good luck to all and thank you to all that went through it and left your valuable feedbacks on this site! Cheers!

[-] **Tomasz_Black** 18 points over 1 year ago

Hi All, I have passed an exam with score nearly 900 points.
Most of the questions were from this site. Exam 01.12.2023
Good luck all !!!

[-] **Suraj97** 6 points over 1 year ago

All the best, Kings! We got this...

[-] **0a58a92** 4 points over 1 year ago

B correct.

In this workspace includes two imported datasets:

- + Dataset for Ending Balance with Dataset Permission as Read --> Cause analysts are not allow to make report. only read and view dat. Mode: Imported.
- + Dataset for Profit & Loss with Dataset Permission: Build, cause analysts have to make report on this dataset. Mode :imported

[-] **WRTopics** 1 point almost 2 years ago

Selected Answer: A
we can have 1 dataset and 2 sources.

[-] **Acrious** 3 points about 2 years ago

Same, good luck to all.

[-] **nmnm22** 8 points about 2 years ago

wishing us all best of luck

[-] **rania** 5 points about 2 years ago

Selected Answer: B

two imported datasets

[-] **Nemesizz** 6 points about 2 years ago

Selected Answer: B

B. Two imported datasets

To meet the requirements, it is necessary to separate the balance sheet data from the profit and loss data. This will enable analysts to access all balance sheet and product catalog data (Dataset 1) and only the profit and loss data of their respective business unit (Dataset 2). By having separate datasets, analysts can create new reports from the profit and loss dataset without including them in the quarterly reports for the board.

Having two imported datasets allows for better data management, consistency, and flexibility in reporting. It also ensures that analysts cannot create new reports using the balance sheet data, as per the security requirements.

Therefore, option B is the correct answer: two imported datasets.

[-] **Alexdj7** 13 points about 2 years ago

I have scheduled exam for tomorrow, wish me GL :)

[-] **SteveTheBeast** 3 points almost 2 years ago

So? did you pass?

[-] **Shalaleh** 5 points over 2 years ago

Selected Answer: B

Analysts must be able to create new reports from the dataset that contains the profit and loss data.

Analysts must NOT be able to make new reports by using the balance sheet data.

According to these two sentences we need to imported datasets.

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: A

we have two data sources, but we can have one single dataset.

[-] **sa56** 1 point over 2 years ago

Correct answer

[-] **glenman0202** 5 points over 2 years ago

Good works gentlemen, now back to the grind

[-] **charles879987** 4 points over 2 years ago

Selected Answer: B

Answer is B. It's necessary to have two datasets. One for generating profit/loss, one for revenue-related data in quarterly reports

[-] **charles879987** 1 point over 2 years ago

and ending balances.

[-] **charles879987** 1 point over 2 years ago

Never mind. Answer is D because of the sentence: "Analysts must NOT be able to make new reports by using the balance sheet data." So that rules of balance sheet data source. This is kind of assuming that analyst will be able to generate balance data based on Azure SQL database connection which uses direct query.

[-] **charles879987** 1 point over 2 years ago

Never mind. Answer is D because of the sentence: "Analysts must NOT be able to make new reports by using the balance sheet data." So that rules out balance sheet data source, assuming that analyst will be able to generate balance data, used in quarterly report, based on Azure SQL database connection which uses direct query.

[-] **Nemesizz** 1 point over 2 years ago

Why A. Please explain

[-] **Nawabi** 4 points over 2 years ago

I need to revise again. Much revision needed!

[-] **LuukVriel** 1 point over 2 years ago

Selected Answer: A

A should be correct here based on just 1 build requirement for analyst: allowed on P&L, not allowed on Balance sheet

[-] **anasben** 3 points over 2 years ago

Selected Answer: B

We can use One Imported Data Set and use OLS, but it's only applies to Viewers in a workspace. (Workspace members assigned Admin, Member, or Contributor have edit permission for the dataset and, therefore, OLS doesn't apply to them.)

=> In Our Case an Analyst have to Build a Report based in a single Table (this table must Load in a independent Dataset)

=> Solution then is the create to dataset in the same WS then publish an App.

Correct Answer is B :

[-] **Marionjambon** 5 points over 2 years ago

Selected Answer: B

B as the permissions for Analysts are different for the Profit & Loss and the Balance sheet data

[-] **AzureJobsTillRetire** 4 points over 2 years ago

Selected Answer: B

Given answer is correct. Two datasets are required. One for profit and loss data, and one for balance sheet data. An app can be created on the profit and loss data set only for data analysts to build reports.

[-] **Hoeishetmogelijk** 2 points over 2 years ago

Selected Answer: A

A. a single imported dataset.

There are 2 sources, but common logic must be applied (and the same time dimension). So the data will come together in one dataset.

Minimum load time must be 2 days, so import is fine.

[-] **Hoeishetmogelijk** 1 point over 2 years ago

I mean maximum load time must be 2 days of course!

[-] **Hoeishetmogelijk** 2 points over 2 years ago

Actually the requirement is: The reports must be updated with the latest data by 5 AM each day.

Import is still the right choice.

[-] **disndat7** 3 points over 2 years ago

Selected Answer: A

A for sure. The rest doesn't make sense. Don't overthink it.

[-] **EMMALEEEEEEEEE** 3 points almost 3 years ago

would go A

[-] **Namenick10** 17 points almost 3 years ago

Selected Answer: A

A. a single imported dataset

[-] **fdsdgxcvbsfhshfg** 8 points almost 3 years ago

Legit, all done 👍👍👍

[-] **Luffy561** 3 points almost 3 years ago

so you are going with A?

Question 65



You are creating a report in Power BI Desktop.

You load a data extract that includes a free text field named coll.

You need to analyze the frequency distribution of the string lengths in col1. The solution must not affect the size of the model.

What should you do?

- A. In the report, add a DAX calculated column that calculates the length of col1
- B. In the report, add a DAX function that calculates the average length of col1
- C. From Power Query Editor, add a column that calculates the length of col1
- D. From Power Query Editor, change the distribution for the Column profile to group by length for col1

Hide Answer

[-] **Muffinshow** 139 points almost 3 years ago

Selected Answer: D

Wrong answer, A will affect the size of the model as would C.

B doesn't give you enough information about the distribution (just the average)

D is the right answer.

[-] **KARELA** 1 point about 2 years ago

for D to be correct we need to calculate length of the strings in col1 beforehand so it is not correct

[-] **sandipnair** 18 points about 2 years ago

If you enable to column profile from view menu, you can actually group the distribution by text length. It is not grouping the actual column, rather just grouping the distribution.

[-] **mvgs27** 1 point 3 months ago

Sorry, how to do this?

[-] **mvgs27** 1 point 3 months ago

To the moderator- please disregard this question. I found it already.

[-] **GPerez73** 2 points almost 3 years ago

I agree

[-] **Hoeishetmogelijk** 2 points over 2 years ago

I agree completely!

[-] **Jonagan** 17 points over 2 years ago

Why do you think that aggregating in the PowerQuery size will not influence the size of the datamodel? its getting smaller isnt it?

Measures are the only solutions that does not influence the datamodel. They require CPU but but does not store additional data or does not reduce the data in the model

[-] **Elektrolite 3 points** over 1 year ago

D is not aggregating in power query, it's viewing the column profile

[-] **GabryPL 7 points** over 2 years ago

Option B is also correct for me
it's the only one that will not affect the size of the model

[-] **Mubarakbabs 12 points** over 2 years ago

Yes, option B will not affect the size of the model, but it won't show us the frequency distribution, which is what we really need. Option D doesn't create any new column, it only changes how the column distribution is displayed, so it won't affect the size of the model

[-] **lizbette 4 points** over 2 years ago

why doesn't B affect the size of the model but A does?

[-] **Kai_don 5 points** over 2 years ago

Option A is saying using calculated column which increases the size of the model. So D is correct.

[-] **lukelin08 82 points** almost 3 years ago

Selected Answer: D

Its D, this can easily be tested by going to Power Query Editor > View > Column Profile > distribution graph, click the three little dots and select group by text length. This will allow you to view the distribution of text length within the column

[-] **eloomis 7 points** over 2 years ago

The problem is this method doesn't make the distribution analyzable in the report, which I think is what the question is getting at. It will show you the distribution but you need a dax measure to place in your report to visualize that. I would go with option B as it creates a measure which you can use in the report, and it doesn't contribute to the size of the model as with A.

[-] **HemantGorle 2 points** over 2 years ago

D is correct and it can be tested by following step mentioned by Lukelin08

[-] **cs3122 1 point** over 1 year ago

Thank you, just tested and it works. D has to be the answer, as it doesn't impact the model size

[-] **miro26 2 points** about 2 years ago

Make sure your column type is not "variant" ;)

[-] **lechuc508 1 point** 3 months ago

Selected Answer: D

Column Profile is a feature in Power Query Editor that allows you to view statistical information about the data in a column (value distribution, column quality...). This information is displayed in the Power Query Editor interface and is NOT loaded into the final data model .

[-] **d28dcc1 1 point** 3 months ago

Selected Answer: D

Answer is D. Do this:

Power Query->View->Column Profile->Text Length Distribution->Top right bread crumbs-> Group By->Text Length

[-] **e5accfd 1 point** 4 months ago

Selected Answer: D

Open the PQE enable the Column Distribution in View ribbon, click on the ellipses in the bottom Bar chart box Group By > Text length

[-] **Minh2712** 1 point 5 months ago

Selected Answer: D
D is the correct answer

[-] **MANANDAVEY** 1 point 7 months ago

Selected Answer: D
It's very simple and logical AB,C will increase the model size so D is the right answer.

[-] **Kleeneeex** 1 point 7 months ago

Selected Answer: D
Changing the column profile distribution in Power Query Editor allows you to analyze the frequency distribution of string lengths without permanently modifying or adding new data. This operation is exploratory and does not affect the data loaded into the model or the size of the model.

[-] **jaume** 1 point 9 months ago

Selected Answer: D
Totally agree with lukelin98 who is also providing detailed steps to analyze frequency distribution of the string length. A and C solutions add columns to our model so are increasing its size. Solution B is returning one single value (the average length) and that's not something you can use to analyze any frequency

[-] **ae8a90c** 1 point 10 months ago

Selected Answer: D
option D is correct

[-] **ykb_proudly_Indian** 1 point 10 months ago

C: Tried and tested
Transform Data -> Add Column -> Extract -> Length

[-] **ykb_proudly_Indian** 1 point 10 months ago

As adding a Column can increase the model size, so this option does not work here.

[-] **itGoat** 1 point 10 months ago

calculated columns will increase the size of the models so those are out and the other is finding the average leaving D as correct

[-] **rcaliandro** 2 points 12 months ago

Selected Answer: D
for me is D. From Power Query Editor, change the distribution for the Column profile to group by length for col1

[-] **rcaliandro** 1 point 12 months ago

Tested it is D for sure. In power Query Editor, View check column profile. There is the possibility to group by value or text length. Choose text length and this will show the length of col1

[-] **Datanoob101** 2 points 12 months ago

Selected Answer: D
Upon a little research it turns out that calculated columns=larger data models.
Option A & C: both introduce a new column. Will affect the size of the model.
Option B: As muffin show and mubarakbabs stated above, it doesn't give us enough info (only avg)
Ans must be D.

[-] **Kiran37** 1 point about 1 year ago

correct answer

[-] **yaya32** 1 point about 1 year ago

Selected Answer: D

D for me

[-] **RoxyRishi** 1 point over 1 year ago

I also think D as it won't affect the data model size

[-] **9f73003** 1 point over 1 year ago

D. It says to analyze, which means in the context of this question, look at to determine. It also states it must not affect the model size. A calculated dax column will affect size of the model. D is perfect, because with the column profile tool you able to see the exact information that are looking for.

[-] **AZFabio** 2 points over 1 year ago

Selected Answer: A

A is right, but B looks correct to me as well

[-] **benni_ale** 1 point over 1 year ago

D works just fine and DOES NOT affects the model size.

[-] **Dani_eL** 3 points over 1 year ago

Selected Answer: A

I think sometimes it's better to stay grounded and read the question for what it is.

relying on facts only;

you create a REPORT

you load data

you need to be able to see frequency distribution of Len(col1) (supposedly on the report as you just were asked to create one, make sense?)

In the available answers you have 2 options from REPORT

One calculates sum, the other average.

Just go for the sum which is answer A

As everyone knows DAX creates new info from data ALREADY in your model.

In Power query you need to close and apply to use your new info(=> affects model)

[-] **svbz** 1 point over 1 year ago

Option D , doesnot allow you to see the string length of each row, just shows Min and Max

[-] **datacert2022** 1 point over 1 year ago

Why is A the right answer when 91% of the community indicates it's D? That question is for Exam Topics the company, not the community.

[-] **JohnChung** 1 point over 1 year ago

I tried. D is the correct answer

[-] **Lalith_parsa** 1 point over 1 year ago

C. From Power Query Editor, add a column that calculates the length of col1

Adding a column in Power Query Editor that calculates the length of col1 before the data is loaded into the model is a more efficient approach. This processing is done during the data load, and the calculated length can be used for analysis without increasing the size of the in-memory data model.

[-] **golia** 2 points over 1 year ago

chat GPT answer :

C. From Power Query Editor, add a column that calculates the length of col1

Explanation:

In Power Query Editor, you can add a custom column to calculate the length of the text in col1 without affecting the size of the Power BI model. This is a more efficient way to perform the operation on the data before it is loaded into the model.

Option A suggests adding a DAX calculated column in the report, but this would affect the size of the model, which is not desired.

Option B suggests using a DAX function to calculate the average length, which is not the same as analyzing the frequency distribution of string lengths.

Option D refers to changing the distribution for the Column profile, which is a profiling feature and doesn't directly calculate the lengths for the purpose of frequency distribution. The correct approach for this scenario is to add a column in Power Query Editor.

[-] **oreshetnik** 1 point almost 2 years ago

I don't understand in solution they give answer not correct?(

[-] **RMUK** 1 point almost 2 years ago

Answer is D

[-] **Kish1604** 4 points almost 2 years ago

Selected Answer: D

D is the right answer. Since we just need to analyze and should not change the model size, viewing it on Power Query Editor Column profile is the only option

[-] **sankeytm** 4 points almost 2 years ago

Selected Answer: D

Tested in Power query. D is correct

[-] **Igetmyrole** 2 points almost 2 years ago

D is the correct answer.

By changing the distribution to group by length in Power Query Editor, we can analyze the frequency distribution of string lengths in the "col1" column without adding additional calculated columns or measures that would increase the model's size. This allows us to perform this analysis at the data preparation stage, which is more efficient and does not impact the model's size in the report.

[-] **miro26** 1 point about 2 years ago

D

<https://learn.microsoft.com/en-us/power-query/data-profiling-tools#group-by-value>

But "The distribution cannot be computed for the currently selected column" make sure your column type is not "variant".

[-] **ManuelG00** 2 points about 2 years ago

Selected Answer: D

ChatGPT:

The correct answer to your question is option D.

Here's how to proceed:

1. Load the data extract into Power Query Editor as you did before.
 2. Select the "col1" column in Power Query Editor.
 3. On the "Home" tab of the Power Query Editor pane, click "Column Profile" in the "Column Tools" group.
 4. In the "Column Profile" pane, click the radio button (gear icon) next to "col1".
 5. Select "Distribution" from the drop-down menu.
 6. In the "Column Distribution" dialog, select the "Group By Length" option to get the distribution of values based on the length of the string.
 7. Click "OK" to apply the change.
 8. Close and apply changes to load the changed data into Power BI Desktop.
- You can now use clustered distribution column profiling to analyze the frequency of distribution of string lengths in "col1" without affecting the size of the data model.

[-] **hDouk** 1 point about 2 years ago

I think the answer is A. This is what I asked ChatGPT, check the response which states DAX columns calculated on the fly, M columns in query are stored: what is the difference between custom column in Power Query and calculated column in report view?

[-] **Chita_3385** 2 points about 2 years ago

Looks like we can't refer to ChatGPT, there's another comment saying D is the correct answer also using GPT

[-] **EwoutBI** 1 point about 2 years ago

Yeah, the answer from ChatGPT often depends on how you ask it.

[-] **RenzoNorero** 1 point about 2 years ago

It's definitely D. No need for further discussion. With Power Query you could do that by going to View > Column Profile > Group by > Length

[-] **AlejandroErazo** 1 point about 2 years ago

How?? I can't group by

[-] **lordsharaf** 1 point about 2 years ago

The correct answer is D. Tested solution.

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: D

I have checked it. We can group by value or length.

[-] **junaid2107** 6 points over 2 years ago

D is correct.

[-] **alojt** 2 points over 2 years ago

It seems ChatGPT has a better solution for us :D

ChatGPT says: "you can follow the following steps:

In the Power BI Desktop, select the "Modeling" tab.

Click on the "New Measure" option from the ribbon.

In the Formula Bar, enter the following formula:

Length Distribution = COUNTROWS(VALUES(Table[col1]))

Click on "Enter" to create the measure.

Now, add a "Histogram" visualization to your report.

From the Fields pane, select the "Length Distribution" measure and drag it onto the "Values" field well of the Histogram visualization.

Next, drag the "col1" field into the "Axis" field well of the Histogram visualization.

You should now be able to see the distribution of string lengths of the col1 field in the Histogram visualization without affecting the size of the model."

[-] **RazaTheLegend** 1 point over 2 years ago

Selected Answer: D

Option B will not affect the size of the model, but it won't show us the frequency distribution, which is what we really need.

Option D doesn't create any new column, it only changes how the column distribution is displayed, so it won't affect the size of the model

[-] **brunoquintela** 1 point over 2 years ago

Selected Answer: D

D é a resposta certa.

[-] **Aneran** 4 points over 2 years ago

Selected Answer: C

C. From Power Query Editor, add a column that calculates the length of col1.

To analyze the frequency distribution of the string lengths in a column in Power BI, you can add a column that calculates the length of the target column in the Power Query Editor. This can be achieved using the "Add Column" tab in the Power Query Editor and selecting "Custom Column". In the "Custom Column" dialog box, you can use the "Text.Length" function to calculate the length of the "col1" column. This will create a new column with the length of each "col1" value, which can be used for further analysis in the report without affecting the size of the model.

[-] DUVANES 1 point over 2 years ago

D. En el Editor de Power Query, cambie la distribución del perfil de columna a agrupar por longitud para col1

[-] **Akin_Eren** 1 point over 2 years ago

Selected Answer: D

D is the correct answer -- it is possible to analyze text lengths through "Column Profile". All other options affect the model size

[-] **saharkma** 1 point over 2 years ago

Option C is Correct

[-] **Jae17** 2 points over 2 years ago

Answer should be C

Adding a column in Power Query Editor will increase the size of the query in the Power BI Desktop file. However, the requirement specified in the question was that the solution should not affect the size of the "model", which typically refers to the data model in Power BI.

Option D suggests changing the distribution for the column profile to group by length for col1 from the Power Query Editor. However, the "Column profile" option is used to display the basic statistics of the data in a column, such as minimum, maximum, average, median, etc. It does not provide a frequency distribution of the string lengths in col1.

To get the frequency distribution of the string lengths in col1, we need to group the data by the length of col1 and count the frequency of each group, which can be achieved by adding a column that calculates the length of col1 in the Power Query Editor and then using the "Group By" feature in the same. Therefore, option D is not a valid solution to the problem described in the question.

SanaCanada 4 points over 2 years ago

Option C is correct on 04-March-2023

[-] **oogrio** 1 point over 2 years ago

Selected Answer: D

You need to analyze, you do not need to present this data in a chart, for example. In these words, I believe D is the correct answer.

[-] Heyzzzzzzzzzzzzzzzzzzzz 4 points over 2 years ago

Selected Answer: C

I asked ChatGPT and this is what it said

"If the goal is to analyze the frequency distribution of string lengths in col1 without affecting the size of the model, the best option would be to use option C, which involves adding a custom column in Power Query Editor to calculate the length of col1.

This option creates a new column within Power Query, which does not increase the size of the model. It also allows you to perform the required analysis without adding a column to the underlying data model.

Option A, which involves adding a calculated column to the data model using a DAX formula, would also achieve the same result, but it would add a column to the underlying data model, which could potentially impact the size of the model.

Option D, which involves changing the distribution for the Column profile, is also a valid approach, but it provides a visual summary and does not allow for further analysis."

[-] **TauseefB** 1 point over 2 years ago

The correct answer is C. From Power Query Editor, add a column that calculates the length of col1.

Adding a new column to the table that calculates the length of col1 in Power Query Editor will allow you to analyze the frequency distribution of the string lengths without affecting the size of the model. This is because Power Query operates on the data before it is loaded into the model, so any changes made in Power Query Editor will not affect the size of the model.

Option A, adding a DAX calculated column in the report, would add a new column to the model and could potentially affect the size of the model.

Option B, adding a DAX function in the report to calculate the average length of col1, would not allow you to analyze the frequency distribution of string lengths.

Option D, changing the distribution for the Column profile to group by length for col1 in Power Query Editor, would not add a new column to the table, but it would also not allow you to analyze the frequency distribution of string lengths

[-] **Gar9** 1 point over 2 years ago

Selected Answer: D

1. Power Query Editor -> View -> Enable Column Profile

2. Select three dots (top left corner) in the profile pane appear at the bottom of the Query Editor window.

3. Group By -> Text length

[-] **madyjoe21** 1 point over 2 years ago

Selected Answer: D

Checked! It is d. Just a visualization will not change the size of the ds.

[-] **HemantGorle** 1 point over 2 years ago

Selected Answer: D

Its D, this can easily be tested by going to Power Query Editor > View > Column Profile > distribution graph, click the three little dots and select group by text length. This will allow you to view the distribution of text length within the column.

[-] **dnpr** 1 point over 2 years ago

Generally, measures are more useful, but the trade-offs are the performance hit (report runtime vs. pre-processed), storage space, and the type of expressions you can use. For example calculated columns are often used when you want to filter on the result rather than just as a calculated result - Here "A" correct .

[-] **dnpr** 2 points over 2 years ago

My Bad - calculated columns will store the result and increase the data model size .

[-] **oakey66** 4 points over 2 years ago

Selected Answer: A

Creating a new column in Power Query adds to the data model size because the column is calculated prior to being loaded into the data model. Where as creating a calculated column, that is not a part of the data model. I believe the answer is A.

[-] **Analysis** 1 point over 2 years ago

Tested the scenario

Answer is D

[-] **uniquing** 2 points over 2 years ago

I would say A is the answer. The top priority is not to affect the model size.

"A" would not affect the model size but only increase memory use.

But "D" changes the model size.

[-] **PracticeAnalytics** 1 point over 2 years ago

Did you do the test?

[-] **MBA_1990** 1 point over 2 years ago

Right answer is D

Power Query Editor > View > Column Profile > By clicking on the three little dots -> Group by text length

[-] **AhmedMRagab** 1 point over 2 years ago

I believe D is the right one since the rest will increase the data size

[-] **AlexYang_** 2 points over 2 years ago

Selected Answer: A
using DAX dont increase model size

[-] **Kai_don** 1 point over 2 years ago

Option A is saying using calculated column which increases the size of the model. So D is correct.

[-] **Mati_123** 2 points over 2 years ago

Have a look into question again, it is mentioned that "You need to analyze the frequency distribution of the string lengths in col1", so with D option will we be able to analyze the frequency distribution of the string, if not then we should go for "A".

[-] **Isperes2982** 2 points over 2 years ago

Selected Answer: A
using DAX you dont increase model size

[-] **Yaldae** 1 point over 2 years ago

Selected Answer: A
You need to analyze the data. so go with A, DAX calculations do not increase model size.
The problem with D is that you can only see the distribution, but no further analysis is possible.

[-] **Hoeishetmogelijk** 1 point over 2 years ago

Selected Answer: D
As Muffinshow already worded perfectly: A will affect the size of the model as would C.
B doesn't give you enough information about the distribution (just the average)
D is the right answer.
See for distribution on text length this page at the bottom: <https://learn.microsoft.com/en-us/power-query/data-profiling-tools>

[-] **andregrahamnz** 4 points over 2 years ago

Selected Answer: D
Answer can ONLY be D. A and C both affect the size of the data model. B if you read it carefully is a measure to calculate the AVERAGE length, which will not provide the required 'analysis'. While it's a bit rich to refer to D as an 'analysis'; it's the only answer that provides a grouped breakdown of string length AND doesn't increase the size of the data model. The answer is D by process of elimination.

[-] **RooneySmith** 4 points over 2 years ago

What confuses me is that if I tomorrow I am going to take the test which answer should I choose: the one that makes sense to me or the one stated here? Sometimes I feels these answers are not trusted even though I find same answers in other platforms!

[-] **Jonagan** 2 points over 2 years ago

Selected Answer: A
D is definately wrong, because you will reduce the size of the datamodel.
Using measures is the only sway to not influence the size of the datamodel.
It requires a little bit more CPU to calculate, but it does not influence the size.
Hence, A is the correct answer.
Muffinshow, why do you think answer A will affect the size of the model and D not?

[-] **Churato** 4 points almost 3 years ago

Selected Answer: D
Tested D , it works as expected.

[-] **samad1234** 3 points almost 3 years ago

Correct Answer : D

[-] **PinkZebra** 3 points almost 3 years ago

Selected Answer: D

d

[-] **Ron22Ron** 1 point almost 3 years ago

Selected Answer: D

Due to analyze the frequency distribution of the string lengths and The solution must not affect the size of the model.

[-] **zucchi** 4 points almost 3 years ago

B) is wrong, gives average not length

A) gives the length as C), but calculated columns perform worse than Power Query

C) gives the length but the column affects (a little) the size of the model

D) allows an analysis only from Power Query, and does not increase the size of the model but the length cannot be used in the dashboard

So, C or D? Since the question says:

- You need to analyze the frequency distribution

- The solution must not affect the size of the model

I would go for D).

[-] **RichardOgoma** 1 point almost 3 years ago

Selected Answer: C

I am confident that the length of the strings in col1 must be used for the report analysis. Creating a calculated column with DAX is not the best practice and not as efficient as using Power Query's M. I would go with C.

D is tempting, but you need the data, not just to view the profile in Power Query.

[-] **iccent2** 1 point over 2 years ago

Avoid assumptions and work with given information.

Adding a column will increase the size of the model and that is what disqualified C from the answer leaving us with D

[-] **saurinkhamar** 2 points almost 3 years ago

Selected Answer: D

D. is the right answer

[-] **saurinkhamar** 2 points almost 3 years ago

D. is the right answer

[-] **Manikom** 3 points almost 3 years ago

D is correct..

From Power Query.. highlight the column.. from the tab view select Column Profile Option.. in the Value distribution section that appears below, from the 3dots.. you can change to group by text length distribution

[-] **fdsdgxcvbsfhshfg** 1 point almost 3 years ago

Selected Answer: A

D is not correct, column profile just shows you the information about the column in Power Query

Even when it comes to grouping rows in Power Query, there are only a few basics operations and 'length' is not one of them
A seem to be the only one making sense, it however consumes more RAM when loaded into the model

[-] **fdsdgxcvbsfhshfg** 4 points almost 3 years ago

My bad, reviewed the question and by 'analyze' they don't mean to create a report.

Correct: A

[-] **fdsdgxcvbsfhshfg** 3 points almost 3 years ago

I mean D

[-] **Manikom** 1 point almost 3 years ago

From Power Query.. highlight the column.. from the tab view select Column Profile Option.. in the Value distribution section that appears below, from the 3dots.. you can change to group by text length distribution... D is correct

[-] **hmax56** 2 points almost 3 years ago

Selected Answer: D
D is correct

[-] **Guru1337** 4 points almost 3 years ago

Selected Answer: D
D is right

[-] **sheth** 4 points almost 3 years ago

A will affect the size because of calculated column

Question 66

HOTSPOT -

You have a Power BI model that contains a table named Sales and a related date table. Sales contains a measure named Total Sales.

You need to create a measure that calculates the total sales from the equivalent month of the previous year.

How should you complete the calculation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Sales Previous Year =

	▼
CALCULATE	
EVALUATE	
SUM	
SUMX	

[Total Sales],

	▼
DATESMTD	
PARALLELPERIOD	
SAMEPERIODLASTYEAR	
TOTALMTD	

(

	▼
[Date]	
'Date' [Date]	
'Date' [Month]	

)

)

Hide Answer

Correct answer:

Sales Previous Year =

	▼
CALCULATE	
EVALUATE	
SUM	
SUMX	

[Total Sales],

	▼
DATESMTD	
PARALLELPERIOD	
SAMEPERIODLASTYEAR	
TOTALMTD	

(

	▼
[Date]	
'Date' [Date]	
'Date' [Month]	

)

)

[-] **Leonardorcaquino** 264 points almost 3 years ago

```
CALCULATE  
SAMEPERIODLASTYEAR  
'DATE'[DATE]
```

[-] **KoS83** 13 points over 2 years ago

Correct!
PARALLELPERIOD needs 3 arguments and it returns the sales for the entire year

[-] **maymia87** 1 point over 1 year ago

There's a Sum missing. `CALCULATE(SUM(), SAMEPERIODLASTYEAR(Date[Date]))`

[-] **maymia87** 16 points over 1 year ago

Nevermind, Sum isn't necessary as Total Sales is a measure not a column and already calculates the Sum.

[-] **cokimon** 4 points over 1 year ago

This would return the sales on that single date of last year. You need `date[month]` to get the sales for the entire month of last year.

[-] **Dani_eL** 7 points over 1 year ago

no. `date([month])` will throw an error as the function expects a DATE format and month is integer(or string if format mmm).
It MUST be `date[Date]`

[-] **Muffinshow** 53 points almost 3 years ago

```
Calculate  
SamePeriodLastYear  
'Date'[Month]  
ParallelPeriod could work but here the second argument only takes one parameter and ParallelPeriod requires three
```

[-] **Mati81111** 72 points almost 3 years ago

SAMEPERIODLASTYEAR accepts a data column, Month will usually be either text (Jan) or Integer (1). so:
CALCULATE([Total Sales], SAMEPERIODLASTYEAR('Date'[Date]))

[-] **jsking** 1 point over 2 years ago

Yup! This is correct!!

[-] **babinaprad** 4 points almost 3 years ago

Which one is the correct answer is it 'Date'[Month] or 'Date'[Date] as it has got equal number of votes so confused.

[-] **NaudeDucon** 3 points about 1 year ago

'Date'[Date] is the correct type of data. Then you could make use of Table visualization with a column as 'Date'[Month] to see all the Sales of each previous month

[-] **catpoisoncat** 3 points over 2 years ago

I guess 'Date'[Date]. If you look up for the SAMEPERIODLASTYEAR DAX, it has a Date parameter.

[-] **Mi4as** 1 point 5 months ago

In the middle option, no one isn't absolutely correct.

```
CALCULATE(
[Total Sales],
SAMEPERIODLASTYEAR ( ENDOFMONTH ( 'Date'[Date] ) ) -- Without EndOfMonth function, you received the total year
result instead of the month
)
```

[-] **Mi4as** 1 point 5 months ago

Please delete or ignore my post. The ENDOFMONTH is not needed.

[-] **Fatima300** 1 point 6 months ago

```
CALCULATE(
[Total Sales],
SAMEPERIODLASTYEAR('Date'[Date])
)
```

[-] **raavilam** 2 points 6 months ago

Tested. CALCULATE , SAMEPERIODLASTYEAR , DATE[DATE] is the right answer

[-] **MANANDAVEY** 1 point 7 months ago

```
CALCULATE
SAMEPERIODLASTYEAR
'DATE'[DATE]
Tried and tested 100%
```

[-] **jaume** 1 point 9 months ago

Absolutely, PARALLELPERIOD(<dates>,<number_of_intervals>,<interval>) requires three arguments that are not passed in the proposed code.

My vote for:

- CALCULATE (by the way, a parenthesis is missed there)
- SAMEPERIODLASTYEAR
- Date[Date]...here I was initially going for Date[Month] but explanations make me realize it should be Date[Date]

[-] **rcaliandro** 1 point 12 months ago

The correct answer is CALCULATE, SAMEPERIODLASTYEAR, 'Date'[Month]

[-] **rcaliandro** 3 points 12 months ago

Sorry I was wrong! If you use Date[Month] It will raise an error because The specified month column in the SAMEPERIODLASTYEAR function is not of type DATE. It should be the following configuration:

- CALCULATE
- SAMEPERIODLASTYEAR
- 'Date'[Date]

[-] **Sophieeeeeee** 5 points about 1 year ago

Have tried to build the measures. It works with the following:

1. SAMEPERIODLASTYEAR(<dates>)

Sales Previous Year = CALCULATE([Total Sales], SAMEPERIODLASTYEAR(Date[Date]))

2. PARALLELPERIOD(<dates>, <number_of_intervals>, <interval>)

Sales Previous Year = CALCULATE([Total Sales], PARALLELPERIOD(Date[Date], -12, MONTH))

3. DATEADD(<dates>, <number_of_intervals>, <interval>)

Sales Previous Year = CALCULATE([Total Sales], DATEADD(Date[Date], -12, MONTH))

[-] **SureshReddyMoole** 2 points about 1 year ago

CALCULATE is used to change the context in which the data is evaluated.

[Total Sales] is your existing measure that calculates total sales.

SAMEPERIODLASTYEAR('Date'[Date]) shifts the context of the date by one year, allowing the calculation to be made for the same period last year.

This measure will give you the total sales for the same month in the previous year. Make sure that your date table ('Date') is marked as a date table and properly related to your Sales table.

[-] **bernardoklosowski** 2 points over 1 year ago

It needs to be 'DATE'[DATE] because SAMEPERIODLASTYEAR only accepts Date columns as arguments. If you try to input the Month column the following error is prompted:

"MdxScript(Model) (216, 5) Calculation error in measure '_ProjectMeasures'[Measure Last Year]: A column specified in the call to function 'SAMEPERIODLASTYEAR' is not of type DATE. This is not supported."

[-] **Dani_eL** 2 points over 1 year ago

As per Microsoft Definition found in:

<https://learn.microsoft.com/en-us/dax/sameperiodlastyear-function-dax>

Example

The following sample formula creates a measure that calculates the previous year sales of Reseller sales.

DAX:

LastYearSales= CALCULATE(SUM(ResellerSales_USD[SalesAmount_USD]), SAMEPERIODLASTYEAR(DateTime[DateKey]))

[-] **GowthamMupparapu** 2 points over 1 year ago

The data recording frequency is not specified, but based on the snap, we should assume that the data is recorded on a monthly basis. In accordance with this assumption, the syntax using PARALLELPERIOD AND SAMEPERIODLASTYEAR would be:

1. CALCULATE(SUM('Table Name'[Total Sales]), PARALLELPERIOD('Table Name'[Date], -12, Month)

2. CALCULATE(SUM('Table Name'[Total Sales]), SAMEPERIODLASTYEAR('Table Name'[Date]))

Given only one argument in the final box, this is the correct answer - CALCULATE, SAMEPERIODLASTYEAR, DATE[DATE]

[-] **Roh1410** 1 point over 1 year ago

CALCULATE

SAMEPERIODLASTYEAR

'DATE'[DATE] / 'DATE'[MONTH]

[-] **MayurV19** 1 point over 1 year ago

Answer is wrong and misleading. Correct answers:

CALCULATE

SAMEPERIODLASTYEAR

'DATE'[DATE]

We should use SAMEPERIODLASTYEAR because it as a function would calculate the expression for the previous year period to the period in filter context. Also, we should input the 'DATE'[DATE] column for references the previous year period.

[-] **Kostali** 2 points over 1 year ago

The correct :

1) CALCULATE

2) SAMEPERIODLASTYEAR

3) 'DATE'[DATE]

The fonction accepte 3 param like this PARALLELPERIOD(<dates>,<number_of_intervals>,<interval>)

[-] **agelee** 2 points over 1 year ago

The Suggested Answers are so ridiculous. I answer correctly and later get irritated that again wrong answers under 'Show Suggested Answer'. Mine: CALCULATE

SAMEPERIODLASTYEAR

'DATE'[DATE]

[-] **cem_bxl** 10 points almost 2 years ago

Just one question, why there are so many "correct answers" which are actually not correct on this website? Most of the time I need to check the discussions to find the right answer.

[-] **SwapnJ** 2 points almost 2 years ago

It is correct, I think it should be Calculate , Sameperiodlastyear,Date[Month] as they have asked in the question to find the total sales from the equivalent month of the previous Year.

[-] **Igetmyrole** 2 points almost 2 years ago

Calculate, Sameperiodlastyear and `Date`[Date] are the answers.

[-] **RicoPallazzo7** 2 points almost 2 years ago

Calculate

sameperiolastyear

'DATE'[DATE]

Does it need a grouping function like SUM around the [TotalSales]?

Otherwise how can it group them?

Or it is only to filter and obtain for a row with a particular data the same the last year?

[-] **safz** 1 point about 2 years ago

PARALLELPERIOD.

SamePeriodLastYear function in DAX does not support calculating data for multiple months

[-] **LouStar2** 2 points about 2 years ago

Something similar to this was on todays exam.

Def need to know these DAX expressions

[-] **lizbette** 2 points over 2 years ago

Their answer is wrong

Total Sales Last Year = CALCULATE([Total Sales], SAMEPERIODLASTYEAR('Date'[Date]))

parallelperiod needs 3 arguments

[-] **CristianGP** 5 points over 2 years ago

How do you get "total sales from the equivalent MONTH of the previous year"? Where do you select the month?

[-] **ZSun** 4 points about 2 years ago

The answer embedded in [Total Sales], this is an measure summing the entire month Total Sales.
Therefore, this question ask us to simplily add a Date of previous year to this measure.

[-] **RazaTheLegend** 7 points over 2 years ago

Correct Answer

Calculate

SamePeriodlastyear

Date[Date]

ParallelPeriod requires three parameter

no confusion, and no need to discuss further

[-] **SanaCanada** 3 points over 2 years ago

Correct Answer

Calculate

SamePeriodlastyear

Date[Date]

ParallelPeriod requires three parameter

no confusion, and no need to discuss further

[-] **SanaCanada** 4 points over 2 years ago

Correct Answer: Calculate, SamePeriodLastYear, and DATE[DATE]

Total Sales LY = CALCULATE([Total Sales], SAMEPERIODLASTYEAR('Date'[Date]))

The above formula uses the CALCULATE function to calculate the [Total Sales] measure and the SAMEPERIODLASTYEAR function to return the same period of the previous year from the 'Date' table.

No confusion, and no need to discuss further

[-] **SanaCanada** 3 points over 2 years ago

Correct Answer

Calculate

SamePeriodLastYear

Date[Date]

[-] **Neilsy** 2 points over 2 years ago

CALCULATE([TOTAL_SALES], PARALLELPERIOD([DATE],-12, MONTH)

gives you the whole month of dates for same month last year

SAMEPERIODLASTYEAR only returns a full year of dates but the question asks for the equivalent MONTH for the previous year

[-] **Neilsy** 2 points over 2 years ago

CALCULATE([TOTAL_SALES], PARALLELPERIOD('DATE'[DATE],-12, MONTH)

[-] **badrionlion** 1 point over 2 years ago

The answer choices could have sticked with the syntax

[-] **BWayne32** 2 points over 2 years ago

The correct answer *after trying it in power BI* is

CALCULATE

SAMEPERIODLASTYEAR

DATE

SAMEPERIODLASTYEAR requires a date column. DATE is of type date (which does include month and year) and that is the correct column that the SAMEPERIODLASTYEAR function expects. If one uses 'Date'[Date], it will send integers as parameters as it will send values like 1,2,...31.

[-] **RooneySmith** 6 points over 2 years ago

I think this definition from learn.microsoft: "The PARALLELPERIOD function is similar to the DATEADD function except that PARALLELPERIOD always returns full periods at the given granularity level instead of the partial periods that DATEADD returns." That means it returns a calendar date.

However, SAMEPERIODLASTYEAR is equivalent to DATEADD(dates, -1, year).

Yet, the I think the question structure is wrong because PARALLELPERIOD misses other arguments.

[-] **Patrick666** 4 points over 2 years ago

```
CALCULATE  
SAMEPERIODLASTYEAR  
'DATE'[DATE]
```

[-] **Patrick666** 3 points over 2 years ago

```
CALCULATE  
SAMEPERIODLASTYEAR  
'DATE'[DATE]
```

[-] **Yokusuna** 2 points over 2 years ago

There is no correct answer.

PARALLELPERIOD and TOTALMTD will take more parameters to run then given in the code block.

SAMEPERIODLASTYEAR and DATESMTD will run with the given parameters but return dates so it also need more to do to receive the needed information.

[-] **iccent2** 5 points almost 3 years ago

```
CALCULATE  
SAMEPERIODLASTYEAR  
'DATE'[DATE]
```

[-] **Dovoto** 13 points almost 3 years ago

```
CALCULATE  
SAMEPERIODLASTYEAR  
'DATE'[DATE]
```

It can't be 'Date'[Month], because that would be either an integer (12) or a name (December). But SAMEPERIODLASTYEAR takes only dates as a parameter.

```
SAMEPERIODLASTYEAR(<dates>)
```

[-] **Nurgul** 8 points almost 3 years ago

The correct measure = CALCULATE([Total Sales], SAMEPERIODLASTYEAR('Date'[Date])).

[-] **lukelin08** 6 points almost 3 years ago

Correct answer is

```
CALCULATE  
SAMEPERIODLASTYEAR  
Date[Date]
```

[-] **Neerajkved** 9 points almost 3 years ago

Incorrect Answer. It should be like

```
Calculate  
Sameperiodlastyear  
Date[date]
```

Question 67



You have a Power BI semantic model that contains two queries.

You discover that a report based on the model has performance issues.

You plan to use Power Query to reduce the data loaded to the model.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct answer is worth one point.

- A. Apply group by and summarize techniques.
- B. Combine the queries by using Append.
- C. Remove unnecessary columns and rows.
- D. Combine the queries by using Merge.
- E. Create a new query group.

Hide Answer

[-] **desibaby09** 5 points 8 months ago

Selected Answer: AC

<https://learn.microsoft.com/en-us/power-bi/guidance/import-modeling-data-reduction>

[-] **jaume** 3 points 9 months ago

Selected Answer: AC

Only options A and C will reduce data size and potentially improving performance.

Combining queries (by using Append or Merge) could improve refresh but not report performance as is and a new query group would not impact at all

[-] **amiruladliroslabin** 3 points 10 months ago

Selected Answer: AC

B. Combine the queries by using Append

While combining queries via append can help merge multiple datasets, it typically does not reduce the data size. In fact, it may increase the dataset size unless managed carefully.

D. Combine the queries by using Merge

Merging queries is useful for joining data from different sources, but it is not inherently a data reduction technique. It may help in certain cases, but it is not directly aimed at reducing the amount of data loaded to the model.

E. Create a new query group

A query group is simply an organizational tool in Power Query to manage your queries better. It has no impact on performance or data reduction.

[-] **LuluSkyy** 2 points 10 months ago

A and C are the correct answers

[-] **VladStan** 4 points 10 months ago

Selected Answer: AC

Correct answers

<https://learn.microsoft.com/en-us/power-bi/guidance/import-modeling-data-reduction>

Question 68



Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct

solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an on-premises data gateway.

You need to reduce the amount of data sent through the gateway by semantic models that run in Import storage mode.

Solution: You create aggregations to summarize results.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **1CY1** 7 points 10 months ago

Selected Answer: B

Create aggregations to summarize results.

This seems to be saying group and summarize after the data has come through the gateway as an import.

This will not reduce the traffic as it has already come through the gateway.

Answer : B.No.

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: A

Yes, this solution does meet the goal.

Creating aggregations in your semantic model helps reduce the volume of data that needs to be processed and transferred through the on-premises data gateway, even when using Import mode. Here's why:

Aggregations summarize detailed data into higher-level totals (e.g., by product, date, or region).

When visuals or measures can be answered using the aggregated table, Power BI queries the smaller, summarized table instead of the full detailed one.

This reduces the amount of data loaded and refreshed, which in turn minimizes the load on the gateway and improves performance.

Even though aggregation awareness is more commonly associated with DirectQuery or composite models, it can still be beneficial in Import mode by reducing the size of the dataset and the refresh footprint.

[-] **Mkym** 2 points 2 months ago

Selected Answer: B

Creating aggregations does not reduce the data sent through the gateway during a refresh.

It helps runtime performance in reports, but not data transfer volume during import.

[-] **sroumi** 4 points 4 months ago

Selected Answer: B

Explanation

Import Mode Behavior: When a model is set to Import mode, the complete dataset is loaded into Power BI's in-memory engine during refresh. The on-premises data gateway is used only at refresh time to pull data from the on-premises source. Once the data is imported, all queries run against the local in-memory copy in the service, not through the gateway.

Role of Aggregations: Aggregations are designed to improve query performance—especially in composite models or DirectQuery scenarios—by pre-calculating summarized data and reducing the need to hit detailed tables at query time.

Why It Doesn't Meet the Goal: In Import mode, even if you create aggregations, the full data refresh still occurs via the gateway. Aggregations do not affect how much data is transferred during a data refresh; they only reduce query processing

time at runtime.

[-] **chicken_chaser** 4 points 7 months ago

Selected Answer: B

depends on where the aggregation is conducted. If it is done in power BI then the amount of data will still be the same. If the aggregation is done in the source then Yes

[-] **Odidepse** 3 points 7 months ago

Selected Answer: A

Yes, creating aggregations to summarize results reduces the amount of data sent through the on-premises data gateway by summarizing the data in the semantic model. Creating aggregation reduce querying time and compression.

[-] **lmml_et** 2 points 7 months ago

Selected Answer: A

You create aggregations in Power Query before importing data, so you reduce the amount of data in the semantic model and in the gateway

[-] **Pey1nkh** 1 point 7 months ago

Selected Answer: A

creating aggregations reduces the amount of data sent through the gateway and optimizes data refresh and query performance.

[-] **tko86** 3 points 8 months ago

Selected Answer: B

It can't be B. If the data is imported and you then you aggregate (creating summarize tables) off the imported data, you are not reducing the overall model. You are actually increasing the size. While the summarize table would perform quicker, the original imported table with all the data remains.

You need to reduce it at its source before you bring in the data through import storage.

[-] **jaume** 3 points 9 months ago

Selected Answer: A

Aggregations allow you to precompute and store summarized data, which minimizes the need to load and query large amounts of detailed data. This approach is particularly beneficial in large DirectQuery or Import models:

[-] **amiruladliroslabin** 3 points 10 months ago

not sure of question. you aggregate the results after importing? then the answer is no. if you are doing it before then the answer is yes

[-] **ec338ed** 1 point 10 months ago

answer is yes. Aggregating and summarizing reduces data.

[-] **LuluSkyy** 2 points 10 months ago

The answer is A.

Question 69



Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an on-premises data gateway.

You need to reduce the amount of data sent through the gateway by semantic models that run in import storage mode.

Solution: You increase Automatic page refresh intervals.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **sroumi** 1 point 4 months ago

Selected Answer: B

No, increasing Automatic page refresh intervals does not meet the goal of reducing the amount of data sent through the on-premises data gateway by semantic models running in Import storage mode.

Here's why:

Automatic Page Refresh (Report Level): Automatic page refresh controls how frequently the visuals on a report page are updated. It instructs the Power BI service to periodically query the existing, already imported data in the semantic model to refresh the visuals. It doesn't affect the amount of data transferred into the semantic model during a scheduled or manual data refresh.

[-] **SylUK** 1 point 6 months ago

Selected Answer: B

The given answer is correct (B): because if you increase Automatic page refresh intervals, it would also increase the amount of data sent through the gateway and therefore goes against the requirement.

[-] **Pey1nkh** 1 point 7 months ago

Selected Answer: A

creating aggregations reduces the amount of data sent through the gateway and optimizes data refresh and query performance.

[-] **jaume** 1 point 9 months ago

Selected Answer: B

First reason is Automatic Refresh is not available for Import mode as in our scenario but using DirectQuery mode.

Even when we would be in a DirectQuery scenario, increasing the refresh would cause an increase on the traffic so the opposite effect

[-] **LuluSkyy** 2 points 10 months ago

The correct answer is No. Automatic Refresh can only be used in direct query mode

[-] **VladStan** 3 points 10 months ago

Selected Answer: B

1) Nothing to do with On-Prem data gateway

2) It can be used with DirectQuery storage mode only

<https://learn.microsoft.com/en-us/power-bi/create-reports/desktop-automatic-page-refresh>

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an on-premises data gateway.

You need to reduce the amount of data sent through the gateway by semantic models that run in import storage mode.

Solution: You configure incremental refresh.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **jaume** 3 points 9 months ago

Selected Answer: A

Incremental refresh would only refresh the "variable" part of the data (set using parameters) and would reduce the traffic not all the entire dataset would be refreshed

[-] **amiruladliroslibin** 1 point 10 months ago

Selected Answer: A

should be A

[-] **ec338ed** 3 points 10 months ago

Selected Answer: A

Incremental refresh allows you to load only new or changed data, rather than refreshing the entire dataset. This can significantly reduce the amount of data that needs to be processed and transferred, especially in large datasets.

[-] **LuluSkyy** 2 points 10 months ago

The correct answer should be A. Incremental refresh refreshes the latest data

[-] **f07fa5c** 3 points 10 months ago

Selected Answer: A

Incremental reloads do reduce the workload

[-] **Rob_vd_Brink** 3 points 10 months ago

I think using incremental reloads DOES reduce the amount of data sent through the gateway, so option A

[-] **f07fa5c** 1 point 10 months ago

Ta, I thought that too.

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an on-premises data gateway.

You need to reduce the amount of data sent through the gateway by semantic models that run in Import storage mode.

Solution: You decrease the dashboard cache update frequency.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **Lulu_2022** 3 points about 1 month ago

Selected Answer: B

Dashboard cache update frequency controls how often Power BI refreshes the visual cache for dashboards — it affects how frequently visuals are updated for users, not how much data is sent through the on-premises data gateway.

In Import mode, data is only sent through the gateway during scheduled or manual refreshes. The dashboard cache setting doesn't influence the volume of data transferred during those refreshes.

✅ What would help instead:

Filter or reduce rows/columns in Power Query before loading.

Use aggregations to summarize data before import.

Implement incremental refresh to avoid reloading historical data.

[-] **fehler** 3 points 6 months ago

Selected Answer: B

Decreasing the dashboard cache update frequency might not directly reduce the amount of data sent through the gateway by semantic models in Import storage mode.

[-] **SylUK** 2 points 6 months ago

Selected Answer: A

The answer is A-YES because: To reduce the amount of data sent through the gateway by semantic models in Import storage mode, decreasing the dashboard cache update frequency is a valid solution because it means the gateway will need to fetch updated data from the source less often, minimizing the data transfer volume.

[-] **f83734b** 1 point 4 months ago

Reducing the update frequency is a direct method to reduce data transfer through the gateway.

[-] **Oe11c58** 2 points 7 months ago

Selected Answer: B

Chat GPT:

The dashboard cache update frequency determines how often Power BI refreshes the dashboard visuals from the dataset.

Adjusting this frequency does not directly reduce the amount of data sent through the on-premises data gateway for semantic models in Import storage mode.

HOTSPOT

-

You have a Power BI semantic model named Model1.

You need to create a measure that will display the sales result for all blue units. The solution must maintain the existing filter context.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Sales =

CALCULATE
CALCULATETABLE
MAX
SUM

(

[Sales],

CROSSFILTER
FILTER
ISFILTERED
KEEPFILTERS

('Unit'[Color] = "blue")

)

[Hide Answer](#)**Correct answer:****Answer Area**

Sales =

CALCULATE
CALCULATETABLE
MAX
SUM

(

[Sales],

CROSSFILTER
FILTER
ISFILTERED
KEEPFILTERS

('Unit'[Color] = "blue")

)

[-] **Odidepse** 14 points 7 months ago

I would go for CALCULATE and KEEPFILTERS. CALCULATE evaluates a single expression (like [Sales]) within a modified filter context. In this scenario case, you want to filter the 'Unit'[Color] to "blue" while maintaining the existing filter context. CALCULATETABLE would return a table, which would then need to be aggregated further (e.g., using SUMX), making it less direct and has a layer of complexity. Second one, use KEEPFILTERS is the most appropriate for ensuring that the filter for blue is added to the existing context without overriding it.

[-] **SylUK** 1 point 6 months ago

Look at the syntax structure it is CALCUTETABLE which can by applied here because it evaluates a table within a modified filter context. Therefore the answers are CALCULATETABLE and KEEPFILTERS.

[-] **Mkypm** 1 point 2 months ago

CALCULATETABLE is invalid here because: It returns a table, not a single value
Measures can't return a table // Sales = ...
``That means you need a **scalar value** like `SUM`, `COUNT`, etc. to be returned.
- You're modifying the context to only include rows where ``Unit'[Color] = "blue"``
- You want to sum up sales — i.e., return a number
So you use:
``dax
CALCULATE ([Sales], KEEPFILTERS('Unit'[Color] = "blue"))
That would be my answer.

[-] **Jasmine121** 1 point 6 months ago

should be calculatetable()

[-] **fehler** 2 points 6 months ago

```
Sales_Blue_Units = CALCULATE(  
SUM(Sales[SalesAmount]),  
KEEPFILTERS(Products[Color] = "Blue")  
)
```

So in this case I believe we need to assume SUM is present, because after "=" should be CALCULATE

Question 73



You have a Power BI semantic model named Model1 that runs in Import storage mode.

You need to reduce the size of Model1. The solution must NOT increase report query response times.

What should you do?

- A. Remove unnecessary columns.
- B. Unpivot unnecessary columns.
- C. Rename unnecessary columns.
- D. Change Model1 to DirectQuery storage mode.

Hide Answer

[-] **SylUK** 1 point 6 months ago

Selected Answer: A
the given answer is correct: A will reduce the amount of data in the model. D also will decrease the model size but it can be slower especially for complex queries as it needs to query the source each time.
A- is the answer.

[-] **Odidepse** 4 points 7 months ago

Selected Answer: A
Presented answer is correct, Removing unnecessary columns will directly reduce the model's size by eliminating data that isn't needed. This change won't affect query performance since the excluded data is not part of the model. The others B. Unpivot unnecessary columns: Increases model size by adding rows.

- C. Rename unnecessary columns: Doesn't reduce size, only changes labels.
- D. Change to DirectQuery: May reduce size but can slow down query performance.

Question 74

You have a Power BI semantic model named Model1 that runs in Import storage mode.

You need to reduce the size of Model1.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Summarize the detail data.
- B. Upgrade to Power BI premium.
- C. Implement row-level security (RLS).
- D. Optimize the column data types.
- E. Change the active relationships between tables to inactive relationships.

Hide Answer

[-] **Odidepse** 5 points 7 months ago

Selected Answer: AD

Presented answer is correct A. Summarize the detail data:

Since Import mode loads the entire dataset into memory, reducing the amount of detail data (for example, aggregating granular data like daily sales into monthly or yearly totals) can significantly reduce the size of the model in memory. This approach helps minimize memory usage and improves query performance.

D. Optimize the column data types:

In Import mode, data is compressed and optimized by the VertiPaq storage engine. Using more efficient column data types reduces memory consumption and ensures better compression when the data is loaded into memory. For instance, using integer or decimal data types instead of string can help achieve better compression and optimize performance. link: <https://learn.microsoft.com/en-us/power-bi/connect-data/service-dataset-modes-understand>

Question 75

You have a Power BI semantic model that contains the following data.

Table name	Column name
Date	Date
	MonthName
	MonthStartDate
	MonthYear
	Year
Account	AccountID
	AccountNumber
	AccountName
	AccountCategory
Transactions	TransactionID
	TransactionDate
	AccountID
	TransAmt

You need to create a solution that meets the following requirements:

- Presents transaction amount totals for each month for the current and prior year
- Follows the star schema modeling approach
- Minimizes the data model size

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create one-to-many relationships between the tables.
- B. In the Transactions query, delete the TransactionID column.
- C. In the Date query, group by MonthNumber.
- D. In the Transactions query, group by AccountID and MonthStartDate for TransactionDate. Aggregate by summing the TransAmt column.
- E. In the Transactions query, add a column that contains the MonthStartDate value for TransactionDate.
- F. Create many-to-many relationships between the tables.

Hide Answer

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: ABE

First, you should create one-to-many relationships between the tables. This aligns with best practices for building a star schema — the fact table should link to dimension tables via one-to-many relationships for optimal performance and clarity.

Second, in the Transactions query, you should delete the TransactionID column. Since you're not analyzing or filtering based on TransactionID, and it's likely a high-cardinality field, removing it helps minimize model size and improves performance.

Third, still within the Transactions query, you should add a new column that contains the MonthStartDate value for the TransactionDate. This helps group transactions by month and prepares your data for efficient time-based analysis, like comparing this year to last year.

[-] **Trixy** 1 point 3 months ago

Selected Answer: ADE

I would do in this order E -> D -> A.

Add MonthStartDate to Transactions query -> aggregate Transactions query by AccountID and MonthStartDate (TransactionID will need to be excluded in this step) -> set up one-to-many relationship between Transactions and Account on AccountID column and Transactions and Date on MonthStartDate column.

[-] **kai_data** 1 point 4 months ago

Selected Answer: AB

Selecting D without E, makes no sense as transactions query have no MonthStartDate to aggregate on. But E indeed increase the size of the model.

[-] **5bf040d** 3 points 5 months ago

Selected Answer: ABD

I believe E is not correct because adding MonthStartDate to the Transactions table would increase the data size, and this information is already available in the Date table.

[-] **32c0a0b** 2 points 5 months ago

Selected Answer: ADE

I'll go for ADE,

As with out creating a start month date column we cannot group or aggregate the table:

So its:

- 1) Create Start month date column
- 2) Group or aggregate
- 3) create relationships

[-] **SylUK** 2 points 6 months ago

Selected Answer: ABD

A B D are the correct answers . E and F go against the requirement .

[-] **BIT2024** 1 point 6 months ago

Selected Answer: ADE

for me is ADE

Question 76



HOTSPOT

-

You have a Power BI semantic model that contains three tables named Products, OrderHistory, and Date.

The Products table is a dimension table that contains the following columns:

- ProductID
- ProductName

The OrderHistory table is a fact table that contains the following columns:

- OrderID
- ProductID
- OrderDate

The Date table is a dimension table that contains the following columns:

- Year
- Date
- Week
- Month

You need to define a relationship from Products to OrderHistory and from OrderHistory to Date.

Which cardinality should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct answer is worth one point.

Answer Area

Between Product and OrderHistory:

	▼
Many-to-many	
One-to-many	
One-to-one	

Between OrderHistory and Date:

	▼
Many-to-many	
One-to-many	
One-to-one	

Hide Answer

Correct answer:

Answer Area

Between Product and OrderHistory:

	▼
Many-to-many	
One-to-many	
One-to-one	

Between OrderHistory and Date:

	▼
Many-to-many	
One-to-many	
One-to-one	

[-] [kai_data](#) 13 points 4 months ago

the second should be many-to-one

[-] [Lulu_2022](#) 1 point about 1 month ago

From Products to OrderHistory:

Cardinality: One-to-Many

Why: Each product in the Products table has a unique ProductID, and that ID appears multiple times in the OrderHistory table (one row per order). This is a classic dimension-to-fact relationship.

✅ From Date to OrderHistory:

Cardinality: One-to-Many

Why: The Date table contains a unique list of dates, and OrderHistory[OrderDate] contains many rows per date. Again, this is a standard date dimension to fact relationship.

[-] [Jasm_74](#) 1 point about 2 months ago

Guessing the second answer is 1-1. Just because the title of the fact table is order history.

[-] [cambolambo](#) 1 point 2 months ago

Is the second one really many-to-one? I don't get how they don't even have the correct answer choice as an option.

[-] **a530d13** 3 points 4 months ago

Nothing in the question indicates that there is at most one order per day. If there is more than one order per day then "one" date in the Date table would map to "many" dates in the OrderHistory table

[-] **dkilkelly** 2 points 4 months ago

The given answer is incorrect.

It should be one-to-many, and then many-to-one. Without additional information provided, it would be rational to assume that the fact table has many dates which would relate to a single date in the date dimension table.

[-] **889efe8** 1 point 5 months ago

correct

[-] **4b88f2d** 1 point 5 months ago

ye, but second option tells on-to-one, and the same like first option is relationing dim table with fact table, so must be one-to-many too. Am I wrong?

[-] **Anloindian123** 1 point 6 months ago

Given answer is correct. Dimension table is always the "one side", and fact table is always the "many side"

Question 77



DRAG DROP -

You plan to create a report that will display sales data from the last year for multiple regions.

You need to restrict access to individual rows of the data on a per region-basis by using roles.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions		Answer Area
Publish the report.		
Assign users to the role.		
Add a filter to the report.		
Create a role definition.		
Import the data to Power BI Desktop.		

Hide Answer

Correct answer:

Actions		Answer Area
Publish the report.		Import the data to Power BI Desktop.
Assign users to the role.		Create a role definition.
Add a filter to the report.		Publish the report.
Create a role definition.		Assign users to the role.
Import the data to Power BI Desktop.		

[-] **OGESSIUSER** 280 points almost 3 years ago

Import data
create the roles on power bi

Publish the report
Assign Users to the role.

[-] **bdub1976** 9 points over 1 year ago

Import, Create, Publish, Assign

Yes, <https://learn.microsoft.com/en-us/training/modules/row-level-security-power-bi/2-static-method>

[-] **Fillali** 3 points over 2 years ago

Yes, I tested it !

You have to choose a dataset before assigning roles to users.

(Path : powerbi.com > dataset > more options > security)

[-] **louisak** 7 points over 2 years ago

Yes, correct.

If publish first and then create a role, then all users will see the info, which against the requirement.

[-] **Ashokku22** 2 points about 2 years ago

you have to assign roles after publishing as we are already created in 2nd step in Power BI Desktop

[-] **vanessa1923** 17 points over 2 years ago

"You can't assign users to a role within Power BI Desktop. You assign them in the Power BI service. You can enable dynamic security within Power BI Desktop by making use of the username() or userprincipalname() DAX functions and having the proper relationships configured." from <https://learn.microsoft.com/en-us/power-bi/enterprise/service-admin-rls>

OGESSIUSER is correct

[-] **RickyAnd** 30 points almost 3 years ago

Import data

create the roles on power bi

Publish the report

Assign Users to the role.

<https://docs.microsoft.com/en-us/training/modules/row-level-security-power-bi/2-static-method>

[-] **Jasmine121** 1 point 6 months ago

Wrong Answer

The last two options should be different order

[-] **ee0625a** 2 points 6 months ago

Import the data, Create the roles on Power BI Desktop, Publish the report (You must publish the report and its dataset to Power BI Service before you can assign users to the roles in the same Power BI Service); Assign users to the role.

[-] **hebertorosillo** 2 points 6 months ago

Import the data to Power BI Desktop

create a role definition

Publish the report

Assign user to the role.

[-] **627628c** 1 point 7 months ago

This was on the exam 1/17/24

[-] **LuluSkyy** 3 points 10 months ago

It's Import - Create - Publish - Assign

[-] **rcaliandro** 2 points 12 months ago

1 - Import the data to PBI Desktop

- 2 - Create a role definition
- 3 - Assign users to the role
- 4 - Publish the report

[-] **DataEngDP** 3 points over 1 year ago

Import-->Create-->Publish-->Assign

[-] **Dani_eL** 1 point over 1 year ago

the context is unclear;
proposed solution can be valid:
If you have a fact sales tables
having a country Id
joined on a dim country table
which itself joins a dim persons table containing the full email.
You can create your role and add the dax exp person=username()
then Apply security filter in both directions checkbox
Finally test the report's behavior with "view as" (none, other, rule)
when satisfied, publish the report

[-] **JohnChung** 2 points over 1 year ago

Agree with Import > Create > Publish > Assign
Since roles should be assigned in PowerBI Service, Publish must done before Assign

[-] **MayurV19** 1 point over 1 year ago

Correct.
1. Import the data to Power BI Desktop
2. Create a role definition
3. Publish the report
4. Assign users to the role (in Power BI Service)

[-] **Male777** 2 points over 1 year ago

I think Sequence is wrong
we will Assign Users to the role only after we "Publish the Report"

[-] **LeT2** 1 point almost 2 years ago

Agree with you

[-] **itenginerd** 2 points almost 2 years ago

A flavor of this was on the test today.

[-] **Igetmyrole** 2 points almost 2 years ago

First Step: Import the data to Power BI Desktop
Second Step: Create a role definition.
Third Step: Assign Users to the role.
Fourth Step: Add a filter to the report.

[-] **linkide** 5 points about 2 years ago

This answer is simply wrong. I won't be using this site anymore.

[-] **lizbette** 10 points over 2 years ago

their answer is wrong
1) first need to import the data into PBI
2) create roles
3) publish report
4) assign users to role
step 1 makes sense because you first need to get the data into PBI before you can do anything

step 2: at this point, if you publish the report, then everyone will already have access so you can't do publish. therefore, you need to create roles in PBI

step 3: you can't assign users to the role yet because the Power BI desktop doesn't have that ability--it needs to be done in the workspace service online and that can only happen after the report is published to that workspace. therefore step 3 has to be to publish

step 4: after publishing, you can then choose the report and the users to assign to the role

[-] **junaid2107** 3 points over 2 years ago

While creating role, dont we need to specify the Dax, ie. Add filter to the report

[-] **RazaTheLegend** 2 points over 2 years ago

Import data

create the roles on power bi

Publish the report

Assign Users to the role.

[-] **SanaCanada** 7 points over 2 years ago

Correct Answer :

Import Data

Create Role on Power BI

Publish the report

Assign Users to the role

you cannot assign users to the role before publishing the report in Power BI. You can only assign roles to users or groups once the report is published to the Power BI service.

Before publishing the report, you can create and define roles in the Power BI Desktop. However, you cannot assign users to these roles until the report is published to the Power BI service.

After publishing the report, you can then assign users or groups to the roles that you have defined in the Power BI Desktop.

Once users are assigned to a role, they will only be able to see the data that they have permission to view based on their assigned role when they access the report.

No confusion, and no need to discuss further

[-] **el_ec** 1 point over 2 years ago

OGESSIUSER is correct. I had to double check in windows power bi official page. They write "Now that you're done validating the roles in Power BI Desktop, go ahead and publish your report to the Power BI service."

After that comes the step where they assign users to the rule "Manage security on your model"

Source <https://learn.microsoft.com/en-us/power-bi/enterprise/service-admin-rls>

[-] **falzar** 8 points over 2 years ago

Isn't this supposed to be a test dump? It does not fill me with confidence if the answers are incorrect.

[-] **Opie** 7 points over 2 years ago

With respect, you can not assign users to a role until AFTER the report has been published to the Power BI Service. Those posting that you create the role and then assign users to the role BEFORE publishing are incorrect. Roles are created in Power BI Desktop. Desktop does not have any way to assign users to the roles. They are empty when created. Role assignment happens in the service.

Publish the report to the Power BI service. Go to your Workspace, using the Dataset, select the More Options menu(...) and click Security. This is where the Roles are populated.

1) Import your data into Power BI Desktop

2) Create the role definition (on the Modeling tab)

3) Publish the report to the Power BI service

4) Assign users to the role

[-] **svg10gh** 1 point over 2 years ago

the correct sequence should be

Import data

create role definition

assign user to role

publish the report

[-] **stephenrooke** 1 point 9 months ago

you can't assign users if you havent published.

[-] **Patrick666** 3 points over 2 years ago

Import data
create the roles on power bi
Publish the report
Assign Users to the role.

[-] **Patrick666** 2 points over 2 years ago

Import data
create the roles on power bi
Publish the report
Assign Users to the role.

[-] **sharmila29** 3 points over 2 years ago

assign users to the role should be after publishing the report to service. Those users who assigned after publishing is correct in my k knowledge

[-] **Pauwels** 8 points over 2 years ago

- 1.Import the data to Power BI Desktop.
- 2.Create a role definition.
- 3.Publish the report.
- 4.Assign users to the role

[-] **Ojumeaka** 3 points almost 3 years ago

Import data to Power BI desktop
Create a role definition
assign users to role
Publish report

[-] **Nurgul** 9 points almost 3 years ago

- 1.Import the data to Power BI Desktop.
- 2.Create a role definition.
- 3.Publish the report.
- 4.Assign users to the role.

[-] **lukelin08** 6 points almost 3 years ago

Import data
create the roles on power bi
Publish the report
Assign Users to the role.

[-] **simplex06** 5 points almost 3 years ago

I think the disclosed answer is correct.

[-] **UriTG** 11 points almost 3 years ago

I'm not sure. I think that the order is not the right one. I mean, you create the roles on power bi, but the work to assign users on the roles it's made on the online platform, so first you need to publish the report, and after that you assign.

[-] **GregFred** 5 points almost 3 years ago

you have right -import, create roles, publish, assign

HOTSPOT

-

You have a Power BI semantic model.

You need to create a column that will contain year-over-year (YOY) revenue. The column must contain a ratio of change factor compared to the previous year's monthly revenue.

How should you complete the DAX formula? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Revenue YoY % =

```
VAR RevenuePriorYear = CALCULATE([Revenue],  
RETURN  
    (
```

CALCULATE

DIVIDE

FACT

SUM

['Date'[Date]])

NEXTYEAR

PARALLELPERIOD

PREVIOUSYEAR

SAMEPERIODLASTYEAR

```
    [Revenue] - RevenuePriorYear,  
    RevenuePriorYear  
    )
```

Hide Answer

Correct answer:

Answer Area

Revenue YoY % =

```
VAR RevenuePriorYear = CALCULATE([Revenue],  
RETURN  
    (
```

CALCULATE

DIVIDE

FACT

SUM

['Date'[Date]])

NEXTYEAR

PARALLELPERIOD

PREVIOUSYEAR

SAMEPERIODLASTYEAR

```
    [Revenue] - RevenuePriorYear,  
    RevenuePriorYear  
    )
```

[-] ChrisFenko 6 points 4 months ago

The answer is correct

Question 79

^

HOTSPOT

You use Microsoft Power BI Desktop to review the data shown in the following exhibit.

Table: Date (2,557 rows) Columns: Date (2,557 distinct values)

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

You used [answer choice] on the Data table.

- auto date/time
- bidirectional relationship
- quick measures

Configure the Mask as date table setting for the Date table will remove [answer choice].

- the Date table
- the MonthEndDate date hierarchy from the Data table
- the MonthStartDate column

Hide Answer

Correct answer:

Answer Area

You used [answer choice] on the Data table.

- auto date/time
- bidirectional relationship
- quick measures

Configure the Mask as date table setting for the Date table will remove [answer choice].

- the Date table
- the MonthEndDate date hierarchy from the Data table
- the MonthStartDate column

[-] Aeftat17 17 points 6 months ago

I would suggest :

1. Auto Date/Time

Auto Date/Time is a Power BI feature that automatically creates a Date Hierarchy (Year, Quarter, Month, Day) when a Date column is present.

In the provided screenshot, the Date table has an automatically generated hierarchy, indicating that Auto Date/Time was enabled.

Marking a table as a Date table disables Auto Date/Time, removing any automatically generated date hierarchies.

2. The MonthEndDate Date Hierarchy from the Data Table

Auto Date/Time was used, removing it will delete automatically created hierarchies (e.g., MonthEndDate Date Hierarchy).

[-] **Lulu_2022** 1 point about 1 month ago

1 You used: auto date/time

This refers to Power BI's Auto Date/Time feature, which automatically creates hidden date tables and hierarchies behind the scenes when you load a date field. It's commonly used when:

You haven't created a custom Date table

You want to quickly use time intelligence features without building a full calendar table

2 Configure "Mark as Date Table" setting for the Date table will remove: the MonthEndDate date hierarchy from the Date table

When you mark a table as a Date table, Power BI disables the Auto Date/Time feature for that column. As a result:

The built-in date hierarchies (like Year > Quarter > Month > Day) are removed

You'll now rely on your custom Date table for all time intelligence

It does not remove your own columns like MonthStartDate or the Date table itself

[-] **ca63a55** 1 point 4 months ago

Date Hierarchy- Es importante tener en cuenta que, al marcar una tabla como una tabla de fechas, Power BI Desktop quita la tabla de fechas integrada (creada automáticamente). Y los objetos visuales o expresiones DAX que haya creado anteriormente en función de esas tablas integradas ya no funcionarán correctamente.

<https://learn.microsoft.com/es-es/power-bi/transform-model/desktop-date-tables#benefits-of-setting-your-own-date-table>

[-] **ca63a55** 1 point 4 months ago

Quick Measures / Date Hierarchy

<https://learn.microsoft.com/es-es/power-bi/transform-model/desktop-date-tables>

[-] **SylUK** 1 point 6 months ago

Given answer is correct: Quick measures and The MonthStartDate column

[-] **Jasmine121** 1 point 6 months ago

Isn't it hierarchy?

[-] **Jasmine121** 3 points 6 months ago

It's "Mark as date table". There is a typo in the context.

[-] **Aeffat17** 1 point 6 months ago

what will be the answer?

Question 80

HOTSPOT

-

You have a Power BI semantic model that contains two tables named Sales and Forecast. Both tables contain a date column.

You need to create a calculated table that will cover the range of dates in both tables.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

daterange =

	▼
CALENDAR	
CALENDARAUTO	
DATEDIFF	

 (

	▼
COUNTX	
MAXX	
MINX	

 (Sales, [Date]),

	▼
MAXX	
MINX	
SUMX	

 (Forecast, [Date]))

Hide Answer

Correct answer:

Answer Area

daterange =

	▼
CALENDAR	
CALENDARAUTO	
DATEDIFF	

 (

	▼
COUNTX	
MAXX	
MINX	

 (Sales, [Date]),

	▼
MAXX	
MINX	
SUMX	

 (Forecast, [Date]))

[-] **Lulu_2022** 1 point about 1 month ago

```
DateRangeTable =  
CALENDAR(  
MIN(Sales[Date]),  
MAX(Forecast[Date])  
)
```

CALENDAR(start, end): Returns a single-column table of dates from the start to the end date.

MIN(Sales[Date]): Finds the earliest date in the Sales table.

MAX(Forecast[Date]): Finds the latest date in the Forecast table.

This ensures the resulting table spans the entire timeline needed to support both historical and forecasted data.

[-] **f83734b** 1 point 4 months ago

1. CALENDAR
2. MINX
3. MAXX

[-] **ca63a55** 2 points 4 months ago

<https://learn.microsoft.com/es-es/dax/calendar-function-dax>

[-] **b92fc92** 1 point 4 months ago

isn't it correct?

[-] **Anloindian123** 2 points 6 months ago

The answer is so half baked. There should be a MIN(MINX MINX), MAX (MAXX, MAXX)

Question 81

^

You have a Power BI semantic model named Model1 that contains two tables named DimDate and FactSales. There is an active relationship between DimDate and FactSales. DimDate is marked as the date table. FactSales contains the following data.

Date	Sales amount
May 9, 2024	10
May 9, 2023	15
May 1, 2023	20
May 29, 2023	25

Model1 contains the following measure.

Previous Year Sales = CALCULATE([Sales Amount], PREVIOUSYEAR('Date'[Date]))

You have a report that uses Model1. The report has a single report page that has a page level filter set to May 9, 2024. The result of the Previous Year Sales measure is displayed in a card visual.

Which value will appear in the card visual?

- A. 10
- B. 15
- C. 35
- D. 60

Hide Answer

[-] **gpsaran** 10 points 5 months ago

Selected Answer: D

should it not be 60 because Previousyear calculates for complete calendar year from last year? Even Power BI calculates like that in a matrix.

[-] **nlnlznlx** 2 points 5 months ago

Agree, I tested.

PREVIOUSYEAR returns Jan 1, 2023 – Dec 31, 2023

DATESYTD() returns sales from Jan 1, 2023 – May 9, 2023

[-] **c034d75** 6 points 6 months ago

Selected Answer: B

The correct option is B, because it relates to the previous year date which is May 9, 2023.

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: B

...the function shifts the date context to May 9, 2023. So unless your [Sales Amount] measure is doing something more complex, the value shown in the card will reflect the total sales from only that specific day: May 9, 2023. And in your case, that total is 15.

If you wanted to compare entire months or rolling periods, you'd need to adjust the time intelligence function — perhaps using SAMEPERIODLASTYEAR over a visual that's filtered to May 2024 as a whole.

Because the filter was set to a specific day then it will only get 15.

[-] **Mkymmp** 1 point 2 months ago

Selected Answer: B

In a single-date context, PREVIOUSYEAR ≈ SAMEPERIODLASTYEAR

But in broader contexts (e.g., month, year), they differ.

[-] **Trixy** 1 point 3 months ago

Selected Answer: D

It returns 60 as PREVIOUSYEAR() returns a table with all dates from the previous year.

[-] **LuisViotti** 1 point 3 months ago

Selected Answer: B

Answer is B 15, cheked with chatgpt. Here the explanation:

The correct answer is B. 15

The page filter is set to May 9, 2024, so the PREVIOUSYEAR('Date'[Date]) calculation will be applied to the same day in the previous year, i.e., May 9, 2023.

[-] **e63be54** 1 point 3 months ago

Selected Answer: D

D because PREVIOUSYEAR takes May, 1 2023 (20) + May 9, 2023 (15) + May 29, 2023 (25) to get 60

[-] **tytusss** 1 point 3 months ago

Selected Answer: D

checked with chatgpt

[-] **Data_Island** 2 points 4 months ago

Selected Answer: B

I believe the answer is still B.

Its true PREVIOUSYEAR calculates the complete calendar year from last year but since there is a page-level filter set to May 9, 2024, it will return the specific date one year earlier which is May 9, 2023 acting similarly to SAMEPERIODLASTYEAR. If there was no filter, then the answer would be 60.

[-] **b92fc92** 2 points 4 months ago

Selected Answer: D

I think is D, 15 is the result with SAMEPERIODLASTYEAR()

[-] **5bf040d** 3 points 5 months ago

Selected Answer: B

The PREVIOUSYEAR function does not sum all values up to May 9, 2023. Instead, it shifts the filter context to the entire previous year relative to the current filter context.

Since the filter context is restricted to May 9, 2024, the PREVIOUSYEAR function shifts the filter to May 9, 2023.

[-] **4b88f2d** 2 points 5 months ago

Selected Answer: C

I think is C too, because the key as Anloindian said: PREVIOUSYEAR pulls anything from 2023 to the date they give us.

[-] **Anloindian123** 3 points 5 months ago

Selected Answer: C

I agree with C. PREVIOUSYEAR pulls anything from 2023 up to May 9th 2023.

SAMEPERIODLASTYEAR is what results in option B

[-] **Jasmine121** 1 point 6 months ago

Selected Answer: C

I vote for C

Question 82



You have a Power BI query named Expenses that imports the following data.

Column name	Description	Sample value
TransactionID	Contains the transaction ID of each expense	12142
TransactionDate	Contains the date and time that each expense occurred	2024-09-05T11:09:51
PostDate	Contains the date and time that each transaction was posted to the ledger	2024-09-08T06:11:05
AccountID	Contains the unique ID of each expense account	213412
DepartmentID	Contains the unique ID of the department responsible for each expense	13

Users only use the date portion of the TransactionDate value when performing data analysis.

You need to minimize the model size without affecting the analysis.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Change the data type of the TransactionDate column to Date.
- B. Change the data type of the PostDate column to Date.
- C. Remove the PostDate column.
- D. Remove the TransactionID column.

Hide Answer

[-] **kay000001** 1 point about 2 months ago

Selected Answer: AC

Answer: A, C.

[-] **4b88f2d** 1 point 5 months ago

Selected Answer: AC

Is correct AC

[-] **SylUK** 3 points 6 months ago

Selected Answer: AC

The given answer is correct AC

Question 83



You have a Power BI semantic model that contains two tables named DimCustomer and FactOrderDetails.

The primary key of DimCustomer is CustomerID.

FactOrderDetails contains a column named CustomerID that can be used to relate to DimCustomer. Multiple rows in FactOrderDetails possibly have the same CustomerID value.

You need to create a relationship from FactOrderDetails to DimCustomer. The solution must optimize query performance.

What should you create?

- A. an active, single-direction, many-to-one relationship
- B. an inactive, single-direction, one-to-many relationship
- C. an active, single-direction, one-to-many relationship
- D. an active, bi-directional, many-to-one relationship

Hide Answer

[-] kay000001 1 point about 2 months ago

Selected Answer: A

A. an active, single-direction, many-to-one relationship

Question 84



You have a Power BI model that contains a table named Expenses. The table contains the following columns:

- Date
- Amount
- Category
- Expense ID
- Employee ID

Expenses are recorded by employees, and each expense has a unique expense ID.

You need to create a DAX measure that will calculate the total amount of expenses.

Which DAX expression should you use?

- A. Sum('Expenses'[Amount])
- B. Max('Expenses'[Amount])
- C. Sum('Expenses'[Expense ID])
- D. Count('Expenses'[Amount])

Hide Answer

[-] kay000001 1 point about 2 months ago

Selected Answer: A

A. Sum('Expenses'[Amount])

Question 85



HOTSPOT

-

You have a semantic model named Model1 that contains the following tables.

Name	Column
Sales	SalesAmount
Sales	ShippingDate
Sales	SaleDate
DateTime	Date

There is an active relationship between SaleDate and Date.

There is an inactive relationship between ShippingDate and Date.

You need to create a new measure that will display the total amount of sales and support slicing by ShippingDate.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Sales by ShippingDate =

CALCULATE
COMBIN
MATCHBY
RANK

CROSSFILTER
FILTER
PATH
USERELATIONSHIP

(SUM(Sales[SalesAmount]),
(Sales[ShippingDate], DateTime[Date]))

Hide Answer

Correct answer:

Answer Area

Sales by ShippingDate =

CALCULATE
COMBIN
MATCHBY
RANK

CROSSFILTER
FILTER
PATH
USERELATIONSHIP

(SUM(Sales[SalesAmount]),
(Sales[ShippingDate], DateTime[Date]))

[+] [Lulu_2022](#) 1 point about 1 month ago

the given answer is correct: Calculate, UserRelationship.

[+] [kay000001](#) 1 point about 2 months ago

Calculate, UserRelationship.

You have a query in Power Query Editor that contains the following data.

StudentID	Student	Classes
1	John Yang	Biology, Chemistry, English, Calculus
2	Ruben Torres	English, Art History, Geography
3	Chloe Young	Spanish, Marketing, Economics
4	Destiny Wilson	Statistics, Physics

You need to transform the data to appear as shown in the following table.

StudentID	Student	Classes
1	John Yang	Biology
1	John Yang	Chemistry
1	John Yang	English
1	John Yang	Calculus
2	Ruben Torres	English
2	Ruben Torres	Art History
2	Ruben Torres	Geography
3	Chloe Young	Spanish
3	Chloe Young	Marketing
3	Chloe Young	Economics
4	Destiny Wilson	Statistics
4	Destiny Wilson	Physics

What should you do?

- A. Split the Classes column into rows by using a delimiter.
- B. Unpivot the Classes column.
- C. Extract the text between delimiters in the Classes column.
- D. Convert the Classes column into a list.

Hide Answer

[-] Lulu_2022 3 points about 1 month ago

Selected Answer: A

If the Classes column contains multiple values in a single cell (e.g., "Math, Science, History"), and you want to analyze or visualize each class individually, then:

Splitting the column into rows using a delimiter (like a comma) will normalize the data.

This transformation creates one row per class, which is ideal for filtering, grouping, and aggregating in Power BI.

[-] kay000001 1 point about 2 months ago

Selected Answer: A

A. Split the Classes column into rows by using a delimiter.

Question 87



DRAG DROP -

You create a data model in Power BI.

Report developers and users provide feedback that the data model is too complex.

The model contains the following tables.

Table name	Column name	Data type
Sales_Region	region_id	Integer
	name	Varchar
Region_Manager	region_id	Integer
	manager_id	Integer
Sales_Manager	sales_manager_id	Integer
	name	Varchar
	region_id	Integer
Manager	manager_id	Integer
	name	Varchar

The model has the following relationships:

- ⇒ There is a one-to-one relationship between Sales_Region and Region_Manager.
- ⇒ There are more records in Manager than in Region_Manager, but every record in Region_Manager has a corresponding record in Manager.
- ⇒ There are more records in Sales_Manager than in Sales_Region, but every record in Sales_Region has a corresponding record in Sales_Manager.

You need to denormalize the model into a single table. Only managers who are associated to a sales region must be included in the reports.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Select and Place:

Actions

- Merge [Region_Manager] and [Manager] by using an inner join.
- Merge [Sales_Manager] and [Sales_Region] by using a left join.
- Merge [Sales_Region] and [Sales_Manager] by using an inner join.
- Merge [Sales_Region] and [Sales_Manager] by using an inner join as a new query named [Sales_Region_and_Manager].
- Merge [Sales_Region] and [Region_Manager] by using a right join as a new query named [Sales_Region_and_Region_Manager].
- Merge [Sales_Region] and [Region_Manager] by using an inner join.



Answer Area

Hide Answer

Correct answer:

Actions

- Merge [Region_Manager] and [Manager] by using an inner join.
- Merge [Sales_Manager] and [Sales_Region] by using a left join.
- Merge [Sales_Region] and [Sales_Manager] by using an inner join.
- Merge [Sales_Region] and [Sales_Manager] by using an inner join as a new query named [Sales_Region_and_Manager].
- Merge [Sales_Region] and [Region_Manager] by using a right join as a new query named [Sales_Region_and_Region_Manager].
- Merge [Sales_Region] and [Region_Manager] by using an inner join.



Answer Area

- Merge [Region_Manager] and [Manager] by using an inner join.
- Merge [Sales_Region] and [Sales_Manager] by using an inner join.
- Merge [Sales_Region] and [Region_Manager] by using an inner join.

[-] Nurgul 168 points almost 3 years ago

1. Merge [Region_Manager] and [Manager] by using an inner join.

- 3.Merge [Sales_Region] and [Sales_Manager] by using an inner join.
6.Merge [Sales_Region] and [Region_Manager] by using an inner join.

[-] **FinelogBiseum** 2 points over 1 year ago

Approved

[-] **Time2excel** 8 points about 2 years ago

you are an absolute genius!

[-] **GabryPL** 4 points over 2 years ago

Ok but what about 3,1,6. It will be the same

[-] **md_sultan** 1 point over 2 years ago

I just have a query if we have selected first 6 ,3,1 then am I going to get less points here?

[-] **TestPB** 8 points over 2 years ago

Question states "You need to denormalize the model into a single table."
sequence 1,3,6 would merge everything into a single table.... but 6,3,1 will have 2 tables..
so sequence 1,3,6 is correct

[-] **Nemesizz** 1 point over 2 years ago

Why two tables? I dont get it

[-] **md_sultan** 1 point over 2 years ago

TestBP,
can you plz elaborate , i am not able to understand how 2 table and 1 table will be created

[-] **Allen879385** 1 point over 2 years ago

me too

[-] **semauni** 3 points over 2 years ago

I think so, though the question states that more than one order is correct. 6 merges the two smaller tables, I think it is better to merge the larger tables first, because that means the last inner join will have less rows to fuse.

[-] **semauni** 2 points over 2 years ago

So I think 1-3-6 is an option, 3-1-6 as well, but starting with 6 is not.

[-] **Imrod** 1 point almost 2 years ago

As manager is the only table without region_id, I think that "1" has to be the first merge. Then, you can select 3 or 6. So I would say 1-3-6 or 1-6-3

[-] **Hoeishetmogelijk** 1 point over 2 years ago

I completely agree

[-] **Hoeishetmogelijk** 4 points over 2 years ago

I have second thoughts about the answer. I assumed that the requirement "Only managers who are associated to a sales region must be included in the reports." involved both Managers and Sales_Managers. But actually it is only mentioning the Managers. In that case the one-to-many relations between Sales_Manager and Sales_Region stays the same and the answer should be:

- 1.Merge [Region_Manager] and [Manager] by using an inner join.
- 2.Merge [Sales_Manager] and [Sales_Region] by using an left join.
- 6.Merge [Sales_Region] and [Region_Manager] by using an inner join.

[-] **Hoeishetmogelijk** 1 point over 2 years ago

I mean: left join between Sales_Manager and Sales_Region stays the same

[-] **letiwang** 1 point over 2 years ago

Is it because each Sales_Manager may not have a corresponding Sales_Region in the statement? Use inner join could avoid above situations.

[-] **master_yoda** 1 point over 2 years ago

"Only managers who are associated to a sales region must be included in the reports". Then box 3 (inner join) will keep only necessary records for the last join at box 6.

[-] **master_yoda** 7 points over 2 years ago

Can be 1,6,3 too, right?

[-] **gaikwpa** 6 points about 2 years ago

In the question, under Note it states the sequence or the order does not matter

[-] **sylesh** 20 points almost 3 years ago

I think the last query in the answer should be "Merge [sales_region] and [region_manager] using an inner join" . Outer join may exclude some records for which region_manager info might be absent.

[-] **NevilleV** 8 points almost 3 years ago

That did my head in and took at least 20 min to fathom out. In the end, I agree with this answer. I hope I can do it MUCH quicker in the exam.

[-] **lukelin08** 1 point over 2 years ago

What did you decide was the correct answer?

[-] **RickyAnd** 2 points almost 3 years ago

exactly, I agree

[-] **Lewiasskick** 4 points almost 3 years ago

The sales Region and Region manager has one to one relationship, therefore, it does not matter how to join it

[-] **Hoeishetmogelijk** 4 points over 2 years ago

Indeed it doesn't. Only an inner join shows more clearly the intention of the join.

[-] **Hoeishetmogelijk** 5 points over 2 years ago

It is the outer join that INCLUDES the records for which a foreign key is absent. It is the inner join that excludes records for which the foreign is absent.

But this is exactly what you want, because only managers with a related Sales_Region must be included.

So I agree with your answer but not with the reasoning ;-)

[-] **9945b17** 1 point about 1 month ago

1.Merge [Region_Manager] and [Manager] by using an inner join.
6.Merge [Sales_Region] and [Region_Manager] by using an inner join.
3.Merge [Sales_Region] and [Sales_Manager] by using an inner join.
should be the answer,
As is no relation between 1 -> 3,
We can merge the Region_manager from 1 and 6
Similarly, sales_region between 6 and 3

[-] **13a8051** 1 point about 2 months ago

The explanations make no sense since this should not be a series of disparate merges - all three must be connected! This makes sense to me, but it is not the answer:

1. Merge Sales_Region and Region_Manager using a one-to-one join
2. Merge the result with Manager using an inner join

3. Merge the result with Sales_Manager using an inner join

[-] **hsetin** 1 point 10 months ago

sales_region and Region_manager has 1:1 relationship, so right join as provided in the answer will yield the same result.

[-] **rcaliandro** 1 point 12 months ago

- 1 - Merge RegionManager and Manager by using an inner join
- 2 - Merge SalesRegion and SalesManager by using an inner join
- 3 - Merge SalesRegion and RegionManager by using a right join as a new query named SalesRegionAndRegionManager

[-] **agelee** 1 point about 1 year ago

1,3,6 OR 3,1,6 BUT with assumption that we can loose managers from Sales_Manager by inner join to Sales_Region. I wonder that maybe option "2" should be taken instead of "3". Doing an inner join from smaller table (Sales_Region) wouldn't result in assigning random Sales Manager...? In fact max(Sales_Manager)

[-] **Chellz** 2 points about 1 year ago

After the exam, I left feedback to Microsoft saying this question is ambiguous and lacks practicality.
"There are more records in Sales_Manager than in Sales_Region, but every record in Sales_Region has a corresponding record in Sales_Manager." It means some managers are associated with region_id, but the region_id doesn't lead to a region name. Then it's ambiguous for the question to ask all managers that are associated with a region. In my opinion, step 2 takes care of all. Why 3 steps then? The question lacks practicality.

[-] **JohnChung** 4 points over 1 year ago

I think both 1-3-6 and 3-1-6 are correct.
Be careful of the question "NOTE" - More than one order of answer choices is correct

[-] **meer9673** 10 points over 1 year ago

Why does it feel like a reading test?

[-] **Dsbuff** 1 point over 1 year ago

Either 1-3-6 or 3-1-6 is correct. Step 1 and 3 can be done separately. Step 6 is to merge the results of joins in Step 1 and 3 so Step 6 is the last step.

[-] **og44** 3 points over 1 year ago

Very confusing question.
2 out of 3 information is not used in the answers and comments. one-to-one relationship and the fact that some tables contain more records than others.
Also, the given answer and the answer shared here are not the same.

[-] **Kish07** 2 points almost 2 years ago

Either 1-3-6 or 3-1-6 or any other order is correct coz they clearly mentioned in the NOTE which is----- (NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select)

[-] **poli361** 3 points almost 2 years ago

I think the options here are wrong cause we need left join to avoid losing some records from manager and sales manager table .

[-] **Igetmyrole** 3 points almost 2 years ago

First Step: Merge [region_manager] and [manager] by using an inner join.
Second Step: Merge [Sales_Manager] and [Sales_Region] by using an inner join.
Third Step: Merge [Sales_Region] and [Sales_Manager] by using an inner join as a new query named [sales_region_and_manager]

[-] **SinaRamzi** 1 point almost 2 years ago

I can understand the answers but does this sequence matter?

[-] **bbshu0801** 1 point over 1 year ago

Yes, the sequence does matter since it was mentioned in question "Which three actions should you perform in sequence?"

[-] **JonDave** 6 points about 2 years ago

this ones tough. gave me a headache just thinking about it

[-] **Lavi29** 1 point about 2 years ago

its 1,6,2 keeping the sales manager the last selection in inner join to be able to keep in the report. That is first 1- merge RM and M tables, then 6- merge SR and RM tables, then 2- merge SM and SR tables (keeping the sales manager the last selection in inner join to be able to keep in the report.)

[-] **Jwad** 1 point about 2 years ago

I dont understnad why the order is 1, 3, 6. why cant i be the other orders like 6, 1, 3. please lmk bec i have exam in 2 days.

[-] **tke44** 2 points about 2 years ago

the most optimal way seems to be:

- 1.Merge [Region_Manager] and [Manager] by using an inner join.
- 3.Merge [Sales_Region] and [Sales_Manager] by using an inner join.
- 6.Merge [Sales_Region] and [Region_Manager] by using an inner join.

[-] **AnupaJaya** 1 point about 2 years ago

Can someone explain why we need to Merge the Sales Region and Region Manager tables

[-] **Shalaleh** 3 points over 2 years ago

My problem is with Inner join!!!! for 1 &3 it should not be left join?

[-] **Shalaleh** 1 point over 2 years ago

There are more records in [Maneger] than [Region_Manager]----> Therefore 1 cannot be correct!!!!!!

[-] **Jwad** 3 points about 2 years ago

yes but it all needs to be in one table

[-] **RazaTheLegend** 1 point over 2 years ago

- 1.Merge [Region_Manager] and [Manager] by using an inner join.
 - 3.Merge [Sales_Region] and [Sales_Manager] by using an inner join.
 - 6.Merge [Sales_Region] and [Region_Manager] by using an inner join.
- Only this order if you want one table

[-] **Pinha** 3 points over 2 years ago

1-3-6 and 3-1-6 are correct

[-] **SanaCanada** 1 point over 2 years ago

```
6...1...3SELECT *
FROM (Sales_Region JOIN Region_Manager ON Sales_Region.Region_Manager_ID = Region_Manager.Region_Manager_ID)
JOIN (Manager JOIN Sales_Manager ON Manager.Manager_ID = Sales_Manager.Manager_ID)
ON Sales_Manager.Sales_Region_ID = Sales_Region.Sales_Region_ID
```

[-] **Ily_Rodriguez** 1 point over 2 years ago

I Agree 1-3 or 3-1 to the first two is ok, but i am wonder if i could use 5 instead of 6, both are the same but in 5 we create a new query and the new query name could be more easy to understand to the developers.

[-] **Jew0598** 4 points over 2 years ago

It is 3-1-6.

3. Merge Sales Region and Sales Manager by inner join
1. Merge Region Manager and Manager by inner join
6. Merge Sales Region and Region Manager by inner join

[-] **aish** 2 points over 2 years ago

technically both the approaches will lead the same result.

we need managers associated with every sales region , so performing inner join in the last step is more appropriate but if you perform right join then records in region manager table having blank region id will be retained (based on the problem , such records might not exist) .So both solutions will have same results.

[-] **nightsinker** 1 point over 2 years ago

I agree with Nurgul

[-] **Orkhannnn** 4 points almost 3 years ago

- 3.Merge [Sales_Region] and [Sales_Manager] by using an inner join.
- 6.Merge [Sales_Region] and [Region_Manager] by using an inner join.
- 1.Merge [Region_Manager] and [Manager] by using an inner join.

[-] **Nourhan08** 1 point almost 3 years ago

the last one will be as new query or just inner join?

[-] **CHT1988** 1 point almost 3 years ago

I don't get why we need a new query as well

[-] **Hoeishetmogelijk** 1 point over 2 years ago

Because we don't need it :-)

right answer:

- 1.Merge [Region_Manager] and [Manager] by using an inner join.
- 3.Merge [Sales_Region] and [Sales_Manager] by using an inner join.
- 6.Merge [Sales_Region] and [Region_Manager] by using an inner join.

[-] **Hoeishetmogelijk** 3 points over 2 years ago

I have second thoughts about the answer. I assumed that the requirement "Only managers who are associated to a sales region must be included in the reports." involved both Managers and Sales_Managers. But actually it is only mentioning the Managers. In that case the one-to-many relationship between Sales_Manager and Sales_Region stays the same and the answer should be:

- 1.Merge [Region_Manager] and [Manager] by using an inner join.
- 2.Merge [Sales_Manager] and [Sales_Region] by using an left join.
- 6.Merge [Sales_Region] and [Region_Manager] by using an inner join.

[-] **fdsdgxcvbsfhshfg** 9 points almost 3 years ago

All three should be inner joins

[-] **Alexeyvykhodtsev** 4 points almost 3 years ago

My answer:

Merge Sales_Region and Region_Manager using an inner join.

Merge Region_Manager and Manager by using an inner join.

Merge Sales_Region and Sales_Manager by using an inner join.

[-] **fred92** 1 point almost 3 years ago

I think, steps 1 and 2 are in the wrong sequence here, because you have already merged Region_Manager with Sales_Region when you merge with Manager. So you will lose the Managers names.

[-] amcken 1 point over 2 years ago

The question states multiple orders are correct, so as long as you have the correct choices it's correct.

Question 88

You have a Microsoft Fabric eventhouse named Eventhouse1 that contains high-velocity and high-volume data from IoT devices.

Eventhouse1 can be queried to deliver data to reports in near-real-time (NRT).

You plan to use Power BI Desktop to create a report that will contain both historical and live data.

You need to connect to Eventhouse1. The solution must minimize development effort.

What should you do?

- A. Build a composite model.
- B. Use DirectQuery connectivity mode.
- C. Use Import connectivity mode.

Hide Answer

[-] 50e43b5 1 point about 1 month ago

Selected Answer: B

The simplest and fastest way to connect to Eventhouse1 and get NRT data in Power BI is:

B. Use DirectQuery connectivity mode

Even though A (composite model) is more robust for combining live + historical, B is the correct answer here, given the emphasis on minimizing development effort.

[-] 9331415 3 points about 2 months ago

Selected Answer: A

Combines Import mode (for historical data) and DirectQuery (for live data)

[-] a2c7cd3 3 points about 2 months ago

Selected Answer: A

A is correct.

Question 89

You have a Power BI semantic model that contains the following tables.

Name	Product ID	Product name
DimProduct	1	Product A
	2	Product B
	3	Product C

Name	Sale date	Amount	Product ID
FactSales	January 1, 2024	5.00	1
	January 2, 2024	10.00	2
	February 10, 2024	5.00	1
	March 3, 2024	15.00	3

You need to define a relationship from FactSales to DimProduct. The solution must ensure the fastest DAX query performance.

Which cardinality should you use?

- A. one-to-many
- B. one-to-one
- C. many-to-many
- D. many-to-one

Hide Answer

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: D

many-to_one since the relationship is from the fact table to the dimension table.

[-] **kay000001** 2 points about 2 months ago

Selected Answer: A

You're defining a relationship from FactSales to DimProduct. In a star schema:

FactSales is a fact table — it contains many transactional records.

DimProduct is a dimension table — it contains one row per unique product.

You're setting up a relationship from Fact → Dim, which is many → one in data terms.

But in Power BI, the relationship direction is defined from the dimension table to the fact table (i.e., one-to-many), even though you're technically connecting Fact to Dim.

[-] **a2c7cd3** 3 points about 2 months ago

Selected Answer: D

D is correct

Question 90

DRAG DROP

-

You have a Power BI semantic model that contains two tables named Dim Location and Fact Deliveries. The relationships between the tables are configured as shown in the following table.

From table	From column	To table	To column	Relationship
Dim Location	Location ID	Fact Deliveries	Origin Location ID	Active
Dim Location	Location ID	Fact Deliveries	Destination Location ID	Inactive

The model contains one measure that has the following formula.

Deliveries = COUNTROWS('Fact Deliveries')

You need to create a new measure that counts the number of deliveries based on the destination location.

How should you complete the DAX expression? To answer, drag the appropriate functions to the correct targets. Each function may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Functions	Answer Area
ALLSELECTED	Deliveries by Destination = ([Deliveries], Location'[Location ID], 'Fact Deliveries'[Destination Location ID])
CALCULATE	
USERELATIONSHIP	
CALCULATETABLE	
CROSSFILTER	
KEEPFILTERS	

Hide Answer

Correct answer:

Answer Area

Deliveries by Destination = ([Deliveries],
Location'[Location ID], 'Fact Deliveries'[Destination Location ID])

- [-] **Lulu_2022** 1 point about 1 month ago

✓ Explanation:

CALCULATE: Changes the filter context to evaluate [Deliveries] under a new relationship.

USERELATIONSHIP: Temporarily activates an inactive relationship between Location[Location ID] and 'Fact Deliveries'[Destination Location ID].

This is commonly used when you have multiple relationships between two tables (e.g., one for origin and one for destination), and you want to explicitly activate the one for destination in a specific measure.
- [-] **a2c7cd3** 4 points about 2 months ago

Use CALCULATE and USERELATIONSHIP. The measure [Deliveries] returns a single integer value, not a table, so CALCULATE is correct, not CALCULATETABLE.

Question 91 ^

HOTSPOT

-

You import a Microsoft Excel spreadsheet into Power Query Editor and name the query Sales_Spreadsheet.

Sales_Spreadsheet contains the following columns:

- Customer ID
- Customer Name

- Date
- Total Sales Amount

You plan to use the Sales Spreadsheet query to load two tables named Customer and Sales into the associated semantic model. The tables relate to each other on the Customer ID column of each query. The solution must meet the following requirements:

- The Customer query must contain the Customer ID and Customer Name columns.
- The Sales query must contain the Customer ID, Date, and Total Sales Amount columns.
- Power Query logic must be consolidated to avoid the duplication of logic across the queries and ensure that only one location is used to update the logic.

You need to identify how to create the Sales query, and what to do to the Sales_Spreadsheet query before loading the model?

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Sales:

Sales_Spreadsheet:

Hide Answer

Correct answer:

Answer Area

Sales:

Sales_Spreadsheet:

[-] **Lulu_2022** 2 points about 1 month ago

the given answer is not accurate:

"reference the Sales_Spreadsheet query" and disable the load to the model".

[-] **225401f** 4 points about 2 months ago

I think the correct answer is "reference the Sales_Spreadsheet query" and disable the load to the model".

[-] a2c7cd3 3 points about 2 months ago

Please review the third requirement: The Power Query logic must be consolidated to avoid the duplication of logik across the queries and ensure that only one location is used to update the logic.

I believe the correct actions are to reference the Sales_Spreadsheet query and disable its load to the model.

Question 92

HOTSPOT

-

You have a semantic model that has the relationships shown in the following exhibit.

Manage relationships

+ New relationship Autodetect Edit Delete Filter

☐ From: table (column)	Relationship	To: table (column) ↑	Status
☐ FactOrderDetails (CustomerID)	*—4—1	DimCustomer (CustomerID)	Active ...
☐ FactOrderDetails (OrderDate)	*—4—1	DimDate (Date)	Active ...
☐ FactOrderDetails (ShippedDate)	*—4—1	DimDate (Date)	Inactive ...
☐ FactOrderDetails (RequiredDate)	*—4—1	DimDate (Date)	Inactive ...
☐ FactOrderDetails (ProductID)	*—4—1	DimProducts (ProductID)	Active ...

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

DimDate is a [answer choice] dimension.

- degenerate
- role-playing
- snowflake

Filtering DimDate to a specific date will [answer choice].

- filter FactOrderDetails on OrderDate
- filter FactOrderDetails on RequiredDate
- filter FactOrderDetails on ShippedDate
- not filter FactOrderDetails

Hide Answer

Correct answer:

Answer Area

DimDate is a [answer choice] dimension.

degenerate

role-playing

snowflake

Filtering DimDate to a specific date will [answer choice].

filter FactOrderDetails on OrderDate

filter FactOrderDetails on RequiredDate

filter FactOrderDetails on ShippedDate

not filter FactOrderDetails

[-] **Lulu_2022** 1 point about 1 month ago

The given answer is correct. The relationship is active.

[-] **kay000001** 1 point about 2 months ago

second box should be: not filter factorderdetails, because: In models where DimDate is a role-playing dimension, Power BI can only have one active relationship at a time between DimDate and FactOrderDetails. So, unless you're filtering on the active relationship (e.g., OrderDate), filtering DimDate won't affect the fact table unless a measure uses USERELATIONSHIP to activate an inactive one.

Question 93

HOTSPOT

-

You use Power Query Editor to ingest data into Power BI Desktop.

The total dataset contains 250,000 rows. All the rows match the format of the data as shown in the following exhibit.

	Value	Datetime	Information
1	78000.00	2024-08-15 00:00:00.000	The sheep jumps over the fence
2	85000.00	2023-05-17 00:00:00.000	The cows fall into a pond
3	17000.00	2020-01-31 00:00:00.000	The birds eats seeds

You need to optimize the data model size of the table.

Which type of data should you use for the Value column and the Datetime column? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Value:

- Decimal number
- Fixed decimal number
- Percentage
- Whole number

Datetime:

- Date
- Date/time/timezone
- Datetime
- Time

Hide Answer

Correct answer:

Answer Area

Value:

- Decimal number
- Fixed decimal number
- Percentage
- Whole number

Datetime:

- Date
- Date/time/timezone
- Datetime
- Time

[-] kay000001 1 point about 2 months ago

Whole number and Date seem sensible.

Question 94

You have a Power BI semantic model that contains a table named Table1. Table1 runs in Import storage mode.

You need to update the model to change the storage mode of Table1 to DirectQuery.

What should you do?

- A. Delete Table1, and then add the table to the model again in DirectQuery storage mode.
- B. From Power Query Editor, duplicate the query for Table1.
- C. From Model view, change the storage mode of Table1 to DirectQuery.
- D. Add an aggregation table to the model.

Hide Answer

[-] Lulu_2022 2 points about 1 month ago

Selected Answer: A

No — not directly. Power BI does not allow changing a table's storage mode from Import to DirectQuery once it's been loaded into the model. This is a one-way limitation:

You can switch from DirectQuery → Import

But you cannot switch from Import → DirectQuery

This restriction exists because Import mode physically loads data into the model, while DirectQuery maintains a live connection — and Power BI doesn't support reversing that once the data is cached.

[-] **753f41e** 1 point about 1 month ago

Selected Answer: C

The training material provides information how to update storage model from model panel

[-] **Marcj** 3 points about 2 months ago

Selected Answer: A

A is the correct answer, because you can't change a table from Import mode to DirectQuery directly.

The other options do not apply in this context.

[-] **Jasm_74** 3 points about 2 months ago

Selected Answer: C

Confirmed with copilot & chatgpt

[-] **kay000001** 3 points about 2 months ago

Selected Answer: A

A. Delete Table1, and then add the table to the model again in DirectQuery storage mode.

Question 95



HOTSPOT

-

You have a Power BI semantic model that contains the following tables.

Name	Storage mode	Related table
Date	DirectQuery	Sales, Survey Response
Sales	DirectQuery	Date, Customer
Survey Response	Import	Date, Customer
Customer	DirectQuery	Sales, Survey Response
Geography	DirectQuery	Customer

All the tables use the same data source.

You need to reduce the number of limited relationships in the model by changing the storage mode of certain tables. The solution must NOT affect the latency of the data.

Which storage mode should you select for the Customer and Geography tables? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Customer:

Geography:

Hide Answer

Correct answer:

Answer Area

Customer:

Geography:

[-] **Lulu_2022** 1 point about 1 month ago

To reduce the number of limited relationships in your Power BI model without affecting data latency, you should set the Customer and Geography tables to:

✓ Dual storage mode

🧠 Why Dual?

Dual mode allows a table to behave as Import or DirectQuery, depending on the context of the query.

When used with DirectQuery fact tables, Dual-mode dimension tables (like Customer and Geography) help eliminate limited relationships by enabling Power BI to push joins to the source system.

This improves query performance and model flexibility without sacrificing real-time responsiveness.

[-] **50e43b5** 1 point about 1 month ago

I think it is Customer Dual, as it has to interact with Import and DQ tables, but for Geo, it just have to interact with customer, so if we leave it as DQ it should be fine as Customer is dual

Customer: Dual

Geography: DQ

[-] **Marcj** 2 points about 2 months ago

Customer : Dual

Geography: Dual

By setting Customer to Dual, it can participate fully in both Import (for Survey response) and DirectQuery (for Sales, Geography).

Similarly, Geography relates to Customer, so setting it to Dual allows seamless interaction in queries where Customer might behave as Import or DirectQuery.

[-] **kay000001** 2 points about 2 months ago

I'd say Dual, Dual.

HOTSPOT

-

You have a semantic model that contains a table named Sales. The table contains the following columns:

- Order ID
- Product ID
- Sales Date
- Sales Amount

You need to create a DAX measure that will return the total sales amount for the same dates from the previous year.

How should you complete the measure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

PrevYearTotalSalesAmount=

CALCULATE CALCULATETABLE SUMX	(SUM(Sales[Sales Amount]),	SAMEPERIODLASTYEAR PARALLELPERIOD PREVIOUSYEAR	(Sales[Sales Date]))
--	----------------------------	---	----------------------

Hide Answer

Correct answer:

Answer Area

PrevYearTotalSalesAmount=

CALCULATE CALCULATETABLE SUMX	(SUM(Sales[Sales Amount]),	SAMEPERIODLASTYEAR PARALLELPERIOD PREVIOUSYEAR	(Sales[Sales Date]))
--	----------------------------	---	----------------------

[-] **Lulu_2022** 1 point about 1 month ago

the givens answers are correct.

[-] **kay000001** 2 points about 2 months ago

Answers are correct.

Question 97

HOTSPOT

-

You have a Power BI semantic model that contains the following table named Employees.

EmployeeID	HireDate	TermDate
1	January 2, 2020	December 30, 2022
2	January 2, 2022	
3	January 29, 2024	
4	October 30, 2023	May 10, 2024

An employee is considered active if the TermDate column for that employee contains no value.

You need to create a DAX measure that will count the number of active employees.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Actives = (COUNTRROWS(Employees), ('Employees' [TermDate]))

ALLSELECTED
CALCULATE
CALCULATETABLE
FILTER

BLANK
COUNT
ISBLANK
ISEMPTY

Hide Answer

Correct answer:

Answer Area

Actives = (COUNTRROWS(Employees), ('Employees' [TermDate]))

CALCULATE
ISBLANK

[+] Lulu_2022 2 points about 1 month ago

COUNTRROWS(Employees) counts all rows in the Employees table.

CALCULATE(...) modifies the filter context to include only rows where TermDate is blank.

ISBLANK(Employees[TermDate]) acts as the filter condition — selecting only active employees.

This is a clean and efficient way to count active employees using COUNTRROWS as the core function, just as you wanted.

Question 98

You have a Microsoft Power BI report. The size of PBIX file is 550 MB. The report is accessed by using an App workspace in shared capacity of powerbi.com.

The report uses an imported dataset that contains one fact table. The fact table contains 12 million rows. The dataset is scheduled to refresh twice a day at 08:00 and 17:00.

The report is a single page that contains 15 AppSource visuals and 10 default visuals.

Users say that the report is slow to load the visuals when they access and interact with the report.

You need to recommend a solution to improve the performance of the report.

What should you recommend?

- A. Change any DAX measures to use iterator functions.
- B. Enable visual interactions.
- C. Replace the default visuals with AppSource visuals.
- D. Split the visuals onto multiple pages.

Hide Answer

[-] **simplex06** 43 points almost 3 years ago

Correct answer:

D. Split the visuals onto multiple pages.

[-] **lgetmyrole** 8 points almost 2 years ago

D is the correct answer. Because our report page contains a large number of visuals (both default and AppSource visuals) and users are experiencing slow load times, splitting the visuals onto multiple pages can help. This way, each page loads a subset of visuals, reducing the initial load time and improving the overall performance of the report. Users can navigate between pages to access different sets of visuals.

[-] **jaume** 2 points 9 months ago

Selected Answer: D

In case you are not sure about D, you could also simply dismiss the solutions A, B and C and this would confirm D solution
A- there are not details about what measures are set for the report so not clear improving DAX measures would improve visuals load

B- no indication visual interactions are disabled (by default they are not). In case they would be disabled, enabling them I think would even make worse the visual interaction as there would be more details for PBI to take care of

C- no details on what visuals are used in the report and what are the AppSource visuals either so again it's not clear how this could improve visual load (I would say default PBI visuals should have better performance than AppSource ones though)

D- splitting all visuals onto multiple pages would result in reduced number of visuals to be loaded/refreshed when users would be moving page to page, so this should improve visuals load

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: D

D - Split the visuals onto multiple pages

[-] **e3ddceb** 3 points about 1 year ago

Hi Team, can anybody response how many questions matches from examtopics to final PL300 exam?

[-] **Chaka_Mahlo** 1 point over 1 year ago

Selected Answer: D

CORRECT

[-] **AZFabio** 1 point over 1 year ago

Selected Answer: D

correct

[-] **RedRoss** 1 point over 1 year ago

Selected Answer: D

BINGO!

[-] **ET_phone_home_son** 1 point about 2 years ago

Selected Answer: D

Too many visuals on a single page. Split visuals across multiple pages.

[-] **IVO999** 2 points about 2 years ago

D. I had the same question on my exam

[-] **tke44** 1 point about 2 years ago

D is a easy way to avoid this issue.

[-] **mirzotti** 3 points about 2 years ago

Selected Answer: D

D is correct. Each visual is a individual query that is triggered once the report page is opened. Logically, the more visual there are on a single report page the slower the report will become. Splitting the report in multiple report pages would be the impropriate solution.

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: D

With slow loading always split the report page.

[-] **Nisa93** 1 point over 2 years ago

D is correct answer

[-] **RazaTheLegend** 1 point over 2 years ago

Selected Answer: D

D. Split the visuals onto multiple pages.

[-] **Abhi256** 1 point over 2 years ago

Selected Answer: D

D. Split the visuals onto multiple pages.

[-] **Raje1** 2 points over 2 years ago

Split the visuals onto multiple pages. (D)

[-] **Hoeishetmogelijk** 8 points over 2 years ago

Selected Answer: D

Correct answer: D. Split the visuals onto multiple pages.

I experienced this firsthand.

[-] **lukelin08** 2 points over 2 years ago

Selected Answer: D

D is correct

[-] **Ojumeaka** 3 points almost 3 years ago

D is correct

[-] **Nurgul** 3 points almost 3 years ago

Selected Answer: D

D. Split the visuals onto multiple pages.

[-] **RichardOgoma** 3 points almost 3 years ago

Selected Answer: D


Splitting the report into multiple pages is the only feasible option

[-] **RickyAnd** 3 points almost 3 years ago

Correct

Question 99

You have a Power BI semantic model that has the tables and relationships shown in the following exhibit.



Which type of dimension is represented by Dim Address?

- A. Type 2 slowly changing dimension (SCD)
- B. junk dimension
- C. role-playing dimension
- D. degenerate dimension

Hide Answer

[-] **Lulu_2022** 2 points about 1 month ago

Selected Answer: C

If Dim Address has both an active and an inactive relationship to Semestre Enrollment, then the most accurate classification is:

✓ C. Role-playing dimension

🧠 Why this fits:

A role-playing dimension is a single dimension table (like Dim Address) that connects to a fact table (like Semestre Enrollment) multiple times, each time playing a different role. For example:

One relationship might represent the home address

The other might represent the mailing address or campus address
Only one relationship can be active at a time, so the other remains inactive — and you can use DAX functions like USERELATIONSHIP to activate the alternate one in specific measures.

[-] **Amin_Mez** 1 point about 2 months ago

Selected Answer: C

<https://learn.microsoft.com/en-us/power-bi/guidance/star-schema>

[-] **kay000001** 4 points about 2 months ago

Selected Answer: A

A. Type 2 slowly changing dimension (SCD)

Question 100

HOTSPOT -

You are creating a Microsoft Power BI imported data model to perform basket analysis. The goal of the analysis is to identify which products are usually bought together in the same transaction across and within sales territories.

You import a fact table named Sales as shown in the exhibit. (Click the Exhibit tab.)

Results	Messages	SalesRowID	ProductKey	OrderDateKey	OrderDate	CustomerKey	SalesTerritoryKey	SalesOrderNumber	SalesOrderLineNumber	OrderQuantity	LineTotal	TaxAmt	Freight	LastModified	AuditID
1		1	310	20101229	2010-12-29 00:00:00.000	21768	6	SO43697	1	1	3578.27	286.2616	89.4568	2011-01-10 00:00:00.000	127
2		2	346	20101229	2010-12-29 00:00:00.000	28389	7	SO43698	1	1	3399.99	271.9992	84.9998	2011-01-10 00:00:00.000	127
3		3	346	20101229	2010-12-29 00:00:00.000	25853	1	SO43699	1	1	3399.99	271.9992	84.9998	2011-01-10 00:00:00.000	127
4		4	336	20101229	2010-12-29 00:00:00.000	14501	4	SO43700	1	1	699.0982	55.0279	17.4775	2011-01-10 00:00:00.000	127
5		5	346	20101229	2010-12-29 00:00:00.000	11003	9	SO43701	1	1	3399.99	271.9992	84.9998	2011-01-10 00:00:00.000	127
6		6	311	20101230	2010-12-30 00:00:00.000	27645	4	SO43702	1	1	3578.27	286.2616	89.4568	2011-01-11 00:00:00.000	127
7		7	310	20101230	2010-12-30 00:00:00.000	16624	9	SO43703	1	1	3578.27	286.2616	89.4568	2011-01-11 00:00:00.000	127

The related dimension tables are imported into the model.

Sales contains the data shown in the following table.

Column name	Data type	Description
SalesRowID	Integer	ID of the row from the source system, which represents a unique combination of SalesOrderNumber and SalesOrderLineNumber
ProductKey	Integer	Surrogate key that relates to the product dimension
OrderDateKey	Integer	Surrogate key that relates to the date dimension and is in the YYYYMMDD format
OrderDate	Datetime	Date and time an order was processed
CustomerKey	Integer	Surrogate key that relates to the customer dimension
SalesTerritoryKey	Integer	Surrogate key that relates to the sales territory dimension
SalesOrderNumber	Text	Unique identifier of an order
SalesOrderLineNumber	Integer	Unique identifier of a line within an order
OrderQuantity	Integer	Quantity of the product ordered
LineTotal	Decimal	Total sales amount of a line before tax
TaxAmt	Decimal	Amount of tax charged for the items on a specified line within an order
Freight	Decimal	Amount of freight charged for the items on a specified line within an order
LastModified	Datetime	The date and time that a row was last modified in the source system
AuditID	Integer	The ID of the data load process that last updated a row

You are evaluating how to optimize the model.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
The SalesRowID and AuditID columns can be removed from the model without impeding the analysis goals.	☐	☐
Both the OrderDateKey and OrderDate columns are necessary to perform the basket analysis.	☐	☐
The TaxAmt column must retain the current number of decimal places to perform the basket analysis.	☐	☐

Hide Answer

Correct answer:

Box 1: Yes -

Those two columns not need in the analysis.

Box 2: No -

Can remove the surrogate key OrderDateKey from the analysis.

Box 3: No -

Tax charged not relevant for the analysis.

Answer Area

Statements	Yes	No
The SalesRowID and AuditID columns can be removed from the model without impeding the analysis goals.	☒	☐
Both the OrderDateKey and OrderDate columns are necessary to perform the basket analysis.	☐	☒
The TaxAmt column must retain the current number of decimal places to perform the basket analysis.	☐	☒

[-] **simplex06** 117 points almost 3 years ago

Yes - No - No

[-] **Wadyba** 16 points over 2 years ago

NO- SalesRowID is the primary key for the Sales table, hence needed in the model

NO- the analysis is not time based

No- decimal place is irrelevant in the analysis

[-] **cnmc** 29 points over 2 years ago

you're thinking in "ops database" mode... In analytics it's not required for tables to have a primary key. Tables would break NF all the time due to performance needs.

Also if you read the column description, a sales row is an "unique combination" of Sales Order and Sales Order Details... So if you need to do analytics at those levels, you can go to those columns.

[-] **cs3122** 3 points over 1 year ago

Primary Key is not needed here

[-] **dopass 1 point** over 2 years ago

I agree with you.

[-] **momo1165 3 points** over 1 year ago

SalesRowID is not needed, the Fact table PK will not be needed to connect to other tables, you will need FKs though.
The correct answer is Yes, No, No

[-] **taod 2 points** almost 2 years ago

In the description, it's explicitly noted that "SalesOrderNumber" is the Unique identifier of an order.
Although I agree with you on a technical/puristic level, the given answers are correct.

[-] **olalekanadedoyin 1 point** 5 months ago

Final Answers:

SalesRowID and AuditID can be removed? → Yes

Both OrderDateKey and OrderDate needed? → No

TaxAmt must retain decimal precision? → No

[-] **jaume 3 points** 9 months ago

My vote here is YES-NO-NO

Since there are no details on the dimension tables, we don't know what are the fields in the fact table we should use to link fact-dimensions hence, although column in the fact table is a "key column", no assurance it's required in this model.

The analysis is about products bought in same transaction ("in the same order") and within sales territories, so we don't need any explicit detail about date/time (it's implicit in the "SalesOrderNumber" different code is different date/time) so no need for ORDERDATEKEY nor ORDERDATE columns

TaxAmt is also not needed for the analysis

[-] **seffy 1 point** 9 months ago

idk why some people say we don't need pK, this is from Oracle: The star schema arrangement depends entirely on primary key and foreign key relationships. A primary key is a column (or columns) in a dimension table whose values uniquely identify each row in the table. Primary keys enforce entity integrity by uniquely identifying entity instances.

[-] **23042b9 2 points** 10 months ago

YES YES NO

[-] **MichaelZheng 1 point** 10 months ago

This question is not about primary or foreign keys. it about the metrics for basket analysis:

Transactional Data: You need a dataset that captures individual transactions. This can include:

1.Transaction IDs

2.Product IDs or names

3.Quantity of each item purchased

4.Date and time of the transaction

So, ofc, first option: Yes, no need for these informations. second option: no,we need only the format of date+time Third option: no,tax make no sense for basket analysis

[-] **rcaliandro 2 points** 12 months ago

Yes, No, No

[-] **Endeetheanalyst 2 points** 12 months ago

The Option 2 says "Both the OrderDateKey and OrderDate...." If you pick yes it means that you need both of them. But you don't.. at most you need only the OrderDate. So it should be NO

[-] **agelee 4 points** about 1 year ago

YES, NO, NO

The second answer with assumption of understanding it in a way that we can remove either "OrderDateKey" or "OrderDate" but not both.

[-] **wassefria** 1 point about 1 year ago

NO - NO - NO

Retain Primary Keys in Dimension Tables: Do not remove primary keys from dimension tables. They are essential for establishing and maintaining relationships with the fact table, which is critical for the integrity and performance of your data model.

[-] **JohnChung** 3 points over 1 year ago

I agree with Yes - No- No

There is SaleOrderNumber that identifies the orders. Date should be the same under the same SalesOrderNumber, so Date can be removed

[-] **AbuAbdillah** 2 points over 1 year ago

Yes: Primary key for the fact table is not needed only foreign keys are needed to connect with other dimension tables

Yes: OrderDateKey column is needed to connect with the Date dimension table which may be used for analysis. The basket analysis requires date info

No: Not necessary

[-] **BarNouha** 1 point almost 2 years ago

Yes Yes No .. the date is important

[-] **Judec** 4 points almost 2 years ago

But I am thinking that the orderDate is necessary to know when an Item was bought so that one can know the Items that were bought at time and by the same customer. I think is Yes-Yes-No

[-] **rick1997** 5 points almost 2 years ago

I think we do not need dates. We are trying to see if they are within the same transaction (or order). The date is completely irrelevant, what we really would want to see is the orderID. There can be many different items bought on the same date that are part of different transactions, or orders.

[-] **rainy_255** 5 points almost 2 years ago

This was in the exam this week.

[-] **tke44** 3 points about 2 years ago

yes No No

[-] **RazaTheLegend** 1 point over 2 years ago

Yes - No - No

[-] **svg10gh** 1 point over 2 years ago

Correct

[-] **jsking** 3 points over 2 years ago

YES

NO

NO

is the correct answer

[-] **lukelin08** 4 points over 2 years ago

My choice is

YES

NO

NO

[-] **dorypl300** 6 points almost 3 years ago

YES
NO
NO

[-] **Dovoto** 5 points almost 3 years ago

Yes
NO
NO
Correct answers

[-] **Nurgul** 4 points almost 3 years ago

1.yes
2.no
3.no

[-] **RickyAnd** 4 points almost 3 years ago

correct

[-] **GPerez73** 4 points almost 3 years ago

Correct

Question 101



You have a Microsoft Power BI data model that contains three tables named Orders, Date, and City. There is a one-to-many relationship between Date and

Orders and between City and Orders.

The model contains two row-level security (RLS) roles named Role1 and Role2. Role1 contains the following filter.

City[State Province] = "Kentucky"

Role2 contains the following filter.

Date[Calendar Year] = 2020 -

If a user is a member of both Role1 and Role2, what data will they see in a report that uses the model?

- A. The user will see data for which the State Province value is Kentucky or where the Calendar Year is 2020.
- B. The user will receive an error and will not be able to see the data in the report.
- C. The user will only see data for which the State Province value is Kentucky.
- D. The user will only see data for which the State Province value is Kentucky and the Calendar Year is 2020.

Hide Answer

[-] **Muffinshow** 149 points almost 3 years ago

Selected Answer: A

Wrong , correct answer is A

[-] **md_sultan** 32 points over 2 years ago

I have tried and I was able to see for the year 2020 and area , so D should be correct

[-] **Sophieeeeeee** 5 points about 1 year ago

I also tried by creating two roles and assigned the constraints to each but the result is A. D works when I put both two constraints under the same role.

[-] **VladStan** 1 point 11 months ago

Confirmed - did all the tests and A is the correct answer here. The final result of the report is UNION of what each role can see.

[-] **MLak_Lou** 10 points almost 2 years ago

Same i made the test. D is correct !

[-] **NGenov** 25 points almost 3 years ago

User is limited to only Kentucky AND year 2020. He should not have rights to see other years or areas. Come on guys its simple OR/AND!

[-] **cnmc** 34 points over 2 years ago

Yes it's simple OR/AND, and you simply don't understand how RLS works. Read Microsoft's doc, and pay attention to this sentence: "Take care: Should a report user map to both roles, they'll see all Payroll table rows." <https://learn.microsoft.com/en-us/power-bi/guidance/rls-guidance>
That means different rules don't "merge" to become the most restrictive of the component rules. In the context of this question, IF I want to restrict this user to see ONLY Kentucky IN the year 2020, then I'd set up a RLS that has both of those conditions...

[-] **e31df62** 5 points about 1 year ago

cnmc : Thank YOU! YOU R RIGHT!

Straight away lifted from microsoft page: "When a report user is assigned to multiple roles, RLS filters become additive. It means report users can see table rows that represent the union of those filters. What's more, in some scenarios it's not possible to guarantee that a report user doesn't see rows in a table. So, unlike permissions applied to SQL Server database objects (and other permission models), the "once denied always denied" principle doesn't apply."

Link: <https://learn.microsoft.com/en-us/power-bi/guidance/rls-guidance>

Just do Ctrl+F and search on this page.

[-] **semauni** 2 points over 2 years ago

I tend to agree with what you're saying, but in that example it's a TRUE() going against a FALSE(). One role is explicitly going against the other role, in this case both roles could supplement each other. Again, I agree that this likely means that it's not only the intersection of the two conditions you'll see, but I'm not 100% sure based on that example.

[-] **itenginerd** 2 points almost 2 years ago

For example, if a user belongs to both the "Sales" and "Marketing" roles, they can see data for both these roles.

<https://learn.microsoft.com/en-us/power-bi/enterprise/service-admin-rls#faq>

[-] **NevilleV** 8 points almost 3 years ago

Which means D is the correct answer

[-] **Mizaan** 24 points almost 3 years ago

D is correct. Why? Because if they could see Kentucky OR 2020 data then they just have to select Kentucky and they would be able to see data from all years, which would defeat the purpose of RLS

[-] **cnmc** 8 points over 2 years ago

They would be able to select Kentucky and they would see the KENTUCKY data from all years. They would not be able to see, say New York data or California for years other than 2020

[-] **Churato** 46 points almost 3 years ago

"Multiple role mappings can result in unexpected outcomes.

When a report user is assigned to multiple roles, RLS filters become ADDITIVE. It means report users can see table rows that represent the UNION of those filters."

Source : <https://learn.microsoft.com/en-us/power-bi/guidance/rls-guidance>

[-] **edbf978** 6 points over 1 year ago

This does not seem logical at all and is not the expected result however I have tested in Power BI Desktop and can confirm this is correct. It creates an OR filter condition rather than an AND filter condition when more than one role is applied :(

[-] **itenginerd** 1 point almost 2 years ago

A as the answer is validated by the referenced article given in the answer. There's an FAQ, the last of which is "can a user have multiple roles?". The doc goes on to state that users in multiple roles get additive access.

[-] **Rasaqh** 10 points almost 2 years ago

A is correct :

<https://learn.microsoft.com/en-us/power-bi/enterprise/service-admin-rls>

Question: Can a user belong to more than one role?

Answer: A user can belong to multiple roles, and the roles are additive. For example, if a user belongs to both the "Sales" and "Marketing" roles, they can see data for both these roles.

[-] **__Sai_Mounika__** 2 points over 1 year ago

Then it should be D not A

[-] **Mandar77** 8 points almost 2 years ago

If I correctly interpret the statement " if a user belongs to both the "Sales" and "Marketing" roles, they can see data for both these roles." then Answer D is right one. Its "AND" condition not a "OR"

[-] **HarryDhingra** 2 points over 1 year ago

The roles become additive once user belongs to multiple roles. It means, the union of both the roles will be applied. The union is represented by OR; therefore, answer A is correct.

[-] **__Sai_Mounika__** 1 point over 1 year ago

How come OR is union?

[-] **ThariCD** 54 points almost 3 years ago

Selected Answer: A

Answer should be A, from the Microsoft documentation (<https://docs.microsoft.com/en-us/power-bi/guidance/rls-guidance>): "When a report user is assigned to multiple roles, RLS filters become additive. It means report users can see table rows that represent the union of those filters."

This means that you would see all data where either Role1 OR Role2 applies, so the answer is A not D.

[-] **rashjan** 1 point almost 3 years ago

Thank you, that is the right description.

[-] **olajor** 8 points almost 3 years ago

Union is everything in both, i.e Role1 and Role2

[-] **nucleus21** 26 points almost 3 years ago

it's A i just recreated the scenario and it shows all the lines for the Role 1 and adds all the lines for the Role 2. so keeps all the lines that meet Role 1 OR Role 2

[-] **Dumi44** 12 points almost 3 years ago

That means exactly the opposite "can see table rows that represent the union of those filters."

Tables that represent the union of the filters, not the union of the rows displayed by each filter

[-] **taod** 1 point almost 2 years ago

I'd say that you are talking about the intersection

[-] **3d3260e** 1 point 25 days ago

Selected Answer: D

Power BI uses AND, not OR between RLS roles.

[-] **Chi3fmhlongo** 1 point 6 months ago

Selected Answer: D

RLS applies an AND condition when multiple roles are assigned, the user will see only the data that meets both conditions.

[-] **ee0625a** 1 point 6 months ago

Selected Answer: D

That means the user will only see data that meets both conditions

[-] **RRconnect** 1 point 7 months ago

Selected Answer: D

When a user is a member of multiple RLS roles in Power BI, both roles are applied using an AND logic by default. This means the user will see data that satisfies all filters defined by the roles they belong to.

[-] **SUNNYDEPS** 1 point 7 months ago

Selected Answer: D

The correct content is d as RLS is interpreting as AND operator where both the condition should meet.

[-] **namuuu** 1 point 7 months ago

Selected Answer: D

In Microsoft Power BI, when a user is a member of multiple row-level security (RLS) roles, the intersection of the filters from all the roles is applied. This means the filters are combined using a logical AND condition.

Role1 Filter: City[State Province] = "Kentucky"

This restricts the data to rows where the State Province value is "Kentucky."

Role2 Filter: Date[Calendar Year] = 2020

This restricts the data to rows where the Calendar Year is 2020.

[-] **njnaro** 1 point 7 months ago

Selected Answer: D

row-level security (RLS) filters are combined using an AND condition when a user belongs to multiple roles. This means that all the filters from all roles must be satisfied for the data to be visible to the user.

[-] **Odidepse** 1 point 7 months ago

Selected Answer: D

You have role1 with applied filters to state of Kentucky and role 2 2020 so uysers will only see Kentucky and year 2020, correct answer is D, dont ignore the filters , I tested it to be sure.

[-] **PL300ARIF** 2 points 7 months ago

Selected Answer: A

A is correct, if there ware only one Rules like City[State Province]= "Kentucky" and Date[Calendar Year]=2020 then option D is correct, since two separate rules are present here so A is correct.

[-] **PL300ARIF** 1 point 7 months ago

Selected Answer: D

In Power BI, when a user is a member of multiple Row-Level Security (RLS) roles, the roles are combined using an AND logic. This means that the filters from both roles are applied simultaneously, restricting the data the user can view to rows that satisfy all the filter conditions.

[-] **assettemergaliyev** 3 points 8 months ago

Selected Answer: A
<https://www.youtube.com/watch?v=0OPcZeLHbfY>

[-] **desibaby09** 1 point 8 months ago

Selected Answer: D
"If a user is a member of both Role1 and Role2" IT USES THE WORD AND WHICH WILL ALLOW THEM TO SEE BOTH!

[-] **olops2002** 1 point 8 months ago

Selected Answer: D
D. The user will only see data for which the State Province value is Kentucky and the Calendar Year is 2020.
Explanation
In Power BI, when a user is assigned to multiple Row-Level Security (RLS) roles, the filters from those roles are combined with an AND condition. This means that all filters must apply simultaneously.
Role1 Filter: City[State Province] = "Kentucky"
This restricts the data to only rows where the State Province is "Kentucky."
Role2 Filter: Date[Calendar Year] = 2020
This restricts the data to only rows where the Calendar Year is 2020.
Since the user is a member of both roles, both conditions will apply together. Therefore, the user will see only data that meets both of these criteria:
The State Province is Kentucky.
The Calendar Year is 2020.
Hence, Option D is the correct answer

[-] **Rio98** 2 points 8 months ago

Selected Answer: D
combined with an AND relationship

[-] **desibaby09** 1 point 8 months ago

Selected Answer: D
Chat GPT confirmed as well

[-] **cleeremind** 1 point 7 months ago

ChatGPT reported correct answer as D for me as well, complete with all its usual seemingly authoritative well-founded reasoning, but I immediately followed up with this prompt: "are you sure about this, there is some debate online about whether the RLS filters intersect to create an OR condition instead of an AND?". At which point it immediately performed a complete 180 and proclaimed A to be correct, complete with a lot of authoritative well founded reasoning :) Caveat emptor. Answer is A.

[-] **jaume** 1 point 9 months ago

Selected Answer: D
From Role 1, user is restricted to data where City[State Province] = "Kentucky"
From Role 2, user is restricted to data where Date[CalendarYear] = "2020"
It cannot happen user can reach some data in the report out of "Kentucky" State because it's dated "2020" and also cannot see any data for Kentucky from other year than "2020" so I vote here for answer D

[-] **VladAbz** 1 point 10 months ago

If you have selected A: What if a record belongs to Kentucky but other province records are present in 2020. Creates ambiguity right? I think D should be correct.

[-] **ae8a90c** 1 point 10 months ago

Selected Answer: A
Option A

[-] **ae8a90c** 1 point 10 months ago

Selected Answer: D
option D is correct based on the this link

[-] **ae8a90c** 1 point 10 months ago

sorry I meant A so sorry

[-] **Arth_1111** 1 point 11 months ago

Selected Answer: D

its simple, Rule1 and Rule2 applied meaning, Rule1 AND Rule2.

D is the correct answer

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: D

Of course D- The user will only see data for which the State Province value is Kentucky AND the Calendar Year is 2020

[-] **rcaliandro** 1 point 12 months ago

Sorry, I made a mistake! I tested it and it is A because I created two roles; I am member of both of them and it shows data from Role1 OR Role2.

[-] **Endeetheanalyst** 2 points 12 months ago

D is correct.

Additive means AND.

[-] **21studybuddy_** 1 point 12 months ago

I think in a nutshell, at any point in time user can view the report as SINGLE role.

Hence if the user viewing as ROLE1 then City rule would apply, otherwise if the user viewing as ROLE2 year rule would apply. hence the answer is A (which mean the user has option to view as both roles independently).

[-] **NaudeDucon** 2 points about 1 year ago

Selected Answer: A

The right answer is A. the user will see RLS 1 or RLS 2.

It's a little confusing for some people as they might understand the statement as: RLS 1 AND (not RLS 2) and vice versa. However, "OR" here is like logical operators. They can see, only rows belong to RLS1, only rows belong to RLS 2 and their intersect (both RLS1 & RLS2). In other word, in this case, users can see all [State Province] in 2020, as well as Kentucky through out all [Calendar Year].

[-] **Kiran37** 1 point about 1 year ago

correct answer

[-] **agelee** 1 point about 1 year ago

<https://learn.microsoft.com/en-us/power-bi/guidance/rls-guidance>

[-] **Flix** 1 point about 1 year ago

With RLS it's always the combination. Meaning: the user sees the full set for 2020 and the full set for Kentucky. If you want the user to only see the year 2020 for Kentucky, than combine this in the same role.

[-] **Sophieeeeeee** 2 points about 1 year ago

Selected Answer: A

I tried on Power BI. If you create TWO roles, like Role 1 and Role 2, and assign the province and year to EACH OF THEM SEPERATELY, then the answer will be A -- which is the answer for this question. However, if you only create ONE role and put BOTH province and year UNDER THIS ROLE, the answer will be D.

[-] **souhailftw** 2 points about 1 year ago

A he will see both

[-] **Tinashe16** 1 point about 1 year ago

I think the confusion on this question is on semantics, a lot people who are saying answer is not D are programmers who want to see brackets enclosing (Kentucky and Year 2020)

[-] **e3ddceb** 1 point about 1 year ago

The correct answer is D.

The user will only see data for which the State Province value is Kentucky and the Calendar Year is 2020.

In Power BI, if a user is a member of multiple roles, the filters from all roles are applied. This means that the user will only see data that meets all the conditions from all roles.

In this case, the user must see data where the State Province is Kentucky (from Role1) and the Calendar Year is 2020 (from Role2).

[-] **Onizuka911** 1 point over 1 year ago

Selected Answer: A

When a report user is assigned to multiple roles, RLS filters become additive. It means report users can see table rows that represent the union of those filters.

[-] **Deva_1** 1 point over 1 year ago

Selected Answer: D

D. The user will only see data for which the State Province value is Kentucky and the Calendar Year is 2020.

Because user is member of both Roles and hence member access the data only when they satisfies both the condition.

[-] **shahrzadkhh** 1 point over 1 year ago

I tested in in power BI and I am pretty sure that 'A' is the correct answer.

[-] **sm222** 3 points over 1 year ago

Selected Answer: A

The answer is A. The terminology is what confuses people. So, according to Microsoft learn . A Union is shown when multiple roles are selected or when a user is a member of both roles.

This mean the user will be able to see all rows of Role1 and all rows of role2.

However, the terminology will use OR because it means the user will see either of the data from role1 and role2 . If we consider D, it says that user will see data from role1 and role2 which is an intersection or like an inner join which is wrong

[-] **0e18c76** 1 point over 1 year ago

Wrong, correct answer should be A.

Based on description D can not be correct. In the described context (two roles) you would see data from other cities besides Kentucky and you would see data from other years besides 2020.

To get the results from the intersection between Kentucky and year 2020, you should create one specific role and define on this same role, a filter for the city and another filter for the year. This means, that the rule of AND and OR only applies if both filters, for city Kentucky and year 2020, are defined on the same role. Please check the following youtube video:

[-] **Mani1994** 1 point over 1 year ago

Correct answer is A

[-] **ab97776** 1 point over 1 year ago

Selected Answer: A

With multiple roles does RLS become more restrictive or permissive? Permissive according to <https://learn.microsoft.com/en-us/power-bi/guidance/rls-guidance>.

The user with 2 roles can see data unrelated to Kentucky, but when they do look at data outside of Kentucky the year filter is applied. When they look at Kentucky data no year filter is applied.

choice D suggests they can see a very limited set of data. A set of data that is more restrictive and only allows them to see Kentucky data from the year 2020

Choice A might be more clear if it said something like, The user will see data for all State Provinces where the Calendar Year is 2020, with Kentucky related data being unaffected by Calendar Year filter that's too wordy though.

[-] **sarraEB** 3 points over 1 year ago

Selected Answer: A

"When a report user is assigned to multiple roles, RLS filters become additive. It means report users can see table rows that represent the union of those filters." UNION takes all the lines of filter 1 and all lines of filter 2 => Answer is A

[-] **Chaka_Mahlo** 1 point over 1 year ago

Selected Answer: A

<https://learn.microsoft.com/en-us/power-bi/guidance/rls-guidance>

[-] **ggsss** 2 points over 1 year ago

Selected Answer: A

In the context of Power BI RLS, filters from different tables are combined using OR logic. Therefore, the correct interpretation is that the user will see data where either the State Province is "Kentucky" OR the Calendar Year is "2020".

So, option A, "The user will see data for which the State Province value is Kentucky or where the Calendar Year is 2020," is indeed the correct answer.

[-] **JudT** 1 point over 1 year ago

Yes. Instead we have to create a new role that will be filtered in both criteria. Thanks for your contribution. A is correct...

[-] **otapi** 2 points over 1 year ago

Selected Answer: B

Correct solution is the B. There is a syntax error in the second filter:

Date[Calendar Year] = 2020 -

The '-' is incorrect, it should be [Calendar Year] >= 2020 instead.

... and the error shows when both Role1 and Role2 is applied in the View as

[-] **Abdellatif_Nagy** 2 points over 1 year ago

If a user belongs to more than one role, they will see the data from all the roles that they are assigned to. Power BI will apply the union of the filters from all the roles to the user's data view3. For example, if a user is assigned to two roles, one that filters the data by country and another that filters the data by product, the user will see the data for all the countries and all the products that are allowed by the roles.

[-] **28485e1** 1 point over 1 year ago

Sneaky and/or question. I selected A because I didn't even read the "or."

[-] **Dani_eL** 1 point over 1 year ago

Selected Answer: D

the answer is in the question:

"If a user is a member of both Role1 AND Role2,"

interpret as apply RLS of role1 AND role2;

make sense right ?

[-] **sraakesh95** 1 point over 1 year ago

Selected Answer: D

The correct answer is D. The user will only see data for which the State Province value is Kentucky and the Calendar Year is 2020.

Explanation:

In Power BI, when a user is a member of multiple RLS roles, the filters from all roles are applied concurrently.

[-] **__Sai_Mounika__** 2 points over 1 year ago

Am I only the one who thought it would throw an error because of the syntax? 2020 is supposed to be in double quotation marks?

[-] **otapi** 1 point over 1 year ago

You are right, it throws an error. Correct solution is the B. There is a syntax error in the second filter:

Date[Calendar Year] = 2020 -

The '-' is incorrect, it should be [Calendar Year] >= 2020 instead.

... and the error shows when both Role1 and Role2 is applied in the View as

[-] **SuniltheMentor** 2 points over 1 year ago

After checking, I found that if you give a user two different roles in Power BI, the permissions they get from both roles add up (additive). So, if you were wondering whether this would happen, yes, it does—Option A is the right answer.

[-] **JohnChung** 5 points over 1 year ago

Selected Answer: A

The given answer is wrong. It is ridiculous to say the more roles I got, the less data I can access

[-] **momo1165** 1 point over 1 year ago

if we use the same logic in SQL, the where clause will have Kentucky or 2020, so A makes more sense

[-] **Aldeus** 2 points over 1 year ago

Bing chat:

The correct answer is D. The user will only see data for which the State Province value is Kentucky and the Calendar Year is 2020123.

In Power BI, when a user is assigned to multiple roles, the Row-Level Security (RLS) filters become additive. This means that the user can see table rows that represent the union of those filters². However, it's important to note that the filters are applied in an "AND" fashion, not "OR". So, if a user is a member of both Role1 and Role2, they will see the data where both conditions are met, i.e., where the State Province is Kentucky and the Calendar Year is 2020123.

Remember, the implementation of RLS depends on your specific data model and security requirements. It's always a good idea to test your RLS settings with different user roles to ensure that the data security is as expected². Let me know if you have any other questions!

[-] **MayurV19** 1 point over 1 year ago

Might be confusing, but just know that the correct answer is A.

Official Microsoft Documentation -

<https://learn.microsoft.com/en-us/power-bi/enterprise/service-admin-rls>

Question: Can a user belong to more than one role?

Answer: A user can belong to multiple roles, and the roles are additive. For example, if a user belongs to both the "Sales" and "Marketing" roles, they can see data for both these roles.

[-] **bdub1976** 2 points over 1 year ago

Selected Answer: A

Answer is A, why this website keep getting it wrong?

[-] **cokimon** 1 point over 1 year ago

There is no mention of the relationship between Date and City. Therefore, role 1 applies to orders & city (kentucky), and role 2 applies to orders & date (2020). It will return any orders from kentucky and any orders in year 2020. (OR)

[-] **NaderS** 3 points almost 2 years ago

"D" is correct not "A"

<https://learn.microsoft.com/en-us/power-bi/guidance/rls-guidance>

"When a report user is assigned to multiple roles, RLS filters become additive. It means report users can see table rows that represent the union of those filters. "

[-] **cem_bxl** 4 points almost 2 years ago

I am new to this website, I was wondering why there are so many wrong answers on this exam? Mostly the correct answer is hidden in the discussion part.

[-] **TYLERPBI** 3 points almost 2 years ago

Selected Answer: A

A

[-] **AscentA** 2 points almost 2 years ago

The correct answer is B - will receive an error message... Pay attention to the hifen after 2020 ... That makes all the difference! (I tested it)

[-] **SwapnJ** 1 point almost 2 years ago

Option D as per my understanding

[-] **lbritics** 4 points almost 2 years ago

Selected Answer: A

I have tried it personally.

I have created two roles on contoso table

role1 filter on region = Asia

role2 filter year = 2013

If I choose bose roles. I get the data for Asia and another countries for 2013. And for other years I see only Asia.

So it's not AND it's OR.

[-] **lgetmyrole** 5 points almost 2 years ago

A is the correct answer.

In power BI, when a user is a member of multiple roles with different filters, the filters combine in an additive way. Specifically:

- * For filters on different tables, they work together using an OR logic

- * For filters on the same table, they work together using an AND logic.

In this case, the user is a member of Role1 and Role2. Let's evaluate the filters:

Role1: City[State Province] = "Kentucky"

Role2: Date[Caendar Year] = 2020

Since these filters apply to different tables (City and Date), they work together using OR logic. Therefore, the user will see data where either of these conditions is met.

City[State Province] = "Kentucky" OR

Date[Caendar Year] = 2020

[-] **jeme** 1 point almost 2 years ago

correct b . match of two roles , which means comb of the two role's data

[-] **jeme** 1 point almost 2 years ago

sorry . D

[-] **sher72** 1 point almost 2 years ago

Correct Answer is D.

See snippet below from <https://learn.microsoft.com/en-us/power-bi/enterprise/service-admin-rls>

Question: Can a user belong to more than one role?

Answer: A user can belong to multiple roles, and the roles are additive. For example, if a user belongs to both the "Sales" and "Marketing" roles, they can see data for both these roles.

[-] **rgabage** 1 point almost 2 years ago

Selected Answer: A

Confir the right answer is A. I read it on <https://learn.microsoft.com/en-us/power-bi/guidance/rls-guidance> and tried on real report.

[-] **ktk8** 2 points almost 2 years ago

Selected Answer: A

Roles are additive. To see cross-referenced Kentucky AND 2020 you'd need to add both filters to one role.

[-] **sergeyitaly** 1 point about 2 years ago

Two Filters can be applied just with OR not AND logic. Otherwise, only both Filters together will filter Roles. So, the correct answer is A

[-] **sergeyitaly** 1 point about 2 years ago

Since the user is a member of both Role1 and Role2, the row-level security filters from both roles will be applied cumulatively. Therefore, the user will see data that satisfies both conditions: where the State Province value is Kentucky and the Calendar Year is 2020.

[-] **Acrrious** 1 point about 2 years ago

Selected Answer: A

A: Answer is definitely as many stated this is the same as an OR not an AND

[-] **Pandi_18** 1 point about 2 years ago

Answer is Option:A

Reson: When a report user is assigned to multiple roles, RLS filters become additive. It means report users can see entire data where year is 2020 and country is Kentucky it like union not like intersection method.

[-] **ET_phone_home_son** 1 point about 2 years ago

Selected Answer: D

If the user is assigned to both roles, the net effect is the INTERSECTION of the two filtered data sets. Role 1 filters the data to only Kentucky rows; Role 2 filters the data to only 2020 rows. So a user assigned to both roles will see only the intersection of the data sets - Kentucky rows for year 2020.

[-] **MoxieTT** 3 points about 2 years ago

That logic is not correct. What you're describing would be represented like this:

City[State Province] = "Kentucky" && Date[Calendar Year] = 2020

As discussed above, by creating two separate roles, you are invoking OR logic.

[-] **ET_phone_home_son** 1 point about 2 years ago

I re-read the question and I realize that I was thinking of what happens if both filter expressions are used within a single role definition - this results in the intersection of the proscribed data sets. However, when two separate roles are defined as in this question, and the user is assigned to both roles, the net effect is additive, as the MS documentation says, and effectively the user can see all data. Role1 will give a data set of only Kentucky info but everything else; Role2 will give a data set of only 2020 year data, but everything else. The effect of being assigned to both roles is that the user gets <everything else> from each role definition and that is effectively the entire data set.

[-] **RenzoNorero** 2 points about 2 years ago

Correct answer is A, no needs further explanation, but I can confirm it because this question is in the official microsoft practice questions, and the correct answer they give is A.

[-] **Maniula** 7 points about 2 years ago

Please stop with "no needs further explanation", all answers need discussion, not just you being sure about your choice of answer.

[-] **ysk95** 1 point about 2 years ago

The example in this link (<https://learn.microsoft.com/en-us/power-bi/guidance/rls-guidance>) , where multiple roles assignment is explained clearly explains that the answer will be A

[-] **bhappyga** 1 point about 2 years ago

Tested and its OR condition which means Answer is A

[-] **tke44** 2 points about 2 years ago

answer D.if a user is a member of both Role1 and Role2, they will only see data for which the State Province value is Kentucky and the Calendar Year is 2020.

This is because row-level security filters are cumulative for users who are members of multiple roles. In this case, Role1 filters the data to only show records where the State Province value is Kentucky, and Role2 filters the data to only show records where the Calendar Year is 2020.

[-] **cokimon** 5 points about 2 years ago

Answer is A as demonstrated here https://www.youtube.com/watch?v=M5K_jKPxdqI

[-] **UlyUkr** 1 point about 2 years ago

Correct answer is A. When a report user is assigned to multiple roles, RLS filters become additive. It means report users can see table rows that represent the union of those filters.<https://learn.microsoft.com/en-us/power-bi/guidance/rls-guidance>

[-] **Joezh** 1 point about 2 years ago

More roles mean more privileges. Those privileges should be a union so D is correct.

[-] **ahhida** 1 point about 2 years ago

A is correct user can see all kentucky sales plus all 2020 sales which means role1 or role2

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: A

It is combination of two roles.

[-] **lizbette** 1 point over 2 years ago

Selected Answer: A

A. The user will see data for which the State Province value is Kentucky or where the Calendar Year is 2020. Most Voted

[-] **SanaCanada** 5 points over 2 years ago

Selected Answer: D

I can confirm that the provided answer is correct. When a user is a member of multiple roles that have row-level security (RLS) filters, the filters of all roles are combined, and only the data that satisfies all the conditions is visible to the user. In this scenario, the user is a member of both Role1 and Role2, and Role1 restricts data access based on the State Province, while Role2 restricts data access based on the Calendar Year. Therefore, the user will only see data for which the State Province value is Kentucky and the Calendar Year is 2020.

It is important to note that RLS is a powerful feature of Power BI that allows for fine-grained control over data access based on user roles. It is commonly used to restrict data access based on factors such as location, department, or any other criteria that is relevant to the business. As a Power BI expert, I recommend that users take advantage of this feature to ensure that only authorized individuals can access sensitive data.

[-] **pl300machine** 2 points over 2 years ago

Correct answer is A

<https://learn.microsoft.com/en-us/power-bi/guidance/rls-guidance>

"When a report user is assigned to multiple roles, RLS filters become additive. It means report users can see table rows that represent the union of those filters."

[-] **Newb007** 1 point over 2 years ago

Its D!

<https://learn.microsoft.com/en-us/power-bi/guidance/rls-guidance>

"When a report user is assigned to multiple roles, RLS filters become additive. It means report users can see table rows that represent the union of those filters. What's more, in some scenarios it's not possible to guarantee that a report user doesn't see rows in a table. So, unlike permissions applied to SQL Server database objects (and other permission models), the "once denied always denied" principle doesn't apply."

What else is there to explain...

[-] **Newb007** 2 points over 2 years ago

LMAO woops! I MEAN A!!!! Its A also to whoever is using Chat GPT just asking it "are you sure" it will just flip flop between A and D lol. It's A if you read the link provided and scenario

[-] **Burabari** 2 points over 2 years ago

Stop relying on Chat GPT and look it up yourself to avoid the flipity-flop!

[-] **RazaTheLegend** 1 point over 2 years ago

Selected Answer: A

Wrong , correct answer is A

"Multiple role mappings can result in unexpected outcomes.

When a report user is assigned to multiple roles, RLS filters become ADDITIVE. It means report users can see table rows that represent the UNION of those filters."

Source : <https://learn.microsoft.com/en-us/power-bi/guidance/rls-guidance>

[-] **ilk777** 1 point over 2 years ago

A

The result of each RLS role is what a user CAN see. The name "filter" while defining the RLS creates some confusion, but you should think of it similar to any other role based security system, e.g. Windows file security. What happens if you give a user two roles, each of them with access to certain folders in windows? Right, they will see all data that each of the roles are allowed to see.

[-] **SanaCanada** 1 point over 2 years ago

Selected Answer: D

Correct Answer D

The correct answer is D. The user will only see data for which the State Province value is Kentucky and the Calendar Year is 2020.

When a user is a member of multiple roles with conflicting filters, the filters are combined using a logical AND. In this case, the user is a member of both Role1 and Role2, so the filters are combined as follows:

City[State Province] = "Kentucky" AND Date[Calendar Year] = 2020

This means that the user will only be able to see data where both of these conditions are true. Therefore, they will only see data for which the State Province value is Kentucky and the Calendar Year is 2020.

no confusion, and no need to discuss further

[-] **SanaCanada** 2 points over 2 years ago

Correct Answer

When a user is a member of multiple roles with conflicting filters, the filters are combined using a logical AND. In this case, the user is a member of both Role1 and Role2, so the filters are combined as follows:

City[State Province] = "Kentucky" AND Date[Calendar Year] = 2020

This means that the user will only be able to see data where both of these conditions are true. Therefore, they will only see data for which the State Province value is Kentucky and the Calendar Year is 2020.

No confusion, and no need to discuss further

[-] **EwoutBI** 1 point about 2 years ago

I re-created it in Power BI with three tables, with View as I was able to see all the Orders from Kentucky, with all OrderYears. In other words, the other cities/state provinces were missing for the user with both roles.

[-] **EwoutBI** 1 point about 2 years ago

Let me say that clearer, it gives all the Orders from either Kentucky and/or from the year 2020. So everything from Kentucky (including that from 2020), and everything from 2020 (including other places). Here is the report: <https://ibb.co/sV5YGKB>

[-] **satyambarnwal** 1 point over 2 years ago

It uses 3 tables and every roles associated with different tables that's why it does not give the error. so our data filter on the basis of year and province. So the correct answer will be D.

[-] **pepix74** 1 point over 2 years ago

ChatGPT:

D. The user will only see data for which the State Province value is Kentucky and the Calendar Year is 2020.

When a user is a member of both Role1 and Role2, the row-level security filters are combined using the logical AND operator. This means that the user will only see data that satisfies both filters, which in this case is data for which the State Province is Kentucky and the Calendar Year is 2020.

[-] **Shalaleh** 1 point over 2 years ago

Most of the time ChatGPT is incorrect, like this time!

[-] **1sourabhpatel1** 2 points over 2 years ago

when a report user is assigned to multiple roles with different RLS filters, the filters become additive, and the user can see table rows that represent the union of those filters.

In this scenario, the user will see data for which either the State Province value is Kentucky or the Calendar Year is 2020, as both RLS filters are applied simultaneously. Therefore, option A is the correct answer, and options B, C, and D are incorrect.

[-] **Akin_Eren** 1 point over 2 years ago

I have tested this --the answer is A. In the guide, it also says "When a report user is assigned to multiple roles, RLS filters become additive. It means report users can see table rows that represent the union of those filters"
In here "union of those filters" means not "and". The data for both tables means "or" in this context

[-] **Daveeeee** 2 points over 2 years ago

Selected Answer: D

Someone had this issue and asked about it in the PBI Forum. Appears belonging to 2 groups restricts the user more.

Correct Answer: D

[-] **SanaCanada** 1 point over 2 years ago

Correct Answer C

If a user is a member of both Role1 and Role2, they will only see data for which the State Province value is Kentucky.

This is because the two filters from the two roles cannot be combined as they are applied to different tables. The filter in Role1 is applied to the City

[-] **Neilsy** 1 point over 2 years ago

Answer is A. Roles are "or'd". If the conditions were within the one role then D would be correct ie conditions within a role are and'ed but as they are in separate roles A is the right answer (yes I tested both scenarios to be sure ;)

[-] **Ridderxxl** 2 points over 2 years ago

Chat gpt:

Yes, I'm absolutely sure that this is the correct answer. I apologize for any confusion that my previous response might have caused.

To summarize, if a user is a member of both Role1 and Role2, they will see the Orders data that satisfies either of the two conditions, which means:

The orders are placed in cities located in Kentucky because of Role1 filter.

The orders have a date in the calendar year 2020 because of Role2 filter.

This includes all orders data that meets either of the conditions, regardless of whether they are placed in Kentucky or in other states such as New York.

[-] **KarthikKumarK** 1 point over 2 years ago

Answer is D (AND)

[-] **Sultanoid** 1 point over 2 years ago

D is correct. The use of multiple roles per person is NOT recommended. See guide paragraph 2.
<https://learn.microsoft.com/en-us/power-bi/guidance/rls-guidance>

[-] **HemantGorle** 1 point over 2 years ago

Selected Answer: A

When a report user is assigned to multiple roles, RLS filters become ADDITIVE

[-] **Ashishsingh07** 1 point over 2 years ago

Guys if you try it, you will find that answer is A

[-] **yordiy** 1 point over 2 years ago

A is correct

[-] **JukMar** 1 point over 2 years ago

D is correct

[-] **Sushvij** 3 points over 2 years ago

Tested. Answer A is correct

[-] **svg10gh** 1 point over 2 years ago

D is correct answer.

[-] **RichXP** 1 point over 2 years ago

Selected Answer: A

look the sample from <https://learn.microsoft.com/en-us/power-bi/guidance/rls-guidance>

one role returns true, another role returns false, users with both role would see all rows.

also "Multiple role mappings can result in unexpected outcomes", it is not like role permission in other area.

[-] **RichXP** 1 point over 2 years ago

take a look the sample from <https://learn.microsoft.com/en-us/power-bi/guidance/rls-guidance>, if one role filter is true, another is false, then users with both role would see all rows.

[-] **mdnaseershah** 1 point over 2 years ago

Tested, it shows data of both roles. Its option D

[-] **opek** 3 points over 2 years ago

Selected Answer: A

Example from MS Learn linked below:

<https://learn.microsoft.com/en-us/power-bi/guidance/rls-guidance>

"Consider a model with two roles: The first role, named Workers, restricts access to all Payroll table rows by using the following rule expression:

DAX:

FALSE()

A rule will return no table rows when its expression evaluates to false.

Yet, a second role, named Managers, allows access to all Payroll table rows by using the following rule expression:

DAX:

TRUE()

Take care: Should a report user map to both roles, they'll see all Payroll table rows."

It seems to be indeed A in that scenario. User will see the data from the first as well as the second filter, it is FILTER A OR FILTER B (not FILTER A AND FILTER B)

[-] **opek** 1 point over 2 years ago

Example from MS Learn linked below:

<https://learn.microsoft.com/en-us/power-bi/guidance/rls-guidance>

"Consider a model with two roles: The first role, named Workers, restricts access to all Payroll table rows by using the following rule expression:

DAX:

FALSE()

A rule will return no table rows when its expression evaluates to false.

Yet, a second role, named Managers, allows access to all Payroll table rows by using the following rule expression:

DAX:

TRUE()

Take care: Should a report user map to both roles, they'll see all Payroll table rows."

It seems to be indeed A in that scenario. User will see the data from the first as well as the second filter, it is FILTER A OR FILTER B (not FILTER A AND FILTER B)

[-] **AlexYang_** 1 point over 2 years ago

Selected Answer: D

D is correct

[-] **prad_raj1** 1 point over 2 years ago

Answer is A

[-] **Dr_Do** 1 point over 2 years ago

Selected Answer: D

Couldn't be OR.

Usually, filters are working in 2 ways:

- Most restrictive
- Cumulative

Because in PBI, RLS couldn't apply more restrictive - they are different, it applies cumulative.

Answer: D

[-] **jboiret** 1 point over 2 years ago

Selected Answer: A

Correct anser is A, I've just tested with Power Bi Desktop

[-] **sharmila29** 1 point over 2 years ago

So actually there is no correct answer given in the choice.

[-] **sharmila29** 1 point over 2 years ago

D is wrong. since we have 2 different roles one for Kentucky ignoring the year and second role for the year 2020 ignoring the region. So the user with both role should be OR not and AND. because the role Kentucky will diplay many years of data and year 2020 will show any region in that year. so the logic is actually all the region and all the year. Since no year filter in Kentucky and no region filter in year. Make sense?

D)The user will only see data for which the State Province value is Kentucky and the Calendar Year is 2020.

[-] **Hoeishetmogelijk** 2 points over 2 years ago

I would say the the correct answer is D (restrictions role 1 AND role 2).

But when I read the online documentation (RLS filters become ADDITIVE. It means report users can see table rows that represent the UNION of those filters) it seems that the answer should be A (restrictions of role 1 OR role 2)

So I think it is answer A, but I have to say that this goes completely against my logic.

[-] **AzureJobsTillRetire** 1 point over 2 years ago

Roles perform like unions and not intersections. For example, if a person is assigned two roles "Sales Manager" and "Union member", this particular person is both a Sales Manager and a Union member. What a Sales Manager can do is totally different from what a Union member can do, and those two roles may not have much if anything in common. Still, a person who are assigned both roles should be able to do jobs of both roles

[-] **Jay_98_11** 1 point over 2 years ago

Selected Answer: D

and/or logic

[-] **cygwin** 1 point over 2 years ago

Selected Answer: A

A is right

[-] **Pauwels** 1 point over 2 years ago

Correct answer is D

[-] **rivecin637** 3 points over 2 years ago

When a report user is assigned to multiple roles, RLS filters become additive. It means report users can see table rows that represent the union of those filters.

[-] **Bot_1** 2 points over 2 years ago

yes answer is d

[-] **iccent2** 2 points almost 3 years ago

The answer is A and not D. If a user is a worker and Role1 access to payroll is FALSE and the same employee is a manager and has role2 access to payroll which is TRUE, the employee will see all payroll bcos RLS is additive. So, on role1 = Kentucky, they can see all the years under Kentucky and on role2 = year 2020, they can see all state provinces under year 2020 and not just kentucky.

[-] **Nurgul** 2 points almost 3 years ago

Selected Answer: A
I have checked with a sample data, it shows the union of sets, A or B.

[-] **samad1234** 1 point almost 3 years ago

The answer is A

[-] **lukelin08** 1 point almost 3 years ago

Selected Answer: A
Correct answer = A

[-] **nucleus21** 3 points almost 3 years ago

Selected Answer: A
just recreate a simple dataset and shows all the lines for both roles.

[-] **Neerajkved** 1 point almost 3 years ago

D is correct answer as user will only see data filtered using RLS

[-] **RichardOgoma** 3 points almost 3 years ago

Selected Answer: D
The COMBINED filters create a context for the data rendered for the user. The logic is AND not OR.

[-] **David_Zed** 6 points almost 3 years ago

Selected Answer: D
Both filters will apply, that mean Filter from role1 AND Role2, not Role1 OR Role2

[-] **Manikom** 3 points almost 3 years ago

Selected Answer: D
both filters should be met D

[-] **June15** 1 point almost 3 years ago

Also in Topic 2 Question #8 in DA-100

[-] **olajor** 4 points almost 3 years ago

D is correct, if a user is a member of both roles both filters will apply, i.e "and"

Question 102



Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are modeling data by using Microsoft Power BI. Part of the data model is a large Microsoft SQL Server table named Order that has more than 100 million records.

During the development process, you need to import a sample of the data from the Order table.

Solution: From Power Query Editor, you import the table and then add a filter step to the query.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **simplex06** 81 points almost 3 years ago

I agree with the answer.

B. No

[-] **BiLearn** 28 points over 2 years ago

A, should be correct. We have concept of Query Folding. If we apply the steps and it can be converted to Native Query then it will execute as is.

By development process it might mean by building Power BI Report, the view might be production view and as it is having 100 Million record. We cannot update the view for Power BI development.

[-] **Seda_** 14 points about 1 year ago

If you import the entire table, you will increase memory usage and may experience performance issues. Applying a filter only affects the visibility of the data, while still keeping the entire table in memory. Therefore, a more effective method is to sample or filter directly on the data source.

[-] **signofanopeneye** 3 points about 1 year ago

haklisin seda

[-] **hypersam** 4 points about 1 year ago

but before you apply the filter, you need to load the entire data in full to query editor, then you apply the filter, which turns into native query. It's best when you just add a where clause in sql query when importing

[-] **BiLearn** 16 points over 2 years ago

Great Explanation by Sana

Correct Answer A

Yes, when you use Power Query Editor to import a table with a filter in Power BI, only the filtered data is imported into the data model.

The Power Query Editor is used to transform and shape the data before it is loaded into the data model. When you apply a filter step to the query in Power Query Editor, it will only select the records that meet the filter criteria, and exclude the records that do not. This filtered data is then loaded into the data model.

[-] **JudT** 1 point over 1 year ago

Tested - The correct answer is A - So how you will apply the filter?

Load your data in Power query.

Create a "new parameter" from "Manage Parameters Menu" and assign your sample "start date" in "current value" field and reach ok.

Filter your Datekey column by the created "new parameter" to get your sample in the model.Hope this will help.

[-] **LouStar2** 1 point about 2 years ago

So from:

<https://learn.microsoft.com/en-us/power-query/power-query-folding>

If the View Native Query option isn't enabled (greyed out), this is evidence that not all query steps can be folded. However, it could mean that a subset of steps can still be folded. Working backwards from the last

step, you can check each step to see if the View Native Query option is enabled.
So is that enabled by default?

[-] **Denjarus 16 points** almost 3 years ago

B is correct. This will load the entire table in the first step when you import. Instead add a WHERE clause to the SQL statement

[-] **Shalaleh 8 points** over 2 years ago

It seems the correct answer is A, "Yes". because the question said importing in POWER QUERY and not POWER DESKTOP. and before importing POWER DESKTOP it uses filter step and filters the data. it means it will import only part of the table into power bi desktop. Although it is not recommended but still it works. please let me know if I am wrong.

[-] **H_E_Z 33 points** almost 3 years ago

I think query folding can push the filter into the query so A yes

[-] **yordiye 1 point** over 2 years ago

I agree

[-] **Remko_K 5 points** over 2 years ago

Query folding is only possible when using Direct Query. However, the exercise states import, so query folding cannot be used and as a consequence the filter cannot be pushed into the query.

[-] **Remko_K 8 points** over 2 years ago

Correction: For a DirectQuery or Dual storage mode table, the Power Query query must achieve query folding.
For an Import table, it may be possible to achieve query folding.

[-] **Eriacks 1 point** 9 days ago

Selected Answer: A

Even if it is not efficient, it works

[-] **13a8051 1 point** about 2 months ago

Selected Answer: B

✗ Why the Answer Is No:

Even though filtering in Power Query can reduce data size, this approach is inefficient in this context unless the filtering is done before importing the data.

Here's the critical issue:

If you first import the full table into Power BI and only then filter it, the entire 100+ million rows are loaded before the filter is applied.

This defeats the purpose of sampling — it strains resources and takes too long.

The answer is No because the filter is applied after import, which doesn't meet the goal of sampling during development.

[-] **MTG_1 1 point** 2 months ago

Selected Answer: A

Answer: A. Yes

✔ Explanation:

The goal is to import a sample of the data from a very large SQL Server table (100+ million records) during development — not the full dataset.

Why this solution works:

Power Query Editor allows you to add a filter step to restrict the amount of data loaded (e.g., filtering on date, order ID, or top N rows).

While this filtering happens after import, Power BI is smart enough to fold the filter back to SQL Server if query folding is supported, meaning only the filtered rows are pulled from the database.

Query folding: If your filter step can be translated to SQL (like a WHERE clause), Power BI pushes it to SQL Server, making the data load efficient even with massive tables.

Best Practice Tip:

For better control, you could also:

Use a SQL statement in the advanced options during import to fetch a subset directly (e.g., `SELECT TOP 1000 * FROM Orders`).

[-] **lechuc508** 1 point 3 months ago

Selected Answer: B

Giải pháp được đề xuất ("nhập bảng rồi mới lọc") không đạt được hiệu quả lấy mẫu nhanh chóng vì nó vẫn cố gắng tải toàn bộ dữ liệu ban đầu.

[-] **Curious236** 2 points 5 months ago

Selected Answer: A

"During the development process, you need to import a sample of the data from the Order table." This approach meets this goal thanks to query folding, as after the filtering step, the native query sent to the data source will be modified to import only the rows that meet the condition.

[-] **ee0625a** 2 points 6 months ago

Selected Answer: A

Filtering ensures that we select only a manageable number of rows such as 100, 000 that will help test what we want to analyze rather than having 100 million rows

[-] **kinlee** 1 point 6 months ago

Selected Answer: B

B. It stated "From Power Query Editor, you import the table and then add a filter step to the query." Can't do this. If imported through and SQL and not the table, then it is probably a Yes.

[-] **ee0625a** 2 points 6 months ago

Selected Answer: A

Power Query Editor allows filtering data at the query level, which means only the filtered data will be imported into Power BI, reducing the data load

[-] **SilBri_830** 2 points 6 months ago

Selected Answer: A

In Power Query Editor, when you add a filter step to the query, only the filtered subset of data is loaded into the Power BI model. This approach allows you to work with a smaller sample of the data during development while maintaining the ability to later remove or adjust the filter for the full dataset.

[-] **485307a** 2 points 7 months ago

Selected Answer: A

A is correct same results chat gpt returned me

[-] **RRconnect** 2 points 7 months ago

Selected Answer: B

you can select the required data in the sql query itself instead of importing all data and then apply filter in power query

[-] **SUNNYDEPS** 2 points 7 months ago

Selected Answer: A

B is correct as to minimize the data size while in the development phase

[-] **SylUK** 1 point 7 months ago

Selected Answer: B

B is the answer you can only apply the filter at the source through SQL for example no after loading the entire table.

[-] **Peggym** 1 point 7 months ago

Selected Answer: B

During the development process, you need to import a sample of the data from the Order table.: if you choose A you import the whole table and then filter it, so you should adjust the sql statement

[-] **Odidepse** 1 point 7 months ago

Selected Answer: A

Correct answer is Yes , this solution works because adding a filter step in Power Query Editor limits the data imported, allowing you to work with a sample of the table during development.

[-] **Pitxunet** 1 point 6 months ago

In the question it is stated that the filter is applied after importing the data... it's too late. So the answer is B.

[-] **YuanQingTan** 1 point 8 months ago

Selected Answer: A

When the data is imported to power query, then filtered, query folding is possible, hence the filtering is done by the source before retrieving it back to power query.

I tested this

- 1) import a table from SQL to power query.
- 2) saved the PBIX file.
- 3) Checked the size of the PBIX file.
- 4) Open power query and add a filter step to the table.
- 5) Save the PBIX file.
- 6) Checked the size of the PBIX file and noticed that the file size actually decreased.

This shows that only the required data is imported

If the entire data from the SQL is imported to power query, then only filtered by power query, i would imagine that the file size will remain unchanged.

[-] **rules169** 1 point 8 months ago

Selected Answer: A

Yes, that approach meets the goal. By importing the table into Power Query Editor and then applying a filter step to the query, you can create a manageable sample of the data from the large Order table. This method ensures you have a representative subset of the data to work with during development without needing to load all 100 million records

[-] **Mo_Suhail** 1 point 9 months ago

Selected Answer: A

This solution meets the goal because adding a filter step in the Power Query Editor effectively limits the amount of data imported during the development process. This approach allows you to work with a sample of the data from the Order table while reducing resource usage and improving performance.

[-] **jaume** 1 point 9 months ago

Selected Answer: B

Filtering data once it has been imported could improve further calculations, but data has been already imported..... so I don't think a DAX expression would prevent the entire table import into the model

[-] **jaume** 1 point 9 months ago

Selected Answer: B

In the solution it's stated "...you import the table and then add a filter step..." so all data is already imported into the model.....once again questions in these test makes me feel they are not testing PBI knowledge but our understanding of the text.

I would vote for B here because my understanding here is we haven imported entire table in the first step of the query, filter should have been applied BEFORE importing that data (when setting the connection to SQL table by using a WHERE)

[-] **Mouche40** 1 point 9 months ago

Selected Answer: A

When you import a table and apply a filter in Power Query, only the filtered (sample) data will be loaded into the Power BI data model.

This reduces the size of the data loaded during development and improves performance.

[-] **VladAbz** 2 points 10 months ago

The statement says that "you import the data and then add the filter step." So the answer is NO. If the filter was added before importing then YES.

[-] **Odidepse** 1 point 7 months ago

In Power BI, when you connect to a large table in Power Query, you aren't bringing in all the data right away. Instead, you can apply filters in Power Query, and only the filtered data will be loaded into your report.

So, even if you first connect to the whole table and then add a filter, Power BI will only import the smaller, filtered dataset when you load it. Therefore, it's fine to apply the filter after connecting, and the answer should be YES, the solution works.

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: B

I agree it is NO 'cause the question asked to avoid importing data from the source so it should be filtered using a WHERE SQL Condition

[-] **ak0017** 1 point about 1 year ago

Hello Guys,

Can you explain me this line. , once we start this section, we cannot go back?

"After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen."

Thanks

[-] **Odidepse** 1 point 7 months ago

In the exam, In this type of questions which is likely a yes or no answer, there is no option for you to 'review later' where you can go back to the question. Once you answer it, that is it, no turning back, unlike other type of questions such as hot spot , multiple choices, drag and drop type questions

[-] **Banana2001** 1 point about 1 year ago

Hola, quiere decir que una vez que respondas la pregunta, no tienes derecho a volver a la pregunta para cambiar la respuesta.

[-] **Smyrol** 1 point about 1 year ago

I think this is B as the question says:

'During the development process, you need to import a sample of the data from the Order table.'

so it means only a part must be imported - this is to be achieved by where clause.

Importing and filtering will still import all and then filter

[-] **greenlever** 1 point over 1 year ago

B is correct

[-] **Giuditta** 1 point over 1 year ago

Power Bi is not that smart. even if you have a step that filters data away, it will FIRST import all the data AND THEN apply the filter.

you must operate on the first step: import, so a query can do the magic here

[-] **Dani_eL** 4 points over 1 year ago

Selected Answer: B

proposed solution states : Import THEN apply a filter --> meaning applying a filter on a 100mio records table -> valid ? hello no!

[-] **Dani_eL** 1 point over 1 year ago

Selected Answer: B

Importing 10millions+ and then adding a filter ???

To get a sample just use a Select Top N statement where N is the number of records you want to upload

[-] **Florinuca** 1 point over 1 year ago

The answer is No because you firstly import the entire data source (that it takes time to load) and after that you apply a filter step in Power Query Editor.

[-] **Elektrolite** 1 point over 1 year ago

When you first import, it only selects the first few rows in the table, it doesn't load the whole table into memory

[-] **Clemzy96** 2 points over 1 year ago

The Answer should be A. Yes because the question simply asks if the solution works, its not asking for the most optimal one which would be to add a 'WHERE' clause in SQL before importing

[-] **CookieMingkee** 1 point over 1 year ago

Selected Answer: B

Importing without a filter will bring all the 100 million records before you apply a filter. Using the native query language with "where" clause will filter the data even before importing it into Power BI Desktop.

[-] **CookieMingkee** 1 point about 1 year ago

You might be referring to the Table View not the Power Query. The Table View displays only 1000 records.

[-] **SHENOOOO** 1 point over 1 year ago

Selected Answer: B

B is correct, if you are thinking to add a filter later after you load the data, then PowerBI is still Loading the whole table first before getting into the filter step. The appropriate action is to add a where section in the SQL Query.

[-] **Sessiz** 1 point almost 2 years ago

Selected Answer: B

B is correct

[-] **bingomutant** 2 points almost 2 years ago

the question is ambiguous. The requirement is to import a SAMPLE to PowerBI. Not the whole database. However importing the whole database into PQE and THEN filtering so as to import a sample into Power BI seems to satisfy the question so answer is yes. Unfortunate phrasing .

[-] **rainy_255** 5 points almost 2 years ago

This was in the exam this week.

[-] **ExamPage** 1 point almost 2 years ago

Selected Answer: B

B. No

Importing the entire table and then adding a filter step in Power Query Editor would not be an efficient solution for working with a large table with more than 100 million records. This approach would still load all the data into memory during the import process, potentially causing performance issues and consuming a significant amount of system resources. A more efficient approach would be to apply the filter at the source, either by using a SQL query to retrieve a sample of the data or by configuring the data source options to import only a subset of the records that meet your criteria.

[-] **bingomutant** 1 point almost 2 years ago

the question does not ask for efficiency. We are merely asked is the requirement met. which it is.

[-] **RicoPallazzo7** 1 point almost 2 years ago

There is query folding that can filter at the source the data. It must be said that even without it the goal is respected, we have a sample, not optimized but we have it

[-] **Igetmyrole** 1 point almost 2 years ago

B is the answer.

Importing the entire table and then adding a filter step in Power Query Editor does not meet the goal of importing a sample of the data. This approach imports the entire table into Power BI, which can be inefficient and time consuming, especially when dealing with a large table with more than 100 million records. It doesn't reduce the amount of data imported; it only filters the data after it has been loaded into Power BI.

[-] **Ravisha27** 6 points about 2 years ago

Selected Answer: A

I was thinking of option B as correct answer. but upon reading the question again, it says 'does it meet the goal' I switched my answer to option A. it does meet the goal. they haven't mentioned anything on optimization or query folding.

[-] **Kalyso** 1 point 11 months ago

I answered the same.

[-] **miro26** 1 point about 2 years ago

Correct Answer A

[-] **Bnxy1** 1 point about 2 years ago

Selected Answer: B

The answer is No

[-] **JJMC5544** 3 points about 2 years ago

I think YES, because In Power Query, the load preview by default is 1000 row.

[-] **Maniula** 1 point about 2 years ago

It's just a preview, whole data will be loaded if you don't apply filters

[-] **TrustMyAnswers** 1 point over 1 year ago

But the question clearly states that you will apply the filter.

[-] **JonDave** 2 points about 2 years ago

agree to disagree. im going with A, yes

[-] **tke44** 1 point about 2 years ago

used to do the explanation under B option, using a where statement for instance.

[-] **KARELA** 2 points about 2 years ago

The question is whether it meets the requirement and not if it's the most optimised way of requirement so I option A is correct because while it might not be the most optimised way, it does meet the requirement.

[-] **Andrew_Chen** 8 points about 2 years ago

I tried three ways. 1. Load the whole table, it got the largest file size. 2. Use the Power Query Editor, and import the filtered data. 3. Use a WHERE clause and import the data. No.2 and No.3 got exactly same file size, so I think it's a YES here.

[-] **mirzotti** 6 points about 2 years ago

Selected Answer: A

Read the question carefully. It states '... you need to IMPORT a sample of the data...' . 'Does this meet the goal?' Of course it does. The data is only imported in the model after the last step is implemented. For sure, the query would be faster with an SQL statement but that was not the question, was it?

[-] **vivekmani2021** 2 points over 2 years ago

Selected Answer: A

Power query will use query folding when the source is a SQL DB , this will only import the filtered rows and not the entire table

[-] **vivekmani2021** 2 points over 2 years ago

Correct Answer is YES , Power query is capable of query folding when the source is a SQL database . So in this case adding a date filter is equivalent of writing a native SQL query with a Where clause , This will only import the filtered rows and not the entire table

[-] **wellingtonluis** 2 points over 2 years ago

I agree. Correct answer is B - No.

pay attention "you need to import a sample of the data from the Order table", Not import all data and see a sample.

[-] **Newb007** 2 points over 2 years ago

DOES THIS MEET THE GOAL? YES is it best practice/easiest? maybe not but pay attention to the question. these multi solution type of questions on MS exams are tricky like this.

[-] **RazaTheLegend** 9 points over 2 years ago

Selected Answer: A

Let me end this discussion, A is the correct answer as some queries can be folded note that this is visible in the editor window under view native query if this option is greyed out it is not possible.

<https://learn.microsoft.com/en-us/power-query/power-query-folding>

Now how to determine whether it is possible to do folding here look in the same link, it talks about sources that support folding where relational databases which an sql Server is. Thus meaning this query will fold and therefore won't take the data but filter at the source.

since SQL database is a relational database

[-] **SanaCanada** 7 points over 2 years ago

Selected Answer: B

Correct Answer B

Importing the entire table and then adding a filter step in Power Query Editor may not be an efficient solution because it will still import all the data from the table before applying the filter. Instead, a better solution would be to write a SQL query that selects a sample of the data from the Order table and then import that query result into Power BI. This approach will ensure that only the required data is imported into Power BI, improving performance and reducing the amount of memory needed to process the data.

No confusion, and no need to discuss further

[-] **semauni** 3 points over 2 years ago

I am discussing this further: query folding + it does meet the goal, which was the question

[-] **vivekmani2021** 4 points over 2 years ago

Nope your answer is wrong, Power query will not import the entire data if the source is SQL as it will use query folding by default . However if the source was a CSV or something else it will import then entire data and then apply the filter

[-] **KhaledGH** 4 points over 2 years ago

Selected Answer: A

I agree with A, query folding

[-] **jiriz** 3 points over 2 years ago

Selected Answer: A

A - YES.

I just tried it and caught the query in profiler. The query with the predicate defined in the step "flies" to the SQL server.

[-] **TalktomeGoOse** 2 points over 2 years ago

Chat GPT says:

Yes, importing the table using Power Query Editor and adding a filter step to the query can help in importing a sample of the data from the Order table.

By adding a filter step, you can apply certain conditions to filter out a subset of the data that you want to import. This can be useful when dealing with large tables, as it allows you to limit the amount of data being imported and processed, which can help improve performance.

However, it is important to note that depending on the size of the sample you are importing, even with filtering, it may still take a long time to import the data. It may be helpful to consider using other techniques such as data sampling or partitioning to optimize the import process further.

[-] **Jae17** 2 points over 2 years ago

Answer should be A

Importing the table from SQL Server using Power Query Editor and then adding a filter step to the query will allow you to import a sample of the data from the Order table. By applying a filter step, you can choose to import only a subset of the records based on specific criteria. This can help reduce the amount of data that needs to be loaded into Power BI and improve query performance during development.

[-] **SanaCanada** 3 points over 2 years ago

Correct Answer A

Yes, when you use Power Query Editor to import a table with a filter in Power BI, only the filtered data is imported into the data model.

The Power Query Editor is used to transform and shape the data before it is loaded into the data model. When you apply a filter step to the query in Power Query Editor, it will only select the records that meet the filter criteria, and exclude the records that do not. This filtered data is then loaded into the data model.

[-] **Alscoran** 1 point over 1 year ago

Why does Sana have two answers ???

[-] **Neilsy** 1 point over 2 years ago

if you apply the filter then click Close & Apply to load the data then A, (assuming the filter could be incorporated into the sql select statement)...??

[-] **srikanth923** 2 points over 2 years ago

Selected Answer: B

answer is B, This is because we are first importing all the data in then we are filtering the data

[-] **HemantGorle** 5 points over 2 years ago

Selected Answer: A

Query folding will take place and there would be limited data

[-] **svg10gh** 2 points over 2 years ago

Selected Answer: B

B Is correct

[-] **MBA_1990** 4 points over 2 years ago

Selected Answer: B

B is correct

A will load all the table before filtering data

[-] **jsking** 3 points over 2 years ago

Selected Answer: B

A loads the entire table depending on the type of power bi access the user has. So it should be sorted out at the source.

[-] **Goksha** 1 point over 2 years ago

I agree with the answer. Ans is No.

Because it will load entire data using importing the and by applying, so we have to use where before loading that into powerbi

[-] **thanhtran7** 5 points over 2 years ago

A. Find the discussion from Q18, DA-100

[-] **csillag** 1 point over 2 years ago

B is correct

[-] **Patrick666** 1 point over 2 years ago

I agree with the answer.
B. No

[-] **slash_nyk** 2 points over 2 years ago

I agree with B. We should use a SQL statement to get a sample of data

[-] **Hoeishetmogelijk** 3 points over 2 years ago

Selected Answer: B
B is correct

[-] **Shiiton** 4 points over 2 years ago

I think the question was written wrongly.. the question should be "what is best practice" or something like that instead of "Does this meet the goal". would take a life to refresh but yes meet the goal.

[-] **AzureJobsTillRetire** 4 points over 2 years ago

Selected Answer: B
We should add the filter directly to the where clause and not rely on query folding for filtering. This is because that query folding is not always guaranteed. For example, if we perform complex logics after filtering in Power Query that are not supported in SQL queries, query folding might not happen. It is a good practice to add the filter directly to the where clause to guarantee that only required data is fetched.

[-] **pr1812** 1 point over 2 years ago

IF you apply complex logic after filtering in Power Query then for those new steps query folding will not work but for apply filter step you will still be able to view the native query.

[-] **Hoeishetmogelijk** 4 points over 2 years ago

Selected Answer: B
No, this would first import all the 100 million rows and after that filter the greatest part out.
So the answer is B. No

[-] **HemantGorle** 4 points over 2 years ago

Selected Answer: A
A is correct (due to query folding filters will be passed to source) and it meets our goal.

[-] **powerbibuddy** 2 points over 2 years ago

Correct answer
B) No

[-] **scotchtapebunny** 2 points over 2 years ago

The "then apply a filter" part should give it away that the whole table is loaded (i.e. no query folding is done). Second, it says you need to IMPORT a SAMPLE. It doesn't say import the table and extract a sample. While there is some ambiguity, the best answer is B.

[-] **rivecin637** 6 points over 2 years ago

Selected Answer: A
IT IS YES, QUERY FOLDING IS HAPPENING
see : <https://learn.microsoft.com/en-us/power-query/power-query-folding#transformations-that-can-achieve-folding>

[-] **Traineeveneficus** 3 points over 2 years ago

Selected Answer: B
B is the answer

[-] **Tiz88** 8 points almost 3 years ago

To answer the question you need to ask yourself: "is query folding happening"? If yes, then the correct answer is "A: Yes". I do not see a reason why "query folding" is not happening, and that's because not only we are importing from a structured data source (Microsoft SQL Server, which support "query folding") but we are also applying a simple filter (which will be easily translated into a native query).

Please note: even if we are using a native SQL query (i.e.: SELECT * FROM table), we can still enable "query folding" (source: Guy in a Cube: https://www.youtube.com/watch?v=8hjdOCni_ZY or if you prefer an official Microsoft source: <https://learn.microsoft.com/en-us/power-query/native-query-folding>)

Source for understanding "query folding": <https://learn.microsoft.com/en-us/power-query/query-folding-basics>

[-] **shakes103** 4 points almost 3 years ago

The question here is: Does this meet the goal?
The answer is A: YES. Why?
Because it can be done using native query in the Power Query.
Read from doc: "Power Query enables you to specify your native database query in a text box under Advanced options when connecting to a database. In the example below, you'll import data from a SQL Server database using a native database query entered in the SQL statement text box. The procedure is similar in all other databases with native database query that Power Query supports."

[-] **JukMar** 2 points almost 3 years ago

A is correct, use of query folding

[-] **velvarga** 3 points almost 3 years ago

Selected Answer: B
add WHERE clause to the SQL statement, so I would say B

[-] **Lewiasskick** 2 points almost 3 years ago

Selected Answer: B
First of all, the query from the database is a native query, the following as query folding will not take place for a native query, it must be B
<https://learn.microsoft.com/en-us/power-query/native-query-folding>

[-] **xxfangxx** 8 points almost 3 years ago

Selected Answer: B
Answer is B, because you wanna import 'SAMPLE' data, not import the whole data then filter it.

[-] **huizi** 2 points almost 3 years ago

B is correct

[-] **Mizaan** 4 points almost 3 years ago

Selected Answer: B
Query folding will push the filter to the data source

[-] **Manzy2599** 6 points almost 3 years ago

Selected Answer: B
B is correct the filter is added after the import. (And it wouldn't be a sample)

[-] **centrumadresowe** 2 points almost 3 years ago

Selected Answer: A
Answer A is correct

[-] **lukelin08** 1 point almost 3 years ago

answer is A. It will use query folding for the filtering of x amount of rows

[-] **Manzy2599** 2 points almost 3 years ago

Selected Answer: B
Filter is applied after the import so B

[-] **babinaprad** 2 points almost 3 years ago

Which one is the correct answer is it A or B. I think B?

[-] **RichardOgoma** 3 points almost 3 years ago

Selected Answer: B
The best practice is to pass the processing workload to the data source. Create a view with a where clause satisfying your requirements.

[-] **fdsdfgxcvbsfhshfg** 9 points almost 3 years ago

Selected Answer: A
Query folding takes place, A meets the conditions

[-] **ecwang** 3 points almost 3 years ago

Anser A is correct.

[-] **hmax56** 1 point almost 3 years ago

Anszer is correct, you need to send an sql query to the server to get a sample

[-] **learnazureportal** 1 point almost 3 years ago

Answer is correct.

Question 103



Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are modeling data by using Microsoft Power BI. Part of the data model is a large Microsoft SQL Server table named Order that has more than 100 million records.

During the development process, you need to import a sample of the data from the Order table.

Solution: You write a DAX expression that uses the FILTER function.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **iccent2** 16 points almost 3 years ago

Also, common sense, we are trying to import a sample of the data meaning that the data is not yet on Power BI, so where are we going to filter with DAX? On the SQL server? That is not possible hence the answer B is correct.

[-] **JukMar** 15 points almost 3 years ago

answer is NO, we need to add a WHERE clause to the SQL statement.

[-] **ee0625a** 1 point 6 months ago

Selected Answer: B

The FILTER function in DAX operates after data is already loaded into Power BI.

Since the Order table has over 100 million records, using DAX filtering does not reduce the dataset size before import, meaning all data would still be loaded into memory, slowing down performance.

[-] **rules169** 1 point 8 months ago

Selected Answer: B

No, this solution does not meet the goal. The FILTER function in DAX is used for filtering data within the context of a DAX expression, usually for creating calculated columns, measures, or tables within a Power BI model. It does not help in importing a subset of data from the SQL Server table into Power BI.

To import a sample of the data from a large SQL Server table during the development process, you should use Power Query to apply a filter at the query level. This way, only the filtered subset of data is imported into Power BI, making it more manageable and efficient.

[-] **rcaliandro** 2 points 12 months ago

Selected Answer: B

Again, NO because we have to filter by using a WHERE condition

[-] **Saluk_DE** 4 points over 1 year ago

Selected Answer: B

DAX is applicable in the last step only, so it is not useful for preventing a fully load. answer must be NO

[-] **rainy_255** 2 points almost 2 years ago

This was in the exam this week.

[-] **Igetmyrole** 3 points almost 2 years ago

The answer is B.

Writing a DAX expression using the FILTER function alone does not meet the goal of importing a sample of the data into Power BI. The FILTER function in DAX is used for filtering data within a calculated table or a measure, but it does not control the amount of data imported during the data loading process.

To import a sample of the data efficiently, you should use Power Query to apply filters during the data loading process, so only the relevant subset of data is imported.

[-] **mustafaalhnuty** 2 points almost 2 years ago

Selected Answer: B

B because You can write dax in power bi desktop so it's already load

[-] **tke44** 1 point about 2 years ago

No, sql statement only can solve it

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: B

We cannot write DAX expression at this point! DAX expression is in report part.

[-] **RazaTheLegend** 3 points over 2 years ago

Selected Answer: B

The correct answer is B. This is because all of the data is first loaded into Power BI before being filtered.

[-] **srikanth923** 2 points over 2 years ago

Selected Answer: B

The correct answer is B. This is because all of the data is first loaded into Power BI before being filtered.

[-] **yordiye** 1 point over 2 years ago

B or No because the Data is already loaded. It is good to select the columns we need at source level .eg create view . Other wise we can bring to power query and filter is before we load it . He query folding will send the query back to the data source

[-] **samad1234** 2 points almost 3 years ago

The correct answer is B

[-] **lukelin08** 5 points almost 3 years ago

Selected Answer: B

B is correct

[-] **learnazureportal** 1 point almost 3 years ago

Answer is Correct.

[-] **simplex06** 1 point almost 3 years ago

You can write a DAX expression after you import the data.

[-] **MilouSluijter** 5 points almost 3 years ago

Yes but in that case you import all data from the order table while the question states you only need to import a sample. So B is correct

[-] **Mizaan** 2 points almost 3 years ago

Agree with MilouSluijter. If you apply filter at DAX stage, the data is already in the model

Question 104



Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are modeling data by using Microsoft Power BI. Part of the data model is a large Microsoft SQL Server table named Order that has more than 100 million records.

During the development process, you need to import a sample of the data from the Order table.

Solution: You add a WHERE clause to the SQL statement.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **lukelin08** 19 points almost 3 years ago

Selected Answer: A

A is correct

[-] **kimii1993** 9 points over 1 year ago

Selected Answer: A

This was on the exam today. Passed with 917/1000

- I said: A. Yes

[-] **jaume** 2 points 9 months ago

Selected Answer: A

finally, we are filtering the data in the initial step, when connecting data model to the SQL database by using the WHERE clause.

This will filter data when connection is set and it will result in a smaller (than the entire table) dataset being imported into our data model

My vote here is for solution A

[-] **Raiist** 1 point 9 months ago

Selected Answer: A

For me A

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: A

A. Yes - In this case we filter from the import the data

[-] **greenlever** 1 point over 1 year ago

B is correct

[-] **Seda_** 3 points about 1 year ago

NO. If you import the entire table, you will increase memory usage and may experience performance issues. Applying a filter only affects the visibility of the data, while still keeping the entire table in memory. Therefore, a more effective method is to sample or filter directly on the data source.

[-] **Seda_** 1 point about 1 year ago

A is correct.

[-] **rainy_255** 4 points almost 2 years ago

This was in the exam this week.

[-] **lgetmyrole** 1 point almost 2 years ago

The answer is A.

Adding a WHERE clause to the SQL statement used to retrieve data from the Microsoft SQL Serve table named Order can meet the goal of importing a sample of the data into Power BI.

[-] **tke44** 1 point about 2 years ago

A is correct

[-] **RazaTheLegend** 1 point over 2 years ago

Selected Answer: A

The correct answer is A. This means that the data is being filtered at the source database itself, using a SQL query with a WHERE clause.

[-] **srikanth923** 3 points over 2 years ago

Selected Answer: A

The correct answer is A. This means that the data is being filtered at the source database itself, using a SQL query with a WHERE clause.

[-] **AlexYang_** 2 points over 2 years ago

Selected Answer: A

A is correct

[-] **Nurialzard** 1 point over 2 years ago

As the basis is Microsoft SQL (or OData Feed, for that matter), it is actually possible to achieve the goal without a where clause, since this clause will be added by the Power Query engine. So I think that indeed, query folding is possible and

therefore, the answer should be Yes

[-] **samad1234** 2 points almost 3 years ago

Ais the correct Answer

[-] **rashjan** 4 points almost 3 years ago

Selected Answer: A

In my opinion the goal can only be met if you for example know the Id of an item and then filter for this. So the goal can be met but it an ugly solution.

[-] **yordiye** 1 point over 2 years ago

Yes better to use query folding I think. You are talking about indexing the data source right ?

[-] **lukelin08** 3 points almost 3 years ago

You are over thinking it. Its asking for a sample of the data in a table with more than 100 million rows. So a simple select statement like the below would return a sample data set of 1000 rows from the Order table.

Select TOP (1000) *

From [dbo].[Order]

[-] **Dovoto** 1 point almost 3 years ago

But these is no WHERE clause in your statement. It would have been easier if the TOP 1000 was mentioned.

[-] **Hoeishetmogelijk** 2 points over 2 years ago

In practice you would most probably take a sample of the most recently created rows, using a WHERE clause and filtering on a date column.

Question 105

DRAG DROP -

You are preparing a financial report in Power BI.

You connect to the data stored in a Microsoft Excel spreadsheet by using Power Query Editor as shown in the following exhibit.

	Column1	1.2 Column2	1.2 Column3	1.2 Column4	1.2 Column5	1.2 Column6
1	Measure	2016	2017	2018	2019	2020
2	Revenue	0.5	0.6	0.55	0.61	0.42
3	Overheads	0.11	0.330410907	0.167055779	0.360178153	0.183179995
4	Cost of Goods	0.204388253	0.165848321	0.25	0.17	0.109073918

You need to prepare the data to support the following:

- ⇒ Visualizations that include all measures in the data over time
- ⇒ Year-over-year calculations for all the measures

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

Use headers as the first row.

Rename the Measure column as Year.

Rename the Attribute column as Year.

Use the first row as headers.

Transpose the table.

Unpivot all the columns other than Measure.

Change the data type of the Year column to Date.

>

<

Answer Area

↑

↓

Hide Answer

Correct answer:

Actions

Use headers as the first row.

Rename the Measure column as Year.

Rename the Attribute column as Year.

Use the first row as headers.

Transpose the table.

Unpivot all the columns other than Measure.

Change the data type of the Year column to Date.

>

<

Answer Area

Use the first row as headers.

Unpivot all the columns other than Measure.

Rename the Attribute column as Year.

Change the data type of the Year column to Date.

↑

↓

[-] **ThariCD** 399 points almost 3 years ago

Answer is wrong, the table shouldn't be transposed, the order should be:

1. Use first row as header
2. Unpivot all columns other than "Measure"
3. Rename "Attribute" to "Year"
4. Change data type of "Year" to date (Date > Year)

[-] **0002110** 1 point 5 months ago

Yes ! this is correct way

[-] **ferben** 1 point 7 months ago

I have tried it in Power BI and it's correct ! the other answer provided is less intuitive because at the end you'll have the measure (year) column as text, and the "attribut" column (where there are revenue, overheads etc.) will not be renamed

[-] **Rasaqh** 9 points almost 2 years ago

This makes sense instead thier answers.

Their answers would have also made sense if there is inclusion of another step which should 'Rename Attribute to Measure after the renaming of "Measure " to "Year" .

The entire steps would become:

1. Transpose
2. Use first row as heade
3. Unpivot all columns other than "Measure"
4. Rename "Measure " to "Year"

5. Rename "Attribute" to "Measure"

[-] **Srilatha_B** 1 point 7 months ago

Where is Transpose?

[-] **jorv86** 203 points almost 3 years ago

To me,

1. Transpose the table
2. Use first row as headers
3. Rename the Measure column as Year
4. Change the data type of the Year column to Date.

Yo don't need to unpivot but transpose because you need the measures in columns. Don't you agree?

[-] **assettemergaliyev** 8 points 8 months ago

<https://www.youtube.com/watch?v=0sci44xnto0&list=PLApPcvU5-R24K3mbxORV7T3ckVLfDjmHF&index=20>

[-] **ggggghowmanygs** 1 point 5 months ago

Wow, first time I've seen this pay wall in you tube, wished I could downvote this comment (and YT!)

[-] **Pitxunet** 1 point 6 months ago

The whole playlist is gold to prepare the PL 300

[-] **maymia87** 5 points over 1 year ago

I agree, I think people disagree because they are not on the same page on the desired outcome table. Since we need a table with the following columns, you just need to transpose:

Year Revenue Overheads Cost of goods.

Unpivot is useful if the column measure had category values (Countryname, Productname...) not measures. Here we do not want the measures to repeat.

[-] **RichXP** 3 points over 2 years ago

tried, this one is correct.

[-] **BnxyI** 7 points about 2 years ago

You cannot change the data type of only a years to date otherwise it will auto generate a DDMMYY format

[-] **f4fdd67** 1 point 24 days ago

This is the correct answer

- a. Transpose the table
- b. Use first row as headers
- c. Rename the measure column as year
- d. Change the data type of the year to date.

[-] **Lulu_2022** 1 point about 1 month ago

What the video suggested by below @assettemergaliyev .
it is a perfect explanations of this question.

[-] **a2c7cd3** 3 points about 2 months ago

Consider the request: To create visualizations that include all measures in the data over time, you need a Year column, a column of all measures and a column for each measure's values. This allows you to use a line chart to effectively visualize the measures over time. Note that converting a Year value from text to date will result in an incorrect date. The correct approach is as follows:

1. Transpose the table.
2. Use the first row as headers.
3. Unpivot all columns other than "Measure"
4. Rename "Measure" to Year.

[-] **Curious236** 1 point 5 months ago

in order not have to choose "change the year column to date type", which impact the values of year column, here is the suggested sequence:

1. Use headers as the first row
2. Transpose
3. promote the header
4. rename measure to year.

With this approach, we can use data to calculate measure over time. feel free to test this approach!

[-] **Curious236** 1 point 5 months ago

It is not recommended to convert data type of " Year" to date, it should be number or text, as it might potentially be converted to another date value, example 2023 as 30-Dec-1899 (following Excel's date system)

[-] **hebertorosillo** 1 point 7 months ago

Answer is wrong. The order should be : 1.Use the First row as Header. 2. Unpivot all the columns other than Measure. 3 Rename the Measure column as Year. 4.change the data type of the year column to date . when you use replace : When placing the first row as a header, the data type changes to numeric and changing it back to string would generate an additional step that is not contemplated in the solution.in this problem should be used unpivot. thanks.

[-] **jaume** 2 points 9 months ago

I've created same excel table and imported into my own pbix.

I've: 1.-TRANPOSED the table, 2.- PROMOTED headers, 3.- RENAMED "measure" as "year" and, at this point I'm able to set a visual (line graph) with the three measures year over year

Changing data type of {2016, 2017, 2018, 2019, 2020} column to DATE type results in ({08/07/1905, 09/07/1905, 10/07/1905, 11/07/1905, 12/07/1905}) column so, if 4 actions are required here, only other action I can select is to 4.- UNPIVOT other columns than measure.

With that 4 actions I still can represent the 3 measures over all years and I guess some custom DAX calculations can be defined to get the YoY calculations

[-] **mghf61** 3 points 9 months ago

1. Transpose the table
2. Use first row as headers
3. Rename the Measure column as Year
4. Change the data type of the Year column to Date.

I tested this and worked

[-] **TheSylas** 1 point 8 months ago

The date format will be wrong. ThariCD's solution gives the correct date format.

[-] **madimad** 2 points 10 months ago

Transpose the table

Use the first row as headers

Rename the Measure column as Year

Change the datatype of the Year column to Date

its the correct answer

[-] **mapr** 1 point 11 months ago

Answer is correct. I just try on my computer and works perfectly.

[-] **rcaliandro** 1 point 12 months ago

I totally agree with ThariCD:

- 1 - Use the first row as headers (we now have column names)
- 2 - Unpivot all the columns other than Measure (we have years in one column only)
- 3 - Rename the Attribute column as Year (we have the year column)
- 4 - Change the data type of the Year column to Date (I only have a doubt for this step, why an year should be considered as a Date???)

[-] **hayleyxiong33** 1 point about 1 year ago

The answer is wrong the table should not be transposed

[-] **agelee** 2 points about 1 year ago

With Transpose there is an issue to do in one step conversion of Year data type from Int to Date (it has to be done in 2 steps int->text->date) and it results in 5 steps, not 4. IDK the answer here.

[-] **SeethaG** 1 point about 1 year ago

- 1. Transpose the table
- 2. Use first row as headers
- 3. Rename the Measure column as Year
- 4. Change the data type of the Year column to Date.

[-] **greenlever** 2 points about 1 year ago

The given answer is correct.

Question 106



You have a collection of reports for the HR department of your company. The datasets use row-level security (RLS). The company has multiple sales regions.

Each sales region has an HR manager.

You need to ensure that the HR managers can interact with the data from their region only. The HR managers must be prevented from changing the layout of the reports.

How should you provision access to the reports for the HR managers?

- A. Publish the reports in an app and grant the HR managers access permission.
- B. Create a new workspace, copy the datasets and reports, and add the HR managers as members of the workspace.
- C. Publish the reports to a different workspace other than the one hosting the datasets.
- D. Add the HR managers as members of the existing workspace that hosts the reports and the datasets.

Hide Answer

[-] **GPerez73** 39 points almost 3 years ago

I would say it is correct since an app would prevent to change the layout

[-] **RazaTheLegend** 31 points 10 months ago

Selected Answer: A

Option A (Publish the reports in an app and grant the HR managers access permission) would be the best option to provide the HR managers with access to the reports while restricting them from modifying the layout.

By publishing the reports in an app and granting the HR managers access permission, you can assign them specific roles and permissions that restrict their access to the underlying data while allowing them to view and interact with the reports. The RLS configuration can be set up to ensure that the HR managers can only see data from their own sales region.

[-] **Fatima300** 1 point 6 months ago

Selected Answer: A

By publishing the reports in an app, you can grant the HR managers access to the reports while ensuring they can only interact with data relevant to their region via row-level security (RLS). This solution also prevents the HR managers from changing the layout of the reports, as app users typically only have access to viewing the content, not editing it.

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: A

A is the correct answer

[-] **rcaliandro** 2 points 12 months ago

Tested, I created RLS and published to an app. Creating an app will prevent managers or final users to modify the report itself

[-] **Kiran37** 1 point about 1 year ago

correct answer

[-] **finlarian** 1 point over 1 year ago

Selected Answer: A

A is correct

[-] **shazzzy** 4 points over 1 year ago

We can rule out B & D because of the below:

RLS only restricts data access for users with Viewer permissions. It doesn't apply to Admins, Members, or Contributors.

Seem C doesn't grant any access. So answer must be A.

[-] **da66a09** 1 point over 1 year ago

I don't think any of these options present a complete answer. you would manage what data each manager can view by using the manage role option in BI desktop and setting up a rule. this would be dependent upon having a manager dimension that contained details about which region each manager had responsibility for

<https://learn.microsoft.com/en-us/power-bi/report-server/row-level-security-report-server>

[-] **da66a09** 2 points over 1 year ago

although, if I had to choose, it would be A

<https://learn.microsoft.com/en-us/power-bi/consumer/end-user-apps>

[-] **JudT** 1 point over 1 year ago

A is correct

[-] **rutgers0183** 1 point almost 2 years ago

Nice question

[-] **lgetmyrole** 1 point almost 2 years ago

B is the correct answer.

This approach is correct because:

- * Isolation: By creating a new workspace, we can keep the HR manager's reports separate from others, ensuring that they only have access to their own data and reports.

- * Access Control: We can add the HR managers as members of this specific workspace, granting them access to the datasets and reports they need while maintaining control over who can make changes the layout or content of the reports.

- * No impact on Existing reports: This approach does not affect the existing workspace that may contain reports for other departments or regions. It allows us to apply RLS and access control specifically for the HR managers without affecting other users.

[-] **Abir9564** 3 points over 1 year ago

Member can edit or delete B is not an option here. Correct answer should be A

[-] **J_Dawg_PBI** 3 points about 2 years ago

It's annoying because I actually just did this today and got the answer wrong because I didn't think any of them were right/complete. What you do is go to Manage Profiles and create roles where each one is filtered by region. Then upload to the PBI server, assign roles to the respective HR managers, and provide them with viewer permissions so they can't open the reports in desktop mode.

[-] **smann013** 1 point almost 2 years ago

so A is not the correct answer?

[-] **nmnm22** 1 point about 2 years ago

Selected Answer: A

Answer is A

[-] **Shalaleh** 11 points over 2 years ago

Selected Answer: A

Always when they say "prevent changing layout" select app.

[-] **hungry85** 2 points over 2 years ago

The correct answer is A since the reports are published in an app.

[-] **1sourabhpatel1** 3 points over 2 years ago

Option A (Publish the reports in an app and grant the HR managers access permission) would be the best option to provide the HR managers with access to the reports while restricting them from modifying the layout.

By publishing the reports in an app and granting the HR managers access permission, you can assign them specific roles and permissions that restrict their access to the underlying data while allowing them to view and interact with the reports. The RLS configuration can be set up to ensure that the HR managers can only see data from their own sales region.

[-] **dnbcursuri** 1 point over 2 years ago

Selected Answer: A

A is correct.

[-] **svg10gh** 8 points over 2 years ago

correct answer looks as A because in the Power BI service, members of a workspace have access to datasets in the workspace. RLS doesn't restrict this data access. and RLS is used to restrict access to data not to layout of the report. Members are allowed to change the report layout.

[-] **MBA_1990** 3 points over 2 years ago

Selected Answer: A

RLS is not applied to a member of Workspace

[-] **AlexYang_** 2 points over 2 years ago

Selected Answer: A

A is correct.

[-] **csillag** 1 point over 2 years ago

A is correct. In Workspace > Access you can add user as Viewer.

[-] **lukelin08** 7 points almost 3 years ago

Selected Answer: A

A is correct.

[-] **DOUMI** 2 points almost 3 years ago

A est correcte

[-] **Snow_28** 5 points almost 3 years ago

A. would be the answers because in the Power BI service, members of a workspace have access to datasets in the workspace. RLS doesn't restrict this data access.

[-] **MilouSluijter** 2 points almost 3 years ago

I think its B.

<https://docs.microsoft.com/en-us/power-bi/collaborate-share/service-create-distribute-apps>

RLS is used to restrict access to data not to layout of the report. Members are allowed to change the report layout.

[-] **MilouSluijter** 3 points almost 3 years ago

Oeps should have said A

Question 107

HOTSPOT -

You are creating an analytics report that will consume data from the tables shown in the following table.

Table name	Column name	Data type
Sales	sales_id	Integer
	sales_date	Datetime
	Customer_id	Integer
	sales_amount	Floating
	employee_id	Integer
	sales_ship_date	Datetime
	store_id	Varchar(100)
Employee	employee_id	Integer
	first_name	Varchar(100)
	last_name	Varchar(100)
	employee_photo	Binary

There is a relationship between the tables.

There are no reporting requirements on employee_id and employee_photo.

You need to optimize the data model.

What should you configure for employee_id and employee_photo? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Employee_id:

Change Type
Delete
Hide
Sort

Employee_photo:

Change Type
Delete
Hide
Sort

Hide Answer

Correct answer:


Box 1: Hide -

Need in the relation, so cannot delete it.

Box 2: Delete -

Reference:

<https://community.powerbi.com/t5/Desktop/How-to-Hide-a-Column-in-power-Bi/m-p/414470>



[-] **VeroF** 59 points almost 3 years ago

Answer is Correct

[-] **Namenick10** 16 points almost 3 years ago

Hide & Delete

[-] **jaume** 1 point 9 months ago

Agree with the proposed answer (Hide Employee_ID and Delete Employee_Photo) although it's not clear to me how hiding the Employee_Id is optimizing the data model. This is just making that field not visible to users but it's still available in our data model (so no improvement in size) and it's not affecting the way the relationship is set...

[-] **rcaliandro** 1 point 12 months ago

Since there are no requirements on emp_id and emp_photo, we can

1 - hide the emp_id

2 - delete the emp_photo

So, the answer is correct

[-] **Kiran37** 1 point about 1 year ago

correct answer

[-] **MayurV19** 7 points over 1 year ago

Corect answer.

Employee_id: Hide

We should not delete this as it appears to be the primary key of the Employee table.

employee_photo: Delete

AS mentioned in the question, since there is no reporting requiremntns on it, the column can be deleted.

[-] **bingomutant** 5 points almost 2 years ago

yes answer correct. Photo not needed so delete. Employee ID is the common key between these tables so hide.

[-] **lgetmyrole** 5 points almost 2 years ago

Hide and Delete are the correct answers.

Hide: We should hide the "employee_id" column if there are no reporting requirements on it. This means it won't be visible in the report, but it will still be available for any potential relationships or calculations with the model.

Delete: Since there are no reporting requirements on the "employee_photo" column, we should delete it from the data model to reduce unnecessary storage and improve performance. This means that the "employee_photo" data is not needed for any calculations or relationships within the model.

[-] **IVO999** 3 points about 2 years ago

The answer is correct, and the question was on the exam.

[-] **MoxieTT** 8 points about 2 years ago

This was on the exam

[-] **vine1089** 2 points about 2 years ago

Answer is correct. You need Employeeid for creating relations.

[-] **sergeyitaly** 3 points about 2 years ago

For employee_id:

Hide: This option should be selected to hide the employee_id column. Since there are no reporting requirements on it, hiding the column can help declutter the report and improve the user experience.

For employee_photo:

Delete: This option should be selected to delete the employee_photo column. If there are no reporting requirements for it and it is not needed for any analysis or visualization, removing the column altogether can help reduce the storage space and optimize the data model.

[-] **NAZAOG** 1 point about 2 years ago

I think it should be change date type and delete because changing the date type of employees ID to VARCHAR will prevent summation of the column and deleting unwanted column, both scenarios will optimize the report

[-] **EwoutBI** 2 points about 2 years ago

VARCHAR is less efficient than integer

[-] **tke44** 1 point about 2 years ago

given answer is correct

[-] **PREM77** 1 point about 2 years ago

Answer is correct!!

[-] **Shalaleh** 1 point over 2 years ago

Hiding does not help for optimizing, but Sort helps.

[-] **Shalaleh** 1 point over 2 years ago

Sort

Delete

[-] **AshND** 1 point about 2 years ago

Is there any url that I can refer to, to read about performance boost using sort on a column?

[-] **Nisa93** 1 point over 2 years ago

Answer is correct

[-] **Shalaleh** 1 point over 2 years ago

I think sort & delete

[-] **AdrianBalescu** 1 point over 1 year ago

I do not understand why SORT, can anyone please explain?

I think is HIDE & DELETE

[-] **semauni** 1 point over 2 years ago

I think the answer is correct, however, couldn't you delete both if integrating the employee names within the sales table? There are only two columns used, and allows us to remove the employee id column with a high cardinality. It does make the data model size larger though.

[-] **mirzotti** 1 point about 2 years ago

You may not delete employee_id as you need this column to create the relationship between the two tables.

[-] **RazaTheLegend** 1 point over 2 years ago

Answer is Correct

[-] **srikanth923** 2 points over 2 years ago

the answer is

- Hide since the employee id column is still needed for the relationship between the 2 tables
- delete the employee photo column since it is not used

[-] **Mari_el** 2 points over 2 years ago

I think the answer should be Sort & change type

[-] **reinaldocmarques** 6 points over 2 years ago

Sort and Delete

By sorting columns that are used in relationships in Power BI can increase performance. This is because by sorting the columns, you can improve search efficiency and reduce the amount of data that needs to be read to find the relevant information. Additionally, sorting the columns can also help optimize the use of system resources such as memory and CPU.

[-] **Shalaleh** 1 point over 2 years ago

I agree with you

[-] **Ugocuevas** 2 points over 2 years ago

Change Type and Delete. I do not think hiding does any optimization. Changing type to VARCHAR will ensure that PowerBI doesn't automatically perform a summation on the employeeID column

[-] **iccent2** 4 points over 2 years ago

No, I think hiding it is the best option since the employee_id on the sales table is integer data type. They have to be of the same data type to assume a relationship so, hide it.

[-] **Jay_98_11** 2 points over 2 years ago

agreed with answer

[-] **samad1234** 4 points almost 3 years ago

I think Sort and Delete, because Hide don't help to optimise

[-] **Churato** 1 point almost 3 years ago

employee_id is the Foreign Key that connects the tables

Question 108

HOTSPOT -

You plan to create Power BI dataset to analyze attendance at a school. Data will come from two separate views named View1 and View2 in an Azure SQL database.

View1 contains the columns shown in the following table.

Name	Data type
Attendance Date	Date
Student ID	Bigint
Period Number	Tinyint
Class ID	Int

View2 contains the columns shown in the following table.

Name	Data type
Class ID	Bigint
Class Name	Varchar(200)
Class Subject	Varchar(100)
Teacher ID	Int
Teacher First Name	Varchar(100)
Teacher Last Name	Varchar(100)
Period Number	Tinyint
School Year	Varchar(50)
Period Start Time	Time
Period End Time	Time

The views can be related based on the Class ID column.

Class ID is the unique identifier for the specified class, period, teacher, and school year. For example, the same class can be taught by the same teacher during two different periods, but the class will have a different class ID.

You need to design a star schema data model by using the data in both views. The solution must facilitate the following analysis:

- ☞ The count of classes that occur by period
- ☞ The count of students in attendance by period by day
- ☞ The average number of students attending a class each month

In which table should you include the Teacher First Name and Period Number fields? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Teacher First Name:

Attendance fact
Class dimension
Teacher dimension
Teacher fact

Period Number:

Attendance fact
Class dimension
Teacher dimension
Teacher fact

Hide Answer

Correct answer:

Answer Area

Teacher First Name:

Attendance fact
Class dimension
Teacher dimension
Teacher fact

Period Number:

Attendance fact
Class dimension
Teacher dimension
Teacher fact

[-] **Jukibabu** 224 points almost 3 years ago

I'd say:

Teacher's dim

Class dim

[-] **JudT** 35 points over 1 year ago

I will go for:

Teacher Dim

Attendance Fact

[-] **Ana_L** 8 points over 1 year ago

Adding period number to Class dim will fill the dim with dups, since 1 class can have more than one period. That means that class dim can only be used when period is part of the requirement. In real life, this would not work. Actually, the best option is not even proposed. Class period is its own dimension and would connect to the fact. Dim period includes period number, period start time and period end time. Since this option is no available to us, that makes period number a degenerate dimension and it belongs in the fact table. See below:

According to Ralph Kimball,[1] in a data warehouse, a degenerate dimension is a dimension key in the fact table that does not have its own dimension table, because all the interesting attributes have been placed in analytic dimensions. The term "degenerate dimension" was originated by Ralph Kimball.

[-] **Hoeishetmogelijk** 14 points over 2 years ago

I agree completely. Period is an attribute of Class:

"Class ID is the unique identifier for the specified class, period, teacher, and school year. For example, the same class can be taught by the same teacher during two different periods, but the class will have a different class ID."

[-] **Regina18** 3 points over 1 year ago

The mean is an aggregate measure that can be calculated on the fact table. However, the dimension table can contain attributes that help you split or filter the average based on certain criteria.

"You need to design a star schema data model using the data in both views. Your solution should facilitate the following analysis:

- ⇒ The count of lessons that occur per period
- ⇒ The count of students attending per period per day
- ⇒ The average number of students attending a class each month"

so I believe the model must have a fact table. but I see that your model only has dimension tables and it is not correct

[-] **Hoeishetmogelijk** 28 points over 2 years ago

I changed my mind. If there would be a Teacher Dimension, then this Teacher Dimension should have a relationship with the Class Dimension (not directly with the Attendance Fact). That is possible, but that would make it a Snowflake Schema. And what is asked for is a Star Schema.

So both TeacherName and Period should be attributes of the Class Dimension.

[-] **Ridderxxl** 6 points over 2 years ago

But the teacher dim can just use the class id to link to the fact table. No need to have it go through the class dim

[-] **semauni** 1 point over 2 years ago

You could even add the teacher id to the class table, I don't see why that's not possible

[-] **GPerez73** 6 points almost 3 years ago

Agree with you

[-] **learnazureportal** 8 points almost 3 years ago

It is not correct. for the 2nd one, we have to use attendance fact. you need to apply aggregation.

[-] **Shalaleh** 1 point over 2 years ago

Attendance fact can have number of students with class id, and we can have a Class Dim with Period which related to Attendance Fact by Class ID.

[-] **Hoeishetmogelijk** 1 point over 2 years ago

Also, if Period is included in the Class Dim, you can still aggregate the Attendance Fact on this dimension.

[-] **Michcat** 2 points over 2 years ago

But classes in different period has a unique ID. Therefore technically, it does not need a period number explicitly in attendance fact. Class-ID can represent it.

[-] **Hoeishetmogelijk** 8 points over 2 years ago

When you read this phrase: "Class ID is the unique identifier for the specified class, period, teacher, and school year. For example, the same class can be taught by the same teacher during two different periods, but the class will have a different class ID."

It actually states clearly that Period is an attribute of Class.

[-] **CookieMingkee** 2 points over 1 year ago

You can't have a separate Teacher Dimension because there is no direct relationship between the Attendance Fact and the Teacher Dimension. The requirement is a Star schema.

In order for the Teacher Dimension to connect directly to the Attendance fact is if the Attendance Fact has a Teacher ID Column. Without it, having a separate Teacher Dimension will create a Snow Flake schema because the Teacher Dimension can only connect to the Class Dimension.

My answer here is Class Dimension to both.

[-] **__Sai_Mounika__** 2 points over 1 year ago

can we not have teacher ID in Facts table?

[-] **olajor** 112 points almost 3 years ago

Isn't it teacher dim and attendance fact?

[-] **birsne** 7 points almost 3 years ago

I agree!

[-] **Turmalino** 3 points over 2 years ago

Isn't here an issue with the requirement: "The count of classes that occur by period"?

A class can be available without attendance, or am I wrong?

[-] **a2c7cd3** 1 point about 1 month ago

I'd say the answer is:

Class Dimension

Attendance Fact

Why? First, we need to design a star schema, which requires a fact table and several dimension tables. There are no relationships between dimension tables. The fact table is derived from View1 and includes the columns: Attendance Date, Student ID, Period Number, and Class ID.

[-] **a2c7cd3** 1 point about 1 month ago

Now, let's consider the dimensions. We can create a single class dimension that includes all the columns from View2. This might not be perfect, but it meets the requirements. Therefore, the answer to the first question is the Class dimension.

If we create a teacher dimension table, the class ID field must be included; otherwise, this dimension table cannot be related to the fact table. However, the teacher ID would not be unique in this table, so we cannot consider it a teacher dimension. Instead, it should also be treated as a class dimension because the class ID is unique.

[-] **a2c7cd3** 1 point about 1 month ago

The second question is a bit more complex. When analyzing "The count of classes that occur by period," the period must be in the attendance fact table. If the period is not in the fact table, this analysis is not possible. You cannot use the period from the class dimension to filter the occurred classes in the attendance fact because the relationship is based on class ID. In a period within the class dimension, you will have all the class IDs for that period, and then all these class IDs will filter the fact table without considering the classes that actually occurred in that period.

[-] **b92fc92** 4 points 4 months ago

According to this video is:

teacher dimension

attendance fact

<https://www.youtube.com/watch?v=I1EA-7KYAwo>

[-] **Curious236** 2 points 5 months ago

teacher has to be dim to count classes that occur in period.

period uses in the attendance fact to calculate the remaining measures, which requires date and month to be computed

[-] **aa83599** 1 point 7 months ago

'Teacher' is a Dimension Table, it doesn't get updated constantly

[-] **jaume** 2 points 9 months ago

I would vote for "Teacher Dimension" and "Attendance Fact" as I would use "Teacher ID" for the fact table (it would be "Attendance fact" with details per period as class Id, teacher Id, Student Id, Period Number...) and I would place "Teacher details" (being Teached First Name and "Teacher Last Name") in a dim table (will label it as "Teacher dimension")

[-] **TMOTM** 15 points 11 months ago

Microsoft's questions often stray into areas where ambiguity is induced and thus multiple answers could work. Without the benefit of a test where you can elaborate on that, being limited to multiple choice, I reckon MSFT needs to tighten their questions and remove any ambiguity. It's pretty poor exam writing.

[-] **FrobeniusHammer** 2 points 11 months ago

Proposed Solution:

Class Dim

Class Dim

Reasoning: The problem particularly states that Class ID is an identifier for the class (name and subject), Period #, Teacher, and School Year. We know that Attendance will represent our fact table and relate to the Class Dimension containing those attributes. Teacher information can be contained in this Class Dimension -- the problem states itself that it is.

We cannot create a Teacher dimension since we lack a primary key relating to a fact table (unless we also created a Teacher fact, which just creates additional tables without adding any new information to the model, which is unreasonable when the information can already be represented fully by the class dimension, as stated in the problem). If you tried to create a Teacher dim relating to the Class dim on Teacher ID, then it is no longer Star Schema.

[-] **Ayman_Abdul_Kareem_1984** 1 point 9 months ago

Why don't we create a Teacher dimension table and connect it to the Fact table using the Teacher ID? The teacher ID dimension can also include the teacher's first name and last name.

[-] **FrobeniusHammer** 2 points 11 months ago

So we can create a model in Star Schema that fulfills all the requirements by creating a Class Dimension containing: Class ID, Class Name, Class Subject, ***Period #***, Teacher ID, ***Teacher First***, Teacher Last, and School Year with this Dimension relating to an Attendance fact table on Class ID as primary key containing: Class ID, Attendance Date, Student ID.

Note that this model fulfills the 3 analytic requirements as well:

># Classes by period #:

>>Count of classes grouped by Class[PeriodNumber]

># Students by period by day

>>Count of rows grouped by AttendanceDate in the Attendance fact table

>Avg students by class by month

>>Count of rows in Attendance fact grouped by AttDate & ClassID, then averaged over a month period

[-] **rcaliandro** 1 point 12 months ago

I'd say teacher dim, class dim

[-] **greenlever** 2 points about 1 year ago

Class dim

Class dim

[-] **bugproof** 3 points about 1 year ago

I would say:

1. Class DIM

2. Class DIM

The question says the "Class ID" column is a unique identifier for the specified class, PERIOD, TEACHER, and school year. So if I connect Class ID to the same column in an Attendance Fact Table and then use the period column from dimension to look at the count of class id from fact - this would give me a break down of period by attending classes.

[-] **shazzzy** 2 points over 1 year ago

I was wondering if there should be a dim.period, dim.teacher & dim.class. Then technically you would put Period number in the fact.attendance although I would personally call it Period Id, but there's nothing saying that the star schema uses 'id' and not 'number' as it's key column naming convention. If period is in dim.class it's not normalised properly. SO if that is the correct answer then I'm afraid Microsoft have messed up here.

[-] **shazzzy** 2 points over 1 year ago

The only issue is this: The count of classes that occur by period. We can't do this because we don't know the instances of what classes are assigned to what periods.... we would need another table for that and therefore, the answer must be a really SLOPPY Dim.Class for the Period.

[-] **tarekff** 1 point over 1 year ago

i would choose Teacher Dim and Class dim

The teacher's first name and period number are dimensional fields and therefore shouldn't reside in the fact table.

Instead, they belong in dimension tables.

in star schema, we have a fact table containing attendance data linked to other dimensions such as teacher and class.

Consequently, both the teacher's first name and the period number should be included in dimension tables like the Teacher dimension and the Class dimension, respectively.

[-] **Zach0308** 3 points over 1 year ago

100% confirmed, it's Teacher dim and Class dim. How come so many of these answers are wrong?

[-] **55884** 7 points over 1 year ago

I would say it's:

Teacher First Name: Teacher Dim

Period Name: Attendance Fact

In this STAR Schema case, we only need to have 1 fact table.

And since the question mentioned our purpose "to analyze ATTENDANCE at school". So, Fact Attendance should be the only fact table in the star schema (not Fact Teacher), since fact table is defined as "stores measures that measure the business".

So, in able to analyze ATTENDANCE, we need to collect as much as measures of attendance data, which will be stored in attendance fact!

[-] **Giuditta** 5 points over 1 year ago

i'll say class dim and attendance fact.

the question requires a star schema

so we cannot have more than one fact and only dimension that relates to fact.

our fact is attendance (because is the many side of the raltionship). and we have a class dimension. it will be possible to create a teacher dim, but it will be related to the class dim, and not tthe fact. so it will not be a star schema anymore but a snowflake.

so we need to keep the tables as they are in the question. having only a class dimension (first dropdown) and a attendance fact (second one)

[-] **AaronBI** 1 point 10 months ago

This was my thought as well.

Period dim could be created just like a date dim, relating to the attendance fact table.

And teacher would be inside class dim, unless we took extra steps to create surrogate keys inside fact table.

Just another example of a poorly written question.....

[-] **rajukg** 2 points over 1 year ago

Answer is correct.

There will be two fact tables : Teacher fact and Attendance Fact in the model. (That is better model than creating the Teacher dimension).

[-] **Elektrolite** 1 point over 1 year ago

Teacher can't be a fact. One class has one teacher, one teacher can teach many classes.

[-] **28485e1** 3 points over 1 year ago

ChatGPT: Teacher dim, Class dim

[-] **Ana_L** 1 point over 1 year ago

Class dim should include one record per class. But a given class can multiple periods. For example, class PL-300 can have period 1 and period 2. Having the period in the class dimension would brake the grain, unless we use Kimbal's grouping approach, where we could have 1 column in class dimension called period_group and could have class PL-300, period_group 1,2. But the question does not include this option. Another way to design it is to treat period as a degerate dimension, which means add period to the fact.

[-] **Ana_L** 2 points over 1 year ago

It is not degerate dimension, it is degenerate dimension. According to Ralph Kimball, in a data warehouse, a degenerate dimension is a dimension key in the fact table that does not have its own dimension table, because all the interesting attributes have been placed in analytic dimensions. All interesting attributes related to period are in the class dimension.

[-] **yafeci5971** 2 points over 1 year ago

Agreed

[-] **__Sai_Mounika__** 1 point over 1 year ago

The answer provided is wrong I think, because - can a star schema hace 2 fact tables? no r8

[-] **__Sai_Mounika__** 2 points over 1 year ago

Apologies, just learned that there could be star schema with multiple fact tables

[-] **SuniltheMentor** 6 points over 1 year ago

Teacher Dimension (Teacher Name)

Attendance Fact (Period Number)

Teacher Name cannot be in Teacher Fact. Fact is a Transaction Table. Transaction tables cannot have the name of the teacher.

[-] **Stayhardson** 3 points over 1 year ago

poor structured question...I also agree it should be dimension table for both

[-] **INDEAVR** 1 point over 1 year ago

The structure of the question make no sense indeed. The way I see it is that each view produces a fact table because non of them meets the requirement for the dimension table. Hence we have two fact tables that can be connected to each other and we don't have any dim tables. How is that supposed to make a star schema??

[-] **momo1165** 7 points over 1 year ago

Teacher Dim -- attribute just like employee dim

Attendance fact --- what we are aggregating is related to attendance, just like transactions, count of ...etc.

[-] **RMUK** 6 points almost 2 years ago

Teacher's Dim & Attendance Fact

[-] **lgetmyrole** 9 points almost 2 years ago

Teacher Dimension & Class Dimension are the correct answers.

Teacher Dimension: "Teacher First Name" should included in the Teacher Dimension. The Teacher Dimension table is where you store descriptive information about teachers, including their first names.

Class Dimension: "Period Number" should be included in the Class Dimension. The class dimension table is where you store information related to classes, including the period number. Period number is a characteristic of a class, so it belongs in the Class Dimension.

[-] **13a8051** 1 point about 2 months ago

Period number is not a unique characteristic of a class. For example, Period 1 can be repeated across various classes. Similarly, period 2, etc. So it seems that Period # is similar to a "date" and should have its own dimension. Then you can use the dimension to filter a fact table.

[-] **RicoPallazzo7** 6 points almost 2 years ago

If we desire a star schema and we can elaborate these data:

- A single fact table : Attendance[attendance_date, student_id, period_number, class_id, teacher_id]

- four dimensions:

Student, Teacher, Class, period

All linked by the four foreign keys in the fact table

Am i so wrong?

[-] **13a8051** 1 point about 2 months ago

That makes total sense to me! For example, for Period Dimension, there are 6 unique periods (Period1, Period 2, Period 3 etc.), which should have their own dimensions which would include start time and end time of the period, etc. and their foreign keys should be repeated in the fact table and aggregated on!

[-] **13a8051** 1 point about 2 months ago

I meant "which should have additional attributes like start time and end time of the period"

[-] **Vijay_Krisin** 4 points almost 2 years ago

As per me it should be Teacher Dimension and Attendance fact

[-] **Vijay_Krisin** 1 point almost 2 years ago

And also how can there be 2 facts Teacher Fact and Class Fact in a Star Schema?

[-] **AlejandroErazo** 4 points almost 2 years ago

Both in the Class Dim

[-] **Dpm0692** 4 points about 2 years ago

so would you say Teacher Dim / Attendance fact?

[-] **miro26** 1 point about 2 years ago

Isn't the description given like a snowflake that needs to be turned into a star?

The period, teacher, and school year dimensions are related to the class dimension. The class dimension is related to the attendance fact. School year can be added to the class dimension, but the other two dimensions should be connected with the attendance fact table. This is how we get the star model.

Dimensions: Class, Teacher, Period

Fact: Attendance

[-] **miro26** 1 point about 2 years ago

OK, there is no period dimension :(

I would leave this period information in the class dimension.

[-] **Nemesizz** 5 points about 2 years ago

So guys what is the answer!?

[-] **SimonBovy** 2 points almost 2 years ago

Teacher Dim and Class dim

[-] **SimonBovy** 2 points almost 2 years ago

*Teacher

[-] **Burabari** 16 points over 2 years ago

This is not a very good question.

[-] **RazaTheLegend** 18 points over 2 years ago

Teacher First Name should be included in the Teacher Dimension table because it is a descriptive attribute of the teacher and not a measure of the fact table.

Period Number should be included in the Class Dimension table because it is a descriptive attribute of the class and not a measure of the fact table.

Teacher First Name should be included in the Teacher Dimension table.

Period Number should be included in the Class Dimension table.

[-] **ilk777** 7 points over 2 years ago

Both should be class dim.

Attendance fact

Class dim

Adding a Teachers dim breaks the star model, as it has to be connected Class, which is a dim itself.

Period number should be considered in Class dim, because it is a duplicate and is an attribute of the class in the first place.

So a class has a period number even before any attendance is recorded.

[-] **semauni** 3 points over 2 years ago

Why would a Teachers dim need to be connected to Class, it is possible to include a teacher ID in the attendance table.

[-] **MishaBI** 1 point over 1 year ago

That's the only right answer

[-] **Amit482** 2 points over 2 years ago

The catch here is Count of Classes occur by Period as soon as we call it by period it referring to Dimension Period which will be static with Start Time & End Time hence it will go in Class Dimension rather than Fact

[-] **Neilsy** 4 points over 2 years ago

Teacher name - Teacher Dimension

Period Number - Attendance Fact

[-] **srikanth923** 2 points over 2 years ago

To analyze attendance data, a fact table containing attendance information will be used in conjunction with dimension tables. One of these dimension tables will be the teacher's dimension, which will include information about teachers and be referenced in the attendance fact table.

Additionally, the attendance fact table can be used in combination with other dimension tables such as the class dimension and the student dimension to provide a more comprehensive view of attendance patterns. For example, by using the period number and class ID in the attendance fact table, the class dimension can be referenced to obtain information about the class name, subjects, and class timings, which can provide further context for attendance data analysis.

[-] **oogrio** 2 points over 2 years ago

Teacher's name does not change over the time. In this way, it is a dimension. As the same for the class' period, this does not change, so it is a dimension.

[-] **PetJoh422** 2 points over 2 years ago

Teacher name may change, getting married for example. So it technically should be a slowly changing dimension

[-] **EwoutBI** 1 point about 2 years ago

This is about Teacher First Name though, so still a dimension.

[-] **herr_serfin** 9 points over 2 years ago

How the model has two fact tables in star scheme? Shouldnt it have one fact having dimensions around?

[-] **Premm** 6 points over 2 years ago

Period Number -> Attendance Fact - Since It is just a number and there are no fields like Period Name or Period Id n the Views, it might not be worth having a seperate Dim Table for it

Teacher's Name -> Teachers Dimesion (I guess this is straightforward)

[-] **RichXP** 9 points over 2 years ago

it is star schema, so attendance table is the star center, the fact table. the dimension tables should be teacher, student, class, period tables. based on above, the answer should be Teacher dim and attendance fact (period dim is correct if it is an option)

[-] **not2smart** 1 point over 2 years ago

The "Change the data type of the Year column to Date" does not work out of the box, but if a custom change like adding day + month as string and then convert is allowed it can work as a step. That leaves two methods:

Method 1:

- Transpose the table.
- Use first row as headers.
- Unpivot all columns other than Measure.
- Rename Measure column as Year.

This results in table with columns: Year/Attribute/Value

Year is not converted, that would require a 5th step.

[-] **not2smart** 1 point over 2 years ago

Method 2:

- Use first row as headers.
- Unpivot all the columns other than measure.
- Rename Attribute column as Year.
- Change the data type of the Year column to Date.

This results in table with columns: Measure/Year/Value

Both Method 1 and 2 are usable, but the below questions remain:

1. Should we allow the tweaked conversion step of Year to Date as a valid step?

If you think the answer is yes then go with Method 2.

2. Is the conversion step of Year to Date actually not a requirement?

If you think the answer is no then go with Method 1.

Either way we need to select only 4 steps. I have chosen Method 1 myself.

[-] **Luxtra** 16 points over 2 years ago

Teacher Name must go in Class dimension – creating a teacher dim will make the schema a snowflake schema.

Period Number could stay in Attendance Fact, but it is not necessarily needed there, as the class id already identifies the period. So it can be deleted from attendance fact and only remain in class dim.

so:

- 1) Class dim
- 2) Class dim

[-] **abdo_najyb** 1 point over 2 years ago

I agree

[-] **AlexYang_** 2 points over 2 years ago

teacher dim;
attendance fact

[-] **Lewiasskick** 2 points over 2 years ago

The answer is correct because we need to build a star schema, the purpose of the star scheme is to normalize data and remove duplications. Therefore, the attendance fact table should have 1. Class ID 2. Teacher ID 3. Attendance time. 4. Student ID 5. Period Number. and we should have 4 dim table as Class dim (class name, class subject). Teacher Dim (Teacher first and last name). Period dim (school year period start and end). and the assumption is all ID is unique identifier of its attributes.

[-] **herr_serfin** 2 points over 2 years ago

Star schema denormalizes the model and increases duplicates.

[-] **MoxieTT** 1 point about 2 years ago

That logic isn't correct. A star schema creates separate tables, i.e., dimension and fact. Denormalization is when you have a single table with high number of duplicates. Star schema generally has high cardinality, where a denormalized table would have low cardinality.

[-] **__Sai_Mounika__** 1 point over 1 year ago

where is the primary key that would join all these?

[-] **csillag** 7 points over 2 years ago

Correct answer:

Class Dim,

Attendance Fact

[-] **AzureJobsTillRetire** 17 points over 2 years ago

Box 1: Class dimension

Box 2: Attendance fact

The fact table is view 1 and it can be named as "Attendance fact". The fact table has three columns joining to three dimension tables. Those three columns are Student ID, Period Number and Class ID, and those three dimension tables are Student dimension, Period dimension and Class dimension. It is possible that we can also have a Teacher dimension, but then the Teacher dimension will join to the Class dimension and not to the fact table directly, and this is going to be a snowflake data model. The Period Number will be in both the Period Dimension and the Fact table, but since the Period Dimension is not a choice in box 2, we will choose Attendance fact

[-] **pr1812** 1 point over 2 years ago

That's correct. Key point is to create a star schema and if we normalize class dim to create a teacher dim using 2NF then we create a secondary dimension thereby creating a snowflake model.

[-] **disndat7** 1 point over 2 years ago

Agree with you completely. Star schema structure of the existing table view needs to be respected. As such, calling a teacher dimension table would turn it into snowflake.

[-] **__Sai_Mounika__** 1 point over 1 year ago

the answer provided has teacher fact table also

[-] **Shweta2022** 12 points over 2 years ago

Teacher Dimension

Attendance Fact

[-] **cygwin** 1 point over 2 years ago

AGREE!!!

[-] **susunz** 6 points almost 3 years ago

It should be teacher dim and attendance fact. About the attendance fact, it is because "the same class can be taught by the same teacher during two different periods", therefore, the period number should not be in any dimension, as it is not unique.

[-] **susunz** 3 points almost 3 years ago

I am wrong. should be teacher's dim & class dim. As "lass ID is unique for the class, period, teacher and school year"

[-] **samad1234** 7 points almost 3 years ago

Teacher Dim

Attendance Fact

[-] **PinkZebra** 13 points almost 3 years ago

The question asks for a star schema data model. So it could be:

Class Dimension

Class Dimension

(No Teacher Dimension as it's a star schema, not snowflake)

[-] **fred92** 3 points almost 3 years ago

Very good comment!

Exactly, we would get a snowflake if we created a teacher dim. But star schema is required.

Fully agree!

[-] **Tiz88** 1 point over 2 years ago

Agree!

[-] **lukelin08** 1 point almost 3 years ago

Teacher's dim

Class dim

[-] **ThariCD** 19 points almost 3 years ago

I believe it should be teacher's dim and class dim because teacher name and period number are static information that are directly related to the keys (teacher ID and class ID) so they belong in the relevant dimension tables. Since the "Class ID is unique for the class, period, teacher and school year" this information should be included in the class dimension table and not repeated for each student's attendance to keep your model as small as possible and to avoid mistakes.

Question 109

You have the Power BI model shown in the following exhibit.



There are four departments in the Departments table.

You need to ensure that users can see the data of their respective department only.

What should you do?

- A. Create a slicer that filters Departments based on DepartmentID.
- B. Create a row-level security (RLS) role for each department, and then define the membership of the role.
- C. Create a DepartmentID parameter to filter the Departments table.
- D. To the ConfidentialData table, add a calculated measure that uses the CURRENTGROUP DAX function.

Hide Answer

[-] **lukelin08** 34 points almost 3 years ago

Selected Answer: B

B is correct

[-] **lgetmyrole** 5 points almost 2 years ago

B is the correct answer.

To ensure that users can see the data of their respective department only, we should implement low-level security (RLS). Here is how it works:

- Create a separate RLS role for each department.
- Define the membership of each role by specifying which DepartmentID(s) each role can access.
- Assign users to the appropriate RLS role based on their department affiliation.

This way, each user will only be able to see data related to their respective department, as per the RLS rules you define.

[-] **jaume** 1 point 9 months ago

Selected Answer: B

I' voting here definitively for B RLS answer.

Cannot even imagine how to reach required scenario with other options

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: B

B of course, we need RLS to meet the requirements

[-] **Dani_eL** 2 points over 1 year ago

Selected Answer: B

RLS (row level security) is the way to go WHEN roles are manageable (here we talk about 4 different roles --> 4 departments)

[-] **7e8101a** 1 point over 1 year ago

Selected Answer: B

B is Correct

[-] **benni_ale** 1 point over 1 year ago

Selected Answer: B

B in pbi u do all with RLS

[-] **MayurV19** 1 point over 1 year ago

Correct.

RLS (row level security) is the answer any time you need users to see data based on a certain value of any given dimension.

[-] **Dsbuff** 1 point over 1 year ago

Selected Answer: B

B is the correct answer.

[-] **tke44** 2 points about 2 years ago

B is the correct option

[-] **RazaTheLegend** 3 points over 2 years ago

Selected Answer: B

B is correct, we must use row level security.

[-] **srikanth923** 1 point over 2 years ago

B is correct, we must use row level security.

[-] **svg10gh** 2 points over 2 years ago

Selected Answer: B

B is correct

[-] **Dr_Do** 2 points over 2 years ago

Selected Answer: B
RLS is the right choice!

[-] **Hoeishetmogelijk** 3 points over 2 years ago

Selected Answer: B
B is correct

[-] **fred92** 5 points almost 3 years ago

Selected Answer: C

The clue is "There are four departments ..."

see <https://learn.microsoft.com/en-us/power-bi/guidance/rls-guidance>

It says there:

Avoid using RLS, whenever it makes sense to do so. If you have only a small number of simplistic RLS rules that apply static filters, consider publishing multiple datasets instead [...] to different workspaces [...] and use query parameters to filter source data.

[-] **killaboy** 1 point over 2 years ago

it's definitely RLS

[-] **fred92** 1 point almost 3 years ago

To be honest, I am no longer sure. If only the department table is filtered, all facts would still contain all department data.

[-] **srikanth923** 3 points over 2 years ago

cant be C because the user has to select the option on the filter. that means they can bypass the filter and view the info from other departments

[-] **prikha16** 1 point over 2 years ago

Agree with fred92, we need to read between the lines, that's why the questions says -there are 4 departments! from documentation "Sometimes it makes sense to avoid using RLS. If you have only a few simplistic RLS rules that apply static filters, consider publishing multiple datasets instead. For example, a company that has just two sales regions decides to publish a dataset for each sales region to different workspaces. The datasets don't enforce RLS. They do, however, use query parameters to filter source data. This way, the same model is published to each workspace—they just have different dataset parameter values. advantages- improved query performance and smaller models. So C is correct.

[-] **ApacheKafka** 2 points about 2 years ago

Parameter only makes the report viewing dynamic and not secure (A user can just type a department name he doesn't belong to and view the report). RLS secures access to only those with clearance.

[-] **shakes103** 7 points almost 3 years ago

What is the primary reason for creating RLS? Is it not to solve this exact problem? The answer to this question is B.

[-] **joaowendling** 1 point over 2 years ago

I agree that creating a query parameter and publishing 4 different reports might be best in this case. However, option C doesn't mention publishing different reports, and just creating a parameter wont do what is necessary. Applying RLS will

Question 110



In Power BI Desktop, you are building a sales report that contains two tables. Both tables have row-level security (RLS) configured.

You need to create a relationship between the tables. The solution must ensure that bidirectional cross-filtering

honors the RLS settings.

What should you do?

- A. Create an inactive relationship between the tables and select Apply security filter in both directions.
- B. Create an active relationship between the tables and select Apply security filter in both directions.
- C. Create an inactive relationship between the tables and select Assume referential integrity.
- D. Create an active relationship between the tables and select Assume referential integrity.

Hide Answer

[-] **Dr_Do** 29 points over 2 years ago

Selected Answer: B

No point of discussion.

RLS works through ACTIVE links, so inactive will simply no work!

[-] **Namenick10** 19 points almost 3 years ago

Selected Answer: B

Answer is B

[-] **Srilatha_B** 1 point 7 months ago

Selected Answer: B

<https://www.youtube.com/watch?v=dXJ9MYJ1qMo>

[-] **jaume** 1 point 9 months ago

Selected Answer: B

Also voting for B solution and with detailed explanation from MayurV19 ("RLS only works with active relationships. So, there is no question of building inactive relationships here.

Also, we have the set the bi-directional filtering as expected and asked in the question"

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: B

I totally agree with you, guys! B - Create an active relationship between the tables and select Apply security filter in both directions

[-] **Kiran37** 1 point about 1 year ago

correct answer

[-] **LL_Seva** 5 points over 1 year ago

Selected Answer: B

I passed the exam on 5 April 2024 (906/1000). My answer was:

B

[-] **LL_Seva** 1 point over 1 year ago

Selected Answer: B

B is the answer

[-] **MayurV19** 1 point over 1 year ago

Correct answer.

RLS only works with active relationships. So, there is no question of building inactive relationships here.

Also, we have the set the bi-directional filtering as expected and asked in the question.

[-] **Dsbuff** 1 point over 1 year ago

Selected Answer: B
B is the correct answer.

[-] **lgetmyrole** 1 point almost 2 years ago

B is the correct answer. It enables the bidirectional cross-filtering and respects the RLS settings, ensuring that data in both tables is filtered based on the RLS rules applied to the user.

[-] **SamuComqi** 11 points about 2 years ago

Selected Answer: B

I passed the exam today (948/1000). My answer was:

- Create an active relationship between the tables and select Apply security filter in both directions

[-] **RazaTheLegend** 3 points over 2 years ago

Selected Answer: B

B is the answer. By default RLS has single direction filter but we should create both directional filter and check mark the apply security filter in both directions

[-] **yordiye** 1 point over 2 years ago

B is the answer. By default RLS has single direction filter but we should create both directional filter and check mark the apply security filter in both directions

[-] **chellyAh** 1 point over 2 years ago

Selected Answer: B

Answer is B

[-] **lukelin08** 3 points almost 3 years ago

Selected Answer: B

B is correct

[-] **mahtab** 4 points almost 3 years ago

B is correct

Question 111



HOTSPOT -

You have a column named UnitsInStock as shown in the following exhibit.

Properties

$\wedge$ Formatting

Data type
Whole number

Format
Whole number

Percentage format
No

Thousands separator
Yes

Decimal places
0

$\wedge$ Advanced

Sort by column
UnitsInStock (Default)

Data category
Uncategorized

Summarize by
None

Is nullable
Yes

Fields

Search

Order Details

Orders

Products

CategoryID

Discontinued

ProductID

ProductName

QuantityPerUnit

ReorderLevel

SupplierID

UnitPrice

UnitsInStock

UnitsOnOrder

UnitsInStock has 75 non-null values, of which 51 are unique.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

When a table visual is created in a report and UnitsInStock is added to the values, there will be **[answer choice]** in the table.

0 rows
1 row
51 rows
75 rows

Changing the Summarize by setting of the UnitsInStock column, and then adding the column to a table visual, will **[answer choice]** the number of rows in the table visual.

maintain
reduce
increase

Correct answer:

Box 1: 75 rows -

Is nullable allows NULL values in the column.

Box 2: reduce -

Reference:

<https://blog.crossjoin.co.uk/2019/01/20/is-nullable-column-property-power-bi/>

Answer Area

When a table visual is created in a report and UnitsInStock is added to the values, there will be [answer choice] in the table.

0 rows
1 row
51 rows
75 rows

Changing the Summarize by setting of the UnitsInStock column, and then adding the column to a table visual, will [answer choice] the number of rows in the table visual.

maintain
reduce
increase

[-] **Guru1337** 59 points almost 3 years ago

If it's the only field in a table only unique values will be shown.

[-] **nbn97** 114 points almost 3 years ago

only distinct values not unique values
so the answer is: 75 rows / reduce

[-] **Fer079** 23 points almost 3 years ago

Exactly, only distinct values but the question says "UnitsInStock has 75 non-null values, of which 51 are unique", so it does not say 75 distinct values, it says 75 with non-null values, so we can have repeated values. Therefore, I would say 51 / decrease

[-] **i.eniolaabolade** 3 points 8 months ago

The 'non-null' means distinct, dont let them confuse you. 75 and Reduce is the answer

[-] **Shalaleh** 4 points over 2 years ago

Consider that, this column is in Product dimension table, so all rows are different.

[-] **Shalaleh** 2 points over 2 years ago

and also should consider the distribution of values in the column is not important, just the number of rows are important, since we have 75 non-null values, then we will have 75 rows.

[-] **iccent2** 11 points over 2 years ago

No, it cannot display only the unique. You know what that means? It means if you have a number that is distinct but not unique for example, 5,5,5, then it will not capture it because it is not unique. The answer is 75.
Unique means it occurs only once in the column which cannot make up the table rows only. I have actually tried this on PBI with some dataset to confirm.
For the second question, when you summarise, it will reduce the table.
for example, all products with the same productname will return one row if you drag the productname and unitInstock to the table visual.

[-] **margarita98** 5 points over 2 years ago

In that case, if you have 5,5,5, the five will only show once, meaning it will show 51 rows, not 75

[-] **cglax** 18 points over 2 years ago

Example: 1,2,3,4,4 contains 5 non-nullable, 4 distinct, 3 unique values. When not summarized and placed in a table, there are 4 rows. The answer to this question should be between 51-75, not one or the other.

[-] **iccent2** 2 points over 2 years ago

yeah, i think this is the case meaning its 51 rows

[-] **iccent2** 5 points over 2 years ago

Tested and 51 is the answer not 75

[-] **Shalaleh** 6 points over 2 years ago

Name of products should be unique. but number of Unitsinstock column does not need to be unique. And since this column is in the Product dimension table, the product names are unique and there are 75 product.

[-] **gaikwpa** 8 points about 2 years ago

Correct Answer - Don't Summarize = 75 and After Summarize = 1

[-] **Sophieeeee** 3 points about 1 year ago

If you have tried in PBI, only put that Unitsinstock column in the table, you will know it should be 51.

[-] **lmrod** 20 points about 2 years ago

Only distinct values will be shown. Unique isn't the same that distinct

[-] **Time2excel** 20 points about 2 years ago

The answer is correct. 75 rows / reduce. Tested and agreed.

[-] **Maniula** 8 points about 2 years ago

It's 51. Table doesn't show duplicated values when there's only one field added.

It will show 75 if you set "Summerize by: Count" but Summerize is set to None in the screenshot.

[-] **Maniula** 2 points about 2 years ago

Nvm, I forgot that unique in Power BI removes the value from Unique count if the value repeats itself

[-] **edbf978** 6 points over 1 year ago

Unique just means the value only appears once in the dataset. Distinct shows how many different values there are in the dataset. The table won't exclude a value just because it appears more than once in the dataset. It will represent it in a single row (given the summarization settings). So there for the number of rows will match the number of distinct records.

[-] **OGESSIUSER** 29 points almost 3 years ago

1 - 1 ROW

2 - increase

[-] **ThariCD** 27 points almost 3 years ago

The summarization is set to 'Don't summarize' so you will have 1 row per value, not 1 row total. If you add a summarization it will decrease the number of rows.

[-] **hmax56** 4 points almost 3 years ago

I agree

[-] **Namrata_12** 10 points almost 3 years ago

SO the Answer is- 1. 75Rows, 2. Reduce, right?

[-] **Jahanif** 2 points over 1 year ago

Nice explanation, ThariCD

[-] **VGG2001** 2 points about 2 years ago

Yes, I created a toy excel sheet and tested it. You are correct! The first time we created a table visual, there is only 1 row in the visual and the summarization is set to "SUM". After we changed the summarization to "Dont summarize", the row increased from 1 row to 51 rows.

[-] **VGG2001** 9 points about 2 years ago

Sorry for the confusion, I think my answer was wrong. I noticed in the question image the summarization is set to "None", so when you first create the visual, there should be 51 rows. Later change the summarization will change 51 rows to 1 row, so "Reduce"

[-] **ReportingPro** 2 points over 1 year ago

This is correct. I tried and tested.

[-] **OGESSIUSER** 36 points almost 3 years ago

SO it's

51

Reduce

[-] **VeroF** 21 points almost 3 years ago

Answer is correct (51 and Reduce). tested

[-] **cglax** 15 points over 2 years ago

You did not test. If there are more non-nullable than unique, there will always be more rows than unique. Example: 1,2,3,4,4 has 3 unique, 5 non-nullable, 4 distinct. Placed in a table shows the rows: 1,2,3,4

[-] **BiLearn** 7 points over 2 years ago

It will be

1- 75 Rows

2. Reduce (Summarize By - Sum; it will return only 1 row in table visual)

I have tested..

[-] **Sophieeeeeee** 1 point about 1 year ago

Test. It should be 51.

And please note that the UnitsInStock column here is not a number, it is text. There is no Sigma sign in front. So there is no SUM summary.

[-] **lechuc508** 1 point 3 months ago

Question 1: When UnitsInStock is added to Values (without the decomposition column), there will be 1 row in the table displayed.

Question 2: Changing the Summarize by setting and adding columns to the displayed table will increase the number of rows in the displayed table.

[-] **binny89** 1 point 5 months ago

Tested in PBI with two simple columns

product | unit

A | 8

B | 8

C | 4

D | 1

Without summary - it shows 1,4,8 (3 records only)

With summary - it shows 21 (1 record only)

So without summary, it shows only distinct values; while summary shows aggregated (lesser records)

[-] **sluo** 1 point 5 months ago

tested in power bi with a 2 column table with repeated values and blanks, it showed 1 row for each distinct value (not non null values), hence it is 51 + reduce

[-] **jaume** 2 points 9 months ago

Tested in my own PBI report, table is returning ALL values in the column (75 non-null values will be listed there, any duplicated value would be listed also duplicated there). We should assume there are no null values in the column, as the table would ALSO REPORT that nulls (so answer, then, should be 75 rows + any additional null row). Is not clear "is nullable" is enabled ("yes") or disabled ("no") as it's like on the right side means it's disabled (in Version: 2.138.782.0 PBI desktop, this option is showing "Yes"/"No" for the selected value).

Let's assume this screenshot stands for "Is nullable" being disabled, then all 75 non-null values are listed in the visual (if nullable values are not allowed, why to mention there are 75 non-nullable values, this is not testing knowledge but trying once and again to mislead you)

[-] **539d541** 3 points 11 months ago

The data type is whole number therefore when you add only that field to the table, default summarization will occur - hence only 1 row showing total of all those UnitsInStock

Changing the summarization setting is ambiguous since it can be changed to Average, Min, Max etc. I would guess you should say increase though

[-] **Monsta** 1 point 11 months ago

Correct

[-] **rcaliandro** 1 point 12 months ago

So, by default the table contains all the values for a specific field (75 in this case) when we select to don't summarize, then it will be reduced to the number of distinct values (51 in the example). So the given answer is correct

[-] **Rayen_BF** 2 points 12 months ago

We assume that our column contains 75 non-null values of which 51 are unique, so we have 63 distinct values that will be visualized in the table, so I don't understand why your answers are 75 rows while in powerbi we don't see repeated values in a table.

[-] **Kiran37** 1 point about 1 year ago

correct answer

[-] **Flix** 1 point about 1 year ago

Summarize is set to: None, therefore all values will be shown.

[-] **Tinashe16** 1 point about 1 year ago

The question was not well structured, obviously distinct values will be more than 51 (the unique values) since we have 75 non-null values. I happen when you try to theorize practical things.

[-] **CookieMingkee** 1 point about 1 year ago

The first question is very tricky.

Assuming that the field accept null values and the question says "UnitsInStock has 75 non-null values, of which 51 are unique" should we assume that there is no null value therefor the answer is 75? But what if there is a null value then the answer is 76 that is one (1) null value plus seventy-five (75) non-null values.

I tested this with a smaller set of data 14 Distinct (including 1 null value) and 10 unique. With no summarization, my table visual returned 14 rows (representing the distinct value that includes the null value).

With summarization, my table visual returned 1 row.

Because of that, I will just assume that there are no null values and select 75 for the first question and Decrease to the second question.

[-] **MoneyStacking** 2 points over 1 year ago

For the Guys and Girls,

At this page, you will no longer find any free questions from Examtopics. However, if you're hesitant about purchasing Contributor Access, don't hesitate any longer; buy it. It costs only \$50 and provides a significant boost to your CV and career. I recently passed with a score of 917 out of 1000. Save yourself time by learning and memorizing all these questions, as 85% of the 50 exam questions were identical to those provided here.

Cheers and good luck!

[-] **Vidushi101** 1 point over 1 year ago

The fact that the values are unique or not is not necessary here. If you are visualising the data for a month and plotting a table with unitstocks for each day, thinking that a record or a row will be removed just because two days in a month had same unitstocks is incorrect. Unless you are summarising (aggregating) records will not be removed on grounds that they do not have a unique value.

answer would be 75, reduced.

[-] **ElieG** 2 points over 1 year ago

So how should we answer in the exam if we face like this question where no answer is correct.

[-] **ElieG** 1 point over 1 year ago

This question makes no sense:

it will be 51 values appearing in the visual table for the unique values PLUS the number of distinct values (it could be 1 value or more... so at least we will get 52 values)

We have non-null values but if we have null values they will be added also because we are using YES for "is-nullable", so i think the question is not well formed.

(try a column from 1 to 51 (distinct values) and continue till 75 as u wish and then create a visualization table) and obviously when summarized the rows will be reduced to one.

[-] **kay1101** 2 points over 1 year ago

Tried in power bi. when created a table visual with UnitsInStock column (only this column, without ProductID column etc / also without summarization)

The number of rows equal the number of distinct values.

Since we don't have distinct value here, the answer of first box really depends on how we define [unique]....if unique here = distinct, then 51. if there is ProductID in the table visual then 75.

[-] **Fra04** 1 point over 1 year ago

Domanda nell'esame di oggi

[-] **arrow040** 1 point over 1 year ago

The UnitsInStock column in PowerBI contains 75 non-null values, out of which 51 are unique¹. Therefore, the number of rows in the UnitsInStock column is 75.

And, when summarizations are applied the number of rows can only be reduced, since the aggregation process combines multiple rows into a smaller set of summarized values.

[-] **iamSophie** 1 point over 1 year ago

1 Row

Increase?!

when the datatype is Number, by default the summarization is Sum which means 1 row.

the second part is tricky, if changing the summarization means removing it, the number increases, if it means changing to count, max, .. the number of rows stay the same means 1 row.

[-] **Parth_Mehta** 2 points over 1 year ago

for instance, if we have column: 1,1,2,2,3

so for this, total non null values = 5, distinct values = 3 and unique values = 1

and based on this we do not have any option..

upvote if you agree...

[-] INDEAVR 3 points over 1 year ago

The question makes no sense.

1. There is no "value" section of the table visual. There is only "columns" section. Even if we assume that the author of the question doesn't know the difference between a matrix visual and a table visual, and he meant that the visual is a matrix, the question still make no sense because you cannot add a column to the "values" section, you can only add a measure.
2. There isn't enough information to answer the question. The number of rows will depend on the other columns of the table visual. For example, if UnitsInStock is the only column in the visual, then there will be only 51 rows. If all Products' columns are added to the visual there will be 75 rows.

[-] Moppu 2 points over 1 year ago

This question makes no sense. Assuming the column is the only value in the table, the displayed values will be the distinct values (not unique).

This means the 51 unique ones will be there, and the remaining can be between 1-12 potential distinct values (as each has to have at least 2 instances).

Including the potential of a null value, the answer is therefore 53-64 values. The only assumption I can make is that the person who wrote the question on ExamTopics messed up by accident and meant to write 'Distinct'.

[-] Moppu 3 points over 1 year ago

This question is ridiculous. Assuming there are no other columns in the table, the value in the table will be the number of distinct values in the column (not unique).

If there are 51 unique values, the remaining 24 could be anywhere between 12 and 1 distinct values. This means there will be between 52-63 rows. None of these are answers.

[-] ElieG 1 point over 1 year ago

you are absolutely right, that's what I am saying in my comment as well.

[-] CookieMingkee 1 point over 1 year ago

Try stepping through the question.

If not summarized and placed in the values field, the answer is 51 rows (returning only the unique values in a row).

If summarized is the number of row returned is a single row that summarizes the value of the column, so the answer here is reduce.

[-] SHENOOOO 1 point over 1 year ago

75 - Reduce

[-] abhijeetbgmcanada 7 points over 1 year ago

75 values are there. out of that 51 are unique. meaning 51 values appear only once. $75 - 51 = 24$ In these 24, values occur multiple times. As per the actual tryout, we see DISTINCT values in the table. they have said 51 UNIQUE. 75 total values.. but they have not said anything about DISTINCT values. Actually question doesnt give enough info to be able to answer the question. distinct values will lie somewhere between 51 and 75. (51 unique values+ some values which have multiple occurrences.... totaling to =75 values. hence as per my opinion, question doesn't give all info to be able to answer.

[-] mustafadev 1 point over 1 year ago

well explanation abhijeet, many of the pl 300 questions have full suspense, they are confusing us.

[-] Chellz 1 point over 1 year ago

Agree. The DISTINCT count would be 52 ~ 63, which should be the row count when not summarizing. The question doesn't provide a correct answer.

[-] Chellz 1 point over 1 year ago

52 ~ 63 (+1) if there's null. The question wasn't clear on if there's null. The "has 75 non-null" can mean "has 75 values and they are all non-null" or "has 75 non-null + any number of null"

[-] momo1165 2 points over 1 year ago

75-Reduce

[-] **Dsbuff** 1 point over 1 year ago

In the screenshot: "Is nullable" -> Yes, which means all 75 rows (including nulls) will be added.
So the answer is: 75 rows/ reduce.

[-] **Mandar77** 3 points almost 2 years ago

I tried creating same scenario in power bi report. The table shoes unique values and when you change property to summarized as SUM then it maintain the table rows.

[-] **RMUK** 1 point almost 2 years ago

sorry for confusion, I think they are asking based on table visual: how many rows we can see when we put the field (after giving proper summarize by).
Summarize by means only 1 result that is one row, so it will reduce from 75 .
correct answer is 75 and reduce.

[-] **RMUK** 1 point almost 2 years ago

75 is correct, but how come it reduce number once you select anything from summarize by ? If I select Count, I get 75 and if select distinct count will get 51. It depends on what you select after you providing summarize by. How come it is Reduce, can anyone explain pls

[-] **sankeytm** 3 points almost 2 years ago

Table shows distinct values firstly and then sums up for second step.

For Ex. I have 15 rows in table,

1
2
3
4
5
6
5
5
6
7
8
9
10
11
11

Then 11 Are distinct values and 8 are unique

When I pull it to table 11 are shown

and then its sum is shown for second step

[-] **sankeytm** 2 points almost 2 years ago

What is final and correct answer to this question?

75 reduce?

51 reduce?

[-] **sunkkki** 5 points almost 2 years ago

I think when they say 75 non-null values, it means 75 "distinct" values, not the total number of rows that have non-null values. Distinct and unique are different. If the dataset is like {A, A, B, B, C, D, E, F}, number of distinct values = 6, number of unique values = 4. Power BI will show {A, B, C, D, E, F}, the distinct values, not {C, D, E, F}, the unique values.

[-] **lcass27** 3 points almost 2 years ago

Correct Answers:

1. 51 rows: just did the exercise in PBI, when a numeric column is "Summarize by None" and it is the only field in a Table visual only distinct values are displayed.
2. Reduce: when you change de summarize by setting the number of rows is reduced, e.g. if you change it to "Summarize by Sum" and UnitsInStock is the only field in the Table visual only 1 row is displayed

[-] SamiaAwais 1 point almost 2 years ago

no it will be 75 rows. as per the information there are 51 unique values which means there there could be more values that may appear twice. table will display all the values and will display the values that appears twice, only once.

[-] lgetmyrole 1 point almost 2 years ago

Rows and Maintain are the correct answers.

Rows: since there are 75 non-null values in the UnitsInStock column, adding it to the Values field well in a table visual will create one row for each of those 75 values.

Maintain: The UnitInStock column is currently set to summarize by "none" , which means each value is treated as a separate row in the table visual. Changing the summarize by setting to something else (e.g., sum, average, etc.) would affect the values are aggregated but would not change the number of rows in the table visual. Therefore, the number of rows will be maintained.

[-] RicoPallazzo7 1 point almost 2 years ago

Testing it in power Bi:

-The single column contains the sum of the values, so it will spit out a single row

-Modifying the aggregation (always with only that column in the table) it will retrieve the same results, until you remove and re-add the column to the visual.

Am i wrong?

[-] aukaab 2 points almost 2 years ago

Once plotted the viz will show all the distinct Values - Now the Unique. Count of Unique does not include the value if its been repeated.

if - {A, A, B, C, C, D, E, F, F} once plotted all the distinct values in this case {A, B, C, D, E, F} will be plotted not only {B, D, E } which appear only once.

[-] kaixin 4 points almost 2 years ago

Answer is correct, I also have test it.

1. 75 - all non-null value will display

2. reduce - while change summarize by field, new counts depend on the type of summarize by you select, i.e., Max, Average, Distinct Count, Sum, Min, Count, which should reduce the row counts when there is duplicate value in the rows.

[-] kelvin3105 2 points almost 2 years ago

51, reduce

[-] lmrod 2 points about 2 years ago

I tried to test it, but I didn't get a "logical" answer. I created a table with only a column that contains 51 unique non null values (numbers from 1 to 51) an then 24 repeated values (number 52). So I have 75 no-null values and 51 unique values. Then I configured the column like the exhibit (Don't Summarize) and when I create the table, it firstly shows 52 rows (number of distinct values)

[-] Bnxyl 4 points about 2 years ago

I hope I can be the one to close this. When you go to model view. Under properties and then proceed to advanced and select summarize by none. Even the Sum symbol in the field is removed upon selecting summarized by none.

When you go back to report view and use those values, all the rows are returned. Thus 75 rows

When you changed the sumamrization, it will reduce

[-] prikha16 2 points about 2 years ago

Guys, this is a very easy question, the Answer is "One" and "maintain". I tested it/

Whenever we drag any field to "Values" in a Matrix (not exactly table visual, table does not have Values well), it by default gets summarized even if default summarization is None. So the field will show "Count" , so answer is One row, and when we change the Summarization let's say to "Sum", it will still be one row, so -"maintain"

[-] elesglar 1 point about 2 years ago

I've tested this in Powe Bi Desktop.

1. I only put the Units in Stock and at first 75 rows appear (with the repeated values). BUT if you click on the Units in Stock you will see that you can check the "Don't Summarize" option which is also checked in the image of this question. When I check don't summarize, it only shows 51 rows. (Also, it doesn't show rows for null values).

[-] **kelvin3105** 1 point about 2 years ago

I tested here and put summarized by none as the definition of the column
I put the values in matrix and in table and the result of both is 51 rows
(Sorry if I wrote wrong, I am Brazilian)

[-] **prikha16** 1 point about 2 years ago

I am trying to drag such a column in Values in matrix visual and it doesn't work, not possible to drag values. Don't know what is wrong, it only gets dragged to columns

[-] **rmeng** 2 points about 2 years ago

Answer is right

[-] **Nishanth_Varma** 1 point about 2 years ago

Ans is 75 and reduce, because in question it is mentioned 'added to values', which is a matrix. Values will show the count of all the rows

[-] **BillyBobby** 2 points over 2 years ago

51 and reduce. Even though the summarisation is set to 'none' when you add the column to a table visual on its own, the visualisation will by default give a distinct list of the values. To show all the values in the table visual you have to disable the summarisation setting for that specific visual. For the second part of the question, if you then go and add a default summarisation to the column, then the table visualisation will use that default summarisation and it can only reduce the rows shown to one.

[-] **CristianGP** 2 points over 2 years ago

It is going to display the DISTINCT values (not only unique ones), and I think we do not know how many distinct values might be.

[-] **wellingtonluis** 9 points over 2 years ago

This question has no correct answer.

- Because the table will show the number of distinct values, and this information is not presented in the statement.
- Second because, if you not delete the visual and create a new, the visual not change if you just change the summarize value.

So it is not very clear for me.

[-] **ElieG** 1 point over 1 year ago

yes there will be at least 52 values shown.

[-] **semauni** 2 points over 2 years ago

I agree, distinct is not the same as unique. But not all 75 non-null rows are unique, hence you know there are no duplicates, and it must be 51.

[-] **semauni** 2 points over 2 years ago

there are duplicates*

[-] **AreAre** 1 point over 2 years ago

I tested this one and result is:

1- 1Row

2- Increase

reasons:

by default when you add the data into the table it will give you the sum of the values in the column so you see only one value = 1 row unless you change the summarized to none then you will see all the distinct values not unique values in the column (answer 2 = Increase) which will be more than 51 in this example.

so 0 can't be true as well as 75 as well as 51.

[-] **RazaTheLegend** 10 points over 2 years ago

Well guys this question doesn't really make sense, I tested this, made 75 none-null values and 51 unique (first 51 unique values are just 1-51 and the last 24 values where just 52). Also with all the same settings for the field value, I get 52 rows, you get one row per distinct value therefore, the number is unique values (51) <= distinct values (x) <= total number of None null values (75). Meaning the answer should be somewhere between 52 and 75, but since we have no information about the numbers beside the total and unique we cant really know what is correct as the answer in this case is at least 52 and max 74 (Think about why this is true, make an easy example for yourself if needed.) But no matter what no answers here are correct (at least for the this version of Power BI). Then when add summarize it reduces it.

[-] **ElieG** 1 point over 1 year ago

you are absolutely right

[-] **Imrod** 2 points about 2 years ago

I completely agree with you. I think that the key is that when they talk about unique values really wanted to say distinct values. In that case the answer should be 51

[-] **oreshtetnik** 2 points almost 2 years ago

I also agree with you. But now the question is... how to answer in the examen:)

[-] **Ayush_Tiwari** 7 points over 2 years ago

CORRECT ANSWER - 75/ REDUCE

[-] **pepix74** 2 points over 2 years ago

ChatGPT:

1)

When a table visual is created in Power BI, and the UnitsInStock column is added to the Values field, there will be 51 rows in the table.

Since there are 51 unique values in the UnitsInStock column, each unique value will appear as a separate row in the table.

2)

Changing the "Summarize by" settings of the UnitsInStock column and adding the column to a table visual will reduce the number of rows in the table visual.

When the "Summarize by" setting is set to a summary function such as Sum, Count, Average, Min, or Max, Power BI groups the values of the UnitsInStock column and aggregates the data. The resulting table will have fewer rows than the original table since multiple rows will be combined into a single row based on the summarization function used.

[-] **Burabari** 9 points over 2 years ago

Please stop asking ChatGPT, it is still a kid

[-] **Shalaleh** 4 points over 2 years ago

when you are asking ChatGPT, ask him several times, it will change his answer :D

[-] **pepix74** 1 point over 2 years ago

yes, I have tried after the comment...

[-] **dkbsdkbs** 1 point over 2 years ago

use 1 to 25, 50 to 75 and fill 26 in all other rows- you will get 51 unique 52 distinct, when you use single column in table visual, you can observe 51 rows and after summarizing it single row will appear

[-] **srikanth923** 3 points over 2 years ago

answer:

- 75 rows (note that the 51 unique values are already included in these 75 values)
- the number of rows will reduce when aggregation is applied.

[-] **TTMS** 2 points over 2 years ago

Tested:

1. 51
2. Reduce

[-] **Elektrolite** 1 point over 1 year ago

You didn't test this well enough. You probably didn't include some duplicates with 51 values that appear only once

[-] **KarthikKumarK** 5 points over 2 years ago

Answer is correct.

1. 75 Rows | Because, the property of summarize is NONE.
2. Reduce | If you enable / select NONE to Summarize, The value will be in 1 row. So, It will REDUCE.

[-] **ashflahfhajhd** 6 points over 2 years ago

If a table has only one field only distinct values will be shown. "UnitsInStock has 75 non-null values, of which 51 are unique". We don't know the number of distinct values. The answer should be between 51 and 75.

[-] **svg10gh** 6 points over 2 years ago

The right answer is : 75 rows , reduce

[-] **kiwi69** 2 points over 2 years ago

The only answer can be 75 as explained by not2smart but the question is clearly wrong. The statement "UnitsInStock has 75 non-null values, of which 51 are unique" would have, as a consequence, a number of distinct values greater than 51 but smaller than 75.

[-] **MBA_1990** 3 points over 2 years ago

The right answer is : 75 rows / reduce
51 unique values doesn't mean that we have 51 distinct, it's different.

[-] **RichXP** 2 points over 2 years ago

create a excel file with a column with value 1,2..75, then append with value 52,53..75, so you have distinct 75 rows and unique 51 rows. create a table visualization, you will see 75 rows. if you add sum, you see only one row with value of 4374. So the answer is 75 rows / reduce (one row)

[-] **abraao_maia** 1 point over 2 years ago

The correct answer is 51/reduce

[-] **not2smart** 5 points over 2 years ago

The answer is 75 and reduce.

- Create a table with a column with 75 non-null values of which 51 are unique and Summarize set to Don' Summarize (None).
- Create a Table visual with this column selected and you will see only the distinct values, which might be lower than 75, but must be higher than 51 unique values. The only choice is 75 values itself. The key interpretation is: "of which" in "UnitsInStock has 75 non-null values, of which 51 are unique". There must be other non-unique values than the 51 in there to get to 75, otherwise the 51 values would not be unique.

Changing Summarize to something other than None, before creating the Table Visual will reduce the rows to 1 in the source table, so reduce is the 2nd answer.

[-] **AlexYang_** 2 points over 2 years ago

75;
reduce

[-] **Samavia** 3 points over 2 years ago

1. 51
2. maintain tested

[-] **Hoeishetmogelijk** 8 points over 2 years ago

I think that the text of the question is wrong:

- if there are 51 unique values, they appear just once, so the rest of the 75 non-null values must be different, so the table should display more than 51 rows.
- if the table should display 75 rows, that would mean that all the existing 75 non-null values are distinct, when all values are distinct than they all appear just once and are unique.

The question and the options don't sum up.

[-] **yahsee33** 2 points over 2 years ago

Yes, exactly! To make matters worse, there is no Values well in the current Table visual, so text is incorrect in referencing that. If I had to guess, I'd assume they meant distinct rather than unique, in which case 51/reduce would be right.

[-] **csillag** 1 point over 2 years ago

Correct Answer: 75 and reduce.

Reason: Table shows distinct values. If we have 51 unique values and the rest of the values are non blank, we have to see more then 51 rows. In Answer 75 is available.

[-] **Patrick666** 1 point over 2 years ago

51, decrease

[-] **slash_nyk** 5 points over 2 years ago

Tested. It should be 51 Rows. By default, Table visual only displays unique values unless you drag some other field to the table.

Summarizing will reduce

[-] **iccent2** 1 point over 2 years ago

You truly tested it.

Display on the table visual only present the unique values that appear just once by default.

I created a table using 1,1,2,3,4,5 which is supposed to be 6 rows, but on the table visual, it only displayed 1,2,3,4,5 with the 1 just presented once and not twice.

So, the answer is 51.

Take note: This is on report viz and not on power query

[-] **rajkoma** 1 point over 2 years ago

For 1st question- It differs on datatype of the column.If its Whole number or Integer, it will be 1 row and if its text it should be 75 rows

For the Other one,its again on data type.If its number then reduce and if Text then Maintain. What do you say?

[-] **KobeData** 4 points over 2 years ago

We're not dealing with a matric here, we're dealing with a simple table. In simple tables values that occur more than once won't be shown in the rows multiple times. Since you're they tell you you have 51 unique values (and the other ones aren't null values) you can be sure it's more than 51. Since you'll already have 51 rows of unique values.

So the first is answer is 75.

Furthermore, when you add another table, change the sign to summarize, you will add up all the values of the 51 unique values and all the rest. Which means you will get one single row, displaying the sum of all these values.

Therefore, the second answer is reduce.

[-] **reeny** 4 points over 2 years ago

1 row, Increase

I think it should be 1 row because the data type is a Whole Number and in default the Summarization is set to be "Sum" (If it's a String then might be either 51/75 rows).

After changed to "Don't Summarize", the table will show all the unique values from the column so number of rows increased

[-] **andregrahamnz** 2 points over 2 years ago

It doesnt matter what the default summarization is set to; they've shown you the summarization has been set to 'none' to start

[-] **ivanb94** 3 points over 2 years ago

75 rows

Reduce

You can test it by creating a table with one column that contains 75 non-null values out of which 51 are unique.

After that just drag your column to the simple table and you will see that it has to be more than 51 rows (the table will show the distinct values).

The part that is confusing is that it doesn't say 75 distinct values, but since there need to be more distinct values than 51, we can assume that all of the 75 values are distinct.

After that, just add some summarization and it will show you only one number.

Hope this helps!

[-] **Luxtra** 2 points over 2 years ago

If all 75 values were distinct in this table with 75 rows, every value would cosequently also be unique. If 51/75 are unique, is means the remaining 24 rows MUST contain non-unique values. It could be the same value 24 times, or it could be 12 distinct values, all of which occur twice. But EACH of the remaining values MUST occur at least twice, otherwise they would also be unique.

Ergo: the table visual shows between 52 and 63 rows.

None of the given answers is correct.

[-] **apache24** 1 point over 2 years ago

I agree with you!

[-] **rivecin637** 6 points over 2 years ago

Tested : 51 and maintain.

Only unique unique values will be shown.

[-] **naziahassan** 3 points almost 3 years ago

which one is the correct answer then, every one is saying different

[-] **zerone72** 2 points almost 3 years ago

75, MAINTAIN !!!

When you add the column to a flat table only distinct (and not unique!) values are display. The question doesn't mention anything about the 75 values being distinct or unique. If you assume they are distinct then the ANSWER IS 75.

The question doesn't say anything about another column existing in the table and being added to the visual. Therefore, assuming that UnitInStock is the only column, changing the summarization MAINTAIN the number of value (it not a matrix, so values are not summed)

[-] **zerone72** 1 point almost 3 years ago

IF you add another column to the visual, changing the summarization will reduce the number of rows in the visual

[-] **centrumadresowe** 2 points almost 3 years ago

Sorry - 51 and reduce

[-] **centrumadresowe** 2 points almost 3 years ago

75 Rows / Reduze

[-] **lukelin08** 1 point almost 3 years ago

75 Rows

Reduce

[-] **lukelin08** 1 point over 2 years ago

Tested again and I stand by my answer. 75 values does not mean 75 rows. What we do know is there are 51 unique values. So to test, create a column with the numbers 1-75 on each row > then leave 51 of these row values unique and for the remaining rows duplicate the numbers > then when you add the column to a table it will only show the distinct values which will be 75

[-] **Lkra1** 3 points almost 3 years ago

its 75 bcs it says just a simple report, nothing fancy about, and we have 75 non null and 51 unique, but it says just that it will show the rows in a report so it means all rows no matter what difference.

and reduce bcs when we talk about summarization in a column we refer to reducing common values in form of a "summing"

75

reduce

[-] **nucleus21** 4 points almost 3 years ago

I tested the example in powerbi so its 51 rows / reduce. Actually a) it is a distinct values table and b) is one value total summarization

[-] **Fer079** 5 points almost 3 years ago

How did you test it? Did You use 75 distinct values or with repeated values?, because the result is not the same.

"Distinct" is not same as "Unique".

If you used 75 non-null values of which 51 are unique then it means that 24 values are not unique (each value exist more than once), so your result will be 51 + distinct (the other 24 values) as it's not possible your result.

The only way to have the result of 75 is knowing that we have 75 distinct values and not just 75 values (rows), and the only way to have the result of 51 is having 51 distinct values and not unique (unless all the rows we have are unique, in this case distinct = unique)

[-] **andregrahamnz** 3 points over 2 years ago

Fer079's response to this is correct. There could be 51 unique values and the rest of the values are '1', but that will still result in a MINIMUM of 52 rows. The correct answer based on the information given is 'anywhere between 52 and 75 rows' which rules out all answers EXCEPT 75.

[-] **Luxtra** 1 point over 2 years ago

How will you end up with 75 rows? The 24 remaining values CANNOT be unique, or there would be 75 unique values and not 51. So each of the remaining 24 must occur at least twice => maximum of 63 rows, minimum of 52 rows. There is no correct answer.

[-] **Neerajkved** 4 points almost 3 years ago

Wrong Answer:

Correct Answer will Be

A. 51 because table shows only Unique values by default and this is the only value added in the visual

B. Increase - Because if we add more dimension to table visual, number of unique combination will increase hence row count will increase.

Reduce

[-] **Neerajkved** 4 points almost 3 years ago

Apologies for second answer , Answer for B will be "Reduce" as we are changing setting for summarization from None to a dimension.

[-] **Namrata_12** 5 points almost 3 years ago

Ans would be- 51, reduce

[-] **fdsdgxcvbdshshfg** 6 points almost 3 years ago

51, decrease

[-] **zagiel** 3 points almost 3 years ago

1. 1 rows

2. When we change option "Don't summarize" the count of rows increase

I did it in Power BI

Question 112

HOTSPOT -

You have a Power BI report.

You have the following tables.

Name	Description
Balances	The table contains daily records of closing balances for every active bank account. The closing balances appear for every day the account is live, including the last day.
Date	The table contains a record per day for the calendar years of 2000 to 2025. There is a hierarchy for financial year, quarter, month, and day.

You have the following DAX measure.

Accounts :=

CALCULATE (

DISTINCTCOUNT (Balances[AccountID]),

LASTDATE ('Date'[Date]))

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements

A table visual that displays the date hierarchy at the year level and the [Accounts] measure will show the total number of accounts that were live throughout the year.

Yes

☐

No

☐

A table visual that displays the date hierarchy at the month level and the [Accounts] measure will show the total number of accounts that were live throughout the month.

☐
☐

A table visual that displays the date hierarchy at the day level and the [Accounts] measure will show the total number of accounts that were live that day.

☐
☐

Hide Answer

Correct answer:

Box 1: No -

It will show the total number of accounts that were live at the last day of the year only.

Note:

DISTINCTCOUNT counts the number of distinct values in a column.

LASTDATE returns the last date in the current context for the specified column of dates.

Box 2: No -

It will show the total number of accounts that were live at the last day of the month only.

Box 3: Yes -

Reference:

<https://docs.microsoft.com/en-us/dax/distinctcount-function-dax> <https://docs.microsoft.com/en-us/dax/lastdate-function-dax>

Answer Area

Statements

A table visual that displays the date hierarchy at the year level and the [Accounts] measure will show the total number of accounts that were live throughout the year.

Yes

☐

No

☒

A table visual that displays the date hierarchy at the month level and the [Accounts] measure will show the total number of accounts that were live throughout the month.

☐☒

A table visual that displays the date hierarchy at the day level and the [Accounts] measure will show the total number of accounts that were live that day.

☒☐

[-] **dorypl300** 58 points almost 3 years ago

NO

NO

YES

[-] **Alscoran** 1 point over 1 year ago

I'm wondering if the last one is NO. A question for someone to clarify for me... Wouldn't DISTINCTCOUNT (Balances[AccountID]) be a distinct count of the BALANCES ? So if two accounts have the same balance, wouldn't it only count one time ? Thus giving an incorrect count of the active accounts ?

[-] **jaume** 3 points 9 months ago

Hi Alscoran, be aware DAX calculation is not counting (distinctcount) the amount for each balance but the [AccountID] therefore, even when two accounts could have exactly the same balance in the last day, they should be counted as 2 as they should not share the same Id)

[-] **Alscoran** 6 points over 1 year ago

I just realized that Balances is the table name, not a column. Ignore me !

[-] **susunz** 18 points almost 3 years ago

The date is hierarchy, the lastdate() is based on the hierarchy, which means the measure should be adjusted with the year/month/day level. Thus N-N-Y is correct.

[-] **Lulu_2022** 1 point 28 days ago

no

no

yes

Each day's result reflects the distinct count of accounts with a record on that exact date. This is especially useful for tracking daily activity, presence, or retention.

for year and month: It will show account live at a single day.

[-] **rcaliandro** 1 point 12 months ago

correct No, No, Yes

[-] **Kiran37** 1 point about 1 year ago

correct answer

[-] **tke44** 4 points about 2 years ago

NO

NO

YES

[-] **lizbette** 1 point over 2 years ago

shouldn't the last one be no too? the question says if it would calculate for the day, but doesn't it only calculate for the last day of the month? eg for the month of Jan, would only show Jan30; February would only show Feb28?

[-] **joaowendling** 5 points over 2 years ago

No, LASTDATE will return the last date from the current context. If the context is the Year, the last date will be 31/12/year. If the context is the Day, LASTDATE will return the day itself
<https://learn.microsoft.com/en-us/dax/lastdate-function-dax>

[-] **Nisa93** 3 points over 2 years ago

NO
NO
YES

[-] **yordiye** 8 points over 2 years ago

No No Yes... Last Date calculates the last day only

[-] **Jay_98_11** 2 points over 2 years ago

correct

[-] **Churato** 3 points almost 3 years ago

As I was no sure , I did a test here, and Yes, the answer is correct...

[-] **Mizaan** 2 points almost 3 years ago

Shouldn't this be YYYY? Lastdate "returns the last date in the current context for the specified column of dates". Therefore, it will be give you the last day of the year or month depending on the context. If you then do a distinctcount on the accountid, this means that account had a closing balance on that day.

[-] **shakes103** 24 points almost 3 years ago

It is NO NO YES and here's why. Just as you mentioned, Lastdate "returns the last date in the current context for the specified column of dates" which means it will ONLY RETURN the live account balances for the LAST DAY of the YEAR for year and MONTH for month and not THROUGHOUT THE YEAR & THROUGHOUT THE MONTH as those options stated. Read those options again and the answers will come to you.

[-] **JudT** 3 points over 1 year ago

Correct. Understood now! Cheers Shakes103

[-] **lukelin08** 6 points almost 3 years ago

No
No
Yes

[-] **aloulouder** 5 points almost 3 years ago

correct

[-] **simplex06** 5 points almost 3 years ago

It should be No - No - Yes

Question 113



You have the tables shown in the following table.

Table name	Column name
Campaigns	Campaign_ID
	Name
Ads	Ad_id
	Name
	Campaign_id
Impressions	Impression_id
	Ad_id
	Site_name
	Impression_time
	Impression_date

The Impressions table contains approximately 30 million records per month.

You need to create an ad analytics system to meet the following requirements:

⇒ Present ad impression counts for the day, campaign, and site_name. The analytics for the last year are required.

Minimize the data model size.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create one-to-many relationships between the tables.
- B. Group the Impressions query in Power Query by Ad_id, Site_name, and Impression_date. Aggregate by using the CountRows function.
- C. Create a calculated table that contains Ad_id, Site_name, and Impression_date.
- D. Create a calculated measure that aggregates by using the COUNTROWS function.

Hide Answer

[-] **sidyndiaye** 26 points almost 3 years ago

I agree.

[-] **RazaTheLegend** 19 points over 2 years ago

Selected Answer: AB

AB is the correct answer. Grouping in power query reduces the number of rows in the impression table that is gonna be loaded in the model. Creating relationships doesn't increase the size of the model. Therefore, the answer AB is correct!

[-] **Jasm_74** 1 point about 2 months ago

Selected Answer: AB

AB For sure

[-] **rcaliandro** 2 points 12 months ago

Selected Answer: AB

AB is the correct one

[-] **Kiran37** 1 point about 1 year ago

correct answer

[-] **MoneyStacking** 10 points over 1 year ago

For the Guys and Girls,

At this page, you will no longer find any free questions from Examtopics. However, if you're hesitant about purchasing Contributor Access, don't hesitate any longer; buy it. It costs only \$50 and provides a significant boost to your CV and career. I recently passed with a score of 917 out of 1000. Save yourself time by learning and memorizing all these questions, as 85% of the 50 exam questions were identical to those provided here.

Cheers and good luck!

[-] **ab97776** 2 points over 1 year ago

Neither option a or d reduce model size but option a at least allows for proper data structure for accurate analysis -> option A the better of the two
option C increases model size so hard no
option b reduces model size , yay
therefore answer is A and B

[-] **Dsbuff** 5 points over 1 year ago

Selected Answer: AB
Creating one-to-many relationships = optimizing the model. => A is correct.
Group the Impressions query in Power Query = pre-summarizing the data which results in a smaller and more efficient data model => B is correct.

[-] **fbbucky** 4 points over 1 year ago

I feel like A and D should be the right answers given the fact that option B does not group by Campaign which is wrong. Any thoughts on this?

[-] **ExamTopPicks** 1 point over 1 year ago

...i also believe that D does not reduce the model size as stated in the requirements. you are keeping the same number of Impressions rows and just adding a DAX measure.

[-] **ExamTopPicks** 2 points over 1 year ago

A and B are correct, i believe. B is grouping the Impressions table, it does not have Campaign ID column. That column is in the Ads table, which remains unmodified in solution B.

[-] **BI_life** 4 points almost 2 years ago

Guys, I feel like B and C are wrong. They didn't do anything with the campaign but we need to analyze the campaigns. Since D also work, I believe the answer should be
A & D

[-] **rainy_255** 5 points almost 2 years ago

This was in the exam this week.

[-] **lgetmyrole** 1 point almost 2 years ago

B and C are the correct answers.
B. This step will help us aggregate the impression data at the desired level of granularity (day, campaign, and site_name) in Power Query itself, reducing the amount of data loaded into the data model.
C. By creating a calculated table that contains only the necessary columns (Ad_id, Site_name, and impression_date), we further minimize the data model size.

[-] **AyoJose** 6 points almost 2 years ago

creating a calculated table will increase the data model size

[-] **Pocu** 4 points almost 2 years ago

I would say AD is correct.
Let us ignore the day and site_name and focus on the Ad vs Campaign.
The reason is campaign to Ad is one to many relation thus one campaign can include some Ads. Assume
campaignA(Campaign_ID=1) includes Ad1(Ad_id =1)&Ad2(Ad_id =2),
RowsOfAD1 = Countrows(FILTER(Impressions, [Ad_id]=1))
RowsOfCampaign1 = Countrows(FILTER(Impressions, AND([Ad_id]=1,[Ad_id]=2)))

They are different.

[-] **tke44** 7 points about 2 years ago

A and B for optimisation purpose. even if A and D is working

[-] **Shalaleh** 2 points over 2 years ago

Given answer is correct.

[-] **ewelaela** 4 points over 2 years ago

Selected Answer: AB

AB is correct

[-] **yordiye** 1 point over 2 years ago

It should be A & D we can created aggregation with COUNTROWS DAX and group by Campaign Name, Date & Site name . B is using wrong columns for calculations

[-] **yordiye** 7 points over 2 years ago

Sorry I am Wring it is A & B

[-] **SumaiyaShah** 5 points over 2 years ago

A is correct. I have a doubt about B. Aren't we suppose to group by campaign too? Grouping by AddID, we might have several campaigns against an add. Pls correct me if I am wrong

[-] **AlexYang_** 1 point over 2 years ago

Selected Answer: AB

A;B is correct

[-] **slash_nyk** 3 points over 2 years ago

we also need group by campaign ? What about that

[-] **Hoeishetmogelijk** 4 points over 2 years ago

The "group by" only affects the Impressions table. The Ads and the Campaigns table stay the same and through the relationships, the Campaign to which the Impression belongs can be retrieved.

[-] **JukMar** 3 points almost 3 years ago

CORRECT

[-] **Hangman_T** 4 points almost 3 years ago

Selected Answer: AB

correct

[-] **centrumadresowe** 3 points almost 3 years ago

Selected Answer: AB

Correct

[-] **lukelin08** 3 points almost 3 years ago

Correct, A, B

[-] **Ixlsa** 3 points almost 3 years ago

In my oppinion, is A, D.

Not C because grouppping by Ad_id increases the data model size and is not required.

[-] **zerone72** 8 points almost 3 years ago

A-B is the correct answer. Grouping in power query reduces the number of rows in the impression table that is gonna be loaded in the model. Creating relationships doesn't increase the size of the model. Therefore, the answer A-B is correct!

[-] **zerone72** 2 points almost 3 years ago

Furthermore, you need relationships in order to group by campaign

[-] **GregFred** 4 points almost 3 years ago

correct

[-] **Snow_28** 4 points almost 3 years ago

I agree too.

Question 114

HOTSPOT -

You are creating a Microsoft Power BI data model that has the tables shown in the following table.

Table name	Column name
Sales	SalesID
	ProductID
	DateKey
	SalesAmount
Products	ProductID
	ProductName
	ProductCategoryID
ProductCategory	ProductCategoryID
	CategoryName

The Products table is related to the ProductCategory table through the ProductCategoryID column. Each product has one product category.

You need to ensure that you can analyze sales by product category.

How should you configure the relationship from ProductCategory to Products? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Cardinality:

One-to-many
One-to-one
Many-to-many

Cross-filter direction:

Single
Both

Correct answer:

Box 1: One-to-many -

The one-to-many and many-to-one cardinality options are essentially the same, and they're also the most common cardinality types.

Incorrect: A many-to-many relationship means both columns can contain duplicate values. This cardinality type is infrequently used. It's typically useful when designing complex model requirements. You can use it to relate many-to-many facts or to relate higher grain facts. For example, when sales target facts are stored at product category level and the product dimension table is stored at product level.


Box 2: Single -

Incorrect:

Bear in mind that bi-directional relationships can impact negatively on performance. Further, attempting to configure a bi-directional relationship could result in ambiguous filter propagation paths. In this case, Power BI Desktop may fail to commit the relationship change and will alert you with an error message.

Reference:

<https://docs.microsoft.com/en-us/power-bi/transform-model/desktop-relationships-understand>



mindstemall 109 points almost 3 years ago

Silly comments here. One-to-many because several products have the same product category. Single because the performance is much better and the assignment states only that you need to be able to analyze sales by product category.

SylUK 1 point 7 months ago

Beside Both is for fact tables and Single for dimension tables.

learnazureportal 23 points almost 3 years ago

Your answer is correct. however, we don't choose single, b/c it has better performance. b/c data flows from product to ProductCategory. This is the reason, we choose single.

Hoeishetmogelijk 7 points over 2 years ago

you are both right

vivian_data 1 point about 2 years ago

How did we figure out that the data flows from Product to Product Category and not the other way around??

vivian_data 12 points about 2 years ago

Nevermind, here's the answer: "For one-to-many relationships, the cross filter direction is always from the "one" side, and optionally from the "many" side (bi-directional). "

<https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-relationships-understand>

[-] **i.eniolaabolade** 1 point 10 months ago

one "to" many

[-] **ZSun** 8 points about 2 years ago

This is the wrong explanation about "Single".

When we choose one-to-many of "ProductCat to Product", the default direction of single is from ProductCat->Product.

However, "analyzing sales by product category" means, information from sales->Product->ProductCat. This is the opposite direction of our single direction.

Therefore, it should be Both.

Keep in mind, the single direction is determined by your one-to-many design.

[-] **Elfmo11** 5 points almost 2 years ago

But the direction is about the way the filter works. Since analysing sales by ProductCategory means you filter from ProductCategory (via Product) to Sales, the direction is one way from ProductCategory to Sales.

[-] **Bnxyl** 5 points about 2 years ago

Guys take note. This is tested and confirmed. At first, I wanted to abuse you but then something told me to first put it into practice. And yes. It is one to many and Both. Thank you for standing out

[-] **HamzaMJ** 29 points over 2 years ago

1 - One to many because every product category has many products

2 - Both because we need to analyze sales by product category

[-] **scotchtapebunny** 27 points over 2 years ago

you want to analyse SALE BY PRODUCT CATEGORY, you need cross filter direction single to make this work. If you do both that means you want to analyze PRODUCT CATEGORY by SALE. This doesn't make sense so there is no need for both. You're going downstream from product category to sales not the other way around.

This is what I think but I'd be thankful if someone can help me if I am wrong.

[-] **Booster21** 2 points over 2 years ago

I totally agree what you said that "If you do both that means you want to analyze PRODUCT CATEGORY by SALE.", otherwise single can do the trick. I was confused when to use BOTH earlier.

[-] **Nandini_Shanthaveerappa** 1 point almost 2 years ago

For example, if we want to see the sales by product(Coffee, Tea, Milk) in each region(US, UK, IN). Say we dont want show the product names in the visuals if there no sales for that product in a specific region. So we use bidirectional so that the region and product tables are filtered for only sold products.. where it will not return blank if there's no sale for product tea in US .. it shows sales values for Coffee and Milk only

[-] **KobeData** 5 points over 2 years ago

Yu always filter from the one side, which in this case, is the productCategory. So one to many - single means filtering from one to the many side, which is correct. So it should be single. Hope this helps.

[-] **Lulu_2022** 1 point about 1 month ago

Yes — Single is the default (and recommended) direction

When you create a one-to-many relationship from ProductCategory (1) → Product (many), Power BI defaults to single-directional filtering from ProductCategory to Product.

This supports clean, top-down slicing:

Select a category, see all associated products.

! But — analyzing sales by category requires filter flow in the opposite direction

Sales data typically lives in a fact table like Sales, related to Products through ProductID. So to see sales by product category, Power BI needs to follow this path:

ProductCategory → Product → Sales

That's a natural, single-direction chain — no bidirectionality required — if all relationships go downward from dimensions to facts.

[-] **IOcr** 1 point 5 months ago

Cross filter direction could be both, and that would provide a better report experience with the slicers in my opinion, but using single is the better performing and therefore default option.

[-] **EpicData** 1 point 10 months ago

Correct

[-] **rcaliandro** 2 points 12 months ago

This is a classical single one-to-many relationship. The given answer is correct

[-] **Flix** 1 point about 1 year ago

One-to-many because several products have the same product category.
Both, because the filter goes via Products and One-to-many is from product to category.

[-] **KipngenohVinnie** 2 points about 1 year ago

The answer is correct, one to many, that is from ProductCategory to Products, and direction is Single

[-] **Moin23** 2 points about 1 year ago

Each product has one product category.
isn't one-to-one ? They didn't say, every Product has "atleast" one product category
configure the relationship from ProductCategory to Products?
One - Product Category side
Many on Product side
? right

[-] **Mo2011** 1 point about 1 year ago

No, this means one category has many products so it one (category) to many (products)

[-] **MoneyStacking** 1 point over 1 year ago

For the Guys and Girls,
At this page, you will no longer find any free questions from Examtopics. However, if you're hesitant about purchasing Contributor Access, don't hesitate any longer; buy it. It costs only \$50 and provides a significant boost to your CV and career. I recently passed with a score of 917 out of 1000. Save yourself time by learning and memorizing all these questions, as 85% of the 50 exam questions were identical to those provided here.
Cheers and good luck!

[-] **Igetmyrole** 2 points almost 2 years ago

One-to-many
Singel
One-to-many: Each product category can have multiple products belonging to it.
Single: Because we want to analyze sales by product category.

[-] **Bnxyl** 1 point about 2 years ago

After further analysis. I think there are two answers available to this
Answer set A: One to many and Single
Anwer SET B: One to one and both

[-] **Bnxyl** 1 point about 2 years ago

But thinking deeper, What is the, The product table and Product category table must be having a one to one cardinality otherwise this would mean that the Products table and sales table will be having a many to many relationship considering that they are related via the product ID.
Thus to me the final answer should be One to one and then both directions

[-] **Lavi29** 2 points about 2 years ago

It asks relationship from product category to product not vice versa. Filter will take place at many * direction. So keeping it one to many means product category to product one to many, which is wrong. As there is not an option of many to one then many to many is the best choice here. And for many to many we always need filter in both directions. So the answer is many to many and both.

[-] **bakamon** 2 points about 2 years ago

question is asking ProductCategory to Product Relation..

For sure it will be one to many.. if it was product to productcategory, then it would be one to one and cross filter : single for performance..

[-] **Shalaleh** 2 points over 2 years ago

one-to-many

single

[-] **UlyUkr** 5 points over 2 years ago

1. One to many, because one Product Category can have many Products.

2.Single. It allows to calculate Sales by Product Category. Also the best practice as per this article

<https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-relationships-understand>

Also I tested in Power BI. If you have doubts, recreate the issue in Power BI and you will get the correct answer.

[-] **RazaTheLegend** 1 point over 2 years ago

1 - One to Many

2- Single direction

[-] **Mati_123** 2 points over 2 years ago

1 - One to Many

2- Single direction

[-] **SumaiyaShah** 2 points over 2 years ago

We cant make a 1 to 1 cardinality relationship single directional I guess

[-] **Patrick666** 4 points over 2 years ago

One-to-many, both

[-] **Pauwels** 3 points over 2 years ago

I think we should forget that the cardinality is from ProductCategory to Products.

It is one to many, single.

One to many make sure that each product has one product catégories. 2 product can have the same product cat

[-] **wzwd** 6 points almost 3 years ago

I cannot imagine that there are so many people who want to pass this exam even not knowing the correct answer of this question.

[-] **lukelin08** 2 points almost 3 years ago

Tested, one-to-one and cross filter direction 'both' works

[-] **NevilleV** 1 point almost 3 years ago

It may but may come up with the wrong answer and has speed implications.

[-] **lukelin08** 3 points over 2 years ago

I agree, my answer is incorrect. I believe now it is one-to-many and single filter direction

[-] **Mizaan** 2 points almost 3 years ago

<https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-relationships-understand>
Bear in mind that bi-directional relationships can impact negatively on performance.

[-] **EMMALEEEEEEEEE** 3 points almost 3 years ago

'Each product has one product category' should be one-to-one?

[-] **Mizaan** 3 points almost 3 years ago

Each product only has one category but each category can have multiple products, hence why one to many.

[-] **Wadyba** 1 point over 2 years ago

Don't assume what is not in the question. The question says 'each product has one product category' period.

[-] **lukelin08** 2 points almost 3 years ago

Couldnt it also be one-to-one relationship because each product has one product category?
and also if there is a one-to-one matching relationship between the tables then cross filter direction of 'both' would also be alright wouldnt it?

[-] **NevilleV** 2 points almost 3 years ago

No. Many products can share one category. Eg Category = Cars. Product = Ford, Honda, BMW

Question 115

You import a Power BI dataset that contains the following tables:

☞ Date

☞ Product

☞ Product Inventory

The Product Inventory table contains 25 million rows. A sample of the data is shown in the following table.

ProductKey	DateKey	MovementDate	UnitCost	UnitsIn	UnitsOut	UnitsBalance
167	20101228	28-Dec-10	0.19	0	0	875
167	20101229	29-Dec-10	0.19	0	0	875
167	20110119	19-Jan-11	0.19	0	0	875
167	20110121	21-Jan-11	0.19	0	0	875
167	20110122	22-Jan-11	0.19	0	0	875

The Product Inventory table relates to the Date table by using the DateKey column. The Product Inventory table relates to the Product table by using the

ProductKey column.

You need to reduce the size of the data model without losing information.

What should you do?

- A. Change Summarization for DateKey to Don't Summarize.
- B. Remove the relationship between Date and Product Inventory
- C. Change the data type of UnitCost to Integer.
- D. Remove MovementDate.

Hide Answer

[-] **ElijahSu** 59 points almost 3 years ago

Selected Answer: D
D is right

[-] **Jukibabu** 23 points almost 3 years ago

looks like a typo - D is good as explained below

[-] **aa83599** 2 points 7 months ago

Selected Answer: B
If you delete DATE table and Date Key, then you eliminate a lot of redundant data

[-] **jaume** 3 points 9 months ago

Selected Answer: D
D. Remove MovementDate column as the data details are already included in the DateKey column therefore MovementDate information is redundant.
By default I expect DateKey to be Don't Summarize but anyway, in the question it's not mentioned anything about Summarization.
Removing relationship would make impossible to set any analysis based on date (you could split DateKey column and get from there day, month and year but this would increase data model size)
Changing UnitCost to Integer (this category doesn't exist in PBI but Whole Number!!!) would result in lost of information as values in this column are all decimals

[-] **JPShields** 1 point 10 months ago

This requires you to notice that MovementDate and DateKey have the same date. I agree that it doesn't tell you they are ALWAYS the same though.

[-] **wistom** 4 points 11 months ago

If D is correct - how can we guarantee that 'Movementdate' always has the same info as DateKey? i.e. having 5 identical rows does not tell us all rows are the same...

[-] **rcaliandro** 2 points 12 months ago

Selected Answer: D
We can remove the movementdate 'cause the same information is kept in the datekey column

[-] **Mohamed_Nasr** 1 point about 1 year ago

Selected Answer: D
D is right one

[-] **Kiran37** 1 point about 1 year ago

correct answer

[-] **shahrzadkhhb** 1 point about 1 year ago

Selected Answer: D
D is correct. We can remove it since it does not provide new information. We can have this information from DateKey column.

[-] **MoneyStacking** 1 point over 1 year ago

For the Guys and Girls,
At this page, you will no longer find any free questions from Examtopics. However, if you're hesitant about purchasing Contributor Access, don't hesitate any longer; buy it. It costs only \$50 and provides a significant boost to your CV and career. I recently passed with a score of 917 out of 1000. Save yourself time by learning and memorizing all these questions, as 85% of the 50 exam questions were identical to those provided here.
Cheers and good luck!

[-] **Shark13** 1 point about 1 year ago

Hey , out of 52 pages , how many pages you referred? Going through 52 pages is not feasible

[-] **ELJORDAN23** 1 point over 1 year ago

Selected Answer: D
D is correct.

[-] **Oe18c76** 1 point over 1 year ago

Yeah. There's a typo indeed. As per the explanation the response should be D.

[-] **AZFabio** 1 point over 1 year ago

Selected Answer: D
D is correct

[-] **Elektrolite** 1 point over 1 year ago

You can also remove rows where nothing went in or out

[-] **GowthamMupparapu** 2 points over 1 year ago

Selected Answer: D
As per the given explanation option D is clearly the answer. We are achieving required functionality without losing information as both the rows contain same information

[-] **arrow040** 1 point over 1 year ago

Selected Answer: D
Dates can be removed from fact tables in a data warehouse or analytical database if you replace them with date keys that are linked to a separate date dimension table. Thus, answer D is correct.

[-] **Dani_eL** 1 point over 1 year ago

Selected Answer: D
wrong typing
Correct Answer: A 📦
as explanation clearly states case D :
"The DateKey and MovementDate columns have the same information. Movementdate can be removed."

[-] **Tsbki** 2 points over 1 year ago

Selected Answer: D
The view solutions pane says correct answer is A, but the explanation given clearly explain why D is the correct answer.
???

[-] **momo1165** 3 points over 1 year ago

Movement date is correct, first because we do not know if the datekey is summarized or not in the first place. second if we have a date table that uses datekey then what do we need movement date for?

[-] **Dsbuff** 1 point over 1 year ago

Selected Answer: D
D is correct.

[-] **fbbucky** 2 points over 1 year ago

Selected Answer: D
definitely is D!

[-] **kimii1993** 10 points over 1 year ago

Selected Answer: D
- I said: D

[-] **KokS24** 4 points over 1 year ago

All the questions that you got in the exam were from this website(without contributor access) only or from any other website. If yes please tell me your resources too.

[-] **Abir9564** 1 point over 1 year ago

D should be correct answer according to my knowledge.

[-] **acvribeiro** 1 point almost 2 years ago

Selected Answer: D

Remove unnecessary column

[-] **nick0651** 1 point almost 2 years ago

Selected Answer: D

D is right

[-] **Rasaqh** 3 points almost 2 years ago

I think 'A' option will further increase the size of the model beacuse changing summarization to Don't Summarise will lead to the expansion of the data and thereby increasing the size. 'D' option, removing MovementDate will actually reduce the size of the data model.

[-] **Rasaqh** 3 points almost 2 years ago

What is the best way to reduce the size of the data model in Power BI?

These techniques include:

Remove unnecessary columns.

Remove unnecessary rows.

Group by and summarize.

Optimize column data types.

Preference for custom columns.

Disable Power Query query load.

Disable auto date/time.

Switch to Mixed mode.

[-] **discoverp** 1 point almost 2 years ago

Selected Answer: D

Correct answer = D

Look at the explanation which exactly says why D is the right answer, not A.

[-] **lgetmyrole** 1 point almost 2 years ago

D is the answer. Although the reporting requirements determine what to choose, option D is correct among the options.

Remove MovementDate is a valid option to reduce the size of the data model without losing information.

[-] **Anurekha** 1 point almost 2 years ago

Selected Answer: D

D is correct answer

[-] **RicoPallazzo7** 1 point almost 2 years ago

Selected Answer: D

The movement date can be retrieved from the dateKey.

The A: why do change the summarization would lead to a reduced space?

[-] **CRAKN1** 1 point about 2 years ago

Changing Summarization for DateKey to Don't Summarize might lead to incorrect results if you are using DateKey in relationships or calculations that require aggregation.

[-] **Cyprien_B** 1 point about 2 years ago

Selected Answer: D
Useless column

[-] **Bnxy1** 5 points about 2 years ago

Selected Answer: A
The key statement is without losing information.

[-] **Maniula** 4 points about 2 years ago

You don't lose any information with D. That date will still be in the model through DateKey & Date table.

[-] **Regina18** 1 point over 1 year ago

The DateKey column is a primary column, not a date column. therefore, they are different columns

[-] **Tofuuuu** 1 point about 2 years ago

D RIGHT

[-] **Rinesh25** 1 point about 2 years ago

Selected Answer: A
Without losing data " A " only correct

[-] **RicoPallazzo7** 1 point almost 2 years ago

you can retrieve the date from the dateKey field, i think it is D

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: D
We do not need Movement date column.

[-] **wellingtonluis** 2 points over 2 years ago

Attention to the subject "without losing information.", It can't be possible to be "D".

[-] **semauni** 8 points over 2 years ago

DateKey and MovementDate contain the same data :)

[-] **ApacheKafka** 1 point about 2 years ago

But they are of different types. So ... A seems more logical.

[-] **Imrod** 1 point almost 2 years ago

Different format doesn't imply different type. But I agree with you that "without losing information" should discard option D. We don't know if they use Movement Date in some way or if it's always equal to DateKey

[-] **RazaTheLegend** 1 point over 2 years ago

Selected Answer: D
See the given answer explanation, the answer from website is wrong but the argument for D, which is correct
Correct Answer : D
No confusion, and no need to discuss further

[-] **SanaCanada** 1 point over 2 years ago

Selected Answer: D
You can also see the given answer explanation, they also with D but by mistake there is label A
Correct Answer : D
No confusion, and no need to discuss further

[-] **Aneran** 3 points over 2 years ago

Selected Answer: D

To reduce the size of the data model without losing information, you can consider removing the MovementDate column as option D suggests.

The reason for this is that the MovementDate column might not be needed if it is already captured in the DateKey column. If the DateKey column includes information about the movement date of each inventory item, then the MovementDate column is redundant and can be removed.

[-] **ApacheKafka** 1 point about 2 years ago

But cant you see they are of different types?

[-] **Thubui** 1 point almost 2 years ago

they are of different types to mislead, to make us think they are different but they are just the same information. This question is a tricky one.

[-] **vysh07** 5 points over 2 years ago

How we would be able to guess the ans if he didn't mention what he is analyzing? If he mentions we can understand what columns are needed for analysis and what is not required. Simply giving tables and saying remove the unnecessary columns and simply the model ho could we do. Can somebody help me ?

[-] **joaowendling** 3 points over 2 years ago

In this case we can see that, whatever is being analyzed, the columns DateKey and MovementDate contain the same information. MovementDate can be removed since the relationship with the Date table is being made by the DateKey

[-] **lmrod** 2 points almost 2 years ago

Can we be sure that both tables contain the same data in the whole table?

[-] **srikanth923** 3 points over 2 years ago

Selected Answer: D

D is the answer, the movement date can be removed as the data key is still there

[-] **Champion1234** 1 point over 2 years ago

Selected Answer: D

D is correct

[-] **gilgir** 1 point over 2 years ago

Ok, D is correct but I would have added a "group by" in "power query" SQL connection ...

[-] **AndM** 2 points over 2 years ago

Selected Answer: A

Why should D be correct? the sample does not say anything about the whole.

[-] **chezleon62** 2 points over 2 years ago

D is correct

[-] **CluelessKamikaze** 1 point over 2 years ago

Selected Answer: D

D is correct. Movement Date is superfluous because we already have the Datekey column. Removing a column will reduce the data model size

[-] **MegaLion** 6 points over 2 years ago

Selected Answer: A

Because you need to reduce size of the model without losing any information

[-] **HoangNV** 1 point over 2 years ago

I agree with you. Without losing any information is the most importance.

[-] **LeeTheRed** 1 point about 2 years ago

MovementDate has the same information as DateKey, so loss of information if removed.

[-] **LeeTheRed** 1 point about 2 years ago

I meant no loss of information

[-] **svg10gh** 1 point over 2 years ago

Selected Answer: D

D is right

[-] **kiwi69** 1 point over 2 years ago

Selected Answer: D

D is the right answer

[-] **LuukvdD** 2 points over 2 years ago

Wouldn't you technically be able to reduce the size even more by creating two calculated columns: one to check if the unit price has changed compared to the previous record and one that adds the in and outgoing stock. Then you filter out the rows where there were no changes & where there was no stock movement, after which you delete both columns. It would make the refresh slower, but it would lead to a small dataset.

[-] **Isperes2982** 1 point over 2 years ago

Selected Answer: D

D is correct

[-] **Hoeishetmogelijk** 1 point over 2 years ago

Selected Answer: D

The DateKey and MovementDate columns have the same information. Movementdate can be removed.

[-] **Pauwels** 1 point over 2 years ago

Selected Answer: D

Correct Answer: A 🗨️

The DateKey and MovementDate columns have the same information. Movementdate can be removed.

Incorrect:

Not C: Integer data type would lose data.

[-] **musicalhacker** 2 points over 2 years ago

Selected Answer: A

Because You need to reduce the size of the data model without losing information.

[-] **mlehu** 2 points over 2 years ago

Selected Answer: D

D is the right answer

[-] **susunz** 2 points almost 3 years ago

Selected Answer: D

D is right

[-] **dorypl300** 3 points almost 3 years ago

D, because the best way to reduce the data model size is to remove the unnecessary column.

[-] **samad1234** 2 points almost 3 years ago

D is correct

[-] **Mizaan** 4 points almost 3 years ago

Selected Answer: D

Without doubt D. It does say without losing data, but it also says reduce size of the model. If you remove the movementdate, you still have that information in the date table

[-] **samad1234** 2 points almost 3 years ago

D is correct

[-] **Popsy** 2 points almost 3 years ago

Selected Answer: D

D is right

[-] **NGenov** 1 point almost 3 years ago

It says "Without losing information". Nobody said datekey and movement date contain same information. A maybe could be correct.

[-] **lukelin08** 2 points almost 3 years ago

D

The explanation is correct though

[-] **Ixlsa** 3 points almost 3 years ago

Selected Answer: D

D is correct

[-] **Manzy2599** 3 points almost 3 years ago

Selected Answer: D

D is correct

[-] **Snow_28** 5 points almost 3 years ago

D is the right answer as it says to reduce the model size plus option A is not suitable because changing the summarize option to "Not summarize" will not affect the size of the model.

[-] **RichardOgoma** 5 points almost 3 years ago

Selected Answer: D

The movement date field is not necessary since we can slice and dice with the date dimension table.

[-] **saurinkhamar** 3 points almost 3 years ago

D remove movementdate.

[-] **Manikom** 8 points almost 3 years ago

Selected Answer: D

D is the correct

[-] **Muffinshow** 6 points almost 3 years ago

Selected Answer: D

D

The explanation is correct though

Question 116



HOTSPOT -

You are enhancing a Power BI model that has DAX calculations.

You need to create a measure that returns the year-to-date total sales from the same date of the previous calendar year.

Which DAX functions should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

```
Sales PYTD =  
VAR startyear =  
    STARTOFYEAR ( PREVIOUSYEAR ( 'Calendar'[Date] ) )  
VAR enddate =  
    LASTDATE ( Sales[Date] ) - 365  
RETURN  
    CALCULATE (  
        DATESBETWEEN (  
            SAMEPERIODLASTYEAR (  
                SUM (  
                    ( Sales[sales] ),  
                    CALCULATE  
                    DATESBETWEEN  
                    SAMEPERIODLASTYEAR  
                    SUM  
                    ( 'Calendar'[Date], startyear, enddate )  
                )  
            )  
        )  
    )
```

Hide Answer

Correct answer:

Answer Area

```
Sales PYTD =  
VAR startyear =  
    STARTOFYEAR ( PREVIOUSYEAR ( 'Calendar'[Date] ) )  
VAR enddate =  
    LASTDATE ( Sales[Date] ) - 365  
RETURN  
    CALCULATE (  
        DATESBETWEEN (  
            SAMEPERIODLASTYEAR (  
                SUM (  
                    ( Sales[sales] ),  
                    CALCULATE  
                    DATESBETWEEN  
                    SAMEPERIODLASTYEAR  
                    SUM  
                    ( 'Calendar'[Date], startyear, enddate )  
                )  
            )  
        )  
    )
```

[-] **Muffinshow** 200 points almost 3 years ago

Calculate
Sum
DatesBetween

[-] **alena2k** 68 points almost 3 years ago

Calculate
Sum
DatesBetween
Suggested SamePeriodLastYear expects only 1 parameter: column containing dates

[-] **RichardOgoma** 7 points almost 3 years ago

Good explanation

[-] **tckc** 1 point 4 months ago

Calculate
Sum
DatesBetween
DATESBETWEEN required 3 argument

[-] **GiuseppeTanda** 3 points 8 months ago

The last one is datesbetween: from MS documentation DATESBETWEEN(<Dates>, <StartDate>, <EndDate>).
SAMEPERIODLASTYEAR(<dates>) takes only 1 mandatory argument

[-] **jaume** 3 points 9 months ago

CALCULATE

SUM

DATESBETWEEN

it could be misleading the "startyear" and "endate" labels as there is no explicit mention this VARS (calculated above in the DAX expression) are returning PREVIOUS YEAR startdate and enddate.

Also, as mentioned by several others, the SAMEPERIODLASTYEAR function requires one single argument ([Date])

[-] **rcaliandro** 2 points 12 months ago

You can use SAMEPERIODLASTYEAR but in this case 3 arguments are required so we need to use DatesBetween because there are three arguments.

So I would say: CALCULATE, SUM, DATESBETWEEN

[-] **acvrbeiro** 10 points almost 2 years ago

Calculate

Sum

DatesBetween

--

I always look for the number of arguments necessary:

DATESBETWEEN(<Dates>, <StartDate>, <EndDate>)

SAMEPERIODLASTYEAR(<dates>)

[-] **Elfmo11** 5 points almost 2 years ago

CALCULATE, SUM and DATESBETWEEN. DATESBETWEEN because the variables that are declared already contain the dates of last year.

[-] **Igetmyrole** 3 points almost 2 years ago

Calculate

Sum

Datesbetween

[-] **Mabuse1** 12 points about 2 years ago

Who decides on website's final answer? We need to understand his/her level of confidence. Maybe he got the answers from Microsoft.

[-] **arnoh** 1 point about 2 years ago

The location of the formula text in between the images is a bit poorly chosen. It makes it seem like the order is: Option box 1 > (Sales [sales]), Option box 2. Even though that wouldn't obviously be possible

[-] **tke44** 1 point about 2 years ago

hmm thanks for the explanation. Calculate, sum, datesBetween

[-] **ahhida** 1 point about 2 years ago

Calculate

Sum

DatesBetween

[-] **RazaTheLegend** 14 points over 2 years ago

Correct Answer :

Calculate, Sum, and DateBetween

The DATESBETWEEN function is used to filter a table or a column of dates to a specified date range. It takes two arguments: the first argument is the date column to filter, and the second and third arguments are the start and end dates of the desired date range, respectively. The function returns a table of dates that fall within the specified range.

On the other hand, the SAMEPERIODLASTYEAR function is used to retrieve the same period (week, month, quarter, or year) as the one currently selected, but from the previous year. It takes one argument, which is the date column to use as a reference, and returns a table of dates from the previous year that match the current period. This function is often used to compare data across time periods, such as comparing sales in the current year to sales in the same period of the previous year.

[-] **SanaCanada** 5 points over 2 years ago

Correct Answer :

Calculate, Sum, and DateBetween

The DATESBETWEEN function is used to filter a table or a column of dates to a specified date range. It takes two arguments: the first argument is the date column to filter, and the second and third arguments are the start and end dates of the desired date range, respectively. The function returns a table of dates that fall within the specified range.

On the other hand, the SAMEPERIODLASTYEAR function is used to retrieve the same period (week, month, quarter, or year) as the one currently selected, but from the previous year. It takes one argument, which is the date column to use as a reference, and returns a table of dates from the previous year that match the current period. This function is often used to compare data across time periods, such as comparing sales in the current year to sales in the same period of the previous year.

No confusion, and no need to further discussion

[-] **SanaCanada** 2 points over 2 years ago

Answer is correct

Calculate

Sum

Sameperiodlstyear

no confusion

[-] **Burabari** 4 points over 2 years ago

The start and end dates has already been calculated in the parameters so DATESBETWEEN is the answer. Using SAMEPERIODLASTYEAR would go an extra year back.

[-] **Pinha** 7 points over 2 years ago

Calculate

Sum

DatesBetween

* Sales Last Year = CALCULATE(SUM(Sales[Amount]), SAMEPERIODLASTYEAR(Date[Date]))

* Total Sales Q1 = CALCULATE(SUM(Sales[Amount]), DATESBETWEEN(Sales[Date], DATE(2022,1,1), DATE(2022,3,31)))

* DatesBetween expects 3 parameters as per the exhibit, SamePeriodLastYear expects one parameter

[-] **Mati_123** 1 point over 2 years ago

Calculate

Sum

DatesBetween

[-] **Minio754** 1 point over 2 years ago

Calculate

Sum

DatesBetween

[-] **Jew0598** 1 point over 2 years ago

We're asked to create a measure that returns the year-to-date total sales from the same date of the previous calendar year so why are we not making use of SAMEPERIODLASTYEAR()?

[-] **Sowbar** 2 points over 2 years ago

That's because the already created variables generates start date and end date of last year hence no need to compute the dates again using SAMEPERIODLASTYEAR(). Also last expression has 3 parameters so DATESBETWEEN would work.

[-] **Mubarakbabs** 1 point over 2 years ago

Calculate

Sum

DatesBetween

The created variables already express dates from last year so the function only needs to specify those dates. It becomes unnecessary to use SAMEPERIODLASTYEAR for the calculation

[-] **SayanChiku** 1 point over 2 years ago

Calculate
Sum
DatesBetween

[-] **svg10gh** 1 point over 2 years ago

correct one is
Calculate
Sum
DatesBetween

[-] **lukelin08** 4 points over 2 years ago

Calculate
Sum
DatesBetween
This is due to the expected parameters. DatesBetween expects two parameters as per the exhibit, SamePeriodLastYear expects one parameter (but two are used in the exhibit)

[-] **Hoeishetmogelijk** 4 points over 2 years ago

Calculate
Sum
DatesBetween
Because SamePeriodLastYear takes only one argument, while DatesBetween syntax is:
DATESBETWEEN(<Dates>, <StartDate>, <EndDate>)

[-] **samad1234** 4 points almost 3 years ago

The correct answer :
Calculate
Sum
DatesBetween

[-] **Ixlsa** 7 points almost 3 years ago

Calculate
Sum
DatesBetween
Not Sameperiodlast year because the dates are already computed in the variables startyear and enddate

[-] **nucleus21** 5 points almost 3 years ago

2 parameters needed for dates between

[-] **samad1234** 3 points almost 3 years ago

Datesbetween needs 3 parameters

Question 117



You need to provide a user with the ability to add members to a workspace. The solution must use the principle of least privilege.

Which role should you assign to the user?

- A. Viewer
- B. Admin

C. Contributor

D. Member

Hide Answer

[-] **GPerez73** 24 points almost 3 years ago

Correct

[-] **lukelin08** 12 points almost 3 years ago

Selected Answer: D

D is correct as per example picture and principal of least privilege required

[-] **_jay95_** 1 point 6 months ago

Selected Answer: D

Memeber can add members or others with lower permissions.

[-] **ae8a90c** 2 points 10 months ago

Selected Answer: D

<https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces> based on that

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: D

Definitely correct! D.Member is the right one!

[-] **theamazingruby** 2 points about 1 year ago

Selected Answer: D

Correct

[-] **benni_ale** 4 points over 1 year ago

Selected Answer: D

If you want to add a user with a role X you need to have at least the X role. So to add a Member you need to be a Member.

[-] **CandySays** 1 point over 1 year ago

No it doesnt, ignore my previous post!

[-] **CandySays** 1 point over 1 year ago

This table somewhat contradicts the correct answer: <https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

[-] **Vimbsu** 1 point over 1 year ago

Selected Answer: D

D is correct

[-] **nick0651** 2 points almost 2 years ago

Selected Answer: D

Given answer D-Member, is correct:

<https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

[-] **SilviaS** 1 point almost 2 years ago

Given answer D-Member, is correct:

<https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

[-] **NaderS** 2 points almost 2 years ago

"B"- Admin is the correct. Read in between the lines...."You need to provide a user with the ability to add members to a workspace"

The user you are adding must be able "add" members and only admin can do it. So you are adding another "admin"

[-] **rick1997** 2 points almost 2 years ago

Incorrect when you said that only admins can add new members. A member can also add members, as well as other roles of lower privilege. While it is true that an admin would be able to add members, its not the correct option because the question says "The solution must use the principle of least privilege."

Refer to the chart here: <https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

[-] **crazy06** 1 point over 1 year ago

Yes B - Admin is the right answer I think so because this question is in the practice assessment of Microsoft

[-] **Igetmyrole** 1 point almost 2 years ago

C is the correct answer.

To provide a user with the ability to add members to a workspace while following the principle of least privilege, we should assign the contributor role to the user. The contributor role allows user to manage content within a workspace, including adding and editing datasets, reports, dashboards, and managing access to the workspace. It grants sufficient permissions for them to perform the task of adding members to the workspace without providing excessive administrative privileges as the Admin role would. The viewer role is too restrictive for this task, and the Member role does not grant the necessary permission to manage workspace members.

[-] **tranquanhuy2111** 1 point almost 2 years ago

<https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

Contributor is not authorized to add other member to workspace

[-] **Chenemi** 1 point about 2 years ago

Selected Answer: D

MEMBER

[-] **LouStar2** 4 points about 2 years ago

I don't think it was this exact question but they had stuff like this on the exam today.

Def need to know what roles can do what?

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: D

Only Admins and Members can do. because of least privilege Member is correct.

[-] **RazaTheLegend** 2 points over 2 years ago

Selected Answer: D

Member

<https://community.powerbi.com/t5/image/serverpage/image-id/193423iB38878624518A351/image-size/large?v=v2&px=999>

[-] **Pinha** 2 points over 2 years ago

Absolutely D

<https://community.powerbi.com/t5/image/serverpage/image-id/193423iB38878624518A351/image-size/large?v=v2&px=999>

[-] **Jae17** 1 point over 2 years ago

I feel answer should be B

All but the admin can add members to the workspace. A member cannot add a member to a workspace

[-] **SanaCanada** 3 points over 2 years ago

Option C Contributor

The Contributor role allows the user to add members to a workspace, but it also restricts the user from making significant changes to the workspace or managing access permissions. This aligns with the principle of least privilege by granting the

user only the necessary permissions required to complete their task and preventing them from making any unnecessary changes that could potentially harm the workspace.

Assigning the Admin or Member role to the user would provide them with more privileges than necessary, which would increase the risk of unintended changes or data breaches. The Viewer role does not allow the user to make any changes to the workspace, which would not meet the requirement of adding members to the workspace.

[-] **Pinha** 5 points over 2 years ago

Contributor doesn't have the ability to add members to a workspace.

<https://community.powerbi.com/t5/image/serverpage/image-id/193423iB38878624518A351/image-size/large?v=v2&px=999>

[-] **Lok_15** 1 point over 2 years ago

Correct

[-] **svg10gh** 2 points over 2 years ago

correct ans is D that must use least privilege.

[-] **PsgFe** 1 point over 2 years ago

the question says:

use the principle of least privilege.

D. Member (correct)

[-] **Snow_28** 1 point almost 3 years ago

B or D can both be the answers because they both have the permissions to add the members in the workspaces.

[-] **Luffy561** 5 points almost 3 years ago

answer is D must use least privilege

Question 118



Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You are modeling data by using Microsoft Power BI. Part of the data model is a large Microsoft SQL Server table named Order that has more than 100 million records.

During the development process, you need to import a sample of the data from the Order table.

Solution: You add a report-level filter that filters based on the order date.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **Mizaan** 37 points almost 3 years ago

Selected Answer: B

It says "you want to import sample data". If you are filter at a chart level, you have already imported the data, so the answer is no

[-] **lgetmyrole** 7 points almost 2 years ago

B is the correct answer.

Adding a report-level filter based on the order date doesn't meet the goal of importing a sample of the data from the Order table. A report-level filter affects the data that is displayed within the report but doesn't change the data imported into the data model. To import sample of the data, we need to apply a filter during the data loading process, such as using Power Query Editor or SQL query options, to select a subset of the records from the Order table before importing it into the data model.

[-] **GiuseppeTanda** 1 point 8 months ago

Selected Answer: B

Report level comes after import data.

[-] **jaume** 2 points 9 months ago

Selected Answer: B

Report-level filter will reduce the results visualized in the report but data-model behind report would remain the same

[-] **23042b9** 1 point 10 months ago

Selected Answer: B

The answer is:

No (N)

Creating inactive relationships alone does not meet the goal of analyzing sales over time based on all the date foreign keys without using DAX measures to activate those relationships.

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: B

Similar to a previous question, the answer is NO because we need to filter using a WHERE statement rather than a report filter

[-] **tke44** 1 point about 2 years ago

No.filter befor import data.SQL statements

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: B

We need to filter before importing data. not in report level!

[-] **RazaTheLegend** 2 points over 2 years ago

Selected Answer: B

It says "you want to import sample data". If you are filter at a chart level, you have already imported the data, so the answer is no

[-] **Homer_Jay** 2 points over 2 years ago

Selected Answer: A

You can limit the imported data to a sample size by using WHERE

[-] **lukelin08** 1 point almost 3 years ago

It could be Yes. Filtering on a date range would provide sample data. It also would use query folding so it wouldnt import the entire table rows

[-] **Tiz88** 5 points over 2 years ago

There can't be any query folding at report-level. Query folding happens only in the Power Query engine

[-] **lukelin08** 2 points over 2 years ago

Well explained, I stand corrected, thank you

Question 119

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI report that imports a date table and a sales table from an Azure SQL database data source. The sales table has the following date foreign keys:

☞ Due Date

☞ Order Date

☞ Delivery Date

You need to support the analysis of sales over time based on all the date foreign keys.

Solution: For each date foreign key, you add inactive relationships between the sales table and the date table.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **fdsdgxcvbsfhshfg** 66 points almost 3 years ago

Should be Yes. You later use a USERELATIONSHIP() to calculate different measures

[-] **NevilleV** 90 points almost 3 years ago

I believe the correct answer is NO. I think you are jumping the gun. Yes, you can use USERELATIONSHIP() later and yes you will need to add inactive relationships in order to make use of USERELATIONSHIP()BUT.... Right now! Does the solution offered in the question, at this point in time, provide the SOLUTION???? NO!!! it doesn't because the solution offered as it stands is incomplete.

[-] **Odidepse** 1 point 7 months ago

Agree, should be Yes create inactive relationships between the date table and the sales table for the additional foreign keys and using DAX calculations using the USERELATIONSHIP() I function. This approach lets you analyze sales over time using different date columns by creating DAX measures that activate the corresponding inactive relationships.

Therefore, adding inactive relationships for the extra date columns achieves the goal.

[-] **yahsee33** 2 points over 2 years ago

But the same thing applies to all three possible solutions. Relationships will need to be added unless they are auto-detected. So it comes down to interpretation of the question, but my read is that "solution" here can mean a partial solution. But not sure.

[-] **GuerreiroJunior** 2 points over 2 years ago

I AGREE WITH NEVILLEV

[-] **Hansen_G** 16 points over 2 years ago

Should be no. It says "support" not "a complete solution". The reason is it needs at least one active relationship, instead of 3 inactive ones.

[-] **JudT** 1 point over 1 year ago

That's the point! we need at least one "active relationship". Cheers Hansen

[-] **Tiz88** 6 points over 2 years ago

@NevilleV: fully agree. Just setting up the 3 inactive relationships alone do NOT solve the problem. We should not overthink the questions.

[-] **lukelin08** 3 points over 2 years ago

I agree with Neville

[-] **shakes103** 17 points almost 3 years ago

Lifted from documentation: "By default, active relationships propagate filters to other tables. Inactive relationship, however, only propagate filters when a DAX expression activates (uses) the relationship". Going by this, NO is the answer.

[-] **Shalaleh** 1 point over 2 years ago

Hey guys, what is the correct answer? we cannot use all relationships in one single measure, but we can use them in different measures.

[-] **semauni** 1 point over 2 years ago

You can, however, not make multiple active relationships to the same table, in this case date. Or you would need to make three date tables, producing confusing results.

[-] **MBA_1990** 23 points over 2 years ago

Selected Answer: B

The Answer is NO.

We need at least one active relationship between sales and date table.

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: A

Adding inactive relationships between the Sales table and the Date table for each of the foreign keys (Due Date, Order Date, Delivery Date) allows you to:

Maintain a single shared Date table (instead of duplicating it)

Use DAX measures with the USERELATIONSHIP() function to activate the appropriate relationship on demand

[-] **Idmir** 2 points 2 months ago

Selected Answer: A

La respuesta es la A

[-] **lechuc508** 1 point 3 months ago

Selected Answer: A

"Yes" is correct answer

[-] **tckc** 1 point 5 months ago

Selected Answer: A

If all keys must be used, the USERELATIONSHIP function allows you to do so with inactive relationships.

[-] **741ed03** 1 point 6 months ago

Selected Answer: A
The answer is Yes.

[-] **hebertorosillo** 1 point 7 months ago

Selected Answer: A
Should be Yes. You later use a USERELATIONSHIP() to calculate different measures

[-] **chicken_chaser** 1 point 7 months ago

Selected Answer: A
The question only ask action that 'Support'. And yes create inactive relationship can support the intended goal by using USERELATIONSHIP() later with DAX

[-] **tko86** 3 points 8 months ago

Selected Answer: A
The answer is Yes.
Here's why:
Multiple Date Relationships: In Power BI, a table can only have one active relationship with a date table at a time. However, you can create multiple inactive relationships to connect the same date table to different date columns (like your Due Date, Order Date, and Delivery Date).
USERELATIONSHIP Function: Inactive relationships aren't used for filtering by default. But, you can activate them within DAX measures using the USERELATIONSHIP function. This allows you to perform time intelligence calculations and analysis based on any of the date foreign keys.

[-] **jaume** 1 point 9 months ago

Selected Answer: B
My vote is for B.No solution.
It doesn't matter whether the relationship is active or inactive, data behind the report would remain the same (if you have imported entire dataset, setting a relationship to active/inactive wouldn't not change that)

[-] **jaume** 1 point 9 months ago

dismiss my comments, I was getting the question was still Q29 as I was expecting a series of questions grouped together but Q29 stands alone and Q29 is different series.
In data model, to support the required analysis, relationships MUST be active...you can "activate" any inactive relationship in the datamodel using DAX, but this would be additional step not mentioned in the solution so I would vote for B.No

[-] **23042b9** 1 point 10 months ago

The answer is:
No (N)
Creating inactive relationships alone does not meet the goal of analyzing sales over time based on all the date foreign keys without using DAX measures to activate those relationships.
The answer is:
No (N)
Creating inactive relationships alone does not meet the goal of analyzing sales over time based on all the date foreign keys without using DAX measures to activate those relationships.
The answer is:
No (N)
Creating inactive relationships alone does not meet the goal of analyzing sales over time based on all the date foreign keys without using DAX measures to activate those relationships.

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: B
No, the inactive relationships doesn't work in the model

[-] **Inesd** 1 point about 1 year ago

My question is why should we create a relationship in the first place, if in our sales table we have the sales and the dates, and we want to perform an analysis of sales overtime - why not doing the analysis directly ?
and regarding the relationships, not all relationships should be inactive - one of them should be active

[-] **e3ddceb** 2 points about 1 year ago

According to git hub copilot

A. Yes

Explanation:

In Power BI, you can create multiple relationships between tables, but only one of those relationships can be active. The active relationship is used automatically in calculations and in visuals. However, you can use inactive relationships by invoking them in DAX formulas using the `USERELATIONSHIP` function.

In this scenario, creating inactive relationships for each date foreign key (Due Date, Order Date, Delivery Date) between the sales table and the date table would allow you to analyze sales over time based on all the date foreign keys. You would just need to use the `USERELATIONSHIP` function in your DAX calculations to specify which relationship to use.

[-] **AZFabio** 1 point over 1 year ago

Selected Answer: B

Create 3 Dates dims by adding 2 calc tables based on the existing Dates table

[-] **asnygen** 1 point over 1 year ago

According to chatgpt is Yes ?? whyy

[-] **RMUK** 1 point almost 2 years ago

No, Even though we can do achieve it. But I feel its about standard approach in data Model. In this case one active and 2 inactive relationship.

[-] **rainy_255** 2 points almost 2 years ago

This was in the exam this week.

[-] **lgetmyrole** 4 points almost 2 years ago

B is the correct answer.

No, the solution doesn't meet the goal of supporting the analysis of sales over time based on all the date foreign keys. Adding inactive relationships between the sales table and the date table means that those relationships won't be used by default in calculations and visuals. Inactive relationships are typically used for specific scenarios where you want to enable users to switch between different date dimensions interactively.

[-] **sewasup** 6 points about 2 years ago

Answer is no. USERELATIONSHIP only enables one relationship at a time. If you have to have all relationship enable at the same time, you would create a date table for each column. This is known as role-playing dimension modelling

[-] **CRAKN1** 2 points about 2 years ago

Inactive relationships in Power BI allow you to create multiple relationships between two tables without causing conflicts in your data model. By default, Power BI allows only one active relationship between two tables, but you can add additional relationships as inactive. This feature is helpful when you have multiple date foreign keys in the sales table, as is the case in your scenario (Due Date, Order Date, and Delivery Date).

[-] **JudT** 1 point over 1 year ago

Good explanation. Cheers

[-] **Maniula** 5 points about 2 years ago

Selected Answer: B

Similar example was in Microsoft's Learning Path and the solution was to create additional date tables.

[-] **taod** 1 point almost 2 years ago

This works for sure. But it would be good to know if using only one table in combination with inactive relationships works as well

[-] **SamuComqi** 11 points about 2 years ago

Selected Answer: B

I passed the exam today (948/1000). My answer was:

- No

[-] **nikhikldfas** 1 point about 2 years ago

AFAIK, the only major use for inactive relationships (in general) is for when you plan on using DAX. DAX is not used here, so answer is B.

[-] **JJMC5544** 1 point about 2 years ago

Selected Answer: B

I say No, but not because of the same reason other comments mentioned. It's NO because I think they are after Role Play model, where you can use all 3 date columns at the same time.

[-] **Plmn8o9** 1 point about 2 years ago

Selected Answer: B

Answer should be NO

[-] **kelvin3105** 6 points about 2 years ago

Selected Answer: A

fdsdfgxcvbsdfhshfg Highly Voted 9 months, 1 week ago

Should be Yes. You later use a USERRELATIONSHIP() to calculate different measures

upvoted 32 times

[-] **Alvin_2113** 1 point about 2 years ago

We need active and inactive relationships

[-] **UlyUkr** 1 point over 2 years ago

I would say NO, since solution does not talk about using USERRELATIONSHIP() function in order to activate those inactive relationship. Plus the best practice is to always have 1 default and active date relationship and others inactive.

[-] **semauni** 2 points over 2 years ago

The answer is A, Yes. The reason is that we are dealing with a role-playing dimension, being date. You cannot make three active relationships to date, and three separate date tables might produce confusing results (see the vid from Guy in a Cube).

[-] **RazaTheLegend** 2 points over 2 years ago

The answer is no.

We need at least one active relationship between sales and date table or the solution should include USERRELATIONSHIP() since it won't work without that.

[-] **Andrew9834523** 1 point over 2 years ago

Selected Answer: A

"A" seems the correct answer, as we don't know do we need filters (which use only active relationships) afterward

[-] **Ayush_Tiwari** 2 points over 2 years ago

Yes, adding inactive relationships between the sales table and the date table for each date foreign key would meet the goal of supporting the analysis of sales over time based on all the date foreign keys. Inactive relationships are relationships that are not used in calculations or visuals by default, but can be activated for specific calculations or visuals. By adding inactive relationships between the sales table and the date table for each date foreign key, you can easily switch between different date dimensions for analyzing sales over time.

[-] **Yamarh** 1 point over 2 years ago

NO is the correct Answer

[-] **Dr_Do** 1 point over 2 years ago

Selected Answer: A

Yes, through USERRELATIONSHIP().

Of course there are many other ways to achieve this - through reuse of the table, but in the context of the question, I do believe this is the right way.

[-] **Icamp** 2 points over 2 years ago

I think it's yes.

I think the question is asking if you are "able to SUPPORT, based on the scenario proposed."

Therefore, if you have inactive connections - you are ABLE to use USER RELATIONSHIP, and thus, to SUPPORT the analysis.

[-] **Hansen_G** 1 point over 2 years ago

Need at least one active relationship

[-] **lukelin08** 2 points over 2 years ago

Selected Answer: B

B. No is correct answer

[-] **Hoeishetmogelijk** 4 points over 2 years ago

Selected Answer: B

The answer should be NO.

You can reference an inactive relationship with DAX function USERRELATIONSHIP(), but using DAX is not mentioned here.

So follow this refractory methodology:

Create a copy of the role-playing table, providing it with a name that reflects its role. If it's an Import table, we recommend defining a calculated table. If it's a DirectQuery table, you can duplicate the Power Query query.

Source: <https://learn.microsoft.com/en-us/power-bi/guidance/relationships-active-inactive>

[-] **Booster21** 2 points over 2 years ago

Selected Answer: B

The answer is NO.

[-] **Hangman_T** 1 point almost 3 years ago

Selected Answer: A

USERRELATIONSHIP() filter after

[-] **sidyndiaye** 6 points almost 3 years ago

You can use USERRELATIONSHIPS() after with the YES

Question 120



Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI report that imports a date table and a sales table from an Azure SQL database data source. The sales table has the following date foreign keys:

☞ Due Date

☞ Order Date

☞ Delivery Date

You need to support the analysis of sales over time based on all the date foreign keys.

Solution: From Power Query Editor, you rename the date query as Due Date. You reference the Due Date query twice to make the queries for Order Date and

Delivery Date.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **junaid2107** 130 points over 2 years ago

I dont understand What micorsoft hopes to achieve with trick questions. If questions leave so much to the analysts assumptions then the questions isnt testing the candidates knowledge

[-] **MoxieTT** 8 points about 2 years ago

I keep reading "trick" questions when reading peoples' experiences recently of PL-300.

[-] **cs3122** 3 points over 1 year ago

100% agree. There is so much ambiguity in the questions, and can easily be interpreted ways.

[-] **legionairemax** 23 points almost 3 years ago

The answer is correct. However, I believe the alternate solution given is wrong. I would say that 3 relationships for each date respectively would be made from the Date table to the Sales table. One being active and the other two inactive. Thus, allowing to filter by a specific date column

The solution suggested is not required, as the report does not require any output that involves all 3 dates. It requires only sales over one date column at a time. Moreover, being date tables, they can significantly increase the size of the model (considering that the table is sales related).

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: A

By referencing the original Date query in Power Query (not duplicating it), you create three separate queries — one for each role-playing dimension:

Due Date

Order Date

Delivery Date

Each of these can then be related to the corresponding foreign key in the Sales table. This allows you to:

Maintain active relationships for all three date fields

Avoid using USERELATIONSHIP() in DAX

Enable time-based analysis across all three date types in visuals

This is a common and effective approach when dealing with multiple date roles in a fact table.

🔧 Bonus tip:

Make sure to rename each referenced query clearly (e.g., Date - Order, Date - Delivery) so your model stays clean and intuitive.

Let me know if you'd like help writing measures that compare these timelines side by side — it's a great way to uncover delivery delays or order processing trends 📦 📅 🇮🇹

[-] **b2775a4** 1 point 6 months ago

Selected Answer: A

- Power BI only allows one active relationship between two tables. By creating separate date tables, you can create active relationships for all three date keys.
- Each date table filters the sales table independently, allowing accurate analysis based on
- Referencing the date table avoids duplicating the table manually and keeps the solution efficient.

[-] **jaume** 2 points 9 months ago

Selected Answer: B

I think even referencing two queries to the first one is not ensuring the import of just a sample of the data, this only can be achieved by filtering the data in the query retrieving the data into our model. If first query is not set in the right way to get only sample of the data, other two queries would retrieve same dataset and it would be not just a sample.

My vote here is for B.No

[-] **jaume** 1 point 9 months ago

Dismiss my previous comments, I though this is still series initiated in Q29 but Q29 is a single question despite what it mentions at the beginning.

Splitting the date table in three tables would allow us to set three ACTIVE relationships in the data model to support the analysis but there is nothing related to the relationships mentioned in the question so I would vote for B.No

[-] **8b7b763** 1 point 10 months ago

A. Yes.

You can only have 1 active relationship at a time.

Userrelationship places processing on the report layer via dax.

Use powerquery to add the dimension date tables.

Do your regular Dax calculations after.

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: B

I would say No

[-] **agelee** 1 point about 1 year ago

I think B. Nothing said about USERRELATIONSHIP. Without mentioning it I think the answer is NO.

[-] **bc23451** 1 point about 1 year ago

I think it's B because Due Date come after Order Date so if we reference with the Due Date, you may not have all date for Order Date. That's my point of view.

[-] **jsav1** 1 point about 1 year ago

Selected Answer: A

It gives you three separate date tables but without having to import the date data 3 times.

[-] **GowthamMupparapu** 2 points over 1 year ago

Selected Answer: A

Please suggest if my thought process is not aligned with the question's constraints.

As it is said in the proposed solution cant we reference the initial date table 2 more times to obtain other date tables ?? (By renaming the tables and deleting other two irrelevant columns)

[-] **Dsbuff** 3 points over 1 year ago

Selected Answer: A

A is correct.

ChatGPT's response: Creating separate queries in Power Query for each date (Due Date, Order Date, and Delivery Date) by referencing a base date query is a recommended way to deal with role-playing dimensions. This method involves creating

separate date tables for each date role you need to analyze. In Power BI, each of these tables will be related to the sales table using the respective date foreign key.

This approach allows for creating active relationships between the sales table and each of the date tables, which enables the use of these dates in filters, slicers, and visuals without the need for DAX measures to handle inactive relationships. It is a common and efficient way to support analysis by different date roles within the same model.

[-] **burto** 2 points over 1 year ago

wouldnt it be that since they are imported datasets it would be more productive to use DAX to transform the data?

[-] **WRTopics** 2 points almost 2 years ago

Selected Answer: B

I'll select B.

[-] **lgetmyrole** 7 points almost 2 years ago

B is the correct answer.

No, this solution does not meet the goal of supporting the analysis of sales over time based on all the date foreign keys.

Renaming the date query as "Due Date" and referencing it twice in Power Query Editor does not create relationships between the sales table and the date table based on the difference date foreign keys (Due Date, Order Date, and Delivery Date).

[-] **rgabage** 4 points almost 2 years ago

Selected Answer: A

A. This was in the learning path.

[-] **Elektrolite** 11 points over 1 year ago

link, or gtfo

[-] **Badadadiiii** 3 points almost 2 years ago

Selected Answer: A

The key to answering this question correct, is this sentence "You need to support the analysis of sales over time based on all the date foreign keys."

You cannot achieve this without 3 date tables, which is created in Power Query. 1 is loaded from Azure, the other two are created by reference to the first.

If you have one date table with 1 active and 2 inactive relationships, then you won't be able to use all 3 dates in the same analysis.

[-] **Acrrious** 3 points about 2 years ago

Selected Answer: B

I am going with B and here is why.

It says they renamed it. Then they said they used it for 2 of the dates, not all 3. So technically there isn't 3 queries being run just 2...

Thoughts?

[-] **og44** 7 points over 1 year ago

I guess whwn you reference twice, it means you are adding two additional copies, hence you have 3 tables. But as the question does not talk about relationship, that is the source of ambiguity.

[-] **miro26** 1 point about 2 years ago

In such a scenario, I wonder if it makes sense to import a time dimension at all. Better to create three dimensions based on calculated tables like here.

[-] **ApacheKafka** 2 points about 2 years ago

In the documentation, It is advised that. You always use the provided date table if available. Only in situations where they dont exist should you create a calculated date table.

[-] **Maniula** 7 points about 2 years ago

Selected Answer: A

A. Again, this was in the learning path, duplicate date tables with DAX or PowerQuery.

[-] **SamuComqi** 16 points about 2 years ago

Selected Answer: A

A

[-] **umairtaqi** 2 points almost 2 years ago

Please confirm the answer.

[-] **prikha16** 5 points about 2 years ago

I would say Yes, It does meet the goal though it may not be the ideal solution. The question doesn't state anything about reducing model size etc.. it just says it should support the required analysis. There is no confusion here, it is a case of role-playing dimensions and the solution would work.

[-] **xkapelis** 6 points about 2 years ago

Selected Answer: A

yes it will work

[-] **Rinesh25** 3 points about 2 years ago

Selected Answer: B

The Answer is correct

[-] **UlyUkr** 2 points over 2 years ago

I would say No, because the solution does not specify changing the relationships between referenced tables to use the correct foreign keys.

[-] **semauni** 2 points over 2 years ago

No. We're dealing with role-playing dimensions here. Creating multiple date tables with separate relationships give confusing results, as Guy in A Cube explains very well in his video.

[-] **reignreign03** 1 point almost 2 years ago

Bro, what Guy in A Cube explained is although there can be multiple relationships between Sales and Date tables, you can add a DAX function using USERELATIONSHIP to make it work.

[-] **shmmmini** 6 points over 2 years ago

The answer is only part of the solution. It does not say about creating a relationship with each Date table. This is a true problem with some questions, are We supposed to assume that the relationship part is implicit ?

[-] **RazaTheLegend** 5 points over 2 years ago

Selected Answer: B

No, this solution does not meet the goal. While it is possible to use a single date table to support analysis based on multiple foreign keys, renaming the date query as one of the foreign keys and then referencing it twice does not accomplish this. Instead, the date query should be duplicated and renamed appropriately for each foreign key. Then, a relationship can be established between the sales table and each date table based on the appropriate foreign key.

[-] **Nemesizz** 4 points over 2 years ago

Selected Answer: A

Answer is Yes. From a modelling perspective this is called a role-playing dimension. By cloning the three dimensions , we can connect each table to the sales fact table, in order to analyze by the different type of dates. Please read:

<https://learn.microsoft.com/en-us/power-bi/guidance/star-schema>

[-] **Andrew9834523** 3 points over 2 years ago

Selected Answer: A

A is correct to my mind. From my experience cloning date tables is not a bad idea and MS guides agree with me (see: <https://learn.microsoft.com/en-us/power-bi/guidance/relationships-active-inactive>)

[-] **Aneran** 2 points over 2 years ago

Selected Answer: B

No, this solution does not meet the goal of supporting the analysis of sales over time based on all the date foreign keys. Renaming the date query as Due Date and referencing it twice to make the queries for Order Date and Delivery Date in Power Query Editor will only create duplicate queries, but it will not provide the necessary relationship between the sales table and the date table to support analysis of sales over time based on all the date foreign key

[-] **Aneran** 3 points over 2 years ago

Selected Answer: B

No, this solution does not meet the goal of supporting the analysis of sales over time based on all the date foreign keys. Renaming the date query as Due Date and referencing it twice to make the queries for Order Date and Delivery Date in Power Query Editor will only create duplicate queries, but it will not provide the necessary relationship between the sales table and the date table to support analysis of sales over time based on all the date foreign keys. To support this analysis, you would need to create separate relationships between the sales table and the date table for each date foreign key. This can be done by creating multiple copies of the date table, one for each date foreign key in the sales table, and then creating a relationship between each copy of the date table and the corresponding date foreign key in the sales table.

[-] **Maniula** 1 point about 2 years ago

Power BI automatically detects most relationships.

[-] **killershark** 4 points over 2 years ago

Selected Answer: B

Chat GPT says -

No, the solution does not meet the goal of supporting the analysis of sales over time based on all the date foreign keys. Renaming the date query as "Due Date" and referencing it twice does not create separate queries for "Order Date" and "Delivery Date." Instead, it creates two identical queries that refer to the same "Due Date" query, which is not helpful for analyzing sales data based on all date foreign keys.

To support the analysis of sales over time based on all the date foreign keys, you should create separate queries for "Order Date" and "Delivery Date" in Power Query Editor and then merge these queries with the sales table on their respective foreign keys. This will enable you to analyze sales data based on all date foreign keys and create meaningful insights.

[-] **quxxy** 1 point over 2 years ago

The answer is "B": the cause is that dates in Order date column and Delivery date column could be different with Due date column, so the queries could contain lesser numbers of rows witch means better performance...

[-] **SanaCanada** 1 point over 2 years ago

Answer is correct B
no confusion

[-] **Michcat** 1 point over 2 years ago

Creating two additional tables in Power Query can be a possible solution:
Remove any inactive relationships.

[-] **Neilsy** 3 points over 2 years ago

Selected Answer: A

The solution creates 3 date tables, one per date field hence active relationships with their corresponding date table can be created for each date. Te alternative is to create an additional two relationships on the single date table and use the USERELATIONSHIP function to activate them in the relevant measure

[-] **nmosq** 6 points over 2 years ago

Selected Answer: A

It's not going to be great solution from the performance side...
but that's not part of the requirements

[-] **GuerreiroJunior** 3 points over 2 years ago

The answer is no,
we must have one active relationship, and the others (two) must be innative an then for each innative relationship we can use the USERRELATIONSHIP DAX function

[-] **MBA_1990** 5 points over 2 years ago

Selected Answer: A

Answer is YES.

That's not the best solution regarding the performance but it's not the subject.

[-] **Dr_Do** 11 points over 2 years ago

Selected Answer: B

Answer is NO.

Renaming of the query doesn't make sense.

[-] **Anne2909** 2 points over 2 years ago

Selected Answer: B

B. No, is the correct answer.

[-] **Icamp** 4 points over 2 years ago

Selected Answer: A

based on the scenario, you are ABLE to SUPPORT.

[-] **lukelin08** 3 points over 2 years ago

Selected Answer: B

B. No is correct answer given

[-] **Hoeishetmogelijk** 3 points over 2 years ago

I think it is a little ambiguous.

You should follow this refractory methodology:

Create a copy of the role-playing table, providing it with a name that reflects its role. If it's an Import table, we recommend defining a calculated table. If it's a DirectQuery table, you can duplicate the Power Query query.

This question is about an IMPORT table. So the use of a calculated table is recommended. That said, I think that duplicating the Power Query query also works for an IMPORT table. Using a calculated table for IMPORT is just a recommendation.

Source: <https://learn.microsoft.com/en-us/power-bi/guidance/relationships-active-inactive>

[-] **Booster21** 3 points almost 3 years ago

Selected Answer: B

The given answer is correct.

[-] **fdsdfgxcvbsfhshfg** 4 points almost 3 years ago

Selected Answer: A

Creating two additional tables in Power Query can be a possible solution:

Remove any inactive relationships.

Consider renaming the role-playing dimension-type table to better describe its role. In the example, the Airport table is related to the ArrivalAirport column of the Flight table, so it's renamed as Arrival Airport.

Create a copy of the role-playing table, providing it with a name that reflects its role. If it's an Import table, we recommend defining a calculated table. If it's a DirectQuery table, you can duplicate the Power Query query.

In the example, the Departure Airport table was created by using the following calculated table definition.

[-] **NevilleV** 6 points almost 3 years ago

No way! If that works, its way too complicated and a burden on performance. the answer is No

[-] **fdsdgxcvbsfshshfg** 1 point over 2 years ago

They didn't ask for best performing solution mister

[-] **Mirjalol** 4 points almost 3 years ago

Stop misleading everyone.

Question 121



Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI report that imports a date table and a sales table from an Azure SQL database data source. The sales table has the following date foreign keys:

☞ Due Date

☞ Order Date

☞ Delivery Date

You need to support the analysis of sales over time based on all the date foreign keys.

Solution: From the Fields pane, you rename the date table as Due Date. You use a DAX expression to create Order Date and Delivery Date as calculated tables.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **fred92** 28 points almost 3 years ago

Selected Answer: A

Yes, that will meet the goal. It will increase the model size, but that was not the question.

[-] **CHT1988** 3 points over 2 years ago

I agree with you.

The model size is not mentioned in the question, so it would meet the goal.

[-] **poujor** 21 points almost 3 years ago

NO is the Answer. To be able to create the calculations you need the Relationships. They are NOT stated in this suggestion.

[-] **Tiz88** 5 points over 2 years ago

These type of questions are not really clear. But agreed, you clearly need relationships. What if you have "autodetect relationship" option active?

[-] **sdawn** 2 points over 1 year ago

foreign keys imply having relationships in place, therefore it is absurd to assume otherwise.

[-] **Lulu_2022** 2 points 28 days ago

Selected Answer: B

No, this solution does not meet the goal.

Here's why:

Renaming a date table as Due Date and creating calculated tables for Order Date and Delivery Date using DAX won't properly support time intelligence functions like TOTALYTD, DATEADD, or PREVIOUSMONTH. These functions require relationships to a single, properly marked date table, not multiple calculated tables.

[-] **Odidepse** 2 points 7 months ago

Selected Answer: B

NO This will require relationship between the data and sales table to work, renaming the date table and using DAX expression wont be a solution without relationship.

[-] **jaume** 1 point 9 months ago

Selected Answer: B

We are resulting in three different date tables which could allow us to set three active relationships (as in the previous question) but there is still no mention about relationships that must be required to support the requested analysis so I would answer B.No

[-] **bd76d92** 2 points 9 months ago

If its a long solution, correct

if its a short solution, incorrect

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: A

Yes, this will meet the goal

[-] **agelee** 1 point about 1 year ago

The question is if we do it in PowerQuery Editor. It's not said. In PowerQuery we can create a copy of table by DAX usage and it will work. "Create a copy of the role-playing table, providing it with a name that reflects its role. If it's an Import table, we recommend defining a calculated table. If it's a DirectQuery table, you can duplicate the Power Query query." Departure Airport = 'Arrival Airport'. "Create an active relationship to relate the new table."

[-] **Moppu** 3 points over 1 year ago

Selected Answer: A

Think the answer should be A, but you need the relationships. Not sure why this question is more one sided than the one above though.

[-] **lukelin08** 1 point over 1 year ago

A. Yes (is correct) it's not the best method but it works

[-] **Ryan_042** 2 points over 1 year ago

Selected Answer: B

Creating a calculated table does not keep the original table relationship. This solution is even worse than the one using Power Query to duplicate the 3 date tables. If the auto-detect relationship is enabled, at least using Power Query might not require a relationship.

[-] **RMUK** 1 point almost 2 years ago

No, again its about how will you design the data model. Even if you can create multiple date table for each date field. Standard approach in this case should be one date table, 1 active and 2 inactive relationships.

[-] **WRTopics** 1 point almost 2 years ago

Selected Answer: B

No, the correct answer is B.

[-] **protivitiuser** 2 points almost 2 years ago

after you read this <https://learn.microsoft.com/en-us/power-bi/guidance/relationships-active-inactive> the answer should be clear

[-] **Igetmyrole** 3 points almost 2 years ago

B is the correct answer.

No, this solution does not meet the goal of supporting the analysis of sales over time based on all the date foreign keys.

Remaining the date table as "Due Date" and creating calculated tables for Order Date and Delivery Date using DAX expressions does not establish relationships between the sales table and the date table based on the different date foreign keys (Due Date, Order Date, and Delivery Date).

[-] **sergeyitaly** 2 points almost 2 years ago

Noone of those who say Yes did not mention about creation relationship in the model. And this is a key element in data analysis. So, the answer is No.

[-] **bakamon** 1 point about 2 years ago

Selected Answer: B

No, the reference link given in the answer shows that it needs inactive relationship

[-] **PREM77** 4 points about 2 years ago

Answer is No.

Renaming the date table as "Due Date" and creating calculated tables for "Order Date" and "Delivery Date" will not provide the necessary functionality for analyzing sales over time. To achieve the goal, you would typically create relationships between the date table and the sales table based on the respective date foreign keys. This allows Power BI to perform time-based analysis by using the relationships to filter and aggregate data.

Instead of renaming the date table, you should keep it as a separate table, typically named "Date" or "Calendar." Then, you would establish relationships between the date table and the sales table using the respective date foreign keys: Due Date, Order Date, and Delivery Date.

[-] **mirzotti** 2 points about 2 years ago

Selected Answer: B

No, for so many reasons already mentioned by others in this thread. Here is one other reason; only 2 out of 3 tables are mentioned as calculated tables. What happened to 3rd calculated table? It is missing so it does not meet the goal.

[-] **Maniula** 2 points about 2 years ago

Third table already exists and is called "Due Date", you use it to create the other two.

[-] **UlyUkr** 1 point over 2 years ago

I would say NO, since the solution does not specify creating the relationships. Auto detection feature does not guarantee the correct relationships creation.

[-] **semauni** 4 points over 2 years ago

No. We're dealing with role-playing dimensions, and creating additional tables will produce confusing results. Guy in a Cube explained this well in his video. We need ONE date table with inactive relationships.

Source: <https://www.youtube.com/watch?v=2BxaUXlx3K4>

Source: <https://learn.microsoft.com/en-us/power-bi/guidance/star-schema>

[-] **Maniula** 1 point about 2 years ago

No, we need additional tables

<https://learn.microsoft.com/en-us/training/modules/dax-power-bi-add-calculated-tables/1-introduction>

[-] **RazaTheLegend** 4 points over 2 years ago

Selected Answer: A

Definitely YES

You should follow this refractory methodology:

Create a copy of the role-playing table, providing it with a name that reflects its role. If it's an Import table, we recommend defining a calculated table. If it's a DirectQuery table, you can duplicate the Power Query query.

This question is about an IMPORT table. So the use of a calculated table is recommended.
Source: <https://learn.microsoft.com/en-us/power-bi/guidance/relationships-active-inactive>

[-] **Hoeishetmogelijk** 9 points over 2 years ago

Selected Answer: A

Definitely YES

You should follow this refractory methodology:

Create a copy of the role-playing table, providing it with a name that reflects its role. If it's an Import table, we recommend defining a calculated table. If it's a DirectQuery table, you can duplicate the Power Query query.

This question is about an IMPORT table. So the use of a calculated table is recommended.

Source: <https://learn.microsoft.com/en-us/power-bi/guidance/relationships-active-inactive>

Question 122

DRAG DROP -

You receive revenue data that must be included in Microsoft Power BI reports.

You preview the data from a Microsoft Excel source in Power Query as shown in the following exhibit.

	Column1	Column2	Column3	Column4	Column5	Column6
	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%
1	Department	Product	2016	2017	2018	2019
2	Bikes	Carbon mountainbike	1002815	1006617	1007814	1007239
3	Bikes	Aluminium road bike	1007024	1001454	1005842	1007105
4	Bikes	Touring bike	1003676	1005171	1001669	1003244
5	Accessories	Bell	76713	10247	60590	25927
6	Accessories	Bottle holder	26690	29613	67955	71466
7	Accessories	Satnav	83189	40113	71684	24697
8	Accessories	Mobilephone holder	68641	80336	58099	45706

You plan to create several visuals from the data, including a visual that shows revenue split by year and product.

You need to transform the data to ensure that you can build the visuals. The solution must ensure that the columns are named appropriately for the data that they contain.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

Select Department and Product and **Unpivot Columns**.

Select **Use First Row as Headers**.

Select Department and Product and **Unpivot Other Columns**.

Rename the Attribute column to Year and the Value column to Revenue.

Select **Use Header as First Row**.

Rename the Attribute column to Revenue and the Value column to Year.

Answer Area

>

<

⬆

⬇

Hide Answer

Correct answer:

Actions

- Select Department and Product and **Unpivot Columns**.
- Select **Use First Row as Headers**.
- Select Department and Product and **Unpivot Other Columns**.
- Rename the Attribute column to Year and the Value column to Revenue.
- Select **Use Header as First Row**.
- Rename the Attribute column to Revenue and the Value column to Year.

Answer Area

- Select **Use First Row as Headers**.
- Select Department and Product and **Unpivot Other Columns**.
- Rename the Attribute column to Year and the Value column to Revenue.



[-] **ajlanemed** 277 points almost 3 years ago

here is the sequence : 2-3-4

[-] **627628c** 2 points 7 months ago

This is correct, I tested it in PBI. You cannot "Select Department and Product and Unpivot Others" first, because Department and Product are not the column headers, you can't select them.

[-] **Mfmx2024** 5 points 8 months ago

can someone please tell if this is correct answer in the exam ? I believe its 2-3-4

[-] **SylUK** 1 point 7 months ago

The given answer is correct which is 3-4-2, following the instructions: Firstly "You need to transform the data to ensure that you can build the visuals." Secondly " The solution must ensure that the columns are named appropriately for the data that they contain."

[-] **oogrio** 6 points over 2 years ago

I believe this is better than pivoting first too.

[-] **olajor** 8 points almost 3 years ago

this is correct

[-] **jOgam0d** 183 points almost 3 years ago

Select Use First Row as Headers
Select Department and Product and Unpivot Other Column
Rename the Attribute column to YEAR and the Value column to REVENUE

[-] **KMS111** 2 points about 1 year ago

This is correct steps

[-] **Inesd** 2 points about 1 year ago

agree, that's correct

[-] **Amont1** 3 points about 2 years ago

Correct!

[-] **Lulu_2022** 1 point 28 days ago

It should be 2-3-4

[-] **imenjmal9** 2 points 7 months ago

La réponse est 2-3-4

[-] **jaume** 2 points 9 months ago

Agree to 2-3-4 order for the answer.

You cannot "Select Department and Product and Unpivot other columns) if you previously have not "Selected Use first row as headers" previously as columns to select are originally "Column1" and "Column2"not "Department" and Product" so actions in the proposed solution are the right ones in my opinion, but the order is not

[-] **nelrosell 1 point** 12 months ago

The answer is wrong, have you tried your sequence? did you get a correct result? it has to be 2,3,4

[-] **rcaliandro 2 points** 12 months ago

- 1 - Select Use First Row as Headers
- 2 - Select Department and Product and Unpivot Other Columns
- 3 - Rename the Attribute column to Year and the Value column to Revenue

[-] **00c7ee4 1 point** 12 months ago

la secuencia es 2-3-4

[-] **9f73003 9 points** over 1 year ago

My question, where did they even get the answers they are showing from?? I can't believe I paid for this thing!!

[-] **Dani_eL 4 points** over 1 year ago

Using Power Query : If you follow the sequence of the answer you will have in Attribute column (column3) the following textual values:

column3
column4
column5
column6
...

If you First row as headers first, you will have in Attribute column (column3) the following textual values:

2016
2017
2018
2019
...

which is what we want right ? the right sequence is : 2-3-4

[-] **mycorgiart 1 point** 11 months ago

Yes, I tried and got the same!

[-] **KKPanda77 1 point** over 1 year ago

It should be 3,4,2

[-] **nelrosell 1 point** 12 months ago

don't guess your answer, tried it then you will see

[-] **Rhugved 2 points** over 1 year ago

No it is 2,3,4

[-] **__Sai_Mounika__ 1 point** over 1 year ago

Refer Q19

[-] **Stayhardson 5 points** over 1 year ago

who the F give such stupid answer actually?
should be B>C>D!

[-] **euchrid 6 points** over 1 year ago

Have to do First Rows as Headers first – you can't select the Department and Product columns if there aren't any columns with those names.

[-] **cs3122** 1 point over 1 year ago

very good reason as to why you cannot unpivot first

[-] **cokimon** 1 point over 1 year ago

People are suggesting Use first row as headers. Wouldn't that make 2016 a header and then you would have numerous headers (one for each year) ?

[-] **acvribeiro** 5 points almost 2 years ago

Use first rows as headers
Select Department and Product and unpivot the other columns
Rename the attribute to year and Value to Revenue.
I have tested it.

[-] **T1M2P** 3 points almost 2 years ago

I tried with sample data the correct answer is. 2-3-4

[-] **sankeytm** 4 points almost 2 years ago

Tried in Power Query – correct sequence is 2-3-4

[-] **itenginerd** 1 point almost 2 years ago

This one took me a minute to understand. I wanted it to be 3-2-4, but it's 2-3-4. You have to use the first row as headers FIRST so that you have a department and product column to unpivot from.

[-] **lgetmyrole** 3 points almost 2 years ago

To transform the data appropriately for creating visuals that show revenue split by year and product, we should perform the following actions in sequence.

Action 3: Select Department and Product and unpivot other columns.

Action 2: Select Use First Row as Headers.

Action 4: Rename the attribute column to year and the value column to revenue.

[-] **junior17les** 3 points about 2 years ago

I am using another quiz app which contains older questions, I resorted to this website to learn about the new questions to get a correct exam.

I am observing that there are questions that I got in my previous test, but the answers are different on this website, I am beginning to doubt the accuracy of the questions here.

[-] **JonDave** 2 points about 2 years ago

what other site did you use?

[-] **junior17les** 5 points about 2 years ago

It is a test simulator that was shared with me at work to practice. It is one of the many payment simulators that are on the internet.

I have already reviewed all the questions on this page and verified that some are incorrect, it is important to read the community discussion to check the correct answers.

[-] **ApacheKafka** 3 points about 2 years ago

I feel it was made on purpose so as to not bring eyes and suspicion to the platform. They just want you to pass not get a perfect score.

[-] **itenginerd** 3 points almost 2 years ago

It's honestly one of the things I value most about this site. It's not a raw exam cram. It gives you real (in many cases) or near-real questions and makes you deal with what the actual right answer is. If you're about to stare down an exam

you're unfamiliar with, this is the best training there is! You get to wrestle with what you think the answer is, what the site thinks the answer is, and what the members think the answer is--then make your own decision.

[-] **Shalaleh** 4 points over 2 years ago

2-3-4 is the right order.

[-] **UlyUkr** 3 points over 2 years ago

- 2- Select Use First Row as Headers
- 3 - Select Department and Product and Unpivot Other Columns
- 4 - Rename the Attribute to Year and the Value to Revenue

[-] **RazaTheLegend** 5 points over 2 years ago

- 2- Select Use First Row as Headers
- 3 - Select Department and Product and Unpivot Other Column
- 4 - Rename the Attribute column to YEAR and the Value column to REVENUE

[-] **Mati_123** 3 points over 2 years ago

- 2- Select Use First Row as Headers
- 3 - Select Department and Product and Unpivot Other Column
- 4 - Rename the Attribute column to YEAR and the Value column to REVENUE

[-] **PetJoh422** 2 points over 2 years ago

Everyone claiming 2,3,4 is correct is not right. Think about the sequence and you will see that you lose data if you use 'First row as header' first.

Then you will have column names with name 2016,2017 etc

[-] **PetJoh422** 2 points over 2 years ago

Forget it... didn't read the data enough.... Sorry!

[-] **Shalaleh** 3 points over 2 years ago

Remember it! when you want to use Transpose, do not select Use FIRST ROW AS HEADER
But, when you want Unpivot, select Use First Row as Header

[-] **kedidahamoudi** 2 points over 2 years ago

here is the sequence : 2-3-4

[-] **Nawabi** 1 point over 2 years ago

here is the sequence : 2-3-4
Just performed on power bi

[-] **chezleon62** 1 point over 2 years ago

Yes, we have to put the header first

[-] **ewelaela** 2 points over 2 years ago

Tested and correct:
Select Use First Row as Headers
Select Department and Product and Unpivot Other Column
Rename the Attribute column to YEAR and the Value column to REVENUE

[-] **Kowshigha** 1 point over 2 years ago

Correct sequence is 2-3-4

[-] **SayanChiku** 2 points over 2 years ago

Select Use First Row as Headers

Select Department and Product and Unpivot Other Column
Rename the Attribute column to YEAR and the Value column to REVENUE

[-] **svg10gh** 1 point over 2 years ago

The correct ans should be
2-Select Use First Row as Headers
3-Select Department and Product and Unpivot Other Column
6- Rename the Attribute column to YEAR and the Value column to REVENUE

[-] **ukn** 7 points over 2 years ago

"Select Departament and Product and Unpivot Other Columns" is imposible, it does't exist a columns called DEPARTAMENT & PRODUCT until you
1. Select Use First Row as Headers, this instruction creates DEPARTAMENT & PRODUCT columns
2. Select Department and Product and Unpivot Other Column, this step creates the "Attribute" and "Value" columns
3. Rename the Attribute column to YEAR and the Value column to REVENUE

[-] **iccent2** 2 points over 2 years ago

@ThariCD, your explanation made it crystal clear to me now. Thanks man!

[-] **Analysis** 2 points over 2 years ago

2-3-4 is the correct sequence

[-] **Pauwels** 2 points over 2 years ago

IT SHOULD BE 2-3-4

[-] **velvarga** 2 points almost 3 years ago

IT SHOULD BE 2-3-4

[-] **samad1234** 7 points almost 3 years ago

The correct answer :
2-Select Use First Row as Headers
3-Select Department and Product and Unpivot Other Column
6- Rename the Attribute column to YEAR and the Value column to REVENUE

[-] **centrumadresowe** 4 points almost 3 years ago

1 Select Use First Row as Headers
2 Select Department and Product and Unpivot Other Column
3 Rename the Attribute column to YEAR and the Value column to REVENUE

[-] **j0gam0d** 3 points almost 3 years ago

Select Use First Row as Headers
Select Department and Product and Unpivot Other Column
Rename the Attribute column to Revenue and the Value column to Year

[-] **saurinkhamar** 2 points almost 3 years ago

Rename Attribute to Year and Value to revenue

[-] **ThariCD** 18 points almost 3 years ago

Given answer is incorrect, it should be:
1. Use First Row as Headers, that will give you the headers Department, Product, 2016, 2017, 2018 and 2019.
2. Select Department and Product and unpivot other columns, that will give you the columns Department, Product, Attribute (the Years) and Value (the Revenues)
3. Rename the Attribute column to Year and the Value column to Revenues

[-] **NevilleV** 2 points almost 3 years ago

Thanks for the detailed explanation.

[-] **lukelin08** 2 points over 2 years ago

This is the way

[-] **NAWRESS96** 2 points almost 3 years ago

i think it's

3 - 2 - 4

[-] **nelrosell** 1 point 12 months ago

tried it don't guess

Question 123


HOTSPOT -

You have a Power BI report named Orders that supports the following analysis:

- ☞ Total sales over time
- ☞ The count of orders over time
- ☞ New and repeat customer counts

The data model size is nearing the limit for a dataset in shared capacity.

The model view for the dataset is shown in the following exhibit.



The data view for the Orders table is shown in the following exhibit.

OrderID	CustomerID	OrderDate	ProductID	UnitPrice	Quantity	Discount	SalesTotal
10293	TORTU	8/29/1996 12:00:00 AM	18	\$50	12	0	600
10294	TORTU	8/29/1996 12:00:00 AM	63	\$35.1	5	0	175.5
10295	TORTU	8/29/1996 12:00:00 AM	75	\$6.2	6	0	37.2
10296	RATTC	8/29/1996 12:00:00 AM	1	\$14.4	18	0	259.2

The Orders table relates to the Customers table by using the CustomerID column.

The Orders table relates to the Date table by using the OrderDate column.

For each of the following statements, select Yes if the statement is true, Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements

Summarizing Orders by the CustomerID, OrderID, and OrderDate columns will reduce the model size while still supporting the current analysis.

Yes

☐

No

☐

Removing the CustomerID column from Orders will reduce the model size while still supporting the current analysis.

☐☐

Removing the UnitPrice and Discount columns from Orders will reduce the model size while still supporting the current analysis.

☐☐

Hide Answer

Correct answer:

Box 1: No -

Would not support total sales over time.

Box 2: No -

Would not support new and repeat customer counts

Box 3: Yes

Answer Area

Statements

Summarizing Orders by the CustomerID, OrderID, and OrderDate columns will reduce the model size while still supporting the current analysis.

Yes

☐

No

☒

Removing the CustomerID column from Orders will reduce the model size while still supporting the current analysis.

☐☒

Removing the UnitPrice and Discount columns from Orders will reduce the model size while still supporting the current analysis.

☒☐

[-] **Fer079** 158 points almost 3 years ago

My answer is

NO

NO

YES

Summarizing Orders by CustomerID, OrderID and OrderDate means to group by CustomerID, OrderID and OrderDate and to aggregate the rest of the fields, however the OrderID has unique values so the aggregation will have the same number of rows as the original table

[-] **Flix** 3 points about 1 year ago

Unique would be orderline, but since an order can have multiple products...

[-] **khalidmirghnee** 5 points over 1 year ago

Each order may contain number of different products, that means the orderid will be repeated more than one time in the Order table. The answer should be Yes, No, Yes.

[-] **PinkZebra** 9 points almost 3 years ago

Yes No Yes

Removing unnecessary columns already help reduce the model size. We don't know for sure if other order ids have more than one product..

[-] **KoryMills** 2 points over 2 years ago

how do we know OrderID is unique just from the sample data?

[-] **HassanHijazi** 4 points over 2 years ago

You assume it is because the showed like so. For other columns, you see they included repetitive values to showcase they are not unique

[-] **fdsdgxcvbsdfshshfg** 7 points over 2 years ago

Why would you assume that OrderId is unique? A quite opposite is perfectly reasonable for me and I would assume that a single order (single OrderId) can have a few products in it

[-] **Mizaan** 8 points almost 3 years ago

Given the sample data, it does look like orderid is unque so the aggregation would not work. However, you would hope that you can order multiple items on an order and therefore orderid is not unique and is a fact table. Bad question.

[-] **GregFred** 23 points almost 3 years ago

Yes, No, Yes,. It should be yes in 1. becasue the Orders table can contain the same Order Date, Order ID and Customer ID but many product ID and this is stil the same order so gruping reduce a size of data

[-] **Fer079** 20 points almost 3 years ago

if you see the table, the order ID is unique, so you are not going to have the same Order ID more than twice. For example, you will see that for the customer TORTU has 3 different products (18, 63, 75) under the same order because the OrderDate is exactly the same so we have to think it's the same order, however the OrderID is sequential (unique).

So NO, NO, YES

[-] **LeeTheRed** 4 points over 1 year ago

The Sumarization doesn't include TotalSales thus wouldn't support TotalSales over time thus the first one is a NO no matter if OrderID is unique or not.

[-] **Giuditta** 2 points over 1 year ago

Summarize Is not selecting which columns to keep. Its like doing a group by in SQL. By choosing sum as aggregation for the sale Total value the prerequisite Will still be ok

[-] **AzureJobsTillRetire** 21 points over 2 years ago

Box1: Yes

The summarizing data will remove Product information which is not required for this analysis. We should not infer from the sample data that OrderId is the primary key for few reasons. 1) the Order table is a common table that is used by Microsoft in learning materials, and the table usually has a surrogate key as the primary key. 2) Order ID can be printed on the invoice, and it is not a surrogate key. BTW, the Customer ID is not a surrogate key as well. 3) An order usually consists of multiple products. 4) The Product Id is unique in the sample data as well, and we won't infer that we must create an order for a separate product.

Box 2: No

Customer ID is required for new and returned customer analysis

Box3: Yes

Product information is not required for analysis.

Note: if the first analysis requirement changes from "Total sales over time" to "Total sales over time for products", we will have a different question to deal with

[-] **AzureJobsTillRetire** 1 point over 2 years ago

Please also refer to Question 38 in Topic 2 on how a more completed Sales Order table would look like. In that question the OrderID is called SalesOrderNumber and the surrogate key is the ID column. Please note that those two columns are separated

[-] **ee0625a** 1 point 6 months ago

Summarizing Orders by CustomerID, OrderID, and OrderDate will reduce model size while supporting analysis. Yes

Removing the CustomerID column from Orders will reduce model size while supporting analysis. No

Removing the UnitPrice and Discount columns from Orders will reduce model size while supporting analysis. Yes

[-] **imenjmal9** 1 point 7 months ago

NO

NO

YES

[-] **jaume** 2 points 9 months ago

I would vote for NO - NO - YES.

I was thinking YES for the first one as I cannot see how this summarization could affect required nalysis but then, after reading some comments, I realized this summarization would not reduce the data size as all three fields using summarization looks like unique values to me, therefore, no row reduction would result from this summarization

[-] **23042b9** 1 point 10 months ago

Since OrderId is unique for each order, summarizing the Orders table by CustomerID, OrderId, and OrderDate will not lead to a reduction in the number of rows or the model size. Therefore, it won't have a meaningful impact on the dataset.

[-] **rcaliandro** 2 points 12 months ago

In my opinion it is YES, NO, YES

[-] **rcaliandro** 2 points 12 months ago

I changed my mind. It should be No, No, Yes. The first is No because it Would not support total sales over time. The answer is correct

[-] **Flix** 1 point about 1 year ago

Yes: Since you don't know the order ID is unique or not but it also contains products so probably not otherwise would have been orderline ID.

YES: You can count the new customers based on this table so no need for a relationship with the customer, there is no extra information visible within the customer table.

YES: Don't need the columns

[-] **JudT** 8 points over 1 year ago

The correct answer is :

- * No ("Orderid" is unique so can't be aggregated with other two columns)
- * No (Star schema, "Customerid" is needed)
- * Yes (Don't need those columns for analysis)

[-] **Dani_eL** 5 points over 1 year ago

When you look at the data in the table you see customer TORTU having ONE order composed of THREE different productID with the same ordered date.

Furthermore, looking at the data of OrderID, it pretty looks like an autonumber to me which is unique and incremental.

Some might say no, TORTU made 3 different orders. Okay but then I suppose ordered date should be different, right ?

Based on those assumptions, summarizing will have no effect on the size.

So, NO, NO, YES

[-] **Dsbuff** 3 points over 1 year ago

No / No / Yes

[-] **Robert44** 3 points over 1 year ago

1/ yes because we remove ProductID. impossible to know if it is unique like OrderID

2/ No, CustomerID is used in a relationship

3/ No, UnitPrice is useful for calculating total sales. I don't understand why so many people think it's Yes. How do you calculate Total Sales?

[-] **walexix** 5 points over 1 year ago

we already have a total sales column. no need of units price for analysis cases

[-] **Dani_eL** 2 points over 1 year ago

parce que le dernier champ est le total des ventes donc inutile de recalculer

[-] **rcaliandro** 2 points 12 months ago

The question is in English, the answers are in English, the website is in English. So why do you speak French? O.o

[-] **Igetmyrole** 6 points almost 2 years ago

NO

NO

YES

No: Summarizing orders with these columns may actually increase the model size as creates a more detailed representation of the data. It will not reduce the model size.

No: Since there's a relationship between the Orders table and the Customers table using the CustomerID column, removing it might affect the ability to analyze data by customer, so it may not support the current analysis.

Yes: Removing unnecessary columns like UnitPrice and Discount that are not used in the analysis will likely reduce the model size without affecting the ability to analyze total sales over time, order counts, and customer counts.

[-] **kelvin3105** 3 points about 2 years ago

Fer079 8 months, 4 weeks ago

if you see the table, the order ID is unique, so you are not going to have the same Order ID more than twice. For example, you will see that for the customer TORTU has 3 different products (18, 63, 75) under the same order because the OrderDate is exactly the same so we have to think it's the same order, however the OrderID is sequential (unique).

So NO, NO, YES

[-] **Shalaleh** 2 points over 2 years ago

My answer:

NO: orderID is unique, suppose s CostumerID has several Orders in a day. we cannot aggregate that.

NO we need CustomerID for the relationship

YES we do not need them.

[-] **UlyUkr** 4 points over 2 years ago

1st statement NO. TotalSales is not included in the summarization, therefore won't support current analysis. Normally after creating the aggregated table, you would disable the original table from loading into the model to reduce overall size.

2nd statement is NO, you can't remove the key column, on which relationship is based.

3rd statement is YES, you can remove those columns as they are not needed for current analysis. TotalSales will serve the purpose to calculate Total sales over time. I assume TotalSales is a normal column, not calculated one.

[-] **CG31** 6 points over 2 years ago

My answer is:

1. No- can you summarize the date column?
2. No- this is a star schema, you need to have a connection between the customer dimension and the fact table with the sales
3. No- the total sales seem to be a calculated column, Unit price*Qty, does it make sense to remove it?

[-] **CRAKN1** 2 points about 2 years ago

WE CAN REMOVE THAT COLUMNS AFTER CALCULATING TOTAL SALES IN THE NEW COLUMN.

[-] **JudT** 1 point over 1 year ago

That's right

[-] **Win_111** 1 point about 2 years ago

Total Sales column already calculated Unit Price * Qty

[-] **RazaTheLegend** 5 points over 2 years ago

If you see the table, the order ID is unique, so you are not going to have the same Order ID more than twice. For example, you will see that for the customer TORTU has 3 different products (18, 63, 75) under the same order because the OrderDate is exactly the same so we have to think it's the same order, however the OrderID is sequential (unique).

So NO, NO, YES

[-] **JudT** 1 point over 1 year ago

A Legend!

[-] **nmosq** 2 points over 2 years ago

No - Even if we don't know that OrderId is unique, if you want to see clients that buy more than once, you can summarize the data

No - Removing this field will break the relationships

Yes - They are not part of the analysis for the users, so they are "extra" data

[-] **kiwi69** 3 points over 2 years ago

Yes, No, Yes

An order table with a ProductId column usually includes more products for the same OrderId, otherwise it will have an OrderLineId that here is not present. Also, it's never stated that OrderId is unique. Hence, summarizing will do the trick.

[-] **bi_mj** 4 points over 2 years ago

SalesTotal looks like a calculated table based on UnitPrice and Quantity. Shouldn't last question be No? Removing unitprice will result in error for salestotal, which is included to analyze in the requirements.

[-] **csillag** 3 points over 2 years ago

Creating SUM(SalesTotal) grouping by OrderID, CustomerID, OrderDate we reduce the number of columns what also reduce the model size. From the task is not clear if OrderID is unique or not, so not sure if the row number will be changed.

For me:

Yes

No

Yes

[-] **Patrick666** 1 point over 2 years ago

NO NO YES

[-] **Hoeishetmogelijk** 1 point over 2 years ago

YES

NO

YES

1=YES, because it is perfectly possible to summarize Orders on OrderID, CustomerID and OrderDate and still realize this requirements:

☞ Total sales over time

☞ The count of orders over time

☞ New and repeat customer counts

[-] **Hoeishetmogelijk** 2 points over 2 years ago

I changed my mind:

NO

NO

YES

I agree with the reasoning of Fer079 above.

[-] **Churato** 4 points almost 3 years ago

The trick is here: "New and repeat customer counts"

So, it's

no, no and yes.

[-] **dorypl300** 3 points almost 3 years ago

NO

NO

YES

[-] **saurinkhamar** 2 points almost 3 years ago

Summarizing Customer ID and OrderDate together will not achieve reducing no. of rows saying, Same customer may not order multiple times same date.

[-] **lukelin08** 2 points almost 3 years ago

NO

NO

YES

[-] **nucleus21** 2 points almost 3 years ago

no / no / yes.

If you summarize by order id that is unique for every row it will irritate in the same level per row so its useless step performance-wise

[-] **blito123** 2 points almost 3 years ago

NO

NO

YES

is correct.

[-] **fdsdgxcvbsfhshfg** 4 points almost 3 years ago

Yes

No

Yes

[-] **rashjan** 2 points almost 3 years ago

you can not summarize the OrderDate I think.

Question 124

HOTSPOT -

You are building a financial report by using Power BI.

You have a table named financials that contains a column named Date and a column named Sales.

You need to create a measure that calculates the relative change in sales as compared to the previous quarter.

How should you complete the measure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

```
Sales QoQ% =  
IF(  
    ISFILTERED('financials'[Date]),  
    ERROR("Uh oh."),  
    VAR PREV_QUARTER =  
        CALCULATE  
        CALCULATETABLE  
        DATEADD  
        DIVIDE  
        FILTER  
        FIND  
        (SUM('financials'[Sales]),  
        ('financials'[Date].[Date], -1, QUARTER)  
    )  
    RETURN  
        (SUM('financials'[Sales]) - PREV_QUARTER, PREV_QUARTER)  
)
```

Hide Answer

Correct answer:

Box 1: CALCULATE -

Calculate the sum.

Box 2: DATEADD -

DATEADD -1 QUARTER will give the previous month.

Box 3: DIVIDE -

Use DIVIDE to get the relative change.

Answer Area

```
Sales QoQ% =  
IF(  
    ISFILTERED('financials'[Date]),  
    ERROR("Uh oh."),  
    VAR PREV_QUARTER =  
        (SUM('financials'[Sales]),  
         ('financials'[Date].[Date], -1, QUARTER)  
        )  
    RETURN  
        (SUM('financials'[Sales]) - PREV_QUARTER, PREV_QUARTER)  
    )
```

Three dropdown menus are shown, each with a list of DAX functions. The first dropdown is for the first argument of the VAR statement, the second is for the second argument, and the third is for the third argument of the RETURN statement.

CALCULATE
CALCULATETABLE
DATEADD
DIVIDE
FILTER
FIND

CALCULATE
CALCULATETABLE
DATEADD
DIVIDE
FILTER
FIND

CALCULATE
CALCULATETABLE
DATEADD
DIVIDE
FILTER
FIND

[[-](#)] **Namenick10** 139 points almost 3 years ago

1. Calculate
2. Dateadd
3. Divide

[[-](#)] **GuerreiroJunior** 6 points over 2 years ago

I totally agree with you Nick10

[[-](#)] **ggsss** 3 points over 1 year ago

And I agree with you Junior

[[-](#)] **paras97** 3 points over 1 year ago

I agree with you ggsss!

[[-](#)] **e31df62** 1 point about 1 year ago

I agree with you Paras97

[[-](#)] **cf39210** 1 point about 1 year ago

And i agree with you e31df62

[-] **lukelin08** 21 points almost 3 years ago

Calculate
Dateadd
Divide

[-] **rcaliandro** 2 points 12 months ago

1 - CALCULATE
2 - DATEADD
3 - DIVIDE
That's correct

[-] **rcaliandro** 1 point 12 months ago

Tested =)

[-] **Jaitan** 2 points over 1 year ago

Is missing a denomiator on Divide? I don't get it.

[-] **Mo_Suhail** 1 point 8 months ago

We don't get denominator while using DIVIDE(4,2) gives you 2. It works like this.

[-] **steppenwolf84** 1 point over 1 year ago

Numerator is the first argument i.e. SUM('financials'[Sales])-PREV_QUARTER. Denominator is the second argument i.e. PREV_QUARTER
<https://learn.microsoft.com/en-us/dax/divide-function-dax>

[-] **lgetmyrole** 3 points almost 2 years ago

Calculate
Dateadd
Divide

[-] **rgabage** 2 points almost 2 years ago

CALCULATE, DATEADD, DIVIDE

[-] **EwoutBI** 3 points almost 2 years ago

There is a small typo in the DATEADD part, but apart from that the given answer is correct.
Here it is typed out for easy reference:
Sales QoQ% = IF(ISFILTERED('FACT_Order'[Date]),
ERROR("Oh noes"),
VAR PREV_QUARTER = CALCULATE(SUM(FACT_Order[OrderID]),
DATEADD(FACT_Order[Date], -1, QUARTER))
RETURN DIVIDE(SUM(FACT_Order[OrderID]) - PREV_QUARTER, PREV_QUARTER))
(I used a fact order table to calculate this.)

[-] **miro26** 1 point about 2 years ago

As for the correctness of the functions used, the measure is Ok, but does this measure count what is required?
According to this measure, current sales are the sum of the contents of the entire table minus the previous quarter. When Q3 is current, we divide the sum of Q1 and Q3 by Q2. Shouldn't it be DIVIDE(Q3,Q2) ?

[-] **LouStar2** 2 points about 2 years ago

The first 2 makes sense
What's the logic on DIVIDE?

[-] **MoxieTT** 4 points about 2 years ago

b/c any % diff calculations are either (current-previous)/previous or current/previous -1

[-] **RazaTheLegend** 1 point over 2 years ago

1. Calculate
2. Dateadd
3. Divide

[-] **Minio754** 2 points over 2 years ago

Yes Exactly
Calculate
Dateadd
Divide

[-] **svg10gh** 2 points over 2 years ago

Calculate
Dateadd
Divide
is the answer

[-] **Patrick666** 3 points over 2 years ago

1. Calculate
2. Dateadd
3. Divide

[-] **jboiret** 4 points over 2 years ago

CALCULATE, DATEADD, DIVIDE

Question 125



DRAG DROP -

You are creating a Power BI model and report.

You have a single table in a data model named Product. Product contains the following fields:

☞ ID

☞ Name

☞ Color

☞ Category

☞ Total Sales

You need to create a calculated table that shows only the top eight products based on the highest value in Total Sales.

How should you complete the DAX expression? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Select and Place:

Values	Answer Area
ASC	Top 8 Products = Value (8, 'Product', 'Product'[Total Sales], Value)
DESC	
RELATEDTABLE	
CALCULATE	
MAXX	
TOPN	

Hide Answer

Correct answer:

Box 1: TOPN -

TOPN returns the top N rows of the specified table.

Syntax: TOPN(<n_value>, <table>, <orderBy_expression>, [<order>[, <orderBy_expression>, [<order>]]])

Box 2: DESC -

Descending order to get the highest values first.

Reference:

<https://docs.microsoft.com/en-us/dax/topn-function-dax>

Values	Answer Area
ASC	Top 8 Products = TOPN (8, 'Product', 'Product'[Total Sales], DESC)
DESC	
RELATEDTABLE	
CALCULATE	
MAXX	
TOPN	

[-] **Namenick10** 74 points almost 3 years ago

TOPN & DESC

[-] **gtc108** 16 points almost 3 years ago

TOPN, DESC

[-] **rcaliandro** 2 points 12 months ago

The answer is correct TOPN, DESC

[-] **rcaliandro** 1 point 12 months ago

Tested =)

[-] **lgetmyrole** 3 points almost 2 years ago

TOPN and DESC are the answers.

Top 8 products = TOPN(8, 'Product', 'Product'[Total Sales], DESC)

[-] **rgabage** 2 points almost 2 years ago

TOPN, DESC

[-] **LambdaBld** 2 points over 2 years ago

Answer is correct

[-] **RazaTheLegend** 3 points over 2 years ago

TOPN & DESC

[-] **vishal10** 3 points over 2 years ago

TOPN, DESC

[-] **iccent2** 3 points over 2 years ago

TopN and then DESC

[-] **reyn007** 3 points over 2 years ago

TOPN, DESC

[-] **lukelin08** 3 points over 2 years ago

Answer is TOPN & DES

Question 126

You are creating a sales report in Power BI for the NorthWest region sales territory of your company. Data will come from a view in a Microsoft SQL Server database. A sample of the data is shown in the following table:

ID	ProductKey	OrderDate	ShipDate	CustomerKey	SalesTerritoryRegion	SalesOrderNumber	SalesOrderLineNumber	OrderQuantity	UnitPrice	SalesAmount	TaxAmount	Freight
1	310	2010-12-29	2011-01-05	21768	Canada	SO43697	1	1	3578.27	3578.27	286.2616	89.4568
2	346	2010-12-29	2011-01-05	27365	France	SO43698	1	1	3395.99	3395.99	271.9992	84.9998
3	346	2010-12-29	2011-01-05	76537	NorthWest	SO43699	1	1	3395.99	3395.99	271.9992	84.9998
4	336	2010-12-29	2011-01-05	34256	SouthWest	SO43700	1	1	699.0982	699.0982	55.9279	17.4775
5	346	2010-12-29	2011-01-05	34253	Australia	SO43701	1	1	3395.99	3395.99	271.9992	84.9998
6	311	2010-12-30	2011-01-06	12543	SouthWest	SO43702	1	1	3578.27	3578.27	286.2616	89.4568
7	310	2010-12-30	2011-01-06	76545	Australia	SO43703	1	1	3578.27	3578.27	286.2616	89.4568

The report will facilitate the following analysis:

- ⇒ The count of orders and the sum of total sales by Order Date
- ⇒ The count of customers who placed an order
- ⇒ The average quantity per order

You need to reduce data refresh times and report query times.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Set the data type for SalesOrderNumber to Decimal Number.
- B. Remove the CustomerKey and ProductKey columns.
- C. Remove the TaxAmt and Freight columns.
- D. Filter the data to only the NorthWest region sales territory.

Hide Answer

[-] **NAWRESS96** 44 points almost 3 years ago

Selected Answer: CD
Correct Answer

[-] **Namenick10** 12 points almost 3 years ago

Selected Answer: CD
c & D is correct

[-] **jaume** 1 point 9 months ago

Selected Answer: CD
C&D are the right ones

[-] **rcaliandro** 3 points 12 months ago

CD is the correct one.
A is wrong, we can't set the datatype as decimal number because it is a string
B is wrong because we do need the customer key to count the customers for each order.
C OK, because we don't need the columns for the analysis
D OK, we can filter to the specified region as requirements

[-] **lgetmyrole** 4 points almost 2 years ago

C and D are correct.
C. Since these columns are not needed for the specified analysis, removing them can reduce the data size and improve performance.
D. By filtering the data to include only the NothWest region, we reduce the volume of data that needs to be processed, further improving performance.

[-] **Throneroom** 1 point over 2 years ago

Correct Answer

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: CD
The given answer is correct.

[-] **RazaTheLegend** 1 point over 2 years ago

Selected Answer: CD
Correct answer, only using data from northwest and removing data not used in the analysis

[-] **Abhi256** 1 point over 2 years ago

Selected Answer: CD
C&D are correct

[-] **opek** 2 points over 2 years ago

Selected Answer: CD
Correct, we are removing columns that won't be useful in analysis

[-] **Nuli** 2 points over 2 years ago

C AND D

[-] **jboiret** 1 point over 2 years ago

Selected Answer: CD
Answer CD

[-] **csillag** 2 points over 2 years ago

Selected Answer: CD
Correct answer

[-] **Patrick666** 3 points over 2 years ago

c and D

[-] **Luisao** 2 points over 2 years ago

Correct. It is "C" and "D"

[-] **JukMar** 4 points almost 3 years ago

C and D are correct

[-] **lukelin08** 3 points almost 3 years ago

Selected Answer: CD

Answer is correct

Question 127

You are creating a Power BI model that contains a table named Store. Store contains the following fields.

Name	Data type
Store ID	Whole Number
Store Name	Text
City	Text
State/Province	Text
Country	Text

You plan to create a map visual that will show store locations and provide the ability to drill down from Country to State/Province to City.

What should you do to ensure that the locations are mapped properly?

- A. Change the data type of City, State/Province, and Country.
- B. Set Summarization for City, State/Province, and Country to Don't summarize.
- C. Set the data category of City, State/Province, and Country.
- D. Create a calculated column that concatenates the values in City, State/Province, and Country.

Hide Answer

[-] **Hoeishetmogelijk** 44 points over 2 years ago

Selected Answer: C

Answer is C. I only don't agree with the Hierarchy solution that is given in the answer.

Data categorization is something else: <https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-data-categorization>

[-] **PinkZebra** 17 points almost 3 years ago

Selected Answer: C

Change the data category from "Text" to "Country", "State", "City" will work.

See Source:<https://www.youtube.com/watch?v=rylv80WmTgc>

[-] **Fecov** 1 point almost 2 years ago

excellent anwer !!!

here is the truth and right reason of the answer, not the hierarchy (also its important but its not related to the data category)

[-] **jaume** 1 point 9 months ago

Selected Answer: C

I'm not sure what's exactly the difference between A and C, would not both options have the same result. I will vote for C as rest of people here assuming some of them have tested it and this is better than A

[-] **jaume** 1 point 9 months ago

Just checked in PowerQuery Editor there is no "Country" data type, so I guess that means option A is not the same :-)

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: C

C - Set the data category of City, State/Province, and Country

[-] **JohnChung** 1 point over 1 year ago

Selected Answer: C

The answer should be C

[-] **Dsbuff** 4 points over 1 year ago

C is correct. Check it out here: <https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-data-categorization>

[-] **nick0651** 1 point almost 2 years ago

The answer is C

[-] **WRTopics** 1 point almost 2 years ago

Selected Answer: A

This answer could be A or C.

Both solutios works.

[-] **Igetmyrole** 1 point almost 2 years ago

C is the correct answer.

Setting the data category for these fields will allow Power BI to recognize them as location-related fields, enabling proper mapping and drilling down capabilities.

[-] **NAZAOG** 2 points about 2 years ago

I DONT THINK THE MAP WILL WORK IF THE DATA TYPE IS ON TEXT

[-] **WRTopics** 1 point almost 2 years ago

yes it works.

[-] **Shalaleh** 5 points over 2 years ago

Selected Answer: C

Without setting Data Category, map does not work correctly.

[-] **lizbette** 5 points over 2 years ago

Selected Answer: C

the answer is correct but the explanation is wrong. has nothing to do with hierarchy. has everything to do with data categorization for geographical fields

[-] **lizbette** 1 point over 2 years ago

an alternative to data categorization is if we had latitude/longitude fields. however, that is not an option here

[-] **RazaTheLegend** 5 points over 2 years ago

Selected Answer: C

Answer is C.

Data categorization is something else: <https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-data-categorization>

[-] **Taras_Navakhatska** 1 point over 2 years ago

Don't we need to change data type from "Text" if we want to creat a map? It's really strange.

[-] **joaowendling** 2 points over 2 years ago

No, the data type will continue to be text. You might be confusing it for the data category

[-] **Shalaleh** 1 point over 2 years ago

for me also. I think first we should change data type and then create a hierarchy because of Drill down part

[-] **jboiret** 1 point over 2 years ago

Selected Answer: C

Answer C

[-] **csillag** 2 points over 2 years ago

Selected Answer: C

C is correct

[-] **Patrick666** 2 points over 2 years ago

Answer is correct

[-] **lukelin08** 10 points almost 3 years ago

Selected Answer: C

Answer is correct

[-] **fdsdfgxcvbsdfshshfg** 5 points almost 3 years ago

Selected Answer: C

C is correct, but we can create a 'pseudo' hierarchy on a visual

[-] **NAWRESS96** 5 points almost 3 years ago

Selected Answer: C

yes we need to Create Hierarchy

Question 128



You have a Power BI query named Sales that imports the columns shown in the following table.

Name	Description	Sample value
ID	A unique value that represents a sale	10253
Sale_Date	Sales date A column to extract the date of the sale	2021-11-23T09:53:00
Customer_ID	Represents a unique customer ID number	13158
Delivery_Time	Elapsed delivery time in hours Can contain null values	51.52
Status	Sales status Contains only the following two values: Finished and Canceled	Finished
Canceled_Date	Cancellation date and time Can contain null values	2021-11-24T14:11:23

Users only use the date part of the Sales_Date field. Only rows with a Status of Finished are used in analysis.

You need to reduce the load times of the query without affecting the analysis.

Which two actions achieve this goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Remove the rows in which Sales[Status] has a value of Canceled.
- B. Remove Sales[Sales_Date].
- C. Change the data type of Sale[Delivery_Time] to Integer.
- D. Split Sales[Sales_Date] into separate date and time columns.
- E. Remove Sales[Canceled Date].

Hide Answer

[-] **bjornopjemic** 126 points almost 3 years ago

A, only records with state finished are used

D, personally I would transform the column to a date format and not split it since only the date part is used

Not E, All the cancelled rows are already deleted with A and when a order is not cancelled it will contain a null value

[-] **1CY1** 6 points 11 months ago

Each answer represents a complete solution.

-> D cannot be correct as it is not a complete solution.

-> A, E : Correct.

[-] **SylUK** 1 point 7 months ago

I agree with you , because :D. Split Sales[Sales_Date] into separate date and time columns. will increase the loading time instead which is against the requirement.

[-] **Srilatha_B** 1 point 7 months ago

D is sure shot right answer. It improves the cardinality of the data when split.

[-] **Mo2011** 5 points about 1 year ago

No, option E is about delete the Canceled Date field not the rows

[-] **cnmc** 16 points over 2 years ago

Splitting the column without deleting one of them isn't going to do anything for performance.

And you're right that if step A is done then the cancelled_date column will only contain null values. But reducing the number of columns is going to improve the performance - even if that column is all null.

[-] **otapi** 10 points over 1 year ago

AE is correct: 'Each correct answer presents a complete solution.' E presents a complete solution on its own without A.

[-] **AB_111** 2 points 10 months ago

Can you explain why option E is a complete solution?

[-] **RedRoss** 2 points over 1 year ago

Although the Microsoft reference says:

Separate date and time, if bound together. If any of your tables have columns that combine date and time, make sure that you separate them into distinct columns before importing them into Power BI. This approach will increase compression abilities.

But, the question says, each choice will provide a complete solution. and AE are those options only.

[-] **Vaar** 2 points almost 2 years ago

When deleting all rows with status equal to cancelled, all remaining rows will have null value in the column "cancel date". Would it not therefore be a very good idea to delete this row, not leaving it taking up completely unnecessary space?

[-] **nevesrf** 7 points over 2 years ago

"Each correct answer presents a complete solution." so your choice to choose A have nothing to do with the choice to choose E they are independent answers to me the most effective is A and E, think if you only have to pick E or D the better choice is E for sure

[-] **ApacheKafka** 6 points about 2 years ago

AE ✓

Your take on E is wrong because removing cancelled rows does not equal removing the cancelled_Date column. By splitting in D you are only adding to the size of the model which will in turn increase the loading time. When we have the unwanted Cancelled_Date column and there is no option to change the type of Sales_Date to Date. AE will always be the best options.

[-] **Fer079** 34 points almost 3 years ago

The option A is clear.

Regarding D or E, I understand your point of view and it makes sense, however if we split the date column into two columns then we will have new data types for these columns and maybe it will affect the model and the analysis that we have currently, and one of the requirements is "You need to reduce the load times of the query without affecting the analysis." so we should discard the option D, therefore we should go ahead with the E option

[-] **prikha16** 19 points about 2 years ago

See this, splitting Datetime column has huge impact on size of data model.
it is one of the best practices for optimizing performance.

[-] **prikha16** 5 points about 2 years ago

When we remove rows with status of Cancelled, cancellation date will have null values, so Option E doesn't make sense anyway

[-] **BvGVAXeAMP** 3 points over 1 year ago

You are right that cancellation date will have null, but that doesn't change the fact that it still exists as a column which will still have an impact on load time. So removing the sales[cancellation_time] will definitely help with reducing load time.
So answer for an optimised case is AE.

[-] **Mizaan** 3 points almost 3 years ago

Agree. Splitting the column as per D does not reduce the model size. Removing the column does. Since we don't need the cancelled date (because we only filter by finished) the cancelled date is not useful for anything.

[-] **KMLearn3** 15 points over 2 years ago

Splitting Date and time has a huge impact. If the auto date time option in the settings isn't disabled (default is enabled) power bi will create a hidden date table in background. In case of Date Time you will have a line for every single second per day.

For example:

2020-07-01 00:00:01

2020-01-01 00:00:02...

Splitting Date and Time means now you have a table just containing dates, one day by another.

[-] **rick1997** 2 points almost 2 years ago

Its true that splitting it can impact performance within a report, but the question doesn't ask anything about the performance. It specifically asks about LOAD TIME. It seems like everybody is overlooking what the question is really asking for. In a way, it might even increase load time because you are adding more columns, even if it ends up being a more optimized report. I am pretty certain the correct choices are A&E.

[-] **Shypala** 2 points over 1 year ago

Options AE are correct. D is wrong here. As this would be adding another column, This would increase the complexity of the model. It is always better to remove a column even if it is empty than add a new one.

[-] **evipap** 66 points over 2 years ago

Selected Answer: AE

It says: You need to reduce the LOAD times of the query without affecting the analysis. Only answers A and E can reduce the load times. D may reduce only the time needed to process the data. Someone said that E is not the answer because: "All the cancelled rows are already deleted with A and when a order is not cancelled it will contain a null value". You must read again the description cause it says " Each answer presents a COMPLETE solution" not part of a solution.

[-] **Maniula** 6 points about 2 years ago

You focus too much on load. Answer E doesn't resolve the date part of the question.
Splitting columns is correct, not E.

[-] **EwoutBI** 1 point almost 2 years ago

The 'date part of the question' is not a requirement, it's not like the time is negatively impacting the users.

[-] **semauni** 5 points over 2 years ago

"Separate date and time, if bound together. If any of your tables have columns that combine date and time, make sure that you separate them into distinct columns before importing them into Power BI. This approach will increase compression abilities."

Source: <https://learn.microsoft.com/en-us/training/modules/get-data/8-performance-issues>

[-] **TMOTM** 1 point 11 months ago

isn't that about model / file size though? not load time?

[-] **taod** 5 points almost 2 years ago

I was on the Track of AD, but I think you are right.

Splitting up [Sale_Date] alone doesn't help us with faster load times (the question is not about performance).

Also, analyzing the two options separately ("Each correct answer presents a complete solution"), deleting [Canceled_Date] for sure is a right answer.

[-] **reignreign03** 5 points almost 2 years ago

I agree here as well.

Choosing D (splitting up [Sales_Date]) may even increase the LOAD time of the query, even though it might decrease its PROCESSING time.

E (removing [Canceled_Date]) on the other hand removes an entire column to be loaded, thereby decreasing the LOAD time.

[-] **dca556d** 1 point about 1 month ago

Selected Answer: AE

You need to reduce the load times of the query WITHOUT AFFECTING THE ANALYSIS.

"If we start splitting a column that is already used in analyses, it will obviously affect them and the reports will need to be adjusted. That's why I believe E is the correct answer.

[-] **larahm** 1 point 4 months ago

Selected Answer: AE

A (eliminar las filas con "Cancelado" en el estado) y E (eliminar las fechas de cancelación) es adecuada, ya que elimina la información innecesaria

[-] **olalekanadedoyin** 1 point 5 months ago

Selected Answer: AD

AD are the correct answers

[-] **IOCr** 2 points 5 months ago

Selected Answer: AE

The filter applied in 'A' excludes all rows for 'Canceled', therefore a column for 'Canceled Date' would only contain NULL values and become useless

[-] **aa_1984** 2 points 6 months ago

Selected Answer: AE

I selected E because in the question it says each correct answer presents a complete solution

[-] **MANANDAVEY** 2 points 7 months ago

Selected Answer: AD

Reduces the load and nowhere it mentioned to remove the column.

[-] **Lolzman300** 1 point 7 months ago

Selected Answer: AE

The correct answers are A and E.

The reason why the correct answer is not D is because that would not reduce the load time as required in the question.

[-] **mdnaseershah** 1 point 8 months ago

Selected Answer: AD

E can't be the answer as it removes the Canceled_Date column but not the rows

[-] **Andrew_17** 1 point 8 months ago

Selected Answer: AE

The question is asking to reduce load times. Automatically you should be looking at cutting off unnecessary columns. Only Sales with Status of FINISHED is needed, so you remove all Canceled rows. So that's A as one COMPLETE solution.

Common sense should tell you since we don't need any Sale that is canceled, CANCELED DATE column MUST ALSO GO! D will not help performance (load times), it will only help the analysis. We were asked to improve the performance

[-] **Rio98** 1 point 8 months ago

Selected Answer: AD

A. Remove the rows in which Sales[Status] has a value of Canceled:

Removing rows that are not required for analysis (i.e., where Sales[Status] is 'Canceled') will reduce the overall size of the dataset, making queries faster. Since only rows with a Status of 'Finished' are relevant for analysis, removing rows with 'Canceled' will help in reducing the load time.

D. Split Sales[Sales_Date] into separate date and time columns:

If you're only using the date part of the Sales_Date field, splitting it into separate date and time columns can be beneficial. By storing the date and time separately, Power BI can focus on just the date portion, reducing unnecessary data processing for queries that only require the date part, which improves performance.

[-] **ea52d10** 1 point 9 months ago

Selected Answer: AD

AD not E

[-] **jaume** 1 point 9 months ago

Selected Answer: AE

I understand removing rows in Sales[Status] = "Cancelled" will also remove rows in Sales[Canceled_date] reporting any date (will remain only null values in this column) but to "Reduce the load times" we should decrease the size of the data model so I would also vote for the entire column Sales[Canceled_date].

Splitting the Sales[Sales_date] would increase performance of the query as the "date" part will be isolated without the "time" details, but this would increase also the size as it would add an additional column to our model (from "sale_date" single column to "sale_date"+"sale_time")

[-] **GraceKHE** 1 point 9 months ago

Selected Answer: AD

There is no cancel date in Sales column, just a text value (status)

[-] **ASC88** 1 point 10 months ago

Selected Answer: AD

Removing rows will increase query performance and Splitting the Sales_Date column make comparison faster.

[-] **kenyJen** 1 point 11 months ago

Said AD first. But I changed my mind. D improves the analysis but doesn't change the performance, while E does.

[-] **kenyJen** 2 points 11 months ago

E I meant. So AE my answer

[-] **rcaliandro** 2 points 12 months ago

Selected Answer: AD

I don't agree with the community in my opinion A and D are the correct ones.

[-] **rcaliandro** 2 points 11 months ago

I changed my mind. The Canceled Date is not useful in the analysis so AE is the correct for me

[-] **niceguysfinishlast** 2 points about 1 year ago

A and D. As E removing column doesn't decrease load time as query load time is dependent on the number of rows in the dataset. Since rows will remain the same even after E, and the time taken to reach the bottom of the query is still the same. removing rows is actually where you save query load time. So A and D

[-] **IvanBolvan** 1 point about 1 year ago

Selected Answer: AD

I think it's DE. We need optimize only loading time, so A will reduce amount of rows we are loading, but Power Query must go through all dataset to delete specified values, so it takes more time than delete entire column

[-] **adriankohws** 1 point about 1 year ago

D is not correct not considering whether it affects the performance but remember question said that they wished to analyse the data with the column Sales_Date but they didn't say they not including time for analysis.

[-] **yaya32** 6 points about 1 year ago

Selected Answer: AE

I think AE is correct

[-] **Mo2011** 1 point about 1 year ago

I agree.

[-] **ELJORDAN23** 3 points over 1 year ago

Selected Answer: AE

Answer A is obvious. I choose answer E because we want to analyze the rows with Status = Finished, that implies that every record in the analysis would have the Canceled_Date = null. That column would add nothing to the report, so we could safely drop it and that would improve a little the load time.

[-] **fpb** 1 point over 1 year ago

E will improve load time, not D

[-] **ab97776** 3 points over 1 year ago

I was mixing up load times and processing times. option D could potentially increase loading time, it would decrease processing time. processing time is for calculations, load time...is for loading

[-] **AZFabio** 1 point over 1 year ago

Selected Answer: AD

A, D and E are correct, but since we need to choose only 2, then A & D

[-] **benni_ale** 3 points over 1 year ago

Selected Answer: AE

D does not reduce load times. Probably it increases it. If we remove rows with Status = Cancelled then Canceled Date would always be null so we better remove the column and then option E becomes better than D.

[-] **benni_ale** 1 point over 1 year ago

Selected Answer: AE

D does not reduce anything

[-] **N_A_MMI** 1 point over 1 year ago

Answer: AD

Explanation:

A: Removing uninteresting rows will increase query performance.

D: Splitting the Sales_Date column will make comparisons on the Sales date faster.

The Power BI Desktop data model only supports date/time, but they can be formatted as dates or times independently.

Date/Time – Represents both a date and time value. Underneath the covers, the Date/Time value is stored as a Decimal

Number Type. Since there's a T in the dates column before split, it's saved as a source text value. Splitting converts it to a numeric value. This reduces the size.

[-] **Ge3ky** 1 point over 1 year ago

Keeping datetime column as whole hurt Power BI Performance.

[-] **SHENOOOO** 1 point over 1 year ago

Selected Answer: AD

A is to Filter The Data into Finished Only

D Splitting the column will make it easier and faster in the Analysis, and load

E is wrong, as when you filter the data into Finished, the cancel date column should be blank as there are no data in the canceling field

[-] **SHENOOOO** 1 point over 1 year ago

Selected Answer: AD

A, D are the Only Acceptable Answers

[-] **edbf978** 1 point over 1 year ago

Selected Answer: AD

<https://learn.microsoft.com/en-us/training/modules/get-data/8-performance-issues>

[-] **momo1165** 1 point over 1 year ago

AD are right, because A automatically eliminates E's effect on dataset size.

B will not be useful for the analysis based on time because we do not have a date table.

C analysis depends on that column so we cannot analyze without it.

[-] **KuRaj1** 2 points over 1 year ago

Ans: AD

Load Time should not be the preference, Question states that "Without Affecting Analysis" means Splitting the column is must and should be given preference.

[-] **Dsbuff** 1 point over 1 year ago

Selected Answer: AE

At first, I chose A and D. But after re-considering the question, I would go for A and E. Regarding option E, the "Canceled_Date" column is irrelevant to the analysis and can be removed. This would reduce the overall size of the data model because this column's data would no longer need to be loaded or stored, thus improving load times.

[-] **Vimbsu** 1 point over 1 year ago

Selected Answer: AE
A & E is the answer.

[-] **8b24250** 1 point over 1 year ago

which one is crct answer

[-] **Ryan_042** 1 point over 1 year ago

Selected Answer: AD
"Users only use the date part of the Sales_Date field" so D is obvious

[-] **WRTopics** 1 point almost 2 years ago

Selected Answer: AE
AE because we do not need Canceled date.

[-] **Kish1604** 1 point almost 2 years ago

Selected Answer: AD
Option A is clear
Regarding D & E, It should be D since the question clearly specifies "Users only use the date part of the Sales_Date field". If we select E, this requirement will not be satisfied.

[-] **spamhz** 1 point almost 2 years ago

Selected Answer: AD
I feel it is AD.
E doesnt do anything if the users are not using it at all anyway.

[-] **Gai72** 2 points almost 2 years ago

A, D seems right here as we need only the date part of Sales_Date.

[-] **Igetmyrole** 1 point almost 2 years ago

A & E are correct answers.
A. By removing rows with a "Canceled" status, we eliminate unnecessary data from the query, which can help reduce load times.
E. If we are not using the "Canceled Date" column in our analysis, removing it from the query can further reduce the amount of data loaded and improve performance.

[-] **kelvin3105** 1 point almost 2 years ago

Selected Answer: AD
just to vote my aswer's friend.
bjornopjemic Highly Voted 10 months, 3 weeks ago
A, only records with state finished are used
D, personally I would transform the column to a date format and not split it since only the date part is used
Not E, All the cancelled rows are already deleted with A and when a order is not cancelled it will contain a null value

[-] **madyjoe21** 2 points about 2 years ago

Selected Answer: AE
A- Remove sales status - reduces the size of the model
E- Remove Canceled date - reduces the size of the model
change data type or split columns do not reduce size of the model

[-] **Acrrious** 1 point about 2 years ago

Selected Answer: AE
This one is a little bit of a personal choice as much as we know how many rows there even are
A, this one is easy

E. Since you are picking 2 separate answers, that are independent of each other, then E makes more sense than D. I understand that when it comes to the Users query D makes it faster because Sales only uses the Date part. However, we are talking about the Load Query. And removing rows and columns will decrease the load time, more than splitting columns. (which impacts post Load times)

[-] **Chita_3385** 2 points about 2 years ago

Selected Answer: AD

Why not E: this is cancel date and should store NULL value for finished state. And we have A to remove all rows not finished state. So that there will no data in Cancel date column. No need delete this column

[-] **Kushal_P** 1 point about 2 years ago

A and D

[-] **DarkerClown** 1 point about 2 years ago

it cannot be E because ' canceled date' column has data for finished status too. if u see in image given. if we remove canceled date we would still need to split date to get answer
Hence given answer is correct

[-] **xkapelis** 3 points about 2 years ago

Selected Answer: AD

the last column will be empty

[-] **Alvin_2113** 1 point about 2 years ago

If you remove the cancelled status, it could impact the analysis.

[-] **Ddon** 1 point about 2 years ago

I am going with A and D.

E is not valid answer here because in the question, it's not mentioned anywhere that column is being used. So, it won't affect the analysis anyways.

[-] **inejo** 1 point about 2 years ago

Pienso que A y E son correctas. Considero que si eligiéramos D esto hace que incrementen más columnas y no le aporta la rendimiento. En cambio, si eliminamos estos datos que no se están usando para el análisis, si ayuda a mejorar el rendimiento

[-] **lordsharaf** 2 points about 2 years ago

This is a tricky question , I see that we should first Remove all rows where status is cancelled (A), then we'll have only rows with finished status, it means we don't need the canceled_date field wich is the option E.

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: AE

A is clear. when we remove the rows that its statues is cancellated then in calcel_date column we only have null values and it is better to remove the column. splitting slaes_date column we not help to reduce the load times of the query.

[-] **SanaCanada** 1 point over 2 years ago

Selected Answer: AE

The correct answer is A and E...must see question, they asked each answer is complete solution not dependent on each other

[-] **semauni** 5 points over 2 years ago

The answer is A & D.

There is little discussion here about A, less rows means less processing is required.

About D: the learning path of Microsoft explicitly states that splitting the date and time massively improves performance because of increased compression abilities.

Source: <https://learn.microsoft.com/en-us/training/modules/get-data/8-performance-issues?ns-enrollment-type=learningpath&ns-enrollment-id=learn-bizapps.data-preparation-in-power-bi> (all the way to the bottom!)

I agree about removing that additional column from E though, IF the only two status options are indeed 'Cancelled' and 'Finished', AND that an order that has been cancelled can never become 'Finished' afterwards. That would make the whole column empty and useless. But you don't know that for sure, and given the information in the question, A and D are the most obvious choices.

[-] **albertcal** 4 points over 2 years ago

A& D is the correct answer.

Tested with 2 million records. Deleting Null field was not reducing the size(I tried 2 null field). But after splitting Datetime field into Date & Time the size reduced 20% of the actual size

[-] **Ruesam** 1 point over 2 years ago

I would say A and E, because while we may have removed the cancelled sales, we still have nulls on the cancelled date - and nulls do take up space.

[-] **rddghfghjlok** 3 points over 2 years ago

So what's the final answer from someone who actually got this question in the test??

[-] **RazaTheLegend** 3 points over 2 years ago

Selected Answer: AD

A, only records with state finished are used

D, personally I would transform the column to a date format and not split it since only the date part is used

Not E, All the cancelled rows are already deleted with A and when a order is not cancelled it will contain a null value

And splitting datetime column is a golden rule of thumb if auto date time option in the settings isn't disabled.

[-] **RazaTheLegend** 2 points over 2 years ago

A, only records with state finished are used

D, personally I would transform the column to a date format and not split it since only the date part is used

Not E, All the cancelled rows are already deleted with A and when a order is not cancelled it will contain a null value

And splitting datetime column is a golden rule of thumb if auto date time option in the settings isn't disabled.

[-] **SanaCanada** 2 points over 2 years ago

Selected Answer: AE

Correct answer is A and E

Splitting a datetime column into separate date and time columns in Power BI may not necessarily reduce the load time, but it can help optimize the performance of your report and make it more user-friendly. Here are a few reasons why:

No confusion, and no need to discuss further

[-] **Maniula** 2 points about 2 years ago

You're wrong but oh so confident, lol

[-] **MimoKnowsNothin** 2 points over 2 years ago

Selected Answer: AD

E cannot achieve the task of 'analyse data by date' with given sales date column. Current sales date column (include both date and time) actually sabotage the performance as the time information is redundant information stored in powerbi

[-] **SanaCanada** 1 point over 2 years ago

Selected Answer: AE

Correct answer AE

A and E achieve this goal.

A: Removing rows in which Sales[Status] has a value of Canceled will reduce the number of rows that need to be processed, thereby reducing the load times of the query.

E: Removing Sales[Canceled Date] will also reduce the number of columns that need to be processed, thereby reducing the load times of the query.

B, C, and D are not effective solutions for reducing the load times of the query without affecting the analysis.

B: Removing Sales[Sales_Date] will affect the analysis as users are only using the date part of the Sales_Date field.

C: Changing the data type of Sale[Delivery_Time] to Integer will not have a significant impact on load times.

D: Splitting Sales[Sales_Date] into separate date and time columns will not have a significant impact on load times and may even increase load times due to the additional processing needed to split the column.
No confusion, and no need to discuss further

[-] **RajData** 1 point over 2 years ago

A&D.

When you Remove the rows in which Sales[Status] has a value of Canceled, you will automatically remove rows that have a value of Date_Canceled (E).

[-] **sandraR** 3 points over 2 years ago

A - is obvious.

D - splitting a column can decrease the size of the model even if you do not delete one of the 2 new columns. By splitting the 'Sales_Date' column you reduce its cardinality, that is the number of distinct values in it (column cardinality of 2 new columns is much lesser than cardinality of the original one) . With lower cardinality Power BI internal VertiPaq database can achieve better data compression when storing data in cache memory - which improves model performance. Ideally, in this case, column with the time part would also be deleted.

For the same reason the recommendation for decimal numbers is to round to only 2 decimal places (if your numbers have more than 2 for example).

[-] **Akin_Eren** 2 points over 2 years ago

Selected Answer: AD

A and D is the correct answer -- E is a replicate of option A which is not a necessary action.

[-] **Nemesizz** 1 point over 2 years ago

Can someone explain me why its A and not D?

[-] **Lenagreat** 1 point over 2 years ago

For me, A and D is correct. My choice of D is the fact that, that field is needed in the report and for performance optimization, you have to split the column. The Cancelled date is not needed in the report, it can be ignored. The question here is performance of the report

[-] **sk899** 1 point over 2 years ago

Since the requirement is date part of the field I think it's better to go with option D even though option E is correct.

[-] **Mati_123** 1 point over 2 years ago

The answer is correct.

A - Removing the Canceled ROWS will keep only Finished : "Only rows with a Status of Finished are used in analysis."

D. "Users only use the DATE part of the Sales_Date". We can split date and time columns, it reduces the load times of the query which is a requirement here.

[-] **Vadimasss1234** 2 points over 2 years ago

Selected Answer: AE

Decreases the amount of columns and rows

[-] **HemantGorle** 3 points over 2 years ago

Selected Answer: AE

I think A and E are correct as Question states the requirement to reduce load time and not the reducing model size - "You need to reduce the load times of the query without affecting the analysis."

Option D might help to reduce model size by achieving better compression but it will not improve query load time.

[-] **nmosq** 2 points over 2 years ago

Selected Answer: AD

I would normally go with AE as most of the people, but from the sample I'm seeing the even with the status being "Finished", Canceled Date has a value.

[-] **BWayne32** 1 point over 2 years ago

The problem is, even if we split the datetime column, we are not deleting the time column after the split. This will increase the load time

[-] **svg10gh** 1 point over 2 years ago

Selected Answer: AD

AD are the correct answers.

[-] **dnpr** 1 point over 2 years ago

Selected Answer: AD

with out date split you cant do analysis ,so AD

[-] **svg10gh** 1 point over 2 years ago

A,D is the correct answer.

[-] **Xikta** 5 points over 2 years ago

Selected Answer: AE

"Each correct answer presents a complete solution."

Therefore, Dont think that A already delete the Cancelled row, and we dont need E anymore. That wrong.

Because each answer is saparate, not a part of each other.

[-] **MBA_1990** 3 points over 2 years ago

Selected Answer: AE

A is clear

D will make the compression of the Dataset more efficient but wil not reduce the time of load.

E is the right answer (importing less columns will reduce the time of load)

[-] **PsgFe** 1 point over 2 years ago

You need to reduce loading times

-without affecting the analysis.

A): Records with the status: "canceled" are not suitable for analysis and must be filtered.

D) Split date and time is good practice.

and the work with the data field gets better.

A and D

[-] **PsgFe** 1 point over 2 years ago

259 / 5.000

Resultados de tradução

Resultado da tradução

You need to reduce loading times

-without affecting the analysis.

A): Records with the status: "canceled" are not suitable for analysis and must be filtered.

D) Split date and time is good practice.

and the work with the data field gets better.

A and D

[-] **AlexYang_** 2 points over 2 years ago

Selected Answer: AD

AD clearly

[-] **KarthikKumarK** 5 points over 2 years ago

Selected Answer: AE

A - 1st thing, You cannot remove rows(But, you can filter)

E - If the "Status" is "Finished", The "Canceled_Date" should be "null" & Even though this column is not required to load. But, not "D". Because, If you split, Sales_Date again Power query needs to calculate and load 2 column values.

Thanks

Karthik

[-] **jboiret** 1 point over 2 years ago

Selected Answer: AD

Split date and time is a high recommendation

[-] **Hoeishetmogelijk** 1 point over 2 years ago

Selected Answer: AD

If you read well the text, the only answers can be A & D.

[-] **KobeData** 4 points almost 3 years ago

A and D is correct. The Power BI Desktop data model only supports date/time, but they can be formatted as dates or times independently. Date/Time – Represents both a date and time value. Underneath the covers, the Date/Time value is stored as a Decimal Number Type. Since there's a T in the dates column before split, it's saved as a source text value. Splitting converts it to a numeric value. This reduces the size.

[-] **Tiz88** 1 point almost 3 years ago

This is the perfect answer, and makes totally sense. Thanks

[-] **xxfangxx** 1 point almost 3 years ago

Selected Answer: AD

AD are the correct answers.

[-] **Mizaan** 5 points almost 3 years ago

Selected Answer: AE

A and E.

A is easy.

Splitting the column as per D does not reduce the model size. Removing the column does. Since we don't need the cancelled date (because we only filter by finished) the cancelled date is not useful for anything.

[-] **Churato** 2 points almost 3 years ago

Agree, <https://learn.microsoft.com/en-us/power-bi/guidance/import-modeling-data-reduction>

[-] **samad1234** 1 point almost 3 years ago

I think A and D

[-] **qiqiqibiu** 1 point almost 3 years ago

Selected Answer: AD

Since the question asked to achieve two goals(use "data" part of the sales; use status of "finish" to analyze), which means the answer we choose need to achieve these

DAX

[-] **Taseo** 3 points almost 3 years ago

Selected Answer: AD

A, D is correct

[-] **lukelin08** 3 points almost 3 years ago

Selected Answer: AD

Given Answer is correct

[-] **lukelin08** 2 points over 2 years ago

Changed my mind, I believe the answer is A & E. Choosing to Split Sales[Sales_Date] into separate date and time columns wont reduce load times as much as removing Sales[Canceled Date] would

[-] **Nurgul** 1 point almost 3 years ago

The given answer is correct.
A.Remove the rows in which Sales[Status] has a value of Canceled.
D.Split Sales[Sales_Date] into separate date and time columns.

[-] **Ry7anZZ** 2 points almost 3 years ago

only two correct answers ? A,D,E are all correct to me ? please suggest

[-] **EMMALEEEEEEEEE** 3 points almost 3 years ago

I would go A,D. Separate date and time, if bound together. If any of your tables have columns that combine date and time, make sure that you separate them into distinct columns before importing them into Power BI. This approach will increase compression abilities.<https://learn.microsoft.com/en-us/training/modules/get-data/8-performance-issues>

[-] **babinaprad** 1 point almost 3 years ago

Which one is the correct answer AD or AE? Sometimes the community distribution answer is also incorrect how to figure out correct answers for the questions? Please suggest

[-] **fdsdgxcvbsfhshfg** 3 points almost 3 years ago

Selected Answer: AE
A,E
D is already used in the analysis further downstream, we cannot edit the column

[-] **learnazureportal** 2 points almost 3 years ago

Answer is correct

[-] **GPerez73** 2 points almost 3 years ago

For me it is correct

[-] **Jukibabu** 3 points almost 3 years ago

D,E
A is still needed as includes also Finished (status) sales.

[-] **ElijahSu** 2 points almost 3 years ago

A is Remove the rows, not the column, A is right. But I confused if E is right or not


Question 129

You are building a data model for a Power BI report.

You have data formatted as shown in the following table.

Machine-User	DownloadMB
ABC-123	75
BAC-657	125

You need to create a clustered bar chart as shown in the following exhibit.



What should you do?

- A. From Power Query Editor, split the Machine-User column by using a delimiter.
- B. From Power Query Editor, create a column that contains the last three digits of the Machine-User column.
- C. In a DAX function, create two calculated columns named Machine and User by using the SUBSTITUTE function.
- D. In a DAX function, create two measures named Machine and User by using the SUBSTITUTE function.

Hide Answer

[-] **Namenick10** 36 points almost 3 years ago

Answer A

[-] **1CY1** 1 point 11 months ago

Agree with A.

Only reason I had for not using B was that we may not be able to guarantee a length of 3 char.

Has anyone else got a reason for not choosing B?

[-] **nevesrf** 3 points over 2 years ago

Its wrong if you split the column at Powerquery the name of the columns dont split then we need the name to make the legend and the y labels so the correct choice is C

[-] **Shalaleh** 3 points over 2 years ago

we use SUBSTITUE function for: Replaces existing text with new text in a text string.

but here we do not want replace something, we want split the column by the delimiter "-"

[-] **Shalaleh** 1 point over 2 years ago

Yes, but renaming is included in this step.

[-] **SamuComqi** 15 points about 2 years ago

Selected Answer: A

A

[-] **MoxieTT** 4 points about 2 years ago

Did you find many of these questions on the real exam?

[-] **AdrianBalescu** 2 points over 1 year ago

he somehow answered with right answers for more than 50 questions on this website

[-] **Fra04** 1 point over 1 year ago

[-] **desibaby09** 1 point 8 months ago

Selected Answer: A

split the delimiter. the legend shows user and the y axis shows machine. these are two separate columns now

[-] **jaume** 1 point 9 months ago

Selected Answer: A

Vote for option A

B. new column with last three digits would result in a "User" column, but there would be not "Machine" (only machine) column yet

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: A

A - it does make sense to split the column by "-" as delimiter

[-] **Dsbuff** 1 point over 1 year ago

Selected Answer: A

A is correct

[-] **Sandeep_kumar_yadav** 1 point over 1 year ago

If we split the column, we might never be able to use the original. Also, the question does not say to maintain the model size. So the best answer should be B.

[-] **lcass27** 2 points almost 2 years ago

Correct Answer: A

It couldn't be SUBSTITUTE because for one column you could only replace either "-ABC" or "-BAC" for the "oldtext" parameter

[-] **lgetmyrole** 2 points almost 2 years ago

A is the correct answer.

This action will allow us to split the combined "Machine-User" values into separate columns for "Machine" and "User", which is for creating a clustered bar chart with the desired X and Y-axis values.

[-] **MoxieTT** 2 points about 2 years ago

Fairly sure this was on the exam

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: A

A is the correct answer.

[-] **UlyUkr** 1 point over 2 years ago

Answer is A is the best and fastest solution. Splitting the column into 2 is better than creating an extra 2 calculated columns, this will increase the model size.

[-] **RazaTheLegend** 2 points over 2 years ago

Selected Answer: A

The desired visual is provided. However, the dataset shown contains a column where machine and user data from the visual are combined into 1 column. Therefore, to solve this you need to use a delimiter. This will split one column into two, where you will use Machine column (BAC & ABC) as your Y-axis and User column (123 & 657) as your legend.

[-] **Shaziq** 2 points over 2 years ago

Can anyone explain this?

[-] **naomilena** 5 points over 2 years ago

The desired visual is provided. However, the dataset shown contains a column where machine and user data from the visual are combined into 1 column. Therefore, to solve this you need to use a delimiter. This will split one column into two, where you will use Machine column (BAC & ABC) as your Y-axis and User column (123 & 657) as your legend.

[-] **jboiret** 3 points over 2 years ago

Selected Answer: A
Answer A

[-] **csillag** 2 points over 2 years ago

Selected Answer: A
A is correct

[-] **Patrick666** 1 point over 2 years ago

Answer A

[-] **jboiret** 1 point over 2 years ago

Selected Answer: A
Answer A

[-] **Homer_Jay** 3 points over 2 years ago

Selected Answer: A
Answer A is correct

[-] **samad1234** 4 points almost 3 years ago

A is correct

[-] **mahtab** 4 points almost 3 years ago

Answer A

[-] **lukelin08** 3 points almost 3 years ago

Answer given is correct

Question 130



DRAG DROP -

You need create a date table in Power BI that must contain 10 full calendar years, including the current year.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Select and Place:

Values

CALENDAR

CALENDARAUTO

DATE

EOMONTH

TODAY

YEAR

Answer Area

```

Date =
var var1 = [Value] ( [Value] ())
return
[Value] (
    DATE(var1 -9, 01, 01),
    DATE(var1, 12, 31)
)

```

Hide Answer

Correct answer:

Box 1: YEAR -

Get the current year.

Box 2: TODAY -

TODAY returns the current date.

Box 3: CALENDAR -

CALENDAR returns a table with a single column named `Date` containing a contiguous set of dates. The range of dates is from the specified start date to the specified end date, inclusive of those two dates.

The following formula returns a table with dates between January 1st, 2005 and December 31st, 2015.

```

CALENDAR (
    DATE ( 2005, 1, 1 ),
    DATE ( 2015, 12, 31 )
)

```

Reference:

<https://dax.guide/calendar/>

Values

CALENDAR

CALENDARAUTO

DATE

EOMONTH

TODAY

YEAR

Answer Area

```

Date =
var var1 = [YEAR] ( [TODAY] ())
return
[CALENDAR] (
    DATE(var1 -9, 01, 01),
    DATE(var1, 12, 31)
)

```

[-] **Namenick10** 70 points almost 3 years ago

Year

Today

Calendar

[-] **mahtab** 13 points almost 3 years ago

Correct :

Year

Today

Calendar

[-] **rcaliandro** 3 points 12 months ago

The answer is correct, YEAR - TODAY - CALENDAR is the correct sequence

[-] **AyoJose** 2 points almost 2 years ago

But, will "-9" from today's date give a date of 10years ago?

[-] **Helena1** 5 points over 1 year ago

Yes, it does. This range included in the explanation is actually 11 years: DATE (2005, 1, 1), DATE (2015, 12, 31). So, subtracting 9 gives you 10 full years counting from the first full year till the end year.

[-] **lgetmyrole** 9 points almost 2 years ago

Year

Today

Calendar

Year: calculates the starting year for the date table.

Today: simply assigns the current date.

Calendar: is used to generate a date table. It starts from January 1st of the year and goes up to December 31st of the current year.

[-] **rgabage** 1 point almost 2 years ago

Year

Today

Calendar

[-] **EwoutBl** 1 point almost 2 years ago

There is a typo in this exercise, the right code is:

Date =

```
var var1 = YEAR(TODAY())
```

```
RETURN CALENDAR(
```

```
DATE(var1, -9, 01),
```

```
DATE(var1, 12, 31))
```

[-] **discoverp** 4 points almost 2 years ago

There is no typo here. The DATE(var1 -9, 01,01) is meant to subtract 9 from the value of var1 which in turn is a YEAR value of TODAY()'s date.

[-] **vat4444** 4 points about 2 years ago

Answer given is correct

Date =

```
var var1 = YEAR(TODAY())
```

```
return CALENDAR(DATE(var1 - 9,01,01),
```

```
DATE(var1,12,31)
```

```
)
```

[-] **nmnm22** 3 points about 2 years ago

was this in the learning paths? how do you find the answer for this

[-] **Sandy2010** 1 point over 2 years ago

The answer is correct

[-] **RazaTheLegend** 1 point over 2 years ago

Correct, it is
Year
Today
Calendar

[-] **svg10gh** 1 point over 2 years ago

Correct ans:
Year
Today
Calendar

[-] **Patrick666** 2 points over 2 years ago

Year
Today
Calendar

[-] **samad1234** 4 points almost 3 years ago

The answer is correct

[-] **lukelin08** 5 points almost 3 years ago

Answer is correct

Question 131



Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI report that imports a date table and a sales table from an Azure SQL database data source. The sales table has the following date foreign keys:

- ☞ Due Date
- ☞ Order Date
- ☞ Delivery Date

You need to support the analysis of sales over time based on all the date foreign keys.

Solution: You create measures that use the USERELATIONSHIP DAX function to filter sales on the active relationship between the sales table and the date table.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **fdsdgxcvbsfhshfg** 42 points almost 3 years ago

Selected Answer: B

You can't use USERELATIONSHIP() to filter on an active relationship, but need additional inactive relationships

[-] **Grexx** 25 points almost 3 years ago

<https://learn.microsoft.com/en-us/dax/userrelationship-function-dax>

"In USERELATIONSHIP, the status of a relationship is not important; that is, whether the relationship is active or not does not affect the usage of the function. Even if the relationship is inactive, it will be used and overrides any other active relationships that might be present in the model but not mentioned in the function arguments."

[-] **Hoeishetmogelijk** 30 points over 2 years ago

Selected Answer: B

Actually the DAX USERELATIONSHIP() function could offer a solution, but not how it is stated as an option: "You create measures that use the USERELATIONSHIP DAX function to filter sales on the ACTIVE relationship between the sales table and the date table."

Because the report must be filtered on all 3 dates, the ACTIVE (1) AND INACTIVE (2) relationships should be used with function USERELATIONSHIP, not only the ACTIVE relationship.

[-] **ZSun** 5 points about 2 years ago

Correct Answer!.

The method "USERELATIONSHIP" DAX FUNCTION is right, but the explanation which only limited to active relationship is wrong.

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: A

OrdersByDueDate =

```
CALCULATE(  
[Total Sales],  
USERELATIONSHIP('Sales'[Due Date], 'Date'[Date])  
)
```

The USERELATIONSHIP() function in DAX is designed specifically for this situation — where you have multiple date columns (foreign keys) in one fact table (Sales), but can only have one active relationship with your Date dimension at a time.

 Scenario Recap:

You have:

A Date table

A Sales table with:

Order Date

Due Date

Delivery Date

You want to analyze sales over time using each of those dates independently — for example:

Orders by Order Date

Sales due by Due Date

Shipments by Delivery Date

[-] **Of4908c** 1 point 6 months ago

Selected Answer: B

The question is whether it can be used in an active relationship, the answer is B!

[-] **_jay95_** 1 point 6 months ago

Selected Answer: A

In USERELATIONSHIP, the status of a relationship is not important; that is, whether the relationship is active or not does not affect the usage of the function.

<https://learn.microsoft.com/en-us/dax/userrelationship-function-dax>

[-] **Odidepse** 2 points 7 months ago

Selected Answer: A

Yes create measures for sales based on the Order Date and Delivery Date using USERELATIONSHIP like this:

DAX

Copy code

SalesDueDate = CALCULATE([Total Sales], USERRELATIONSHIP('Sales'[Due Date], 'Date'[Date]))
SalesOrderDate = CALCULATE([Total Sales], USERRELATIONSHIP('Sales'[Order Date], 'Date'[Date]))
SalesDeliveryDate = CALCULATE([Total Sales], USERRELATIONSHIP('Sales'[Delivery Date], 'Date'[Date]))
These measures will calculate total sales by leveraging the respective date field, even if there are inactive relationships between the Sales and Date tables for each specific date field.

[-] **desibaby09** 3 points 8 months ago

Selected Answer: A
Yes this will provide a solution

[-] **jaume** 1 point 9 months ago

Selected Answer: B
Once again I feel like I'm not being tested by my knowledge but about how carefully I'm reading the question and what's my understanding of the question. There is nothing mentioned about Sales and Date tables being linked using the three listed fields (of course not all links can be active at the same time) so this is something to be assumed and the RELATIONSHIP() function must be used for the analysis over the inactive relationships. I also think you can use RELATIONSHIP() over an active relationship (although it will have no impact at all in the calculation as the relationship is already active).
At the end, I think important detail is when it's mentioned "... on the active relationship..." as there is no mention about using it on the other required relationships; for the specific active relationship, if not used with the inactive (something that is also not mentioned), it won't work

[-] **LuluSkyy** 2 points 9 months ago

USERRELATIONSHIPS can be used regardless of the relationship. Example it can work when there's only one active relationship and 2 inactive relationship. The correct answer is A

[-] **shahrzadkhb** 2 points about 1 year ago

A is correct.
In USERRELATIONSHIP, the status of a relationship is not important; that is, whether the relationship is active or not does not affect the usage of the function.
Check this link out:
<https://learn.microsoft.com/en-us/dax/userrelationship-function-dax>

[-] **lgetmyrole** 3 points almost 2 years ago

A is correct.
This solution meets the goal. By creating measures that use the USERRELATIONSHIP DAX function, we can specify which relationship between the sales table and the date table to use for filtering in our calculations. This allows us to analyze sales over time based on all the date foreign keys, ensuring that the correct relationship is applied in each scenario.

[-] **JJMC5544** 2 points about 2 years ago

Selected Answer: A
You can relate all 3 date columns to Date table, and you can make all of them inactive.
(2 of them will be initially inactive anyway)
So you can use USERRELATIONSHIP in your calculations.
It's YES for me.

[-] **JJMC5544** 3 points about 2 years ago

OK, I've changed my mind, you don't use USERRELATIONSHIP on active relations.

[-] **charles879987** 4 points over 2 years ago

it's not necessary to userelationship on active relationship. only inactive. furthermore, userelationship should be used on all relationships, active or inactive

[-] **Nawabi** 6 points over 2 years ago

Selected Answer: B
For sure B. WE don't use dax for active relationship. watch this video for understanding. <https://www.youtube.com/watch?v=LfVDUiU8vaU>

Nass75 1 point over 2 years ago

Thanks for the video link.

Churato 4 points almost 3 years ago

After all, Yes you will use USERRELATIONSHIP
BUT, not like as provided... It will be used to activate the inactive relationships as needed

Hoeishetmogelijk 4 points over 2 years ago

It can be used for active and inactive relationships:

"In USERRELATIONSHIP, the status of a relationship is not important; that is, whether the relationship is active or not does not affect the usage of the function. Even if the relationship is inactive, it will be used and overrides any other active relationships that might be present in the model but not mentioned in the function arguments."

amavidis 3 points almost 3 years ago

I think it's correct, USERRELATIONSHIP() on active relationships will only use one of them.

JamieMcD 2 points over 2 years ago

You do not need to use USERRELATIONSHIP() if it is already an active relationship, it is used on inactive relationships

legionairemax 8 points almost 3 years ago

The solution I believe is incorrect. The solution must be A as there is no reporting need to use all 3 dates simultaneously.

sharmila29 3 points over 2 years ago

I was thinking the same but then if you read the options again, it says create measure on active relationship. So the answer is A is wrong, we don't create userrelationship function on active relationship. No need.

Dovoto 5 points almost 3 years ago

"You need to support the analysis of sales over time based on all the date foreign keys." We need all 3 dates right?

Question 132



HOTSPOT -

You have a Power BI report that contains a measure named Total Sales.

You need to create a new measure that will return the sum of Total Sales for a year up to a selected date.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Measure =

TOTALYTD
CALCULATE
SUM
EVALUATE

[Total Sales],

'Date'[Date]
TODAY()
EOMONTH('Date'[Date])
LASTDATE('Date'[Date])

Hide Answer

Correct answer:

Box 1: TOTALYTD -

TOTALYTD evaluates the specified expression over the interval which begins on the first day of the year and ends with the last date in the specified date column after applying specified filters.

Syntax: TOTALYTD (

<Expression>,

<Dates>

[, <Filter>]

[, <YearEndDate>]

Expression - The expression to be evaluated.

Dates - The name of a column containing dates or a one column table containing dates.

Example:

TOTALYTD (-- 2007-01-01 : 2007-05-12

[Sales Amount],

'Date'[Date]

Box 2: 'Date'[Date]

Reference:

<https://dax.guide/totalytd/>

Answer Area

```
Measure =  
(  
    TOTALYTD  
    CALCULATE  
    SUM  
    EVALUATE  
    [Total Sales],  
(  
    'Date'[Date]  
    TODAY()  
    EOMONTH('Date'[Date])  
    LASTDATE('Date'[Date])  
    )  
)
```

[-] **lukelin08** 51 points almost 3 years ago

Answer is correct

[-] **LeeTheRed** 2 points over 1 year ago

Not quite, the last closing bracket should be at the end.

[-] **Orkhannnn** 15 points almost 3 years ago

Answer is correct.

[-] **jaume** 2 points 9 months ago

Position of the second parenthesis (closing parenthesis) IN FRONT of the second argument is totally misleading; since TOTALYTD function requires two mandatory arguments, you can assume this is an error and this parenthesis should be AFTER the second argument....

TOTALYTD and Date[Date] should work in this scenario.

[-] **rcaliandro** 2 points 12 months ago

Answer is correct TOTALYTD, 'Date'[Date]

[-] **JudT** 2 points over 1 year ago

Correct!

Could Be:

```
CALCULATE(  
    [Total Revenue],  
    TOTALYTD('Date'[Date])  
)
```

[-] **Igetmyrole** 12 points almost 2 years ago

TOTALYTD

`Date`[Date]

TOTALYTD: is being used to calculate the sum of "Total Sales" year-to-date up to the selected date.

`Date`[Date]: provides the date context for the calculation.

[-] **Shalaleh** 1 point over 2 years ago

Answer is correct.

[-] **LambdaBld** 4 points over 2 years ago

Why can't we use LASTDATE instead of date ?

[-] **ajvela** 2 points over 2 years ago

because the requirement is the sum of Total Sales for a year up to a selected date.

[-] **Nemesizz** 1 point over 2 years ago

So including the most recent year in the data right?

[-] **RazaTheLegend** 2 points over 2 years ago

Answer is correct

[-] **vysh07** 1 point over 2 years ago

can someone explain why can't we use SUM function?

[-] **814145c** 1 point 4 months ago

SUM is syntactically incorrect, it requires just one column. SUM(<Column>)

[-] **1sourabhpatel1** 5 points over 2 years ago

it already using the measure

[-] **jsking** 2 points over 2 years ago

Answer is correct

[-] **Patrick666** 4 points over 2 years ago

TotalYTD; 'Date'[date]

[-] **iccent2** 3 points over 2 years ago

Answer is Correct!

Question 133

DRAG DROP -

You are modifying a Power BI model by using Power BI Desktop.

You have a table named Sales that contains the following fields.

Name	Data type
Transaction ID	Whole Number
Customer Key	Whole Number
Sales Date Key	Date
Sales Amount	Whole Number

You have a table named Transaction Size that contains the following data.

Transaction Size ID	Transaction Size	Min	Max
1	Small	0	10,000
2	Medium	10,001	100,000
3	Large	100,001	999,999,999

You need to create a calculated column to classify each transaction as small, medium, or large based on the value in Sales Amount.

How should you complete the code? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Values

ALL

AND

CALCULATE

FILTER

OR

SUM

Answer Area

```
Transaction Size =  
VAR SalesTotal = 'Sales'[Sales]  
VAR FilterSegment =  
    Value (  
        'Transaction Size',  
        Value (  
            'Transaction Size'[Min] <= SalesTotal,  
            'Transaction Size'[Max] >= SalesTotal  
        )  
    )  
VAR Result =  
    Value ( DISTINCT ( 'Transaction Size'[Transaction Size] ), FilterSegment )  
RETURN  
    Result
```

Hide Answer

Correct answer:

Values

ALL

AND

CALCULATE

FILTER

OR

SUM

Answer Area

```
Transaction Size =  
VAR SalesTotal = 'Sales'[Sales]  
VAR FilterSegment =  
    FILTER (  
        'Transaction Size',  
        AND (  
            'Transaction Size'[Min] <= SalesTotal,  
            'Transaction Size'[Max] >= SalesTotal  
        )  
    )  
VAR Result =  
    CALCULATE ( DISTINCT ( 'Transaction Size'[Transaction Size] ), FilterSegment )  
RETURN  
    Result
```

[-] **Guru1337** 153 points almost 3 years ago

Filter
And
Calculate

[-] **GPerez73** 8 points almost 3 years ago

Correct! tested.

[-] **Sandeep_kumar_yadav** 1 point over 1 year ago

It's giving the wrong result. How and what formula have you used?

[-] **Ry7anZZ 2 points** almost 3 years ago

how to test ? i did not find a right answer..

[-] **PinkZebra 5 points** almost 3 years ago

Hi, you can create the two tables in Excel, then try different options. I have never used "Calculate" with a categorical field before and this is a good learning experience.

[-] **RichardOgoma 10 points** almost 3 years ago

I agree. You must provide an expression into calculate, not table column

[-] **lukelin08 19 points** almost 3 years ago

Tested, following is correct

>Filter

>And

>Calculate

[-] **jaume 2 points** 9 months ago

I'm totally lost with this question.

VAR SalesTotal = 'Sales'[Sales].... but there is not such field in the Sales table!!! Let's assume it is VAR SalesTotal = 'Sales'[Sales Amount]

"We need to create a calculated column...." I guess this column will be created in the Sales table, isn't it? If so, how are we using in the expression fields from another table? cannot see the way both tables could be linked.

[-] **539d541 1 point** 12 months ago

I have a question about their formula:

Do you even need to declare and use the VAR SalesTotal? Why not just use the column of 'Sales'[Sales] directly in the inequality expression?

I replicated this in Power BI and found that only Filter And Calculate works for me by the way.

[-] **rcaliandro 1 point** 12 months ago

Filter, And, Calculate

[-] **Aminebg 3 points** about 1 year ago

The CORRECT ANSWER IS :

FILTER AND CALCULATE

Why : Filter returns a table, and we need to create a calculated column

[-] **DataEngDP 4 points** over 1 year ago

Filter

AND

CALCULATE

[-] **MooonLight 1 point** over 1 year ago

I thought the FILTER function needs a condition as an argument? But in the FILTER segment here it has no condition...?

[-] **Dani_eL 2 points** over 1 year ago

answer is wrong; if you follow it you will receive a dax error (expression refers to multiple columns) the right sequence is Filter And Calculate

[-] **Dani_eL** 3 points over 1 year ago

that kind of question goes far beyond POWER BI!
It addresses specific DAX programming skillset...

[-] **beazrou** 2 points over 1 year ago

Filter
And
Calculate

[-] **SHENOOOO** 2 points over 1 year ago

Filter - And - Calculate

[-] **Diana1982** 4 points over 1 year ago

Could anybody explain this? I don't understand especially that filter-thing there.

[-] **SilviaS** 9 points over 1 year ago

ExamTopics is still going on because of you. Without your corrections, comments, links, experiences, questions, this page will be one of the thousand going there. Thank you.

[-] **Koalakueh** 1 point almost 2 years ago

I don't quite understand the answer. Wouldn't the result variable just give a single table with just 1 column showing 'Small', 'Medium', and 'Large'?
Where is the VAR SalesTotal in such a table?

[-] **RMUK** 2 points almost 2 years ago

FILTER, AND , CALCULATE

[-] **Igetmyrole** 1 point almost 2 years ago

FILTER
AND
CALCULATE

[-] **rgabage** 1 point almost 2 years ago

Filter
And
Calculate

[-] **betem86** 1 point about 2 years ago

Filter
And
Calculate

[-] **Mabuse1** 1 point about 2 years ago

why not Calculate, and, filter? Have you seen the answer?

[-] **LeeTheRed** 3 points about 2 years ago

VAR SalesTotal = 'Sales'[Sales].....?
Where is the Sales column in the original Sales table? I don't see it!

[-] **bbshu0801** 1 point over 1 year ago

Sales Amount

[-] **nmnm22** 8 points about 2 years ago

this exam humbled my code reading comprehension skills

[-] **vat4444** 9 points about 2 years ago

Tested this FILTER, AND, CALCULATE is correct

Transaction Size =

VAR SalesTotal = SUM(Sales[Sales])

VAR FilterSegment =

FILTER(

'Transaction Size',

AND (

'Transaction Size'[Min] <= SalesTotal,

'Transaction Size'[Max] >= SalesTotal

)

)

VAR Result = CALCULATE(DISTINCT('Transaction Size'[Transaction Size]),FilterSegment)

RETURN Result

[-] **iamamantrivedi** 1 point over 1 year ago

VAR SalesTotal = SUM(Sales[Sales]) why have you considered sum here? it's not given in question.

[-] **ElieG** 1 point over 1 year ago

Also satisfactory tested.

[-] **Shalaleh** 1 point over 2 years ago

Why do we need to Filter, Transaction Size table!!!

[-] **joaowendling** 2 points over 2 years ago

Because what we want in the end is the ID of Transaction size, that is on the Transaction size table. We get the ID based on the Sales column which will filter the Max and Min size of the Transaction Size table.

[-] **Shalaleh** 9 points over 2 years ago

I do not understand at all!!!

[-] **Sandy2010** 1 point over 2 years ago

Filter

And

Calculate

[-] **RazaTheLegend** 2 points over 2 years ago

Tested, following is correct

>Filter

>And

>Calculate

[-] **charles879987** 1 point over 2 years ago

Does this only work in Calculated table where the iteration context is row by row?

[-] **UserNo1** 1 point over 2 years ago

I don't get it. Is there no relation between Sales and Transaction Size? Shouldn't you do a calculated column with SWITCH to categorize Sales Amount?

[-] **joaowendling** 2 points over 2 years ago

We dont need a relationship in for this. Using a SWITCH will make the values fixed in the formula, and we dont want that, we want the values to depend on the Max and Min columns.

[-] **ewelaela** 1 point over 2 years ago

Filter,And,Calculate

[-] **jboiret** 1 point over 2 years ago

FILTER, AND, CALCULATE

[-] **Patrick666** 1 point over 2 years ago

Filter

And

Calculate

[-] **Patrick666** 1 point over 2 years ago

FILTER / AND / CALCULATE

[-] **sharmila29** 2 points over 2 years ago

I would just go with an if statement with those values for large, med and small after connecting with the transactid. Thats very simple and much easier for me.

[-] **sharmila29** 1 point over 2 years ago

I am not sure about this. I wish they ask us to write the function instead of dragging in this case. Too complex for me.

[-] **velvarga** 3 points almost 3 years ago

Filter

And

Calculate

[-] **sebasaur** 2 points almost 3 years ago

filter

and

calculate!

[-] **samad1234** 3 points almost 3 years ago

Filter

And

Calculate

[-] **Vhhzhang** 3 points almost 3 years ago

```
ar SalesTotal=Sales[Sales]
var FilterSegment=
FILTER(
OrderSize,
and(
OrderSize[Min]<=SalesTotal,
OrderSize[Max]>=SalesTotal
)
)
VAR RESULT =
CALCULATE(DISTINCT(OrderSize[Transaction Size]),FilterSegment)
RETURN
RESULT
```

I created random sales table and used above to test, it came up "large" for all the sales which is incorrect. Anyone knows why? Thanks.

[-] **Tiz88** 1 point over 2 years ago

@Vhhzhang: kindly check that:

- 1)the numbers in your 'Sales' column do not fall indeed in the 'large' category
- 2) the numbers in your 'min' and 'max' columns are correct

[-] **Sunny_008** 2 points almost 3 years ago

FILTER | AND | CALCULATE
I have tried it !

[-] **nucleus21** 6 points almost 3 years ago

FILTER / AND / CALCULATE

Tested.

FILTER needs to followed by table reference ,

AND is needed to check the limits , and

CALCULATE because needs to be followed by expression such as distinct in this case

[-] **refrigerator1** 1 point almost 3 years ago

But DISTINCT(column) gives a column not an expression, doesn't it? So can the last one really be CALCULATE?

[-] **refrigerator1** 2 points almost 3 years ago

Therefore I think its

FILTER

AND

ALL

[-] **PinkZebra** 1 point almost 3 years ago

I thought the same thing, and I tested in Excel and Power BI, and "Calculate" works.

[-] **EMMALEEEEEEEEE** 2 points almost 3 years ago

How about Calculate, Filter, ALL

Question 134



You have a Power BI report for the procurement department. The report contains data from the following tables.

Table name	Source	Description	Column name	Approximate record count
Suppliers	Microsoft Dynamics 365	A list of all the suppliers approved for use by the company.	- ID - Name - Country	100,000
LineItems	Microsoft Dynamics 365	All individual purchases made by employees across the company. An average of five line items per invoice.	- ID - Invoice ID - Invoice Date - Supplier ID - Description - Units - Price per Unit - Discount - Price	1,000,000,000

There is a one-to-many relationship from Suppliers to LineItems that uses the ID and Supplier ID columns.

The report contains the visuals shown in the following table.

Name	Used field	Filter
Supplier usage by count and value of invoices	Suppliers[ID] Suppliers[Name] LineItems[Invoice ID] LineItems[Price]	None
Spend by supplier location	Suppliers[Country] LineItems[Price]	None
Top 10 largest invoices last month	LineItems[Invoice ID] LineItems[Price]	LineItems[Invoice Date] in last calendar month

You need to minimize the size of the dataset without affecting the visuals.

What should you do?

- A. Merge Suppliers and LineItems.
- B. Remove the LineItems[Description] column.
- C. Remove the rows from LineItems where LineItems[Invoice Date] is before the beginning of last month.
- D. Group LineItems by LineItems[Invoice ID] and LineItems[Invoice Date] with a sum of LineItems[Price].

Hide Answer

[-] **scotchtapebunny** 86 points over 2 years ago

Questions like these scare me. Huge description, and such a simple answer, makes me think if there is a trick here. Why Microsoft why!?

[-] **jsking** 4 points over 2 years ago

Exactly!! Idk why they do this because it makes no sense specially for such silly questions like this. The point is to test the understanding..

[-] **AnnaBi** 4 points over 2 years ago

OMG it seems like a riddle!!! they do it on purpose to distract the reader

[-] **GuerreiroJunior** 2 points over 2 years ago

hahahahahahaha its scare me too hahaha why MS why???

[-] **st418s21** 6 points about 2 years ago

WHY MICROSOFT WHY?!!!!!!!!!!!!!! You scare me bro. LOL XD

[-] **yordiye** 9 points over 2 years ago

WHY???? LOLso true..it looks like a reading test

[-] **lukelin08** 21 points almost 3 years ago

Selected Answer: B

B is correct

[-] **jaume** 1 point 9 months ago

Selected Answer: B

I was wondering why option C was not also valid answer.... thanks Koalakueh for clarifying it to me!!!

LineItems[Invoice Date] is explicitly used to filter third visual but it's implicit in the first visual as we need to report the entire history for each supplier usage, not just the last month and removing all rows dated older than last month would remove part of this history

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: B

I agree, we can safely remove the Description because it is not used in the final report

[-] **livine** 1 point about 1 year ago

is it possible to pay for certification in Africa and then compose it in Europe?

[-] **Dsbuff** 2 points over 1 year ago

Selected Answer: B

B is correct

[-] **Koalakueh** 4 points almost 2 years ago

C is wrong because doing so will remove older rows of [Invoice ID] still needed for the 'Supplier usage by count and usage of invoices'

[-] **ElieG** 1 point over 1 year ago

EXACTLY.

[-] **lgetmyrole** 1 point almost 2 years ago

C is the answer.

This option involves filtering out data that is not relevant to the report's time frame. By removing the rows from LineItems that are not within the last calendar month, we can significantly reduce the size of the dataset without affecting the visuals.

Other options cannot be answers because:

A: Typically increase dataset size. It might even create data redundancy if not done carefully.

B. Removing a single column from a table might save some space, but it is unlikely to have a significant impact on the overall dataset size, especially when compared to filtering the data based on the date.

D. This option would change the granularity of your data, potentially causing issues with our visuals. it would also likely increase the size of the dataset if we are aggregating data instead of filtering it.

[-] **itenginerd** 4 points almost 2 years ago

The users of the Spend by Supplier Location have no interest in being limited to the last calendar month. They need a much larger time series. You're offering to remove a significant chunk of model data--but that's only appropriate for one of three report consumer groups.

B doesn't save a ton of space, but it does so without impacting any reporting group. It's the only viable win from the four options provided.

[-] **IngoBl** 1 point about 2 years ago

Why cant C be correct? The question does not say anything about that we need historical data before the beginning of previous month, or does it?

[-] **IngoBI** 3 points about 2 years ago

Is it the lack of filter in visual 1 and 2 that implicitly states that we need it?

[-] **itenginerd** 1 point almost 2 years ago

Exactly. One group needs data only from the last month. The other groups need the full time range.

[-] **Gumis78** 2 points over 1 year ago

I also think that removing a whole column will reduce dataset more than removing "some" rows. Also btw. it will take less processing time than reducing number of rows based on some criteria.

[-] **Shalaleh** 3 points over 2 years ago

Selected Answer: B

There is no need for Description column.

[-] **UlyUkr** 7 points over 2 years ago

Answer is B.

D won't work due to the fact the Supplier ID (key column) will be removed as it's not included in the Group by function.

[-] **da66a09** 2 points over 1 year ago

correct, without supplier id in the group there will be no way to join to the supplier table.

[-] **RazaTheLegend** 1 point over 2 years ago

Selected Answer: B

Correct answer is B

[-] **BabaJee** 2 points over 2 years ago

Selected Answer: B

B is correct

[-] **csillag** 2 points over 2 years ago

Selected Answer: B

B is correct

[-] **jboiret** 1 point over 2 years ago

Selected Answer: B

Answer B

[-] **Patrick666** 1 point over 2 years ago

B is correct

[-] **sidyndiaye** 7 points almost 3 years ago

Agree. the correcte answer is B. If you choose C you will loose the Supplier ID and it is used in the report.

[-] **alena2k** 4 points almost 3 years ago

Selected Answer: B

Option D will lose Lineltem.Id therefore link to Supplier, correct answer is B

[-] **surfing_man** 4 points almost 3 years ago

Grouping may minimize size, but I think the correct answer is B. Removing column would reduce size

[-] **David_Zed** 2 points almost 3 years ago

Selected Answer: D

Answer D: Group Lineltems by Lineltems[Invoice ID] and Lineltems[Invoice Date] with a sum of Lineltems[Price]
Because we don't need more information in Lineitems but these 3 columns, The Group By function will delete all other columns wich are not required for analysis

[-] **fdsdgxcvbsfhshfg** 11 points almost 3 years ago

We do need a [Supplier ID], so the answer should be B

[-] **vat4444** 1 point about 2 years ago

Also Group by Invoice ID is going to give the same amount of rows since Invoice ID is unique key, so the answer clearly can't be D

Question 135

You have a Power BI report for the marketing department. The report reports on web traffic to a blog and contains data from the following tables.

Table name	Source	Description	Column name
Posts	Blog RSS feed	An XML representation of all the blog posts from your company's website	• Publish Date • URL • Title • Full Text • Summary
Traffic	Website logs	Activity data from your company's entire website	• DateTime • URL Visited • IP Address • Browser Agent • Referring URL

There is a one-to-many relationship from Posts to Traffic that uses the URL and URL Visited columns.

The report contains the visuals shown in the following table.

Name	Used field	Filter
Top 10 blog posts of all time	Posts[Title] Traffic[DateTime]	None
Top 10 blog posts from the last seven days	Posts[Title] Traffic[DateTime]	Traffic[DateTime] is in the last 7 days
Blog visits over time	Traffic[DateTime] Traffic[URL Visited]	Traffic[URL Visited] contains "blog"
Top 10 external referrals to the blog of all time	Traffic[Referring URL]	Traffic[URL Visited] contains "blog" AND Traffic[Referring URL] does not start with "/"

The dataset takes a long time to refresh.

You need to modify Posts and Traffic queries to reduce load times.

Which two actions will reduce the load times? Each correct answer presents part of the solution.

NOTE:

Each correct selection is worth one point.

A. Remove the rows in Posts in which Posts[Publish Date] is in the last seven days.

- B. Remove the rows in Traffic in which Traffic[URL Visited] does not contain $\lambda \in \text{blog} \lambda \in$.
- C. Remove Traffic[IP Address], Traffic[Browser Agent], and Traffic[Referring URL].
- D. Remove Posts[Full Text] and Posts[Summary].
- E. Remove the rows in Traffic in which Traffic[Referring URL] does not start with $\lambda/\epsilon \lambda \in$.

Hide Answer

[-] **dnpr** 25 points over 2 years ago

Selected Answer: BD

B & D Agreed with XIKTA

[-] **June15** 18 points almost 3 years ago

D&E? Anyone have the same thoughts?

[-] **itenginerd** 8 points almost 2 years ago

E is not correct. There are perfectly valid blog hits that won't have a referring URL, so filtering those rows removes valid hits that need to be counted.

The answer is D & B. It feels a bit unnatural to me to be pulling rows instead of columns, but all the visuals we're talking about here involve blog hits specifically, so pulling the non-blog website traffic out of the dataset appears to be the right path forward.

[-] **andregrahamnz** 1 point over 2 years ago

Must be....presume the whacko characters are the same filtered '/' character. A, B and C all definitely don't work.

[-] **zerzil** 5 points over 2 years ago

I disagree, we would remove the line which do not start with "/", but those are the lines exactly what we need in the last visual

[-] **Maniula** 5 points about 2 years ago

That would remove Traffic data that is used in other visuals, so it's incorrect.

[-] **889efe8** 1 point 5 months ago

Selected Answer: BD

Referenced fields not used in the analysis

[-] **DBMS_DA** 2 points 6 months ago

Selected Answer: BD

Since we are looking into Blog data and url are the join key so its by default that we might not have any url without 'blog' and if at all we have , we can get rid of those

D because Full text and Summary col are not being used in any viz. so why to even have them.

[-] **jaume** 1 point 9 months ago

Selected Answer: BD

Looks like all doubts are mainly about whether B or E is the valid solution and no discussion about D (as Posts[Full Text] and Posts[Summary] are not adding any value to any of the visuals.

I will vote for B instead E as we are looking just for 'Blogs' and Traffic table is storing 'Activity data from your company's ENTIRE website' so I'm assuming there would be more data than just data related to 'blogs'.

On the other hand, about E, Traffic[Referring URL] not starting with '/' is a condition/filter for the last visual but this information but it's not a condition to be filtering other visuals.

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: B

Help me guys! I totally agree with D because we do not use Full Text and Summary in any visual. But why B is correct? We can't filter the traffic by URL because there is the report "Top 10 blog posts from the last seven days" which shows the traffic

in the last 7 days independently from the URL

[-] **rcaliandro** 2 points 12 months ago

I will answer to myself => I just realized that we can filter the blogs because it is a specific requirement. So BD is correct =>

[-] **tienanbich** 2 points over 1 year ago

Selected Answer: BD

B and D are correct because the data are not needed

[-] **Dsbuff** 3 points over 1 year ago

Selected Answer: BD

B and D are correct

[-] **TrustMyAnswers** 6 points over 1 year ago

Selected Answer: BD

Although some visuals have no filter related to "blog", the title of the visual suggests that only blogs are being analyzed. Therefore, we can safely remove everything that does not contain "blog". B and D are correct.

[-] **Elektrolite** 3 points over 1 year ago

That's not "safely" removing. Going by just the title is exactly the opposite of safely removing, it's unsafely removing.

[-] **da66a09** 1 point over 1 year ago

i agree, you can't just assume based on the description of the visual. if it was necessary to include 'blog' in one filter it should be included in others if that was the intention.

the only correct answer is D based on the limited information provided

[-] **Ryan_042** 5 points over 1 year ago

Selected Answer: DE

B makes no sense because there is no filter on "blog" on the first two visuals, so removing it causes a lack of data.

[-] **nai_** 3 points almost 2 years ago

B and D

[-] **Ravisha27** 1 point about 2 years ago

so how decides the final answer?

[-] **Fra04** 1 point over 1 year ago

B&D risposta corretta

[-] **GB32** 5 points almost 2 years ago

B & D you don't need rows of data which has no "blog" in it in the Traffic table, and in regards of the Posts table we don't either used the "Full Text & Summary" data in the analysis. Hope it makes sense to you.

[-] **RicoPallazzo7** 1 point almost 2 years ago

I agree, but looking at the filters, in the first two visuals even posts that are not "blog" are used. Looking at the name they seems to be filtered, but hard to decide without the actual filter

[-] **XiaoV587** 3 points about 2 years ago

The filters of the first two reports don't mention 'contains BLOG' So for me deleting lines with BLOG has impacts. The basis is not clear for the two reports.

[-] **XiaoV587** 2 points about 2 years ago

ok join by URL so implicate...

[-] **itenginerd** 1 point almost 2 years ago

It's a fair criticism of the way the question is laid out. For me, the intention was clear enough in the visual names, but I see what you're saying there.

[-] **Shalaleh** 3 points over 2 years ago

Selected Answer: BD
both are clear!

[-] **UlyUkr** 3 points over 2 years ago

I would go with B and D.

[-] **RazaTheLegend** 6 points over 2 years ago

Selected Answer: BD

All 4 visualizations are about blogs: so we can remove rows what do not contain "blog" - thus B is correct. We do not need columns Posts[Full Text] and Posts[Summary] in any visualization, they can be removed.

[-] **LouStar2** 3 points about 2 years ago

Do all blogs have "blog" in the URL?
I would say most don't.

[-] **Nemesizz** 2 points over 2 years ago

I dont understand what "λ€blogλ€." means in the possible answers. Can someone explain?

[-] **LouStar2** 4 points about 2 years ago

Its character encoding, its a mistake on this website
B should have "blog"
E should have "/"

[-] **kiwi69** 1 point over 2 years ago

Selected Answer: BD

E is not correct as it would remove traffic rows based on the referral that is a requisite only for the latest visual

[-] **Shalaleh** 1 point over 2 years ago

E is incorrect, because if we remove the rows that does not start with "/", it may possible removes the rows that in the "URL visited" column contains "blog".
I think B is correct, because we just need the rows that are related to the blog, and if a URL does not contain "blog", it means it is not related to "blog" and is useless.

[-] **itenginerd** 1 point almost 2 years ago

E is incorrect because Referral URL may be a null or empty value.

[-] **BabaJee** 3 points over 2 years ago

Selected Answer: BD
BD are the right answer as E is double negative and therefore required.

[-] **Jenny1234567** 1 point over 2 years ago

D & E

Removing B would mean killing Top 10 external referrals to blog of all time since it requires that Traffic[URL visited] contains "blog". Option B removes all rows where Traffic[URL visited] contains "blog"

[-] **Shalaleh** 1 point over 2 years ago

Does Not contain!

[-] **Xikta** 6 points over 2 years ago

you should read every sentence again.

B removes all rows where Traffic[URL visited] NOT contains "blog". ----> Therefore B is true.
And E, we NEED the rows which DONT contain "/", so why remove these rows?

[-] **AlexYang_** 3 points over 2 years ago

Selected Answer: BD
B&D correct

[-] **csillag** 5 points over 2 years ago

Selected Answer: BD
All 4 visualizations are about blogs: so we can remove rows what do not contain "blog" - thus B is correct. We do not need columns Posts[Full Text] and Posts[Summary] in any visualization, they can be removed.

[-] **jboiret** 2 points over 2 years ago

Selected Answer: BD
Answer B,D

[-] **SaadNageeb** 4 points over 2 years ago

I think C & D are the best suitable for me

[-] **taod** 1 point almost 2 years ago

Traffic[Referring URL] is needed for the last visual.

[-] **lcamp** 5 points over 2 years ago

I would go with only "D" is correct.

If you go for "B", you kill the first visual "TOP 10 blogs of all time" which doesn't ask for any FILTER. Hence, the ones that do not contain "blog" should appear there too. I suppose.

[-] **lcamp** 3 points over 2 years ago

I changed my mind.

The "TOP 10 blogs of all time" points out that is just looking for "blogs" - so B and D

[-] **janeyguo** 3 points over 2 years ago

I think it shoule be A and D
In post table we only need url and title.

[-] **evipap** 1 point over 2 years ago

Selected Answer: BD

If we choose D, then if there is a Traffic[Referring URL] = "/blog" this URL will not appear in the 3rd visual because we will have removed it. So D is WRONG.

[-] **velvarga** 3 points almost 3 years ago

B and D

[-] **Rahnix** 5 points almost 3 years ago

Selected Answer: BD

It's B and D.

D is already agreed upon in the comments before mine.

B is explicitly filtered in the last two visuals, and implicitly filtered in the first two visuals because the columns used in the first two include post[title], which would eliminate any URLs that do not include "blog".

[-] **Hangman_T** 3 points almost 3 years ago

Selected Answer: BD
CORRECT ANSWER

[-] **lukelin08** 2 points almost 3 years ago

I believe its D and E

[-] **Ryanmumu** 1 point almost 3 years ago

look at the question carefully. last row is AND relationship, how can you just remove URL and ignore the other condition?

[-] **lukelin08** 1 point over 2 years ago

Changed my mind. I believe given answer is correct. B & D

[-] **Elkdomina** 3 points almost 3 years ago

B Y D . En ambos casos la información no se usa en los visuales . En D , las columnas no se usan . En B , las filas que no tiene "Blog" no se usan . Considerar que la Tabla Traffic es un historial de URL visitadas , NO necesariamente todos los URL son Blogs . Respecto al primer visual , la Tabla Post , a través de su conexión ,esta filtrando las filas de la Tabla Traffic . Mostrando solo las coincidencias .

[-] **Sunny_008** 1 point almost 3 years ago

I think we have only one correct option i.e. D

[-] **zagiel** 1 point almost 3 years ago

I think that correct answers are D and B. Because we don't need this information. This information don't use in visuals

[-] **zagiel** 3 points almost 3 years ago

Sorry, A and D*

[-] **milb** 1 point almost 3 years ago

Definitely not A, first visual is for all time blogposts

[-] **Snow_28** 1 point almost 3 years ago

D is the only right answer I guess because if we choose option B it would change the visuals and in the question it is not talking about changing the visual, it is talking about minimizing the load time of dataset.

[-] **fdsdgxcvbsdfshshfg** 2 points almost 3 years ago

only D is correct

[-] **iccent2** 1 point over 2 years ago

You are told that select two options :)

[-] **Guru1337** 4 points almost 3 years ago

B is not correct. The first visual would be changed. The second correct answer seems to be missing

[-] **iccent2** 1 point over 2 years ago

How does "B" invalidate the first report?

B says traffic URL does not contain blog and first report says top 10 blogs of all times.

B is URL without blog so they are two different scenarios and does not render the first report invalid.

[-] **GPerez73** 1 point almost 3 years ago

Ummm, I think you are right. But even not having a filter, why should change the first visual?

You are creating a quick measure as shown in the following exhibit.

Quick measures

Calculation

Rolling average ▼

Calculate the average of base value over a certain number of periods before and/or after each date.

[Learn more](#)

Base value ⓘ

Add data fields here

Date ⓘ

Add data fields here

Period ⓘ

Days ▼

Periods before ⓘ

1

Periods after ⓘ

0

Fields

Search

- Customer
- Product
- Sales
 - Date
 - Gross Margin
 - Month
 - MonthNumberOfYear
 - Quarter
 - Sales_SRC
 - Time Intelligence
 - Total Cost
 - Total Order Qty
 - Total Sales
 - Total Sales rolling average
 - Unit Price
 - Year

You need to create a monthly rolling average measure for Sales over time.

How should you configure the quick measure calculation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Base value: ▼

- Month
- Total Cost
- Total Order Qty
- Total Sales
- Year

Date: ▼

- Date
- Month
- Total Sales
- Year

Period: ▼

- Days
- Months
- Quarters
- Years

Hide Answer

Correct answer:

Answer Area

Base value: ▼
Month
Total Cost
Total Order Qty
Total Sales
Year

Date: ▼
Date
Month
Total Sales
Year

Period: ▼
Days
Months
Quarters
Years

[-] **GuerreiroJunior** 54 points over 2 years ago

Corect Answer.

1. Total Sales;
2. Date;
3. Months

[-] **rainy_255** 14 points almost 2 years ago

This was in the exam this week.

[-] **jaume** 1 point 9 months ago

Once again I was puzzled with the exhibit... why there is also a question about the period field while in the exhibit this is a field where it's selected "Days"?

Having this value already selected is totally misleading!!!!

[-] **jaume** 2 points 9 months ago

I checked this pre-populated "Days" value in the period field is the default value when you are selecting the "Rolling average" quick measure in PBI Desktop... maybe this should be blank by default requesting the user to select the period

[-] **rcaliandro** 1 point 12 months ago

The answer is correct: Total Sales, Date, Months

[-] **IVO999** 6 points about 2 years ago

Total Sales, Date, Months

[-] **Shalaleh** 2 points over 2 years ago

Answer is correct.

[-] **Nisa93** 1 point over 2 years ago

Answer is correct

[-] **ewelaela** 4 points over 2 years ago

Correct

[-] **Sushvij** 3 points over 2 years ago


Correct answer

[-] **Danylessoucis** 4 points over 2 years ago

Assuming we evaluate total sales then answer si correct

Question 137

You have the Power BI data model shown in the following exhibit.



The Sales table contains records of sales by day from the last five years up until today's date.

You plan to create a measure to return the total sales of March 2021 when March 2022 is selected.

Which DAX expression should you use?

- A. Calculate (Sum(Sales[Sales]), PREVIOUSYEAR(dimDate[Date]))
- B. TOTALYTD (SUM(Sales[Sales]), dimDate[Date])
- C. Calculate (SUM(Sales[Sales]), SAMEPERIODLASTYEAR(dimDate[Date]))
- D. SUM(Sales[Sales])

Hide Answer

[-] **Jayjay5** 12 points about 2 years ago

Selected Answer: C
Correct

[-] **jasking** 6 points over 2 years ago

Selected Answer: C
Yup! answer is correct!

[-] **seffy** 1 point 7 months ago

Selected Answer: C
According to the answers we chose SAMEPERIODLASTYEAR() is more precise

[-] **jaume** 1 point 9 months ago

Selected Answer: C

My vote is also for Option C using SAMEPERIODLASTYEAR() function

[-] **LL_Seva** 5 points over 1 year ago

Copy-pasted from MS forum:

Previousyear: This function returns all dates from the previous year given the latest date in the input parameter. For example, if the latest date in the dates argument refers to the year 2009, then this function returns all dates for the year of 2008, up to the specified year_end_date.

SAMEPERIODLASTYEAR: Returns a table that contains a column of dates shifted one year back in time from the dates in the specified dates column, in the current context.

[-] **Koalakueh** 4 points almost 2 years ago

A is wrong because of wrong syntax. The close bracket at the end is missing

[-] **VGG2001** 2 points about 2 years ago

I tested it in the Power Bi. A and C both give the same result so I think A and C are both correct.

[-] **Emarus** 8 points about 2 years ago

A is not correct.

PREVIOUSYEAR will generate the date from the whole previous year, which means that if your current context is only about 3 months, you're getting a 12 months (from previous year) context, and comparing 3 months with 12 months is nonsense

[-] **Ibritics** 2 points almost 2 years ago

PREVIOUSYEAR calculates the cumulative till the year

[-] **Aravind_DAS** 4 points about 2 years ago

Why not A?

[-] **ZSun** 14 points about 2 years ago

"PREVIOUSYEAR: Returns a table that contains a column of all dates from the previous year, given the last date in the dates column, in the current context."

This means, if my date data ranges from 2007/08/05 -2007/09/05. The last date in this column is 2007/09/05. The returned column would be 365 date from 2006/01/01 to 2006/12/31.

for SAMEPERIODLASTYEAR, the result would only be 2006/08/05 -2006/09/05

[-] **user12345678** 3 points about 2 years ago

Selected Answer: C

Correct answer given

[-] **Shalaleh** 4 points over 2 years ago

Selected Answer: C

The Given answer is correct.

[-] **HoangNV** 2 points over 2 years ago

That's correct: C

[-] **M3Ady** 1 point over 2 years ago

C is Correct!

[-] **RazaTheLegend** 3 points over 2 years ago

Selected Answer: C

Yup! answer is correct!

[-] **mr__robot** 1 point over 2 years ago

Selected Answer: C
That is correct only

[-] **jaydenlkl** 1 point over 2 years ago

Correct Ans!!

[-] **MegaLion** 2 points over 2 years ago

Selected Answer: C
C Correct

[-] **ewelaela** 2 points over 2 years ago

Selected Answer: C
C Correct

[-] **Sushvij** 2 points over 2 years ago

Correct answer

[-] **Danylessoucis** 3 points over 2 years ago

Correct answer

[-] **GuerreiroJunior** 2 points over 2 years ago

Selected Answer: C
Agreeded.

Question 138



You use Power BI Desktop to load data from a Microsoft SQL Server database.

While waiting for the data to load, you receive the following error.

```
ERROR [08001] timeout expired
```

You need to resolve the error.

What are two ways to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Reduce the number of rows and columns returned by each query.
- B. Split log running queries into subsets of columns and use Power Query to merge the queries.
- C. Use Power Query to combine log running queries into one query.
- D. Disable query folding on long running queries.

Hide Answer

[-] **milk97** 32 points over 2 years ago

This link helps explain query timeout and how to work around it.
<https://learn.microsoft.com/en-us/training/modules/get-data/9-import-errors>

[-] **SamuComqi** 14 points about 2 years ago

Selected Answer: AB

AB

[-] **VS_Shwetha** 1 point almost 2 years ago

Hey have you gone through the questions after 22nd page

[-] **jaume** 2 points 9 months ago

Selected Answer: AB

Option C would result in a longer query with opposite result (as it would take even more time to retrieve data, it would easier would result in a TimeOut error)

Not sure about the effect of option D but reducing rows and columns as suggested in option A and split queries as in option B (to retrieve small datasets in each resulting query) would definitively help to prevent the TimeOut error

[-] **539d541** 1 point 12 months ago

I'm not sure why A is marked as a correct answer - what if you needed all of those rows instead of arbitrarily filtering them out? Agree with B. C looked like it may have been part of the procedure achieved by B

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: AB

A and B is the correct one:

- Reduce the number of rows and columns returned by each query
- Split log running queries into subsets of columns and use Power Query to merge the queries

[-] **9f73003** 2 points over 1 year ago

Geee, I'm gonna do some "log" running today! Wow, once again, I paid for this, be nice if someone proof read the questions. Regardless, A and B are correct.

[-] **iamSophie** 1 point over 1 year ago

B is correct

Splitting date/time BEFORE loading to Power BI will increase the performance and not AFTER:

Source: <https://learn.microsoft.com/en-us/training/modules/get-data/8-performance-issues?ns-enrollment-type=learningpath&ns-enrollment-id=learn-bizapps.data-preparation-in-power-bi>

If any of your tables have columns that combine date and time, make sure that you separate them into distinct columns before importing them into Power BI.

[-] **SnakePlissken123** 2 points over 1 year ago

Question uses the phrase "log running." This is a mis-spelling. It should be long running.

[-] **WRTopics** 1 point almost 2 years ago

A&D for this question

[-] **lgetmyrole** 2 points almost 2 years ago

A & D are correct.

A. By reducing the amount of data retrieved from the SQL server database, you can make the query execution more efficient and reduce the likelihood of encountering errors due to resource constraints.

D. Query folding is a feature in power query that pushes some of the data transformation operations back to the data source (in this case, SQL server) for processing. Query folding can sometimes cause issues with long-running queries.

B and C are not appropriate solutions for resolving the error related to long-running queries. These options focus on combining or splitting queries, which may not directly address the root cause of the issue.

[-] **Shalaleh** 3 points over 2 years ago

Selected Answer: AB

Given answer is correct.

[-] **RazaTheLegend** 4 points over 2 years ago

Selected Answer: AB

Exactly! The answer is correct.

<https://learn.microsoft.com/en-us/training/modules/get-data/9-import-errors>

[-] **1sourabhpatel1** 7 points over 2 years ago

Disabling query folding on long running queries is not a recommended solution for resolving the error.

Query folding is an optimization technique used by Power Query to translate transformations into optimized SQL statements.

Disabling query folding may lead to less optimized query execution plans, which could result in longer query execution times and higher resource consumption.

[-] **mkubrak** 2 points over 2 years ago

Selected Answer: AB

seems ok

[-] **darkfairy** 10 points over 2 years ago

Can someone explain why AB are the correct answers?

[-] **semauni** 23 points over 2 years ago

A reduces the amount of results that you're getting back, therefore reduces query time, and reduces the chances of a timeout occurring.

B basically does the same, and is a solution for when you really need all columns and rows: instead of getting one large table back, you'll get multiple smaller ones, then you can combine those after loading.

C does exactly the opposite, making the resulting table even larger.

D will not help either, as query folding basically expands on the 'select * from <table>' that Power BI fires to the database. It can, for instance, add a where-clause to that statement if you're filtering in Power Query. That also reduces query time.

Source for query folding: <https://learn.microsoft.com/en-us/power-query/power-query-folding>

[-] **ewelaela** 3 points over 2 years ago

Selected Answer: AB

AB is correct

[-] **Sushvij** 3 points over 2 years ago

A & B correct answer

[-] **mambamota** 1 point over 2 years ago

AGRRREEEE

[-] **jsking** 2 points over 2 years ago

Selected Answer: AB

Exactly! The answer is correct

Question 139



You build a report to analyze customer transactions from a database that contains the tables shown in the following table.

Table name	Column name
Customer	CustomerID (primary key)
	Name
	State
	Email
Transaction	TransactionID (primary key)
	CustomerID (foreign key)
	Date
	Amount

You import the tables.

Which relationship should you use to link the tables?

- A. one-to-many from Transaction to Customer
- B. one-to-one between Customer and Transaction
- C. many-to-many between Customer and Transaction
- D. one-to-many from Customer to Transaction

Hide Answer

[-] **RickyAnd** 23 points almost 3 years ago

Selected Answer: D
Correct

[-] **GPerez73** 8 points almost 3 years ago

It is correct for me

[-] **Srilatha_B** 1 point 8 months ago

Selected Answer: D
One Customer - Many Transactions only makes sense

[-] **kenyJen** 1 point 11 months ago

No doubt here. D

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: D
Let's say that the ER is many to one from transaction to customer (Customer (1,N) -> (1,1) Transaction). When we build the tables we need the customerId foreing key to the transaction table. In PBI there is many relationship where there is the key (from the fact to the dimension).
So, one to many from customer to transaction is the correct one!

[-] **Kiran37** 1 point about 1 year ago

correct answer

[-] **AZFabio** 4 points over 1 year ago

Selected Answer: D
Please, MS, send questions like that in the exam... :-)

[-] **RedRoss** 1 point over 1 year ago

Selected Answer: D
OBVIOUS!!

[-] **benni_ale** 2 points over 1 year ago

Selected Answer: D
Per me è la cipolla

[-] **edbf978** 1 point over 1 year ago

Selected Answer: D
Correct

[-] **nick0651** 1 point almost 2 years ago

Selected Answer: D
D is the correct answer

[-] **lgetmyrole** 6 points almost 2 years ago

D is the correct answer. Each customer can have multiple transactions (one-to-many relationship), as a customer can make multiple transactions over time.

[-] **Cyprien_B** 3 points about 2 years ago

Selected Answer: D
Correct

[-] **inejo** 1 point about 2 years ago

D es la ideal

[-] **brunoquintela** 1 point over 2 years ago

Selected Answer: D
Correto

[-] **hungry85** 4 points over 2 years ago

D is correct because a single customer can have many transactions and this transactions have their transactions id.

[-] **rb_pb** 1 point over 2 years ago

Selected Answer: D
a customer is unique in the `Customer` table. However, a unique customer can possess multiple transactions in the `Transactions` table. Hence 1-MANY relationship is obvious answer. So, option D

[-] **jsking** 5 points over 2 years ago

Selected Answer: D
It's an obvious one. Relationship always flows downstream from primary (fact) to foreign (dim)

[-] **psychosystema** 4 points over 2 years ago

Selected Answer: D
One customer can have many transactions, so D.

[-] **srikanth923** 3 points almost 3 years ago

Selected Answer: D
D is the answer

[-] **samad1234** 2 points almost 3 years ago

D IS CORRECT

[-] **Nurgul** 2 points almost 3 years ago

Selected Answer: D
D is correct

[-] **lukelin08** 2 points almost 3 years ago

Selected Answer: D
D is correct

[-] **Ron22Ron** 3 points almost 3 years ago

Selected Answer: D
one customer many transactions.
Answer is D

[-] **Pushliang** 5 points almost 3 years ago

D IS RIGHT

Question 140

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

From Power Query Editor, you profile the data shown in the following exhibit.

	IoT GUID	IoT DateTime	IoT ID
	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%
1	48196321-38D9-EC11-B83D-0022489A2...	21/05/2022 18:59:25	100001000
2	49196321-38D9-EC11-B83D-0022489A2...	21/05/2022 18:59:26	100001001
3	0300C742-38D9-EC11-B83D-0022489A2...	21/05/2022 19:00:21	100001002
4	0400C742-38D9-EC11-B83D-0022489A2...	21/05/2022 19:00:21	100001003
5	0500C742-38D9-EC11-B83D-0022489A2...	21/05/2022 19:00:21	100001004
6	0600C742-38D9-EC11-B83D-0022489A2...	21/05/2022 19:00:21	100001005

The IoT GUID and IoT ID columns are unique to each row in the query.

You need to analyze IoT events by the hour and day of the year. The solution must improve dataset performance.

Solution: You split the IoT DateTime column into a column named Date and a column named Time.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **HemantGorle** 67 points over 2 years ago

Selected Answer: A

The correct answer is A. Splitting datetime column will improve the performance even if it generates one more column, having less unique values in separated date and time columns will achieve better compression.

[-] **iamSophie** 5 points over 1 year ago

Not after the data is loaded into Power BI.

Splitting the date time BEFORE loading to PBI will improve performance

[-] **GuerreiroJunior** 16 points over 2 years ago

Selected Answer: A

The correct answer is A. Because Split a datetime column improve the performance even if you will have one more column.

[-] **GabryPL** 5 points over 2 years ago

Agree. A is the correct answer

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: B

Splitting the IoT DateTime column into separate Date and Time columns might help slightly with usability, but it doesn't inherently improve dataset performance — especially if the goal is analysis by hour and day of year.

Instead, for performance and usability, a better solution would be to:

Create calculated columns such as:

DayOfYear = DAY('IoTEvents'[DateTime]) + (MONTH('IoTEvents'[DateTime]) - 1) * 30 (or use FORMAT(...,"DDD") for actual day of year)

Hour = HOUR('IoTEvents'[DateTime])

Or use Power Query to extract Hour and DayOfYear from the original datetime — which is even better, because:

It reduces model size (by storing smaller integer/text columns)

It allows in-memory compression to work more efficiently than high-cardinality datetime fields

[-] **desibaby09** 1 point 8 months ago

Selected Answer: A

yes it meets the goal

[-] **jaume** 1 point 9 months ago

Selected Answer: A

To analyze IoT event by the hour AND day of the year, we need those details available and originally they are merged into a single "IoT Date Time" field, we need to split date and time to separate them to turn them "usable" for our analysis.

[-] **ab97776** 2 points over 1 year ago

If the analysis only requires the date part and the time part results in high cardinality without being used in the analysis, splitting will improve performance. If both date and time are necessary and are used together frequently in the analysis, splitting them might not provide a performance benefit and could even complicate measures and calculations.

[-] **Rhugved** 3 points over 1 year ago

Selected Answer: B

B is Right

[-] **iamSophie** 2 points over 1 year ago

B is correct

Splitting date/time BEFORE loading to Power BI will increase the performance and not AFTER:

Source: <https://learn.microsoft.com/en-us/training/modules/get-data/8-performance-issues?ns-enrollment-type=learningpath&ns-enrollment-id=learn-bizapps.data-preparation-in-power-bi>

If any of your tables have columns that combine date and time, make sure that you separate them into distinct columns before importing them into Power BI.

[-] **BennyBenz** 4 points over 1 year ago

But A is not a solution because you have to analyze IoT events by the hour and day of the year. When splitting the datetime you will get multiple equal values for time... Which should be aggregated right?

[-] **worachac** 1 point over 1 year ago

Selected Answer: B

Splitting datetime column will improve but it's not enough. We can remove either IoT GUID or IoT ID column in addition.

[-] **ElieG** 5 points over 1 year ago

Yes, it will improve the performance, because splitting date-time will increase compression abilities. Reference: <https://learn.microsoft.com/en-us/training/modules/get-data/8-performance-issues?ns-enrollment-type=learningpath&ns-enrollment-id=learn-bizapps.data-preparation-in-power-bi>

Reference 2:

<https://www.algorhythmblog.be/2022/08/02/time-to-split-are-datetimes-bogging-down-your-model/>

[-] **phantomghost** 3 points over 1 year ago

I checked the your first Reference, your right. Here is what it said "Separate date and time, if bound together. If any of your tables have columns that combine date and time, make sure that you separate them into distinct columns before importing them into Power BI. This approach will increase compression abilities."

[-] **Jayvee14** 1 point almost 2 years ago

I am pretty sure that it should be A and not B, because according to many experts, splitting date and time will make the performance even better.

[-] **WRTopics** 1 point almost 2 years ago

Selected Answer: B

I think the answer is B beacuse we need improve the dataset performance, splitting or make a new column will make it slower.

[-] **55884** 1 point over 1 year ago

No. Splitting the column will reduces the amount of result. Hence, increase the query performance.

[-] **55884** 1 point over 1 year ago

And the question requires an analyzation of both HOUR and DATE. In able to do that, we need split the column into both to allow a separate analyzation.

[-] **elsuizo_88** 3 points almost 2 years ago

in this case nop

[-] **IMntimande6** 1 point almost 2 years ago

There is an error guys "A" is 85% correct

[-] **lbritics** 2 points almost 2 years ago

Selected Answer: A

It actually will decrease a cardinality by improving the performance so answer is A

[-] **lgetmyrole** 5 points almost 2 years ago

B is correct.

It is because the proposed solution does not improve dataset performance in this context, it focuses on splitting the DateTime column into Date and Time without addressing the desired analysis.

[-] **taod** 4 points almost 2 years ago

Selected Answer: A

A is correct and here's a technical answer to it:

<https://www.algorhythmblog.be/2022/08/02/time-to-split-are-datetimes-bogging-down-your-model/>

[-] **Ravisha27** 9 points about 2 years ago

Selected Answer: B

why is everyone's focus only on improving the dataset. the question is in 2 parts.

- analyze the IoT events based on DAY & HOURS.
- solution must improve dataset performance.
the IoT date time column doesn't have DAY values. so by just splitting date& time, it wont meet our solution.
hence correct answer is B.No

[-] **Dani_eL** 3 points over 1 year ago

wrong; IoT date time column is expressed in dd/mm/yyyy hh:mm:ss format. Furthermore when you split that field PBI automatically builds a date hierarchy thus improving performances as you can directly use the DAY part of the hierarchy. You can even categorize your columns yourself if needed

[-] **Bnxyl** 1 point about 2 years ago

Selected Answer: A
A is the correct answer

[-] **JJMC5544** 2 points about 2 years ago

What do they mean by " by the hour and day of the year", if they mean together, which is normally AND stands for in logic comparisons, I believe date-time should stay as it is because they together represent one event.
If they mean to analyse separately, yes date-time should be broken down to two parts.
This reminds me the multiple RLS role assigned to a single user question. Everybody know the answer but the way of answers confuse everybody.
What we gonna do with these things in exam ...

[-] **MINDIA** 1 point about 2 years ago

Answer is A

[-] **tiagoms** 3 points about 2 years ago

the correct answer is A.

[-] **Unam047** 2 points about 2 years ago

Answer is B because splitting the date time column will not improve the performance because the values are still the same

[-] **MoxieTT** 5 points about 2 years ago

Your logic is incorrect. Having datetime values results in high cardinality. By splitting them out, you reduce the cardinality and therefore improve performance.

[-] **cokimon** 1 point about 2 years ago

Keeping GUID means you're doing nothing at all so does not improve performance.

[-] **Cases_1** 3 points about 2 years ago

I think the correct answer is B. Splitting a column into two columns may improve compression when storing some of the data, but in the end you are storing the same information and therefore, it will not improve performance much. On the other hand, eliminating the IOT GUID column will save a lot of space, firstly because it is not necessary as they are unique values in each row, but for that you already have the IOT ID column, and also because as it is of text type its compression is not very good.

[-] **KhaledGH** 1 point over 2 years ago

Selected Answer: A
Splitting Datetime column in date and time columns will improve performance

[-] **omarkkj** 2 points over 2 years ago

Selected Answer: A
Splitting datetime column will improve the performance

[-] **RazaTheLegend** 2 points over 2 years ago

Selected Answer: A

The correct answer is A. Splitting datetime column will improve the performance even if it generates one more column, having less unique values in separated date and time columns will achieve better compression.

[-] **Andrew9834523** 1 point over 2 years ago

Selected Answer: A

A should be correct

[-] **SanaCanada** 3 points over 2 years ago

Correct Answer A ..yes

Yes, splitting the IoT DateTime column into separate Date and Time columns can help analyze IoT events by hour and day of the year while also improving the dataset's performance.

Once the columns are split, you can extract the hour and day of the year from the Date and Time columns using Power Query's "Add Column" and "Date.DayOfYear" and "DateTime.LocalTime" functions. This approach can allow for faster and more efficient analysis since you are not constantly parsing and transforming the DateTime column.

no confusion to discuss further

[-] **Pinha** 2 points over 2 years ago

The answer is A, But

if a datetime column has a high level of granularity, such as milliseconds, splitting it into separate date and time columns can reduce the number of distinct values in each column, which can improve data compression. This can make the dataset smaller and faster to load.

However, if the datetime column has low granularity, such as hourly or daily, splitting it into separate columns may not reduce the number of distinct values, and may not improve compression or performance.

In summary, splitting a datetime column into separate date and time columns can potentially improve performance, but it depends on the specific data and use case. It's important to evaluate the impact of the split on data size, compression, and performance before making any changes to the dataset.

[-] **Michcat** 2 points over 2 years ago

The correct answer is A. This move can drastically improve the speed of grouping data into date-intelligent segments (day, week, month) before further trending data into hour units.

[-] **charles879987** 3 points over 2 years ago

If you just need to analyze data by the day of the year, then splitting would improve performance. However, this question required day and hour, hence splitting would actually hinder performance as the data would need to be concatenated again after splitting to get the day/hour format.

[-] **ewelaela** 2 points over 2 years ago

Selected Answer: A

A. Splitting date and time improves performance

[-] **amdeen** 3 points over 2 years ago

Selected Answer: B

Splitting the column will only reduce the performance.

[-] **Sushvij** 1 point over 2 years ago

Splitting the column into Date and time improves the performance. Also supports the required analysis. correct answer is Yes

[-] **mybarbie9917** 3 points over 2 years ago

Selected Answer: B

I vote B because splitting a column into 2 columns will increase the size of the dataset and hence, will not improve the dataset performance as the required goal.

[-] **svg10gh** 3 points over 2 years ago

Selected Answer: B

dataset point of view splitting the IoT Date Time column into a column named Date and a column named Time. will not improve the performance. It will unnecessarily create two different columns to store it. Instead we can use time and date

function extract whenever required.
Hence Ans No.

[-] **jsking** 3 points over 2 years ago

Selected Answer: A

A is correct since it improves query performance

Question 141

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

From Power Query Editor, you profile the data shown in the following exhibit.

	IoT GUID	IoT DateTime	IoT ID
	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%
1	48196321-38D9-EC11-8B3D-0022489A2...	21/05/2022 18:59:25	100001000
2	49196321-38D9-EC11-8B3D-0022489A2...	21/05/2022 18:59:26	100001001
3	0300C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001002
4	0400C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001003
5	0500C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001004
6	0600C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001005

The IoT GUID and IoT ID columns are unique to each row in the query.

You need to analyze IoT events by the hour and day of the year. The solution must improve dataset performance.

Solution: You remove the IoT GUID column and retain the IoT ID column.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **BillyBobby** 57 points over 2 years ago

Selected Answer: A

There are two requirements to the question - improve the performance and enable the required analysis. Removing the GUID column will do exactly that - it will improve the performance because it is one less column of data to load but it still enables the required analysis given the IOT ID column is equally unique.

[-] **Richdata23** 3 points over 1 year ago

correct

[-] **Andreas3999** 32 points over 2 years ago

Chatgpt: B. No, removing the IoT GUID column and retaining the IoT ID column will not meet the goal of analyzing IoT events by the hour and day of the year. The IoT GUID and IoT ID columns are both unique identifiers for each row in the query, and removing either of them would result in losing important information about each event. In order to analyze events by the hour and day of the year, it is necessary to split the DateTime column into separate Date and Time columns, as well as retaining the unique identifiers for each event. Removing the IoT GUID column would not improve dataset performance, as it does not have any impact on the analysis or querying of the data.

[-] **Burabari** 48 points over 2 years ago

This is wrong. The database uses the GUID for performance but PowerBI does not. Power BI only needs one unique column to perform so eliminating the GUID reduces the dataset size and consequently, the performance of PowerBI. ChatGPT is very good at confidently giving wrong answers, smart people know to do their own verification.

[-] **Abhi_1526** 5 points over 1 year ago

Do not trust chatgpt bindly

[-] **Maniula** 7 points about 2 years ago

You're only addressing performance and missing the second part where the events need to analysed by day of the year and hour.

[-] **Vaar** 2 points almost 2 years ago

In my understanding of the question, we are only supposed to increase performance (without affecting the analysis). So removing the GUID column will increase performance without affecting analysis, and is therefore a sorrect solution.

[-] **erency3** 3 points over 1 year ago

you understanding wrong, it clearly says analyze by hour and day of the year. Given solution only improves performance, you are still not able to do the analysis. You either need to create a calculated column for time, or split the column(best option).

[-] **55884** 2 points over 1 year ago

I dont think so. Having IoT ID only already contribute to a unique row. In PowerBI we are able to add index column by the end of the table. Its possible for the user in this question to add his own unique identifier (index) by taking both IoT GUID and IoT DateTime as their unique reference.

Hence, since we only want to analyze the DateTime while ensuring a good performance quality, we DO NOT NEED IoT GUID.

[-] **AnnaBi** 5 points over 2 years ago

Agree! The IoT GUID and IoT ID columns are keys columns and removing either of them would result in losing important information!

[-] **Acrious** 2 points about 2 years ago

They are independently unique, they are not a composite key made of up both to be unique.

[-] **ApacheKafka** 1 point about 2 years ago

They can be made compsite keys though due to their uniqueness.

[-] **semauni** 16 points over 2 years ago

But if they are *both* unique for each event, then removing one of them still allows you to identify events. Moreover, you could even remove both if aggregating on the date column (e.g. with a count column).

[-] **Lulu_2022** 2 points about 1 month ago

Selected Answer: A

✅ Yes, this solution meets the goal.

🧠 Here's why:

IoT GUID and IoT ID are both unique identifiers, meaning they likely have high cardinality (i.e., nearly every row has a distinct value).

High-cardinality columns consume more memory and compress poorly in Power BI's in-memory engine (VertiPaq).

If only one of them is needed for analysis or relationships (in this case, IoT ID), then removing the other (IoT GUID) helps reduce dataset size and improve performance — without affecting the ability to analyze events by hour or day.

[-] **desibaby09** 1 point 8 months ago

Selected Answer: A
Yes improves dataset performance

[-] **desibaby09** 1 point 8 months ago

Selected Answer: B
this doesn't address the time or date

[-] **jaume** 3 points 9 months ago

Selected Answer: A
Removing one column will reduce data size which will result in an improved performance of the report

[-] **Dani_eL** 1 point over 1 year ago

Selected Answer: A
it says : The IoT GUID and IoT ID columns are unique to each row in the query.
BOTH UNIQUES to EACH row...
So basically each one can be used as primary key for the table.
removing the guid column does improve performance.
Better to remove the guid because it 's a 16-byte binary data type compared to a unsigned long which is a 4-byte binary data type

[-] **KKPanda77** 1 point over 1 year ago

Answer should be NO...

[-] **Dsbuff** 2 points over 1 year ago

Selected Answer: A
Yes-A is correct.

[-] **dede1723** 5 points over 1 year ago

Selected Answer: B
The goal is to analyze IoT events by the hour and day of the year.
The A answer doesn't meet that goal.

[-] **RMUK** 1 point almost 2 years ago

YES (no data loss and removing one primary key column (as we have 2 here) will help in performance)

[-] **Igetmyrole** 3 points almost 2 years ago

B is correct.
Removing the IoT GUID column and retaining the IoT ID column will not directly help in analyzing IoT events by the hour and day of the year.

[-] **Acrrious** 2 points about 2 years ago

Selected Answer: A
A. here is the one thing that many are saying "they have to be able to do the analysis". Thats implied already. No where does it say that the solution makes that possible. It says they need to do that AND the solution must make it more performant. Since its clear they can already do that (as there is nothing you can select to change that just by increasing performance), then removing a column would in fact increase performance, regardless if splitting etc would be more performant.

[-] **Maniula** 6 points about 2 years ago

Selected Answer: B
There has to be a date column and a time column to perform the analysis by day of the year and by hour. Removing IoT GUID doesn't solve that, it only improves performance but so does splitting the date column. Previous question was YES, this one

is NO.

[-] **Bnxyl** 3 points about 2 years ago

Selected Answer: A

A because we the ID column can server the purpose of the analysis

[-] **Ahmadbaww** 4 points about 2 years ago

The answer is Yes, having two primary keys in a table is not the best practice.

[-] **vat4444** 4 points about 2 years ago

Selected Answer: A

Answer is Yes. This GUID columns is not necessary as the other column plays the role of Id column. As it is a large text column, removing it will significantly reduce the size of the model, thus increase performance

[-] **rania** 2 points about 2 years ago

Selected Answer: A

IoT GUID column is string the other column is number

[-] **rania** 2 points about 2 years ago

the best way is to remove the IoT GUID column because it's string identifier of table the other column is number witch improve the performance the answer is Yes

[-] **Nemesizz** 5 points about 2 years ago

Guys what is the answer ..

[-] **kh123456** 2 points about 2 years ago

Selected Answer: A

A, since you only need the ID column, which is the unique identifier in this case

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: A

we do not need two unique columns and also data type of IoT GUID column is text and removing this column has more affect to performance rather than a numeric data type.

[-] **UlyUkr** 1 point over 2 years ago

My answer is A, since you only need the ID column, which is the unique identifier in this case.

[-] **shmmmini** 4 points over 2 years ago

Selected Answer: A

Answer is Yes. This GUID columns is not necessary as the other column plays the role of Id column. As it is a large text column, removing it will significantly reduce the size of the model, thus increase performance

[-] **rddghfghjlok** 1 point over 2 years ago

What? So what's the final answer?

[-] **RazaTheLegend** 3 points over 2 years ago

Selected Answer: B

Correct answer B. removing the IoT GUID column and retaining the IoT ID column will not meet the goal of analyzing IoT events by the hour and day of the year. The IoT GUID and IoT ID columns are both unique identifiers for each row in the query, and removing either of them would result in losing important information about each event. In order to analyze events by the hour and day of the year, it is necessary to split the DateTime column into separate Date and Time columns, as well as retaining the unique identifiers for each event. Removing the IoT GUID column would not improve dataset performance, as it does not have any impact on the analysis or querying of the data.

[-] **Aneran 2 points** over 2 years ago

Selected Answer: B

No, removing the IoT GUID column and retaining only the IoT ID column will not help in analyzing IoT events by the hour and day of the year, and it may even hinder the analysis.

[-] **Shalaleh 3 points** over 2 years ago

I choose A. why not? there are two unique columns. but one is enough. And also IoT GUID column is combination of number and text, there its data type is TEXT. which is using has encoding. by removing the column we can improve the performance.

[-] **LucasG960 2 points** over 2 years ago

If the the ID columns are both unique then just one of them needs to be used as a primary key. Removing the other will reduce the model size and improve performance.

[-] **Andreas3999 5 points** over 2 years ago

Selected Answer: B

See explanation in my other comment.

[-] **Jew0598 3 points** over 2 years ago

The question is to analyze IoT events by date and hour so how does removing a column meet the requirement? I think the answer is NO.

[-] **Neilsy 1 point** over 2 years ago

halves the size of the dataset

[-] **Shalaleh 4 points** over 2 years ago

There are two Primary key Column. And one is enough. We can remove IoTGuid column.

[-] **Shalaleh 2 points** over 2 years ago

I think the main question is how to increase performance by considering that we need to do that analysis.

[-] **Sushvij 1 point** over 2 years ago

Yes. Correct

[-] **kukumalu 4 points** over 2 years ago

Selected Answer: B

Reduce data size but not performance

[-] **MoxieTT 1 point** about 2 years ago

Reducing a dataset size will improve load time aka performance

[-] **jsking 2 points** over 2 years ago

Selected Answer: A

Correct!

[-] **GuerreiroJunior 4 points** over 2 years ago

Selected Answer: A

Agreeded!

Question 142



Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct

solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

From Power Query Editor, you profile the data shown in the following exhibit.

	IoT GUID	IoT DateTime	IoT ID
	Valid Error Empty 100% 0% 0%	Valid Error Empty 100% 0% 0%	Valid Error Empty 100% 0% 0%
1	48196321-38D9-EC11-8B3D-0022489A2...	21/05/2022 18:59:25	100001000
2	49196321-38D9-EC11-8B3D-0022489A2...	21/05/2022 18:59:26	100001001
3	0300C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001002
4	0400C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001003
5	0500C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001004
6	0600C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001005

The IoT GUID and IoT ID columns are unique to each row in the query.

You need to analyze IoT events by the hour and day of the year. The solution must improve dataset performance.

Solution: You change the IoT DateTime column to the Date data type.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **GuerreiroJunior** 22 points over 2 years ago

Selected Answer: B

Agreed. Because, if you just transform the data type you will not be able to analyse the information by time, as requested.

[-] **Richdata23** 2 points over 1 year ago

agreed

[-] **Underthesea92** 6 points about 2 years ago

Selected Answer: B

You need to analyse by hour. If you change to date you remove the time

[-] **jaume** 1 point 9 months ago

Selected Answer: B

Data type for this field is currently set to "Date/Time", setting data type to just "Date" would result in losing the "Time" part of the information which is required in the analysis

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: B

No, we need the time in the analysis

[-] **Dsbuff** 3 points over 1 year ago

Selected Answer: B

If you change data type to Date only, you will lose the data (time).

[-] **walexix** 1 point over 1 year ago

I believe without splitting datetime to date and time, you can still be able to analyse IoT events by the hour and day of the year

[-] **lgetmyrole** 2 points almost 2 years ago

B is correct.

Converting it to the date data type would only allow you to work with dates, but it wouldn't provide the necessary granularity to analyze events by the hour or day of the year.

[-] **rania** 1 point about 2 years ago

Selected Answer: B

if you change the data type you will not be able to analyse by hour

[-] **RazaTheLegend** 2 points over 2 years ago

Selected Answer: B

The answer is B because the instruction says to analyze based on date and time. Changing the IoT date column to the date data type takes out the time needed for the analyses.

[-] **Sushvij** 1 point over 2 years ago

B is correct

[-] **jsking** 4 points over 2 years ago

Selected Answer: B

B is correct because changing the IoT DateTime column to the Date data type alone will not meet the goal of analyzing IoT events by the hour and day of the year in power query.

[-] **Nuli** 2 points over 2 years ago

The answer is B because the instruction says to analyze based on date and time. Changing the IoT date column to the date data type takes out the time needed for the analyses.

[-] **reyn007** 3 points over 2 years ago

Selected Answer: B

B. because the column has both data and time values

Question 143



You have a Microsoft Power BI report. The size of PBIX file is 550 MB. The report is accessed by using an App workspace in shared capacity of powerbi.com.

The report uses an imported dataset that contains one fact table. The fact table contains 12 million rows. The dataset is scheduled to refresh twice a day at 08:00 and 17:00.

The report is a single page that contains 15 AppSource visuals and 10 default visuals.

Users say that the report is slow to load the visuals when they access and interact with the report.

You need to recommend a solution to improve the performance of the report.

What should you recommend?

A. Change any DAX measures to use iterator functions.

- B. Remove unused columns from tables in the data model.
- C. Replace the default visuals with AppSource visuals.
- D. Increase the number of times that the dataset is refreshed.

Hide Answer

[-] **GuerreiroJunior** 18 points over 2 years ago

Selected Answer: B

Dropping unnecessary columns to reduce the data model is indeed a better way to improve query and refresh performance.

[-] **GabryPL** 4 points over 2 years ago

To me the only correct answer is A. B is wrong because you just reduce the dimension of the dataset but you are not improving the performance and the time needed to load the visualization. correct answer is A

[-] **semauni** 7 points over 2 years ago

B is correct, because this will also help for visuals: "A smaller sized data model uses less resources (memory) and achieves faster data refresh, calculations, and rendering of visuals in reports."

Source: <https://learn.microsoft.com/en-us/training/modules/optimize-model-power-bi/1-introduction>

[-] **Acrious** 1 point about 2 years ago

Also imagine there are 15 unused columns that are being loaded. Since they don't give you a specific number, it could be 0,1 or 100. But its the one thing that for sure would increase performance.

[-] **reignreign03** 2 points almost 2 years ago

Iterator functions are used for some scenarios, but don't assume that all visuals need them. In this case, it is not even stated the need for iterator functions. So I'd say, A is wrong since its effect for this question is ambiguous.

[-] **jaume** 1 point 9 months ago

Selected Answer: B

Usual solution would be splitting the visuals into different pages but it's not an option here so reducing the data size by moving unused columns would also improve performance

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: B

B. Remove unused columns from tables in the data model.

It makes sense to remove unused columns from the tables in the model if they are not required in the analysis

[-] **Igetmyrole** 1 point almost 2 years ago

B is correct.

By removing columns that are not needed for the report, you can reduce the size of the data model. This can lead to faster loading times, especially when dealing with large datasets. Unused columns contribute to unnecessary overhead and can impact performance.

[-] **joesal** 2 points almost 2 years ago

Selected Answer: B

B is correct.

[-] **rania** 2 points about 2 years ago

Selected Answer: B

dropping unused columns may improve the performance

[-] **RazaTheLegend** 3 points over 2 years ago

Selected Answer: B

Dropping unnecessary columns to reduce the data model is indeed a better way to improve query and refresh performance.

[-] ewelaela 2 points over 2 years ago

Selected Answer: B

B, it's always good for performance to remove unused columns

[-] Sushvij 2 points over 2 years ago

B is correct. from performance point of view its always good to drop unwanted columns. Avoid complicated DAX and iterator functions as much as possible

Question 144

DRAG DROP -

You have a Power BI data model that contains two tables named Products and Sales.

A one-to-many relationship exists between the tables.

You have a report that contains a report-level filter for Products.

You need to create a measure that will return the percent of total sales for each product. The measure must respect the report-level filter when calculating the total.

How should you complete the DAX measure? To answer, drag the appropriate DAX functions to the correct targets. Each function may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

DAX Function

Answer Area

ALL	Percent of Product Sales =
ALLSELECTED	VAR ProductSales = SUM ('Sales' [Sales])
CALCULATE	VAR AllSales =
FILTER	(SUM('Sales' [Sales]), (SUM('Sales' [Sales]), ('Products' [Product]))
SELECTEDVALUE	RETURN
	DIVIDE (ProductSales, AllSales)

Hide Answer

Correct answer:

DAX Function

Answer Area

ALL	Percent of Product Sales =
ALLSELECTED	VAR ProductSales = SUM ('Sales' [Sales])
CALCULATE	VAR AllSales =
FILTER	CALCULATE (SUM('Sales' [Sales]), ALLSELECTED ('Products' [Product]))
SELECTEDVALUE	RETURN
	DIVIDE (ProductSales, AllSales)

[-] GuerreiroJunior 121 points over 2 years ago

Incorrect answer.

1.Calculate

2. ALLSELECTED.

ALLSELECTED Removes only the filter on the expression visual but respect all external filters.

[-] Leon333 11 points over 2 years ago

ALLSELECTED is correct. ALLSELECTED: Returns all the rows in a table, or all the values in a column, ignoring any filters that may have been applied inside the query, but keeping filters that come from the outside.

<https://mitchellpearson.com/2020/09/14/understanding-row-context-in-dax-and-power-bi/#:~:text=ALLSELECTED%20DAX%20functions,coming%20from%20the%20inner%20query.>

[-] SylUK 2 points 6 months ago

Correct.

This function (ALLSELECTED) is different from ALL() because it retains all filters explicitly set within the query, and it retains all context filters other than row and column filters.

[-] Irodriguezc 24 points over 2 years ago

ALLSELECTED IS WRONG. THE CORRECT ANSWER IS ALL, BECAUSE WE NEED THE TOTAL SALES IN DIVISOR, AND ONLY FILTERED PRODUCTS IN NUMERATOR. I TESTED IN POWER BI AND ALL WORKS FINE FOR ME.

[-] semauni 21 points over 2 years ago

No, ALL() will remove the report filter

[-] Mabuse1 2 points about 2 years ago

that what he's doing in order to get all sales. Have you even tried what you're saying?

[-] EwoutBI 2 points almost 2 years ago

ALL indeed removes/disregards the report filter. I tried both in one table, and the ALL option gave lower percentages for Products than the ALLSELECTED way, because ALL considers all Products while calculating the percentage.

[-] Abhi_1526 1 point over 1 year ago

All is not good if you want to have some filters

[-] ManuelG00 2 points about 2 years ago

Correct.

[-] romerO 30 points over 2 years ago

The tricky thing here is that the report contains a report-level filter for Products and you need to calculate all sales (for all products) for the divisor. So I'll share here both functions definition from dax.guide:

ALLSELECTED: Returns all the rows in a table, or all the values in a column, ignoring any filters that might have been applied inside the query, but keeping filters that come from outside.

ALL: Returns all the rows in a table, or all the values in a column, ignoring any filters that might have been applied.

So, for me the correct answer is CALCULATE & ALL

[-] VGG2001 11 points about 2 years ago

I think you are wrong, the answer should be "ALLSelected" instead of "ALL". Lets think about the difference here:

"ALLSelected" takes consider of external filter (here we have a report-level filter as we are filtering products to check their sales percentage), while "ALL" ingnores all filters.

I also tested out a toy dataset in Power BI. Say I have four products, each makes up 25% of total sales. If we use "ALL" DAX and choose product A&B in the filter, we will see A and B both make up 25% of total sales, but instead what we want is "ALLSELECT" DAX which gives us A and B both makes up 50% of total sales, this meets the question requirement of "respect the report-level filter".

[-] Heyzzzzzzzzzzzzzzzz 17 points over 2 years ago

"The measure must respect the report-level filter when calculating the total" so shouldn't it be ALLSELECTED?

[-] **babi00** 1 point 4 months ago

ok one thing i just feel we need to use allselected cause it says report must respect report level filter , so we need to consider this percentage as for only the products which are slected in report , , guide me if my understanding is wrong

[-] **5bf040d** 1 point 5 months ago

CALCULATE

ALLSELECTED

ALLSELECTED: Retains filters that are explicitly set within the query or report (e.g., slicers, filter visuals, report level filters, Dax filters). It removes only the row and column filters that are part of the current context.

ALL: Removes all filters, including those explicitly set in the query or report, and resets the context completely.

If you use ALLSELECTED, it will respect the report-level filter (only products data).

[-] **gpsaran** 1 point 5 months ago

I wonder why so many answers are voted wrong. It should be CALCULATE, ALLSELECTED.

[-] **hebertorosillo** 1 point 7 months ago

Incorrect answer.

1.Calculate

2. ALLSELECTED.

[-] **jaume** 2 points 9 months ago

My vote for CALCULATE and ALLSELECTED.

Tricky detail here (it looks like almost all questions have a tricky part) is "The measure must respect the report-level filter when calculating the total". Using ALL option would remove also that report-level filter so we need to use ALLSELECTED

[-] **nelrosell** 3 points 11 months ago

Must be ALLSELECTED as one of the requirements is "The measure must respect the report-level filter when calculating the total" ALL is wrong as it ignores any filters.

[-] **rcaliandro** 1 point 12 months ago

For sure we have:

1 - CALCULATE

2 - ALL or ALLSELECTED but IDK which one :(

[-] **alyes87** 1 point about 1 year ago

Use ALL and not ALLSELECTED, as ALL does not respect filters at report level, whereas ALLSELECTED respects them with the exception of the selected column.

[-] **HenryBiz** 1 point over 1 year ago

I prefer ALL over ALLSELECTED here because the name of the VAR is for all sales instead of all selected cells, I guess the intention is to have a denominator which includes all products and disregard the visual level filter, so ALL is more appropriate than ALLSELECTED here. By the way, both functions respect page and report-level filter.

[-] **JudT** 3 points over 1 year ago

- Calculate

- ALLSELECTED

Could be:

% of productcode sales =

VAR productCode = SUM(Sales[Revenue])

VAR AllSales = CALCULATE(SUM(Sales[Revenue]), ALLSELECTED('Product'[Product Code]))

RETURN

DIVIDE(productCode , AllSales)

[-] **Feact 2 points** over 1 year ago

All & Allselected are both fine. I'm currently studying for PL-300 and I've been going around for this one... I've just tested it and here's what I've learned.

If the function would have been: Calculate(Sales, ('Products')) then ALLSELECTED is 100% the right choice. But since we are filtering only a column ('Products'[Product]) we can use either ALL or ALLSELECTED. Go ahead and test it on a small report, you'll see how it works. I really hope microsoft takes both answers as correct cause I've been thinking and testing for a while to realise about this.

[-] **Rhugved 1 point** over 1 year ago

Calculate and Allselected because the question is to respect the report level/external filter while calculating TOTAL SALES. Allselected() helps us to keep visual selected or filter level context

[-] **DataEngDP 2 points** over 1 year ago

ALLSELECTED is the correct answer,

[-] **Dani_el 3 points** over 1 year ago

Based on DAX definitions:

ALL :useful for CLEARING filters and creating calculations on all the rows in a table.

(<https://learn.microsoft.com/en-us/dax/all-function-dax>)

ALLSELECTED: gets the context that represents all rows and columns in the query, while KEEPING EXPLICIT FILTERS and contexts other than row and column filters. This function can be used to obtain visual totals in queries.

(<https://learn.microsoft.com/en-us/dax/allselected-function-dax>)

ALLSELECTED applies to one context(one visual)

ALL : if clearing means what it means, you will have no filters anymore

So for me :

CALCULATE

ALLSELECTED

[-] **SuniltheMentor 2 points** over 1 year ago

CALCULATE and ALLSELECTED.

Use of all selected will show Sales % based on the selected Products in a Slicer. This is instead of showing sales % across all products

[-] **Achu24 2 points** over 1 year ago

Calculate ,ALL

[-] **JohnChung 1 point** over 1 year ago

AllSales measure is used as a denominator when calculating percentages, so i think it should include all sales data and the answer should be:

CALCULATE

ALL

[-] **cs3122 3 points** over 1 year ago

using ALL() will not respect the report-level filters. ALLSELECTED() will respect report-level filters. Since the solution must respect report-level filters, I believe we should use ALLSELECTED().

[-] **10d9950 1 point** over 1 year ago

Percent of Selected Product Sales =

VAR SelectedProductSales = SUM('Sales'[Sales])

VAR TotalSalesAllProducts =

CALCULATE(
SUM('Sales'[Sales]),
ALL('Products'[Product])
)

RETURN

DIVIDE(SelectedProductSales, TotalSalesAllProducts)

All will only work on product column while respecting the slicers from other columns, this is what is required in the question

[-] **momo1165** 1 point over 1 year ago

because you need all sales, you will have to remove filters. the options are removefilters or All.
the correct answer is Calculate, All

[-] **Male777** 2 points over 1 year ago

Correct Answer is

CALCULATE

ALLSELECTED

.There is a narrow line of difference between ALL and ALLSELECTED and that is

ALLSELECTED don't ignore Report level Filters which is the key requirement here if you read the question.

Whereas ALL ignores any level of filter whether it is outside or inside.

[-] **william_001** 6 points over 1 year ago

the keyword here is "report level filter", ALL do not respect report level filter. ALLSELECTED respect the report level filter.

[-] **TDwayne** 1 point over 1 year ago

Thank you for pointing this out

[-] **agelee** 2 points over 1 year ago

The question is if they want to see always 100% per selected Products as Total. If yes then we need to use ALLSELECTED. If they want to see always the same '%of Total' for specific Product, regardless of selection (which is more logical from analytical point of view), then we should use ALL. If we analyze how much does one product contribute to Total Sales, the '%of Total' should always stay the same. But here instructions are misleading and maybe they want to see changing '% of Total' then ALLSELECTED is correct.

[-] **Harish_98** 3 points almost 2 years ago

Tested!

Calculate

ALL

[-] **JudT** 1 point over 1 year ago

Bear in mind " The measure must respect the report-level filter when calculating the total"

- CALCULATE

- ALLSELECTED to keep those filters already applied

[-] **WRTopics** 1 point almost 2 years ago

I think is All.

[-] **thomas_90** 4 points almost 2 years ago

In think that is so clear this this requirement "must respect report-level filter". So I will choose Calculate and ALLSELECTED.

[-] **Igetmyrole** 1 point almost 2 years ago

CALCULATE

ALL

Percent of Product Sales =

VAR ProductSales = SUM('Sales'[sales])

VAR AllSales = CALCULATE(SUM('Sales'[sales]), ALL('Products'))

RETURN

DIVIDE(ProductSales, AllSales)

To explain ALL and ALLSELECTED

ALL: Removes all filters from specified columns or tables.

ALLSELECTED: removes filters from specified columns or tables but respects visual or report-level filters.

[-] **ElieG** 1 point over 1 year ago

Exactly, but that's why you should use ALLSELECTED instead of ALL because the requirement is to respect the report-level filters.

[-] **Pocu** 5 points almost 2 years ago

Hi guys, please think twice before you vote or otherwise it will cause confusion to other users.

The key point is: The measure must respect the report-level filter when calculating the total.

ALL: Ignore all filters

ALLSELECTED: Respect all the filters outside of the current visual

If you still don't understand, try the below two measures when a slicer with all products existed:

Sales Pct based on all products=

DIVIDE (

SUMX (Sales, Sales[Quantity] * Sales[Net Price]),

SUMX (ALL (Sales), Sales[Quantity] * Sales[Net Price])

)

No confusion, no need to discuss further.

Sales Pct based on selected products= DIVIDE (

SUMX (Sales, Sales[Quantity] * Sales[Net Price]),

SUMX (ALLSELECTED (Sales), Sales[Quantity] * Sales[Net Price]))

[-] **Ntaxiey_03** 1 point almost 2 years ago

1. CALCULATE

2. FILTER iterates through each row in the table

[-] **ApacheKafka** 2 points about 2 years ago

Answer is All. ✓✓✓✓✓✓

Check this video <https://youtu.be/1KfTmRYRLZs>

[-] **JoC9776100668** 1 point about 2 years ago

Calculated and Allselected => Tested and ALL doesnt reflect page filter.

[-] **Mabuse1** 1 point about 2 years ago

I tried and ALL worked. When choosing ALLSELECTED, it still applies all filters including visual's one. Can you tell what filters are disregarded by ALLSELECTED?

[-] **Tusker666** 2 points about 2 years ago

ALL vs ALLSELECTED

ALL: its main function is to ignore the filters coming from other fields.

ALLSELECTED: ALLSELECTED only ignores the filters coming from inside the visual itself, whereas ALL ignores any filters coming from anywhere in this visual or other visual on the page.

[-] **Chayma28** 2 points about 2 years ago

Calculate

ALL

[-] **abbeyabh** 2 points about 2 years ago

1. Calculate

2. ALLSELECTED.

[-] **vat4444** 3 points about 2 years ago

Correct answer. CALCULATE & ALLSELECTED. Tested and works

Product Sale% =

VAR ProductSales = SUM('Sales'[Sales])

VAR AllSales = CALCULATE(SUM('Sales'[Sales]),ALLSELECTED('Product'[Product Name]))

Return DIVIDE(ProductSales,AllSales)

[-] **UlyUkr** 3 points over 2 years ago

CALCULATE AND ALL, tested in Power BI.

If ALLSELECTED is used, the moment you select a product, % of total sales calculation for that product becomes 100%, which is not correct.

[-] **SanaCanada** 6 points over 2 years ago

I was wrong in first comment
The correct answer is Calculate and Allselected
because
the ALL function removes all filters from the specified table or column, while the ALLSELECTED function retains the filters in the current filter context but removes filters from the specified table or column.
In Question Saying
respect all external filters

[-] **Mcisneros** 2 points over 2 years ago

ello govna

[-] **luisnc** 1 point over 2 years ago

govna ello

[-] **Mcisneros** 1 point over 2 years ago

Test Comment

[-] **SuniltheMentor** 4 points over 2 years ago

Definitely CALCULATE and ALLSELECTED
Using ALLSELECTED respects the filter defined on the page.

[-] **RazaTheLegend** 6 points over 2 years ago

The tricky thing here is that the report contains a report-level filter for Products and you need to calculate all sales (for all products) for the divisor. So I'll share here both functions definition from dax.guide:
ALLSELECTED: Returns all the rows in a table, or all the values in a column, ignoring any filters that might have been applied inside the query, but keeping filters that come from outside.
ALL: Returns all the rows in a table, or all the values in a column, ignoring any filters that might have been applied.
So, for me the correct answer is CALCULATE & ALLSELECTED

[-] **Sabrus** 1 point over 2 years ago

I think it's CALCULATE and FILTER since it asks to respect the filter at the report level, the ALL function does not respect it.
<https://dax.guide/filter/>

[-] **joaowendling** 1 point about 2 years ago

FILTER doesnt match the syntax. FILTER needs two arguments (Table, FilterExpression), but in the question there is only one

[-] **niki_dat** 2 points over 2 years ago

ALLSELECTED

[-] **luojihench** 1 point over 2 years ago

ALL. ALLSELECTED keep visual filters. I don't why answers are often wrong and in comments people give wrong answer.
Does it mean people doing power BI are stupid??? HAHA

[-] **RazaTheLegend** 2 points over 2 years ago

Mate you are wrong XD, All removes the filter applied from the report level filter which is needed in this case read the question again

[-] **Angelspace2023** 2 points over 2 years ago

1.Calculate
2.AllSelected.

Filter requires the table name so it is an obviously wrong choice. ALL will not respect a report level filter for the field on which it is created and will be wrong based on this comment "The measure must respect the report-level filter when calculating the total".

[-] **SanaCanada** 3 points over 2 years ago

Correct Answer is Calcualte and All

The CALCULATE function is used to calculate the total sales amount for all products, but with the filter context of the report-level filter applied. We use the ALL function to remove the filter context of the Products table, so that the total sales amount is calculated for all products, regardless of the report-level filter.

No confusion to discuss further

[-] **Grant5072** 1 point about 2 years ago

The Question specifically asked that you respect the report filter. So you cant select ALL() and ignore the filter.

[-] **VGG2001** 1 point about 2 years ago

I agree, "ALLSELECT" takes consider of external filter, aka report filter.

[-] **1sourabhpatel1** 1 point over 2 years ago

The ALLSELECTED function is used to remove the report-level filter on the Products table, while still retaining any filters on other tables. This ensures that the calculation of total sales is only affected by the report-level filter applied to the Products table. The DIVIDE function is used to calculate the percentage of sales for each product based on the total sales.

[-] **Jew0598** 3 points over 2 years ago

ALL() returns all the rows in a table, or all the values in a column, ignoring any filters that might have been applied. Here, since it's mentioned that the measure must respect the report-level filter, the answer should be CALCULATE & ALLSELECTED as ALLSELECTED() retains all context filters.

[-] **gilgir** 2 points over 2 years ago

With ALLSELECTED it doesn't work for me. Work with ALL !

[-] **Mohitsain** 1 point over 2 years ago

- 1.Calculate()
2. ALLSELECTED().

[-] **Vadimasss1234** 1 point over 2 years ago

This function is different from ALL() because it retains all filters explicitly set within the query, and it retains all context filters other than row and column filters.

[-] **ewelaela** 3 points over 2 years ago

CALCULATE and ALLSELECTED
Tested

[-] **Danylessoucis** 6 points over 2 years ago

Wrong. Correct answer is ALLSELECTED

[-] **Kai_don** 7 points over 2 years ago

Answer is wrong. Second box should be allselected

[-] **J** 2 points over 2 years ago

calculate & all?

You have a Power BI data model that analyzes product sales over time. The data model contains the following tables.

Table name	Column name	Data type
Product	Product ID	Whole number
	Product Name	Text
	Product Category	Text
Sales	Product ID	Whole number
	Order Date	Date
	Ship Date	Date
	Delivered Date	Date
	Invoice Number	Whole number
	Quantity	Whole number
	Sales Amount	Decimal number

A one-to-many relationship exists between the tables.

The auto date/time option for the data model is enabled.

You need to reduce the size of the data model while maintaining the ability to analyze product sales by month and quarter.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct answer is worth one point.

- A. Create a relationship between the Date table and the Sales table.
- B. Disable the auto date/time option.
- C. Create a Date table and select Mark as Date Table.
- D. Disable the load on the Date table.
- E. Remove the relationship between the Product table and the Sales table.

Hide Answer

[-] **glenman0202** 65 points over 2 years ago

Selected Answer: AC

AC is the correct answer. According to <https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-date-tables>, marking a table as a Date Table automatically removes the auto-generated date table.

[-] **ajinkya42069** 2 points over 1 year ago

thanks dude ! i didnt knew this i was manually disabling the auto generated date table

[-] **reignreign03** 3 points almost 2 years ago

Woah, thanks for sharing!

[-] **Vijay_Krisin** 2 points almost 2 years ago

Thank you, learnt something new

[-] **UlyUkr** 9 points over 2 years ago

This is the tricky question. If I could, I would go with A, B and C.

As, first, you'll need to create a date table and mark it as the Date Table. Second you'll need to create the relationship between this table and the Sales table. And lastly, you will need to disable auto date and time option, as per this article, it will decrease the model size.

Option A and C does not decrease the model size.

Marking a table as a Date table does not automatically remove the auto-hierarchies in other tables, which makes your data model bigger, so you DO need to disable the auto date/time option.

[-] **539d541** 1 point 12 months ago

Yesss dude....my thoughts exactly! I chose B and C as a result, knowing that it would be incomplete without creating the relationship (A)

[-] **itenginerd** 5 points almost 2 years ago

That last part is not aligned to what Microsoft says. Per <https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-date-tables#set-your-own-date-table>, "when you mark a table as a date table, Power BI Desktop removes the built-in (automatically created) date table"

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: BC

B. Disable the auto date/time option

Power BI's Auto Date/Time feature creates a hidden date table for every date column in your model.

This can significantly bloat your dataset, especially in large models with multiple date fields.

Disabling it reduces memory usage and improves refresh performance.

C. Create a Date table and select Mark as Date Table

A custom Date table gives you full control over time intelligence (month, quarter, year, etc.).

Marking it as a Date Table enables built-in time intelligence functions like TOTALYTD, SAMEPERIODLASTYEAR, etc.

It replaces the need for Auto Date/Time and is far more efficient and scalable.

[-] **5bf040d** 2 points 5 months ago

Selected Answer: BC

B.Disable the auto date/time option to prevent Power BI from creating hidden date tables.

C.Create a custom Date table and mark it as the Date table for time-based analysis.

creating a custom Date table does not automatically disable the auto date/time feature in Power BI. The auto date/time option is a global setting that applies to the entire data model, and it continues to create hidden date tables for every date column in your model unless you explicitly disable it.

A. Create a relationship between the Date table and the Sales table: is necessary for analyzing sales over time, but it is not directly related to reducing the size of the data model. It is a standard practice when working with a Date table.

[-] **0002110** 2 points 5 months ago

Selected Answer: BC

Disabling auto date/time prevents the creation of hidden date tables that increase the model size.

Creating a dedicated Date table and marking it as a Date Table ensures that you can still perform time-based analysis without the model size being impacted by unnecessary auto-generated date tables.

[-] **Mamtha1986** 1 point 5 months ago

Selected Answer: BC

In Power BI, if Auto Date/Time is enabled, every Date column (e.g., Order Date, Ship Date, Delivered Date) will automatically generate separate hidden date tables.

This increases the model size unnecessarily, especially if there are multiple date columns.

Disabling Auto Date/Time (Option B) removes these extra hidden tables and significantly reduces model size.

If Auto Date/Time is enabled, Power BI already has hidden date tables, so adding a relationship to another Date table does not reduce size.

Only after disabling Auto Date/Time, a custom Date table should be created and linked to Sales for better time intelligence.

[-] **desibaby09** 1 point 8 months ago

Selected Answer: BC

When the auto date/time option is enabled, Power BI automatically generates a hidden date table for each date column in your data model. These hidden tables are used for time-based operations like year, month, and quarter analysis.

Creating a Date table and marking it as the "Date Table" ensures that the table is used for time intelligence functions. However, the auto date/time option remains enabled unless you explicitly disable it.

If you create your own Date table but do not disable the auto date/time option, Power BI will still generate hidden date tables for all date columns. This increases the size of the data model unnecessarily.

Disabling the auto date/time option ensures that only your custom Date table is used, reducing model size and improving performance.

[-] **SylUK** 1 point 6 months ago

Based on your conclusion, how will you be able to : " analyze product sales by month and quarter." ? The answer is A and C

[-] **jaume** 2 points 9 months ago

Selected Answer: AC

Perfectly explained by ak57: Smaller Model Size: By using a custom date table, you avoid the need for multiple auto-generated date tables that Power BI creates by default for each date column in your dataset, leading to a smaller, more efficient model.

[-] **uno96** 1 point 9 months ago

AB is the right answer because disabling auto date/time helps to reduce the size

[-] **ec338ed** 1 point 10 months ago

Selected Answer: BC

BC: When you mark a Date table you don't need to create a relationship to work with DAX time intelligence. Only for filtering you need to create relationships.

[-] **ak57** 1 point 12 months ago

A and C:

Smaller Model Size: By using a custom date table, you avoid the need for multiple auto-generated date tables that Power BI creates by default for each date column in your dataset, leading to a smaller, more efficient model.

[-] **539d541** 1 point 12 months ago

Selected Answer: BC

I chose B and C as a result, knowing that it would be incomplete without creating the relationship (A) but choosing B would reduce the model size while still getting halfway to the required analysis stage.

[-] **rcaliandro** 1 point 12 months ago

It does make sense B and C, but in order to optimize query performances also B (Disable the auto date/time option) should be correct, right?

[-] **rcaliandro** 1 point 12 months ago

I changed my mind, in my opinion it is AC

[-] **AZFabio** 1 point over 1 year ago

Selected Answer: AC

Correct

[-] **erency3** 4 points over 1 year ago

The answer is BC, AC will not reduce the model size. BC on the other will reduce the model size since you disable auto date/time, and when you mark the date table as the date table the relationship will become automatic, there is no obligation to connect them to do the analysis.

[-] **erency3** 1 point over 1 year ago

ok I was wrong, marking as date table will also remove auto created date tables, and the relationship will be clear (too many date columns)

[-] **niceguysfinishlast** 1 point about 1 year ago

If the auto date/time option remains enabled, Power BI might still create hidden date tables for other date columns, potentially increasing the model size unnecessarily.

[-] **Mo2011** 2 points about 1 year ago

No it DOES NOT

[-] **madyjoe21** 2 points over 1 year ago

The questions informs that a one-to-many relationship exists between the tables, so I would go B and C

[-] **asnygen** 2 points over 1 year ago

chatgpt> BC is correct

[-] **HarryGorya** 2 points over 1 year ago

Answer - A & C

Creating a Date table and selecting Mark as Date Table will automatically disable the auto date/time option in Power BI. This is because Power BI recognizes the designated Date table as the primary source of date information for the data model. When a Date table is marked as such, Power BI will use the date values from this table for all date-related calculations and visualizations. As a result, the auto date/time option becomes redundant and is automatically disabled to avoid potential conflicts or inconsistencies.

[-] **lgetmyrole** 2 points almost 2 years ago

C and A are correct answers.

C. You should create a dedicated date table in your data model that contains a continuous date sequence covering the range of your data.

A. After creating the Date table, you should establish a relationship between this date table and the Sales table using the common date-related column (e.g., "Order Date"). This relationship will allow you to perform time-based analysis by month and quarter while minimizing data redundancy.

[-] **XiaoV587** 4 points about 2 years ago

Selecting Mark as date table will remove autogenerated hierarchies from the Date field in the table that you marked as a date table. For other date fields, the auto hierarchy will still be present until you establish a relationship between that field and the date table or until you turn off the Auto Date/Time feature.

So B is implicit if you do A.

<https://learn.microsoft.com/en-us/training/modules/design-model-power-bi/3-date-table>

[-] **abbeyabh** 2 points about 2 years ago

C. Create a Date table and select Mark as Date Table.

A. Create a relationship between the Date table and the Sales table.

[-] **kelvin3105** 3 points about 2 years ago

According to <https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-date-tables>

It's important to note that when you specify your own date table, Power BI Desktop doesn't auto-create the hierarchies that it would otherwise build into your model on your behalf. If you later deselect your date table (and no longer have a manually set date table), Power BI Desktop recreates the automatically created built-in date tables for you, for the date columns in the table.

Also important to note is that when you mark a table as a date table, Power BI Desktop removes the built-in (automatically created) date table. And any visuals or DAX expressions you previously created based on those built-in tables will no longer work properly.

[-] **rania** 2 points about 2 years ago

Disable the auto date/time option may improve the performance of the model not A

[-] **KhaledGH** 3 points over 2 years ago

Selected Answer: AC

when you specify your own date table, Power BI Desktop doesn't auto-create the hierarchies that it would otherwise build into your model on your behalf. If you later deselect your date table (and no longer have a manually set date table), Power BI Desktop recreates the automatically created built-in date tables for you, for the date columns in the table.
<https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-date-tables>

[-] **Burabari** 5 points over 2 years ago

Selected Answer: BC

A = wrong. There is no need to create another relationship between the tables as the question already states that there is a relationship between the tables.

B = Correct. Disabling auto date setting ensures that you control which columns gets the Date type features and only the features you need.

C = Correct. In fact once you select C as a correct answer, you must select B as the other correct answer because they go together.

[-] **LeeTheRed** 2 points about 2 years ago

Relationship existed for existing tables, when you introduced a new table (the date table), you will need to create a relationship.

[-] **Sleepyfish** 1 point almost 2 years ago

"Disabling the Auto date/time feature removes all the automatically created Date tables, which reduces the file size."
see reference:

[-] **shmmmini** 3 points over 2 years ago

A/C Alone don't reduce the size of the model while this is required. You need B to reduce the size of the model. Otherwise, there is no need to a new table as the Autodatetime does the job

[-] **Burabari** 2 points over 2 years ago

You are correct. Besides there is already a relationship between the tables as stated in the question so why create another?

The answer is B and C

[-] **og44** 1 point over 1 year ago

an ew date table is created, hence the new relationship needs to be established.

[-] **shmmmini** 1 point over 2 years ago

For me, the answer needs

[-] **RazaTheLegend** 4 points over 2 years ago

Selected Answer: AC

The correct actions to perform to reduce the size of the data model while maintaining the ability to analyze product sales by month and quarter are:

A. Create a relationship between the Date table and the Sales table.

C. Create a Date table and select Mark as Date Table.

Explanation:

A. Creating a relationship between the Date table and the Sales table will enable you to analyze product sales by month and quarter, while still maintaining the ability to filter and group the data based on the date.

C. Creating a separate Date table and marking it as the Date Table will provide greater control over the data model and reduce its size, as well as enabling the use of time intelligence functions like TOTALYTD, TOTALQTD, and TOTALMTD.

B, D, and E are incorrect because they either remove functionality or do not address the need to analyze product sales by month and quarter.

No confusion, and no need to discuss further

[-] **SanaCanada** 2 points over 2 years ago

Selected Answer: AC

The correct actions to perform to reduce the size of the data model while maintaining the ability to analyze product sales by month and quarter are:

A. Create a relationship between the Date table and the Sales table.

C. Create a Date table and select Mark as Date Table.

Explanation:

A. Creating a relationship between the Date table and the Sales table will enable you to analyze product sales by month and quarter, while still maintaining the ability to filter and group the data based on the date.

C. Creating a separate Date table and marking it as the Date Table will provide greater control over the data model and reduce its size, as well as enabling the use of time intelligence functions like TOTALYTD, TOTALQTD, and TOTALMTD.

B, D, and E are incorrect because they either remove functionality or do not address the need to analyze product sales by month and quarter.

No confusion, and no need to discuss further

[-] **1sourabhpatel1** 2 points over 2 years ago

Therefore, answer B is not a correct action to perform to achieve the goal of reducing the size of the data model while maintaining the ability to analyze product sales by month and quarter.

[-] **oogrio** 2 points over 2 years ago

Selected Answer: AB

It is best option. At first, I went to BC, but I thought better.

[-] **charles879987** 1 point over 2 years ago

AC are correct. However, B is also needed otherwise you would have additional hidden datetime table automatically created for each date column that increases data model size.

[-] **Outsider** 1 point over 2 years ago

B & C

"reduce the size of the data" is asked. Auto/Time feature is creating tables that we don't need. It's a good practice (See SQLBI and Guy in the Cube) to disable it and to use/create a Calendar table.

[-] **Nawabi** 3 points over 2 years ago

Selected Answer: AC

AC

Correct option.

creating the date table and creating a relationship between the date table and sales table

[-] **yordiye** 3 points over 2 years ago

BC are correct

[-] **ewelaela** 4 points over 2 years ago

Selected Answer: AC

<https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-date-tables>

Marking table as date table will remove built-in connected date tables. As we need only month and quarter, we can reduce Date information in newly created Date table - comparing to built-in date tables our created Date table will be lighter so model size is decreases

[-] **svg10gh** 2 points over 2 years ago

Selected Answer: AC

Given ans looking good

<https://learn.microsoft.com/en-us/analysis-services/tutorial-tabular-1200/lesson-3-mark-as-date-table?view=asallproducts-allversions>

[-] **GabryPL** 3 points over 2 years ago

AC is the correct answer. B is not needed as: It's important to note that when you specify your own date table, Power BI Desktop does not auto-create the hierarchies that it would otherwise build into your model on your behalf. If you later deselect your date table (and no longer have a manually set date table), Power BI Desktop recreates the automatically created built-in date tables for you, for the date columns in the table. <https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-date-tables>

[-] **reyn007** 2 points over 2 years ago

Selected Answer: BC

i choose B and C because the question says one to many relationships exists between the tables , also each correct answer presents part of the solution, this means the auto date time should be disabled and a date table should be created. My opinion though .

[-] **Nawabi** 1 point over 2 years ago

Wrong. Relationship is between the existing table that are product and sales

[-] **reyn007** 1 point over 2 years ago

I agree the answer is A and C

[-] **ewelaela** 2 points over 2 years ago

AC

Question says relationship between existing tables (Sales and Product) exists, so we should assume Date table doesn't exist yet therefore no relation here

[-] **Danylessoucis** 1 point over 2 years ago

Answer is correct

[-] **GuerreiroJunior** 3 points over 2 years ago

Selected Answer: AC

Agreeded.

B´cause when the feature date and time is enabled Power BI creates a hidden Date Table for each Column of into DataBase.

Question 146



You have a Microsoft Power BI report. The size of PBIX file is 550 MB. The report is accessed by using an App workspace in shared capacity of powerbi.com.

The report uses an imported dataset that contains one fact table. The fact table contains 12 million rows. The dataset is scheduled to refresh twice a day at 08:00 and 17:00.

The report is a single page that contains 15 AppSource visuals and 10 default visuals.

Users say that the report is slow to load the visuals when they access and interact with the report.

You need to recommend a solution to improve the performance of the report.

What should you recommend?

- A. Implement row-level security (RLS).
- B. Remove unused columns from tables in the data model.
- C. Replace the default visuals with AppSource visuals.
- D. Enable visual interactions.

Hide Answer

[-] **BenShirrrr** 26 points over 2 years ago

Deja vu

[-] **abbeyabh** 9 points about 2 years ago

I think it is 3rd DejaVu

[-] **Richdata23** 1 point over 1 year ago

agreed

[-] **ewelaela** 8 points over 2 years ago

Selected Answer: B

B is correct

almost the same as Question #53, Topic 2

[-] **jaume** 1 point 9 months ago

Selected Answer: B

Duplicated question with Q53...at least we have same solution ;-)

[-] **539d541** 1 point 12 months ago

Selected Answer: B

Reducing data model may improve load time for visual interactions.

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: B

Still B: Remove unused columns from tables in the data model.

[-] **nassimanafa** 1 point about 1 year ago

Selected Answer: B

B is correct

[-] **AZFabio** 1 point over 1 year ago

Selected Answer: B

Flashback

[-] **Abhi_1526** 1 point over 1 year ago

Repeated Question Obviously B

[-] **Data_Works** 2 points over 1 year ago

Selected Answer: C

The correct answer is C. Replace the default visuals with AppSource visuals.

The question never mentioned about to reduce the size of the data model. The problem was the visuals taking so long to load. Placing multiple visuals in a single page makes the visuals to slow load. Limiting visuals in a single page makes the visual loading time faster.

Reference: <https://learn.microsoft.com/en-us/power-bi/guidance/power-bi-optimization#limit-visuals-on-report-pages>

[-] **539d541** 1 point 12 months ago

Interesting but replacing the default visuals with AppSource visuals doesn't mean that the count of visuals is changing on that page. Is there other documentation that says AppSource visuals are faster than default visuals? My intuition tells me not...but happy to be proven wrong.

[-] **Igetmyrole** 1 point almost 2 years ago

IF

&

Active Store Name = IF([Status] = "A", [Store Name], "Inactive - " & [Store Name])

[-] **Igetmyrole** 2 points almost 2 years ago

B is correct.

By removing columns that are not needed for the report, you can reduce the size of the data model. this can lead to faster loading times, especially when dealing with large datasets.

[-] **ZackandCoding** 2 points almost 2 years ago

i wish all questions were this easy and straightforward.

[-] **rania** 1 point about 2 years ago

Selected Answer: B

remove unused columns

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: B

Given answer is correct.

[-] **RazaTheLegend** 1 point over 2 years ago

Selected Answer: B

B is correct

almost the same as Question #53, Topic 2

[-] **Nawabi** 3 points over 2 years ago

Selected Answer: B

B CORRECT

Question 147



HOTSPOT

-

You have a Power BI data model that contains a table named Stores. The table has the following columns:

- Store Name
- Open Date
- Status
- State
- City

You need to create a calculated column named Active Store Name that meets the following requirements:

- When the value of the Status column is "A", the value in the Store Name column must be returned.
- When the value of the Status column is NOT "A", the value in the Store Name column that is prefixed with "Inactive - " must be returned.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Active Store Name = ([Status] = "A", [Store Name], "Inactive - " [Store Name])

IF
SWITCH
TRUE

&
&&
+

Hide Answer

Correct answer:

Active Store Name = ([Status] = "A", [Store Name], "Inactive - " [Store Name])

IF
SWITCH
TRUE

&
&&
+

[-] **GuerreiroJunior** 49 points over 2 years ago

Correct Answer.

&& Is the same for AND function in DAX, nd & is the same for concatenate on Excel.

[-] **Abhi_1526** 1 point over 1 year ago

Yes we have to use & for contention

[-] **JJMC5544** 9 points about 2 years ago

With SWITCH Function:

Active Store Name = SWITCH ([Status], "A", [Store Name], "Inactive - " & [Store Name])

[-] **Arth_1111** 1 point 11 months ago

Wrong!!

[-] **539d541** 2 points 12 months ago

Answer is correct

[-] **rcaliandro** 3 points 12 months ago

The answer is correct, it is an IF statement and we need the & operator to concatenate

[-] **nassimanafa** 2 points about 1 year ago

The answer is correct

[-] **alyes87** 1 point about 1 year ago

Hello , Is true

[-] **JohnChung** 2 points over 1 year ago

Correct answer

[-] **Male777** 6 points over 1 year ago

&& is used as a Replacement of 'AND' function.

Whereas & is used to concatenate two strings.

So answer will be "If - &".

[-] **AdrianBalescu** 5 points over 1 year ago

And (&&) DAX Operator for conditions or expressions;

Concatenation (&) DAX Operator for values or texts strings etc;

I believe it is:

if

&

[-] **madyjoe21** 3 points almost 2 years ago

If and && is the correct answer

[-] **madyjoe21** 2 points over 1 year ago

Sorry, I changed my mind and I can't delete my first comment.

If and & are the correct answers. Because & is used to concatenate two values.

[-] **Shalaleh** 2 points over 2 years ago

Correct answer.

[-] **UlyUkr** 4 points over 2 years ago

Correct answer is IF and &. & combines text and column values.

&& is used when you need to combine 2 conditions, replacement for AND in SQL.

[-] **55884** 1 point over 1 year ago

we are not combining 2 condition in the RETURN FALSE statement...

[-] **Tammy_07** 1 point almost 2 years ago

Test it in PBI before submitting incorrect answers.nswers

[-] **RazaTheLegend** 1 point over 2 years ago

The provided answer is correct: it is 'IF' '&'.

[-] **Lok_15** 1 point over 2 years ago

Correct answers

[-] **ewelaela** 4 points over 2 years ago

Correct: If, &

[-] **naomilena** 3 points over 2 years ago

The provided answer is correct: it is 'IF' '&'.

[-] **Sushvij** 5 points over 2 years ago

Correct

IF

&

Question 148



You have a CSV file that contains user complaints. The file contains a column named Logged. Logged contains the date and time each complaint occurred. The data in Logged is in the following format: 2018-12-31 at 08:59.

You need to be able to analyze the complaints by the logged date and use a built-in date hierarchy.

What should you do?

- A. Apply a transformation to extract the first 11 characters of the logged column.
- B. Add a conditional column that outputs 2018 if the Logged column starts with 2018 and set the data type of the new column to Whole Number.

C. Create a column by example that starts with 2018-12-31 and set the data type of the new column to Date.

D. Apply a transformation to extract the last 11 characters of the Logged column and set the data type of the new column to Date.

Hide Answer

[-] Kai_don 52 points over 2 years ago

Option C should be the correct answer not option B

[-] Aneran 19 points over 2 years ago

To analyze the complaints by the logged date and use a built-in date hierarchy, we need to extract the date portion of the "Logged" column and convert it to a date format. Therefore, the best option among the given choices is:

A. Apply a transformation to extract the first 11 characters of the logged column.

Since the date value is stored in the first 11 characters of the "Logged" column, extracting those characters using the "Extract" transformation in Power Query will give us the date value in the format "yyyy-MM-dd". We can then set the data type of the new column to "Date" to convert it into a date format. This will allow us to analyze the complaints by the logged date and use the built-in date hierarchy in Power BI.

Option B is not necessary and will not achieve the desired result. Option C will create a single date value and not allow us to analyze the complaints by the logged date. Option D suggested extracting the last 11 characters, but they contain both date and time values and may not result in the correct date format.

[-] tranquanghuy2111 3 points almost 2 years ago

i did try extracting first 11 characters but then cannot change the data type of 2018-12-31 to date. still dont know why

[-] LeeTheRed 14 points over 1 year ago

The date part is the first 10 characters, if you extract 11 characters then there will be a trailing space behind the date part thus won't be able to convert it to date. thus A is NOT the correct answer.

[-] 1CY1 1 point 11 months ago

Well, you can Trim it!

[-] 1CY1 1 point 11 months ago

You would then also have to convert it to a date.

[-] VladStan 1 point 11 months ago

Thanks for this!!

[-] oxfaf 1 point 5 days ago

Selected Answer: C

Correct

[-] Lulu_2022 1 point about 1 month ago

Selected Answer: A

The answer is wrong

To use Power BI's built-in date hierarchy, the column must be in a valid Date or Date/Time format. The first 10 or 11 characters (2018-12-31) represent the date portion, which is what Power BI needs to generate the hierarchy.

By extracting just the first 11 characters and converting the result to Date type, you enable Power BI to:

Recognize the column as a date

Automatically generate a hierarchy (Year > Quarter > Month > Day)

[-] Lulu_2022 1 point about 1 month ago

Selected Answer: A

he best answer is: A. Apply a transformation to extract the first 11 characters of the Logged column.

✓ Why This Works:

The Logged column contains values like "2018-12-31 at 08:59".

The first 10 characters represent the date ("2018-12-31"), and the 11th character is a space — so extracting the first 11 characters cleanly isolates the date portion.

Once extracted, you can change the data type to Date, and Power BI will automatically enable the built-in date hierarchy (Year, Quarter, Month, Day).

✗ Why the Others Don't Fit:

B: Only extracts the year and doesn't give you a full date — no hierarchy possible.

C: Creating a column by example is manual and not scalable for large datasets.

D: Extracting the last 11 characters gives you the time ("at 08:59"), which is the opposite of what you need.

[-] **lechuc508** 1 point 2 months ago

Selected Answer: A

The Logged column has values like:

2018-12-31 at 08:59

To analyze by date using a date hierarchy (Year > Quarter > Month > Day), you need to extract just the date portion (2018-12-31) and convert it to a Date data type.

The first 10 characters give you the date (2018-12-31), but the answer suggests extracting the first 11 characters, which includes a space after the date ("2018-12-31 "). This is acceptable since Power BI will ignore the extra space when converting to Date.

Once extracted, you set the data type to Date, which enables built-in date hierarchy in Power BI.

[-] **d28dcc1** 1 point 3 months ago

Selected Answer: A

This is a poor question with multiple correct answers. Specifically A and C could BOTH work.

I created a CSV and tested A in PowerBI. After the split PowerBI automatically removed the trailing space and recognized the first 11 characters as a date. You should try it yourself.

For answer C you could add the date column and fill with your required dates and also get a working solution.

With PowerBI's automatic trailing space deletion and date detection, Answer A might be the best choice here.

[-] **0002110** 1 point 5 months ago

Selected Answer: C

C is correct

[-] **0002110** 1 point 5 months ago

Selected Answer: A

Extracting the first 11 characters ("2018-12-31") will give you the date part, which can then be converted to a Date data type.

This will allow you to use the built-in Date Hierarchy in Power BI to analyze complaints by year, quarter, month, and day.

[-] **L3tty** 1 point 6 months ago

Selected Answer: A

I don't know but I think we are talking about different types of "transformation" here

Once by Power Query (M) (converting to date works) -> A is correct

and

Dax (convert to date does not work) -> A is wrong

I have just tested it and I will choose A

Please write if I miss something :)

[-] **Odidepse** 1 point 7 months ago

Selected Answer: A

A would be the better answer, You need to extract only the date portion (which is the first 11 characters: "2018-12-31") then set the data type using powerbi's out of the box date hierarchy feature. D cannot be as the "at 08:59" is outside the 11 character which cannot be converted to date.

[-] **GiuseppeTanda** 1 point 8 months ago

Selected Answer: C

C is right.

A is wrong because eventually are 10 not 11 characters to extract the date

B end with a whole number datatype instead of date

D doesn't even extract a recognizable

[-] **jaume** 1 point 9 months ago

Selected Answer: C

Extracting "last 11 characters" as in Option D would result in useless data (as "31 at 08:59")

Extracting "first 11 characters" would result in a useful date string (as "2018-12-3") but it would be still needed to change data type to "Date" (data is coming from a csv file, so definitively the original field content is not "Date" type).

Conditional column based on whether a field starts with 2018 will not work... what if it's a date from different year? this also would only result year number but not entire date for 2018 dates and its type would be set to whole number not date, so date hierarchy would also not be available.

Option C is the right one in my opinion, creating a full brand column with Date type data on it based on a first example out of the first data row mentioned in the question

[-] **539d541** 4 points 12 months ago

Selected Answer: C

Option C is correct only - I created an example csv and tested it. Using this, Power BI automatically generates the hierarchy required by the question also.

A is wrong because it will only partially get you there, returning the date as a String value not formatted as date.

B is only going to return the Year number

D is going to give you some of time, including the word 'at' etc.

[-] **nassimanafa** 2 points about 1 year ago

I'd select option C

[-] **adriankohws** 2 points about 1 year ago

I am not sure also why there was a correct answer on getting first 11 characters as there are only 10, 11 will have a space and not be recognized if trying to convert to date format, however, it will never be "B", as the question is to analyse over time, not just by year. Answer "B" is just year.

[-] **aalnhari11** 1 point about 1 year ago

Selected Answer: A

Same this question came in previous topic (question #10, Topic1), and the answer was (Apply a transformation to extract the first 11 characters of the Logged column). So which one is correct?

[-] **Aarch** 2 points over 1 year ago

Selected Answer: C

Yes C is correct answer, B is making the date field a whole number which doesn't help in analysing the date field data

[-] **Aarch** 1 point over 1 year ago

Selected Answer: B

B is the correct answer, because C is making the table as Date Table, which will remove the Date hierarchy feature. Question demands Date Hierarchy

[-] **skinnygore** 1 point over 1 year ago

we didn't get the answer :c

[-] **ultrxlght** 3 points over 1 year ago

I'm starting to think that the person who posts those questions just answers them at random. B? really? that is absurd

[-] **hakanc123** 4 points over 1 year ago

this question is more than once in the test examples but i still don't understand which is the correct answer :)

[-] **Rhugved** 2 points over 1 year ago

Selected Answer: C

C is the correct answer.

[-] **Dani_eL** 2 points over 1 year ago

A extracts 11 characters, the date format is 10 characters, including the last spacing characters will keep the data in string format --> not possible to create a date hierarchy;
B extracting the year only will not enable a date hierarchy either and will set the year format to whole number
D extracts the LAST 11 characters, there will be no date in there
Only valid answer is C: you create by example and PBI will recognize the date format and automatically apply hierarchy

[-] **lukelin08** 2 points over 1 year ago

C is correct

[-] **momo1165** 2 points over 1 year ago

A is less steps and lowers model size

[-] **Fenderol** 1 point over 1 year ago

Date type is missing for built-in hierarchy feature use

[-] **temor** 1 point over 1 year ago

From a quick search, here's what I discovered.

To analyze the complaints in the CSV file by the logged date and use a built-in date hierarchy, you should apply a transformation to extract the first 11 characters of the logged column. This action will isolate the date part of the 'Logged' column (e.g., '2018-12-31'), which is suitable for date hierarchy analysis. This approach is effective as it maintains the date in a recognizable format while discarding the time part, which may not be necessary for your date hierarchy analysis. This method ensures that you can analyze the data by year, month, and day without unnecessary complications.

For further detailed steps and examples, you can refer to Microsoft's documentation on Power BI and data transformation techniques, such as Power BI Desktop - Add Column From Example and Power Query - Split Date and Time into Separate Columns. the answer is A

[-] **temor** 1 point over 1 year ago

From a quick search, here's what I discovered.

To analyze the complaints in the CSV file by the logged date and use a built-in date hierarchy, you should apply a transformation to extract the first 11 characters of the logged column. This action will isolate the date part of the 'Logged' column (e.g., '2018-12-31'), which is suitable for date hierarchy analysis. This approach is effective as it maintains the date in a recognizable format while discarding the time part, which may not be necessary for your date hierarchy analysis. This method ensures that you can analyze the data by year, month, and day without unnecessary complications.

For further detailed steps and examples, you can refer to Microsoft's documentation on Power BI and data transformation techniques, such as Power BI Desktop - Add Column From Example and Power Query - Split Date and Time into Separate Columns.

[-] **riyadbkhsh** 2 points over 1 year ago

Selected Answer: C

Answer definitely is C

[-] **speranza1** 1 point almost 2 years ago

@tranquanhuy2111 Agree!!!!

[-] **tranquanhuy2111** 3 points almost 2 years ago

This question is repeat of question 10 in Topic 1. In question 10, the answer of that question is answer A of this question. weir

[-] **elsuizo_88** 2 points almost 2 years ago

in this questions the correct it was "C. Split the Logged column by using at as the delimiter."

[-] **HO1992** 8 points almost 2 years ago

is this website created by Microsoft to make us fail the exam? I don't get it why would all of these answers be wrong

[-] **og44** 3 points over 1 year ago

A lot of answers are not correct, and also many comments can be misleading. But it is good to see people's opinions.

[-] **Alscoran** 6 points over 1 year ago

I saw in another exam some comments that this is done on purpose so MS can't sue them for providing all the answers. Really if you know at least a little bit about the topic, then you can sometimes see the answers could be wrong and you go to the discussions to at least understand why. Personally I get more from the discussions then I do from the being given the answers. The people here are amazing and I learn more from here then I pick up from the MS Learn site.

[-] **Sonam13012002** 2 points almost 2 years ago

Why can't the answer be D? you are extracting the 11 digits and also changing the data type to date. which satisfies the requirement here and I even looked at Chatgpt which is also giving the same answer

[-] **yuri_rusanov** 5 points almost 2 years ago

Because answer D says "extract the last" not first characters

[-] **fabiovidart** 2 points almost 2 years ago

Letra C. Adicione uma coluna exemplo com o modelo que deseja e o Power Query utiliza o exemplo para os demais registros, após altera o tipo de dados para Data.

[-] **rashmikhohan** 1 point almost 2 years ago

Selected Answer: C
its C not B

[-] **XiaoV587** 1 point about 2 years ago

How to fill in the new column then?

[-] **cokimon** 4 points about 2 years ago

How do you get 11 characters with yyyy-MM-dd ?

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: C
Changing Data Type is important.

[-] **RazaTheLegend** 9 points over 2 years ago

Selected Answer: C

The correct action to analyze the complaints by the logged date and use a built-in date hierarchy is:

C. Create a column by example that starts with 2018-12-31 and set the data type of the new column to Date.

Explanation:

To use the built-in date hierarchy in Power BI, the date column must be a valid date data type. Therefore, the best approach is to create a new column and set its data type to date.

Option A and D are incorrect because they only extract a part of the logged date, which does not result in a valid date data type, and does not allow you to use a built-in date hierarchy.

Option B is incorrect because it does not create a valid date data type column and does not provide a way to use the built-in date hierarchy.

No confusion, and no need to discuss further

[-] **gldana** 4 points over 2 years ago

Selected Answer: C
Typo? B makes no sense

[-] **SanaCanada** 4 points over 2 years ago

Selected Answer: C

The correct action to analyze the complaints by the logged date and use a built-in date hierarchy is:

C. Create a column by example that starts with 2018-12-31 and set the data type of the new column to Date.

Explanation:

To use the built-in date hierarchy in Power BI, the date column must be a valid date data type. Therefore, the best approach is to create a new column and set its data type to date.

Option A and D are incorrect because they only extract a part of the logged date, which does not result in a valid date data type, and does not allow you to use a built-in date hierarchy.

Option B is incorrect because it does not create a valid date data type column and does not provide a way to use the built-in date hierarchy.

No confusion, and no need to discuss further

[-] **ilk777** 2 points over 2 years ago

About C: How do you know what date is the first record when you open the column by example window?

[-] **Andrew9834523** 1 point over 2 years ago

Selected Answer: C

C is the most correct answer

[-] **Pinha** 2 points over 2 years ago

Same with Q10. Answer is C

[-] **Neilsy** 1 point over 2 years ago

option C would just create a new column ie obviously wrong. tbh I don't think any of these options will fulfill the requirement. I would say D except replace "last" with "first". You have to set the datatype to date in order to leverage of the date hierarchy functionality. Does this question have typo?

[-] **Neilsy** 1 point over 2 years ago

woops I meant option B ie the new column

[-] **Sanatandharma** 3 points over 2 years ago

Why the answer is not A. For the same question when we applied splitting column into 2 using the first 11 character, it worked well. Why not we can apply same logic here and later delete the time column ?

[-] **shmmmini** 1 point over 2 years ago

The principle is correct, it's just that the Date part is 10 characters not 11

[-] **bob974** 1 point over 2 years ago

Hello, proposal A does not allow you to have a column in date format

[-] **TopCat1583** 1 point over 2 years ago

I don't understand how B will help. From my understanding B will create a new column without the time.

[-] **oogrio** 1 point over 2 years ago

Selected Answer: C

The answer is highly wrong. Because if you did this, you will lost the days granularity.

[-] **teedee447** 2 points over 2 years ago

I believe option C should be the correct answer

[-] **Pradeepahv10** 2 points over 2 years ago

C is correct

[-] **SampurnaOI** 1 point over 2 years ago

Why not d?

[-] **lorddelphos** 3 points over 2 years ago

Because it say last 11 characters and not first 11 characters

[-] **mernic** 1 point almost 2 years ago

Thank for answering, I didnt read corretly.

[-] **HemantGorle** 2 points over 2 years ago

Selected Answer: C

C is correct

[-] **ewelaela** 1 point over 2 years ago

C

<https://learn.microsoft.com/en-us/power-query/column-from-example>

[-] **reyn007** 2 points over 2 years ago

Selected Answer: C

Answer is C and not B because the conditional column would be year and not the logged date, also the data type should be date not whole number as specified in B.

[-] **jsking** 2 points over 2 years ago

Selected Answer: C

C is correct

[-] **Ugocuevas** 2 points over 2 years ago

Selected Answer: C

C is the answer

[-] **SayanChiku** 2 points over 2 years ago

C is the answer

[-] **Sushvij** 2 points over 2 years ago

Selected Answer: C

C is correct

[-] **svg10gh** 1 point over 2 years ago

Selected Answer: C

C is correct.

[-] **Nuli** 1 point over 2 years ago

C is the answer

[-] **GuerreiroJunior** 2 points over 2 years ago

Selected Answer: C

C is correct.

[-] **katmonon** 2 points over 2 years ago

I second that. I don't understand why the answer is written as B. Because the answer should be C

[-] **Sushvij** 1 point over 2 years ago

Option C is correct

Question 149



Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

From Power Query Editor, you profile the data shown in the following exhibit.

	IoT GUID	IoT DateTime	IoT ID
	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%	Valid 100% Error 0% Empty 0%
1	48196321-38D9-EC11-8B3D-0022489A2...	21/05/2022 18:59:25	100001000
2	49196321-38D9-EC11-8B3D-0022489A2...	21/05/2022 18:59:26	100001001
3	0300C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001002
4	0400C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001003
5	0500C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001004
6	0600C742-38D9-EC11-8B3D-0022489A2...	21/05/2022 19:00:21	100001005

The IoT GUID and IoT ID columns are unique to each row in the query.

You need to analyze IoT events by the hour and day of the year. The solution must improve dataset performance.

Solution: You create a custom column that concatenates the IoT GUID column and the IoT ID column and then delete the IoT GUID and IoT ID columns.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **Abhi256** 40 points over 2 years ago

Selected Answer: B

No, creating a custom column that concatenates the IoT GUID and IoT ID columns and then deleting the IoT GUID and IoT ID columns will not help in analyzing IoT events by the hour and day of the year. The solution does not address the need to extract the hour and day of the year from the DateTime column, which is essential for the required analysis.

To analyze IoT events by the hour and day of the year, you need to extract the hour and day of the year from the DateTime column and create new columns for them. This can be done using the Power Query Editor in Power BI. Once the new columns are created, you can use them to group and aggregate the data by hour and day of the year, respectively. This approach will also help to improve dataset performance by reducing the amount of data that needs to be processed.

[-] **Snfdfsfn** 6 points almost 2 years ago

You do not need two columns for date and time, you can do the analysis with the DateTime column. ChatGPT is wrong (again).

You do not need two columns for this analyses

ChatGPT

You are correct; you do not necessarily need two separate columns for analyzing IoT events by the hour and day of the year. One column representing a combination of date and time information can suffice for this analysis.

If you have a timestamp column that includes both date and time information, you can extract the hour and day of the year from that single column. You do not need two separate columns for this purpose.

So, the original solution of creating a custom column that concatenates the IoT GUID column and the IoT ID column and then deleting the IoT GUID and IoT ID columns is acceptable for this specific analysis, assuming that the timestamp data is available and appropriately formatted in the concatenated column.

Therefore, the answer is:

A. Yes

[-] **ApacheKafka** 5 points about 2 years ago

Yes ✓✓✓

It says both IoT GUID and IoT ID are unique on each row. Both will have same visualization on what ever you chose to analyze. As such merging them is not a bad idea.

[-] **elesglar** 2 points about 2 years ago

a bit ambiguous. I assume by previous questions that when they say date AND time of the year, we analyse them together in the same pack, otherwise it could say by date and by hour or by date or hour.

[-] **SanaCanada** 18 points over 2 years ago

Selected Answer: A

A. Yes, creating a custom column that concatenates the IoT GUID column and the IoT ID column and then deleting the IoT GUID and IoT ID columns can improve dataset performance and meet the goal of analyzing IoT events by the hour and day of the year. By combining the two columns into one custom column, it reduces the number of columns in the dataset and simplifies the query, which can improve performance. Additionally, the concatenated column can be used to group and analyze events by the hour and day of the year.

No confusion, and no need to discuss further

[-] **AgrawalCena** 20 points about 2 years ago

but you can't concatenate different data types. it will throw an error

[-] **chicken_chaser** 1 point 7 months ago

you can use ... & TextFrom([...])

[-] **539d541** 2 points 12 months ago

You have an eagle eye bro...this is the whole reason right here, well spotted!

[-] **AyoJose** 1 point almost 2 years ago

Who said that?

[-] **og44** 2 points over 1 year ago

Power Query throws error, but DAX do the job. the question mentions Power Query. so it will throws error.

[-] **Moppu** 1 point over 1 year ago

Great spot didnt see that at all - Answer likely B

[-] **GB32** 5 points almost 2 years ago

Mate you got two different data types there don't you see that, you will get an error by trying to concatenate those columns lol you just confuse people here with answers like this....go on Microsofts webiste and read bruv lol

[-] **Maniula** 35 points about 2 years ago

"No confusion, and no need to discuss further"
Insufferable.

[-] **itenginerd** 18 points almost 2 years ago

Literally the dumbest thing you can say on this site.

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: B

Concatenating two high-cardinality columns like IoT GUID and IoT ID into a new column does not reduce cardinality — it just creates another unique value per row, which still consumes a lot of memory and compresses poorly in Power BI's in-memory engine.

You're essentially replacing two large columns with one equally large column.

This does not help performance, and may even make it worse if the new column is used in visuals or relationships.

[-] **Imml_et** 1 point 7 months ago

I believe the question is ambiguous and both answers are correct. On one hand, reducing the number of columns in the model can improve performance. On the other hand, storing the 'IoT ID' field as text (concatenated with the 'IoT GUID' field) can negatively impact the model's performance in queries that require filtering by that field. Additionally, performing this concatenation can break necessary relationships with the 'IoT ID' field. Therefore, performing the suggested concatenation seems like a bad idea from a general standpoint. However, if we strictly adhere to the requirement ('You need to analyze IoT events by the hour and day of the year. The solution must improve dataset performance.') and ignore other negative consequences, I personally conclude that A is the correct answer, the proposed solution will improve the dataset performance

[-] **jaume** 2 points 9 months ago

Selected Answer: A

Resulting column would not improve the analysis but it would reduce the size of the data model as one column would be removed so it should improve performance

[-] **23042b9** 1 point 10 months ago

Selected Answer: B

While concatenating the IoT GUID and IoT ID columns into a single custom column may reduce the number of columns in your dataset, it does not effectively improve performance in terms of analysis. Additionally, by concatenating these unique identifiers, you might lose the ability to analyze events distinctly based on either ID.

[-] **Arth_1111** 1 point 11 months ago

Selected Answer: B

B is the correct answer

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: B

In my opinion it is NO, I'll go for B

[-] **Dani_eL** 8 points over 1 year ago

stop bringing confusion, and untested discussions.

The right answer is B NO because:

Open PBI Desktop, Home > Queries > Transform data --> OPEN QUERY EDITOR

That's the starting point of the question.

From Query editor, import the exact same dataset (you can ask gpt to build it for you)

Select your excel file and import it. Power query will create your 3 fields:

lot Guid : string

IoTDateTime : date

IoTID: number

According to the question, you create a CUSTOM Column: Add Columns > General > Custom columns. ([IoTGUID] & [IoT ID])

You are presented with a pop up window, name your column GUIDID and select the 2 columns.

You have a new column called GuidID with all its data is Error!

From there... feel free to decide if you want to delete [IoTGUID] & [IoT ID] being confident to perform analysis with a primary key saying "Error".... I would not.

[-] **LL_SeVa** 1 point over 1 year ago

Selected Answer: B

B is the correct

[-] **applushka** 5 points over 1 year ago

Selected Answer: B

we cannot concatenate Text and DateTime in Power Query, it will throw an error

[-] **Dsbuff** 1 point over 1 year ago

Selected Answer: B

Concatenating the IoT GUID column and the IoT ID column cannot help the requirement to analyze IoT events by the hour and day of the year.

[-] **william_001** 1 point over 1 year ago

combining GUID&ID together and remove the other tow will reduce the size of the model by one column, thus will theoratically improve the performance. as of analyzing by hour and day, HOUR() and DAY() function will do the work without split the column.

[-] **protivitiuser** 2 points almost 2 years ago

hm i don't want to soun d arrogant, but the comment sections would be a lot smaller if people would correctly read the ask...

[-] **lgetmyrole** 3 points almost 2 years ago

B is correct.

The solution doesn't address the datetime information required for such analysis.

To analyze IoT events by the hour and day of the year, you need to perform transformations specifically on the IoT datetime column to extract the hour and day of the year information.

[-] **LawAninye** 1 point almost 2 years ago

NICE ONE THERE

[-] **Imrod** 5 points almost 2 years ago

As said Before, the columns have different type of data, and only text columns can be concatenated. Tested at Power BI: "Expression.Error: We cannot apply operator & to types Text and Number"
So, answer it's B

[-] **Acrious** 3 points about 2 years ago

Selected Answer: A

A: Again its a case of, am I solving it the right way, best way or just a way that helps (in any way at all). Deleting 2 and merging into 1 does help. It may not be the best way or even a way we love, but the point is it will help

[-] **ApacheKafka** 3 points about 2 years ago



I dont think it is B for this reasons:

1. Both IoT GUID and IOT ID are unique. Which means Concatenating them is not an Issue whatsoever (Dont bring the argument of difference in data type. You can actually merge those columns without any error)
2. The Date columns has all the component needed for the analysis and dont require any further extraction of hour or year.
3. Merging and Deleting those columns will improve the case.

[-] **Bnxyl** 2 points about 2 years ago

Selected Answer: A

A is correct

[-] **srao53** 1 point about 2 years ago

Selected Answer: B

No, creating a custom column that concatenates the IoT GUID and IoT ID columns and then deleting the IoT GUID and IoT ID columns will not help in analyzing IoT events by the hour and day of the year. The solution does not address the need to extract the hour and day of the year from the DateTime column, which is essential for the required analysis.

To analyze IoT events by the hour and day of the year, you need to extract the hour and day of the year from the DateTime column and create new columns for them. This can be done using the Power Query Editor in Power BI. Once the new columns are created, you can use them to group and aggregate the data by hour and day of the year, respectively. This approach will also help to improve dataset performance by reducing the amount of data that needs to be processed.

[-] **Irism** 2 points over 2 years ago

Selected Answer: B

One is better, and it is better to keep only the IOT ID instead of combining two. That is why the answer is B

[-] **Andrew9834523** 2 points over 2 years ago

Selected Answer: A

One column is better than two. Though it is unorthodox way to reduce data model size

[-] **MarcoW91PL** 1 point over 2 years ago

You need to convert the integer column to text, else you get error, it is not mentioned so B

[-] **Nawabi** 5 points over 2 years ago

Selected Answer: B

B is correct

[-] **Nemesizz** 2 points over 2 years ago

A or B? I think A because its reduce model size , but reading the comments some of you guys say B

[-] **Shalaleh** 1 point over 2 years ago

I agree with you. I need the correct answer. does PDF include correct answers?

[-] **Robert_Tu** 3 points over 2 years ago

Selected Answer: A

A. Even though better solution is to delete the IoT GUID and only keep the IOT ID, concatenating those two and deleting the original will reduce the column number and improve the performance.

[-] **HemantGorle** 3 points over 2 years ago

Selected Answer: A

Though it will not be an elegant solution but we are going to have 1 column instead of 2 and it will surely reduce model size(by very little)

[-] **RafaPT** 4 points over 2 years ago

Selected Answer: B

B. Both are unique columns, but by concatenating them you will end up with a Unique Key with data type Text. This raises performance issues since Unique keys should be preferably integers for performance reasons. Also, since IoT GUID is not required might as well remove it.

[-] **Shalaleh** 2 points over 2 years ago

you are write, but anyway data type of IoT GUID is text.

[-] **ewelaela** 2 points over 2 years ago

Selected Answer: B

B - no need to concatenate unique columns, rather removing one of them will help

[-] **SayanChiku** 4 points over 2 years ago

Answer is NO.

IoT GUID & IOT ID both are unique key columns. so we can delete any one among them. From performance point of view its good to delete text ID column i.e IOT GUID and keep IOT ID. concatenation is not required

[-] **Sushvij** 4 points over 2 years ago

Answer is NO.

IoT GUID & IOT ID both are unique key columns. so we can delete any one among them. From performance point of view its good to delete text ID column i.e IOT GUID and keep IOT ID. concatenation is not required

[-] **Ugocuevas** 2 points over 2 years ago

It is not required, yet, it will meet the goal

mambamota 2 points over 2 years ago

it will improve to have one col instead of two, right?

GabryPL 3 points over 2 years ago

agree, It preserve all the information and reduce the model size

Question 150

You have a custom connector that returns ID, From, To, Subject, Body, and Has Attachments for every email sent during the past year. More than 10 million records are returned.

You build a report analyzing the internal networks of employees based on whom they send emails to.

You need to prevent report recipients from reading the analyzed emails. The solution must minimize the model size.

What should you do?

- A. From Model view, set the Subject and Body columns to Hidden.
- B. Remove the Subject and Body columns during the import.**
- C. Implement row-level security (RLS) so that the report recipients can only see results based on the emails they sent.

Hide Answer

RazaTheLegend 46 points over 2 years ago

Selected Answer: B

B is the best option to prevent report recipients from reading the analyzed emails and minimize the model size.

Removing the Subject and Body columns during the import process ensures that they are not included in the model, which prevents report recipients from being able to access the analyzed email content.

A and C are not effective solutions for preventing report recipients from reading the analyzed emails.

A: Hiding the Subject and Body columns in the model view may prevent report recipients from seeing the content in the report, but the data is still stored in the model and can potentially be accessed by someone with the appropriate permissions.

C: Implementing row-level security (RLS) restricts data access based on user roles or permissions, but it does not prevent access to the analyzed email content in the model.

No confusion, and no need to discuss further

inejo 4 points about 2 years ago

Gracias por tu explicación :)

RickyAnd 17 points almost 3 years ago

Selected Answer: B

correct, "prevent report recipients from reading the analyzed emails"

Minh2712 1 point 5 months ago

Selected Answer: B

B is the correct answer because A and C cannot reduce model size.

rcaliandro 1 point 12 months ago

Selected Answer: B

For exclusion B is the only one that reduce the complexity. Hide or implement RLS is not the correct way to do that.

I totally agree with you: B. Remove the Subject and Body columns during the import.

[-] **Kiran37** 1 point about 1 year ago

correct

[-] **Tareqk** 4 points over 1 year ago

This is was on the exam today. 2024-04-19

[-] **vikiviki** 1 point over 1 year ago

I think must be B because if you choose to remove Subject and Body columns you will have report based on whom they send emails , so the report and analyzed data (to whom..) of the rest part of the mails will still be visible.

[-] **Umbre** 1 point over 1 year ago

ChatGPT

C. Implement row-level security (RLS) so that the report recipients can only see results based on the emails they sent.

Explanation:

Row-Level Security (RLS) allows you to control access to data at the row level based on user roles or filters. By applying RLS, you can restrict report recipients' visibility to only the data relevant to them.

In your scenario, you want to ensure that employees can only see results related to the emails they sent. RLS provides a fine-grained approach to achieve this without affecting the model size.

Hiding columns or removing them during import won't prevent recipients from accessing the data if they have direct access to the model.

[-] **kenyJen** 2 points 11 months ago

But it doesn't minimize the model size.

[-] **AZFabio** 1 point over 1 year ago

Selected Answer: B

correct

[-] **benni_ale** 1 point over 1 year ago

Selected Answer: B

CLS is not available in Power Bi so we either Mask or remove the columns. Mask them though still potentially leaves chances to view the data.

[-] **Dani_eL** 1 point over 1 year ago

Selected Answer: B

dissect the question and only keep key elements:

custom connector : ID, From, To, Subject, Body, and Has Attachments

-build a report analyzing send emails to.

-prevent report from reading emails.

-minimize the model size.

What should you do?

Pretty obvious you only need to keep : [ID, From, To], right ?

[-] **edbf978** 1 point over 1 year ago

Selected Answer: B

Correct

[-] **Igetmyrole** 2 points almost 2 years ago

C is the correct answer.

In this scenario, we want to prevent report recipients from reading the analyzed emails while still allowing them to analyze internal networks based on whom employees send emails to. To achieve this this goal while minimizing the model size, implementing row-level security (RLS) is the most appropriate solution.

Option A doesn't prevent access to the underlying data. Option B might limit our ability to perform analysis based on the content of emails.

[-] **bingomutant** 1 point almost 2 years ago

C doesnt minimize the size , B does

[-] **inejo** 1 point about 2 years ago

B es correcta

[-] **SanaCanada** 3 points over 2 years ago

Selected Answer: B

B is the best option to prevent report recipients from reading the analyzed emails and minimize the model size.

Removing the Subject and Body columns during the import process ensures that they are not included in the model, which prevents report recipients from being able to access the analyzed email content.

A and C are not effective solutions for preventing report recipients from reading the analyzed emails.

A: Hiding the Subject and Body columns in the model view may prevent report recipients from seeing the content in the report, but the data is still stored in the model and can potentially be accessed by someone with the appropriate permissions.

C: Implementing row-level security (RLS) restricts data access based on user roles or permissions, but it does not prevent access to the analyzed email content in the model.

No confusion, and no need to discuss further

[-] **louisaok** 3 points over 2 years ago

Remove the sensitive info at the very beginning

[-] **lukelin08** 1 point over 2 years ago

Selected Answer: B

B is correct for me

[-] **CHT1988** 3 points almost 3 years ago

Selected Answer: B

B is correct

[-] **samad1234** 2 points almost 3 years ago

B is correct

[-] **Nurgul** 7 points almost 3 years ago

Selected Answer: B

B is correct, it minimizes the model size.

[-] **aloulouder** 5 points almost 3 years ago

correct

Question 151

You have a Power BI model that contains a table named Employee. The table contains the following data.

Name	EmployeeID	ParentEmployeeID
David	100	100
Simon	101	100
Wenanta	102	100
Conrad	103	101
Priyish	104	103
Sunil	105	103
Pavel	106	102

Each employee has one manager as shown in the ParentEmployeeID column.

All reporting paths lead to the CEO at the top of the organizational hierarchy.

You need to create a calculated column that returns the count of levels from each employee to the CEO.

Which DAX expression should you use?

- A. `PATHLENGTH(PATH(Employee[EmployeeID],Employee[ParentEmployeeID]))`
- B. `PATHITEM(PATH(Employee[EmployeeID],Employee[ParentEmployeeID]),1,INTEGER)`
- C. `PATHCONTAINS(PATH(Employee[EmployeeID],Employee[ParentEmployeeID]),1)`
- D. `PATH(Employee[EmployeeID],Employee[ParentEmployeeID])`

Hide Answer

[-] **svg10gh** 35 points over 2 years ago

A is correct answer. This video proves all
<https://www.youtube.com/watch?v=uE0G6gLz7WM>

[-] **JudT** 1 point over 1 year ago

Great link. Ta

[-] **Nass75** 2 points over 2 years ago

Thanks for the video link.

[-] **IVO999** 1 point almost 2 years ago

Thanks!

[-] **hativo5113** 2 points almost 2 years ago

what a great video man.

[-] **VGG2001** 1 point about 2 years ago

thanks dude

[-] **ewelaela** 25 points over 2 years ago

Selected Answer: A

Answer A is correct - tested

Although for CEO it returns 1 - so I personally would subtract 1 from this PATHLENGTH when creating the report, as I think numbers of levels from CEO to CEO is 0, for managers directly under CEO it is 1 etc

[-] **gaikwpa** 17 points about 2 years ago

PATH will give this - ToTop

100

100|101

100|102

100|101|103

100|101|103|104

100|101|103|105

100|102|106

PATHLENGTH(PATH...) will give this

1

2

2

3

4

4
3

[-] **539d541** 1 point 12 months ago

Selected Answer: A
A is correct

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: A
Tested! A is the correct option, it returns the number of levels from the CEO.
B always returns 100, C returns a boolean, and D return the concatenation of the paths

[-] **applushka** 1 point over 1 year ago

Selected Answer: A
tested in PBI, PATHLENGTH(PATH(Employee[EmployeeID],Employee[ParentEmployeeID])) will return the count of levels including 1 for the CEO itself as ewelaela mentioned earlier

[-] **applushka** 1 point over 1 year ago

PATHLENGTH return 1 for top level

[-] **lgetmyrole** 1 point almost 2 years ago

A is correct answer.
This expression calculates the path length from each employee to the CEO, effectively giving you the count of levels in the hierarchy.

[-] **ngoduytien** 3 points about 2 years ago

A
<https://learn.microsoft.com/en-us/dax/pathlength-function-dax>

[-] **RazaTheLegend** 1 point over 2 years ago

Selected Answer: A
Answer A is correct - tested
Although for CEO it returns 1 - so I personally would subtract 1 from this PATHLENGTH when creating the report, as I think numbers of levels from CEO to CEO is 0, formanagaers directly under CEO it is 1 etc

[-] **og44** 1 point over 1 year ago

these types of conventions kill me. for example python and nmpy will start their indexes from 0, but pandas will use 1.

[-] **glenman0202** 7 points over 2 years ago

Selected Answer: A
According to <https://learn.microsoft.com/en-us/dax/path-function-dax>, PATH returns a string containing "the identifiers of all the parents to the current identifier", whereas PATHLENGTH returns "the number of items that are parents to the specified item."

[-] **HemantGorle** 1 point over 2 years ago

Selected Answer: A
PathLength function needs a path to travel and provide length of the hierarchy

[-] **Nuli** 2 points over 2 years ago

The Answer is A because the question instructs that we count the different levels of each employee. The PathLength gives the result. For more information see the link <https://learn.microsoft.com/en-us/dax/pathlength-function-dax>
Answer D is wrong because it only returns the items related to the current row value and does not give the count.

[-] **Sushvij** 3 points over 2 years ago

A is correct answer

[-] **Danylessoucis** 2 points over 2 years ago

Correct answer

[-] **GuerreiroJunior** 2 points over 2 years ago

Selected Answer: D

<https://simplebiinsights.com/power-bi-path-function-for-parent-child-hierarchies-in-dax/#:~:text=PATH%20function%20returns%20a%20delimited,to%20the%20current%20row%20value.>

Question 152



You have a Microsoft Power BI report. The size of PBIX file is 550 MB. The report is accessed by using an App workspace in shared capacity of powerbi.com.

The report uses an imported dataset that contains one fact table. The fact table contains 12 million rows. The dataset is scheduled to refresh twice a day at 08:00 and 17:00.

The report is a single page that contains 15 AppSource visuals and 10 default visuals.

Users say that the report is slow to load the visuals when they access and interact with the report.

You need to recommend a solution to improve the performance of the report.

What should you recommend?

- A. Replace the default visuals with AppSource visuals.
- ☒ B. Remove unused columns from tables in the data model.
- C. Change the imported dataset to DirectQuery
- D. Increase the number of times that the dataset is refreshed.

Hide Answer

[-] **hufi** 51 points over 2 years ago

deja vu

[-] **ewelaela** 21 points over 2 years ago

Selected Answer: B

B is correct

same as questions 53 and 56

[-] **desibaby09** 1 point 8 months ago

Selected Answer: B

The best option. C would be a good answer choice if it says it needs "real time data" but it has schedule refreshes so direct query isn't necessary. the compliant is about visuals which means import mode is good

[-] **jaume** 1 point 9 months ago

Selected Answer: B

Third time this question is appearing in Topic 2 group of questions.
It would be good improving performance by reducing data size :-P

[-] **Sheree_Data** 1 point 12 months ago

C. There is a reason that the answer options keep changing. DirectQuery can help with performance by querying the data source directly rather than loading all data into memory.

[-] **539d541** 2 points 12 months ago

This isn't correct because that means when the user clicks a visual for interaction, the measures that generate the data to be visuals send the query to the data source - could be a very remote server and force that to do the querying before returning it to the published report. That is going to take longer than if the data was imported/cached on power bi online service.

[-] **28485e1** 3 points over 1 year ago

This question and the CSV complaint question: all-time most repeated questions.

[-] **user28272615** 5 points over 1 year ago

Was at the exam on February 12th 2024

[-] **robert95** 1 point over 1 year ago

You should also minimize the amount of visuals on that particular page.

[-] **lgetmyrole** 1 point almost 2 years ago

B is the correct answer.

By removing columns that are not needed for the report, you can reduce the size of the data model. This can lead to faster loading times, especially when dealing with large datasets.

[-] **Kitkat10** 1 point almost 2 years ago

Deja vu

[-] **AGlassOfWater** 7 points about 2 years ago

This question is making me question my own memory.

[-] **madyjoe21** 1 point almost 2 years ago

lol lol lol

[-] **RazaTheLegend** 3 points over 2 years ago

Selected Answer: B

B is correct

same as questions 53 and 56

[-] **kail85** 5 points over 2 years ago

Selected Answer: B

This question appears several times and B is the correct answer.

[-] **SayanChiku** 5 points over 2 years ago

B is correct

Removing unwanted columns from the data model is a good trick to improve the performance

[-] **jsking** 3 points over 2 years ago

Selected Answer: C

Actually both B and C can improve performance but C seems to be the best solution for this case because this can significantly improve performance by allowing the report to retrieve data directly from the data source, rather than loading the large dataset into memory. This can also allow the data to be more fresh, while reducing the burden on the report by limiting the amount of data that needs to be loaded and processed.

[-] **Shalaleh** 7 points over 2 years ago

Remember it! from Direct query or Daul we can change to Import mode. But from import mode we cannot change to Direct Query.

[-] **JudT** 1 point over 1 year ago

Thank you for this reminder!

[-] **ewelaela** 6 points over 2 years ago

But changing to DirectQuery will increase load time for visuals, which already are complained about, so it's not a way to go in this case

[-] **semauni** 3 points over 2 years ago

Agreed, DirectQuery would be a solution if refresh times were the issue, not visual loading times. That should always be better with Import.

[-] **Rajaneshk** 3 points over 2 years ago

Yes correct. Import mode is the best option if your data is less than 1 GB and isn't constantly updating. Because all data comes from the Power BI Desktop Cache. So in such scenario, an import mode is faster than Direct Query mode when the data file size is below 1 GB. So DirectQuery refresh rate time will be more which impact the performance.

[-] **Sushvij** 1 point over 2 years ago

B is correct

Removing unwanted columns from the data model is a good trick to improve the performance

[-] **gaouas** 1 point over 2 years ago

"Increase the number of times that the dataset is refreshed" is the correct answer

[-] **mambamota** 1 point over 2 years ago

But it will not improve performance

[-] **Danylessoucis** 1 point over 2 years ago

Refresh has nothing to do with performance. Answer B is correct.

[-] **GuerreiroJunior** 1 point over 2 years ago

i donot agree with you.

remove column will reduce the size of the model and automaticaly it will improve the perfomance.

Question 153



HOTSPOT

-

You have the Power BI data model shown in the following exhibit.



You need to create a measure to count the number of product categories that had products sold during a selected period.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Product Categories Sold =

CALCULATE (

DISTINCTCOUNT('Product'[ProductCategory]),
 COUNT('Product'[ProductCategory]),
 DISTINCTCOUNT('Sales'[ProductID]),
 SUM('Sales'[SalesQuantity]),

'Sales'
 'Product'
 'Product'[ProductCategory]
 'Date'

)

Hide Answer

Correct answer:

Product Categories Sold =

CALCULATE (

DISTINCTCOUNT('Product'[ProductCategory]),
 COUNT('Product'[ProductCategory]),
 DISTINCTCOUNT('Sales'[ProductID]),
 SUM('Sales'[SalesQuantity]),

'Sales'
 'Product'
 'Product'[ProductCategory]
 'Date'

)

[-] **Sushvij** 106 points over 2 years ago

Wrong

Tested, correct answer is

Distinctcount('Product'[product category],
'sales'

[-] **mybarbie9917** 2 points over 2 years ago

I have the feeling that this answer is correct. Can you please explain more details for your test and the result?

[-] **Inesd** 1 point about 1 year ago

But Distinctcount takes one argument which is the column for which you want to apply the function, am I wrong ?

[-] **kail85** 3 points over 2 years ago

Distinctcount would make sense if the column to be counted has duplicates. Not applicable here, so COUNT would be the right answer. Second one would be Date

[-] **Abhi_1526** 2 points over 1 year ago

I agree , That is dimension table so no need of having duplicates

[-] **semauni** 6 points over 2 years ago

A product category can be assigned to multiple products, so there is a possibility of duplicates.

[-] **cokimon** 1 point about 2 years ago

If cat A has product B and product C. If B is sold twice and C is sold 4 times, the total count of cat A sold is 6. So it should be COUNT.

[-] **AshND** 2 points about 2 years ago

In your example scenario, Cat A should be included in the count of categories having sales. It doesn't matter how much sale it has, the fact that it is present in 'Sales' means that category has some sale and it should be included in the count.

[-] **psychopriti** 2 points about 2 years ago

YOU DUMB?

[-] **ZSun** 2 points about 2 years ago

yes, he is.

[-] **itenginerd** 2 points almost 2 years ago

Reread the assignment statement: "You need to create a measure to count the number of product categories that had products sold during a selected period."

You don't need to count the # of products sold, just how many product categories had any member items sell in the time period. So DistinctCount is the one you want to use here.

[-] **eeckman** 6 points over 2 years ago

That can't be right, DISTINCTCOUNT requires a column as parameter not a table.

<https://learn.microsoft.com/en-us/dax/distinctcount-function-dax>

Right answer is: COUNT(Product[ProductCategory],'Date')

[-] **Elektrolite** 1 point over 1 year ago

DistinctCount only accepts 1 argument so your DAX is wrong. There needs to be a closing bracket and a CALCULATE

[-] **cokimon** 12 points about 2 years ago

If you don't specify [date], how can you count how many sold for a specified period?

[-] **Dani_eL** 1 point over 1 year ago

the One to Many relationship is responsible for the filter on the Date table

[-] **og44** 2 points over 1 year ago

I guess use want to see time somewhere like me. Also the question is very vague, by mentioning just sale table, he think he is spanning some time, it is the whole history.

I tried this to narrow down:

filteronSale = CALCULATE(DISTINCTCOUNT('Product'[Category]), FILTER(Sales, Sales[OrderDateKey]=20170712)) yes it narrowed and gave me something. However if you use date table in the filter it is not the same behaviour.

[-] **Imrod** 6 points almost 2 years ago

Tested and I completely agree

DAX expression should be: CALCULATE (DISTINCTCOUNT(Product[ProductCategory]),Sales)

[-] **ben_g_smith** 12 points over 2 years ago

Tested today by building a replica model and Sushvij is correct.

To help clarify all questions the reason other answers are wrong:

COUNT counts the number of times the ProductCategory is sold so will double count, you only need to count it once per time period so you must use DISTINCTCOUNT.

DISTINCTCOUNT does use a column - Product[product category]

The given answer using 'Date' column is very wrong - it's the wrong table to count sales on! It should be 'Sales'

[-] **ElieG** 2 points over 1 year ago

because we should see the sold items, if we filter by Date we wont get the sold items, and after filtering the sold items we can then check the date that we want.

[-] **LouStar2** 23 points about 2 years ago

This question was definitely on todays exam

[-] **prabhath132** 2 points 6 months ago

Tested. Answer is wrong. Correct answer is :

Distinctcount('Product'[product category], 'sales')

[-] **b2775a4** 3 points 6 months ago

```
CALCULATE(  
DISTINCTCOUNT('Product'[ProductCategory]),  
'Sales'  
)
```

[-] **jaume** 1 point 9 months ago

I would vote for DISTINCTCOUNT('Sales'[ProductId]) and filter to be applied to 'Date'

(distinct) counting the Product Category in the Product table would return '1' for each category as they are listed only once in that table, aren't they? so we should count (distinctcount) how many times they are listed in the 'Sales' table

[-] **rcaliandro** 1 point 12 months ago

The correct answer is DISTINCTCOUNT('Product'[ProductCategory]), 'Date'

[-] **rcaliandro** 5 points 12 months ago

Sorry I was wrong the correct answer is DISTINCTCOUNT('Product'[ProductCategory]), Sales). I tested it

[-] **Mo2011** 2 points about 1 year ago

Tested

```
CategorySoldCount = CALCULATE(  
DISTINCTCOUNT(Products[ProductCategory]),Sales)
```

[-] **ultrxligh** 1 point over 1 year ago

it has to be sales and not date because of the filter flow

[-] **Elektrolite** 1 point over 1 year ago

Both Sales and Date passed as a calculate modifier seem unnecessary

[-] **Dani_eL** 12 points over 1 year ago

The question is:

the number of product categories

that had products sold

during a selected period.

Tested with data from adventureWorks using:

1 report, 2 cards, 1 slicer

card 1 has 'date'

card 2 has 'sales'

slicer is connected to Date table (using between dates parameters)
Using 'Date' will always return all the distinct categories no matter the selected dates in the slicer.
Using 'Sales' returns the number of distinct categories sold between the two dates of the slicer
correct tested answer is:
Distinctcount('Product'[product category],
'sales')

[-] **jeffbeckinc** 1 point over 1 year ago

This is a terrible question but I am going to say the posted answer is corrected since there is no cross filter direction in the relationship or DAX to indicate that Sales should be filtered on.
The date table has to be connected to the Sales table by the sales date and by using date to filter, you are not using a fact table to filter in the answer.
Terrible question, but this is my best attempt to defend the posted answer.

[-] **jeffbeckinc** 2 points over 1 year ago

I would like to withdraw or edit my prior comment. I believe the answer should be DistinctCount, Sales. I did not test it out properly before, when mirroring the model relationship as shown in the question.
DISTINCTCOUNT on Sales is the answer I believe

[-] **lukelin08** 4 points over 1 year ago

correct answer is
Distinctcount('Product'[product category],
'sales')

[-] **aplushka** 3 points over 1 year ago

tested in PBI:
Product Categories Sold = CALCULATE(DISTINCTCOUNT('Product'[ProductCategory]), Sales) will return count of categories sold per selected time period

[-] **odyash** 6 points almost 2 years ago

Answer:
CALCULATE(DISTINCTCOUNT('Product'[ProductCategory]), 'Sales')
Explanation (my attempt):
"to count num. of prod. categories" -> DISTINCTCOUNT('Product'[ProductCategory])
"had products sold" -> therefore, we want the filter to be the table sales, so that if a product ID is not found in sales table, then this ID's product category will not be counted in DISTINCTCOUNT
"during a selected period" -> I think this means we can "select" the desired period from a slicer in the report's page, or in the **Filters** pane, so this filter will automatically propagate to this DAX formula.

[-] **AdrianBalescu** 2 points over 1 year ago

perfect explanation

[-] **RMUK** 2 points almost 2 years ago

Distinctcount('Product'[product category],
'Date')

[-] **sunkkki** 2 points almost 2 years ago

I was wondering why it should be 'Sales,' not 'Date,' but here's chat GPT's explanation.
Product Categories Sold =
CALCULATE(
DISTINCTCOUNT(Product[ProductCategory]),
Date
)
what this formula does:
- It counts the distinct product categories from the 'Product' table.
- The filter context is based on the 'Date' table, meaning the calculation will consider only the dates that are currently selected or visible in your report.
In short, it has nothing to do with Sales, which is not what we want.

[-] **tranquanghuy2111** 6 points almost 2 years ago

chat GPT is totally wrong. Assuming we have another FACT table called STOCK. in this fact table we do have relationship with Product and Date.

so if we use DATE not SALES, how power BI can calculate and distinguish the point "products sold during a selected period" with "products in stock during a selected period"

[-] **tranquanghuy2111** 3 points almost 2 years ago

so we need to add SALES here, not DATE

[-] **Acrious** 8 points about 2 years ago

Distinctcount('Product'[product category],
'sales')

For those saying Count, it cannot be count. Yes the words they use are give us the count of categories in this period. But they mean Distinct, it has too. If you have

Categories

A

B

C

And selling stuff like

A bike

A chain

B wheel

There are only 2 categories. Now 3. If you do a count now you said 3... But there will never be 3 categories its 1 and 1 with a duplicate... = 2.

And sales not Date, because date has a 1 - Many relationship with Sales. so if you do a count on Date, you could end up with more than you expected as it would include duplicate categories from sales to cover the dates of those sales.

[-] **kayani29** 6 points about 2 years ago

The answer should be:

Distinctcount('Product'[product category],
'sales')

as the question clearly states:

product categories that had products sold during a "selected period" so the period is already selected.

[-] **JJMC5544** 4 points about 2 years ago

DISTINCTCOUNT ('Product' [ProductCategory]),
'Sales'

- Context Transition thanks to CALCULATE

[-] **Alvin_2113** 2 points about 2 years ago

Correct Answer:

Tested:

COUNT('Product'[Product Category]),
'Sales'

[-] **Rinesh25** 5 points about 2 years ago

Correct Answer -

CALCULATE(DISTINCTCOUNT('Product'[Category]), 'Sales')

[-] **RazaTheLegend** 6 points over 2 years ago

Wrong

Tested, correct answer is

Distinctcount('Product'[product category],
'sales')

[-] **niki_dat** 6 points over 2 years ago

Tested - CALCULATE(DISTINCTCOUNT('Product'[Category]), 'Sales')

[-] **SanaCanada** 3 points over 2 years ago

Correct Answer

Districtcount(Sales(ProductID)

and

Date

question count of product category, which product sold out on selected time period

mean

Sales..Sold out ...got ProductID...distinct....product id retrieve product category..on selected time period ...date

[-] **DiogoMartins** 2 points over 2 years ago

In my opinion, the correct answer is:

COUNT and Sales

There is no need to use DISTINCTCOUNT since you are already counting unique values in a dimension table.

The sales table purpose is to give context on the categories to count

[-] **Maniula** 1 point about 2 years ago

Product ID is the Key and it will have unique values, Product Category can be repeated (many ID's belonging to the same category)

[-] **Flaty** 7 points over 2 years ago

Districtcount('Product'[product category],'sales')

... is correct.

You have to use Distinctcount because in the product Table the ProductCategory is listed several times - it is not a unique value (depending how many different products belong to a productcategory).

As Filter "Sales" is correct as well, even when you want to use the "Date" Table it is not possible to use it in the formula (Intellisense). As explanation I am sure it is because of the filter direction going from Date -> Sales.

To test: When you use for example a Table-Visual and you add the MonthName first then the Sales-Table information (rows) is filtered by the Months - adding now the measure will filter the ProductCategory by the Months.

[-] **MrWood47** 7 points over 2 years ago

The answer should be:

CALCULATE(DISTINCTCOUNT('Product'[ProductCategory]),'Sales')

We would need to evaluate the distinct count of PRODUCT CATEGORIES (not products) based on the filter context provided by the Sales table.

The reason we're not using the Date table as the filter expression in the CALCULATE function to count the number of product categories sold is that the Date table doesn't directly contain any information about the product categories.

[-] **Outsider** 2 points over 2 years ago

COUNT is the answer. We want count how many products were sold in a period of time.

So, if yesterday we sold 2 Bikes, 1 Scooter and 3 Helmet. DISTCOU of ProdCat will be 3. Because is checking how many unique/distinct ProdCat are...so, Bike, Scooter and Helmet.

So, Count will returns 6 that is total amount of items sold.

[-] **XavierF08** 5 points over 2 years ago

But the requirement is to Count the Product Category not the specific Product.

So if you have 2 Bikes with different Model, lets call it under Category[2 Wheel] , 3 Cars with different model, lets call it under Category[4 Wheels]. In the table it would look like this

Category Product

2 Wheel Bike A

2 Wheel Bike B

4 Wheel CarA

4 Wheel CarB

4 Wheel CarC,

Given the requirement, we will only need the sales for Catagories 2Wheel and 4 wheels right? If we dont distinct it it will have multiple amount for each category with multiple rproducts

[-] **BWayne32** 2 points over 2 years ago

Distinctcount('Product'[product category],
'sales')

We have to count the distinct number of categories in the product table and then use the filter 'sales' so it will return only those product categories with products sold.

[-] **Rajaneshk** 1 point over 2 years ago

It say's that count the number of product categories but not to count the distinct number of categories so I think it should be count function.

[-] **ewelaela** 1 point over 2 years ago

DistinctCount, Sales - tested

[-] **Cieno** 6 points over 2 years ago

It's asking the number of product categories in selected period. Not sales quantity.

Distinctcount('Product'[product category]), Date

[-] **rege07** 1 point over 2 years ago

Can you guy see the CALCULATE function

[-] **EEKMAN** 3 points over 2 years ago

Right answer is: COUNT(Product[ProductCategory],'Date')

[-] **svg10gh** 2 points over 2 years ago

Should be

=count(Product[ProductCategory],'Date')

[-] **RooneySmith** 2 points over 2 years ago

I think DISTINCTCOUNT('Sales'[ProductID]) can be valid too here.

[-] **svg10gh** 1 point over 2 years ago

Why DISTINCTCOUNT ? not required distinct required only product category list.

[-] **Mubarakbabs** 1 point over 2 years ago

No, it won't. This will count the number of products sold. But the question requires that you count the number of product categories.

[-] **kail85** 5 points over 2 years ago

Why not

SUM('Sales'[SalesQuantity])

'Date'

[-] **ikramus** 1 point over 1 year ago

sum only take one parameter as a column

[-] **mambamota** 2 points over 2 years ago

I think answer is correct

[-] **mambamota** 1 point over 2 years ago

i think Sum is correct

HOTSPOT

-

You have the Power BI data model shown in the following exhibit.



The Sales table has the following columns.

Name	Data type	Sample value
ProductID	Whole number	1
InvoiceNumber	Whole number	100005
OrderDate	Date	2022-05-09
ShipDate	Date	2022-05-12
SalesAmount	Decimal number	1500.75
SalesQuantity	Whole number	3
LastUpdated	Date/time	5/22/2022 11:45:30 AM
AuditID	Whole number	123212

The data model must support the following analysis:

- Total sales by product by month in which the order was placed
- Quantities sold by product by day on which the order was placed
- Number of sales transactions by quarter in which the order was placed

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements

Removing the LastUpdated column from the Sales table reduces the model size while still supporting the required analysis.

Yes

☐

No

☐

Removing the ProductID column from the Sales table reduces the model size while still supporting the required analysis.

☐
☐

Removing the ShipDate column from the Sales table reduces the model size while still supporting the required analysis.

☐
☐

Hide Answer

Correct answer:

Statements	Yes	No
Removing the LastUpdated column from the Sales table reduces the model size while still supporting the required analysis.	☒	☐
Removing the ProductID column from the Sales table reduces the model size while still supporting the required analysis.	☐	☒
Removing the ShipDate column from the Sales table reduces the model size while still supporting the required analysis.	☒	☐

[-] **RazaTheLegend** 66 points over 2 years ago

Yes - No - Yes

no need to discuss anymore

[-] **Tex02** 7 points 11 months ago

you can't tell me what to discuss - you're not the boss of me

[-] **cs3122** 30 points over 1 year ago

I think we're all here to literally discuss

[-] **CheyrouLag** 22 points almost 2 years ago

I discuss if i want but yesnoyes

[-] **reignreign03** 15 points almost 2 years ago

Yeah, we'll discuss if we want, don't order us around xD

[-] **bbshu0801** 7 points over 1 year ago

Can't understand why "no need to discuss anymore" lol.

[-] **anishk** 1 point about 1 year ago

so what are we discussing..

[-] **Shalaleh** 6 points over 2 years ago

correct, yes, no, yes

[-] **jaume** 1 point 9 months ago

My vote in this Discussion will be for Yes - No - Yes

[-] **rcaliandro** 1 point 12 months ago

Yes, No, YES

[-] **rcaliandro** 1 point 12 months ago

Yes, We can remove the LastUpdated column and support the requirements

No, we need the productId in the requirements

Yes, we can remove the shipDate and still support the requirements

[-] **noone420** 2 points over 1 year ago

Second one is no because productId is the foreign key that links to product table to filter by product. Can't filter by product without it.

[-] **dede1723** 2 points over 1 year ago

YES - YES - YES

We don't need ProductID, there is AUDITID

[-] **jaume** 2 points 9 months ago

If we would remove ProductID column we would be not able to produce the required analysis "by product" as we would lose linkage to Product table. AuditID could be not related to the Product is sold

[-] **Arenke** 4 points almost 2 years ago

The second one cannot be YES?

We have the AuditID field, and even if it was not a PK, by deleting ProductID we would lose the relationship between the Product and Sales tables, but we could continue to perform the required analysis (without the product detail, we would only have the id).

[-] **Starvosxant** 4 points over 1 year ago

What is the relation AuditID has with products? I mean, How can you know that each audit id refers to a product? It may reference the lastupdate time.

[-] **RMUK** 2 points almost 2 years ago

why second is No, we have auditID column in both tables (sales and Product)

[-] **thomas_90** 3 points almost 2 years ago

the final sentence is Yes. All requirements can be calculated with only Order Date, so the Ship Date is no need for using.

[-] **Igetmyrole** 2 points almost 2 years ago

Yes

No

NO

Yes, you can remove the lastupdated column without affecting the ability to perform the required analysis.

No, you should not remove the ProductID column. It is a critical column for linking the sales table to the product table and performing analysis by product.

No, you should not remove the shipdate column. It is essential for analyzing sales by day, which is one of the require analyses.

[-] **jaume** 1 point 9 months ago

All the required analysis are "on which the order was placed" and we need th OrderDate column. ShipDate could be not the same the product was ordered

[-] **Dsbuff** 6 points over 1 year ago

- Total sales by product by month in which the order was placed: This analysis requires the OrderDate, ProductID, and SalesAmount columns. The ShipDate column is not required for this analysis.

- Quantities sold by product by day on which the order was placed: This analysis requires the OrderDate, ProductID, and SalesQuantity columns. Again, the ShipDate column is not necessary for this analysis.

- Number of sales transactions by quarter in which the order was placed: This analysis requires the OrderDate and InvoiceNumber columns. The ShipDate column is not needed for determining the number of transactions by quarter. Therefore, ShipDate column is not needed. So the 3rd answer should be Yes.

[-] **SylUK** 1 point 7 months ago

Good explanation thanks

[-] **Elfmo11** 2 points almost 2 years ago

You don't need ShipDate. Analysis by day should be done with OrderDate. The last one should also be yes.

[-] **Rinesh25** 3 points about 2 years ago

Yes

No

Yes

[-] **hanjoe** 4 points about 2 years ago

Can't we remove the ProductID column, as we have the AuditID column in both tables anyway?

[-] **EwoutBI 1 point** almost 2 years ago

It's an unlikely Primary Key.

[-] **ElieG 1 point** over 1 year ago

as Starvosxant said: What is the relation AuditID has with products? I mean, How can you know that each audit id refers to a product? It may reference the lastupdate time.

[-] **duyddd 2 points** about 2 years ago

I think the answer should be Y-N-N. The last one is NO because we need shipdate for transaction as required

[-] **Sjakie 3 points** about 2 years ago

In which the order was placed,order date. Last one is yes.

[-] **Shalaleh 1 point** over 2 years ago

YES-NO-YES

[-] **UlyUkr 1 point** over 2 years ago

Yes, No, Yes

[-] **gldana 1 point** over 2 years ago

Why do we need the ship date then? why don't we remove it?

[-] **Large94 2 points** over 2 years ago

I've got the same question, in all three options we need to sort by order date right?

[-] **Win_111 2 points** about 2 years ago

We don't need the ShipDate. It's removed from the answer!

[-] **Akhilesh_Maithani 2 points** over 2 years ago

Answer is correct

[-] **jiriz 2 points** over 2 years ago

Correct

Question 155



You have a Power BI data model that contains a table named Employees. The table has the following columns:

- Employee Name
- Email Address
- Start Date
- Job Title

You are implementing dynamic row-level security (RLS).

You need to create a table filter to meet the following requirements:

- Users must see only their own employee data.
- The DAX expression must work in both Power BI Desktop and the Power BI service.

Which expression should you use?

- A. [Email Address] - USERNAME()
- B. [Employee Name] - USERPRINCIPALNAME()
- C. [Employee Name] = USERNAME()
- D. [Email Address] = USERPRINCIPALNAME()

Hide Answer

[-] **jessiejay** 32 points over 2 years ago

Selected Answer: D

Within Power BI Desktop, username() will return a user in the format of DOMAIN\User and userprincipalname() will return a user in the format of user@contoso.com. Within the Power BI service, username() and userprincipalname() will both return the user's User Principal Name (UPN). This looks similar to an email address.

[-] **tiagoms** 4 points about 2 years ago

<https://learn.microsoft.com/en-us/power-bi/enterprise/service-admin-rls>

[-] **jiriz** 10 points over 2 years ago

Selected Answer: D

username() has the format of DOMAIN\username

userprincipalname() always returns the user in the format of their user principal name, like username@contoso.com

We want mail, so userprincipalname() is right

[-] **jaume** 1 point 9 months ago

Selected Answer: D

USERNAME() will work for PBI Service but not for PBI Desktop as it would return not UPN (User Principal Name" but DOMAIN\Username therefore we must use the solution using the USERPRINCIPALNAME() returning UPN in both cases

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: D

D - [Email Address] = USERPRINCIPALNAME() is the correct one because it always returns the email address

[-] **Usm_9** 7 points over 1 year ago

WAS ON THE EXAM 02 03 2024

[-] **panic_attack** 5 points over 1 year ago

This was on the exam on 22/2/2024 (:

[-] **ManuCorbe** 1 point over 1 year ago

Easy, for manager role (Each manager must see only the data in the Sales and Human Resources tables for their own country)

ROLE: Manager

TABLE: Country

DAX: [Email] = userprincipalname()

Filtering the table COUNTRY for the USERNAME will only allow Manager role to see data in other tables filtered by her/his own country

ROLE: CFO

TABLE: Human Resources

DAX: false()

The CFO role will only have 1 restricted (false()) table that is Human resources. The rest is without filters

[-] **Igetmyrole** 1 point almost 2 years ago

D is the correct answer.

[-] **VGG2001** 5 points about 2 years ago

Selected Answer: D

<https://www.youtube.com/watch?v=TGgec9oP8oU>

this video explains it.

[-] **HoneyBunny** 1 point over 2 years ago

Selected Answer: A

To create dynamic row-level security (RLS) in Power BI that allows users to see only their own employee data, you can create a DAX expression using the USERNAME function.

Here's the DAX expression you can use for the table filter:

scss

Copy code

```
Employees[Email Address] = USERNAME() & "@contoso.com"
```

Assuming that the domain for the email addresses is contoso.com, this expression filters the Employees table to show only the rows where the Email Address column matches the email address of the current user.

The USERNAME() function returns the Windows account name of the current user in the format DOMAIN\Username. By concatenating the returned value with "@contoso.com", the DAX expression generates the email address of the current user that matches the email address in the Employees table.

Note that to use this DAX expression, you need to configure row-level security in Power BI Desktop or the Power BI service. You can assign roles to users and apply filters based on the DAX expression for each role.

[-] **aplushka** 1 point over 1 year ago

my understanding is that to make the provided expression work in both the desktop and PBI service you should use userprincipal(), username works on the desktop

[-] **Shalaleh** 1 point over 2 years ago

does anybody have any source for this question?

[-] **RazaTheLegend** 4 points over 2 years ago

Selected Answer: D

To implement dynamic row-level security (RLS) on the Employees table, a table filter must be created. The table filter should be based on the user's email address or user principal name (UPN), as these are unique identifiers for each user.

The DAX expression [Email Address] = USERPRINCIPALNAME() will filter the Employees table to only show rows where the Email Address column matches the UPN of the current user. This expression works in both Power BI Desktop and the Power BI service, and will ensure that each user only sees their own employee data.

[-] **Lotusss** 1 point over 2 years ago

But if we use the USERPRINCIPALNAME() function it returns the user's login name, which may not be the same as their email address. right?

[-] **Shalaleh** 1 point over 2 years ago

Does someone know why C is not correct?

[-] **1sourabhpatel1** 3 points over 2 years ago

Option C is incorrect because it checks for an exact match on the Employee Name column, which may not always be unique for each user.

[-] **Jahanif** 1 point over 1 year ago

Thanks for the explanation, appreciate it!


[-] **Akhilesh_Maithani** 3 points over 2 years ago

Question 156

DRAG DROP

-

You have the Power BI data model shown in the following exhibit.



The Country table contains the following data.

Country	Manager	Email
USA	CFO	cfo@msn.com
France	Phillipe	phillipe@msn.com
Brazil	Juan	juan@msn.com
Singapore	Srini	srini@msn.com

You create two row-level security (RLS) roles named Manager and CFO.

You plan to publish the dataset to the Power BI service.

You need to create DAX expressions for the RLS filters. The solution must meet the following requirements:

- Each manager must see only the data in the Sales and Human Resources tables for their own country.
- The CFO must be prevented from seeing the data in the Human Resources table.

- The CFO must see the sales data of all countries.

How should you complete the DAX expressions to meet the requirements? To answer, drag the appropriate expressions to the correct targets. Each expression may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Table Filter DAX Expression

[Country]= "USA"

[Email]= userprincipalname()

[Manager]= "CFO"

False()

True()

Answer Area

Human Resources:

Country:

Hide Answer

Correct answer:

Answer Area

Human Resources: [Manager]= "CFO"

Country: [Email]= userprincipalname()

[-] **semauni** 89 points over 2 years ago

I simply don't get the answers to the question, or the question at all for that matter. I feel both should have two conditions...

Like:

HR = AND([Manager] <> "CFO", [Email] = userprincipalname())

Country = OR([MANAGER] = "CFO", [Email] = userprincipalname())

What am I missing here?

[-] **kvs_analyst** 1 point 5 months ago

The question seems unclear or incomplete. It asks for DAX filters for two roles, CFO and Manager, but provides only two blanks (HR and Country) without specifying the role.

If the filters are for the CFO role:

- HR: False() to restrict access to HR data.
- Country: [Email] = USERPRINCIPALNAME() to allow access based on email.

If the filters are for the Manager role:

- HR: leave blank to allow HR data access.
- Country: [Email] = USERPRINCIPALNAME() to restrict data to their country.

It seems the question is more aligned with the CFO role.

[-] **660091f** 4 points over 1 year ago

I thought, I was the only one

[-] **saraplez** 71 points about 2 years ago

Human Resources > False ()

Country > [Email] = USERPRINCIPALNAME ()

Explanation:

I would create 2 RLS:

1st with Human Resources > False ()

Add CFO user

- The CFO must be prevented from seeing the data in the Human Resources table.
- The CFO must see the sales data of all countries.

2nd with Country > [Email] = USERPRINCIPALNAME ()

Add manager users:

- Each manager must see only the data in the Sales and Human Resources tables for their own country.

[-] **SilentAnalyst** 12 points over 1 year ago

To build on top of saraplez answer, note that we are defining two roles: Manager and CFO

For the role CFO we create the following filter on the Human Resources table:

false()

Anyone assigned to this CFO role, will not have access to the Human Resources data. We only add the first manager (CFO) to this role.

for the role Manager, we create the following filter on the Country table:

[Email] = USERPRINCIPALNAME ()

We add Philipe, Juan and Sirini to this role. Then they would only have access to their own country data.

[-] **Oe18c76** 1 point over 1 year ago

I agree that the correct answer is:

Human Resources > False ()

Country > [Email] = USERPRINCIPALNAME ()

However, I wouldn't create two roles.

Please be aware that if you create 2 roles and you assign the same person to the 2 roles, the result will work as an OR instead of an AND. This means, that even if you assign the CFO to the second role (False on Human Resources), he would still get access to all regions because he is assigned to the first role for Country.

In this case, the solution is to create just one role and create two filters:

- Human Resources > False ()
- Country > [Email] = USERPRINCIPALNAME ()

Then assign the CFO to the role Power BI Service.

I presume, that the CFO is a Manager. Therefore in this context the other Managers would not get access to the Human resources. Please check:

https://www.youtube.com/watch?v=M5K_jKPxdqI

[-] **vivian_data** 1 point about 2 years ago

I agree

[-] **JudT** 2 points over 1 year ago

Understood now. Thank you very for your contribution. Much appreciated.

[-] **Mabuse1** 7 points about 2 years ago

For those who don't understand, watch this: <https://www.youtube.com/watch?v=XMLXbbSgiM0>

NB: False() restricts the entry to the table.

[-] **Lulu_2022** 1 point about 1 month ago

This does not look right. In country It should be FALSE(). And we had same question before with the answer using False.

[-] **Lulu_2022** 1 point about 1 month ago

◆ Human Resources Table (CFO Role)

To prevent the CFO from seeing any data in this table: FALSE()

This blocks all rows from being visible to the CFO.

◆ Country Table (Manager Role)

To allow each manager to see data only for their own country: Country[Country] = LOOKUPVALUE(Employee[Country], Employee[Email], USERPRINCIPALNAME())

This assumes you have a mapping between the user's email and their assigned country in an Employee or similar table.

[-] **SylUK** 1 point 6 months ago

The correct answer is : FALSE() and [Email]=Userprincipalname().

False() because CFO can only see USA sales data and the sales of others countries and he is restricted from accessing human resources' data.

[-] **SylUK** 1 point 6 months ago

FALSE() expression when working with roles is explained here:<https://learn.microsoft.com/en-us/power-bi/guidance/rls-guidance>

[-] **jaume** 1 point 9 months ago

We are creating 2 RLS roles... then , from the answer section should we assume the "Human Resources" condition will be applied to one role and "Country" to the other role? If so, since it's mentioned we are creating "Manager and CFO" roles, it would seems like "HR" would be condition for the first role ("Manager") and "Country" would affect second role ("CFO") and cannot imagine how to set that up.

Only scenario I can imagine to achieve what is requested would be:

- Role "Manager" --> RLS filter "Country" --> [Email] = UPN
- Role CFO --> RLS filter "HR" --> FALSE ()

It's harder to understand the question and imagine how to understand the answers than the specific topic allegedly is being evaluated

[-] **8b7b763** 1 point 10 months ago

For CFO: Human Resources table -> False ()

For Managers: Country table-> [Email] = USERPRINCIPALNAME ()

CFO role only needs to be restricted in the hr table.

manager role only needs to be restricted to their own country in the country table.

[-] **nelrosell** 1 point 11 months ago

After thorough testing I found out that one of the given answer False() is not exactly right.

If you only apply False() to the HR table then every manager can't see the Data.

1st requirement:

- Each manager must see only the data in the Sales and Human Resources tables for their own country.

Country: [Email] = USERPRINCIPALNAME()

2nd requirement:

- The CFO must be prevented from seeing the data in the Human Resources table.

Because there is no manager column for HR table, I have created a measure that returns select manager from Country table and use that measure to filter the HR table.

HR: [Selected Manager] <> "CFO" <--this will return false otherwise true

3rd requirement

The CFO must see the sales data of all countries.

-no filter to apply

I would say the selection of answers has to be corrected.

[-] **28485e1** 2 points over 1 year ago

Disregard my previous comment. I think I've figured it out. The header on the left selection says, "Table Filter DAX Expression." I think it's asking by which to filter OUT. Therefore, we only need to filter CFO out of HR and filter country by user.

[-] **28485e1** 1 point over 1 year ago

Are the CFO and managers different? I thought the CFO can't access HR? What is going on? What is it saying? This question is so stupid.

[-] **Yawak** 2 points over 1 year ago

Human Resource table -> False() -> Assign the CFO as member in PBI service

Country -> [Email] = USERPRINCIPLENAME() -> Assign the other 3 managers in PBI service

[-] **Abhi_1526** 2 points over 1 year ago

First those they have very long .After reading the entire question and see then seeing options people will realise like "kahna kya chate ho?(what)" We can't even do any guess.

[-] **Parth_Mehta** 3 points over 1 year ago

firstly, they asked for two roles but for which role we need to answer is not given
Secondly, I do not think we can use column from different table while defining filter condition in mange roles.
so for HR table, we can't have option b,c and
for Country table, can't use option a ,c because for both the roles it will be wrong
so answer colud be
=> for CFO role:
HR : False()
Country : True() (CFO should see the sale for all countries)
=>for manager role:
HR: True() (this table would be filtered by country table itself)
Country: [email=userprinciple()]

[-] **Dani_eL** 5 points over 1 year ago

I simply don't get the question

[-] **Male777** 1 point over 1 year ago

Answer is Reciprocal of what it should have had been..
By the way correct values are choosen.

[-] **JohnChung** 1 point over 1 year ago

I think the correct answer is:
Human Resource Table: [manager]="CFO" (Should filter the CFO out and return a false())
Country: [Email]= USERPRINCIPLENAME() (Direct managers other than CFO to their country data, both sales and human resources)

[-] **Enrique67** 1 point over 1 year ago

Hacen Falta tres expresiones DAX:
Para Rol gerente, tanto pais como recursos humanos: [Correo electrónico] = USERPRINCIPALNAME ()
Para rol CFO , dos expresiones: Una en pais: [Correo electrónico] = USERPRINCIPALNAME ()
y otra en RRHH, true() para que vea todo

[-] **ricardoamferreira18** 5 points almost 2 years ago

What it the correct answer?

[-] **thomas_90** 7 points almost 2 years ago

In my opinion, because it can be assign users to each RLS so the correct answer is HR - False() and Country - USERPRINCIPLENAME().
So the CFO will be assign to the RLS of HR and other Managers will be assign to the RLS of Country.

[-] **lgetmyrole** 2 points almost 2 years ago

[manager]="CFO'
[Email] = userprinciplaname()
[manager]="CFO': ensures that only the "CFO" role can see Human Resources data for the USA.
[Email] = userprinciplaname(): ensures that each manager sees only their country's data in the Sales and Human resources tables.

[-] **ab97776** 1 point over 1 year ago

CFO isn't supposed to see any human resources information, so "false()" works better. if there were a manager column in HR table, he could then see human resources info where CFO is listed

[-] **Elfmo11** 6 points almost 2 years ago

From the question:"The CFO must be prevented from seeing the data in the Human Resources table." So your logic about the CFO does not hold right?

[-] **RicoPallazzo7** 7 points almost 2 years ago

I don't get the point...

[-] **miro26** 4 points almost 2 years ago

It's easy because we publish it on the Power BI service, only.
Role for CFO is Human Resources: FALSE()
Role for Manager is COUNTRY: [Email] = userprincipalname()

[-] **RMUK** 2 points almost 2 years ago

if you set it to false, then all managers will not able to see HR data. But as per require analysis, all managers should see their data from sales and HR (point 1). right?

[-] **Maniula** 11 points about 2 years ago

The answer area looks incomplete, IRL I would attempt to achieve this with IF statements.

HR:

If ([Manager] = "CFO", false, [Email] = userprincipalname())

Country:

HR:

If ([Manager] = "CFO", true, [Email] = userprincipalname())

[-] **Maniula** 2 points about 2 years ago

Forgot the brackets for false() and true()

[-] **AG2013** 2 points over 1 year ago

HR table does not have Manager and Email columns, hence will your solution work?

[-] **ylcyl** 1 point almost 2 years ago

very useful tips! Thanks! =)

[-] **AY_Seyi** 5 points about 2 years ago

The answers provide will not suffice to meet the requirements,

The only options close enough is Country => [email] = userprincipalname()

Human Resource => False(),

This however if implemented will not allow CFO access all data in the sales table, for this require some modification; Country
=> and([Manager]<>'CFO', [email] = userprincipalname())

[-] **Shirl_Nina** 11 points about 2 years ago

The question and answer do not make sense.

[-] **saraplez** 8 points about 2 years ago

Human Resources > False ()

Country > [Email] = USERPRINCIPALNAME ()

I would create 2 RLS , I would add the manager to "Human resources" RLS and HR users to the "Country" RLS

[-] **ellafi23** 4 points about 2 years ago

RH : [Email] = userprincipalname()

country : [Manager] = "CFO"

[-] **cokimon** 1 point about 2 years ago

I think this line in the question stem ("You create two row-level security (RLS) roles named Manager and CFO".) is wrong. It probably meant to say "Manager" role and "Country" role.

[-] **cokimon** 1 point about 2 years ago

The only restriction is CFO can't see HR table so in Human Resources : Manager (role) = CFO. As for country, anyone with the proper email address can access it.

So I think the given answer is correct.

[-] **RitaS** 1 point about 2 years ago

Not sure if this is correct, but what I think they are saying is when the manager is CFO, they can see all the users of the country. If I look at the requirements, then the filter options, that is what I come up with. I weeded out [Country]="USA", True() and False() because they don't have anything to do with the requirements. Best I can come up with.

[-] **simburger** 7 points about 2 years ago

My guess is for the answer, they want all the filters necessary to create the two roles.
Role 1 Manager - Country: email = upn()
Role 2 CFO - HR: False

[-] **Shalaleh** 2 points over 2 years ago

From my point of view, CFO does not need any filter on Country table.

[-] **Shalaleh** 5 points over 2 years ago

CFO must not see the HR table, so HR...> False.
Manager should see data from their own country --->[Email] = userprincipalname()

[-] **CristianGP** 3 points over 2 years ago

Shouldn't it be duplicated? One per role?

[-] **Newb007** 3 points over 2 years ago

False - Human resources (you assign the CFO the role)
Country - userprincipalname. THIS QUESTION HURTS MY HEAD.... there is no great answer

[-] **shmmmini** 3 points over 2 years ago

I Would Say
Email = userprincipalname() -- So that every Manager can see the result of his country
Manager <> CFO So that CFO is prevented from seeing HR Data but not the others

[-] **MarcoW91PL** 6 points over 2 years ago

Country = [Email] = userprincipalname() HUMAN Resources = false()
As the manager needs to be able to see it's own country and the CFO has to be prevented from seeing the data from the human resources table.

[-] **Shalaleh** 1 point over 2 years ago

I agree with you!

[-] **Maverick7513** 1 point over 2 years ago

yes but CFO has to see also sales from all countries. With "Country = [Email] = userprincipalname()" CFO can see only USA sales, isn't he??

[-] **arnoh** 1 point about 2 years ago

If you would add the CFO to that role, then yes. But, you don't have to add the CFO to the country role at all

[-] **Acrrious** 1 point about 2 years ago

But if there is an RLS at all and you aren't part of it then how does that give you access? you don't add the others to the RLS / DAX for Country but then how do they get access?

[-] **MarcoW91PL** 3 points over 2 years ago

Can someone explain the logic behind this as I cannot find the names in the tables?

[-] **MarcoW91PL** 2 points over 2 years ago

Why there is no Email column in Human Resources?

[-] **Moabdil** 1 point over 2 years ago

You are agree if we can select twice email. It seems the best option. But, is it possible to answer both options as the same answer ?

[-] **Moabdil** 6 points over 2 years ago

Answers is not right, It is [Email] = userprincipalname() for Human Resources and [Manager] = [CFO] for Country.

[-] **Erick94** 17 points over 2 years ago

[Email] = userprincipalname()
[Manager] = "CFO"

[-] **Nemesizz** 2 points over 2 years ago

Can u explain?

[-] **st418s21** 2 points about 2 years ago

I believe the logic of the question is as follows:

1. For the "Human Resources" table:

The requirement is similar to a previous question where users should only see their own employee data. The correct answer in that case was using the expression [Email Address] = USERPRINCIPALNAME(). I think the same logic applies to this table as well.

2. For the "Country" table:

Since both the "Sales" and "Human Resources" tables are related to it, I can filter this table using [Manager] = "CFO". This will allow the CFO to see all the data in the "Country" table, while others will not have access to it. No need to enter [Email] = userprincipalname() again.

[-] **Ashokku22** 2 points about 2 years ago

How will we make sure that managers are able to access their respective country's sales and HR data with this solution?

[-] **miro26** 1 point almost 2 years ago

If for Country [MANAGER] ='CFO' then CFO will only see USA but Manager will not see anything. Anyway, we have two tables for calling parameters, the fields Email and Manager are fields from the Country table, what about the HR table?
Country: Email
HR: False()

Question 157



You have a Power BI data model that imports data from a Microsoft Excel spreadsheet.

You use Power Query to load a query that contains both renamed and custom columns.

Later, you attempt to reload the query and receive the following error message.

Expression.Error: The column 'Category' of the table wasn't found.

What are two possible causes of the error? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

A. The column was removed from the source file.

- B. The column was renamed in the source file.
- C. The file is no longer in the specified location.
- D. The data type of the column was changed.

Hide Answer

[-] **jiriz** 23 points over 2 years ago

Selected Answer: AB
correct

[-] **Starvosxant** 20 points over 1 year ago

All the questions of those who upvoted this comment will be at this level of difficulty on the exam 🙏🙏

[-] **jabbarjutt** 4 points over 1 year ago

bruh this isn't reddit, why are u even asking for upvotes here ?

[-] **jaume** 1 point 9 months ago

Selected Answer: AB

Error is referring to a single specific column not found so it has been removed or renamed and that's why cannot be found.

If the entire file (option C) would have been removed from the location, error message would not refer to a specific column in the data table.

If data type would have been changed, could result in different errors in the query once data has been retrieved but not retrieving the data

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: AB

A,B correct it can be either the column has been renamed or deleted as well

[-] **AZFabio** 3 points over 1 year ago

Selected Answer: AB

correct

[-] **Dani_eL** 2 points over 1 year ago

Selected Answer: AB

the question is about a column, not the file in itself

[-] **LawAninye** 3 points almost 2 years ago

The error message is column specific Error: The column 'Category' of the table wasn't found. Both option A and B in line with this

[-] **Igetmyrole** 5 points almost 2 years ago

A & B are correct answers.

A. If the column 'Category' was present in the source file when the query was initially loaded but has been removed from the source file since then, you would encounter this error when attempting to reload the query.

B. If the "Category" column in the source file was renamed after the query was initially loaded, power query wouldn't be able to find the column with the original name, resulting in the error.

[-] **AyoJose** 1 point almost 2 years ago

Apart from these questions, can we also practice with Microsoft Assessment?

[-] **abbeyabh** 2 points about 2 years ago

A. The column was removed from the source file.

B. The column was renamed in the source file.

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: AB
Correct

[-] **RazaTheLegend** 4 points over 2 years ago

Selected Answer: AB
Answer is correct

[-] **iplearning0123** 3 points over 2 years ago

answer is correct


[-] **Akhilesh_Maithani** 2 points over 2 years ago

answer is correct

Question 158

HOTSPOT -

You create a Power BI dataset that contains the table shown in the following exhibit.



Business Unit			
Cost Center			
Headcount			
ID			
Name			

Collapse ^

You need to make the table available as an organizational data type in Microsoft Excel.

How should you configure the properties of the table? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Row label:

	▼
Cost Center	
Headcount	
ID	
Name	

Key column:

	▼
Cost Center	
Headcount	
ID	
Name	

Is featured table:

	▼
No	
Yes	

Hide Answer

Correct answer:

Answer Area

Row label:

	▼
Cost Center	
Headcount	
ID	
Name	

Key column:

	▼
Cost Center	
Headcount	
ID	
Name	

Is featured table:

	▼
No	
Yes	

[-] **Namenick10** 139 points almost 3 years ago

Row label: Name

Key column: ID

Is featured table: Yes

[-] **HamzaMeziane** 1 point almost 3 years ago

why you said is ?

[-] **Ashokku22** 2 points about 2 years ago

Yes right you can also see in example given in the solution it mentioned companyname rather than cost centre

[-] **Churato** 10 points almost 3 years ago

The Row label field value is used in Excel so users can easily identify the row. It appears as the cell value for a linked cell, in the Data Selector pane, and in the Information card.

The Key column field value provides the unique ID for the row. This value enables Excel to link a cell to a specific row in the table.

Source: <https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-create-excel-featured-tables>

[-] **Alexeyvykhodtsev** 24 points almost 3 years ago

Maybe a Row label must be a Name.

[-] **fdsdgxcvbsdfshfg** 10 points almost 3 years ago

Yeah, Name of the Business Unit should be a Row Label

[-] **Lulu_2022** 1 point 28 days ago

Among the options — Cost center, Headcount, id, and name — Name is the ideal choice for the row label in a featured table in Power BI. It's readable, intuitive, and helps users easily recognize each record when browsing the data type in Excel.

Meanwhile, ID is the best fit for the key column. It's unique, consistent, and well-suited for identifying each row unambiguously behind the scenes, especially when connecting or refreshing data.

Is featured table: yes

[-] **lechuc508** 1 point 3 months ago

Row label: Chọn cột Name

Key column: Chọn cột ID

Is featured table: Chọn Yes

[-] **Rilabear** 1 point 4 months ago

Cost Center ; ID; Yes

for first one, since name can be duplicated , need to choose the unique identifier

[-] **olalekanadedoyin** 1 point 5 months ago

ChatGPT answer: To make the table available as an organizational data type in Microsoft Excel, you need to configure the properties appropriately. Here are the correct selections for each field:

Row Label:

Cost Center: Since this is likely the unique identifier for each row in your data, it should be the row label. You might want to choose this as it identifies each entry distinctly.

Key Column:

ID: The "ID" field is typically a unique identifier for each row of data in your dataset, which is necessary for identifying the record and mapping data to Excel properly.

Is featured table:

Yes: To make the table available as an organizational data type, it should be a "featured table." Marking it as featured helps integrate it with Excel's data type capabilities for easier use.

So, the configuration would be:

Row Label: Cost Center

Key Column: ID

Is featured table: Yes

[-] **Amin_Mez** 4 points 5 months ago

I just saw a video who gave the answer :

A. Cost Center

B.ID

C.Yes

https://www.youtube.com/watch?v=zEliho0wmkw&ab_channel=GlobalTechLearn

[-] **tttccc** 1 point 4 months ago

thanks for sharing a good resources for reference. But i also notice that the video link provide a different table title, which is "business unit" in this page vs "cost center" in the video.

[-] **jaume** 1 point 9 months ago

I would also vote for Row Label to be "Name" instead "Cost Center" as it will be easier for the users in Exel to identify the row rather than the "Cost Center" which is usually a code.
ID and Yes would be my vote for the second and third questions

[-] **JPShields** 1 point 10 months ago

Surely Cost Center is wrong and the name identifies the business to users??

[-] **LuluSkyy** 1 point 10 months ago

correct answer is Name, ID and Yes

[-] **rcaliandro** 1 point 12 months ago

Row Label: Name
Key column: ID
Is featured Table: Yes

[-] **OLAG19** 8 points over 1 year ago

Shouldn't this be an Excel question rather than power bi?

[-] **LuluSkyy** 1 point 10 months ago

Its need to be done in power bi before its brought into excel.

[-] **Abdulwahab1983** 9 points over 1 year ago

this youtube video speaks the correct answer on its own!
Row label: Name
Key column: ID
Is featured table: Yes

[-] **65945de** 7 points over 1 year ago

may I ask why we need a feature table here?

[-] **Dsbuff** 5 points over 1 year ago

Row label: Name
Key column: ID
Is featured table: Yes
The reason for "Row label" as Name is that the "Name" of a Business Unit would be more descriptive and recognizable to users than a numeric ID or a Cost Center code, making it easier to identify the Business Unit in Excel.

[-] **agelee** 6 points over 1 year ago

Name, ID, Yes. Name it will be a Business Unit Name.

[-] **reignreign03** 2 points almost 2 years ago

Do experienced users of Power BI use this feature at all?

[-] **Igetmyrole** 1 point almost 2 years ago

"Name", "Headcount" and "Yes" are correct answers. It is because in row label, we should choose the "Name" column as the row label because it is typically the primary identifier or name associated with the data in an organization data type. In column we should choose the "Headcount" column as the column because it represents a numeric value (presumably the headcount) associated with the organization data. Is featured table, we should select "Yes" to indicate that this table should be recognized as an organization data type in Excel.

[-] **RicoPallazzo7** 1 point almost 2 years ago

As key column i would say ID, why headcount?

[-] RicoPallazzo7 6 points almost 2 years ago

This has not been shown in any of the path on the microsoft sites suggested for the pl-300...

[-] AfterRain007 1 point over 1 year ago

IKR! I'm like, I literally don't know any of this thing lmao

[-] Acrrious 2 points about 2 years ago

For me Name doesn't mean much. In a report in the corp level I've only ever used Cost Center, oddly enough i've never been asked the name of the cost center.. (weird probably yeah) and we have one but still

[-] AshND 2 points about 2 years ago

There could be more than one business units under a cost centre so I think Business Unit Name should be the correct choice for Row label.

[-] SanaCanada 11 points about 2 years ago

Correct answer

Cost Center

ID

Yes

with this explanation

In a table or matrix visualization in Power BI, the row labels are typically the fields that define the categories or groups along the rows of the table or matrix. In the case of the given fields, "Cost Center" and "Headcount" can be considered as row labels because they represent categories or groups along the rows of the table or matrix. "ID" and "Name" are typically used as column labels or values. However, the choice of row labels ultimately depends on the specific analysis and reporting needs of the data.

[-] SylUK 1 point 7 months ago

correct explanation , based on this we can say in this example that ; a table named Products contains columns like: product id, product Name, product description , product category, product colour ,etc.,, and" product colour " is the row label and "product id" the key.

[-] MoxieTT 6 points about 2 years ago

I've seen your replies in a few questions now. Have you successfully cleared the exam?

[-] SanaCanada 1 point about 2 years ago

In a table or matrix visualization in Power BI, the row labels are typically the fields that define the categories or groups along the rows of the table or matrix. In the case of the given fields, "Cost Center" and "Headcount" can be considered as row labels because they represent categories or groups along the rows of the table or matrix. "ID" and "Name" are typically used as column labels or values. However, the choice of row labels ultimately depends on the specific analysis and reporting needs of the data.

[-] Shalaleh 3 points over 2 years ago

A Row label. The Row label field value is used in Excel so users can easily identify the row. It appears as the cell value for a linked cell, in the Data Selector pane, and in the Information card.

A Key column. The Key column field value provides the unique ID for the row. This value enables Excel to link a cell to a specific row in the table.

[-] lizbette 3 points over 2 years ago

Row label: Name

Key column: ID

Is featured table: Yes

Key column has to be ID

Row label has to be the label that best describes a single row in the table. in this case, Name would describe it the best

[-] **sophiaanab1112** 1 point over 2 years ago

Great <u><https://vipbioz.com></u>

[-] **RazaTheLegend** 3 points over 2 years ago

Row label: Name

Key column: ID

Is featured table: Yes

[-] **Shalaleh** 3 points over 2 years ago

would you please explain why it is featured? what does it mean?

[-] **semauni** 2 points over 2 years ago

<https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-create-excel-featured-tables>

[-] **Ily_Rodriguez** 2 points over 2 years ago

I Agree

Row label: Name

Key column: ID

Is featured table: Yes

Cost Center is just an attribute of the Business Unit

[-] **Patrick666** 5 points over 2 years ago

Row label: Name

Key column: ID

Is featured table: Yes

[-] **Hoeishetmogelijk** 5 points over 2 years ago

Row label: Name

Key column: ID

Is featured table: Yes

[-] **Nass75** 1 point over 2 years ago

Thanks for the link..

[-] **Throneroom** 1 point over 2 years ago

Yeap, this site explains it well. Thanks

[-] **lukelin08** 4 points over 2 years ago

My choices are

Row label: Name

Key column: ID

Is featured table: Yes

[-] **saciduni** 7 points over 2 years ago

Cost center as row label is not unique enough to identify as a row in a table (or at least that's what I assume), name should be the correct answer for row label because it's more precise

[-] **Nurgul** 7 points almost 3 years ago

My answer would be:

Row label: Name

Key column: ID

Is featured table: yes

You have a Power BI model that contains a table named Sales. The Sales table contains the following columns:

- Order Line ID
- Product ID
- Unit Price
- Order ID
- Quantity

Orders are uniquely identified by using the order ID and can have multiple order lines. Each order line within an order contains a different product ID.

You need to write a DAX measure that counts the number of orders.

Which formula should you use?

- A. Count('Sales'[Order ID])
- B. CountA('Sales' [Order ID])
- C. CountRows('Sales')
- D. DistinctCount('Sales' [Order ID])

Hide Answer

[-] **SanaCanada** 45 points over 2 years ago

Selected Answer: A

Order only once but can have multiple line based of different procduct

Order ID A000101....Product A

Order ID A000101.....Product B

Order ID A000101....Product C

Order ID A000101....Product D

Correct Answer only D

No confusion, and no need to discuss further

[-] **kelvin3105** 23 points about 2 years ago

you had put A as selected answer

[-] **itenginerd** 45 points almost 2 years ago

Apparently there is confusion and a need to discuss further?

[-] **SKUKDE** 1 point about 1 year ago

seriously

[-] **reignreign03** 40 points almost 2 years ago

I hate it when someone says there's no need to discuss further. Like are u from Microsoft or what?

[-] **LeeTheRed** 8 points over 1 year ago

There's no confusion that the person is clearly confuse so no need to discuss further!

[-] **benni_ale** 5 points over 1 year ago

thanks there is no need for no confusion in my no thinking head

[-] **Maria86** 40 points over 2 years ago

Selected Answer: D

"Orders are uniquely identified by using the order ID and can have multiple order lines" - I think the important statement is "and can have multiple order lines" which means that the order ID can appear more than once in the table if the order contains more than one products - so I think the answer is correct.

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: D

Each order is uniquely identified by Order ID, but the Sales table contains multiple rows per order (one per product line). So if you use COUNT('Sales'[Order ID]) or COUNTROWS('Sales'), you'll be counting order lines, not orders. DISTINCTCOUNT('Sales'[Order ID]) gives you the number of unique orders, which is exactly what you want.

[-] **5bf040d** 1 point 5 months ago

Selected Answer: D

D. DistinctCount('Sales' [Order ID])

Why DISTINCTCOUNT?

The DISTINCTCOUNT function counts the number of unique values in a column.

Since each order can have multiple order lines (rows) in the Sales Table (Fact Table) using DISTINCTCOUNT ensures that each Order ID is counted only once, regardless of how many times it appears in the table.

[-] **tko86** 1 point 8 months ago

Selected Answer: D

It's D.

Reason being is that each order would contain multiple order lines. If you were to do a simple Count, it would inflate the number of orders as it would also count each line.

The question is, write a DAX to return the number of orders. Using DISTINCTCOUNT('Sales'[Order ID]) would return the distinct count of Orders.

[-] **jaume** 2 points 9 months ago

Selected Answer: D

I think it's D option.

As it could be several rows with same OrderID because each order could have multiple Order Lines (one row per Order Line so multiple rows for the Order Id), DISTINCCOUNT must be used to prevent counting twice (or 3, or 4...) same Order.

[-] **539d541** 4 points 12 months ago

Selected Answer: D

D is correct. SanaCanada is a bit loco

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: D

The correct answer is D

[-] **rcaliandro** 2 points 12 months ago

Selected Answer: D

The correct answer is D: DistinctCount('Sales' [Order ID])

[-] **HenryBiz** 1 point over 1 year ago

Selected Answer: D

Order ID will be repeated if more than one product lines are in that order. So, I think distinctcount is necessary.

[-] **Dani_eL** 4 points over 1 year ago

Selected Answer: D

Count only supports :Numbers,Dates,Strings

CountA also supports Boolean

CountRows will return values depending on relatedtable if any else counts number of rows in table

DistinctCount as it says "distinct" counts distinct values (same as sql select distinct statement)

Answer is D

[-] **lukelin08** 2 points over 1 year ago

Selected Answer: D

D is correct

[-] **tienanbich** 2 points over 1 year ago

Selected Answer: D

D is correct

[-] **Starvosxant** 2 points over 1 year ago

Fact tables dont have primary key. So, you cant assume that order id is unique. Thats why a lot of you are voting for countrows or count. The right answer is distinct count

[-] **Florinuca** 1 point over 1 year ago

Yes, in the fact table we can have multiple rows with the same OrderID. The correct answer is D.

[-] **Ryan_042** 2 points over 1 year ago

Selected Answer: D

D for sure

[-] **TrustMyAnswers** 2 points over 1 year ago

Selected Answer: D

Answer is D.

[-] **floatfloat** 1 point almost 2 years ago

Selected Answer: C

Why not C?

[-] **reignreign03** 1 point almost 2 years ago

Because the number of rows in the table does not directly translate to the number of distinct Order IDs

[-] **thomas_90** 2 points almost 2 years ago

Absolutely agree with answer is D.

[-] **madyjoe21** 3 points almost 2 years ago

Selected Answer: D

D for sure

[-] **umairtaqi** 4 points almost 2 years ago

Selected Answer: D

Answer is D.

[-] **Igetmyrole** 3 points almost 2 years ago

D is the correct answer.

DistinctCount('Sales' [Order ID]): count the distinct order IDs in the Sales table, ensuring that each order is only counted once, even if it has multiple order lines.

[-] **Vijay_Krisin** 2 points almost 2 years ago

Selected Answer: D

The answer is correct. The question ask only on the count of Order Id. Other description in the question is only to confuse us.

[-] **Acrious 3 points** about 2 years ago

Selected Answer: D

D since you only want the count of order ids (orders) not the count of all the order lines of each order(id)

[-] **sdaaram 6 points** about 2 years ago

This was on exam yesterday

[-] **abbeyabh 4 points** about 2 years ago

D. DistinctCount('Sales' [Order ID])

[-] **Rinesh25 4 points** about 2 years ago

Selected Answer: D

D is correct

[-] **kh123456 4 points** about 2 years ago

Selected Answer: D

d correct

[-] **Shalaleh 4 points** over 2 years ago

Selected Answer: D

Distinctcount(sales[oderid])

[-] **RazaTheLegend 3 points** over 2 years ago

Selected Answer: D

DistinctCount('Sales'[Order ID]) counts the number of unique order IDs in the Order ID column, which is the correct way to count the number of orders.

[-] **hungry85 1 point** over 2 years ago

To me A is the right answer because it is specified that each order had a distinct IDs

[-] **semauni 3 points** over 2 years ago

I think you might have confused the ProductID and the OrderID. The ProductID is different *within* each Order. An Order can therefore have multiple lines with the same OrderID.

[-] **Shalaleh 1 point** over 2 years ago

even Countrows works!

[-] **Shalaleh 1 point** over 2 years ago

yes, silly answer

[-] **nastenska25041989 1 point** over 2 years ago

Hi why is not it sufficient to use the count knowing that they are distinc IDs?

[-] **satyambarnwal 2 points** over 2 years ago

It is mentioned that order id is unique so why we need distinctcount. I think count is correct

[-] **luisnc 1 point** over 2 years ago

from my point of view: it doesn't mention that Order ID is a unique value, it says "Orders are uniquely identified by using the order ID". Uniquely Identified doesn't mean that the value is unique

[-] **sa56 1 point** over 2 years ago

then what does it mean?

HOTSPOT

-

You are creating a Power BI model in Power BI Desktop.

You need to create a calculated table named Numbers that will contain all the integers from -100 to 100.

How should you complete the DAX calculation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Numbers =

	▼		▼
GENERATE		(100, 1, 200)	
GENERATEALL		(-100, 100, 1)	
GENERATESERIES		(-1, -100, 100)	

[Hide Answer](#)

Correct answer:

Answer Area

Numbers =

	▼		▼
GENERATE		(100, 1, 200)	
GENERATEALL		(-100, 100, 1)	
GENERATESERIES		(-1, -100, 100)	

[-] **SanaCanada** 48 points over 2 years ago

Correct Answer

To create a calculated table named Numbers in Power BI Desktop that contains all the integers from -100 to 100, you can use the following DAX calculation:

Numbers = GENERATESERIES(-100, 100, 1)

Explanation:

The GENERATESERIES function generates a table of values that starts at the first argument (-100), ends at the second argument (100), and increments by the third argument (1) in this case. The resulting table will contain all the integers from -100 to 100 inclusive.

The calculated table is named "Numbers" and is created by assigning the output of the GENERATESERIES function to it using the "=" operator.

No confusion, and no need to discuss further

[-] **AnnaBi** 8 points over 2 years ago

Correct!

GENERATESERIES - (-100,100,1)

[-] **jaume** 2 points 9 months ago

GENERATESERIES is the only function in the list accepting 3 parameters.

GENERATE (<Table1>, <Table2 Expression>] would crete a virtual table pairing rows of 2 tables where the second table depends on the current row of first table

GENERATEALL(<table1>, <table2 expression>) similar to GENERATE but it will include rows even when first table is empty

GENERATESERIES(<start>, <end>, [<step>] creates a single-column table of values within a numeric range

[-] **rcaliandro** 1 point 12 months ago

The answer is correct!

[-] **Dani_eL** 2 points over 1 year ago

GenerateSeries uses 3 arguments, lower value, upper value, step (from -100 to 100 increment by 1)

Generate(table1, table2) creates a new table with cartesian products (for each row in table 2 add all rows from table1)

If table1 has 2 records and table 2 has 3 records, new table will have 2X3=6records

BY RECORD ORDER OF TABLE 1

t1 t2

1 1

2 1

1 2

2 2

1 3

2 3

GenerateAll(table1, table2) creates a new table with cartesian products (for each row in table 1 add all rows from table2)

If table1 has 2 records and table 2 has 3 records, new table will have 2X3=6records

BY RECORD ORDER OF TABLE 2

t1 t2

1 1

1 2

1 3

2 1

2 2

2 3

Generate and GenerateAll use the same principle as multidimension arrays

[-] **lukelin08** 1 point over 1 year ago

Correct Answer given

[-] **lgetmyrole** 1 point almost 2 years ago

Generateseries (-100,100,1)

This formula generates a serious of numbers starting from -100, ending at 100, with an increment of 1.

[-] **abbeyabh** 1 point about 2 years ago

Correct

Numbers = GENERATESERIES(-100, 100, 1)

Start -100

End 100

Increment 1

[-] **HoangNV** 4 points over 2 years ago

Correct.

GENERATESERIES(-100, 100, 1)

[-] **RazaTheLegend** 5 points over 2 years ago

GENERATESERIES function will generate a table of integers from the starting value (-100) to the ending value (100), with an increment of 1.

This table will be returned as a new calculated table named "Numbers".

[-] **Minio1** 3 points over 2 years ago

Correct

Question 161

In Power Query Editor, you have a query named Sales Data that contains the following columns.

Name	Data type
Sale date	Date
Product ID	Whole number
Product name	Text
Product category	Text
Customer ID	Whole number

You need to create two queries named Product Dimension and Sales Fact based on the Sales Data query. The solution must minimize maintenance effort and the size of the dataset.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Reference the Sales Data query to create the new queries.
- B. Disable the load for the Sales Fact query.
- C. Duplicate the Sales Data query to create the new queries.
- D. Clear Include in report refresh for the Sales Data query.
- E. Disable the load for the Sales Data query.

Hide Answer

[-] **Pocu** 50 points almost 2 years ago

Please be responsible. Comment and vote carefully.

The answer is A&E.

To choose reference or duplicate or copy, the points are:

1: Reference, duplicate, copy queries will all make the file bigger to a similar size.

2: Choose Reference if you want the referenced queries to change when the original query changes. Choose Duplicate or Copy if you don't want that. Reference queries is more common in many real-world scenarios because the fact table is always changing.

3: Copy and Duplicate copy the transformation steps but reference not.

Disable the load for the Sales Data query will : (1) It will be cleaner in Power BI desktop because you won't see the Sales data query. (2) improve performance. The star schema is normally the best in Power Bi modelling because of the performance.

And this is the reason why we need to separate the main table into different tables(Normalization). The main table itself should not be included in a star scheme.

[-] **pverde 16 points** about 2 years ago

Selected Answer: AE

Agreed, A & E are correct

[-] **Lulu_2022 1 point** about 1 month ago

Selected Answer: AE

A. Reference the Sales Data query

Referencing creates a linked query that inherits transformations from the original.

This minimizes maintenance effort — changes to Sales Data automatically flow to Product Dimension and Sales Fact.

It avoids duplicating logic and keeps your queries DRY (Don't Repeat Yourself).

E. Disable the load for the Sales Data query

Since Sales Data is only used as a staging query, there's no need to load it into the data model.

Disabling load reduces dataset size and improves performance.

[-] **5bf040d 1 point** 5 months ago

Selected Answer: AE

A. Reference the Sales Data query to create the new queries.

- Referencing the Sales Data query allows you to create new queries (Product Dimension and Sales Fact) that are based on the original data without duplicating it.

E. Disable the load for the Sales Data query.

Disabling the load for the Sales Data query ensures that the data from this query is not loaded into the data model, which helps minimize the size of the dataset. The Product Dimension and Sales Fact queries will still have access to the data, but the original Sales Data query won't consume additional resources by being loaded into the model.

[-] **SylUK 1 point** 6 months ago

Selected Answer: AE

The correct answer is AE because: In Power BI, "reference" means creating a new query that is linked to an original query, so any changes made to the original query will automatically update the reference query, while "duplicate" creates a completely independent copy of a query, where modifications to the duplicate won't affect the original query; essentially, a reference keeps the queries connected, while a duplicate separates them completely.

[-] **jaume 1 point** 9 months ago

Selected Answer: AE

I would vote for A and E.

[-] **23042b9 1 point** 10 months ago

Selected Answer: AB

ITS A and B in my opinion . If you choose E. Disable the load for the Sales Data query, here's what would happen:

No Access to Sales Data: By disabling the load for the Sales Data query, it will not be available in the data model. This means that you won't be able to use it directly for analysis or in relationships with other tables.

Impact on Referenced Queries: If you reference Sales Data for the Product Dimension and Sales Fact queries, those references would not function properly because the source data (Sales Data) is not loaded into the model.

[-] **539d541 1 point** 12 months ago

Selected Answer: AE

A & E is correct

[-] **rcaliandro 1 point** 12 months ago

Selected Answer: AE

A, E is the correct one

[-] **Rhugved 1 point** over 1 year ago

Selected Answer: AE

Reference queries and Disable Sales Data Query works as per real-world scenarios.

[-] **lukelin08 1 point** over 1 year ago

Selected Answer: AE
A&E is correct

[-] **temor** 7 points over 1 year ago

Selected Answer: AE

To create two queries named Product Dimension and Sales Fact based on the Sales Data query in Power Query Editor, while minimizing maintenance effort and the size of the dataset, you should perform the following two actions:

Reference the Sales Data query to create the new queries: This allows you to reuse the loaded data without the need for additional storage or processing. You will not be duplicating data, which helps to keep the dataset size down and maintenance effort low.

Disable the load for the Sales Data query: This step prevents the original Sales Data query from being loaded into the model, which minimizes the size of the dataset since only the necessary tables (Product Dimension and Sales Fact) will be loaded.

These steps are recommended practices in scenarios where dimension tables need to be dynamic and are derived from fact tables within Power Query Editor, as they avoid unnecessary duplication of data and keep the dataset optimized.

[-] **jessyMIH** 1 point almost 2 years ago

Selected Answer: AE

I think A et C

[-] **kauser** 1 point almost 2 years ago

Selected Answer: AE

I'm not sure 100%

[-] **umairtaqi** 1 point almost 2 years ago

Selected Answer: AC

I think A & C is correct answer.

[-] **lgetmyrole** 2 points almost 2 years ago

A & C are correct.

A. Referencing the sales data query ensures that the new queries use the same data source and structure, minimizing maintenance effort.

C. Duplicate the sales data query creates copies of the data in separate queries. This allows you to work with the data independently for Product Dimension and Sales Fact without impacting the original sales data query.

[-] **Bamlaku** 1 point almost 2 years ago

Selected Answer: AC

I think it's A and C.

[-] **EwoutBI** 1 point almost 2 years ago

A and C would give you too many queries, and make the dataset unnecessarily large.

[-] **Krishna1807** 2 points about 2 years ago

The correct answer should be A and C

Question 162



You have a Power BI model that contains a table named Date. The Date table contains the following columns:

- Date
- Fiscal Year
- Fiscal Quarter

- Month Name
- Calendar Year
- Week Number
- Month Number
- Calendar Quarter

You need to create a calculated table based on the Date table. The calculated table must contain only unique combinations of values for Calendar Year, Calendar Quarter, and Calendar Month.

Which DAX function should you include in the table definition?

- A. ADDCOLUMNS
- B. CALCULATE
- C. SUMMARIZE
- D. DATATABLE

Hide Answer

[-] **Pocu 86 points** almost 2 years ago

I wanna say that again. Comment and vote carefully before you have actually done some research otherwise It will cause confusion to other people.

The answer is Summarize.

UniqueCalendarTable =

SUMMARIZE(

Date,

'Date'[Calendar Year],

'Date'[Calendar Quarter],

'Date'[Month Name]

)

[-] **zanbeel 1 point** over 1 year ago

SUMMARIZE may provide the sum of quarter no?

[-] **AyoJose 17 points** almost 2 years ago

"Comment and vote carefully before you have actually done some research" or after you've actually done some research?

[-] **Badadadiiii 12 points** almost 2 years ago

Selected Answer: C

Should be Summarized

[-] **SylUK 1 point** 6 months ago

Selected Answer: A

I think for me the answer is A- Addcolumns . In this context we have Calendar Year, Calendar Quarter listed in the Date table but we don't have Calendar Month in the Date table.

The question require a calculated table with all Calendars (Year, Month, Quarter) so we can use both function: Summarize and Addcollumns (Why? because of a new column that is "Calendar Month" that we need to add in the required table) in Dax expression .

So for the performance we also favour Addcolumns function.

Where for me the answer is A- ADDCOLUMNS.

[-] **SylUK 1 point** 6 months ago

Just to correct myself I mean we always favour the ADDCOLUMNS before SUMMARIZE for a best performance.

[-] **jaume** 2 points 9 months ago

Selected Answer: C

ADDCOLUMNS(<table>, <column name>, <expression>, [...]) would create a table with ADDITIONAL computed columns

DATATABLE(<column names and types>, <data>) would create a table by explicitly defining rows and columns

SUMMARIZE(<table>, <groupBy_columnName>, [...], [<name>, <expression>]...) would perform a GROUP BY operation, aggregating data based on specified columns and optional expressions

[-] **SIH007** 3 points over 1 year ago

Thank you for your solution, Pocu, it helped a lot!

[-] **Rhugved** 3 points over 1 year ago

Selected Answer: C

Summarize is the correct answer!

[-] **Dani_eL** 3 points over 1 year ago

Selected Answer: C

AddColumns creates a new table including ALL FIELDS from the selected table AND ADD new columns to it based on parameters

Summarize creates a new EMPTY table using the table name given as first parameter and including the fields parameters that Intellisense is giving you

SUMMARIZE is the function to use

[-] **DOUNIA** 1 point almost 2 years ago

Selected Answer: C

It must be C not A

[-] **umairtaqi** 1 point almost 2 years ago

Selected Answer: A

A is the correct answer I have tested.

[-] **tranquanhuy2111** 5 points almost 2 years ago

Nope, ADDCOLUMNS will add additional column to given table. Therefore, outcome is given table with all its original columns and the added ones.

But the question only requires 3 columns. --> SUMMARIZE is correct answer here

[-] **LeeLee_105** 4 points almost 2 years ago

Selected Answer: C

<https://youtu.be/VurpXBcbrT0>

[-] **Shirl_Nina** 3 points almost 2 years ago

ADDCOLUMNS is correct. It Adds calculated columns to the given table or table expression whereas SUMMARIZE Returns a summary table for the requested totals over a set of groups.

[-] **Bamlaku** 1 point almost 2 years ago

Selected Answer: D

The DATATABLE function in DAX allows you to create a calculated table. The calculated table can be based on any data source, including the Date table.

To create a calculated table that contains only unique combinations of values for Calendar Year, Calendar Quarter, and Calendar Month, you can use the following DAX code:

[-] **5d477b6** 1 point 11 months ago

DATATABLE: This function allows you to manually define a table by specifying column names and rows, but it's not used for summarizing an existing table.

[-] **sergeyitaly** 3 points about 2 years ago

Addcolumns does not create a new table, but Summarize does create it

[-] **mohanonly1** 3 points about 2 years ago

SUMMARIZE should be the answer

[-] **pverde** 7 points about 2 years ago

Selected Answer: C

I think it should be SUMMARIZE

SUMMARIZE:

"Creates a summary of the input table grouped by the specified columns."

ADDCOLUMNS:

"Returns a table with new columns specified by the DAX expressions."

Based on this, using SUMMARIZE will give us the unique combination we want and don't need to use DAX expressions to create the calculated table.

[-] **Krishna1807** 1 point about 2 years ago

The correct answer should be SUMMARIZE

[-] **[Removed]** 1 point about 2 years ago

Selected Answer: C

CalculatedTable =

SUMMARIZECOLUMNS(

'Date'[Calendar Year],

'Date'[Calendar Quarter],

'Date'[Month Name]

)

[-] **[Removed]** 1 point about 2 years ago

I think SUMMARIZE

Question 163

HOTSPOT

-

You have a Power BI model that contains the following data.

Table name	Column name	Description	Data type
Date	Date	Calendar date	Date
	Month	Calendar month	Text
	Year	Calendar year	Integer
Sales	Sale	Sales value	Decimal number
	Date	Calendar date	Date

The Date table relates to the Sales table by using the Date columns.

You need to create a calculated table that will contain the following:

- A row for each year
- A column that contains the total sales per year

How should you complete the DAX calculation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

SalesSummary=

▼	(Sales,	▼	, "Sales", SUM (Sales[Sales]))
ROLLUP		Date[Date]	
SELECTCOLUMNS		Date[Year]	
SUMMARIZE		Sales[Date]	

Hide Answer

Correct answer:

Answer Area

SalesSummary=

▼	(Sales,	▼	, "Sales", SUM (Sales[Sales]))
ROLLUP		Date[Date]	
SELECTCOLUMNS		Date[Year]	
SUMMARIZE		Sales[Date]	

[-] **pverde** 31 points about 2 years ago

Agreed with SUMMARIZE - Date[Year]

[-] **1CY1** 1 point 10 months ago

The ROLLUP function is used exclusively within SUMMARIZE.

E.g.

SUMMARIZE (

Sales,

ROLLUP ('Date'[Calendar Year]),

"Year total", ISSUBTOTAL ('Date'[Calendar Year]),

"Amount", [Sales Amount]

)

[-] **1CY1** 1 point 10 months ago

Correct answer -> SUMMARIZE, Date[Year]

[-] **SomeAzureGuyincube** 4 points over 1 year ago

I've recreated mock data through ChatGPT and in PowerBI.

I've tested the following dax measure :

- SalesSummary = SUMMARIZE(Sales,Date[Date],"Sales",SUM(Sales[Sales]))

- SalesSummary = SUMMARIZE(Sales,Date[Year],"Sales",SUM(Sales[Sales]))

First dax measures creates a table that has many rows as many sales in that month have been sold and does not respond to "A row for each year" requirement.

By using Date[Year], you have a summarized Table which you have ONLY one row per each year with the value as sum

Something like this :

2024 | 8000,00\$

2023 | 5000,00\$

Rollup and Select Columns in first menu are wrong as they don't match parameters.

So, Correct answer is *SalesSummary = SUMMARIZE(Sales,Date[Year],"Sales",SUM(Sales[SalesAmount]))*
(don't mind the names used for mockup data)

[-] **KKPanda77** 1 point over 1 year ago

I think it should be..

Summarize , sales [date]

[-] **6f38739** 6 points over 1 year ago

Guys please read the question, you you chose date you will have many rows...

A column that contains the total sales per year

[-] **ZillowGosia** 1 point almost 2 years ago

How this can be correct if Date[Year] is integer?

[-] **applushka** 1 point over 1 year ago

in the Date table Year is an integer

[-] **LeeLee_105** 4 points almost 2 years ago

Ans is correct

[-] **LeeLee_105** 4 points almost 2 years ago

<https://learn.microsoft.com/en-us/dax/summarize-function-dax>

[-] **Shirl_Nina** 1 point almost 2 years ago

Agreed

Question 164



You use Power Query Editor to import and preview sales data from the years 2020 and 2021 in a Microsoft Excel file as shown in the following exhibit.

ABC Month	1 ² ₃ 2020	1 ² ₃ 2021
Valid 100% Error 0% Empty 0% 12 distinct, 12 unique	Valid 100% Error 0% Empty 0% 12 distinct, 12 unique	Valid 100% Error 0% Empty 0% 12 distinct, 12 unique
January	4400	4908
February	2988	3722
March	5230	4815
April	4500	5031
May	3850	4354
June	6215	6019
July	2507	3922
August	3605	3740
September	4680	4850
October	3955	4612
November	6510	6480
December	5200	5155

You need to shape the query to display the following three columns:

- Month
- Sales
- Year

What should you select in Power Query Editor?

- A. Merge columns
- B. Transpose
- C. Unpivot columns
- D. Pivot column

Hide Answer

[-] LeeLee_105 31 points almost 2 years ago

Selected Answer: C

It's the classic definition of unpivot

[-] Starvosxant 25 points over 1 year ago

Upvote this comment so all your exam questions will be like this 🙏🙏🙏

[-] jaume 1 point 9 months ago

Selected Answer: C

unpivoting 2020 and 2021 columns would result in two columns "attribute" (to be renamed as "Year") and "Measure" (to be renamed as "Sales")

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: C

We need to unpivot columns and rename them

[-] **AZFabio** 2 points over 1 year ago

Selected Answer: C

Sales numbers are pivoted in 2 "year" columns. Just need to unpivot these columns, then rename attribute and value columns to something like "Year" and "Total Sales".

[-] **marcolapo92** 4 points almost 2 years ago

Selected Answer: C

C Correct

[-] **lgetmyrole** 5 points almost 2 years ago

C is correct.

To shape the query to display the required three columns (month, sales, year), you should select the "Unpivot columns" option in Power Query Editor. This will transfer the data from its current columnar structure (where each year is a separate column) into a tabular format with separate rows for each combination of Month, Sales, and Year.

[-] **IVO999** 4 points almost 2 years ago

Selected Answer: C

Tested

[-] **leggoteam** 1 point almost 2 years ago

Selected Answer: B

Wouldn't it be transpose? Transpose rows 2020 and 2021 and rename new column to Revenue?

[-] **leggoteam** 5 points almost 2 years ago

ope, scratch that. I see that it's unpivot now

[-] **pverde** 1 point about 2 years ago

Selected Answer: C

C is correct assuming we are selecting the "2020" and "2021" columns

Question 165



HOTSPOT

-

You are creating a Power BI model to analyze inventory.

You load data into three tables named Date, Product, and Inventory. The Inventory table relates to the Date and Product tables by using one-to-many relationships.

Inventory data is recorded daily with no exceptions. The correct inventory quantity for a given product in a month is the last recorded value for that month.

You need to write a DAX measure that will show the correct inventory value when a user analyzes inventory by year, month, or date.

How should you complete the measure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Last Inventory Count =

AllSelected
Calculate
CalculateTable

SUM ('Inventory'[QuantityAvailable]),
('Date'[Date])

LastDate
LastNonBlankValue
Max

Hide Answer

Correct answer:

Answer Area

Last Inventory Count =

AllSelected
Calculate
CalculateTable

SUM ('Inventory'[QuantityAvailable]),

LastDate
LastNonBlankValue
Max

('Date'[Date])

[-] pverde 28 points about 2 years ago

I believe the answer is correct

[-] andrewkravchuk97 12 points almost 2 years ago

Calculate

LastNonBlankValue

LASTDATE will NOT work. Date - is a date table and it contains all days of the calendar month continuously so it will always return the last day of the month even if there is no inventory records. "The correct inventory quantity for a given product in a month is the last recorded value for that month." That's why we should use LastNonBlankValue instead.

[-] EwoutBI 7 points almost 2 years ago

LASTNONBLANKVALUE also requires an expression though.

<https://learn.microsoft.com/nl-nl/dax/lastnonblankvalue-function-dax>

[-] Oe18c76 4 points about 1 year ago

The right answer should be LastDate.

It can't be LASTNONBLANK as it requires an expression. Please find below the syntax for LASTNONBLANK:

- LASTNONBLANK(<column>,<expression>)

This function is typically used to return the last value of a column for which the expression is not blank. For example, you could get the last value for which there were sales of a product (for instance if you want to exclude holidays from the calculation).

[-] **blmthmn** 10 points almost 2 years ago

It also says 'Inventory data is recorded daily with no exceptions.' so I concluded that each day would have an inventory record.

[-] **rcaliandro** 1 point 12 months ago

Correct answer

[-] **SRL_Student** 3 points over 1 year ago

Hello, can someone explain to me why Max won't do (if that's the case, as it seems)? Thank you in advance!

[-] **Sunny_one** 1 point about 1 month ago

I guess it is because LASTDATE is a time intelligence function and is better suited for this context, whereas MAX is more suited for numerical type data.

[-] **Aero_1898** 2 points over 1 year ago

LASTNONBLANKVALUE this will not working as it requires 2 parameters.

[-] **aplushka** 1 point over 1 year ago

how do you guys use Date[Date] as the expression in the LASTNONBLANK function like in the example from earlier answers "LASTNONBLANK('Inventory'[QuantityAvailable], 'Date'[Date])"?

[-] **aplushka** 2 points over 1 year ago

I was able to do it this way:

```
CALCULATE(SUM(Inventory[QuantityAvailable]),LASTDATE('Inventory'[Date]))
```

my sample dataset dates (Jan-Apr 2023) and Date table (Jan-Dec 2023) dates probably not tuned properly so if I use Date[Date] instead of Inventory[Date] my measure returns Blank

[-] **lgetmyrole** 1 point almost 2 years ago

```
Calculate
LastDate
Last Inventory Count =
CALCULATE(
LASTNONBLANK('Inventory'[QuantityAvailable], 'Date'[Date]),
LASTDATE('Date'[Date])
)
```

[-] **a22775** 7 points almost 2 years ago

```
CALCULATE
LASTDATE
```

It isn't MAX because that would returns an scalar instead of a table.

<https://www.sqlbi.com/blog/marco/2013/10/22/difference-between-lastdate-and-max-for-semi-additive-measures-in-dax/>

[-] **powerbi_learner** 1 point over 1 year ago

how you are saying it is returning table? how did you find that?

[-] **rgabage** 6 points almost 2 years ago

The answer is correct

[-] **kelvin3105** 5 points almost 2 years ago

I think this questions is not well explained.

Let me say why (from brazil, sorry if I write wrong):

1. That is form to create a calendar table based in the dates of the fact table, for example: if I create based on the fact table, the last date will be the last date of the fact table.
 2. Other way of create a calendar table is just to put the days of a number of years that you want, so, in this case the last date will be the last date of the calendar table and not the last date of the fact table.
- So, in my opinion it is better annul this question, or consider lastnonblankvalue and lastdate correct.

[-] **539d541** 2 points 12 months ago

yep question is confusing indeed

Question 166

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI report that imports a date table and a sales table from an Azure SQL database data source. The sales table has the following date foreign keys:

- Due Date
- Order Date
- Delivery Date

You need to support the analysis of sales over time based on all three dates at the same time.

Solution: From the Fields pane, you rename the date table as Due Date. You use a DAX expression to create Order Date and Delivery Date as calculated tables. You create active relationships between the sales table and each date table.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **ApacheKafka** 16 points about 2 years ago

100% Just finish reading about that.

[-] **panic_attack** 8 points over 1 year ago

This was on the exam on 22/2/2024 (:

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: B

In Power BI, only one active relationship can exist between a fact table (like Sales) and a date table at a time. If you try to create multiple active relationships (e.g., for Due Date, Order Date, and Delivery Date), Power BI will force the others to be inactive — unless you use DAX functions like USERELATIONSHIP() to activate them temporarily in measures.

In this solution:

You renamed the original Date table as Due Date.

Then created calculated tables for Order Date and Delivery Date.

You attempted to create active relationships between all three and the Sales table.

But Power BI does not allow multiple active relationships from the same fact table to the same dimension (Date) — even if you duplicate the table using DAX, calculated tables are still part of the same model and don't bypass this limitation.

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: B

No, this solution does not meet the goal. the Key is 3 date columns on the same table. This is not allowed.

[-] **Bhavyata** 1 point 2 months ago

Selected Answer: B

3 active relationships is not possible in power BI.

[-] **5bf040d** 1 point 5 months ago

Selected Answer: B

Ambiguity in Relationships: Power BI only allows one active relationship between two tables at a time. If you create active relationships between the sales table and all three date tables, Power BI will not know which relationship to use for filtering, leading to ambiguity and incorrect results.

Inefficient Use of Calculated Tables: Creating calculated tables for Order Date and Delivery Date duplicates data in memory, which increases the size of the model and is not an efficient approach.

A better approach would be to create role-playing dimensions by duplicating the date table for each date key (Due Date, Order Date, and Delivery Date) and then creating inactive relationships between the sales table and each date table. Then use DAX measures with the USERELATIONSHIP function to dynamically switch between the relationships

[-] **jaume** 2 points 9 months ago

Selected Answer: A

Not the most efficient solution as we will triplicated original table with two additional tables I think it would be more efficient setting relationships in the original table (just one relationship can be active) and use DAX expressions to turn inactive relationships into active when required as this solution would not cause data size to grow.

Anyway for the specific scenario, A.Yes is my vote

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: A

Yes, we have 3 active relationships one for each date

[-] **JudT** 1 point over 1 year ago

A is correct

[-] **AZFabio** 1 point over 1 year ago

Selected Answer: A

Correct

[-] **KKPanda77** 5 points over 1 year ago

Its called Refactoring methodology

[-] **wethenorth** 3 points over 1 year ago

Selected Answer: A

Question says "it can support the anaysis...." by creating three tables and having a relationship of each with fact table let it support not best from data model size perspective....Ideal step would be to have 1 active, 2 inactive relationship and create DAX userelatio inactive columns ...

But for this question, it seems A

[-] **Paulkuzzio** 5 points over 1 year ago

Your explanation is correct but your answer is wrong. This is because power Bi can only allow one active relationship at a time be inactive until you need them. Check these links:

<https://support.microsoft.com/en-us/office/create-relationships-in-diagram-view-in-power-pivot-12e00cb6-cb4d-469c-97c8-08349ad76#~:text=Tables%20can%20have%20multiple%20relationships,calculations%20via%20the%20USERRELATION>

<https://community.fabric.microsoft.com/t5/Desktop/Power-BI-quot-An-Active-relationship-already-exists-between/m-p/768911#~:text=Proud%20to%20be%20a%20Super%20User>

Based on the referenced links, I support that the answer is NO: B

[-] **asnygen** 2 points over 1 year ago

Chatgpt: NO

[-] **Mo2011** 3 points about 1 year ago

Chatgpt makes mistakes ☺

[-] **lgetmyrole** 3 points almost 2 years ago

B is the answer.

The solution will not meet the goal because renaming the date table in the Fields pane does not create calculated tables for Order Date and Delivery Date. Additionally, creating active relationships between the sales table and each date table would not address the requirement to support the analysis of sales over time based on all three dates simultaneously.

To achieve the goal, you should create calculated tables for Order Date and Delivery Date using DAX expressions, and then you should establish active relationships between the sales table and these calculated date tables.

[-] **GB32** 1 point almost 2 years ago

And yes literally that what the solution is lol....

[-] **a22775** 3 points almost 2 years ago

Can someone tell where is located that "Fields pane"? Is it in powerquery or in Power Bi's report view?

[-] **aplushka** 3 points over 1 year ago

Power Bi's report view

<https://learn.microsoft.com/en-us/power-bi/create-reports/service-the-report-editor-take-a-tour#the-fields-pane>

[-] **AyoJose** 2 points almost 2 years ago

Power Bi

[-] **rgabage** 3 points almost 2 years ago

Selected Answer: A

Correct

[-] **Romain_D** 1 point almost 2 years ago

Selected Answer: B

It's impossible to have active relationships between the sales table and EACH date table

Question 167

HOTSPOT

-

You are creating a Power BI report that will show the number of current employees over time. The report will use Import storage mode for all tables.

The employment data will be imported from Azure SQL Database in a monthly snapshot. The data will be stored in a

table named Headcount and will contain the following:

- One row per employee for each month the employee is employed
- In each row, a date key that shows the first day of the month of each snapshot

You have a related date table that contains dates for the years 2020 to 2030.

You need to create a semi-additive DAX measure that will return the count of employees for the last available date in a year, quarter, or month.

How should you complete the measure? To answer, select the appropriate options in the answer area.

Answer Area

Headcount =

Calculate

(ApproximateDistinctCount('Headcount'[EmployeeKey]),
(CountRows('Headcount'),
(Max('Headcount'[EmployeeKey]),
(Sum('Headcount'[EmployeeKey]),

FirstDate('Headcount'[DateKey]))
LastDate('Date'[Date]))
LastDate('Headcount'[DateKey]))
LastNonBlank('Date'[Date]))

Hide Answer

Correct answer:

Answer Area

Headcount =

Calculate

(ApproximateDistinctCount('Headcount'[EmployeeKey]),
(CountRows('Headcount'),
(Max('Headcount'[EmployeeKey]),
(Sum('Headcount'[EmployeeKey]),

FirstDate('Headcount'[DateKey]))
LastDate('Date'[Date]))
LastDate('Headcount'[DateKey]))
LastNonBlank('Date'[Date]))

[-] **aloyusjw** 32 points over 1 year ago

LASTNONBLANK doesn't work as it requires 2 inputs

LastDate('headcount'[datekey])/ FirstDate('headcount'[datekey]) doesn't work simply because firstdate and lastdate requires a date. Datekey is not a date

Therefore, Lastdate('date'[date]) is correct

[-] **RicoPallazzo7** 19 points almost 2 years ago

CountRows("HeadCount")

LastDate(headcount["DateKey"])

Why?

The first to count the number of employees

The second because if we use lastDate over Date it will retrieve always the 31 december 2030 (It says that in date table are present dates from 2020 to 2030)

So the result will always be the same. But if we take the lastDate in the DateKey we'll have the first day of the month and year of the last snapshot.

Am i correct?

[-] **SylUK** 1 point 6 months ago

Please have a look in the syntax of the function LASTDATE in DAX which is : LASTDATE(<dates>). Dates represent the column in which there is date . Therefore the given answer is correct: CountRows("HeadCount") for the first and LastDate('Date'[Date])) for the second.

[-] **as198184** 2 points 12 months ago

You are right Rico. Tried it in power bi and it works perfectly

[-] **Mo2011** 3 points about 1 year ago

No, the LASTDATE('Date'[Date]) function does not always return the latest date in the entire range of the Date table (which would be 12/31/2030 in this case). Instead, it returns the latest date within the current filter context. This means it considers the dates that are relevant to the current context of your report, visualization, or calculation.

[-] **Alscoran** 5 points over 1 year ago

I don't think so. Every employee has an entry for EVERY month they are employed. So counting the rows in that table will be too high.

[-] **sarraEB** 2 points over 1 year ago

Yes but in this case, we will use the calculate function that evaluates an expression in a modified filter context. Here the filter is on the dates. It will give us the last available date in a year, quarter, or month.: Lastdate('date'[date])). So you will have only one date for each employee=> one row for each employee.

[-] **Lulu_2022** 1 point about 1 month ago

LASTDATE('Date'[Date]) returns the latest visible date in the current context (like the last day of a month). Headcount[Date] = LASTDATE(...) filters the Headcount table to only rows from that date. CALCULATE(...) applies that filter before counting rows — giving you the number of employees on the last snapshot date. This is a classic semi-additive pattern: additive across employees, but not across time.

[-] **5bf040d** 1 point 5 months ago

CountRows("HeadCount") : return the count of employees
LastDate(headcount["DateKey"]): obtain the last date available, the exercise mention you have a related date table, so, the data table is connected to Headcount table via DateKey

[-] **freudn** 1 point 9 months ago

CountRows("HeadCount")
LastDate(headcount["DateKey"])
it's literally an almost identical example in the Microsoft documentation:
quote: "
Example
The following sample formula creates a measure that obtains the last date, for the current context, when a sale was made in the Internet sales channel.
= LASTDATE('InternetSales_USD'[SaleDateKey])
"
<https://learn.microsoft.com/en-us/dax/lastdate-function-dax#example>

[-] **8b7b763** 3 points 10 months ago

EmployeeCount =
CALCULATE(
APPROXIMATEDISTINCTCOUNT(Headcount[EmployeeID]),
LASTDATE('Date'[Date])
)

[-] **0e18c76** 3 points about 1 year ago

The answer seems correct.

[-] **Abhi_1526** 8 points over 1 year ago

There is no much upvotes. Feels like everyone is tired of solving these questions.

[-] **yuri_rusanov** 9 points over 1 year ago

Table Headcount will contain "one row per employee for each month the employee is employed". As I understand it, if we run the newly created measure for quarter or year, then the table will contain multiple rows of the same employee, given that the employee was employed the whole time. Therefore using CountRows('Headcount') would retrieve 3 or 12 for each employee being present in the whole period, which seems problematic as he is only one person. On the other hand, ApproximateDistinctCount will count an instance of that same employee only once, since the function aggregates on the passed column (key) before counting. Correct me if I am wrong, but I think the correct answer should be ApproximateDistinctCount and LastDate('Date'[Date])

Reference: <https://learn.microsoft.com/en-us/dax/approximate-distinctcount-function-dax>

[-] **Dmytro-UA** 9 points over 1 year ago

Unfortunately, you are wrong. "This function requires DirectQuery mode" (<https://learn.microsoft.com/en-us/dax/approximate-distinctcount-function-dax>). In our case "The report will use Import storage mode for all tables". So the only one solution - COUNTROWS and LastDate('Date'[Date]).

[-] **Helena1** 2 points over 1 year ago

I agree.

I thought of the same thing. I wonder if anyone has a definitive answer to help us here.

[-] **Alscoran** 3 points over 1 year ago

I agree with you. Countrows will not work because of what you have pointed out.

[-] **Ryan_042** 5 points over 1 year ago

```
CALCULATE(
COUNTROWS('Headcount'),
LASTNONBLANK('Headcount'[Date])
)
```

The problem is the table "Headcount"'s date key is the first day of each month. LASTDATE('DATE'[DATE]) returns the last day of the selected period, which filters out the value in the "Headcount" table.

[-] **ZillowGosia** 3 points almost 2 years ago

```
Chat GTP
LastDateHeadcount :=
VAR LastDate =
MAXX(
FILTER(
ALL('Date'[Date]),
'Date'[Date] <= MAX('Date'[Date]) &&
'Date'[Year] = MAX('Date'[Year])
),
'Date'[Date]
)
RETURN
CALCULATE(
COUNTROWS('Headcount'),
'Headcount'[DateKey] = LastDate
)
So Chat GTP also suggest:
CountRows("HeadCount")
LastDate(headcount["DateKey"])
```

[-] **srujji** 4 points almost 2 years ago

CORRECT

[-] **tranquanghuy2111** 3 points almost 2 years ago

while the input is the first day of month, but the request is the last date. How can we set the filter as lastdate? i testes but it gave blank()

[-] [tranquanghuy2111](#) 1 point almost 2 years ago

LASTNONBLANK requests two argument while in the question only show one agurment

Question 168

HOTSPOT

-

You have a query named All Sales that imports sales data into a Power BI model.

You plan to create a star schema by separating columns into separate queries and performing further transformations. The solution must meet the following requirements:

- Use All Sales as the source for three other queries named Sales Fact, Product Dimension, and Customer Dimension.
- Minimize maintenance effort.

What should you do to create the Sales Fact query, and for which query should you clear Enable load? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

To create Sales Fact:

Duplicate the All Sales query.

Duplicate the Customer Dimension query.

Reference the All Sales query.

Reference the Customer Dimension query.

Clear Enable data load for:

All Sales

Customer Dimension

Product Dimension

Sales Fact

Hide Answer

Correct answer:

Answer Area

To create Sales Fact:

- Duplicate the All Sales query.
- Duplicate the Customer Dimension query.
- Reference the All Sales query.
- Reference the Customer Dimension query.

Clear Enable data load for:

- All Sales
- Customer Dimension
- Product Dimension
- Sales Fact

[[-](#)] [tranquanhuy2111](#) 37 points almost 2 years ago

Reference is the most common way to replicate original query.

Clear "enable load" to "All Sales" cause the data of this query is now loaded to other table. It is not necessary to load it to Report view anymore

[[-](#)] [juliettelaurier](#) 26 points almost 2 years ago

The question provides the answer. We are referencing All Sales for all three tables, and then we are clearing Enable load for All Sales to reduce the data model and increase performance.

Referencing will reduce maintenance because the three tables will be derived from the original data and we can keep the transformations to the source data without having to modify three queries.

[[-](#)] [cs3122](#) 2 points over 1 year ago

totally agree, good explanation

[[-](#)] [539d541](#) 1 point 12 months ago

Answer is correct

[[-](#)] [rcaliandro](#) 1 point 12 months ago

The answer seems to be correct

[[-](#)] [0e18c76](#) 1 point about 1 year ago

Totally agree.

Reference the All sales query

All sales

[[-](#)] [0e18c76](#) 1 point about 1 year ago


Right answer.

[[-](#)] [Dsbuff](#) 2 points over 1 year ago

The answer is correct.

Question 169

You have the Power BI model shown in the following exhibit.



A manager can represent only a single country.

You need to use row-level security (RLS) to meet the following requirements:

- ⇒ The managers must only see the data of their respective country.
- ⇒ The number of RLS roles must be minimized.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Create a single role that filters Country[Manager_Email] by using the USERNAME DAX function.
- B. Create a single role that filters Country[Manager_Email] by using the USEROBJECTID DAX function.
- C. For the relationship between Purchase Detail and Purchase, select Apply security filter in both directions.
- D. Create one role for each country.
- E. For the relationship between Purchase and Purchase Detail, change the Cross filter direction to Single.

Hide Answer

[-] **Nurgul** 41 points almost 3 years ago

Selected Answer: AC

The given answer is correct.

A. Create a single role that filters Country[Manager_Email] by using the USERNAME DAX function.

C. For the relationship between Purchase Detail and Purchase, select Apply security filter in both directions.

[-] **Churato** 33 points almost 3 years ago

Ok, I agree with A and C but, "Each correct answer presents a complete solution" ?

I believe that A and C are each one a part of solution not a complete solution...

Am I wrong?

[-] **Paulkuzzio** 3 points over 1 year ago

You are very right; C option is not a complete solution.

[-] **Eriacks** 1 point 10 days ago

Selected Answer: AB

Each correct answer presents a complete solution, Therefore it is A and B

[-] **Lulu_2022** 1 point 28 days ago

Selected Answer: AC

- You define an RLS role on the Country table, using USERNAME() to filter Country[Manager_Email]

- Purchase table relates to Country, and Purchase Detail relates to Purchase
- If you only apply security filters in one direction:
- Managers would be restricted in the Country table...
 - But could still see all rows in Purchase Detail, unless you manually duplicate filters — which breaks scalability

[-] **Fatima300** 1 point 6 months ago

Selected Answer: AB

A & B: Both USERNAME() and USEROBJECTID() can dynamically filter data based on the logged-in user, ensuring each manager only sees their country's data.

[-] **Shrav95** 3 points 7 months ago

Selected Answer: AC

A (USERNAME function): This allows you to dynamically filter the data based on the logged-in user's email, thus achieving the requirement with a single RLS role.

C (Apply security filter in both directions): This ensures the RLS role applies correctly across related tables, which is crucial for maintaining the data integrity and security filter throughout the model.

[-] **Rio98** 3 points 8 months ago

Selected Answer: AB

The correct answers are A and B, as both allow you to create a single role to filter data based on the manager's identifier (email or object ID), minimizing the number of roles required.

[-] **hsetin** 2 points 10 months ago

A and E should be correct answer. A is obvious, and E because there is no requirement to filter from details.

[-] **YuanQingTan** 2 points 11 months ago

When RLS is applied,

If the security filter in both direction is not applied, that users may or may not see information that is not related to him or her (depending on how the visuals are designed)

Enable the security filter in both direction will ensure that only the required information is shown.

[-] **zvm** 2 points 12 months ago

Selected Answer: AD

A is obvious.

C does not represent a complete solution. What would happen if you ONLY apply security filter? What filter?? Security filter does not exist if this needs to be a complete solution.

D - the only drawback is that you need a lot of roles.

[-] **basahcah** 1 point 4 months ago

You're ignoring that the number of RLS roles must be minimized

[-] **as198184** 2 points 12 months ago

the diagram shows the relationship already set as bi directional. Why we need to set this again ?

[-] **Koriza** 1 point 2 months ago

that's just a cross-filter, doesn't mean security filter is on

[-] **rcaliandro** 2 points 12 months ago

Selected Answer: AC

The given answer is correct

[-] **rcaliandro** 2 points 12 months ago

Tested, it is

[-] **pbi_da** 1 point about 1 year ago

A&C. To people talking about "complete solutions," consider this: each Correct Selection is worth a point, but each Correct Answer is a complete solution. An Answer is composed of multiple selections, but the Answer itself will be a complete solution (of two parts). Hope this helps.

[-] **Kiran37** 1 point about 1 year ago

AC is correct

[-] **ykb_proudly_Indian** 1 point about 1 year ago

I will go with D, E

[-] **i.eniolaabolade** 4 points 10 months ago

D is wrong. Question says number of roles created must be minimized.

[-] **Chellz** 4 points about 1 year ago

On June 8, 2024 exam

[-] **SIH007** 10 points over 1 year ago

A can't be correct, Create a single role that filters Country[Manager_Email] by using the USERNAME DAX function - USERNAME returns the Username, to get the User-E-Mail you have to use USERPRINCIPALNAME

[-] **TMOTM** 1 point 11 months ago

That was my thinking. Using username or UPN creates, effectively, a role per country and needs maintenance. My thinking was using a role per country (which you need anyway) and then you can maintain that way.

[-] **HBerg_002** 13 points over 1 year ago

I believe the given answer is not correct. Furthermore, I believe the most selected answer is incorrect as each option selected should be a complete solution.

As mentioned in some other comments, the questions says that each solution should be a COMPLETE solution. If you in isolation performs option C, it would not lead to any RLS being applied in the model. If the question were asking for two alternatives that together were a complete solution, A and C would be correct.

Hence, one should opt you alternative A and D where A is dynamic RLS and D is static RLS (credit to the individual(s) mentioning this prior to this comment).

[-] **Mo2011** 1 point about 1 year ago

But it does NOT minimize the number of roles

[-] **JudT** 1 point over 1 year ago

That's right! So the correct answer is A and D in this case (each solution should be a COMPLETE solution)

[-] **Chellz** 11 points over 1 year ago

Selected Answer: AD

A, D. A is dynamic while D is static RLS. Each presents a complete solution. The explanation in C itself is correct but irrelevant. The RLS filter required doesn't come from the Purchase Detail table.

[-] **1CY1** 1 point 11 months ago

D is a nonsense answer. In practice you would never do it.
I'm going with A, C.

[-] **Aldeus** 4 points over 1 year ago

Why in both directions? The RLS filter comes from the Country table and propagates to the Purchase table, the it propagates to the Purchase Detail table. There's no RLS filter coming from the Purchase Detail table, which it'll justify the use of RLS in both directions.

[-] **Hyla** 4 points almost 2 years ago

OK,

given the options, it seems to me that A and C are correct.

But wouldn't it be "more" correct for "Apply security filter in both directions" to be between the tables Country and Purchase?

Thanks in advance for any feedback

[-] **vikjos4** 9 points over 1 year ago

Shouldn't we use the USERPRINCIPALNAME function DAX as it pertains to the email column?

[-] **RMUK** 9 points almost 2 years ago

I think it should be AE,

Instead of applying bidirectional security, good to flow data in single direction and it does meet the requirement and best practice as well.

[-] **lgetmyrole** 5 points almost 2 years ago

A & D are the correct answers.

A. This action is necessary to filter data based on the currently logged-in user's email (USERNAME function). This allows us dynamically filter the data to show only the data corresponding to the manager's email address.

D. Since each manager can represent only a single country, we should create one RLS role for each country. Each role will filter the data based on the manager's email (Using USERNAME) and the corresponding country they manage. This way, each manager will have access only to the data for their respective country.

[-] **JudT** 1 point over 1 year ago

I'm ok with that

[-] **DarkerClown** 3 points about 2 years ago

as shown in image bidirectional filtering is already applied, so y are we doing the same again? can anyone explain please?

[-] **RicoPallazzo7** 1 point almost 2 years ago

it's my same doubt

[-] **elesglar** 4 points about 2 years ago

Why is it C, if the both directions are already applied in the screenshot? Hasn't that already been done? Can someone explain?

[-] **nikhikldfas** 1 point about 2 years ago

I also believe you may be right-

in the screenshot we can clearly see Option C already exists in the table.

[-] **Maniula** 4 points about 2 years ago

Security filter isn't applied by default when you make a bidirectional relationship. C is correct.

[-] **miro26** 2 points about 2 years ago

<https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-bidirectional-filtering>

[-] **LouStar2** 1 point about 2 years ago

I am not sure if this whole question was on the exam today but those DAX expressions are. And I apparently got it wrong lol

[-] **Shalaleh** 12 points over 2 years ago

The given answer is correct. But I would rather to use USERPRINCIPALNAME()

[-] **ManuelG00** 3 points about 2 years ago

Yes Correct! Because we have a field "Email_Address" and not "Username"

[-] **itenginerd** 2 points almost 2 years ago

Correctish, I guess. USERNAME isn't guaranteed to return anything in an email address format, so matching that to Manager's email address seems real iffy. Not that USEROBJECTID is any better....

[-] **lizbette** 12 points over 2 years ago

Selected Answer: AC

AC

A - USERNAME DAX will create single role that filters by the email dynamically

C - see here for explanation of why we need bi-lateral filter. we don't want them seeing any other country's data

<https://asankap.wordpress.com/2018/05/28/how-does-row-level-security-works-when-there-is-a-bi-directional-filter-in-power-bi-tabular-model/>

[-] **Nadiaa** 2 points over 2 years ago

why answer C is correct and answer B is not correct. Thank you

[-] **semauni** 3 points over 2 years ago

Because USEROBJECTID() will return just an id, which is not an email address

Source: <https://learn.microsoft.com/en-us/dax/userobjectid-function-dax>

[-] **BriElleD** 1 point over 2 years ago

Je viens de tester les 2 fonctions USERNAME et USEROBJECTID . Dans Power BI service les 2 récupère l'email. Réponse A et B.

[-] **shmmmini** 8 points over 2 years ago

I can't see any complete solution here:

USERNAME returns something like Domain\Username while in the table We have an Email. It would work if We used USERPRINCIPALNAME(), but this needs to be coupled to another part of the solution

[-] **RazaTheLegend** 2 points over 2 years ago

Selected Answer: AC

The correct answers are A and C. This is because by creating a single role that filters Country, you're in turn ensuring that each manager see only the data from their respective countries. While for the relationships between Purchase Detail and Purchase select Apply security filter in both directions.

We dont need D in this case as the Country table works as a security table, the roles are defined there.

[-] **hungry85** 1 point over 2 years ago

The correct answers are A and C. This is because by creating a single role that filters Country, you're in turn ensuring that each manager see only the data from their respective countries. While for the relationships between Purchase Detail and Purchase select Apply security filter in both directions

[-] **TQuynh** 5 points over 2 years ago

Selected Answer: AE

changing the cross-filter to single is more optimal option, isn't it?

[-] **Jae17** 3 points over 2 years ago

A and D should be the correct option>

A is very obvious.

D is because this will ensure that each manager is only able to see the data for their respective country. By creating a separate role for each country, we can ensure that the filtering is more precise and allows for greater control over the data that each manager is able to access.

The other options are not relevant to the given requirements. Applying security filters in both directions (option C) or changing the cross filter direction to single (option E) are not necessary for implementing RLS based on the manager's country. Using the USEROBJECTID DAX function (option B) is not relevant to the requirement of filtering by country. Creating one role for each country is necessary to ensure that each manager is only able to see the data for their respective country.

[-] **PetJoh422** 2 points over 2 years ago

We dont need D in this case as the Country table works as a security table, the roles are defined there.

So only one role is necessary because we have manager mail in the table

[-] **kiwi69** 8 points over 2 years ago

Selected Answer: AD

I think the answer C does not represent a complete solution at all. You can't apply RLS without roles and answer C does not create roles. Answer D is not optimal but would work.

[-] **csillag** 3 points over 2 years ago

Correct answer is AC.

[-] **sharmila29** 1 point over 2 years ago

In my opinion first you have to create a role for each country and then filter the manager with the email to assign to the role using username.

[-] **samad1234** 2 points almost 3 years ago

A and C is the correct answer

[-] **lukelin08** 2 points almost 3 years ago

Selected Answer: AC

A and C

[-] **zagiel** 3 points almost 3 years ago

Why is cross filter directions in both directions? And why is not correct answer E?

[-] **Chelseahc** 3 points almost 3 years ago

Because the relationship between the two tables is bi-directional

[-] **reyn007** 1 point over 2 years ago

I'm just trying to understand the relationships better, according to the question a manager in one region must not see data from other regions so why is E not the answer but C. the relationships in the image shows bi directional so if it is to prevent filtering the tables then why not set the single?

[-] **Namenick10** 4 points almost 3 years ago

Selected Answer: AC

A and C

[-] **Guru1337** 3 points almost 3 years ago

Username function does not return an email. It should either be userprincipalname or username should ne filtered with the actual username.

[-] **ThariCD** 19 points almost 3 years ago

In Power BI Service the username and userprincipalname both return the email address, it's only in Power BI Desktop that username is domain/username rather than the email address. So I agree that userprincipalname is better generally as you always get the same value, the answer is correct and you can use username as your RLS since the role will be applied in the Service.

Question 170



You have a Power BI model that contains the following data.

Table name	Column name	Description	Data type
Date	Date	Calendar date	Date
	Month	Calendar month	Text
	Year	Calendar year	Integer
Sales	Sale	Sales value	Decimal number
	Date	Calendar date	Date

The Date table relates to the Sales table by using the Date columns.

The model contains the following DAX measure.

Total Sales = SUM(Sales[Sale])

You need to create another measure named Previous Quarter to display the sales one quarter before the selected period.

Which DAX calculation should you use?

- A. CALCULATE ([Total Sales], DATEADD (Date[Date], -1, QUARTER))
- B. CALCULATE ([Total Sales], DATESQTD (Date[Date]))
- C. TOTALQTD ([Total Sales], Date[Date])
- D. CALCULATE ([Total Sales], PARALLELPERIOD (Date[Date], 1, QUARTER))

Hide Answer

[-] **tranquanghuy2111** 20 points almost 2 years ago

DATEADD is correct.

PARALLELPERIOD also calculate one quarter before, but the out come is the total sales of three months of previous quarter not only one day or one month of previous quarter

[-] **ZillowGosia** 7 points almost 2 years ago

A is correct.

[-] **Koalakueh** 8 points over 1 year ago

Selected Answer: A

we can use PARALLELPERIOD() as well. It's just that the option for that is 1 year later rather than 1 year earlier

[-] **539d541** 1 point 12 months ago

I think the answer D is 1 quarter later, not earlier as required. Other than that I think you're correct that it would have been ok too

[-] **LeeTheRed** 1 point over 1 year ago

Good observation!

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: A

The correct answer is: A. CALCULATE ([Total Sales], DATEADD (Date[Date], -1, QUARTER))

✅ Why This Works:

DATEADD(Date[Date], -1, QUARTER) shifts the current filter context back one quarter.

CALCULATE(...) then evaluates [Total Sales] in that shifted context — giving you the sales from the previous quarter.

This is a classic pattern for time intelligence in DAX when you want to compare current period values to a prior period.

[-] **5bf040d** 1 point 5 months ago

Selected Answer: A

The correct answer is A because the question mentioned previous quarter, so that, -1

Parallelperiod will work but if it would have 1 instead of -1

CALCULATE ([Total Sales], PARALLELPERIOD (Date[Date], -1, QUARTER))

[-] **jaume** 2 points 9 months ago

Selected Answer: A

B. QTD would return "Quarter To Date" result not previous year

C. Again it's about QTD

D. if you doubt about the PARALLELPERIOD, note the step is 1 not -1 so it would be not the previous quarter but next one

A. with DATADD function using a negative (-1) step, we are referring to the previous quarter

[-] **rcaliandro** 2 points 12 months ago

Selected Answer: A

A - CALCULATE ([Total Sales], DATEADD (Date[Date], -1, QUARTER))

[-] **shahrzadkhb** 1 point about 1 year ago

The answer is correct.

[-] **0e18c76** 1 point about 1 year ago

Totally right.

For this kind of situation, using DATEADD is the best approach. It is dynamic.

[-] **Abhi_1526** 3 points over 1 year ago

Selected Answer: A

-1 so A

[-] **Dani_eL** 2 points over 1 year ago

Selected Answer: A

DATEADD (from date, direction(before/after), interval (in days, months, quarters, years))

[-] **TestSavvySage123** 1 point over 1 year ago

Option A is correct

Here is chatgpt solution:--Previous Quarter =

CALCULATE (

[Total Sales],

DATEADD (Date[Date], -1, QUARTER)

)

[-] **Mal42** 2 points over 1 year ago

Selected Answer: A

Given answer is right

Question 171



You are reviewing a Power BI data model.

You have a calculated table that has the following definition.

ProductList = INTERSECT (ProductsGroupA, ProductsGroupB)

You need to identify the results of the DAX expression.

Which rows will be returned in ProductList?

- A. all the rows in ProductsGroupB that have a matching row in ProductsGroupA
- B. all the rows in both tables
- C. all the rows in ProductsGroupA that have a matching row in ProductsGroupB
- D. all the rows in ProductsGroupA that have no matching row in ProductsGroupB.

Hide Answer

[-] **INDEAVR** 13 points over 1 year ago

Selected Answer: C

C. all the rows in ProductsGroupA that have a matching row in ProductsGroupB

[-] **jaume** 1 point 9 months ago

Selected Answer: C

INTERSECT return the row-wise intersection of two tables. This means it retrieves only the rows that are present in both table expressions

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: C

C - all the rows in ProductsGroupA that have a matching row in ProductsGroupB

[-] **shahrzadkhh** 1 point about 1 year ago

Selected Answer: C

The answer is correct.

INTERSECT(<table_expression1>, <table_expression2>)

Duplicate rows are retained. If a row appears in table_expression1 and table_expression2, it and any duplicates in table_expression_1 are included in the result set.

Reference:

<https://learn.microsoft.com/sv-se/dax/intersect-function-dax>

[-] **iamamantrivedi** 4 points over 1 year ago

The INTERSECT function in DAX is order-independent. It returns the common rows between two tables, regardless of the order in which you specify the tables. both a and c are correct.

[-] **1abcd** 1 point over 1 year ago

Intersect is not commutative. In general, Intersect(T1, T2) will have a different result set than Intersect(T2, T1).

[-] **rajukg** 2 points over 1 year ago

Intersect is not commutative. In general, Intersect(T1, T2) will have a different result set than Intersect(T2, T1). Duplicate rows are retained. If a row appears in table_expression1 and table_expression2, it and all duplicates in table_expression_1 are included in the result set.

[-] **rajukg** 2 points over 1 year ago

Answer: C

[-] **Florinuca** 1 point over 1 year ago

The correct answer is C.

See the example :

<https://learn.microsoft.com/en-us/dax/intersect-function-dax>

"Intersect is not commutative. In general, Intersect(T1, T2) will have a different result set than Intersect(T2, T1)."

[-] **Stehi** 3 points over 1 year ago

Would not A and C be both correct?

ince INTERSECT finds rows that exist in both tables, the statement is correct from the perspective of either table—whether you're looking for matches in ProductsGroupA against ProductsGroupB or vice versa. The result is a table with rows that are common to both.

Question 172

HOTSPOT

-

You have a Power BI tenant that contains a workspace. The workspace contains a dataset named datasetA.

You need to build a pivot table report in Microsoft Excel. The report must use datasetA as the data source. The solution must meet the following requirements:

- Ensure that the report can be refreshed to get the latest available data from the Power BI service.
- Ensure that all the visible data in datasetA is available for use in Excel.

What should you do to connect Excel to datasetA, and which element in datasetA will be incompatible with the Excel connection? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

To connect Excel to datasetA:

Select Analyze in Excel.
Export a visual to a CSV file.
Export a visual to Excel by using a live connection.

Incompatible with the Excel connection:

Field parameters
Object level security (OLS)
Report measures

Hide Answer

Correct answer:

Answer Area

To connect Excel to datasetA:

Select Analyze in Excel.
Export a visual to a CSV file.
Export a visual to Excel by using a live connection.

Incompatible with the Excel connection:

Field parameters
Object level security (OLS)
Report measures

[-] **Jayaruwan** 6 points 11 months ago

Given answers are correct

[-] **Odidepse** 2 points 7 months ago

Analyze in excel allows you to have direct connection to dataset field parameters is incompatible fields based on field parameters in the dataset will not be accessible when using Excel

[-] **esrath** 1 point 7 months ago

Use a live connection & Report Measures.

According to the documentation here:

<https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-analyze-in-excel#export-to-excel-with-live-connection>

Excerpts:

"- Export to Excel with live connection

While viewing a Power BI visual, you may want to further explore the visual data in Excel and keep the data connected. You can export a table of refreshable data from a Power BI visual to Excel."

&

"If you use the Export with live connection option to export data from a visual in that report, the measures that you added won't be available in the data you export to Excel."

[-] **ec338ed** 2 points 10 months ago

Report Measures is the correct answer:

Report measures in Power BI are often incompatible with Excel connections when using a live connection because they are tightly integrated with specific visualizations and context in Power BI. While basic measures will work, report-level measures, especially those related to specific visual filters or slicers in Power BI reports, may not transfer correctly into Excel.

[-] **tko86** 2 points 8 months ago

Field Parameters are incompatible in Excel from powerbi datasets. Those field parameters allow users to dynamically change the field/data. You cannot use PBI dataset parameters in Anlayze in Excel. You can use the implicit and explicit measures that were created in PowerBi dataset.

[-] **Tex02** 4 points 11 months ago

I had a dataset in powerbi.com and was able to open it with the Analyze in Excel so I say these answer are correct

[-] **hatem.ayed** 4 points 11 months ago

Para conectar Excel a datasetA:

Select Analyze in Excel: Esta opción te permite conectar Excel directamente a un conjunto de datos en Power BI usando "Analizar en Excel". Esto es lo que necesitas para crear un informe de tabla dinámica en Excel que se puede actualizar con los datos más recientes desde el servicio Power BI.

Incompatible con la conexión a Excel:

Field parameters: Los parámetros de campo (Field parameters) en Power BI no son totalmente compatibles con las conexiones a Excel. Esto puede causar problemas al intentar utilizar estas características avanzadas en un entorno de Excel.

Por lo tanto, las selecciones correctas son:

Para conectar Excel a datasetA: Select Analyze in Excel.

Incompatible con la conexión a Excel: Field parameters.

You have a Power BI data model that contains two tables named Sales and Date. The Sales table contains three measures named Order Quantity, Product Cost, and Sales Amount.

You need to create the visual shown in the following exhibit.

	2020	2021	2022	2023	Total
Order Quantity	12036	60974	128956	72810	274776
Product Cost	10,047,701.66	27,603,232.56	38,619,703.29	20,987,270.44	97,257,907.95
Sales Amount	11,928,555.52	30,516,891.80	42,895,109.50	24,468,717.39	109,809,274.20

In which section of the Fields well should you place the measures?

- A. Columns
- B. Rows
- C. Values
- D. Drill through

Hide Answer

[-] **Datapassion** 24 points over 1 year ago

Correct answer is C

To have the same exact matrix, you need to put the different measures in the "Values" well and then to go to the format pane of your matrix and select "Switch values to rows" under the "Values" section.

[-] **JudT** 2 points over 1 year ago

Done! Thank you very much

[-] **maymia87** 9 points over 1 year ago

Here's a tutorial <https://datasavvy.me/2017/08/10/you-can-now-put-values-on-rows-in-power-bi/>

[-] **desibaby09** 1 point 8 months ago

Selected Answer: C

Calculated values will provide the summary values in a matrix table

[-] **jaume** 1 point 9 months ago

Selected Answer: C

Values in a matrix visual

[-] **539d541** 2 points 12 months ago

Selected Answer: C

C is correct. Put measures in Values then switch values to rows in the formatting of the matrix

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: C

It seems to be a matrix, we need to put the measures in the values

[-] **MITZ619** 2 points over 1 year ago

Selected Answer: C
c. Value

[-] **syjang_0421** 3 points over 1 year ago

Selected Answer: C
Values

[-] **Dani_eL** 1 point over 1 year ago

none of the solutions work in a PBI desktop report.
You can put ONE measure into values but as soon as you put the second one it becomes a second row header with corresponding values

[-] **Piotrek_PL** 6 points over 1 year ago

Make sure you got a matrix type of visual. It looks like you had just a table.

[-] **Florinuca** 4 points over 1 year ago

The correct answer is C - Values.
Firstly, this type of visualization is a MATRIX.
If you do a simple test in PowerBI Desktop, you can see that in the "Rows" section, we can't add measures!
Most likely, the names of the measures in the rows of the matrix appear because the measures were put in "fields parameteres" that generated a Calculated Table, and the actual values of the measures appear by adding the measures (not from the Calculated Table) in the "Values" section.

[-] **INDEAVR** 3 points over 1 year ago

It is not possible to put a measure in Columns. You can only put a measure in Values. However, putting the measures in Values is not going to produce the same visual. Neither of the answers is correct in my opinion.

[-] **Datapassion** 2 points over 1 year ago

Answer C is correct, to produce the same visual you need to turn ON "switch values to rows" in the format pane of your matrix

[-] **Margaft** 4 points over 1 year ago

C. Values

[-] **JustdoBI** 3 points over 1 year ago

Values

[-] **6f38739** 3 points over 1 year ago

Should be Values

Question 174



Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI report that imports a date table and a sales table from an Azure SQL database data source. The sales table has the following date foreign keys:

- Due Date
- Order Date
- Delivery Date

You need to support the analysis of sales over time based on all the date foreign keys.

Solution: You create measures that use the USERELATIONSHIP DAX function to filter sales on the inactive relationship between the sales table and the date table.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: A

Power BI allows only one active relationship between a fact table (like Sales) and a dimension table (like Date).

By default, only one of the date fields (e.g., Order Date) can have an active relationship with the Date table.

To analyze sales over time using the other date fields (Due Date, Delivery Date), you can create inactive relationships and then use the USERELATIONSHIP() function in your DAX measures to activate them temporarily.

[-] **jaume** 2 points 9 months ago

Selected Answer: A

you need to link the tables using the three Date fields require in the analysis. Only one relationship between two tables can be active. In the measures involving the Dates fields linked with the inactive relationships, the RELATIONSHIP() function is required to turn (within that measure) that relation to Active

[-] **LuluSkyy** 2 points 9 months ago

The correct answer is A. you use USERELATIONSHIP

[-] **f07fa5c** 1 point 10 months ago

Selected Answer: A

Yes, USERELATIONSHIP() activates a disables relationship, and therefore pairs well with an inactive relationship, like in the question.

[-] **Jayaruwan** 2 points 11 months ago

Selected Answer: A

Yes is the correct answer

[-] **Endeetheanalyst** 2 points 11 months ago

Yes, is the correct answer

[-] **Tex02** 1 point 11 months ago

i agree the dax function to userelationship is for this purpose.

You have Power BI report that contains the fields shown in the following exhibit.

The screenshot shows the Power BI interface. On the left, the 'Visualizations' pane is active, displaying a bar chart. The X-axis is labeled 'Year'. The Y-axis has two measures: 'Sum of Sales Amount' and 'Sum of Product Cost'. On the right, the 'Data' pane shows a list of fields from the 'SalesDetails' table. The fields are: CustomerKey, DueDateKey, Extended Amount, Order Quantity, OrderDateKey, Product Cost (checked), Product Standard Cost, ProductKey, ResellerKey, Sales Amount (checked), SalesDate, SalesOrderLineKey, SalesTerritoryKey, ShipDateKey, Unit Price, and Unit Price Discount Pct.

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

To replace all the implicit DAX measures used in the visual, **[answer choice]** must be created.

To change how the Product Cost field is aggregated in additional visuals, you must change the **[answer choice]**.

	▼
one explicit measure two explicit measures three explicit measures	
	▼
data category data type DAX expression Summarization setting	

Correct answer:

Answer Area

To replace all the implicit DAX measures used in the visual, **[answer choice]** must be created.

To change how the Product Cost field is aggregated in additional visuals, you must change the **[answer choice]**.

	▼
one explicit measure	
two explicit measures	
three explicit measures	

	▼
data category	
data type	
DAX expression	
Summarization setting	

[-] **INDEAVR** 49 points over 1 year ago

- Two explicit measures
- Summarization setting

[-] **1CY1** 1 point 11 months ago

No explanation given. Wadyba gave an explanation.

[-] **Florinuca** 13 points over 1 year ago

The correct answer is :

- 2 explicit measures
- Summarization setting

[-] **Jasmine121** 1 point 6 months ago

Must be summarization setting.

This is an implicit measure not an explicit one. It is generated by Power BI itself, and can only be modified by summarization setting.

[-] **jaume** 1 point 9 months ago

SUM icon on the left side of the field means the field is summarized (can be COUNT, SUM, AVERAGE...) and turning the IMPLICIT into EXPLICIT would affect the TWO measures.

What does "...in additional visuals" mean? keeping visual as in the exhibit but adding new visuals? Whatever, you can still use same fields in additional visuals and change summarization on the specific visual using the "Summarization Setting" available on the "Visualizations" pane (within the Y-Axis in the exhibit for this visual)

[-] **d5b48ff** 8 points about 1 year ago

The given answer is incorrect...

I have put

- 2 measures
- Summarization setting

[-] **Wadyba** 9 points over 1 year ago

- one explicit measure
- summarization settings

explanation: from the visual, there is only one implicit measure that can be replaced which is the 'sum of sales amount'. the 'sum of product cost' is not an implicit measure because the cost of individual products cannot be aggregated, hence, there is no such thing as 'sum of product cost'. It is only a wrong guess by power bi. what power bi does is that whenever a table is loaded into the model, it goes through each column of the table and make a guess of their data types. whenever it sees

numeric columns such as date, product cost, and sales amount, it assumes that they are aggregable and automatically creates implicit measures for those columns by adding the summation sign next to those columns as shown in the example. To mitigate this weakness, developers have to manually go through each numeric column in their data model and change the summarization settings for non-aggregable columns just as part B of this question is suggesting. Thanks, Shalom!

[-] **Wadyba** 1 point 4 months ago

My bad: answer is 2 explicit measure and summarization setting. In my head I was referring to price column. Product cost can actually be aggregated to get total cost.

[-] **HellfireR** 1 point over 1 year ago

Will changing the "Summarization setting" impact additional visuals as well? I thought it would only impact the current visual.

[-] **ajinkya42069** 4 points over 1 year ago

- Two explicit measures
- Summarization setting

[-] **Rhugved** 3 points over 1 year ago

- Two explicit measures
- Summarization setting

[-] **Margaft** 4 points over 1 year ago

two explicit measures
Summarization setting

[-] **6f38739** 4 points over 1 year ago

Two explicit measures & summarization settings (if used as implicit measure as on the visual)

Question 176



Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Power BI report that imports a date table and a sales table from an Azure SQL database data source. The sales table has the following date foreign keys:

- Due Date
- Order Date
- Delivery Date

You need to support the analysis of sales over time based on all the date foreign keys.

Solution: From the Fields pane, you rename the date table as Due Date. You use a DAX expression to create Order Date and Delivery Date as calculated tables. You create active relationships between the sales table and each date table.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **7eb1fdb** 5 points 11 months ago

Deja vu

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: B

Power BI allows only one active relationship between a fact table (like Sales) and a given dimension table (like Date).

Creating calculated tables using DAX for Order Date and Delivery Date based on the original Date table does not create independent role-playing dimensions — they are still tied to the same underlying data and metadata.

Attempting to create active relationships from all three date columns in the Sales table to these calculated tables will likely result in ambiguity or errors, and it increases model complexity unnecessarily.

[-] **jaume** 1 point 9 months ago

Selected Answer: A

Same question as Q77 but also same answer :-)

[-] **amiruladliroslabin** 2 points 10 months ago

Selected Answer: B

In Power BI, only one active relationship can exist between two tables at a time. By renaming the date table as "Due Date" and creating calculated tables for "Order Date" and "Delivery Date", you are essentially creating multiple date tables and attempting to establish multiple active relationships with the sales table.

[-] **Jayaruwan** 2 points 11 months ago

Selected Answer: A

Yes is the correct answer

[-] **Monsta** 2 points 11 months ago

Selected Answer: A

Yes is the correct answer

[-] **nelrosell** 2 points 11 months ago

Yes - correct

[-] **rcaliandro** 2 points 11 months ago

Selected Answer: A

Yes, is the correct answer

[-] **Endeetheanalyst** 3 points 11 months ago

No is the correct answer

[-] **Tex02** 2 points 11 months ago

I would have thought the Answer is yes as you create the other required tables using the dax function and create relationships to the required dates

Question 177



You have a Power BI model that contains a table named Employees. The table contains the following columns:

- Employee ID
- First Name
- Last Name
- Department
- Salary

Each employee is uniquely identified by using Employee ID.

You need to create a DAX measure that will calculate the average salary of all the employees in the sales department.

Which DAX expression should you use?

- A. `DISTINCTCOUNT('Employees'[Salary])`
- B. `CALCULATE(DISTINCTCOUNT('Employees'[Salary]), 'Employees'[Department] = "Sales")`
- C. `CALCULATE(AVERAGE('Employees'[Salary]), 'Employees'[Department] = "Sales")`
- D. `AVERAGE('Employees'[Salary])`

Hide Answer

[-] **jaume** 4 points 9 months ago

Selected Answer: C

DISTINCTCOUNT as in Option A is definitively not calculating any average but just how many different salaries there are in the table

Similar, option B is calculation how many different salaries there are in the "Sales" Deptm

Option D is calculating the total salary average in the company not just for the "Sales" department (and it could be affected by CONTEXT filters)

In option C we are calculating the AVERAGE of the Salary, just for employees in SALES department and encapsulating calculation in CALCULATE to remove any report filter

[-] **Seda_** 4 points about 1 year ago

C is the correct answer.

[-] **shahrzadkhb** 3 points about 1 year ago

Selected Answer: C

C is the correct answer.

[-] **Palwashai** 1 point about 1 year ago

C is correct

[-] **MANANDAVEY** 4 points over 1 year ago

Selected Answer: C

C is right

[-] **Dani_eL** 3 points over 1 year ago

Selected Answer: C

C. `CALCULATE(AVERAGE('Employees'[Salary]), 'Employees'[Department] = "Sales")`

[-] **Florinuca** 1 point over 1 year ago

Yes, the correct answer is C.

[-] **INDEAVR** 3 points over 1 year ago

Selected Answer: C

C. `CALCULATE(AVERAGE('Employees'[Salary]), 'Employees'[Department] = "Sales")`

Question 178



You use Power Query Editor to preview a query that contains sales order data in the following columns:

- Tax Amount
- Sales Order ID
- Freight Amount
- Subtotal Amount
- Total Item Quantity

The Sales Order ID column uniquely identifies each sales order. The Subtotal Amount and Total Item Quantity columns are always populated, but the Tax Amount and Freight Amount columns are sometimes null when an order has no associated amount.

You need to query the data to identify the following metrics by month:

- The average item quantity per order
- The average freight amount per order
- The maximum item quantity per order

How should you modify the query?

- A. In the Total Item Quantity column, replace the null values with 0.
- B. In the Tax Amount column, remove rows that contain null values.
- C. In the Freight Amount column, remove rows that contain null values.
- D. In the Freight Amount column, replace the null values with 0.

Hide Answer

[-] **rajukg** 11 points over 1 year ago

D is the correct answer.

Removing rows is not the solution.

Item Quantity is always present.

Replace Freight Amount with 0 if it is null

[-] **GustavoFring** 6 points over 1 year ago

Won't replacing null values with zero bring down the average freight amount? That wouldn't be an accurate average of the freight amounts when rows with no data are still included. Unless the client would be okay with that,

[-] **noone420** 3 points over 1 year ago

It says "when there is no associated value" which i inferred to mean the amount is 0.

[-] **Jasm_74** 1 point about 2 months ago

Selected Answer: D
D is correct.

[-] **jaume** 1 point 9 months ago

Selected Answer: D
A. is "...always populated...." so no need o replace any null value
B. removing rows with null values would also remove information from other columns that are required for the report
C. similar to previous, we cannot remove any column without losing needed information
D. to calculate averages, we need to replace ull values with 0

[-] **rcaliandro** 2 points 12 months ago

Selected Answer: D
Replace the nulls with 0's in the Freight Amount column

[-] **0e18c76** 2 points about 1 year ago

I agree with the response.
However, If replacing null values by zero for freight amounts is correct, I suppose that replacing null values by zero for Tax amount would be correct, as well. To have a more complete response, why not considering also this option?

[-] **99fafba** 1 point over 1 year ago

Svp pourquoi D serait vrai et pas A?

[-] **6b4c58b** 1 point about 1 year ago

parce que "Total Item Quantity columns are always populated", aucune raison pour faire un changement la. "Freight Amount" contient des valeurs "nulls" qu'on ne peut pas utiliser pour recevoir un moyen. Alors on remplace tous les valeurs nulles avec 0. J'espere que ca fais du sense, francais c'est pas mon premier langue

[-] **noone420** 3 points over 1 year ago

Selected Answer: D
D is the answer

[-] **YaakovShlomo** 2 points over 1 year ago

Selected Answer: D
Need to get rid of nulls so we can aggregate

[-] **Florinuca** 4 points over 1 year ago

From my point of view, no option is correct!
Why? Because the "freight Amount" column is the problem. If this column has no values for all rows, so it can have "null" values, it is not recommended to create a visualization where we use the AVERAGE operation for this column (the sum will always be ok, but the number by which it is divided is not correct, taking into account null values it will be higher and we will never obtain a correct average). A similar question was in the documentation for the preparation of this exam.
Also, we can't remove the rows that contain null values based on "Freight Amount" column, because the deleted rows will contain information for the other columns that are used in the analysis and we won't get real and correct results in their analysis.

[-] **otapi** 1 point over 1 year ago

I would keep the table as is, but get the average of freight by a DAX using Calculate and filter rows to where freight is not null.

[-] **otapi** 2 points over 1 year ago

2nd thought, let's replace nulls to 0 in the freight, but use the filter in calculate dax to [Freight]>0. So option D is fine.

You have a Power BI semantic model that contains item, price, and country data. The data is displayed in a report that uses filters.

You need to calculate the average item price for a given country. The solution must support the existing filters.

Which type of quick measure should you use?

- A. Total for category (filters applied)
- B. Average per category
- C. Rolling average
- D. Weighted average per category

[Hide Answer](#)

[-] **Lulu_2022** 2 points about 1 month ago

Selected Answer: B

Why this is the best choice:

"Average per category" is designed to calculate the average of a measure (like item price) within each group (like country), while respecting all existing filters in the report.

It dynamically adjusts based on slicers or visual-level filters, so if a user selects a specific country, the average reflects only that country's data.

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: B

The "Average per category" quick measure calculates the average of a selected measure (like item price) within the context of a category (like country), while respecting all existing filters in the report. This makes it ideal for your scenario, where you want to compute the average item price per country, and ensure that any slicers or filters applied to the report are honored.

[-] **desibaby09** 1 point 8 months ago

Selected Answer: D

it says average ITEM price which could want to include the number of items in the formula. The answer choice B does not allow us to use that information

[-] **jaume** 2 points 9 months ago

Selected Answer: B

This is the only solution calculating the average as requested. Other options are calculating "rolling" and "weighted" average or total price.

Since we must keep existing filters, there is no need to use CALCULATE function there

[-] **uno96** 2 points 9 months ago

i am sure D because The Weighted average per category quick measure ensures the correct calculation of the average item price for a specific country, supporting existing filters and maintaining data context.

[-] **MonikaStop** 1 point 11 months ago

Selected Answer: B

I think B

[-] **nelrosell** 1 point 11 months ago

Beeeeeee

[-] **shedi13** 1 point 11 months ago

I would say thats A, beacuse you can change summarization on total to average

[-] **b92fc92** 1 point 11 months ago

Selected Answer: B

In my opinion, B

[-] **Jayaruwan** 1 point 11 months ago

Selected Answer: B

B is the correct answer. It wants to calculate average not the total

[-] **rcaliandro** 1 point 11 months ago

Selected Answer: B

B. Average per category

[-] **Endeetheanalyst** 3 points 11 months ago

B is the answer.

[-] **jiheneB** 3 points 11 months ago

Selected Answer: B

<https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-quick-measures>

Question 180

DRAG DROP

-

You use Power Query Editor to import three tables named Customers, Address, and Country.

In the source system, not every customer has a related address, but every address has a related country.

You need to merge all the tables into a single query. The solution must optimize query refresh performance.

Which type of join should you use for each merge operation? To answer, drag the appropriate join types to the correct operations. Each join type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Join types	Answer Area
Inner	Join Customers with Address:
Left anti	Join Address with Country:
Left outer	
Right anti	
Right outer	

Hide Answer

Correct answer:

Answer Area

Join Customers with Address:

Join Address with Country:

[-] **Endeetheanalyst** 23 points 11 months ago

This should be left outer join, since the customer table is on the left side.

[-] **f534a80** 1 point 8 months ago

1. Should be left outer join
2. I don't understand the order of "join". If we join table customer+adress it would be still some customers with null values in adress therefore left outer join. If we join adress with country before joining customer with adress then should be inner join

[-] **Rahultakle** 1 point 8 months ago

Use a Left Outer Join. This join will include all customers and their related addresses, if available. Since not every customer has an address, this join ensures that all customers are included, even if they don't have a corresponding address.

Use an Inner Join. This join will include only the addresses that have a related country. Since every address has a related country, this join will ensure that all addresses are matched with their corresponding countries.

[-] **rcaliandro** 14 points 11 months ago

In my opinion it is wrong, it should be: Left outer, inner join

[-] **rcaliandro** 1 point 11 months ago

what do you think guys?

[-] **Lulu_2022** 1 point about 1 month ago

Customers → Address: Left Outer Join

Not every customer has an address.

A left outer join ensures all customers are retained, and only matching addresses are brought in.

This avoids losing customers without addresses and keeps the dataset comprehensive.

Address → Country: Inner Join

Every address has a related country.

An inner join is more efficient here because it only brings in matching country rows — and since all addresses have countries, no data is lost.

This improves performance by reducing unnecessary rows.

[-] **Lulu_2022** 1 point about 1 month ago

Merge: Customers → Address

Join type: Left Outer Join

Since not every customer has an address, you want to keep all customers and bring in address data only where it exists.

A Left Outer Join ensures that all rows from Customers are retained, and matching rows from Address are added when available.

🔗 Merge: Address → Country

Join type: Inner Join

Because every address has a related country, you can safely use an Inner Join to bring in only matching rows.

This is more efficient than a Left Join and helps optimize query performance.

[-] **2c7b65c** 1 point 5 months ago

Understanding the Relationships:

Customers ↔ Address

Not every customer has an address → This means some customers may not be matched with an address.

One-to-zero-or-one relationship → A customer may or may not have an address.

Address ↔ Country

Every address has a related country → This means all addresses will have a corresponding country.

One-to-one relationship → Each address belongs to exactly one country.

Query Plan:

Merge Customers and Address using a Left Outer Join

Retains all customers, even those without an address.

Merge Address (now merged with Customers) and Country using an Inner Join

Ensures that every address has a valid country.

[-] **SylUK** 2 points 6 months ago

The answer is Right outer and Inner: MY explanation for Right Outer;

Customers is Left and Address Right , the question says 'not every Customer has a related Address ' this means in the source system, the Address table has all the records but the Customer table doesn't

therefore the RIGHT OUTER should be perfect to merge both table according to the question explanations.

Where we will obtain at the end ,a merge table with all addresses with their corresponding customer and even addresses without related customer(NULL VALUES). That means NOT EVERY CUSTOMER HAS A RELATED ADDRESS.

[-] **santhosh28** 1 point 6 months ago

If you user right outer, any customer that has no address will not be part of the final table.

[-] **jaume** 1 point 9 months ago

to link customers with address we should use LEFT INNER to ensure we are getting all customers (from the left table) and matching addresses (every customer has a related address). Since LEFT INNER is not available, we should use the "opposite" which is RIGHT OUTER.

Then, each address has a related country, we can use the INNER join

[-] **LuluSkyy** 2 points 10 months ago

I think the answer should be left outer since the customer table is on the left. so we should be all the records on the left table and the matching records on the right table.

[-] **VladStan** 1 point 10 months ago

Left outer, Inner

[-] **f07fa5c** 1 point 10 months ago

Left outer, Inner

[-] **Jayaruwan** 3 points 11 months ago

My previous comment is wrong. I am sorry it is left outer and inner

[-] **Jayaruwan** 4 points 11 months ago

Right outer is correct because some customers have no address

[-] **Arth_1111** 6 points 11 months ago

Left outer join is correct because we cant ignore the customers who does not have a address. Left table (Customers) should be included.

1. Left Outer Join
2. Inner Join

Question 181



You have a Power BI semantic model that contains four queries named Query 1, Query2. Query3, and Query4.

Query1 loads customer data into the model and is referenced by the other three queries.

You discover that data refresh for the model is slow.

You need to improve the data refresh time. The solution must minimize costs.

What should you do?

- A. Run the Table.buffer function in Query1.
- B. Duplicate Query1 to all the other queries.
- C. Reconfigure Query1 as a dataflow entity.
- D. From the Power BI Admin portal, increase the Capacity settings.

Hide Answer

[-] **b92fc92** 16 points 11 months ago

Selected Answer: C

<https://learn.microsoft.com/en-us/power-bi/guidance/power-query-referenced-queries>

"In the example, if Query1 is redesigned as a dataflow entity, Query2, Query3, and Query4 can use it as a data source. With this design, the entity sourced by Query1 will be evaluated only once."

[-] **1CY1** 4 points 11 months ago

Per the above reference...

We recommend you create a dataflow instead. Using a dataflow can improve data refresh time and reduce impact on your data sources.

[-] **Lulu_2022** 2 points about 1 month ago

Selected Answer: C

Query1 is referenced by multiple other queries, which means its logic is executed multiple times during refresh — a major performance bottleneck.

By turning Query1 into a dataflow, you centralize and pre-process the customer data once, outside the semantic model.

The other queries (Query2, Query3, Query4) can then connect to the dataflow, avoiding redundant processing and significantly improving refresh performance.

[-] **SushiPowerBI_175** 1 point 4 months ago

Selected Answer: C

Dataflows allow data to be processed and reused across multiple datasets, reducing refresh time and centralizing logic.

[-] **Elabest** 1 point 4 months ago

Selected Answer: C

"We recommend you create a dataflow instead. Using a dataflow can improve data refresh time and reduce impact on your data sources."

[-] **sroumi** 2 points 4 months ago

Selected Answer: A

The best option is A. Run the Table.Buffer function in Query1.

When Query1 is referenced by the other queries, Power Query might re-evaluate it multiple times during a refresh. By applying the Table.Buffer function in Query1, you force its results to be cached in memory. This ensures that the customer data is loaded only once, and the buffered result is reused by the subsequent queries, thereby improving the data refresh performance without incurring extra costs.

[-] **5bf040d** 1 point 5 months ago

Selected Answer: A

Problem Recap:

A Power BI semantic model with four queries (Query1, Query2, Query3, Query4).

Query1 loads customer data and is referenced by the other queries.

Data refresh is slow, and you need to improve refresh time while minimizing costs.

Key Constraints:

avoid additional costs (e.g., Premium or Pro licenses).

improve refresh performance without increasing resource usage.

Solution: A. Run the Table.Buffer function in Query1.

The Table.Buffer function loads the data from Query1 into memory, which can speed up subsequent transformations and queries that reference Query1.

This is particularly useful when Query1 is referenced multiple times (e.g., by Query2, Query3, and Query4), as it reduces the need to reload the data from the source.

<https://learn.microsoft.com/de-de/powerquery-m/table-buffer>

[-] **drigotto8** 2 points 6 months ago

Selected Answer: A

Gemini say so, seems reasonable.

When you use Table.Buffer on a query (like Query1 in this case), you force Power BI to fully load the results of that query into memory. Because Query1 is referenced by the other three queries, this buffering has a significant positive impact. Instead of Query2, Query3, and Query4 each re-evaluating Query1 every time they are refreshed, they can simply reuse the buffered copy already in memory. This drastically reduces redundant calculations and speeds up the overall refresh process.

[-] **SylUK** 3 points 6 months ago

Selected Answer: C

C is the correct answer . Please open this link:<https://learn.microsoft.com/en-us/power-bi/guidance/power-query-referenced-queries>.

[-] **Odidepse** 2 points 7 months ago

Selected Answer: A

Question is You need to improve the data refresh time so it should be A

The Table.buffer function loads the entire table into memory when it's first accessed, which helps improve performance by reducing the need to fetch data repeatedly from the source. If Query1 is used in other queries, applying Table.buffer ensures all the customer data is loaded into memory once, speeding up the refresh process.

Reconfiguring Query1 as a dataflow could help with reusability and organizing transformations, but it doesn't directly improve refresh times for the existing model.

[-] **Pey1nkh** 2 points 7 months ago

Selected Answer: A

When a query in Power BI is referenced multiple times (as Query1 is referenced by Query2, Query3, and Query4 in this scenario), Power BI can execute Query1 multiple times during the data refresh process. This redundant execution slows down the refresh time. The Table.Buffer function helps optimize this by loading the data from Query1 into memory so that subsequent queries can reuse the buffered data, preventing repetitive execution.

why not C :

While using a dataflow can offload processing to the Power BI Service, this introduces additional costs (Premium or Pro licenses). The question specifies that the solution must minimize costs.

[-] **Maha2303** 1 point 7 months ago

Selected Answer: A

A is the correct answer because for C you will need to use a premium workspace or PPU

[-] **desibaby09** 1 point 8 months ago

Selected Answer: C

create a dataflow instead. Using a dataflow can improve data refresh time and reduce impact on your data sources.

[-] **jaume** 1 point 9 months ago

Selected Answer: C

I vote for option C. We should copy the code in Query 1 to use it to create dataflow with it...

Table.buffer could improve performance by preventing multiple scans of the SOURCE table during transformations; since queries 2, 3 and 4 are referenced to Query 1, they are not scanning the source table but the referenced query which is retrieving the data from the source

[-] **Davery** 1 point 11 months ago

Selected Answer: C

Its C: your comment is too short

[-] **9d92039** 1 point 11 months ago

Selected Answer: A

<https://learn.microsoft.com/en-us/power-bi/guidance/power-query-referenced-queries>

[-] **Ash_34** 1 point 11 months ago

Selected Answer: A

Table.Buffer will keep the data in memory as buffer. So there wont be any changes in data. this is similar to referencing the data.

[-] **Endeetheanalyst** 1 point 11 months ago

Run the Table.Buffer function in Query1


Question 182

HOTSPOT

-

You have an organization dimension named DimOrganizations.

You have four related tables as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

The tables represent a [answer choice] dimension.

[answer choice] is the only table that supports a hierarchy model for DimOrgVertical.

▼
degenerate
junk
role-playing
snowflake

▼
DimOrganizations
DimOrgSubVertical
FactSales

Hide Answer

Correct answer:

Answer Area

The tables represent a [answer choice] dimension.

[answer choice] is the only table that supports a hierarchy model for DimOrgVertical.

▼
degenerate
junk
role-playing
snowflake

▼
DimOrganizations
DimOrgSubVertical
FactSales

[-] **rcaliandro** 8 points 11 months ago

The answer is correct. It is a snowflakeschema and DimOrgSubVertical is the only table that supports a hierarchy model for DimOrgVertical

[-] **MonikaStop** 2 points 11 months ago

I agree

[-] **LuluSkyy** 6 points 10 months ago

can someone please explain why DimOrgSubVertical supports a hierarchy for the model?

[-] **Oab376f** 1 point 8 months ago

co ask

[-] **jaume** 2 points 9 months ago

A degenerate dimension refers to a dimension key in a fact table that does not have its own dimension table.

Junk Dimension is a dimension table in a data warehouse that combines several low cardinality flags and indicators to improve the efficiency of queries.


A role-playing dimension refers to a single dimension table that is utilized multiple times within a fact table, each time representing a different logical role or perspective.

The one in the exhibit is a SNOWFLAKE SCHEMA (not dimension) as the fact table is related to dim tables which can be linked to other dim tables.

DimOrgSubVertical is the only table supporting hierarchy model for DimOrgVertical (DimOrganization could support hierarchy for DimSubVrtical)

HOTSPOT -

You have a Power BI imported dataset that contains the data model shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Changing the [answer choice] setting of the relationships will improve report query performance.

	▼
Cardinality	
Cross filter direction	
Assume Referential Integrity	

The data model is organized into a [answer choice].

	▼
star schema	
snowflake schema	
denormalized table	

Hide Answer

Correct answer:

Answer Area

Changing the **[answer choke]** setting of the relationships will improve report query performance.

	▼
Cardinality	
Cross filter direction	
Assume Referential Integrity	

The data model is organized into a **[answer choice]**.

	▼
star schema	
snowflake schema	
denormalized table	

[-] **Guru1337** 154 points almost 3 years ago

It should be cross filter direction. As the answer correctly states "Assume Referential Integrity" only works for direct query connections.

[-] **SylUK** 1 point 7 months ago

Assume Referential Integrity and

Star Schema are the right answer. Because the question says: "Use the drop down menus to select the answer choice THAT COMPLETES EACH STATEMENT based on the information presented in the graphic" so the question "changing the setting of the relationships will improve report performance" and to complete this is ARI:

because in Power BI the "Assume Referential Integrity (ARI)" setting allows you to specify that 2 tables in a model should be joined using an INNER Join instead of an OUTER Join.

This setting is only available for one-to-one and one-to-many relationships between tables in Direct Query mode. Its benefits are :

- *Improve query performance

- *Ensure that data in one table matches data in another.

So ARI is the answer.

[-] **bdub1976** 10 points over 1 year ago

Yep, and to be clear, the first line in this particular question says it's imported data, not direct query.

[-] **__Sai_Mounika__** 4 points over 1 year ago

same, the question says "imported the data" and explanation says the "ARI" works only for Direct Query

[-] **nevesrf** 3 points over 2 years ago

but it is a Direct query from powerbi service, so the integrity gona make it perform well

[-] **semauni** 3 points over 2 years ago

How do you know that? It is stated nowhere

[-] **RicoPallazzo7** 4 points almost 2 years ago

first line

[-] **carlosmmspereira** 4 points almost 2 years ago

"You have a Power BI imported dataset "... Imported. It should be Cross filter direction

[-] **aloulouder** 83 points almost 3 years ago

It should be :

- cross filter direction

- star schema

[-] **olalekanadedoyin** 1 point 5 months ago

ChatGTP answer: Based on the Power BI data model in your first image and the answer choices in your second image, here are the correct selections:

Changing the [answer choice] setting of the relationships will improve report query performance.

Correct answer: "Cardinality"

Reason: Cardinality defines the relationship type (one-to-one, one-to-many, many-to-many). Optimizing cardinality settings (e.g., using one-to-many instead of many-to-many) improves query performance.

The data model is organized into a [answer choice].

Correct answer: "star schema"

Reason: The model consists of a central fact table (Employee) connected to multiple dimension tables (Date, Gender, Ethnicity, etc.) in a star-like structure. This is characteristic of a star schema, which is optimized for Power BI reporting.

[-] **IOcr** 2 points 5 months ago

1. Cross Filter Direction: this will change the arrows from both to single. This results in a different slicer behavior in the report, but the model can still work and the performance is better (this is the intent of the question, to improve performance).
2. Snowflake Schema: The trick is that the shape looks like a star, but there are NO fact tables here, ONLY dimensions broken down further i.e. the very definition of a snowflake

[-] **Pitxunet** 2 points 6 months ago

I agree with the cross-filter-direction part, answer A. I have doubts regarding the start schema because Employee seems to a dimension model rather than a fact table. But I guess it's the right answer du to the one-to-many relationships.

[-] **jaume** 1 point 9 months ago

My vote also for "cross direction filtering" which is set to "both directoins in all relationships in the data model, and the "star schema" answer

[-] **Srilatha_B** 1 point 7 months ago

Denormalized tables - some of the tables are not well normalized clearly. Also Cross Direction filtering is right.

[-] **rcaliandro** 1 point 12 months ago

I agree with you guys it should be:

- 1 - Cross filter direction
- 2 - star schema of course

[-] **Kiran37** 1 point about 1 year ago

Cross Filter & Star is correct

[-] **0e18c76** 2 points over 1 year ago

The answers can only be:

- cross filter direction
- star schema

Cross filter direction set to both in msot relationships are a mess.

[-] **28485e1** 9 points over 1 year ago

Assume referential integrity? Really? After seeing that mess of cross filters in the star schema? And then in the provided answer it says assume referential integrity setting works for direct query, even though the question states this is an imported dataset.

[-] **28485e1** 14 points over 1 year ago

answer choke

[-] **Dani_eL** 11 points over 1 year ago

Honestly.. I think Microsoft is publishing fake answers to avoid people studying answers only and force them to think based on acquired knowledge.

When you look at the icons next to the tables in the model, those are IMPORTED icons, not direct query. Direct query icons are represented with a square having at the bottom right corner two arrows, one in, one out.

Also, when you do the labs, you have an exercise called Sales Analysis with a similar model (star) that you will publish to PBI service and there is no cross filter direction

[-] **MayurV19** 7 points over 1 year ago

The answer should be:
Cross Filter direction.
Star Schema.

[-] **RMUK** 5 points almost 2 years ago

Cross filter direction & Start schema

[-] **Pocu** 4 points almost 2 years ago

As to the confusion of star or snowflakes schema, If this is a star schema, then the Employee table is a factless fact table.

[-] **Igetmyrole** 12 points almost 2 years ago

Cross filter Direction and Star Schema are the correct options.
Changing the cross filter direction setting can have a significant impact on query performance. Setting it to "Single" when appropriate can often improve performance by reducing unnecessary filtering in both directions.
In Star Schema, the central table (usually a fact table) is connected to dimension tables through one-to-many or many-to-many relationships.

[-] **rick1997** 3 points almost 2 years ago

Absolutely. Something I did not notice at first was that every single connection has the arrows pointing in both directions. That's a dead giveaway to a flaw in the current design. Changing as many of those to single where appropriate will improve performance since excessive bidirectional cross-filtering can cause Power BI to slow down.
Only do that where it is needed

[-] **RicoPallazzo7** 2 points almost 2 years ago

import dataset --> cross filter, the referential integrity only works with direct query.
And star schema, pretty direct

[-] **seaverick** 2 points over 1 year ago

you are right --> <https://learn.microsoft.com/en-us/power-bi/connect-data/desktop-assume-referential-integrity>

[-] **EwoutBI** 6 points almost 2 years ago

I wonder why cardinality is wrong as an answer here. Doesn't the umbrella-term of cardinality also include cross filter direction ?

[-] **Shalaleh** 11 points over 2 years ago

Assume Referential Integrity only work for DirectQuery connections. but in the beginning of the question said it is Imported!

[-] **junaid2107** 11 points over 2 years ago

Referential integrity is for data accuracy and preventing dirty reads etc. Cross Filter direction affects performance. I cleared exam today got 100% in Prep Data section

[-] **MoxieTT** 2 points about 2 years ago

Can you advise roughly how many of these questions appeared on the exam?

[-] **lizbette** 11 points over 2 years ago

cross filter direction
star schema

you know this is an imported dataset, because they tell you, and also the icons show an imported dataset. therefore, it cannot be "assume referential integrity" because as a rule, assume referential integrity only works for direct query connections
cross filter direction can be seen because the arrows in the diagram show all of the tables are going in both directions. we're looking at a star schema because we have 1 fact table and several dimension tables, so it doesn't make sense that we have

all these cross filters going on unnecessarily. therefore, makes snse to have the answer be cross filter and star schema

[-] **CG31** 3 points over 2 years ago

-Cross filter direction

A word of caution regarding bi-directional cross-filtering: You should not enable bi-directional cross-filtering relationships unless you fully understand the ramifications of doing so. Enabling it can lead to ambiguity, over-sampling, unexpected results, and potential performance degradation.

-Snowflake schema, the tables are dimensions

[-] **wellingtonluis** 1 point over 2 years ago

In general, referential integrity is important for ensuring the accuracy and consistency of your data model, while cross-filter direction is important for optimizing query performance.

So - cross filter direction and - star schema

[-] **rddghfhghjlok** 3 points over 2 years ago

So if Assume referential integrity is only available for DirectQuery and we can see from the icons of all the tables, they are imported. Does that mean cross-filter is the correct answer?

[-] **RazaTheLegend** 3 points over 2 years ago

It should be :

- cross filter direction

- star schema

If null values in the metadata "Assume Referential Integrity" will fail us.

[-] **MimoKnowsNothin** 2 points over 2 years ago

Cross filter direction - when cross filter direction is set to both, bi-directional filtering property becomes available. Bear in mind that bi-directional relationships can impact negatively on performance. Further, attempting to configure a bi-directional relationship could result in ambiguous filter propagation paths. <https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-relationships-understand>

Star Schema

[-] **SanaCanada** 3 points over 2 years ago

Correct Answer: Integrity and Start

Cross filter, on the other hand, is a feature in Power BI that controls how data is filtered and aggregated across related tables. By specifying the direction and behavior of filter propagation between tables, cross filter can help to optimize query performance by reducing the amount of data that needs to be processed and aggregated.

In other words, while referential integrity is essential for data consistency and accuracy, cross filter is more focused on optimizing query performance for data analysis and visualization.

Therefore, it is recommended to ensure referential integrity in the data model to ensure data accuracy, and to use cross filter to optimize query performance for data analysis and visualization in Power BI.

No confusion, and no need to discuss further

[-] **osman_iftikhar** 1 point about 2 years ago

How do you consider referential integrity for an imported data set?

[-] **Mubarakbabs** 4 points over 2 years ago

Since it is an imported data set, the correct answer should be "cross filter direction". Assume referential integrity only works for DirectQuery connections

[-] **SumaiyaShah** 6 points over 2 years ago

I agree, it should be the cross-filter direction changed to single direction as bi-directional has a negative impact on performance and assume referential integrity works only for DQ. The second one is star schema.

[-] **Kai_don** 4 points over 2 years ago

Box 1: Should be Cross-Filter Direction as the question states that it is imported dataset. How come referential integrity?

Box 2: Star Schema

[-] **AzureJobsTillRetire** 3 points over 2 years ago

Box1: cross filter direction. The question clearly states that "You have a Power BI imported dataset", and Assume Referential Integrity is not available for imported dataset. Also, the cardinalities in the model look all right.

Box 2: snowflakes. Employee table is a dimension table. Some people say that it could be used as a fact table. Okay then, where are the measures? There are no measures in the Employee table for us to see in the model, so it must be a dimension table.

[-] **Hoeishetmogelijk** 2 points over 2 years ago

If it is a snowflake schema and Employee is a dimension table, then there should be a fact table linked to the Employee table in this model.

[-] **Hoeishetmogelijk** 6 points over 2 years ago

Box 1: Assume Referential Integrity

When connecting to a data source using DirectQuery, you can use the Assume Referential Integrity selection to enable running more efficient queries against your data source. This feature has a few requirements of the underlying data, and it is only available when using DirectQuery.

The first line of the question tells it is a IMPORTED dataset. So this answer is wrong!

Answer should be:

- Cross Filter Direction (BI-directional filtering is heavy on performance and not necessary in this case)
- Star Schema

[-] **Wadyba** 2 points over 2 years ago

it should be

-cross filter

-snowflakes bcos the central table(Employees table) is a dimension table and not a transaction(fact) table, and the surrounding tables are the subset(normalized) table of the Employees table

[-] **Hoeishetmogelijk** 2 points over 2 years ago

If the Employees table was just a dimension table, then there should also be a fact table in this schema.

But in this context apparently the Employees table functions as a fact table. This could be the case when used for a Human Resource report for example.

To me it is clearly a Star Schema.

[-] **DBAH** 2 points almost 3 years ago

t should be :

- cross filter direction
- star schema

[-] **Nurgul** 7 points almost 3 years ago

Changing the Cross filter direction setting of the relationships will improve report query performance.

(Cardinality is set correctly - "one-to-many"."Assume Referential Integrity" is applicable in DirectQuery mode. Our tables are in Import mode according to a picture.)

The data model is organized into a star schema.

[-] **Darine** 1 point almost 3 years ago

How you can now that the tables are in Import mode from the picture, please?

[-] **Tiz88** 5 points almost 3 years ago

You can see it from the icons next to the tables name. When using DirectQuery the Icon is resembling a table; when using Import the icon is exactly how you see it in the question

[-] **lukelin08** 2 points almost 3 years ago

- cross filter direction
- star schema

[-] **RichardOgoma** 8 points almost 3 years ago

The icons on the tables aren't for DirectQuery mode tables, and Assuming referential integrity is only possible for DirectQuery tables. The cross filter direction should be reviewed, in fact made single for the star schema model design.

Question 184

HOTSPOT -

You have a Power BI semantic model that contains a table named Opportunity.

The Opportunity table contains a column named Qualification. The Qualification column contains values between 0 and 1.

You need to build a new measure to score the opportunities on a scale of low, medium, and high.

How should you complete the DAX formula? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Sales Qualification =

IF(

'Opportunity'[Qualification] < 0.5,

"Low",

(
 ELSE
 IF
 IF.EAGER
 OR

'Opportunity'[Qualification] > 0.7,

HIGH
 LOW
 MEDIUM

HIGH
 LOW
 MEDIUM

)
)

Hide Answer

Correct answer:

Answer Area

Sales Qualification =

IF(

'Opportunity'[Qualification] < 0.5,

"Low",

(

ELSE

IF

IF.EAGER

OR

'Opportunity'[Qualification] > 0.7,

(

HIGH

LOW

MEDIUM

)

HIGH

LOW

MEDIUM

)

)

[-] **P_BKTX** 9 points 11 months ago

IF is correct answer

<https://learn.microsoft.com/en-us/dax/if-function-dax> check last example

[-] **1CY1** 2 points 11 months ago

I'm going with just 'IF'.

IF.Eager seems to only be required for variant data type comparison...

The IF.EAGER function can return a variant data type if value_if_true and value_if_false are of different data types, but the function attempts to return a single data type if both value_if_true and value_if_false are of numeric data types. In the latter case, the IF.EAGER function will implicitly convert data types to accommodate both values.

[-] **drigotto8** 1 point 6 months ago

I would also answer IF

[-] **SylUK** 2 points 6 months ago

The IF.EAGER,HIGH, MEDIUM are the correct answer:

In Power BI's DAX language, the primary difference between the "IF" and "IF.EAGER" functions lies in their evaluation strategy: "IF" only evaluates the expression corresponding to the true or false condition based on the logical test, while "IF.EAGER" always evaluates both expressions regardless of the condition, which can sometimes lead to performance improvements in specific scenarios where both branches need to be calculated regardless of the outcome.

See this link:<https://learn.microsoft.com/en-us/dax/if-eager-function-dax>

[-] **jaume** 1 point 9 months ago

I would vote for the IF not IF.EAGER as I cannot see the point to use second one.

Then HIGH & MEDIUM

[-] **miloszmiloszz** 3 points 11 months ago

I will use IF instead of IF.EAGER due to values that are used in true/false arguments. If there would be more complex values (another formulas, references to columns etc.) I will prefer IF.EAGER. See <https://learn.microsoft.com/en-us/dax/if-eager-function-dax> -cdot above Examples part.

[-] **Tex02** 1 point 11 months ago

interestingly this article - <https://dax.guide/if-eager/> - indicates that if and if.eager do pretty much the same thing but if.eager optimises better. So I can't say the answer is incorrect but which one are they looking for can't say.

[-] **b9e3c84** 4 points 11 months ago

The correct answer is IF, HIGH and MEDIUM

[-] **nelrosell** 2 points 11 months ago

IF is also fine

[-] **Endeetheanalyst** 3 points 11 months ago

Answer is correct.

<https://learn.microsoft.com/en-us/dax/if-eager-function-dax>

Question 185



You have a Power BI semantic model that connects to a streaming data source. The data source is updated frequently.

You need to create a Power BI report that meets the following requirements:

- Supports real-time analytics
- Minimizes performance impact on the data source
- Displays the most recent data without performing a data refresh

Which connectivity mode should you use for the dataset?

- A. DirectQuery mode
- B. import mode
- C. LiveConnect mode
- D. push mode

Hide Answer

[-] **rcaliandro** 8 points 11 months ago

Selected Answer: A

real-time analytics => DirectQuery

[-] **0f4908c** 4 points 6 months ago

Displays the most recent data without performing a data refresh-->Push mode

[-] **Lulu_2022** 3 points about 1 month ago

Selected Answer: D

Why push mode is the best fit:

Real-time analytics: Push mode is designed specifically for streaming scenarios where data is sent into Power BI as it arrives.

No refresh needed: Visuals update automatically when new data is pushed — no scheduled or manual refresh required.

Minimal impact on source: Since Power BI receives the data passively (it doesn't query the source), it avoids putting load on the original system

[-] **SushiPowerBI_175** 3 points 4 months ago

Selected Answer: D

Push datasets allow streaming updates without refresh and support real-time visuals.

[-] **drigotto8** 4 points 6 months ago

Selected Answer: D

Push mode: This mode allows data to be pushed directly into Power BI from a streaming data source. It is designed for real-time analytics and does not require a data refresh because the data is continuously updated as it is pushed into Power BI. This minimizes the performance impact on the data source since the data is sent directly to Power BI without querying the source repeatedly.

[-] **Pritch** 2 points 6 months ago

Selected Answer: D

D. push mode

<https://learn.microsoft.com/en-us/power-bi/connect-data/refresh-data>

Push semantic models don't contain a formal definition of a data source, so they **don't** require you to perform a data refresh in Power BI. You refresh them by pushing your data into the semantic model through an external service or process, such as Azure Stream Analytics. This is a **common approach for real-time analytics** with Power BI.

[-] **SylUK** 1 point 6 months ago

Selected Answer: D

The correct answer is D: Push Mode

[-] **f133b89** 1 point 7 months ago

Selected Answer: D

Push mode. The Refresh is for the data set. Not the report

[-] **Odidepse** 3 points 7 months ago

Selected Answer: D

Pushmode handles frequent data updates without requiring a data refresh. Cannot be direct query, as stated on the requirement '• Displays the most recent data without performing a data refresh' direct query it requires querying the data source each time the report is viewed or interacted with. 100%

[-] **esrath** 1 point 7 months ago

Selected Answer: C

C. LiveConnect Mode

DirectQuery and Import modes are to connect to the data source, not the dataset. Push mode is a semantic model, not a connectivity mode.

LiveConnect is used to connect to a semantic model that already exists:

Source: <https://learn.microsoft.com/en-us/power-bi/connect-data/service-live-connect-dq-datasets>

Excerpt: "When you create your report in Power BI Desktop, you can connect it to a semantic model that already exists. A live connection allows you to rely on existing data, which can be updated without accessing the report."

[-] **desibaby09** 2 points 8 months ago

Selected Answer: D

Push mode displays without a data refresh

[-] **jaume** 1 point 9 months ago

Selected Answer: A

With LiveConnection we can connect a PBI report to a Semantic Model but question is about "connectivity mode should you use for the dataset" so the answer should be DirectQuery (note: Dataset is the former name of current Semantic models)

[-] **nyanlinhtike.nlh** 3 points 10 months ago

Selected Answer: D

Correct answer is D

[-] **CindyWuu** 1 point 9 months ago

Push Mode in Power BI refers to a real-time streaming capability where data is pushed into a Power BI dataset directly via APIs or other services, enabling real-time updates in reports and dashboards. It is designed for scenarios where data needs to be updated continuously without the need for a manual or scheduled data refresh.

[-] **ak57** 2 points 10 months ago

I think it's Push mode based on this article:

[-] **539d541** 2 points 11 months ago

Selected Answer: C

Should be C. The power bi semantic model that's connected to the live streaming data source already is created and exists. You want to build a report by connecting to that semantic model, therefore you should just connect to it as a live dataset.

[-] **ChopChop007** 3 points 11 months ago

Direct Query.

[-] **1CY1** 4 points 11 months ago

Selected Answer: A

Live connection and DirectQuery comparison

<https://learn.microsoft.com/en-us/power-bi/connect-data/service-live-connect-dq-datasets>

Live connection is a method that lets you build a report in Power BI Desktop without having to build a semantic model for it.

The semantic model can dynamically request data from a data source it's connected to using a method called DirectQuery.

When using DirectQuery, your report uses Data Analysis Expression (DAX) queries to get data.

After the semantic model receives the report's DAX query,

it generates another set of queries that are run on your data source, to get the required data.

From this I am concluding use DirectQuery.

[-] **Jayaruwan** 2 points 11 months ago

Selected Answer: D

As I guess answer is push mode

[-] **d216393** 2 points 11 months ago

Push isn't a type of connectivity. It's a kind of semantic model

Question 186



HOTSPOT -

You have a Power BI semantic model that contains a table named Item. The Item table contains a column named Quantity.

You need to create a DAX query that meets the following requirements:

- The rank of items must be calculated according to the values in Quantity.
- Ranking must NOT be skipped if two or more items have the same value in Quantity.
- If an item is unfiltered, the total of Quantity must display a blank value.

How should you complete the DAX formula? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Item Quantity Rank =

```
IF(
    [Dropdown] ('Item'[Item]),
    CALCULATE
    HASONEVALUE
    SELECTEDVALUE
    WINDOW
    RANKX(
        ALL('Item'[Item]),
        [Quantity],
        ,
        ,
        [Dropdown]
    )
)
```

Hide Answer

Correct answer:

Answer Area

Item Quantity Rank =

```
IF(
    [Dropdown] ('Item'[Item]),
    CALCULATE
    HASONEVALUE
    SELECTEDVALUE
    WINDOW
    RANKX(
        ALL('Item'[Item]),
        [Quantity],
        ,
        ,
        [Dropdown]
    )
)
```

[-] **Removed** 8 points 10 months ago

HASONEVALUE ('Item'[Item]) check if 'item' is filtered to a single value. if not, it returns blank by default.
Rank method : DENSE ensure that ranks are not skipped when there are ties.

[-] **sroumi** 1 point 4 months ago

SELECTEDVALUE returns the actual value of the column if there is exactly one unique value, or it returns an alternate result (or BLANK) if there isn't—its focus is on extracting a value, not simply checking whether there is exactly one. HASONEVALUE is designed purely as a Boolean check. It returns TRUE if there is exactly one distinct value and FALSE otherwise, which is precisely what you need for controlling the logic (calculate rank for a single item, BLANK for totals).

[-] **Lulu_2022** 1 point about 1 month ago

it will return a blank when no single item is selected — for example, in a total row or when multiple items are in context. That's exactly what HASONEVALUE() is designed to do: it checks whether the current filter context contains only one distinct value for Item[ItemID]. If not, the IF statement skips the RANKX() and returns blank.

This is useful when you want to suppress totals or avoid showing misleading rankings when multiple items are visible.

If you'd prefer to show something else (like "N/A" or a default rank) instead of blank, I can help you tweak the logic. Want to explore that?

[-] **Of4908c** 1 point 6 months ago

Selected Value Example =
SELECTEDVALUE(Products[ProductName], BLANK())
?
HASONEVALUE need IF

[-] **jaume** 1 point 9 months ago

RANKX(<table>, <expression>[, <value>[, <order>[, <ties>]]])
<expression> to evaluate for ranking (within the <table>)
<value> is optional; if omitted, current row's value in <expression> is used
<order> (optional) to set sort order (ASC, DESC)
<ties> is also optional and determines how ties are handled
SKIP: skips rank for ties (e.g ranks 1,2,2,4)
DENSE does not skip ranks for ties (e.g. ranks 1,2,2,3)

[-] **hatem.ayed** 4 points 11 months ago

HASONEVALUE garantiza que la fórmula se ejecute únicamente cuando haya un solo valor de Item seleccionado. Esto evita que se devuelva un valor de clasificación cuando no se ha seleccionado ningún elemento, cumpliendo con el requisito de mostrar un valor en blanco si no se ha filtrado ningún elemento.
DENSE se asegura de que, si dos o más elementos tienen la misma cantidad, no se omitan números en la clasificación, lo cual era otro de los requisitos.

[-] **nelrosell** 4 points 11 months ago

Correct Answer: HASONEVALUE, DENSE

[-] **nammm112** 3 points 11 months ago

Wrong. It should be HASONEVALUE and DENSE

Question 187



HOTSPOT -

You use Power Query Editor to pull data from a Microsoft SharePoint Online list.

You plan to use Advanced Editor to build a Power Query M formula language query.

You need to create a query that loads the data, expands a column named location, and hides a column named CountryOrRegion from the dataset.

How should you complete the query? To answer, select the appropriate options in the answer area.

NOTE: Each correct answer is worth one point.

Answer Area

```
let
    Source = SharePoint.Tables("https://contoso.sharepoint.com", [Implementation="2.0", ViewMode="All"]),
    #"3b73bb0e-9677-425e-8296-0f2a756be816" = Source{[Id="3b73bb0e-9677-425e-8296-0f2a756be816"]}[Items],
    #"Expanded Location" = 
        Table.ExpandListColumn
        Table.ExpandRecordColumn
        Table.DuplicateColumn

    {"DisplayName"}, {"Location.DisplayName"}},
    #"Removed" = 
        Table.RemoveColumns
        Table.ReorderColumns
        Table.RemoveRows

in
    #"Removed"
```

Hide Answer

Correct answer:

Answer Area

```
let
    Source = SharePoint.Tables("https://contoso.sharepoint.com", [Implementation="2.0", ViewMode="All"]),
    #"3b73bb0e-9677-425e-8296-0f2a756be816" = Source{[Id="3b73bb0e-9677-425e-8296-0f2a756be816"]}[Items],
    #"Expanded Location" = 
        Table.ExpandListColumn
        Table.ExpandRecordColumn
        Table.DuplicateColumn

    {"DisplayName"}, {"Location.DisplayName"}},
    #"Removed" = 
        Table.RemoveColumns
        Table.ReorderColumns
        Table.RemoveRows

in
    #"Removed"
```

[-] **jiheneB** 12 points 11 months ago

Table.ExpandRecordColumn

[-] **rcaliandro** 7 points 11 months ago

ExpandRecordColumnn and RemoveColumns

[-] **esrath** 2 points 7 months ago

Table.ExpandRecordColumn as it takes 4 arguments which makes sense if we look at the M Code.

Table.ExpandRecordColumn("Table -> TableID", "Column to expand -> Location", "fieldNames => DisplayName", "Nullable new column name -> Location.DisplayName")

RemoveColumns to remove/hide columns.

[-] **jaume** 1 point 9 months ago

No doubt about Table.ExpandListColumn and Table.RemoveColumns for me based on the given options but, should it not be Table.HideColumns for the second one? Question is not about removing but hiding the column

[-] **23042b9** 3 points 10 months ago

Its correct.please guys read the question it says the location column in your SharePoint Online list is a list so the answer is correct

[-] **Endeetheanalyst** 5 points 11 months ago

Answer should be Table.ExpandRecordColumn and Table.Removecolumns

Question 188

HOTSPOT -

You have a Power BI semantic model that contains two tables as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

Cross filter direction for the many-to-one relationship is set to [answer choice].

Both
None
Single

To enable bi-directional filtering and row-level security (RLS) for the many-to-many relationship, you must first [answer choice].

change Cross filter direction
define the relationship as active
delete the many-to-one relationship

Hide Answer

Correct answer:

Answer Area

Cross filter direction for the many-to-one relationship is set to [answer choice].

Both
None
Single

To enable bi-directional filtering and row-level security (RLS) for the many-to-many relationship, you must first [answer choice].

change Cross filter direction
define the relationship as active
delete the many-to-one relationship

[-] **b92fc92** 13 points 11 months ago

1. Single
2. Delete the many to one relationship, because the question asks what do you have to do first, if you set the relationship active as first step, you will receive an error message, because there would be 2 active relationship with the same 2 tables

[-] **Odidepse** 1 point 7 months ago

First is correct, I think second one should be Change cross-filter direction (to both) as the first step as required. Deleting many to one relationship could be necessary on specific scenarios to resolve errors, but before you could do this, first step is to enable bi directional filtering which means Change the cross-filter direction to "Both", same also with Define the relationship as active, cant do this unless you change the hange cross-filter direction and set it to both to enable bi-directional filtering. Once you Change cross-filter direction to "Both" that is the only time you can efine the relationship as active or removing delete many-to-one relationships if it gives exception error.

[-] **esrath** 1 point 7 months ago

1. Single, because 1-many or many-1 only supports (Single and Both).
- <https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-relationships-understand#cross-filter-direction>
2. You must FIRST make the active relationship "Inactive". Since that option is not available here, the "Delete the many-to-one relationship" option should be correct as the first step. Note that if you Define the many-many relationship as active first, it will give an error.

[-] **b92fc92** 1 point 11 months ago

<https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-relationships-understand>
"There can only be one active filter propagation path between two model tables."

[-] **Lulu_2022** 1 point about 1 month ago

Many-to-one relationships (e.g., from a fact table to a dimension table) default to single-directional filtering — from the one-side to the many-side. This is the most common and performance-friendly setup.

For many-to-many relationships, enabling bi-directional filtering is possible, but to make it compatible with RLS, you must explicitly change the cross filter direction and enable the security filtering behavior in the relationship settings.

[-] **SylUK** 1 point 6 months ago

The answer is correct: Single and Define the relationship as active.

For the second answer: we can see that only the many-to-one relationship is active and many-to-many disable.

So when we ENABLE bi-directional filtering, it means that we are defining that relationship as active and therefore the many-to-one relationship is not relevant anymore so we delete it.

This is my opinion.

[-] **SylUK** 1 point 6 months ago

In other terms, when you firstly define the relationship active it simply means that you deleted the many-to-one relationship considering the example in the exhibit, and therefore enable the many-to-many filtering.

[-] **627628c** 1 point 7 months ago

1: Single

2. Delete the many to one. Per MS Learn, you should first make the other relationship inactive. Since making it inactive is not an option, we must delete:

"To ensure there's a default relationship, Power BI Desktop allows only a single active relationship between two tables at a given time. Therefore, you must first set the current relationship as inactive and then set the relationship you want to be active."

<https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-create-and-manage-relationships>

[-] **jaume** 3 points 9 months ago

1.- Single

2.- Define the relationship as active. This would set the other relationship to inactive but this is not a constraint for this question

[-] **ec338ed** 1 point 10 months ago

Both answers are correct. Only active relationships can participate in filtering and RLS, so if it's currently inactive, you need to activate the relationship.

[-] **kamalagarashova** 1 point 11 months ago

Both, define the relationship as active

[-] **kamalagarashova** 2 points 10 months ago

correction: single, Delete the many to one relationship

[-] **rcaliandro** 4 points 11 months ago

Answer is right the many-to-one relationship is single and we need first to remove the many-to-many relationship

[-] **Endeetheanalyst** 2 points 11 months ago

Answer should be None, Delete the many to one relationship

[-] **Tex02** 3 points 11 months ago

Are you sure about this - when I look at my models in Power BI the single arrow in the 1 to many relationship means it is single, the double arrow means it is both. To enable the filtering the relationship must be active in the many-to-many.

[-] **Endeetheanalyst** 3 points 11 months ago

Who is answering this question for Examtopics please? Your answers are so misleading

[-] **desibaby09** 1 point 8 months ago

you are misleading giving out wrong information

You create a Power BI report named Summary1.

You discover that Summary1 is slow.

You run Performance analyzer to identify performance metrics for Summary1.

Which two metrics display the execution duration in Performance analyzer? Each correct answer present part of the solution.

NOTE: Each correct answer is worth one point.

A. Top Operations

B. DAX query

C. Server requests

D. Dependencies

E. Visual display

Hide Answer

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: BE

The Performance Analyzer in Power BI breaks down the time it takes to render a visual into key components:

Metric What it measures

DAX query Time spent executing the DAX query against the data model

Visual display Time spent rendering the visual on the report canvas (client-side rendering)

These two metrics directly reflect the execution duration of a visual — helping you pinpoint whether the slowness is due to backend query logic or frontend rendering.

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: BE

DAX Query This shows how long it takes Power BI to execute the DAX query behind a visual — from the moment the query is sent to the engine until the first row of results is returned.

Visual Display This measures the time it takes to render the visual on the report canvas after the data is retrieved — essentially the client-side rendering time.

[-] **sroumi** 1 point 4 months ago

Selected Answer: C

Correct Answer:

✓ Sales reports (Power BI workspace)

Why?

RLS roles can only be assigned to Power BI workspaces where the dataset is published.

The Viewer role assigned to consultants in the "Sales reports" workspace allows them to access reports, but RLS filters their data further based on the "Consultants" role definition.

[-] **Odidepse** 1 point 7 months ago

Selected Answer: BE

Dax and Visual Display from <https://learn.microsoft.com/en-us/power-bi/create-reports/desktop-performance-analyzer> .

Excerpt from the link: Each visual's log information includes the time spent (duration) to complete the following categories of tasks:

DAX query - If a DAX query was required, this is the time between the visual sending the query and Analysis Services returning the results.

Visual display - This is the time required for the visual to draw on the screen, including the time required to retrieve any web images or geocoding.

Other - This is the time required by the visual for preparing queries, waiting for other visuals to complete, or performing other background processing.

Evaluated parameters (preview) - This is the time spent evaluating the field parameters within a visual. Learn more about field parameters (preview).

[-] **jaume** 2 points 9 months ago

Selected Answer: BE

DAX query and Visual Display are the metrics available in Performance Analyzer

[-] **ChopChop007** 1 point 11 months ago

Selected Answer: BE

Dax Query

Visual Display

[-] **Ash_34** 3 points 11 months ago

Selected Answer: BE

Answer is correct!

Question 190

You have a Microsoft 365 subscription that contains the resources shown in the following table.

Name	Type	Description
Group1	Microsoft 365 group	Contains all consultants
Group2	Mail-enabled group	Contains all consultants
Team1	Microsoft Teams org-wide team	Contains all employees and consultants
Sales reports	Power BI workspace	Consultants are assigned the Viewer role for Sales report

You create a new dashboard that uses row-level security (RLS) filters. You define a new role named Consultants.

To which resource can you assign the Consultants role?

A. Group2

B. Team1

C. Sales reports

D. Group1

Hide Answer

[-] **Endeetheanalyst** 18 points 11 months ago

Sales Report

[-] **627628c** 10 points 7 months ago

Selected Answer: A

A. Group 2. Per Microsoft Learn, here's why:

"You can use the following groups to set up row-level security:

Distribution Group

Mail-enabled Group

Microsoft Entra Security Group

Note that Microsoft 365 groups aren't supported and can't be added to any roles."

<https://learn.microsoft.com/en-us/fabric/security/service-admin-row-level-security>

Because of this, it should be Group 2.

[-] **SylUK** 1 point 6 months ago

I agree

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: C

The correct answer is: C. Sales reports

✅ Why this is correct:

In Power BI, row-level security (RLS) roles — like your Consultants role — are assigned at the dataset level, which resides within a Power BI workspace. In this case, Sales reports is the Power BI workspace that contains the dataset and dashboard, making it the only valid resource where you can assign the role.

❌ Why the others don't work:

A. Group2: A mail-enabled group — not a valid target for RLS role assignment.

B. Team1: A Microsoft Teams org-wide team — not a Power BI workspace or dataset.

D. Group1: A Microsoft 365 group — again, not a dataset or workspace.

[-] **Mkypm** 1 point 2 months ago

Selected Answer: D

D. Group1 is the only correct choice.

Group2 (Mail-enabled group) is not supported for RLS in Power BI.

[-] **b92fc92** 1 point 4 months ago

Selected Answer: C

C in my opinion

[-] **b92fc92** 1 point 4 months ago

Selected Answer: C

C in my opinion

[-] **5bf040d** 1 point 5 months ago

Selected Answer: A

In the Power BI service, you can add a member to the role by typing in the email address or name of the user or security group. You can't add Groups created in Power BI. You can add members external to your organization.

In the Power BI Service, you can create workspaces and groups to organize and share reports, dashboards, and datasets. However, these Power BI workspace groups (or app workspace groups) are not the same as security groups (e.g., Microsoft Entra Security Groups, Distribution Groups, or Mail-enabled Groups).

Power BI workspace groups (created in the Power BI Service) cannot be assigned to RLS roles.

<https://learn.microsoft.com/en-us/fabric/security/service-admin-row-level-security>

[-] **a5de5a2** 1 point 6 months ago

Selected Answer: D

Group1 is a Microsoft 365 group, which supports RLS role assignment. and its answered by chatGPT

[-] **namuuu** 1 point 7 months ago

Selected Answer: C

Justifies the questions

[-] **lmml_et** 2 points 7 months ago

Selected Answer: A

<https://learn.microsoft.com/en-us/fabric/security/service-admin-row-level-security#manage-security-on-your-model>

[-] **desibaby09** 2 points 8 months ago

Selected Answer: C

Sales reports

RLS is implemented at the dataset level within Power BI workspaces.

[-] **Odidepse** 1 point 7 months ago

Agree, it cannot be Group 2 which is a M365 mail-enabled group . RLS is only specific to semantic models (dataset) and reports which are objects produced when you publish to a powerbi workspace AND RLS IS NOT DESIGNED FOR M365 GROUP.

[-] **irena.petkovich** 3 points 8 months ago

Selected Answer: A

You can use the following groups to set up row level security.

Distribution Group

Mail-enabled Group

Security Group

Note, however, that Office 365 groups are not supported and cannot be added to any roles.

[-] **jaume** 1 point 9 months ago

Selected Answer: B

Office 365 Groups without mail-enabled security features cannot be directly used to manage roles in Power BI, as they lack the necessary integration for permissions

[-] **LuluSkyy** 3 points 10 months ago

I agree the answer is sales report

[-] **El_Montasser89** 3 points 10 months ago

Answer is A!

<https://learn.microsoft.com/en-us/fabric/security/service-admin-row-level-security#add-members>

[-] **Davery** 2 points 10 months ago

Selected Answer: C

Roles are assigned in PowerBI Service which means the answer must be C sales reports

[-] **d5e1798** 1 point 11 months ago

group 1

[-] **LuluSkyy** 1 point 11 months ago

what's the correct answer then?

[-] **b92fc92** 1 point 11 months ago

Selected Answer: C

why not C?

[-] **Monsta** 3 points 11 months ago

Selected Answer: A

Group 1 is the right answer

[-] **Tex02** 3 points 11 months ago

Do you mean Answer A which is Group 2 not Group 1. In this link <https://learn.microsoft.com/en-us/power-bi/guidance/rls-guidance> it says Members can be user accounts, security groups, distribution groups or mail enabled groups so I think it is A as well

[-] **a638741** 3 points 11 months ago

I think the answer is D:Group 1 as it's a MS 365 group that you can assign not a Mail enabled group

[-] **jiheneB** 1 point 11 months ago

Why A ?

Question 191

You have a Power BI model that contains two tables named Sales and Date. The Sales table relates to the Date table by using a many-to-one relationship. The Sales table contains the following columns:

- Date
- Product
- SalesAmount

You need to create a DAX measure for a rolling 31-day sales total that will return the total sales amount for a selected date and the previous 30 days.

Which DAX expression should you use?

- A. `CALCULATE(SUM(Sales[SalesAmount]), DATEADD(Date[Date], -30, DAY))`
- B. `CALCULATE(SUM(Sales[SalesAmount]), DATESBETWEEN(Date[Date], Max('Date'[Date])-30, Max('Date'[Date])))`
- C. `CALCULATE(SUM(Sales[SalesAmount]), DATESMTD(Date[Date]))`
- D. `CALCULATE(SUM(Sales[SalesAmount]), DISTINCTCOUNT(Date[Date]) = 31)`

Hide Answer

[-] **MonikaStop** 12 points 11 months ago

Selected Answer: B

DATESBETWEEN creates a continuous range of dates from the selected date back 30 days. So option B is more suitable for calculating a rolling 31-day total because it correctly defines the date range needed for the calculation.

[-] **Jayaruwan** 7 points 11 months ago

Selected Answer: A

Answer A is correct because Dateadd provides required set of dates

[-] **tko86** 1 point 8 months ago

A. `CALCULATE(SUM(Sales[SalesAmount]), DATEADD(Date[Date], -30, DAY))`: This is incorrect because DATEADD shifts the entire date context by 30 days. It doesn't create a range of dates. It would calculate the sales for the single day 30 days prior to the currently filtered date, not for the 31-day period.

[-] **Odidepse** 2 points 7 months ago

DATEADD just shifts the date, but it's not ideal for creating a rolling date range like DATESBETWEEN which can specify the exact date range for the rolling 31-day total (starting from the selected date and including the previous 30 days).

[-] **1CY1** 1 point 11 months ago

A is simple and I can't see what's wrong with it.

-> Ans : A

[-] **1CY1** 2 points 10 months ago

Changed mind...

I thought A would just give you a single day 30 days earlier.

-> Ans : B

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: B

CALCULATE(...) modifies the filter context to define a custom date range.

DATESBETWEEN(...) creates a window from 30 days before the selected date up to and including the selected date — giving you a full 31-day span.

MAX('Date'[Date]) ensures the calculation is dynamic and responds to the current filter context (like slicers or visuals).

This pattern is ideal for rolling time windows and works well in visuals like line charts or KPIs.

[-] **SylUK** 1 point 6 months ago

Selected Answer: B

B is the correct answer because the question says:

'Create a DAX measure for a rolling 31 days sales total that will return the total sales amount for a SELECTED DATE (that can be yesterday, today, 27/01/2025 or tomorrow. Etc for example) and the PREVIOUS 30 DAYS'

In my point of view, this question is asking us to aggregate the sales amount from the PREVIOUS 30 DAYS to the SELECTED DATE.

Therefore DATEBETWEEN is the perfect function to use in this case. It can't be DATEADD function because it is a comparison function and the question is not looking for a comparison between the 2 periods (SELECTED DATE and the PREVIOUS 30 DAYS) .

The question is looking for the total sales amount for a specified period (SELECTED DATE and the PREVIOUS 30 DAYS) instead.

[-] **Pey1nkh** 2 points 7 months ago

Selected Answer: B

The DATESBETWEEN function defines a range of dates:

From MAX(Date[Date]) - 30 (30 days before the selected date)

To MAX(Date[Date]) (the selected date).

This correctly captures all dates in the 31-day rolling window.

why not Dateadd:

The DATEADD function shifts the entire date context backward by 30 days.

This means the calculation will consider only the values on dates exactly 30 days ago and not the entire rolling range of 31 days.

[-] **jaume** 2 points 9 months ago

Selected Answer: B

DATEADD would return the selected date shifted back 30 days not a period.

DATESBETWEEN will return the desired period for the calculation

[-] **3433bf6** 2 points 10 months ago

Selected Answer: B

B DATESBETWEEN as DATEADD returns only 1date while we need a series of dates.

[-] **MonikaStop** 1 point 11 months ago

Selected Answer: A

I changed my mind, Max(Date[Date]-30) will not work, so I would go with DATEADD

[-] **1CY1** 1 point 11 months ago

I thought A would just give you a single day 30 days earlier.

-> Ans : B

[-] **shedi13** 3 points 11 months ago

I would say A, but after testing im certain thats B

[-] **b92fc92** 1 point 11 months ago

Selected Answer: B
B in my opinion

[-] **Monsta** 2 points 11 months ago

Selected Answer: B
B is the right answer.

[-] **b9e3c84** 2 points 11 months ago

Selected Answer: A
The expresion B Max(Date[]-30) is wrong

[-] **nelrosell** 1 point 11 months ago

A is the correct answer

Question 192



You publish a semantic model to the Power BI service. The semantic model contains data from the following data sources:

- Source1: A Microsoft Excel file stored in Microsoft OneDrive for Business
- Source2: An Azure SQL database on a virtual network
- Source3: A public website

Which data sources require an on-premises data gateway?

- A. Source1 only
- ☒ B. Source2 only
- C. Source3 only
- D. Source1 and Source2 only
- E. Source2 and Source3 only
- F. Source1, Source2, and Source3

Hide Answer

[-] **VladStan** 9 points 10 months ago

Selected Answer: B

You need a gateway to connect to data sources that are located in a private network, such as an Azure Virtual Network (Azure VNet). A virtual network, or VNet, is a logically isolated segment of a network that insulates traffic from the public internet. A VNet provides enhanced network security.

<https://learn.microsoft.com/en-us/power-bi/guidance/powerbi-implementation-planning-data-gateways>

Excel file you can access via SharePoint connector and a public site is well... a public site...

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: B

Source1 (Excel in OneDrive for Business): Does not require a gateway. Power BI can connect directly to cloud-based files like Excel in OneDrive or SharePoint Online.

Source2 (Azure SQL database on a virtual network): Does require a gateway if the database is not accessible over the public internet — which is typically the case when it's secured inside a virtual network.

Source3 (Public website): Does not require a gateway. Power BI can access public web data sources directly without a gateway.

So only Source2 needs an on-premises data gateway to bridge the secure virtual network and the Power BI service

[-] **tko86** 2 points 8 months ago

Selected Answer: B

An Azure SQL database inside a virtual network is not publicly accessible by default. It's protected by the VNet's network security rules. Therefore, you must use a data gateway to allow Power BI to connect to it. The gateway acts as a bridge between the Power BI service and the VNet.

Remember, an on-premises data gateway is required when Power BI needs to access data sources that are not directly accessible over the internet.

[-] **jaume** 3 points 9 months ago

Selected Answer: B

Virtual network is the only requiring a GW as the rest should be available to all users (Organization users I mean, OneDrive for Business should be available for the company users owning such OneDrive)

[-] **LuluSkyy** 2 points 10 months ago

The correct answer is B. Reason is because Power Bi cannot access the virtual network without a gateway path.

The excel file can be easily accessed by powerBi likewise the public website.

Question 193



HOTSPOT

-

You have a Power BI semantic model named ModelA that contains the following columns:

Column name	Example value
OrderID	12345
OrderTitle	Order #12345
OrderDate	May 20, 2023
CustomerID	C54321
OrderDescription	Order placed May 20, 2023 containing 5 items
Shipping Address	123 Anywhere Lane

All of the columns use the Text data type.

Based on the model, you create a report named ReportA that contains the following columns:

- OrderID
- OrderDate
- CustomerID
- ShippingAddress

ReportA is the only report connected to ModelA.

You discover that ReportA has performance issues caused by the size of ModelA.

What should you do to optimize and reduce the size of ModelA? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Optimize:

☐ Change Data Type of OrderID to Binary.
☒ Change Data Type of OrderID to Whole Number.
☐ Disable Summarization.
☐ Enable Summarization.

Reduce the size:

☒ Delete the OrderTitle and OrderDescription columns.
☐ Hide the OrderTitle and OrderDescription columns.
☐ Replace errors in the OrderTitle and OrderDescription column.

Hide Answer

Correct answer:

Answer Area

Optimize:

☐ Change Data Type of OrderID to Binary.
☒ Change Data Type of OrderID to Whole Number.
☐ Disable Summarization.
☐ Enable Summarization.

Reduce the size:

☒ Delete the OrderTitle and OrderDescription columns.
☐ Hide the OrderTitle and OrderDescription columns.
☐ Replace errors in the OrderTitle and OrderDescription column.

[-] **FraGuara** 7 points 10 months ago

1) Changing data type from text to whole number. Explanation: Queries using numerical data types can execute faster than those using text data. 2) Delete the OrderTitle and OrderDescription columns. Explanation: Directly reduces the model size without affecting analysis.

[-] **LuluSkyy** 4 points 9 months ago

The given answer is correct

[-] **cd5fef3** 4 points 10 months ago

<https://learn.microsoft.com/en-us/power-bi/guidance/import-modeling-data-reduction>
answer is correct

[-] **ak57** 3 points 10 months ago

I think the answer is correct. Enable summarization will work with there are numbers to be summed by. There is no summarize for column type text.

[-] **b92fc92** 1 point 10 months ago

I think

- Enable Summarization

-Delete the OrderTitle and OrderDescription columns

[-] **aaf101b** 1 point 10 months ago

why , do we need summarization for ID column. it should be disable.

Question 194

DRAG DROP -

You have a Microsoft Excel spreadsheet that contains the data shown in the following table.

Department	Stage	School1	School2	School3	School4
Mathematics	1	75	65	90	70
Mathematics	2	80	70	80	75
Geography	1	95	65	80	75
Geography	2	80	70	80	75

You plan to build a data model for a Power BI report.

You need to prepare the data so that it is available to the model in the format shown in the following table.

Department	School	Avg Score
Mathematics	School1	77.5
Geography	School1	87.5

Which three actions should you perform in sequence in Power Query Editor? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

Select the [Department] and [Stage] columns and unpivot the other columns.

Select and unpivot the [Department] and [Stage] columns.

Group by [Department] and [School] and create a new column named [Avg Score] that uses the AVERAGE function on the [Score] column.

Rename the [Attribute] column as [School] and the [Value] column as [Score].

Group by [Department],[School1],[School2],[School3],[School4] and create a new column named [Avg Score] that uses the AVERAGE function on the [Stage] column.

Answer Area

>

<

Hide Answer

Correct answer:

Step 1: Select the [Department] and [Stage] columns and unpivot the other columns.

We unpivot the School1, School2, School3, and the School4 columns.

You might want to unpivot data, sometimes called flattening the data, to put it in a matrix format so that all similar values are in one column.

Example:

When you unpivot, you unpack the attribute-value pairs that represent an intersection point of the new columns and re-orient them into flattened columns:

* Values (in blue on the left) are unpivoted into a new column (in blue on the right).

* Attributes (in green on the left) are unpivoted into a new column (in green on the right) and duplicates are correspondingly mapped to the new Values column.

Step 2: Rename the [Attribute] column as [School] and the [Value] column as [Score],

Step 3: Group by [Department] and [School] and..

Reference:

<https://support.microsoft.com/en-us/office/unpivot-columns-power-query-0f7bad4b-9ea1-49c1-9d95-f588221c7098>

Actions

Select and unpivot the [Department] and [Stage] columns.


Group by [Department],[School1],[School2],[School3],[School4] and create a new column named [Avg Score] that uses the AVERAGE function on the [Stage] column.

Answer Area

Select the [Department] and [Stage] columns and unpivot the other columns.

Rename the [Attribute] column as [School] and the [Value] column as [Score].

Group by [Department] and [School] and create a new column named [Avg Score] that uses the AVERAGE function on the [Score] column.



[-] **olajor** 90 points almost 3 years ago

answer is correct

[-] **Churato** 49 points almost 3 years ago

1) Select the [Department] and [Stage] aand Unpivot the other columns.
 2) Rename the [Attribute] column as [School] and the [Value] column as [Score].
 3) Group by [Department] and [School] and create a new column named [Avg Score] that uses the average function on the [Score] column
 Tested here, and it's correct!

[-] **Lulu_2022** 1 point about 1 month ago

the given answer is correct.

[-] **539d541** 2 points 12 months ago

solution is correct

[-] **rcaliandro** 1 point 12 months ago

In my opinion:

1 - Select the [Department] and [Stage] columns and unpivot the other columns
 2 - Rename the [Attribute] column as [School] and the [Value] column as [Score]
 3 - Group by [Department] and [School] and create a new column named [Avg Score] that uses the AVERAGE function on the [Score] column

[-] **agelee** 1 point about 1 year ago

Who would create Avg Score in PowerQuery instead of measure in PowerBI. So stupid.

[-] **ElieG** 1 point over 1 year ago

yes the answer steps work well, but they do not give the same result and even the result given for averages are fault as you can see for example the average of Mathematics score of school1 should be equal to $(75+95)/2$ which is 85 and not 77.5

[-] **Usm_9** 7 points over 1 year ago

WAS ON THE EXAM 02 03 2024

[-] **Dani_eL** 1 point over 1 year ago

answer is correct

[-] **08b2ddd** 2 points over 1 year ago

CORRECT

[-] **MS240396** 2 points over 1 year ago

Answer is correct..!

[-] **ElieG** 1 point over 1 year ago

When tested it doesn't give the same outcome as asked for, instead it give the mathematics with the correspondent schools then the geography. Can anyone tell anything about this?

[-] **itenginerd** 8 points almost 2 years ago

This was on my exam today

[-] **lgetmyrole** 1 point almost 2 years ago

Action 1: Select the [department] and [stage] columns and unpivot the other columns.

Action 2: select and unpivot the [department] and [stage] columns.

Action 3: Group by [department] and [school] and create a new column named [Avg Score] that uses the average function on the [score] column.

Action 1: Will transform the data into a long format, making it easier to work with.

Action 2: to provide meaningful column name.

Action 3: will calculate the average score for each combination of department and school.

[-] **rgabage** 2 points almost 2 years ago

answer is correct

[-] **ColinN** 2 points almost 2 years ago

Correct answer.

[-] **SIH007** 1 point about 2 years ago

I don't understand why you have to create an average column. When you group you can set the number field to average.

[-] **Shalaleh** 1 point over 2 years ago

1-4-3 order is correct.

[-] **RazaTheLegend** 3 points over 2 years ago

1) Select the [Department] and [Stage] and Unpivot the other columns.

2) Rename the [Attribute] column as [School] and the [Value] column as [Score].

3) Group by [Department] and [School] and create a new column named [Avg Score] that uses the average function on the [Score] column

[-] **ewelaela** 1 point over 2 years ago

Answer is correct

[-] **reyn007** 4 points over 2 years ago

Answer is correct 1-4-3

[-] **not2smart** 3 points over 2 years ago

At first I was also looking for a filter only School1 column as the example output only show School1, but since it is not part of the options, I concluded that the other Schools should also be included. The answer is correct.

[-] **Piotrek_PL** 1 point over 1 year ago

Same here. I think it is just an example (those 2 rows)

[-] **csillag** 1 point over 2 years ago

answer is correct

[-] **jboiret** 2 points over 2 years ago

Answer is correct

[-] **lukelin08** 2 points over 2 years ago

Given answer is correct

[-] **Hongzu13** 7 points almost 3 years ago

I failed my first try and when I read this question during the exam I really didn't understand what I should do. I do now after reading the comments. Thx community :)

[-] **samad1234** 3 points almost 3 years ago

It's correct

[-] **fdsdfgxcvbsfhshfg** 6 points almost 3 years ago

legit answer

Question 195



You have a report that includes a card visualization.

You need to apply the following conditional formatting to the card while minimizing design effort:

☞ For values that are greater than or equal to 100, the font of the data label must be dark red.

☞ For values that are less than 100, the font of the data label must be dark gray.

Which type of format should you use?

A. Color scale

B. Rules

C. Field value

Hide Answer

[-] **OGESSIUSER** 19 points almost 3 years ago

B. Rules

[-] **centrumadresowe** 9 points almost 3 years ago

Selected Answer: B

B - 100%

[-] **Mkypm** 1 point 2 months ago

Selected Answer: B

Rules allow you to define specific conditions for value ranges

[-] **jaume** 1 point 9 months ago

Selected Answer: B
Rules is the way to set this conditional format

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: B
B - Rules

[-] **b7c21a9** 6 points over 1 year ago

28-Mar-24 - This Q came up

[-] **lgetmyrole** 2 points almost 2 years ago

B is the answer.
Rules allow you to define specific conditions and formatting based on those conditions, such as changing the font color to dark red for values greater than or equal to 100 and dark gray for values less than 100.

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: B
Rules is correct.

[-] **luisnc** 8 points over 2 years ago

I think the screenshot of the question is out of date. Now Color Scale option is named Gradient

[-] **RazaTheLegend** 2 points over 2 years ago

Selected Answer: B
B. Rules

[-] **jboiret** 4 points over 2 years ago

Selected Answer: B
Answer B

[-] **Patrick666** 3 points over 2 years ago

Selected Answer: B

[-] **lukelin08** 7 points almost 3 years ago

Selected Answer: B
B Rules is correct

Question 196



DRAG DROP

-

You use Microsoft Power BI Desktop to preview a query in Power Query Editor. The query contains a column named Location Name.

You need to identify the maximum length of each value in the Location Name column without changing the data.

Which actions should you perform in sequence? To answer, drag the appropriate actions to the correct order. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Actions

From the Transform tab, select **Extract**, and then select **Length**.

From the View tab, select **Column distribution**.

From the View tab, select **Column profile**.

Group the value distribution by text length.

Select the Location Name column.

Answer Area

Step 1:

Step 2: Set Column Profiling based upon entire dataset.

Step 3:

Step 4:

Hide Answer

Correct answer:

Answer Area

Step 1: From the View tab, select **Column distribution**.

Step 2: Set Column Profiling based upon entire dataset.

Step 3: Select the Location Name column.

Step 4: Group the value distribution by text length.

[-] **AmieM** 1 point 8 days ago

Step 1: You need to select the column you're analyzing. (Select the Location Name column)

Step 2: Ensures Power Query analyzes all data, not just the first 1,000 rows.

Step 3: Use Extract > Length to calculate the character length of each value. (From the Transform tab, select Extract, and then select Length.)

Step 4: Column profile gives detailed statistics, including min/max length, for analysis purposes only. (From the View tab, select Column profile.)

[-] **AmieM** 1 point 8 days ago

For Step 3 & 4, Column profile shows stats about the existing data — min, max, count, etc. But it doesn't calculate or display length of text values unless you've first created a column with the length, hence why step 3 should be (From the Transform tab, select Extract, and then select Length.) before selecting column profile.

[-] **Lulu_2022** 1 point about 1 month ago

✔ Ordered Steps:

1. Select the Location Name column

This ensures that Power Query focuses the profile and distribution stats on the correct column.

3. From the View tab, select "Column profile"

Displays detailed insights like min/max length, value distribution, and counts (nulls, errors, etc.).

4. Group the value distribution by text length

This is a manual step: you can extract text length (Transform → Extract → Length), then group by that length column to see how many values share the same character count.

[-] **Koriza** 1 point about 2 months ago

Step 1 should be Column Profile not distribution as we need value distribution with ability to change 'group by'

[-] **225401f** 4 points about 2 months ago

I think

Step 1 : Select the Location Name column

Step 2 : Set Column Profiling based upon entire dataset
Step 3 : From the View tab, select Column profile
Step 4 : Group the value distribution by text length

Question 197

You plan to generate a line chart to visualize and compare the last six months of sales data for two departments.

You need to increase the accessibility of the visual.

What should you do?

- A. Configure a unique marker for each series.
- B. Configure a distinct color for each series.
- C. Replace long text with abbreviations and acronyms.
- D. Move important information to a tooltip.

Hide Answer

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: A

orrect answer: A. Configure a unique marker for each series

🧠 Why this improves accessibility:

Using unique markers (like circles, squares, triangles) for each line in a chart helps users — especially those with color vision deficiency — distinguish between data series without relying on color alone.

This is a key principle of accessible design: don't use color as the only means of conveying information.

Markers provide a shape-based cue, making the chart easier to interpret for users with protanopia, deuteranopia, or tritanopia.

[-] **Koriza** 1 point about 2 months ago

Selected Answer: A

nothing else helps with accessibility

[-] **225401f** 1 point about 2 months ago


Selected Answer: A

correct answer

Question 198

You have a Power BI report. The report contains a single report page that uses the default theme.

You need to configure the report page to match the formatting shown in the following exhibit.



What should you change on the report page?

- A. the wallpaper color only
- B. the canvas background color only
- C. the wallpaper color and the canvas background color only
- D. the canvas background image only

Hide Answer

[-] **a2c7cd3** 1 point about 1 month ago

Selected Answer: C
C is correct

[-] **a2c7cd3** 1 point about 2 months ago

Selected Answer: C
C is correct

[-] **225401f** 1 point about 2 months ago

Selected Answer: A
Correct

Question 199


HOTSPOT

-

You have a Power BI report that contains the visual shown in the following exhibit.

Current Year Sales vs Plan


Current Year = dark bar, Plan = light bar



You plan to modify the visual by changing the column spacing and adding percent change labels as shown in the following exhibit.

Current Year Sales vs Plan

Current Year = dark bar, Plan = light bar



What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

To change the column spacing:

- ☐ Decrease the space between categories.
- ☐ Enable overlap for every series.
- ☐ Enable overlap for the Plan series.
- ☐ Increase the space between categories.

To add the percent change labels:

- ☐ Enable data labels for every series.
- ☐ Enable data labels for the Plan series.
- ☐ Enable the title on the X-axis.
- ☐ Enable the title on the Y-axis.

Correct answer:

Answer Area

To change the column spacing:

Decrease the space between categories.
Enable overlap for every series.
Enable overlap for the Plan series.
Increase the space between categories.

To add the percent change labels:

Enable data labels for every series.
Enable data labels for the Plan series.
Enable the title on the X-axis.
Enable the title on the Y-axis.

[-] Lulu_2022 1 point 30 days ago
The given answers are correct.

Question 200



You are creating a visual in a Power BI report. The associated semantic model contains sales from the last four years for three products.

You need to display the total sales by quarter categorized by product. The visual must display trends in both total sales and individual product sales.

Which type of visual should you use?

- A. area chart
- B. clustered column chart
- C. stacked area chart
- D. line chart

[-] Crayfish8566 1 point about 2 months ago
Selected Answer: C
stacked area chart. Tested in power bi

[-] 225401f 3 points about 2 months ago
Selected Answer: C
stacked area chart

Question 201



You have a Power BI report that contains a clustered bar chart. The chart has an X-axis named Sales and a Y-axis named Year. The chart displays sales data for the years 2020 through 2024.

You need to create a visual calculation to show a cumulative total of sales that is equal to the sum of the current year's sales plus all the sales from the previous year.

Which DAX expression should you use?

- A. `MOVINGAVERAGE([Sales], 4)`
- B. `RUNNINGSUM([Year])`
- C. `CALCULATE ( [Sales], 'Date' [Year] <= MAX ( 'Date'[Year] ) )`
- D. `RUNNINGSUM([Sales])`

Hide Answer

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: C

Why this works:

This DAX expression creates a cumulative total by summing the current year's sales plus all previous years — exactly what the question asks for.

`MAX('Date'[Year])` returns the current year in the filter context.

`'Date'[Year] <= MAX('Date'[Year])` filters the table to include the current year and all earlier years.

`CALCULATE([Sales], ...)` then evaluates the total sales over that filtered set.

This is a classic running total pattern in DAX.

[-] **raodeep81192** 1 point about 1 month ago

Selected Answer: C

Correct answer should be C

[-] **a2c7cd3** 1 point about 2 months ago

Selected Answer: D

A visual calculation `RUNNINGSUM` is right

[-] **Crayfish8566** 1 point about 2 months ago

Selected Answer: C

answer is C. I tested in Power BI

[-] **Koriza** 1 point about 2 months ago

Selected Answer: C

None of the answers is correct as question asks us to include previous year, not years. C seems the closest to correct answer though

[-] **225401f** 1 point about 2 months ago

Selected Answer: D

I think D is the correct answer

Question 202



DRAG DROP

-

You are using Power BI Desktop to profile data in Power Query Editor.

You need to review the percentage of errors and the maximum value of each column.

Which options should you use in Power Query Editor? To answer, drag the appropriate options to the correct requirements. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Options	Answer Area
Column distribution Column quality Monospaced Column profile Formula Bar	Review the percentage of errors: Option Review the maximum value:

Hide Answer

Correct answer:

Answer Area	Option
Review the percentage of errors:	Column quality
Review the maximum value	Formula Bar

[-] **Koriza 8 points** about 2 months ago

Column quality and Column profile

[-] **225401f 5 points** about 2 months ago

Column quality
Column profile

[-] **Lulu_2022 1 point** about 1 month ago

✔ Requirement 1: Review the percentage of errors
Use: Column quality
This feature shows the percentage of:
✔ Valid values (green)
✘ Errors (red)
● Empty values (gray)
You'll find it under View → Column quality
✔ Requirement 2: Review the maximum value of each column
Use: Column profile
This provides detailed statistics for the selected column, including:
Minimum and maximum values
Count of nulls
Distinct and unique values
Enable it from View → Column profile

[-] **raodeep81192 2 points** about 1 month ago

column quality for error and column profile to get max value

[-] **bp_a_user** 4 points about 2 months ago

second should be profile -->here you see max

Question 203

You are creating a Power BI report that will contain multiple visuals.

You need to ensure that the report is accessible to users who use a screen reader.

Which two configurations should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. consistent fonts for each visual
- B. alt text for each visual
- C. the tab order for each page
- D. consistent colors for each visual
- E. Play Axis for each page

Hide Answer

[-] **225401f** 2 points about 2 months ago

Selected Answer: BC

Correct answer

Question 204

You have a Power BI report that contains a stacked bar chart.

You need to add a new field to the legend. The field must combine information from separate columns.

What should you create?

- A. a calculated column
- B. a dynamic format string
- C. a measure
- D. a calculation group

Hide Answer

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: A

To display combined data in a legend—such as concatenating a product category and region—you need a field that physically exists in your data model for use in visuals. A calculated column is perfect for this because:

- 🧩 It creates a new column in your table using DAX that combines values from other columns (e.g., Product[Category] & " - " & Region[Name])

- 📄 It can be placed directly in the legend or axis fields of a visual like a stacked bar chart
- 🔄 It updates automatically as the underlying data changes

[-] **225401f** 1 point about 2 months ago

Selected Answer: A

the correct answer is A

- Power BI legends only accept columns — not measures.
- To combine values from multiple columns into a single field for use in a legend, you need to create a calculated column.

[-] **kay000001** 3 points about 2 months ago

Selected Answer: A

The answer is A. Legends in Power BI visuals like stacked bar charts require categorical (columnar) data, not aggregated measures.

[-] **bp_a_user** 2 points about 2 months ago

Selected Answer: A

calculated column

Question 205

DRAG DROP -

You have a Power BI dashboard named DashboardA that contains a tile named TileA. TileA contains a treemap visual from a report named ReportA.

You need to provide the users of DashboardA with additional tiles that relate to the contents of TileA.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions	Answer Area
From Focus mode, pin the relevant visuals to DashboardA.	
From Focus mode, review the generated visuals.	
From DashboardA, select the TileA options, and then select View insights .	
From ReportA, select the treemap visual options, and then select Spotlight .	
From ReportA, select Get Insights .	
From DashboardA, select TileA to open ReportA.	

Hide Answer

Correct answer:

Actions	Answer Area
From Focus mode, pin the relevant visuals to DashboardA.	From DashboardA, select the TileA options, and then select View insights .
From Focus mode, review the generated visuals.	From Focus mode, review the generated visuals.
From DashboardA, select the TileA options, and then select View insights .	From Focus mode, pin the relevant visuals to DashboardA.
From ReportA, select the treemap visual options, and then select Spotlight .	
From ReportA, select Get Insights .	
From DashboardA, select TileA to open ReportA.	

[-] **ORmb** 117 points almost 3 years ago

I tried:

3. tileA options view insights
2. review generated visuals
1. pin related tiles

[-] **PinkZebra** 36 points almost 3 years ago

Agreed:

1. From Dashboard A, click tile A and choose view insights
2. Focus mode: Review
3. Pin related tiles.

Source: <https://learn.microsoft.com/en-us/power-bi/consumer/end-user-insights>

[-] **JudT** 2 points over 1 year ago

Great link. Cheers

[-] **lukelin08** 34 points almost 3 years ago

1. From DashboardA, select the TileA options, and then select View Insights
2. From Focus mode, review the generated visuals
3. From Focus mode, pin the relevant visuals to DashboardA

[-] **Lulu_2022** 2 points about 1 month ago

tep-by-step sequence:

Open DashboardA Locate the tile named TileA, which contains the treemap visual from ReportA.

Select Focus Mode on TileA Click the ellipsis (...) on TileA, then select Focus Mode. This opens a larger, interactive view of the visual — allowing for drill-downs and deeper exploration.

Drill into the treemap While in Focus Mode, use the visual's built-in hierarchy or filters to drill down into a specific segment or category of the treemap.

Pin the drilled visual to DashboardA Once you've customized the view, select Pin Visual, then choose DashboardA. This creates a new tile showing the filtered view — directly related to TileA.

[-] **Jasmine121** 1 point 6 months ago

Tested.

1. From Dashboard A, select a tile, and right click view insight (Here enter Focus mode)
2. From Focus mode, there will be various tiles generated, so you can select one
3. From Focus mode, pin the one to the dash board to be a new tile!

[-] **hebertorosillo** 1 point 6 months ago

there are two ways to do it. the first is from the "Semantic model" and the second is from a Dashboard. the correct answer is:

- 3 From DashboardA, select the TileA options, and then select View Insights
- 2 From Focus mode, review the generated visuals
- 1 From Focus mode, pin the relevant visuals to DashboardA

[-] **patrup** 2 points 11 months ago

1. From Focus mode, review the generated visuals
2. From Focus mode, pin the relevant visuals to DashboardA
3. From DashboardA, select the TileA options, and then select View Insights

[-] **Dani_eL** 1 point over 1 year ago

Thé fuzziest question So far....

[-] **Dani_eL** 1 point over 1 year ago

Achieving this without pro/premium license is :

From visual select View Insights

From Focus mode (right side of screen) review generated insights

Pin the insight you want to add in the dashboard

[-] **Florinuca** 1 point over 1 year ago

You can't get insights from a dashboard!!

So the steps should be :

- 1 - From Report A, select "Get Insights".
- 2 - From Focus Mode, review the generated visuals.
- 3 - From Focus Mode, pin the relevant visuals to Dashboard A.

[-] **heer_987** 2 points about 1 year ago

<https://learn.microsoft.com/en-us/power-bi/consumer/end-user-insights>
"Run insights on a dashboard tile"

[-] **539d541** 3 points 11 months ago

Thanks for that link heer_987! The person in the video explains very well how things should be done but I think she missed the intent of the question. For me, the question is saying - you ALREADY have the Tile A existing on Dashboard A. That means the first action in the answer should be:

1. From DashboardA, select the TileA options and then select View Insights

Once, you have done that, you will see other visuals being generated that are related to the data displayed by Tile A, therefore the 2nd option should be to go through each of those visuals separately in Focus mode:

2. From Focus mode, review the generated visuals

Lastly, once you have decided which are the further visuals you want to add to DashboardA, you need to pin those visuals there, so the third step is:

3. From Focus mode, pin the relevant visuals to DashboardA.

[-] **Sandeep36** 2 points over 1 year ago

It should be 2,1,3, here is the video <https://youtu.be/3xBroMTjaGs?si=ZXmpjbKGkZY95ICi>

[-] **jinesg** 3 points over 1 year ago

The video answers the question wrong. Even though it shows the correct steps. Answer is 3,2,1

[-] **bdub1976** 4 points over 1 year ago

Not sure what question image you're seeing, but in this video you posted it clearly goes 3, 2, 1 - view insights, review from focus mode, and pin.

[-] **Igetmyrole** 1 point almost 2 years ago

Action 4: From ReportA, select the treemap visual options, and then select spotlight.

Action 5: From ReportA, select Get insights .

Action 6: From DashboardA, select TileA to open ReportA.

[-] **Jwad** 5 points about 2 years ago

It is 3, 2, 1. this is for the newer power bi, I tried it myself on powerbi.com what you do is you go to your dashboard and select the options on the tile, then you can go on focus mode then you can finally click on view insights and pin which insights you want.

[-] **VGG2001** 1 point about 2 years ago

You are right, I tested it too.

[-] **Mj_rom** 2 points about 2 years ago

It is on the video, under the question's answer,

Get Insight

View Insight

Pin related tiles

[-] **Shalaleh** 3 points over 2 years ago

3-2-1 is the correct order.

If you want more visual only from the data that relate to one visual, use view insight. but if you want more charts and graphs on entire dataset, from report use Get Insights.

[-] **SpringExamTaker** 1 point over 2 years ago

With newer Power BI, the correct answer would be 3, 2, 1.

[-] **RazaTheLegend** 3 points over 2 years ago

1. TileA options view insights (3)
2. review generated visuals (2)
3. pin related tiles (1)

[-] **Patrick666** 5 points over 2 years ago

1. From DashboardA, select the TilaA options, and then select View Insights
2. From Focus mode, review the generated visuals
- 3.From Focus mode, pin the relevant visuals to DashboardA

[-] **Patrick666** 7 points over 2 years ago

1. From DashboardA, select the TilaA options, and then select View Insights
2. From Focus mode, review the generated visuals
- 3.From Focus mode, pin the relevant visuals to DashboardA

[-] **centrumadresowe** 3 points almost 3 years ago

Requires Pro or Premium license !
<https://learn.microsoft.com/en-us/power-bi/consumer/end-user-insights>

[-] **RichardOgoma** 5 points almost 3 years ago

Tile ellipsis > View insights
From focus mode, review auto-generated visuals
Pin relevant tiles to the dashboard

[-] **sidyndiaye** 6 points almost 3 years ago

- 1- From DashboardA select tiles A option and View Insights
- 2- From Ffocus mode review generated Visuals
- 3- From Focus mode Pin related tiles

Question 206



You are creating a dashboard by using the Power BI service.

You have an existing report page that contains three charts.

You need to add the charts to the dashboard while maintaining the interactivity between the charts.

What should you do?

- A. Edit interactions in the report and set all interactions to Filter.
- B. Pin each chart as a tile.
- C. Edit the dashboard theme and pin each chart as a tile.
- D. Pin the report page as a live tile.

Hide Answer

[-] **lukelin08** 26 points almost 3 years ago

Selected Answer: D
'D' is correct

[-] **prikha16** 15 points about 2 years ago

D is the correct answer - Watch this video -<https://learn.microsoft.com/en-us/power-bi/create-reports/service-dashboard-pin-live-tile-from-report> (at 0:42 and 2:05)

[-] **SylUK** 1 point 6 months ago

Selected Answer: D

The given answer is correct but note that report tiles aren't interactive when viewed in the power BI mobile apps .See :<https://learn.microsoft.com/en-us/power-bi/create-reports/service-dashboard-pin-live-tile-from-repor>

[-] **jaume** 4 points 9 months ago

Selected Answer: D

I tested options B and D with a real PBI report.

I pinned three charts one by one (as single items) into the Dashboard, and I cannot interact with the charts and when I clicked any of them, I moved to the source report.

Pinning the entire page containing the three visuals into the Dashboard, provided me the entire functionality I had in my report (I was able to click in any visual to get the other two visuals filtered by the selected value)

[-] **539d541** 1 point 11 months ago

Selected Answer: D

D is correct

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: D

D is the correct answer

[-] **rainy_255** 4 points almost 2 years ago

This was in the exam this week.

[-] **umairtaqi** 3 points almost 2 years ago

Selected Answer: D

Sorry D is the correct one please ignore previous.

[-] **umairtaqi** 1 point almost 2 years ago

Selected Answer: B

B is the correct answer.

[-] **GB32** 1 point almost 2 years ago

D is correct, go in Power BI service open a report and click the 3dot option icon and click "Pin to a dashboard" -> there's an option called "Pin live" click that., this is how you preserve those interactions

[-] **lgetmyrole** 1 point almost 2 years ago

B is the correct answer.

Pin each chart as tile will allow you to pin each chart individually, and users will be able to interact with them on the dashboard.

[-] **SteveTheBeast** 1 point almost 2 years ago

Selected Answer: D

D in order to keep the interactions between all of the tiles

[-] **ApacheKafka** 1 point almost 2 years ago

Selected Answer: B

The statement "Pin live page enables changes to reports to appear in the dashboard tile when the page is refreshed" means that when you pin a live page (report page) to a dashboard in Power BI, any changes made to the underlying report will automatically reflect and update in the dashboard tile whenever the page is refreshed.

Now, regarding the question about creating a dashboard in Power BI with an existing report page containing three charts while maintaining interactivity between the charts, the correct answer is:

B. Pin each chart as a tile.

By pinning each chart as a tile, you can add them to the dashboard while preserving their interactivity. Users can still interact with the charts individually, and any changes made to the report page (such as data updates or filter changes) will be reflected in the dashboard tiles when the page is refreshed. This option ensures that the charts remain dynamic and up-to-date in the dashboard.

[-] **JOJ990** 3 points about 2 years ago

Hi guys, wanna ask those who'r passed the pl-300 exam did they study pages after 22, cause its not free ? should we pay or pages 1-22 are enough pls any recommendation ?

[-] **Time2excel** 2 points about 2 years ago

Selected Answer: D

Tested in Power BI Service. Answer D is correct because of the interactivity between the charts.

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: D

D is correct.

[-] **RazaTheLegend** 3 points over 2 years ago

Selected Answer: B

The correct answer is B. Pin each chart as a tile. When you pin each chart as a tile, the interactivity between the charts is maintained on the dashboard. Option A would not preserve interactivity on the dashboard, and options C and D are not applicable as they do not directly relate to adding charts with interactivity to a dashboard.

[-] **moh145** 1 point over 2 years ago

is this correct?

[-] **Sandy2010** 6 points over 2 years ago

Really? when you pin each tiles and when you click on any tile it will lead you to report. There will be no interaction between them.

[-] **SanaCanada** 4 points over 2 years ago

Selected Answer: B

Correct Answer is B

B. Pin each chart as a tile.

To add the charts to the dashboard while maintaining the interactivity between them, you should pin each chart as a tile. This will create a live connection between the charts and the dashboard, allowing you to interact with them just as you would in the report.

Option A, editing interactions in the report and setting all interactions to Filter, would limit the interactivity between the charts to filtering, and would not allow for other types of interactions, such as highlighting or cross-highlighting.

Option C, editing the dashboard theme and pinning each chart as a tile, is not a valid option as editing the theme will not allow you to pin charts to the dashboard.

Option D, pinning the report page as a live tile, would pin the entire report page as one tile, and would not allow you to interact with the individual charts on the dashboard.

No confusion, and no need to discuss further

[-] **glenman0202** 3 points over 2 years ago

Option D is correct. From Microsoft's "Pin an entire report page to a Power BI dashboard as a live tile" website: "Also, when you pin an entire page, the tiles are live; you can interact with them right there on the dashboard. Changes you make to any of the visualizations back in the report editor, like adding a filter or changing the fields used in the chart, are reflected in the dashboard tile as well."

[-] **Newb007** 8 points over 2 years ago

Im confused and need to discuss further..... its D

[-] **Newb007** 3 points over 2 years ago

or B..or C or A

[-] **Newb007** 4 points over 2 years ago

This looks like a chat GPT answer

[-] **[Removed]** 8 points over 2 years ago

SanaCanada has been copy pasting Chat GPT answers as their own on nearly every question

[-] **1sourabhpatel1** 2 points over 2 years ago

Pin Live Page is useful when you want to show the entire report page as a tile on the dashboard, but it does not provide the flexibility to interact with the individual charts as users would in the report page.

[-] **1sourabhpatel1** 2 points over 2 years ago

To add the charts to the dashboard while maintaining interactivity between them, you should pin each chart as a separate tile. By doing this, you can provide users with more flexibility and control over how they interact with the charts.

[-] **Sandy2010** 1 point over 2 years ago

Really? when you pin each tiles and when you click on any tile it will lead you to report. There will be no interaction between them.

[-] **Lotusss** 1 point over 2 years ago

Why D? Pinning the report page as a live tile, would not be the best approach since it would add the entire report page as a single tile on the dashboard, and the user would not be able to interact with the individual charts. I believe B

[-] **jboiret** 2 points over 2 years ago

Selected Answer: D

Answer D

[-] **Mizaan** 3 points almost 3 years ago

Selected Answer: D

D is correct

[-] **centrumadresowe** 4 points almost 3 years ago

'D' - ok

Question 207



HOTSPOT -

You need to create a visual as shown in the following exhibit.

MonthName	Total Sales	Sales Last Year	% Growth to Last Year
January	£559,263.79	£144,365.51	74.19%
February	£583,915.29	£215,923.28	63.02%
March	£684,091.92	£211,347.46	69.11%
April	£957,686.49	£350,270.97	63.43%
May	£841,473.26	£310,708.65	63.08%
June	£876,911.71	£298,356.83	65.96%
July	£922,410.09	£348,435.28	62.23%
August	£1,002,219.24	£388,213.68	61.26%
September	£1,152,976.22	£407,595.76	64.65%
October	£1,262,647.67	£465,583.06	63.13%
November	£555,548.44	£555,548.44	0.00%
December	£553,615.45	£553,615.45	0.00%
Total	£9,952,759.56	£4,249,964.36	57.30%

The indicator color for Total Sales will be based on % Growth to Last Year.

The solution must use the existing calculations only.

How should you configure the visual? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Conditional
formatting:

	▼
Background color	
Data bars	
Font color	
Icons	
Web URL	

Format by:

	▼
Color scale	
Field value	
Rules	

Hide Answer

Correct answer:

Box 1: Background color -

To apply conditional formatting, select a Table or Matrix visualization in Power BI Desktop. In the Visualizations pane, right-click or select the down-arrow next to the field in the Values well that you want to format. Select Conditional formatting, and then select the type of formatting to apply.

Box 2: Rules -

To format cell background or font color by rules, in the Format by field of the Background color or Font color dialog box, select Rules.

Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/desktop-conditional-table-formatting>


Answer Area

Conditional
formatting:

	▼
Background color	
Data bars	
Font color	
Icons	
Web URL	

Format by:

	▼
Color scale	
Field value	
Rules	



Background color - Affordability

Format by

Rules

Apply to

Values only

Based on field

Sum of Affordability

Summarization

Sum

Rules

Reverse color order

New rule

If value	is greater than or equal to	0	Percent	and	is less than	33	Percent	then	Green	↑ ↓ ×
If value	is greater than or equal to	34	Percent	and	is less than	66	Percent	then	Yellow	↑ ↓ ×
If value	is greater than or equal to	67	Percent	and	is less than	100	Number	then	Red	↑ ↓ ×

[Learn more](#)

OK Cancel

[-] **RichardOgoma** 29 points almost 3 years ago

Background color; format by field value because the formatting is based ON AN EXISTING CALCULATION

[-] **Shalaleh** 4 points over 2 years ago

If you look you will see for example for a RANGE of numbers they use green. but Field value is for SPECIFIC value not a range.

[-] **Fer079** 87 points almost 3 years ago

Background color

Rules

the existing calculation refers to the measure "% Growth to Last Year" and not about an extra column with the color name

[-] **RichardOgoma** 2 points almost 3 years ago

From my experience, you can format with a measure. In fact the measure can be an if statement with a hex code to manipulate the color on the visual based on another field.

[-] **Fer079** 6 points almost 3 years ago

Exactly, here what we have to calculate is the color based on the measure through the rules, because it does not say anything regarding having a column (or as you say "field") informing about the color

[-] **PCCCCC** 9 points over 2 years ago

Bg color and should be based on Rules, we cannot add a measure in Field Value section.

[-] **Deepak_098** 3 points over 2 years ago

We can add a measure in field value

[-] **pisanoagus** 17 points over 2 years ago

Tested -- Background Color / Rules (You can't add a measure for the 'Field Value' option)

[-] **jaume** 2 points 9 months ago

Background color I think is clear for the first part of the question

Second answer should be "Rules" where you can set the thresholds to apply different colors.

The "Field Value" option is similar to "Rules" but it's required a table returning the colors to be used (the field values) as color names or their hex code. Also a calculations could be used with "Field vlaues" but, again, this calculation should return the values to be used being color names or their hex code

[-] **rcaliandro** 1 point 12 months ago

The answer is correct: Background color, rules

[-] **Ron256** 12 points about 1 year ago

I did my exam on 6/15/2024.

Score: 850

This question was on the exam.

Please go through the all the set of questions at least twice.

Good luck.

[-] **JOJ990** 2 points about 2 years ago

Hi guys, wanna ask those who'r passed the pl-300 exam did they study pages after 22, cause its not free ? should we pay for pages 1-22 are enough pls any recommendation ?

[-] **miro26** 3 points about 2 years ago

Background color

Rules

[-] **MoxieTT** 2 points about 2 years ago

Fairly sure this was on the exam

[-] **prikha16** 1 point about 2 years ago

Why cant we use Color scale?- Background color and color scale

[-] **akBeater** 1 point over 1 year ago

I think because that would not result in 3 colors like in the picture, instead a whole scale of colors. So a lighter and darker green, yellow and red for each different value

[-] **Shalaleh** 3 points over 2 years ago

Background Color and rules.

[-] **RazaTheLegend** 3 points over 2 years ago

Just for clarification, Background and rules seems like a correct answer. However, you CAN add a measure in Field which specifies colors based on hex codes. Those saying you cannot use a measure in Fields are completely wrong.

[-] **zakikhurshid** 3 points over 2 years ago

Just for clarification, Background and rules seems like a correct answer. However, you CAN add a measure in Field which specifies colors based on hex codes. Those saying you cannot use a measure in Fields are completely wrong. You just need to change the measure to TEXT rather than keeping it in Numerical format. Try it and let me know.

[-] **jsking** 5 points over 2 years ago

Background

Rules

I have done this many times than I can count lol

[-] **PsgFe** 2 points over 2 years ago

calculate background color based on a rule using measurement.
correct

[-] **csillag** 3 points over 2 years ago

Background color, format by rules is the correct answer

[-] **Patrick666** 3 points over 2 years ago

Background color

Rules

[-] **lcamp** 4 points over 2 years ago

Background Color and Rules - is the correct answer.

[-] **lukelin08** 2 points over 2 years ago

Given answer is correct

[-] **wzwd** 1 point over 2 years ago

First you need to use dax to calculate % Growth to Last Year. How can you use rule to achieve it????

[-] **centrumadresowe** 4 points almost 3 years ago

correct

[-] **Manzy2599** 1 point almost 3 years ago

Is it format by field or rules? someone plz let me know asap

[-] **rzm_1998** 6 points almost 3 years ago

rules not fields, field values is for when we have the hex value for the color in an existing column

[-] **Alexeyvykhodtsev** 3 points almost 3 years ago

correct

[-] **ecwang** 2 points almost 3 years ago

<https://learn.microsoft.com/en-us/training/modules/data-driven-story-power-bi/13-lab>
Format by "Field value"

[-] **gabrysr1997** 7 points almost 3 years ago

We can use "Field value" to change fields background color when we have for example values in fields like "brown", "black", "white". When we are using some calculations like if value in field is >0 and <100 set background color to green we are using RULES.

It's all in you link.

Question 208



DRAG DROP -

You are using existing reports to build a dashboard that will be viewed frequently in portrait mode on mobile phones.

You need to build the dashboard.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

Pin items from the reports to the dashboard.

Open the dashboard.

Create a phone layout for the existing reports.

Edit the Dashboard mobile view.

Rearrange, resize, or remove items from the mobile layout.

Answer Area



Correct answer:

Actions

- Pin items from the reports to the dashboard.
- Open the dashboard.
- Create a phone layout for the existing reports.
- Edit the Dashboard mobile view.
- Rearrange, resize, or remove items from the mobile layout.



Answer Area

- Pin items from the reports to the dashboard.
- Open the dashboard.
- Edit the Dashboard mobile view.
- Rearrange, resize, or remove items from the mobile layout.

[-] **YSunny** 190 points almost 3 years ago

Pin -> open -> edit -> rearrange

[-] **jsking** 14 points over 2 years ago

This is not correct simply because it is not logical. The sequence should be Open -> Edit -> Pin -> Rearrange

[-] **Xikta** 8 points over 2 years ago

You should try by yourseft, YSunny gave the right answer.
And your answer can not be done.

[-] **iccent2** 16 points over 2 years ago

This is the correct order as stated by @jsking
Open
Edit
Pin
Rearrange

Link: <https://learn.microsoft.com/en-us/power-bi/create-reports/service-create-dashboard-mobile-phone-view>

[-] **SpringExamTaker** 8 points over 2 years ago

This question is about making a new dashboard from existing reports. The link you gave is for adjusting the existing dashboards. You cannot add new tiles with your method. You can unpin a tile from the existing dashboard and re-pin the same, but you cannot pin a new tile.

[-] **sankeytm** 1 point almost 2 years ago

In question it is said that it is existing dashboard

[-] **gradmes** 9 points almost 2 years ago

The question states that you are using EXISTING REPORTS, not existing dashboard. It literally says, "You need to build the dashboard".

[-] **semauni** 3 points over 2 years ago

It is logical: you're pinning from the report. As soon as you got visuals, it becomes possible to edit the mobile view from the dahsboard. How else were you planning on editing?

[-] **fbbucky** 1 point over 1 year ago

dude your answer is not logical because you need to make a dashboard first from an existing report and then the other steps. I think Ysunny is correct!

[-] **RickyAnd** 100 points almost 3 years ago

1. Pin items from the reports to the dashboard
2. Open Dashboard
3. Edit the Dashboard mobile view
4. Rearrange, resize, or remove items from mobile layout

[-] **JudT** 1 point over 1 year ago

Clear as Cristal

[-] **AdrianBalescu** 5 points over 1 year ago

perfect answer, trust this one!!!

[-] **Lulu_2022** 1 point about 1 month ago

Here's the correct sequence of actions to build a Power BI dashboard optimized for portrait mode on mobile phones using existing reports:

✅ Correct Order:

Pin visuals from the reports to a dashboard → Start by selecting the key visuals from your existing reports and pinning them to a new or existing dashboard.

Open DashboardA in the Power BI service → Navigate to the dashboard where the visuals were pinned.

Select Mobile layout from the Edit menu → This opens the phone layout editor, allowing you to customize how the dashboard appears on mobile devices in portrait mode.

Rearrange and resize the tiles for phone view → Adjust the layout to ensure visuals are readable and well-organized for mobile users.

[-] **jaume** 1 point 9 months ago

I would also re-arrange the given solution to be Pin > Open > Edit > Rearrange

[-] **patrup** 2 points 11 months ago

First you need to open the dashboard then you can edit the mobile layout (from the button in the ribbon). Next you pin visuals to the mobile layout and lastly you can rearrange them

[-] **rcaliandro** 2 points 12 months ago

The correct answer is:

- 1 - Pin items from the reports to the dashboard
- 2 - Open the dashboard
- 3 - Edit the Dashboard mobile view
- 4 - Rearrange, resize, or remove items from the mobile layout

[-] **Palwashai** 3 points about 1 year ago

The answer presented is incorrect. The correct answer is

Pin -> Open - > Edit -> Rearrange

You start by pinning visuals and you will be prompted to pin to a new dashboard. THEN you will have a dashboard to open, edit, and rearrange.

You can not start by Opening something that doesn't exist yet.

[-] **Dani_eL** 1 point over 1 year ago

There are several solutions leading to the same result.

If you don't have any dashboard, the fastest way is to select the first visual you want and pin it to a new dashboard. Then PBI Service will ask you the kind of view you want. You select mobile. Then you go back to the reports containing the visuals you want to pin and finally you rearrange them in the mobile view.

Another way is, from your workspace, New > dashboard > give it a name > edit > mobile layout.

Then you go to your reports and pin the visuals you want.

Finally go back to your dashboard and rearrange

[-] **Dani_eL** 2 points over 1 year ago

My bad, i just discovered that when you open a report in edit mode, you are presented with a tooltip asking you if you want to build for mobile. So the original solution presented is correct after all

[-] **burto** 1 point over 1 year ago

can someone explain how you open the dashboard after already editing it? That's what i am understanding from the answer.

[-] **AdrianBalescu** 2 points over 1 year ago

sequence is:

- 1
- 2
- 4
- 5

[-] **BarNouha** 1 point almost 2 years ago

When you view dashboards in portrait mode on a phone, you notice the dashboard tiles are laid out one after another, all the same size. In the Power BI service, you can create a customized view of a dashboard, specifically for portrait mode on phones.

Step 1: Open the Dashboard.

Step 2: Change the dashboard view to Phone view

Step 3: Pin items from the reports to the dashboard.

Step 4: Rearrange, resize, or remote items from the Phone view.

Create a phone view of a dashboard

1. In the Power BI service, open a dashboard (Step 1)

2. Select the arrow next to Web view in the upper-right corner > select Phone view. (Step 2)

<https://learn.microsoft.com/fr-fr/power-bi/consumer/mobile/mobile-apps-view-dashboard>

[-] **AdrianBalescu** 5 points over 1 year ago

<https://devoworx.net/power-bi-dashboard-for-mobile/>

[-] **BarNouha** 1 point almost 2 years ago

When you view dashboards in portrait mode on a phone, you notice the dashboard tiles are laid out one after another, all the same size. In the Power BI service, you can create a customized view of a dashboard, specifically for portrait mode on phones.

Step 1: Open the Dashboard.

Step 2: Change the dashboard view to Phone view

Step 3: Pin items from the reports to the dashboard.

Step 4: Rearrange, resize, or remote items from the Phone view.

Create a phone view of a dashboard

1. In the Power BI service, open a dashboard (Step 1)

2. Select the arrow next to Web view in the upper-right corner > select Phone view. (Step 2)

[-] **[Removed]** 3 points almost 2 years ago

For those saying to Pin visuals in a step other than the first. You need to create a new dashboard. If you do not Pin visuals from the report to the NEW dashboard there is simply NO DASHBOARD to edit, or open, or do any of the things you say.

[-] **JOJ990** 1 point about 2 years ago

Hi guys, wanna ask those who'r passed the pl-300 exam did they study pages after 22, cause its not free ? should we pay for pages 1-22 are enough pls any recommendation ?

[-] **sankeytm** 1 point almost 2 years ago

Did you pass the exam? Did you purchase the full course? I am planning to give the exam this week and have same question.

[-] **CRD80** 3 points almost 2 years ago

Page 22 and above have questions abt visualising data and managing workspaces; those 2 topics are 40-45% of the exam questions. So yes, i possible you should pay for contributor access to have this topics covered...

[-] **SamuComqi** 18 points about 2 years ago

I passed the exam today (948/1000). My answer was:

- Pin items from the reports to the dashboard
- Open the dashboard
- Edit the Dashboard mobile view
- Rearrange, resize, or remove items from the mobile layout

[-] **abbeyabh** 3 points about 2 years ago

Step 1: Pin items from the reports to the dashboard

Step 2: Open the dashboard.

Open the dashboard to see the pinned live tile,

From the nav pane, select the dashboard with the new live tile. There, you can do things like rename, resize, link, and move the pinned report page.

Step 3: Edit the dashboard mobile view

Open a report in Editing view.

Step 4: Rearrange, resize, or remove items from the mobile layout

[-] **snrg564** 1 point about 2 years ago

4-2-1-5 Edit-Open-Pin-Resize/Rearrange

[-] **Shalaleh** 2 points over 2 years ago

1-2-5-4 is the correct Order.

[-] **luisnc** 9 points over 2 years ago

YSunny is correct: this can help understand <https://www.youtube.com/watch?v=U4l9rBOhL4A>

[-] **RazaTheLegend** 2 points over 2 years ago

Pin -> Open -> Edit -> Rearrange

To make it clear - in the mobile layout editor you CANNOT "pin" tiles/visuals to the dashboard if they were not previously pinned to the desktop version of the dashboard. You can only UNPIN and REARRANGE them. Therefore, you have to first pin them in desktop mode, then enter mobile layout editor and rearrange or unpin them.

[-] **PaweuG** 3 points over 2 years ago

Pin -> Open -> Edit -> Rearrange

To make it clear - in the mobile layout editor you CANNOT "pin" tiles/visuals to the dashboard if they were not previously pinned to the desktop version of the dashboard. You can only UNPIN and REARRANGE them. Therefore, you have to first pin them in desktop mode, then enter mobile layout editor and rearrange or unpin them.

[-] **UserNo1** 3 points over 2 years ago

why these "in sequence" questions - when you shall do the actual task, it falls naturally - if you make a mistake, go back and fix

[-] **svg10gh** 2 points over 2 years ago

This is the correct order as per reference

Open

Edit

Pin

Rearrange

Link: <https://learn.microsoft.com/en-us/power-bi/create-reports/service-create-dashboard-mobile-phone-view>

[-] **jboiret** 3 points over 2 years ago

1- PIN from Report

2- OPEN Dashboard

3- EDIT mobile view

4- REARRANGE

[-] **kggy** 1 point over 2 years ago

open dashboard > Edit dashboard mobile view > Pin > Rearrange

[-] **Patrick666** 1 point over 2 years ago

1. Pin items from the reports to the dashboard

2. Open Dashboard

3. Edit the Dashboard mobile view
4. Rearrange, resize, or remove items from mobile layout

[-] **scotchtapebunny** 3 points over 2 years ago

The answer doesn't make sense. It should be pin, open, edit, rearrange

[-] **velvarga** 4 points almost 3 years ago

Pin -> open -> edit -> rearrange

[-] **samad1234** 2 points almost 3 years ago

- Open dashboard
- Edit mobile layout
 - Pin items
 - Rearrange

[-] **SkullCrusher** 1 point over 2 years ago

As per the question, the dashboard needs to be created which means we first pin the tiles (this step includes creating a dashboard) and then open the dashboard, pin and resize.

[-] **lukelin08** 5 points almost 3 years ago

1. Pin items from the reports to the dashboard
2. Open Dashboard
3. Edit the Dashboard mobile view
4. Rearrange, resize, or remove items from mobile layout

[-] **Mizaan** 5 points almost 3 years ago

Just tested this:
Pin items from reports to dashboard
Open dashboard
Edit mobile layout
Rearrange

[-] **Grexx** 10 points almost 3 years ago

- Open dashboard
 - Edit mobile layout
 - Pin items
 - Rearrange
- <https://learn.microsoft.com/en-us/power-bi/create-reports/service-create-dashboard-mobile-phone-view>

[-] **ThariCD** 9 points almost 3 years ago

- I would say the order should be
1. Open Dashboard
 2. Edit the Dashboard mobile view
 3. Pin items from the reports to the dashboard
 4. Rearrange, resize, or remove items from mobile layout

Question 209



You plan to create the chart shown in the following exhibit.

Sales including Percentile

£100K


£80K

£60K

£40K

£20K

£0K



How should you create the dashed horizontal line denoting the 40th percentile of daily sales for the period shown?

- A. Add a measure to the visual that uses the following DAX expression. Measure1 = PERCENTILEX.INC (Sales,sales[Total Sales],0.40)
- B. Add a measure to the visual that uses the following DAX expression. Measure1 = PERCENTILEX.EXC (Sales,sales[Total Sales],0.40)
- C. Add a new percentile line that uses Total Sales as the measure and 40% as the percentile.
- D. Create a horizontal line that has a fixed value of 24,000.

Hide Answer

[-] **Mkym** 1 point 2 months ago

Selected Answer: A

ITS A. Cannot be C > Add a percentile line using visual options

This feature doesn't exist in native Power BI visuals — you can't insert a percentile line without DAX!

[-] **desibaby09** 1 point 8 months ago

Selected Answer: A

you need to create a dax first

[-] **jaume** 1 point 9 months ago

Selected Answer: C

Haven't even thought about the DAX expressions and whether they are returning expected percentile (anyway I think it would be a "dynamic" result based on the context and not a constant total value to be used across the visual). We have set of calculated lines we can use without defining any DAX expression

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: C

The answer is C

[-] **Suraj97** 2 points over 1 year ago

nevermind!

[-] **Time2excel** 4 points about 2 years ago

Selected Answer: C
Tested. The answer is C.

[-] **JJMC5544** 1 point about 2 years ago

It's Adventure Works DW Sales table, same.

[-] **Hink** 4 points over 2 years ago

Tested, 'C' is correct

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: C
Option C is correct, I have tried it, PercentileX.Inc() was not horizontal.

[-] **Shalaleh** 2 points over 2 years ago

Actually I do not know the difference between "Percentile line" and "Percentile.INC()" , but I know "percentileX.inc()" has row filter and it will not be horizontal.

[-] **sa56** 1 point over 2 years ago

Let's say that on a particular day, the daily sales range from \$100 to \$1,000, with the 40th percentile being \$300. However, if you calculate the total sales for the same day by adding up the sales from all transactions, the range may be much wider, say from \$1,000 to \$10,000, with the 40th percentile being \$3,000. While both percentiles represent the same percentage of the total sales or transactions, the 40th percentile of daily sales may be a better indicator of the typical or median level of sales for that day, as it takes into account the variability and distribution of sales across individual transactions. Therefore, when adding a percentile line to a visualization, it's important to consider which measure and which percentile are most relevant and informative for the specific context and analysis, and to use the appropriate function (e.g., PERCENTILEX.INC or PERCENTILEX.EXC) to calculate the percentile based on the desired interpretation and inclusion/exclusion of values.

[-] **sa56** 1 point over 2 years ago

So Correct ans is A , since we want to include 40th percetile of the sales of the day and show the dashed horizontal. It wont be straight line but a curved one

[-] **Shalaleh** 1 point over 2 years ago

why not C?

[-] **csillag** 1 point over 2 years ago

Selected Answer: C
C is correct

[-] **jboiret** 4 points over 2 years ago

Selected Answer: C
Answer C

[-] **slash_nyk** 2 points over 2 years ago

Answer is C.
B can also work but it requires two steps, i.e. create a measure first and then add it as Y-axis Constant Line under analysis tab.

[-] **lukelin08** 4 points almost 3 years ago

Selected Answer: C
Tested, 'C' is correct

[-] **mkthoma3** 4 points almost 3 years ago

Selected Answer: C
C is correct

[-] **EMMALEEEEEEEEE** 1 point almost 3 years ago

the question is 'create the dashed horizontal line', not the 40% percentile for bar

[-] **MRT_17** 1 point almost 3 years ago

How should you create the dashed horizontal line denoting the 40th percentile of daily sales??

[-] **Snow_28** 1 point almost 3 years ago

B answer can also be used because we have to calculate the 40th percentile and exc function calculates the Kth percentile of values.

[-] **Luffy561** 2 points almost 3 years ago

what is the answer ?

[-] **rehoboth2165** 1 point almost 3 years ago

C is the answer

Question 210



You are building a Power BI report.

Users will view the report by using their mobile device.

You need to configure the report to display data based on each user's location.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From Power Query Editor, detect the data types of the relevant columns.
- B. In Data Category, set the geographic data category for the relevant columns.
- C. Create a hierarchy for columns of the geography data type.
- D. Use the columns of the geography data type in all visuals.
- E. For the relevant columns, set synonyms to match common geographical terms.

Hide Answer

[-] **SamuComqi** 23 points about 2 years ago

Selected Answer: BD

I passed the exam today (948/1000). My answer was:

- In Data Category, set the geographic data category for the relevant columns.
- Use the columns of the geography data type in all visuals

[-] **SwapnJ** 5 points almost 2 years ago

Hi SamuChmqi,
Are the questions coming from these examples.
Thank you

[-] **PinkZebra** 12 points almost 3 years ago

Selected Answer: BD

The answer seems to be correct. Thanks so much!

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: BD

The correct answers are: B. In Data Category, set the geographic data category for the relevant columns D. Use the columns of the geography data type in all visuals

🧠 Here's why these are the right choices:

B. Set the geographic data category

This tells Power BI how to interpret the data — for example, whether a column contains city names, postal codes, or latitude/longitude.

It enables Power BI to map and filter data based on location, which is essential for location-aware visuals and mobile filtering.

D. Use the geography columns in visuals

Including these columns in your visuals ensures that Power BI can filter or highlight data based on the user's current location (especially when using map visuals or location-aware filters in the mobile app).

[-] **Mkymyp** 1 point 2 months ago

Selected Answer: BC

D is a distraction. You need the hierarchy for the mobile location. Also validated from MS documentation:

To enable geographic filtering in Power BI mobile apps:

Set the Data Category for each geographic field.

Create a Geographic Hierarchy to allow drill-down capabilities.

Publish the report and use the Geo Filter feature in the mobile app.

[-] **jaume** 3 points 9 months ago

Selected Answer: BD

I think the tricky part here is when it's mentioned users are viewing the report in their mobile and data should be displayed based on their location. I was thinking in the report being able to "geo-locate" where the user is using the mobile...but I realized this would be too much!!!

Now I understand "each user's location" means the associate geography associated to the user in the data behind the report. Then my vote is for solutions B and D and, of course, I'm suming some RLS based in that location to be set in the report

[-] **LuluSkyy** 1 point 10 months ago

Chat GPT says the correct answer is B&C. option C is because it enables users to be able to drill down the geography hierarchy for their location. And also It can't be option D because there's no such thing as a Geography data type.

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: BD

The answer is correct:

B - In Data Category, set the geographic data category for the relevant columns

D - Use the columns of the geography data type in all visuals

[-] **ApacheKafka** 4 points about 2 years ago

BD

<https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-mobile-geofiltering>

[-] **RJAX18** 1 point about 2 years ago

Is there a geography data type? Shouldn't the data type be text?

[-] **UlyUkr** 3 points about 2 years ago

I would go with B and C. Use the columns of the geography data type in all visuals is not necessary unless you want to have many maps :)

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: BD

If it were exam, I would go also with B&C, but we do not need RLS?

[-] **PBluser** 5 points over 2 years ago

Selected Answer: AB

Should it not be A and B?

You need the correct data type (should be text) and the correct data category (should be a geographical one) to be specified.

There are two reasons why I think D might not be correct:

D mentions a "geography data type". In Power BI data types are "Text, decimal number, binary, date, percentage..." there are no geographical data types but only geographical data categories!

Also D states to use the geography data type in ALL visuals. In the description it is never mentioned that access has to be restricted for all visuals of the report...

[-] **md_sultan** 2 points over 2 years ago

In automatic its possible to detect wrong data wrong.

[-] **jboiret** 1 point over 2 years ago

Selected Answer: BD

Answer B,D

[-] **Hoeishetmogelijk** 1 point over 2 years ago

Selected Answer: BD

B. In Data Category, set the geographic data category for the relevant columns.

D. Use the columns of the geography data type in all visuals.

[-] **lukelin08** 2 points over 2 years ago

Selected Answer: BD

B & D given answer is correct

[-] **Namenick10** 5 points almost 3 years ago

Selected Answer: BD

B and D

[-] **CHT1988** 3 points almost 3 years ago

Selected Answer: BD

B. In Data Category, set the geographic data category for the relevant columns.

D. Use the columns of the geography data type in all visuals.

[-] **juanceee** 7 points almost 3 years ago

Selected Answer: BC

I think create the hierarchy it's necessary if you have more than one cities in different states

Question 211



You have a report that contains a donut chart and a clustered column chart. Interactions between the visuals use the default settings.

You need to modify the report so that when you select a column in the column chart, the donut chart redraws by using the data from the selected column.

What should you do?

- A. Select the donut chart and set the column chart interaction to Filter.
- B. Select the column chart and set the donut chart interaction to Filter.
- C. Select the donut chart and set the column chart interaction to None.

D. Select the column chart and set the donut chart interaction to None.

Hide Answer

[-] **PinkZebra** 16 points almost 3 years ago

Selected Answer: B

B it is :)

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: B

Why this works:

In Power BI, when you want one visual (like a column chart) to control how another visual (like a donut chart) displays data, you configure visual interactions.

By default, visuals use highlighting, which partially shades the affected visual. But if you want the donut chart to redraw entirely based on the selected column, you need to change the interaction to Filter.

🔧 How to do it:

Click on the column chart to select it.

Go to the Format tab → choose Edit interactions.

On the donut chart, click the Filter icon (instead of the default Highlight icon).

Now, when you click a column, the donut chart will filter down to only the data related to that column, giving you a clean, focused view.

[-] **jaume** 4 points 9 months ago

Selected Answer: B

you are setting the interactions FROM the selected visual (the column chart) for the rest of the visuals (second, "TO", select the donut visual and set the appropriate interaction).

Filter will redraw the visual with only the selected data from the other visual.

Highlight will not redraw entirely the donut but just would "grey" the unselected data

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: B

The answer is correct

[-] **cs3122** 2 points over 1 year ago

Selected Answer: B

B is the answer here

[-] **Diogo1998** 2 points over 1 year ago

Selected Answer: B

B is correct.

[-] **chantyb** 2 points about 2 years ago

the Answer could also still be A. The interactions between the visuals are at the default setting. I am still not clear on the point why the answer is B and not A

[-] **Vikki6363** 4 points about 2 years ago

it's B because in question they have asked to select column in column chart. If they had asked to select the donut chart then option A would be correct

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: B

B is correct.

[-] **svg10gh** 3 points over 2 years ago

Selected Answer: B

its B correct

[-] **jboiret** 3 points over 2 years ago

Selected Answer: B

Answer B

[-] **Patrick666** 2 points over 2 years ago

Selected Answer: B

[-] **Hoeishetmogelijk** 2 points over 2 years ago

Selected Answer: B

B is correct

[-] **lukelin08** 3 points over 2 years ago

Selected Answer: B

B is correct

[-] **louisaoak** 2 points over 2 years ago

Good resource and video example

[-] **CHT1988** 4 points almost 3 years ago

Selected Answer: B

B seems to be the correct answer

[-] **Ryanmumu** 2 points almost 3 years ago

Selected Answer: B

B is correct

[-] **Sunny_008** 4 points almost 3 years ago

Tried it !

Answer is B

[-] **Ry7anZZ** 1 point almost 3 years ago

selected the column chart and modify the interaction.

[-] **hsmith** 2 points almost 3 years ago

As explained in the link and solution should be A.

Question 212



HOTSPOT -

You have a report page that contains the visuals shown in the following exhibit.

Order Summary

View By City View By State

Sales USD by Store Location




Quarterly Sales USD by Buying Group



Ask your data a question

Get Power BI help

Sales USD for Q1 2016 and Prior Year



Top 10 Sales Associates

Employee	Total Before Tax	Order Count
Amy Trefl	\$17,329,344	7,276
Anthony Grosse	\$17,300,382	7,257
Archer Lambie	\$18,551,147	7,532
Hudson Hollinworth	\$17,716,354	7,400
Hudson Onslow	\$17,815,605	7,281
Jack Potter	\$17,621,145	7,387
Kayla Woodcock	\$18,107,095	7,474
Lily Code	\$17,612,640	7,268
Sophia Hinton	\$17,768,199	7,349
Taj Shand	\$17,812,365	7,371
Total	\$177,634,276	73,595

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Selecting a quarter on the line chart will [answer choice] the clustered column chart.

▼

cross-filter

cross-highlight

not affect

Selecting a data point on the Tailspin Toys line on the line chart will [answer choice] the map.

▼

cross-filter

cross-highlight

not affect

Hide Answer

Correct answer:

Answer Area

Selecting a quarter on the line chart will [answer choice] the clustered column chart.

▼

cross-filter

cross-highlight

not affect

Selecting a data point on the Tailspin Toys line on the line chart will [answer choice] the map.

▼

cross-filter

cross-highlight

not affect

[~] Guru1337 226 points almost 3 years ago

not affect (since the interaction is set to None)

cross filter (since there is no cross highlights for maps)

[-] **tko86** 2 points 8 months ago

Man, I hate these questions as you really have to pay attention to the picture. The column chart has the visual interaction (from the line chart) as disabled. I would have quickly selected cross-highlight if I didn't see Guru1337 answer...

[-] **bdub1976** 5 points over 1 year ago

a year and three months ago and the answer examtopics provides is still wrong, tsk tsk.

[-] **a1971h** 10 points over 1 year ago

They want us to review the comments :)))

[-] **Training_ND** 1 point about 1 year ago

Totally agree

[-] **Manikom** 40 points almost 3 years ago

- not affect
- cross filter

[-] **0002110** 1 point 5 months ago

Not affect

Cross Filter

refer : <https://docs.microsoft.com/en-us/power-bi/create-reports/service-reports-visual-interactions>

[-] **SylUK** 1 point 6 months ago

The answers are: NO effect and Cross-filter.

It is said in this link:<https://learn.microsoft.com/en-us/power-bi/create-reports/service-reports-visual-interactions?tabs=powerbi-desktop> that

:" If you want the selected visualization to cross-filter one of the other visualizations on the page, select the filter icon in the upper right corner of that visualization. You can only cross-filter line charts, scatter charts, and maps. You can't cross-highlight them".

[-] **jaume** 2 points 9 months ago

Not affect looks right to me as the line chart is selected and the interaction set in the column chart is set to "no affect"

Cross-filter for the second part as this is the icon enabled in the maps visual (the one with the little funnel on the bottom right part) Cross-highlight is even not available option for that visual

[-] **539d541** 1 point 11 months ago

Given answers are totally wrong! Correct is:

- Not affect
- Cross-filter

[-] **hatem.ayed** 1 point 12 months ago

La respuesta que se indica no es correcta. Los iconos resaltados son:

1. No afecta (esta en negrita el símbolo)
2. Cross-filter (el icono que aparece en el mapa tiene el filtro, no corresponde con la imagen que se adjunta en la solución)

[-] **rcaliandro** 1 point 12 months ago

Not affect

Cross Filter

[-] **Oca027f** 14 points about 1 year ago

This sucks. Paying £44.95 only to continuously scroll through discussion to verify the answers.
Deeply dissatisfied with the quality of this website.

[-] **AbdulSami** 10 points about 1 year ago

Spending considerable time verifying answers due to their lack of reliability.

[-] **DataEngDP** 2 points over 1 year ago

Not affect
Cross-filter

[-] **6f38739** 17 points over 1 year ago

Honestly, wtf Im paying for? wrong aswears to confuse people?

[-] **9f73003** 3 points over 1 year ago

I know, I just paid yesterday, shame on me because I saw prior to paying the terrible answer key they provide.

[-] **cs3122** 2 points over 1 year ago

1. Not Affect - this is because the interaction is set to none
2. Cross Filter - this is because the visual is a map, and cross-highlight doesn't work

[-] **Exam_Topics_Master** 2 points over 1 year ago

Man... come on... This one was easy.
Not affect
Cross Filter

[-] **ZackandCoding** 6 points almost 2 years ago

man, who's the genius answering these questions. this one is easy, but the supposed answer is still way off. correct answer:
not affect, crossfilter...

[-] **Shalaleh** 3 points over 2 years ago

No affect
Cross filter

[-] **SuniltheMentor** 2 points over 2 years ago

no affect and cross-filter are the correct answers

[-] **Rajd1979** 3 points over 2 years ago

No affect and Cross Filter

[-] **srikanth923** 1 point over 2 years ago

NOT AFFECT, CROSS FILTER

[-] **svg10gh** 2 points over 2 years ago

- not affect
- cross filter
is the correct

[-] **svg10gh** 2 points over 2 years ago

Not Affect
Cross Filter
is the correct

[-] **jsking 3 points** over 2 years ago

Not Affect
Cross Filter

This is a no brainer!

[-] **jboiret 2 points** over 2 years ago

- no affect
- cross filter

[-] **Patrick666 2 points** over 2 years ago

- not affect
- cross filter

[-] **Escanoro 3 points** over 2 years ago

"You can only cross-filter line charts, scatter charts, and maps. You can't cross-highlight them" So Cross-filter for the map <https://learn.microsoft.com/en-us/power-bi/create-reports/service-reports-visual-interactions?tabs=powerbi-desktop>

[-] **Hoeishetmogelijk 1 point** over 2 years ago

- Not affect
- Cross filter

[-] **lukelin08 3 points** over 2 years ago

- 100%
- Not affect
- Cross filter

[-] **moriha3585 9 points** over 2 years ago

Why are some of the answers to the questions wrong? I'm glad there is a comments section here validating that I, Guru1337 and fifty-one other people are on the same page !

[-] **samad1234 4 points** almost 3 years ago

- not affect
- cross filter

[-] **centrumadresowe 4 points** almost 3 years ago

not affect
cross filter

[-] **pnb11 6 points** almost 3 years ago

Not affect
cross filter

[-] **saurinkhamar 4 points** almost 3 years ago

Bar has None Active
Chart has Filter active

[-] **TDwayne 1 point** over 1 year ago

Thanks for clarifying, I did not even see the little images that show what the visuals are set to; very helpful!

[-] **kuka8006 7 points** almost 3 years ago

I would go for - not affect, cross filter

You are creating a Power BI report by using Power BI Desktop.

You need to include a visual that shows trends and other useful information automatically. The visual must update based on selections in other visuals.

Which type of visual should you use?

- A. Q&A
- B. smart narrative
- C. key influencers
- D. decomposition tree

Hide Answer

[-] **surfing_man** 25 points almost 3 years ago

the answer is correct

[-] **ram798** 8 points almost 3 years ago

It should be Key influence

[-] **Semmie** 7 points almost 3 years ago

I disagree, key influencers does not show trends which is specifically asked in the question

[-] **lozol** 6 points almost 3 years ago

Key influencers has a trend made by bars. Smart narratives on the other side It has just text. Between Q&A and key influencers I would say that key influencers is more straightforward way to show data since Q&A needs user interaction to show data

[-] **a2c7cd3** 1 point about 2 months ago

Selected Answer: A

Q&A is correct, smart narrative does not show trends

[-] **SylUK** 2 points 6 months ago

Selected Answer: B

Answer is B

A "smart narrative" in Power BI is a visualization feature that uses artificial intelligence (AI) to automatically generate text summaries and insights based on the data presented in your visualizations, essentially acting like an assistant analyst to explain key trends and patterns within your data without requiring complex data analysis expressions (DAX) from the user. (found in google)

[-] **jaume** 1 point 9 months ago

Selected Answer: B

Never tried Smart narrative before.

Just tested with some dummy data in a PBI Desktop report and it's quite amazing

[-] **539d541** 1 point 11 months ago

Selected Answer: B

nice, learned something new, answer seems correct - smart narrative

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: B

Smart narrative

[-] **kimii1993** 7 points over 1 year ago

Selected Answer: B

This was on the exam today. Passed with 917/1000

[-] **[Removed]** 4 points almost 2 years ago

Use smart narrative summaries in your reports to address key takeaways, to point out trends, and to edit the language and format for a specific audience.

From (<https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-smart-narrative>)

[-] **MoxieTT** 6 points about 2 years ago

If you watch the video in this link (<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-smart-narrative>), you'll see that smart narrative is being described in the question.

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: B

Smart narratives is correct.

[-] **MimoKnowsNothin** 2 points over 2 years ago

Selected Answer: B

<https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-smart-narrative>

[-] **luojihench** 1 point over 2 years ago

QnA is the answer, seriously didn't expect to write a comment to correct an answer. Are people doing Power BI stupid?

[-] **S143** 3 points over 2 years ago

Can any one share the dumps for PL-300

[-] **SajjR** 2 points over 2 years ago

Can someone explain how smart narrative seems to be the correct answer? From what I've seen smart narrative is in text format and the question asks for a visual?

[-] **cnmc** 4 points over 2 years ago

You need to look up how smart narrative works... Also anything you can add to a report is called a "visual"

[-] **rmeng** 2 points over 2 years ago

Q&A is the correct one. Has the option to chose a trend and other chart types if you want automatically. Smart Narrative doesn't show trends

[-] **Yogi508** 1 point over 2 years ago

Hi All, I am unable to access the pages after 22, asking me to take contributor access. Do you know any way to access all the pages without paying.

Thanks.

[-] **Nemesizz** 1 point over 2 years ago

I just bought the acces, there is no other way then buying it.

[-] **Thabii** 1 point over 2 years ago

B- Smart Narrative

[-] **Patrick666** 1 point over 2 years ago

B - Smart Narrative

[-] **lukelin08** 2 points over 2 years ago

Selected Answer: B

100%

B - Smart Narrative

[-] **Booster21** 3 points over 2 years ago

Selected Answer: B

B. smart narrative is the correct answer.

[-] **Twealth** 4 points almost 3 years ago

The key word is visual that shows trend. So I will go with key influencer.

[-] **Time2excel** 2 points about 2 years ago

Key influencer does not perform automatically.

[-] **JukMar** 1 point almost 3 years ago

CORRECT

[-] **centrumadresowe** 2 points almost 3 years ago

Smart narrative

Question 214



You have a report that contains a bar chart and a column chart. The bar chart shows customer count by customer segment. The column chart shows sales by month.

You need to ensure that when a segment is selected in the bar chart, you see which portion of the total sales for the month belongs to the customer segment.

How should the visual interactions be set on the column chart when the bar chart is selected?

A. highlight

B. filter

C. no impact

Hide Answer

[-] **lukelin08** 39 points almost 3 years ago

Selected Answer: A

'A' Highlight is correc

[-] **gtc108** 33 points almost 3 years ago

Selected Answer: A

The keyword is 'Show a portion of the result.'

[-] **jaume** 1 point 9 months ago

Selected Answer: A

Filter option would filter the column chart based on selection in the column chart but would not allow to "see WHICH PORTION of the total series" but just the total value for the selected value

[-] **Endeetheanalyst** 1 point 11 months ago

Answer is filter.

Filter will show you the filtered data in this visual. it will still display well in the column visual. Highlight shows you both the unfiltered and filtered values in the visual, for comparison purposes. <https://learn.microsoft.com/en-us/training/modules/power-bi-effective-user-experience/>
<https://learn.microsoft.com/en-us/power-bi/create-reports/service-reports-visual-interactions?tabs=powerbi-desktop>

[-] **SylUK** 1 point 6 months ago

you can't apply filter on bar chart and column chat only on the maps, line, and scatter visuals.

[-] **SylUK** 1 point 6 months ago

It is explain here:<https://learn.microsoft.com/en-us/power-bi/create-reports/service-reports-visual-interactions?tabs=powerbi-desktop>

[-] **rcaliandro** 2 points 12 months ago

Selected Answer: A

A. highlight is the correct one

[-] **shahrzadkhhb** 1 point about 1 year ago

Selected Answer: A

The answer is highlight. Since in the question it is written "see which portion of the total sales for the month belongs to the customer segment", so we need to see even unrelated data. So, filter does not work here and we must select highlight as a correct answer.

[-] **JudT** 2 points over 1 year ago

A is correct. The key word is " Which portion"

[-] **AZFabio** 1 point over 1 year ago

Selected Answer: A

Correct

[-] **Dani_eL** 4 points over 1 year ago

Selected Answer: A

might be wise to explain the how to;

in your report, you will have two visuals, master and slave.

Select FORMAT then slect you Master visual (the one who will send the reaction to the second one)

In Format, first button on the left --> Edit Interactions

In your slave visual you will see 3 grey icons appearing on the right:

filter, highlight, no impact

choose appropriate

Note that by DEFAULT, interaction is highlight so basically you should do nothing

[-] **william_001** 2 points over 1 year ago

it is A. The keywords here are "to see the portion of the total sale", which means there is a comparison between the total and the sales made by a particular segment, and we want to see that comparison visually.

[-] **TestSavvySage123** 2 points over 1 year ago

A) Highlight is correct

[-] **madyjoe21** 2 points almost 2 years ago

A is the correct answer.

[-] **ecc3pack** 4 points almost 2 years ago

I don't like this question. If you watch the full video linked in another comment (<https://www.youtube.com/watch?v=-fwjqEWbr1c>) you'll see that you can technically use either filter or highlight. It's really a matter of personal preference.

If the question had specified that both the total sales for each month AND the portion for a selected customer segment

should be visible at the same time then answer would definitely be highlight. The question does not state that you should still be able to see full data for each month when when a customer segment is selected so the answer is unclear.

[-] **lgetmyrole** 1 point almost 2 years ago

B is the correct answer.

By setting the interaction to "filter", selecting a segment in the bar chart will filter the data in the column chart to show the sales for that specific segment.

Highlight cannot be the right answer, because it is typically used to emphasize data points while maintaining the context of the entire chart, which may not be suitable for showing the portion of total sales.

No Impact cannot be the right answer, because it column chart would continue to display data as if nothing was selected in the bar char.

[-] **abbeyabh** 1 point about 2 years ago

correct A. highlight

[-] **shanoli** 4 points about 2 years ago

this is a nice vid demonstration

<https://www.youtube.com/watch?v=-fwjqEWbr1c>

[-] **Chita_3385** 1 point about 2 years ago

thank you, it's helpful

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: A

A is the correct answer.

[-] **RazaTheLegend** 4 points over 2 years ago

Selected Answer: A

A, The visual interaction between the bar chart and column chart should be set to filter. This will allow the column chart to show the sales data for the selected customer segment.

[-] **prikha16** 1 point about 2 years ago

not filter but highlight

[-] **ewelaela** 5 points over 2 years ago

Selected Answer: A

A is correct

[-] **csillag** 2 points over 2 years ago

Selected Answer: A

A is correct answer

[-] **jboiret** 2 points over 2 years ago

Selected Answer: A

Answer A

[-] **Hoeishetmogelijk** 3 points over 2 years ago

Selected Answer: A

A: Highlight is exactly what is asked for: You need to ensure that when a segment is selected in the bar chart, you see which portion of the total sales for the month belongs to the customer segment.

[-] **Booster21** 4 points almost 3 years ago

Selected Answer: A

Highlight is the correct answer.

[-] **gtc108** 5 points almost 3 years ago

A: The keyword here is 'Shows the PORTION' of the result.

[-] **samad1234** 2 points almost 3 years ago

Highlight

[-] **Hangman_T** 4 points almost 3 years ago

Highlight sorry

[-] **Hangman_T** 2 points almost 3 years ago

Selected Answer: B

Filter because highlight will still show others but in the background

[-] **Hoeishetmogelijk** 2 points over 2 years ago

A: Highlight is exactly what is asked for: You need to ensure that when a segment is selected in the bar chart, you see which portion of the total sales for the month belongs to the customer segment.

[-] **Snow_28** 4 points almost 3 years ago

Highlight is the correct answer as when we click on column chart, it will highlight also in br chart.

Question 215

In Power BI Desktop, you have a dataset that contains a table.

You create a table visual on a Power BI report page as shown in the following exhibit.

Plant Name	Plant Image
Pothos	https://raw.githubusercontent.com/ml
Spider plant	https://raw.githubusercontent.com/ml
philodendron	https://raw.githubusercontent.com/ml
ZZ plant	https://raw.githubusercontent.com/ml

You need to configure the visual to display the referenced image instead of the URL in the Plant Image column.

What should you do?

- A. From the Formatting tab, select Values, and then set URL icons to On for the table.
- B. Set the Data category of the Plant Image field to Web URL.
- C. Set the Data type of the Plant Image field to Binary.
- D. Set the Data category of the Plant Image field to Image URL.

Hide Answer

[-] **XavierF08** 30 points over 2 years ago

Selected Answer: D

Web URL - url become a clickable link

Image URL - Will display image

[-] **GPerez73** 17 points almost 3 years ago

It is correct.

<https://docs.microsoft.com/en-us/power-bi/create-reports/power-bi-images-tables>

[-] **jaume** 1 point 9 months ago

Selected Answer: D

Only discussion should be between B and D options.

Setting Data category to Web URL (option B) would result in a "clickable URL" in our report while setting it to Image URL (D option) would result in the image itself

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: D

D - "Set the Data category of the Plant Image field to Image URL" Is the correct option

[-] **b7c21a9** 3 points over 1 year ago

28-Mar-24 - This Q came up

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: D

I have tested, D is correct.

[-] **gilgir** 1 point over 2 years ago

I don't understand, this view is obtained by defining the "web url" field ... with image url you get the image icon

[-] **jboiret** 3 points over 2 years ago

Selected Answer: D

Answer D

[-] **Patrick666** 2 points over 2 years ago

D is correct

[-] **Patrick666** 1 point over 2 years ago

Selected Answer: D

[-] **lukelin08** 2 points over 2 years ago

Selected Answer: D

D is correct

[-] **centrumadresowe** 4 points almost 3 years ago

Selected Answer: D

D - Correct

Question 216



DRAG DROP -

You have a Microsoft Excel spreadsheet named Excel1 that contains survey results.

You have a Power BI dashboard named DashboardA that has Q&A enabled.

You need to ensure that users who can access DashboardA can ask questions based on the contents of Excel1 and pin visuals based on their queries to

DashboardA. The solution must minimize development time.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions	Answer Area
From powerbi.com, pin a range from Excel1 to DashboardA.	
From Excel, format the data in Excel1 as a table.	
From powerbi.com, import Excel1 as a dataset.	
From powerbi.com, add a tile for the Excel1 dataset to DashboardA.	
From Excel, create a named range by using the data in Excel1.	
From powerbi.com, upload Excel1.	

Hide Answer

Correct answer:

Actions	Answer Area
From powerbi.com, pin a range from Excel1 to DashboardA.	From Excel, format the data in Excel1 as a table.
From Excel, format the data in Excel1 as a table.	From powerbi.com, import Excel1 as a dataset.
From powerbi.com, import Excel1 as a dataset.	From powerbi.com, add a tile for the Excel1 dataset to DashboardA.
From powerbi.com, add a tile for the Excel1 dataset to DashboardA.	
From Excel, create a named range by using the data in Excel1.	
From powerbi.com, upload Excel1.	

[-] **RickyAnd** 103 points almost 3 years ago

"The solution must minimize development time", so:

1. format the data as a table
2. Import as a dataset (upload involves scheduling updates, whereas with import it updates automatically)
3. add a tile for the dataset to dashboard

[-] **9f73003** 27 points over 1 year ago

This is incorrect, there is no option for XLSX files to create a tile in pbi service!

1- From Excel, Format the data in Excel1 as a table

2- From powerbi.com, upload Excel1

3- From powerbi.com, pin a range from Excel1 to DashboardA

<https://learn.microsoft.com/en-us/power-bi/create-reports/service-dashboard-pin-tile-from-excel>

[-] **rcaliandro** 1 point 12 months ago

I agree good answer and good link. But can you guys explain me why we need to convert the data in Excel as a table? Once we loaded the file, when we pin from Excel to a dashboard we don't select already the range and in this case we select the data range rather than the table?

[-] **Mo2011** 2 points about 1 year ago

Correct, tested

[-] **JudT** 1 point over 1 year ago

Correct and great link! Cheers

[-] **Nemesizz** 1 point about 2 years ago

I thought import creates a dataset and upload is used for automatically update?

[-] **9f73003** 2 points over 1 year ago

I don't even see import as an option. I see in power bi service, in the workspace, the option to upload an xlsx file.
NOTE: The file must be in Sharepoint or OneDrive, although the option to upload from your PC is there, this no longer works!! Wow. Details.

[-] **Time2excel** 1 point about 2 years ago

Spot on.

[-] **AzureJobsTillRetire** 1 point over 2 years ago

How can you add a tile for a dataset to dashboard? I'm not saying that you cannot do it for sure, but I have no idea how I can do it at the moment

[-] **yahsee33** 1 point over 2 years ago

Yeah I don't think there's any way to add a tile from a dataset directly

[-] **jsking** 3 points over 2 years ago

You can create tiles from a report, dataset, dashboard, the Q&A question box, Excel, SQL Server Reporting Services (SSRS), and more.

Please read the documentation:

<https://learn.microsoft.com/en-us/power-bi/consumer/end-user-tiles>

[-] **9f73003** 1 point over 1 year ago

No, this link is better and within context:

<https://learn.microsoft.com/en-us/power-bi/create-reports/service-dashboard-pin-tile-from-excel>

[-] **YearlowB** 1 point about 2 years ago

I totally agree and for clarity in point no.3 click the following link :- <https://learn.microsoft.com/en-us/power-bi/connect-data/service-real-time-streaming>

[-] **YearlowB** 1 point about 2 years ago

Open the dashboard.

In the upper-left corner of the dashboard, select Add Tile () 1.

Select Custom Streaming Data 2, and then select Next.

On the Add custom streaming data tile page, you can select an existing dataset, or select Manage datasets to import your streaming dataset if you already created one

[-] **shako** 5 points almost 2 years ago

I'm going for 2-6-1

[-] **Maniula** 1 point about 2 years ago

It's upload as per MS video linked in this comment section.

There's no mention of where the Excel resides in this question and refresh is for Excel on OneDrive. There's also no mention of updating it, it's about survey results so it might well be that there won't be any updates as the survey is closed.

[-] **Maniula** 4 points about 2 years ago

Also, when you pin from uploaded Excel, you need to select a range, otherwise it won't allow it.

1. Format as a table

2. Upload Excel1

3. Pin a range from Excel1

[-] **PinkZebra** 37 points almost 3 years ago

1. From Power BI, Upload Excel
2. Format Table
3. Pin

Instruction video from Microsoft Youtube Channel: <https://www.youtube.com/watch?v=l8JoB7w0zJA>

[-] **taod** 6 points almost 2 years ago

I tried it and pinning the data works. The problem is the Q&A part that is specifically mentioned in the question. I didn't manage to activate Q&A by treating the file as a simple excel. Only by uploading it as a dataset, Q&A was possible!

[-] **anasben** 2 points over 2 years ago

Agree with PinkZebra

[-] **iccent2** 1 point over 2 years ago

This video was very helpful

[-] **yahsee33** 8 points over 2 years ago

that video does NOT show formatting as a table (which you cannot do in powerbi service, it just shows pinning a range)

[-] **ApacheKafka** 1 point almost 2 years ago

You didn't watch the video then. What do you think was selecting the table and what he was saying while doing that? I understand English is not everyone's language but common.

[-] **Vras** 1 point over 1 year ago

Microsoft Power BI assessment tells us to first create table in Excel and then import

[-] **Lulu_2022** 1 point about 1 month ago

Final sequence:

Format the data in Excel as a table. This ensures Power BI can recognize the structure of your data for visuals and Q&A. Import Excel into the Power BI service. Upload the file from OneDrive or SharePoint so it becomes available in your workspace.

Open the workbook and pin a range to DashboardA. Select a range (like a table or chart), then click the  Pin button in the top-right menu. You'll be prompted to either select an existing dashboard (DashboardA) or enter a title for a new one.  If

DashboardA already exists, just select it — you don't need to create a new title.

So to clarify: you pin first, and only provide a title if you're creating a new dashboard. If you're pinning to an existing one like DashboardA, just select it from the list.

[-] **Elayaz** 3 points 3 months ago

I feel like I'm losing my mind—every time I check a question, people give different answers than the one marked correct on ExamTopics. It's such a frustrating waste of time and money.

[-] **_jay95_** 1 point 7 months ago

1. From PowerBI.com, Upload Excel
2. From Excel, create a named range (Table, PivotTables, PivotCharts, etc.,)
3. Pin a range from Excel to DashboardA

[-] **jaume** 1 point 9 months ago

I would agree with proposed solution.
First we need to upload the Excel file to PBI service.

I think Q&A cannot be enabled with DirectQuery so data must be imported into the data model so we are importing this uploaded data as dataset (no need to create a report to get tiles into a dashboard)

Finally add a tile from the Excel data to Dashboard.

Cannot think of a reason to require data to be formatted as a table

[-] **2c26c8e** 1 point about 1 year ago

I do not see any documentation for pinning dataset to dashboard, so I think we would need to upload the Excel so that pinning to dashboard can be done from the Excel..

[-] **9f73003** 2 points over 1 year ago

I do not think formatting the Excel as a table is necessary here, but they want 3 steps....

[-] **LorryTheTruck** 1 point over 1 year ago

The option "Format the data as a table" should be: "Save the data as a table"

[-] **MeHungarian** 1 point over 1 year ago

2-3-4 correct answer

[-] **Vras** 2 points over 1 year ago

1. format the data as a table
2. Import as a dataset
3. add a tile for the dataset to dashboard

[-] **MoxieTT** 14 points about 2 years ago

If you have a look at the free, 50-question paper on Microsoft's website and also their 4-part prep video series for PL-300 located in the "readiness zone", they allude to the Ctrl+T shortcut to convert to table, in order to avoid an error when ingesting an Excel file. Also, if you read the difference between Upload and Import here: (<https://biuniversity.wordpress.com/2017/03/08/powerbi-upload-excel-import-excel-differences/>), it becomes clear, upload is the correct choice.

1. Format as table
2. Upload as Excel file
3. Pin tiles to DashboardA

[-] **Vras** 1 point over 1 year ago

Exactly!

[-] **UlyUkr** 9 points about 2 years ago

1. In Excel, format data as a table.
2. In Powerbi.com, upload excel file.
3. In Powerbi.com pin a range from excel to a Dashboard.

Tested it.

[-] **albertcal** 4 points over 2 years ago

there are two ways this can be done

Method 1. Dataset: It imports excel/CSV file as a dataset, which allows to create a report, then you can create a tile and pin to the dashboard.

Solution is 2, 3, 4 (Most of people voted)

Method 2. Upload as an Excel file. It brings just excel file to the workspace, But you CANNOT create any tiles, only you can format or define the range and pin to the dashboard.

Solution is 2, 6, 1

[-] **Shalaleh** 4 points over 2 years ago

I would go with 2-6-1

watch this video: <https://www.youtube.com/watch?v=l8JoB7w0zJA>

By the way, I do not have Get data or Import option in my Power BI Service.

[-] **Vadimasss1234** 1 point over 2 years ago

the question is not correct.

I tried creating an simple excel and uploading it to powerbi service. It automatically creates a dataset, but then I couldn't find an option to pin anything directly to dashboard. You first have to create a table saved in a report and then it can be pinned to a dashboard. pinning anything from a dataset with first creating a report looks not possible.

If anyone can explain how it could be done, I would be happy to hear.

[-] **Vadimasss1234** 1 point over 2 years ago

But I can say for sure that before uploading an excel file, data should be formatted as a table, otherwise PBI doesn't allow to upload it.

[-] **FamousExam64** 10 points over 2 years ago

it's a tricky question:
because you cannot add a tile for a dataset.
1- format

2- upload

3- pin a range to dashboard.

but you not be able to use A&A and that the trick. it's just say has Q&A enabled not can you used it

[-] **slash_nyk** 2 points over 2 years ago

Bad question as you can never get the Q&A enabled.

The provided answer is kind ok

1- Upload Excel File

2- Import file

3- Pin

If you import as dataset then you cannot pin the visual directly

[-] **lukelin08** 8 points over 2 years ago

1. Format Table

2. From Power BI, Upload Excel

3. Pin

[-] **Shalaleh** 1 point over 2 years ago

I agree with this answer

[-] **evipap** 9 points over 2 years ago

I am sure that the 1st step should be: From Excel, format data as a table.

According to the following link this leads us to select as the 2nd step: From powerbi.com, Upload Excel.

<https://learn.microsoft.com/en-us/power-bi/create-reports/service-from-excel-to-stunning-report>

Now the 3rd step in my opinion is: Pin a range from excel to dashboard. Cause when we upload a file a dataset is not created.

Source : <https://biuniversity.wordpress.com/2017/03/08/powerbi-upload-excel-import-excel-differences/>

[-] **poujor** 7 points almost 3 years ago

Bad question

An uploaded Excel file can have a selection pinned. This does not support Q&A

An imported Excel file becomes a Dataset. But a dataset can not be pinned. You need to pin something from a report or run

Quick Insight and pin from here.

So neither Upload or Import works as we need to pin something on the Dashboard to associate it to a dataset

[-] **samad1234** 6 points almost 3 years ago

I test it:

1. From Power BI, Upload Excel

2. Format Table

3. Pin

[-] **navya2312** 4 points almost 3 years ago

Is contributor access required to pass PL-300 exam?

[-] **AzureJobsTillRetire** 7 points over 2 years ago

If you are like me and are too a slow reader, you might consider getting the contributor access, unless you have been using PowerBI at work for some time. I'm sure I was going to pass if I was allowed to read and answer the questions on my own pace. But it sometime takes me few minutes just to read through one question. Having read about those questions beforehand, even without knowing the answers, would help me a lot.

[-] **Manikom 12 points** almost 3 years ago

I would go with:

- from excel format as table
- from power.bi upload excel (this steps includes import as database)
- pin tiles to dashboardA

[-] **Fer079 8 points** almost 3 years ago

the second one should be "import as a dataset", because if you choose upload a file from powerbi you will asked to choose between

"Import Excel data into Power BI (Connect to the data in your workbook so you can create Power BI reports and dashboards for it.)" or "Upload your Excel file to Power BI (Bring your Excel file into Power BI to view and interact with it just as you would in Excel Online. Pin ranges to dashboards.)", so my answer would be:

1. format the data as a table
2. Import as a dataset
3. add a tile for the dataset to dashboard

Question 217

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a clustered bar chart that contains a measure named Salary as the value and a field named Employee as the axis. Salary is present in the data as a numerical amount representing US dollars.

You need to create a reference line to show which employees are above the median salary.

Solution: You create a constant line and set the value to .5.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **INDEAVR 10 points** almost 3 years ago

Selected Answer: B

Question 18, Topic 3 from DA-100 exam

[-] **jaume 1 point** 9 months ago

Selected Answer: B

Line should be set to the MEDIAN salary and 0.5 is not that median

[-] **rcaliandro 1 point** 12 months ago

Selected Answer: B

No is correct

[-] **_Dirk_ 4 points** over 1 year ago

Selected Answer: B

Salary is in US dollars, constant line would represent 0.5\$ instead of median salary

[-] **MoxieTT** 2 points about 2 years ago

This was in the exam

[-] **Loupy2023** 3 points over 2 years ago

my answer is B

[-] **Thabii** 2 points over 2 years ago

Answer B

[-] **Patrick666** 2 points over 2 years ago

Selected Answer: B

[-] **lukelin08** 1 point over 2 years ago

Selected Answer: B

Answer B is correct

Question 218

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a clustered bar chart that contains a measure named Salary as the value and a field named Employee as the axis. Salary is present in the data as a numerical amount representing US dollars.

You need to create a reference line to show which employees are above the median salary.

Solution: You create an average line by using the Salary measure.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **INDEAVR** 8 points almost 3 years ago

Selected Answer: B

Question 10, Topic 3 from DA-100

[-] **e63be54** 1 point 3 months ago

Selected Answer: B

because average $\neq$ median

[-] **jaume** 2 points 9 months ago

Selected Answer: B

We need to set a constant line using the median value of the salary and the average is not the median (in some cases it could be match but they are not the same)

[-] **lmrod** 1 point almost 2 years ago

I agree. B is correct. But if the explanation is correct, why insert a percentile line instead of a median line?

[-] **MoxieTT** 2 points about 2 years ago

This was in the exam

[-] **Outsider** 4 points about 2 years ago

Average is not the Median. So, it's B.

[-] **nevesrf** 2 points over 2 years ago

a resposta ao meu ver está correta opção A, pois ao definir uma linha de média o visual vai traçar a média sobre os salários que estão ali e quem estiver acima da linha está acima da média logo usar a linha media resolve o problema

[-] **Nawabi** 4 points over 2 years ago

type in english, btw b seems correct

[-] **Minio1** 1 point over 2 years ago

English Translation: the answer in my view is correct option A, because when defining an average line the visual will draw the average on the wages that are there and whoever is above the line is above the average, so using the average line solves the problem
Wrong: Answer B

[-] **Minio1** 3 points over 2 years ago

Create a percentile line 50%

[-] **Patrick666** 1 point over 2 years ago

B is correct

[-] **lukelin08** 1 point over 2 years ago

Selected Answer: B
B is correct

Question 219



Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a clustered bar chart that contains a measure named Salary as the value and a field named Employee as the axis. Salary is present in the data as a numerical amount representing US dollars.

You need to create a reference line to show which employees are above the median salary.

Solution: You create a percentile line by using the Salary measure and set the percentile to 50%.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **hoss29** 12 points over 2 years ago

Selected Answer: A
A is correct

[-] **jaume** 2 points 9 months ago

Selected Answer: A

The 50% percentile is the median so that's the right value to be reported in a constant line in the graph to visualize what employees are above that median

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: A
Yes, A is correct

[-] **StasyTHH** 1 point over 1 year ago

Omg, no, it's B. Guaranteed by a physics PhD.

[-] **bbshu0801** 8 points over 1 year ago

Physics PhD doesn't mean anything.

[-] **MoxieTT** 3 points about 2 years ago

This was in the exam

[-] **nevesrf** 1 point over 2 years ago

na pergunta ele nos pede para criar uma linha de referencia que mostre os funcionários que tem o salário acima da média, o percentil 50 ou mediana não representa a média dos salários logo a resposta está errada, teríamos que criar uma linha de média para poder identificar quem está acima da média. média é diferente de mediana ou percentil 50.

[-] **nevesrf** 3 points over 2 years ago

sorry I was reading in another language and when google translate the text the median goes to average and makes me get the wrong answer, the A is the correct choice and the explanation at the end is correct I dont know how to erase the comment

[-] **csillag** 2 points over 2 years ago

Selected Answer: A
A is correct answer.
<https://support.speedcurve.com/docs/average-median-percentiles>

[-] **Hoeishetmogelijk** 2 points over 2 years ago

Selected Answer: A
I have to correct my previous statement. Median line and percentile line are different options in Power BI. But it turns out that the 50th percentile is the same as the median.
I think that this hasn't something to do with Power BI anymore, but I have to recall my previous choice. So the answer must be A.

[-] **Hoeishetmogelijk** 2 points over 2 years ago

Selected Answer: B
No, A is not correct at all!

A median line and a percentile line are two different options! Just look at the "Add further analysis to you visual" tab in the visual properties.

The right answer is B

[-] **jaume** 1 point 9 months ago

MEDIAN is one single result for a set of different values / observations
PERCENTILE is not set just as one single value but it must be set the %, so you can calculate the 10% percentile, the 20% percentile, the 77% percentile....

It just happens 50% percentile case matches the result with median (for the same data set)

[-] 0e18c76 1 point over 1 year ago

50th percentile and median are the same. To confirm, I advise you to setting up a line or colum chart in power bi desktop.

1. Add a median line and set the related "Data labels" to on. Then, keep in mind the value dispayed on the related line.

2. Now, instead of the median line, add a percentile line and set the line to 50% and set the data label on.

You will notice that the line will be positioned on the same place and the data label displayed will be exactly the same for both, percentile line and median line.

[-] iccent2 2 points over 2 years ago

Percentile like at the 50% is median just just percentile line but at the 50%.

What is median? The center number. Dont forget your Statistics 101

[-] iccent2 1 point over 2 years ago

I mean percentile "line" not "like".

Admin, please, try and create an edit button. Thank you

[-] lukelin08 2 points over 2 years ago

Selected Answer: A

A is correct

[-] powerbibuddy 4 points over 2 years ago

A is correct

[-] Orkhanannn 4 points almost 3 years ago

A - Correct

[-] INDEAVR 2 points almost 3 years ago

Selected Answer: A

question 11, topic 3 from DA-100


Question 220



HOTSPOT -

You are profiling data by using Power Query Editor.

You have a table that contains a column named column1. Column statistics and Value distribution for column1 are shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

There [answer choice] only once.

- are 20 values that occur
- are 365 values that occur
- are 277,329 values that occur
- is one value that occurs

The Pear, Flowering species is found more often in column1 than the [answer choice] species.

- Ash, Green
- Crabapple, Flowering
- Elm, American
- Spruce, Blue

Hide Answer

Correct answer:

Box 1: are 20 values that occur -

There are 20 unique values.

Box 2: Elm, American -

Elm, American is below Pear, flowering species in the graphic.

Answer Area

There [answer choice] only once.

are 20 values that occur
are 365 values that occur
are 277,329 values that occur
is one value that occurs

The Pear, Flowering species is found more often in column1 than the [answer choice] species.

Ash, Green
Crabapple, Flowering
Elm, American
Spruce, Blue

[-] **INDEAVR** 47 points almost 3 years ago

answer is correct

[-] **Mati_123** 44 points over 2 years ago

Answer to unique count is correct. Let me make it more clear for you guys:

Example: 1, 2, 2, 4, 4, 5, 5, 6

Distinct number are = 5 which are 1, 2, 4, 5, 6

Unique Numbers are = 2 which is 1 and 6... as these numbers appeared only once

[-] **1CY1** 1 point 11 months ago

The words used in the drop down are 'values that occur' not 'unique values that occur' -> unclear wording???

[-] **jaume** 1 point 9 months ago

"are 20 values that occur" is the first answer; unique values are the ones occurring only once

"Elm, America" is the specie reported in the bar chart below the "Pear, Flowering" so it's the only one occurring less times

[-] **rcaliandro** 1 point 12 months ago

The answer is correct. There are 20 unique values and the specie is Elm American

[-] **Inesd** 1 point about 1 year ago

I do not see the link between the word occur(rence) and unique? could someone explain? because when we talk about occurrence it could about distinct values also

[-] **b7c21a9** 4 points over 1 year ago

28-Mar-24 - This Q came up

[-] **cs3122** 2 points over 1 year ago

provided answer is correct

[-] **LeeTheRed** 5 points over 1 year ago

This Question was in the exam today 9/12/2023

[-] **Diogo1998** 1 point over 1 year ago

How many question in this site was on your exam?

[-] **SamuComqi** 10 points about 2 years ago

I passed the exam today (948/1000). My answer was:
- are 20 values that occur
- Elm, American

[-] **sdaaram 5 points** about 2 years ago

This was on exam yesterday

[-] **MoxieTT 3 points** about 2 years ago

This was in the exam

[-] **Shalaleh 1 point** over 2 years ago

Given answer is correct.

[-] **youssef_yt89 1 point** over 2 years ago

how about the second answer, that s clear that the answer is ash

[-] **Jejemon 5 points** over 2 years ago

Answer to unique count is correct.

E.g. 1 2 3 4 5 6 1 2 3 4 5

1 number is unique which is 6 - appeared only ONCE

6 numbers are distinct - 6 unique numbers

[-] **csillag 2 points** over 2 years ago

"Distinct" means number of different values regardless how many times it appears in the dataset. A 'name' appears in the list multiple times is counted as 1 distinct count.

Whereas, the "Unique" value is total number of values that only appear once.

Distinct mean : count all the values as 1, even if there was more than one.

Unique mean : count only the value that are not repeated in the particular column

So the answer is correct.

[-] **Rickson 2 points** over 2 years ago

Correct

[-] **lukelin08 2 points** over 2 years ago

Given answer is correct 100%

[-] **YokoSumiGaeshi 4 points** over 2 years ago

20 is absolutely wrong. There are 20 unique values, which means that they are not repeated more than once in the data. This information has nothing to do with the number of values that occur.

With that said, the question is ambiguous in my opinion. The answer could be 365 or 277329.

[-] **Danylessoucis 3 points** over 2 years ago

By definition unique is an occurrence of 1. So it has everything to do and couldn't be clearer imho.

[-] **marit232 5 points** over 2 years ago

20 is absolutely right. You said that "There are 20 unique values, which means that they are not repeated more than once in the data", hence these 20 values occur only once. Unique values are values that only occur once.

[-] **amcken 3 points** over 2 years ago

That's not what unique means.

[-] **KobeData** 1 point over 2 years ago

20 values occur only once, 365 occur once or more and the total amount of values is 277329. We're seeing the profile which is the distribution of values.

[-] **Maverick7513** 2 points over 2 years ago

Unique values are values that appear only once. Shouldn't it be the number of distinct values instead??

[-] **andregrahamnz** 2 points over 2 years ago

How on earth are people saying this is correct? There are 28 values listed on the distribution graph alone with more to scroll down too. Clearly the answer is not '20' which represents the values that only occur once. The question is bad as it could be referring to distinct count or total count. Either way, giving the answer as 20 can be ruled out as wrong.

[-] **ycl83** 6 points over 2 years ago

These 28 values that you refer to in the distribution graph are 28 values out of 365, hence why you can scroll down to see more. These 28 values are also the top 28 out of 365 that appear the most, you can see this by the length of the bar.

If you scroll down to the bottom of the distribution graph, you would see 20 values that only have a count of 1.

Unique means only appear once, so 20 is the answer.

[-] **srikanth923** 2 points over 2 years ago

The number of unique values is given on the pane on the left. It says there are 20 unique values

[-] **wzwd** 3 points almost 3 years ago

The given answer is correct

Question 221



You have a Power BI report hosted on powerbi.com that displays expenses by department for department managers.

The report contains a line chart that shows expenses by month.

You need to enable users to choose between viewing the report as a line chart or a column chart. The solution must minimize development and maintenance effort.

What should you do?

- A. Enable report readers to personalize visuals.
- B. Create a separate report page for users to view the column chart.
- C. Add a column chart, a bookmark, and a button for users to choose a visual.
- D. Create a mobile report that contains a column chart.

Hide Answer

[-] **Manikom** 48 points almost 3 years ago

Selected Answer: A

Also C is correct but I guess the key is 'The solution must minimize development' so A should be the correct one

[-] **GiuseppeTanda** 2 points 8 months ago

Ok, but, what about maintenance?

[-] **PinkZebra** 7 points almost 3 years ago

Agreed.

<https://learn.microsoft.com/en-us/power-bi/create-reports/power-bi-personalize-visuals?tabs=powerbi-service#enable-personalization-in-a-report>

[-] **Newb007** 13 points over 2 years ago

I disagree question says "choose between viewing the report as a line chart or a column chart" C gives the user only those 2 options. I guess A does also... this question is tricky... but I think "Minimize dev work" is trying to steer you away from the B and D. I hate questions like these.

[-] **ApacheKafka** 4 points about 2 years ago

Nothing is tricky. Answer is A. It says Column chart OR(not AND) Line Chart... Also, Considering A minimizes everything. A is the answer. Where is the minimal effort in creating another chart, a bookmark and a button?

[-] **anormalhuman** 6 points over 1 year ago

With option A you allow users to choose any visual and that increases maintenance SIGNIFICANTLY. Correct answer is C. Dev effort for C is pretty minimal.

[-] **toussdev** 3 points over 1 year ago

C can't work, because you need 2 bookmarks not one.

[-] **bmaaaata** 39 points almost 3 years ago

Selected Answer: C

C sounds good for me. In A option you are enabling users to do much more then switching between chart types which is not required in question.

[-] **ApacheKafka** 1 point about 2 years ago

Nothing is tricky. Answer is A. It says Column chart OR(not AND) Line Chart... Also, Considering A minimizes everything. A is the answer. Where is the minimal effort in creating another chart, a bookmark and a button?

[-] **Lulu_2022** 2 points about 1 month ago

Selected Answer: A

Why this is the best choice:

Enabling Personalize visuals allows report readers to:

Change the visual type (e.g., from line chart to column chart)

Swap fields, adjust aggregations, or modify legends

Do all of this without needing edit permissions or creating multiple versions of the report

This feature is built into Power BI and is designed to minimize development and maintenance effort — exactly what the question is asking for.

✗ Why the other options fall short:

B. Create a separate report page: Increases maintenance and clutters the report with duplicate visuals.

C. Add a chart, bookmark, and button: More complex to build and maintain; not as flexible for users.

D. Create a mobile report: Doesn't address the requirement for toggling between chart types in the existing report.

[-] **a2c7cd3** 1 point about 1 month ago

Selected Answer: C

I believe C is correct. Option A, 'Enable report readers to personalize visuals,' suggests that it allows personalization not just for this specific visual, but for all visuals within the report.

[-] **Mkym** 1 point 2 months ago

Selected Answer: C

Says also maintenance - imagine what will happen if you allow users to personalize visuals - you will get tickets to fix them because they messed it up.

[-] **lechuc508** 1 point 3 months ago

Selected Answer: A

A is the best

[-] **Elayaz** 1 point 3 months ago

Selected Answer: C

Honestly, it feels like a complete waste of money to pay for something so unreliable, with no clear or verified answers, which just makes me even more frustrated.

[-] **b92fc92** 1 point 4 months ago

Selected Answer: C

C in my opinion, the user has to choose between 2 options, not create what he wants

[-] **0002110** 1 point 5 months ago

Selected Answer: C

You need to enable users to choose between viewing the report as a line chart or a column chart. if we choose Option A, then user might get access to more visuals !!

[-] **FazzieA** 1 point 6 months ago

Selected Answer: B

Option B gives the user only two options as in the question and it is super quick to do – duplicate the page and change the visual. Option A provides too many options to the users who might not know how to change the visuals. Option C is more complicated to perform.

[-] **Jasmine121** 1 point 6 months ago

Selected Answer: C

C is my option

[-] **Odidepse** 1 point 7 months ago

Selected Answer: A

I choose A because the question was asking for minimal development. C requires more effort such as creating buttons, compared to the out of the box where users can switch between visualization.

[-] **GiuseppeTanda** 1 point 8 months ago

Selected Answer: C

If you give the opportunity to personalize visual every user who wants to choose is doing development and maintenance meanwhile with buttons and bookmarks you have to do only one for everyone

[-] **jaume** 1 point 9 months ago

Selected Answer: A

Agree, the key detail is "...solution must minimize development and maintenance effort", therefore enabling users is the simplest way to achieve our goal

[-] **fulgencebouediro** 1 point 9 months ago

Je pense que la réponse est C.

[-] **cd2bd91** 1 point 10 months ago

A is correct

[-] **b92fc92** 1 point 11 months ago

Selected Answer: C

C in my opinion

[-] **539d541** 1 point 11 months ago

Selected Answer: A

A is correct because it minimizes development work. B is ugly and no experienced PBI designer does that. C is definitely some time spent creating bookmarks and D does nothing

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: C

In my opinion it is C because, by requirements, we need to provide the solution to the final user rather than give him the possibility to build the chart

[-] **Oranjizzz** 1 point about 1 year ago

I believe the correct answer is C. A allows too much personalization and the questions requests just between the two visuals. C is more effort but limits to just the requested visuals so C.

[-] **LyCar** 4 points about 1 year ago

The answer says C but the explanation given relates to A. Beginning to regret paying for this nonsense

[-] **d5b48ff** 1 point about 1 year ago

Selected Answer: C

It's C

[-] **HenryBiz** 2 points about 1 year ago

Selected Answer: C

Both A and C work, but I prefer C here because the requirement is to allow users to choose between Column and line charts, so I would rather limit their choice and I don't need to rely on users to customise the charts themselves, they may not know how to.

[-] **billerk13** 1 point over 1 year ago

Selected Answer: C

C is the correct answer.

A is not the most efficient solution as it requires each user to personalise visuals.

[-] **beckett123** 2 points over 1 year ago

Selected Answer: A

Correct answer is stated as C but the solution is for option A. A is less development effort so should be correct in this specific instance.

[-] **LL_SeVa** 2 points over 1 year ago

Selected Answer: C

C is the answer

[-] **cs3122** 1 point over 1 year ago

Selected Answer: A

C would work, but I choose A because it states that we want to "minimize development and maintenance time".

[-] **cs3122** 1 point over 1 year ago

Also note that the provided answer even talks about report personalization. It doesn't even pertain to the selection C they provided.

[-] **Aldeus** 2 points over 1 year ago

I don't think A is correct. How is making the users to create visuals minimizing development and maintenance effort?

[-] **Dsbuff** 2 points over 1 year ago

Selected Answer: A

A is correct because users can switch between a line chart and a column chart on their own without requiring any additional development or maintenance from us.

Ref: <https://learn.microsoft.com/en-us/power-bi/create-reports/power-bi-personalize-visuals?tabs=powerbi-desktop>

[-] **AdrianBalescu** 1 point over 1 year ago

1. if you choose A, then report users can:

-Change the visualization type.

-Swap out a measure or dimension.

-Add or remove a legend.

-Compare two or more measures.

-Change aggregations, etc.

2. also must minimize DEV effort from my end,

<https://learn.microsoft.com/en-us/power-bi/create-reports/power-bi-personalize-visuals?tabs=powerbi-desktop>

[-] **BI_life** 3 points almost 2 years ago

I choose C because viewers are not allowed to make changes on visuals in my understanding.

[-] **[Removed]** 4 points almost 2 years ago

Selected Answer: C

I vote for C. The requirement says that "You need to enable users to choose between viewing the report as a line chart or a column chart". So you need to give them the choice between those two options. Going with A gives them many more options and customizations.

[-] **Anex5** 2 points almost 2 years ago

Following link demonstrates exactly what has asked in this question.

<https://radacad.com/power-bi-bookmark-with-or-without-data>

[-] **76ceb45** 2 points almost 2 years ago

Selected Answer: C

I think if a user makes many mistakes then the maintenance will increase in a huge way.

So, C.

[-] **Acrious** 1 point about 2 years ago

Selected Answer: A

A: some folks are saying that you cannot change the visual if you choose A. That is not correct. With it you can do the following:

Change the visualization type.

Swap out a measure or dimension.

Add or remove a legend.

Compare two or more measures.

Change aggregations, and more.

Per documentation: <https://learn.microsoft.com/en-us/power-bi/consumer/end-user-personalize-visuals>

[-] **LeeTheRed** 2 points about 2 years ago

If not A then I think B is more correct than C as you only need to do two tasks (add a page then add a column chart) while in C you will have to do three tasks (add a column chart, add a bookmark and then add a button linking the bookmark)

[-] **Hink** 6 points over 2 years ago

C is the correct answer since "You need to enable users to choose between viewing the report as a line chart or a column chart" - its not saying users need to be able to personalize the visual, so that is not the requirement here. Requirement is king, least development effort is not the king in the context, right?

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: A

Option A minimize development efforts.

[-] **Shalaleh** 2 points over 2 years ago

but I changed my mind again. option A increase maintenance effort.

[-] **CG31** 4 points over 2 years ago

Selected Answer: C

C is the only option, you gain on the side of minimizing the maintenance afterwards, a single visual shouldn't occupy a whole page, the choice should be easier for the person using the report.

[-] **Shalaleh** 3 points over 2 years ago

In one of the Microsoft modules, they are doing option C. So, I think C is the best choice.

[-] **Shalaleh** 1 point over 2 years ago

But I change my mind, It is A.

[-] **SanaCanada** 1 point over 2 years ago

Selected Answer: A

Correct Answer A

Your people can also see explanation part.

No confusion, and no need to discuss further

[-] **Madeira** 2 points over 2 years ago

Selected Answer: C

C is correct

[-] **srikanth923** 1 point over 2 years ago

answer is A since it will require least development work. C is also correct but has more work required

[-] **Loesf** 10 points over 2 years ago

The correct answer is C.

Option A, enabling report readers to personalize visuals, allows users to customize the look of visuals but does not provide the option to switch between different types of visuals.

Option B, creating a separate report page for users to view the column chart, requires additional development effort and maintenance to maintain two separate pages with similar data.

Option D, creating a mobile report that contains a column chart, is not necessary for the given scenario and may not provide an optimal experience for desktop users.

Option C, adding a column chart, a bookmark, and a button for users to choose a visual, is the best solution to enable users to switch between different visualizations. This solution minimizes development and maintenance effort by using existing report elements and only requires the addition of a button and bookmark to toggle between visuals.

[-] **Time2excel** 1 point about 2 years ago

Agreed. Well explanation.

[-] **ApacheKafka** 1 point about 2 years ago

You are wrong About A. You can switch type of visuals.

[-] **nmosq** 4 points over 2 years ago

Selected Answer: C

Both A and C are possible ways to solve this problem, but if we are talking about minimize development and maintenance effort, C is easier and requires the least amount of effort

[-] **Hoeishetmogelijk** 2 points over 2 years ago

Selected Answer: A

A. Enable report readers to personalize visuals.

See: <https://learn.microsoft.com/en-us/power-bi/create-reports/power-bi-personalize-visuals?tabs=powerbi-service#enable-personalization-in-a-report>

[-] **lukelin08** 3 points over 2 years ago

Selected Answer: A

C would be my choice but 'minimize development and maintenance effort' is required. In which case the easiest solution is A

[-] **josef77** 1 point over 2 years ago

A should be correct

[-] **Pauwels** 3 points over 2 years ago

C. Add a column chart, a bookmark, and a button for users to choose a visual.

[-] **Mizaan** 2 points almost 3 years ago

Selected Answer: A

A for sure

[-] **ThariCD** 4 points almost 3 years ago

Selected Answer: A

Explanation is correct but the answer given is not, the correct answer should be A

Question 222



You have two Power BI reports named ReportA and ReportB that each uses a distinct color palette.

You are creating a Power BI dashboard that will include two visuals from each report.

You need to use a consistent dark theme for the dashboard. The solution must preserve the original colors of the reports.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Upload a snapshot.
- B. For the browser, set the color preference to dark mode.
- C. When pinning visuals to the dashboard, select Use destination theme.
- D. Select the dark dashboard theme.
- E. Turn on tile flow.

Hide Answer

[-] **fred92** 32 points almost 3 years ago

Selected Answer: CD

Answer is correct.

I guess, with the requirement "The solution must preserve the original colors of the reports." they only want to point out, that the colors must not be changed FOR the reports to achieve the goal, but only change the theme for the dashboard. A little misleading, IMHO.

B is wrong, because the dark mode is a personal setting on the user's computer and has nothing to do with the dashboard theme, which is required to be dark.

[-] **AbuAbdillah** 3 points over 1 year ago

Changing the colors of the report visuals on a dashboard doesn't affect the visuals in the associated report. Also, when you pin tiles from a report that already has a report theme applied, you can choose to keep the current theme or use the dashboard theme.

Ref: <https://learn.microsoft.com/en-us/power-bi/create-reports/service-dashboard-themes>

I think the clause, "The solution must preserve the original colors of the reports." refers to the visuals in the report and not the dashboard

[-] **YokoSumiGaeshi** 9 points over 2 years ago

Wow that was confusing. Organizations will really create tests with ambiguous questions like that and then complain that people try to find sample questions online.

[-] **Danylessoucis 2 points** over 2 years ago

Very tricky indeed. "Original colors of the reportS" would mean bar colors for example but with the dark destination theme. However selecting use destination theme also changes source bar colors, soooooo... CD, even though colors will change.....

[-] **Hoeishetmogelijk 1 point** over 2 years ago

I agree completely

[-] **Fer079 8 points** almost 3 years ago

The option C is not correct. If we must preserve the original colors of the reports we should select the "keep current theme" option instead of "Use destination theme".

I only see one right option, the "D" one. We could upload a snapshot but it would be a static image, so it makes no sense.

[-] **iccent2 2 points** over 2 years ago

If you select "keep current theme", then the dashboard will change from the dark colour that is intended.

[-] **iccent2 1 point** over 2 years ago

Which is the priority?

1. To keep original report colour
2. To use dark theme for the dashboard

[-] **Shalaleh 1 point** over 2 years ago

I agree with you!

[-] **MayaYao 7 points** over 2 years ago

I think that "preserve the original colors of the original reports" means that the original reports' them remain unchanged after your following action. As such, CD is correct.

[-] **Lulu_2022 1 point** about 1 month ago

Selected Answer: CD

C. Use destination theme: This ensures that the dashboard itself adopts the dark theme, while the pinned visuals retain their original report colors. This is key — if you choose "Keep current theme," the visuals might not blend well with the dashboard's dark background.

D. Select the dark dashboard theme: This applies a consistent dark background and tile styling across the entire dashboard, giving it a unified look. You can do this by editing the dashboard and choosing a built-in dark theme or uploading a custom JSON theme.

[-] **b2775a4 1 point** 6 months ago

Selected Answer: CD

C: When you pin visuals from reports to a dashboard, selecting "Use destination theme" ensures that the dashboard applies its theme (dark, in this case) without altering the original colors of the report visuals.

D: Applying the dark dashboard theme makes the entire dashboard consistent in its appearance with a dark theme. Other options are not correct because:

A: Uploading a snapshot does not address the theme or color consistency.

B: Setting the browser to dark mode affects the browser interface, not the dashboard.

E: Tile flow is unrelated to themes or color preservation.

[-] **jaume 1 point** 9 months ago

Selected Answer: CD

No doubt on my side about option D to set the requested dark theme for the Dashboard.

Option C is my second selection as option A, B and E doesn't work at all but it's not clear to me if "...solution must preserve the original colors of the reports" why we're pinning visuals "using destination theme" (i.e. Dashboard dark theme)

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: CD
Answer is the right one

[-] **Imrod** 1 point almost 2 years ago

As most people here, I think D is the only option truly correct. C is ambiguous, as if you apply the destination theme, the colours of the reports may change.
However, I would discard options A,B and E. so I would answer C,D

[-] **Shalaleh** 2 points over 2 years ago

If we choose select the destination color, the color of visuals will change. it should be "Keep current theme", and in dashboard when we select dark mood, it we change the background color, but not the color of the report. I think the options are wrong.

[-] **Abeykoon12222** 1 point over 2 years ago

I think that "preserve the original colors of the original reports" .
it must be keep current theme

[-] **Hoeishetmogelijk** 2 points over 2 years ago

Selected Answer: CD
CD is correct. See explanation of Fred92.

[-] **lukelin08** 2 points over 2 years ago

Selected Answer: CD
C & D is correct

[-] **Manzy2599** 4 points almost 3 years ago

Selected Answer: BD
I think it's B/D can someone confirm/reject plz

Question 223



HOTSPOT -

You have a dataset that contains revenue data from the past year.

You need to use anomaly detection in Power BI to show anomalies in the dataset.

What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Chart type:

Line
Pie
Treemap

Chart configuration:

Select the Show value as option
Enable Cross-report drill-through
Populate the axis with a date field

Hide Answer

Correct answer:

Box 1: Line -

Anomaly detection is only supported for line chart visuals containing time series data in the Axis field.

Box 2: Populate the axis with a date field

Incorrect:

* Anomaly Explanations doesn't work with 'Show Value As' options.

* Drilling down to go to the next level in the hierarchy isn't supported.

Reference:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-anomaly-detection>

Answer Area

Chart type:

Line
Pie
Treemap

Chart configuration:

Select the Show value as option
Enable Cross-report drill-through
Populate the axis with a date field

[+] **iccent2** 16 points over 2 years ago

The answer is correct!

[+] **Clodia** 9 points almost 3 years ago

The answer is correct

[+] **rcaliandro** 1 point 12 months ago

The answer is correct

[+] **cs3122** 9 points over 1 year ago

Answers are correct. Remember that "Show Anomalies" only works with line charts (as of this writing)

[-] **Shalaleh** 4 points over 2 years ago

Given answer is correct.

[-] **lukelin08** 4 points over 2 years ago

Given answer is correct

[-] **dorypl300** 7 points almost 3 years ago

Correct

Question 224



You have a line chart that shows the number of employees in a department over time.

You need to see the total salary costs of the employees when you hover over a data point.

What should you do?

- A. Add salary to the drillthrough fields.
- B. Add salary to the visual filters.
- C. Add salary to the tooltips.

Hide Answer

[-] **Hoeishetmogelijk** 10 points over 2 years ago

Selected Answer: C

C is correct.

Only in the explanation the most essential part is not clearly explained.

It's best to look it up for yourself: <https://learn.microsoft.com/en-us/power-bi/create-reports/desktop-custom-tooltips>

[-] **jaume** 1 point 9 months ago

Selected Answer: C

Tooltips is the detailed information shown when hovering over a visual

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: C

C: Add salary to the tooltips is correct

[-] **shahrzadkhh** 1 point about 1 year ago

Selected Answer: C

Tooltips is correct.

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: C

C is correct.

[-] **Nawabi** 3 points over 2 years ago

Selected Answer: C

tooltips are added to Tooltips, hovering over a data point on the visualization shows the values for those fields.

[-] **lukelin08** 2 points over 2 years ago

Selected Answer: C
C is correct

[-] **Clodia** 4 points almost 3 years ago

Selected Answer: C
correct

[-] **MortezaS** 2 points almost 3 years ago

Selected Answer: C
correct

[-] **INDEAVR** 3 points almost 3 years ago

Selected Answer: C
correct

Question 225

A user creates a Power BI report named ReportA that uses a custom theme.

You create a dashboard named DashboardA.

You need to ensure that DashboardA uses the custom theme. The solution must minimize development effort.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Publish ReportA to Power BI.
- ☒ B. From ReportA save the current theme.
- C. Publish ReportA to the Microsoft Power BI Community theme gallery.
- D. From DashboardA, create a custom theme.
- ☒ E. From DashboardA, upload a JSON theme.

Hide Answer

[-] **aloulouder** 98 points almost 3 years ago

It should be :

- B. From ReportA save the current theme.
- E. From DashboardA, upload a JSON theme.

[-] **JkFury** 2 points over 1 year ago

If you are saving the current theme, whats the point in uploading a JSON theme again?

[-] **StressFree** 9 points over 1 year ago

read again

[-] **ThariCD** 35 points almost 3 years ago

Selected Answer: BE
You need to save the current theme to be able to upload it afterwards

[-] **Lulu_2022** 2 points about 1 month ago

Selected Answer: AE

To ensure DashboardA uses the same custom theme as ReportA with minimal development effort, the correct actions are:

✓ A. Publish ReportA to Power BI

This makes the report (and its visuals with the custom theme) available in the Power BI service.

When you pin visuals from ReportA to DashboardA, you can choose to retain the report theme.

✓ E. From DashboardA, upload a JSON theme

If you want the entire dashboard to adopt the same custom theme (not just pinned visuals), you can upload the JSON theme file used in ReportA.

This applies the theme to all tiles on the dashboard, ensuring consistency.

[-] **Odidepse** 1 point 7 months ago

Selected Answer: BE

B allows you to save the custom theme from ReportA into a reusable JSON format.

E lets you upload and apply the saved JSON theme to DashboardA.

[-] **desibaby09** 2 points 8 months ago

Selected Answer: BE

when you save the them it creates a json file which then you will need to upload. B&E

[-] **jaume** 1 point 9 months ago

Selected Answer: BE

Publishing reportA to PowerBI is not a requirement to get its theme (similar option A and option C)

We could think in creating same custom in Dashboart but it would be reworking

Option B to save the current them we want to reuse in the Dashboard (would generate a JSON file)

option E to upload the saved theme into the Dashboard

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: BE

The correct answer is:

B - From ReportA save the current theme

E - From DashboardA upload JSON theme

[-] **shahrzadkhb** 1 point about 1 year ago

Selected Answer: BE

BE is the correct solution.

[-] **Palwashai** 1 point about 1 year ago

Selected Answer: BE

It's B & E

[-] **HenryBiz** 2 points over 1 year ago

Selected Answer: BE

The explanations in <https://learn.microsoft.com/en-us/power-bi/create-reports/service-dashboard-themes> is simple, and I think B, E is the closest match.

[-] **JudT** 1 point over 1 year ago

Tested - B,E is the answer : Save and Upload a custom json theme

[-] **Feact** 1 point over 1 year ago

I feel like D-E are the answers. following this link:

<https://learn.microsoft.com/en-us/power-bi/create-reports/service-dashboard-themes>

You'll see that it creates the custom theme and then press upload json. It makes sense

[-] **jikou** 2 points over 1 year ago

I am not sure for my answer here but I would also go with BE. The reasons are:

1) "Each correct answer presents part of the solution." The A seems a complete solution here because according to others' comment this will ensure that the custom theme used in ReportA is available in Power BI and can be accessed by

DashboardA. Then if the theme already exists and we don't have to create it then E is also a complete solution.

2) BE work together

3) We have ReportA and DashboardA it could be different things and BE are in alignment with this.

[-] **TrainingCA06** 1 point over 1 year ago

for me is B and E: I pinned a visual, my report is black, when I visited the pinned visual in the dashboard, the dashboard was black. I wanted to change it for black, the only options were the predefined power BI ones (light, dark, etc), and the only option to allow me to put my theme was: UPLOAD JSON File

[-] **TrainingCA06** 2 points over 1 year ago

sorry, my report was black, and the dashboard was white.

[-] **Usm_9** 8 points over 1 year ago

WAS ON THE EXAM 02 03 2024

[-] **rajukg** 3 points over 1 year ago

AE is correct.

AE is the answer.

"ReportA that uses a custom theme" means theme exists. So, creating the Theme file is not necessary. B is redundant step. So, just publish ReportA to Power BI. E applies to the theme to Dashboard.

[-] **AfterRain007** 1 point over 1 year ago

It's a custom theme meaning user-defined isn't it?

[-] **Dani_eL** 1 point over 1 year ago

Selected Answer: AE

you cannot create dashboards in PBI Desktop, therefore you HAVE to publish your report that will automatically embed its theme and propagate it in your workspace

[-] **Dani_eL** 3 points over 1 year ago

My bad. Tested and you need to save your custom theme. Then in PBI service you create a dashboard. Pinning your visuals will not transfer the theme, you need to upload the json file and choose it from the drop down list.

[-] **user28272615** 5 points over 1 year ago

Was at the exam on February 12th 2024

[-] **benni_ale** 2 points over 1 year ago

Selected Answer: BE

If the Dashboard is created why should I publish to Service? Like I know that it is required but isn't also required to write the json from the report itself before uploading it?

[-] **MS240396** 2 points over 1 year ago

BE

First need to save the current theme

[-] **TigerTienie** 5 points almost 2 years ago

I have to go with AE.

Report is already using a custom theme - that is given.

Dashboard can use the same custom theme as report.

If report is not published it will not be available to build dashboard. - Need to publish

[-] **Igetmyrole** 3 points almost 2 years ago

A & E are correct answers.

A. make the custom theme available in the Power BI service.

E. Once ReportA is published, you can upload the custom theme JSON file from within Dashboard to apply the same theme to your dashboard.

[-] **a22775** 3 points almost 2 years ago

Selected Answer: BE

I'm pretty confident on this

[-] **farouk450** 1 point almost 2 years ago

It is A because the question asks to minimize the effort so publish and by default the dashboard will use current theme

[-] **globalexamtopics** 3 points about 2 years ago

ChatGPT:

According to the reading materials, to ensure that DashboardA uses the custom theme with minimal development effort, you should:

A. Publish ReportA to Power BI: This will make the report and its custom theme available in Power BI.

B. From ReportA save the current theme: This will allow you to save the custom theme used in ReportA. You can then apply this theme to DashboardA.

[-] **olgix** 26 points almost 2 years ago

chatGPT is stupid. Stop using it and copy paste wrong answers.

[-] **abbeyabh** 1 point about 2 years ago

B. From ReportA save the current theme.

E. From DashboardA, upload a JSON theme.

[-] **NAZAOG** 6 points about 2 years ago

Microsoft is very tricky with their questions,
option A is publish to power BI and not publish to power bi service.

i think the correct answer is save the theme and upload JSON theme BE

[-] **ahhida** 2 points about 2 years ago

A , E Correct

<https://learn.microsoft.com/en-us/power-bi/create-reports/service-dashboard-themes>

[-] **SanaCanada** 4 points about 2 years ago

Selected Answer: AE

A - Publish ReportA to Power BI: This will ensure that the custom theme used in ReportA is available in Power BI and can be accessed by DashboardA.

E - From DashboardA, upload a JSON theme: This will allow you to upload the custom theme that was created in ReportA and apply it to DashboardA.

[-] **cokimon** 6 points about 2 years ago

Where are you going to get the JSON file from if you don't save down the Report A current theme?

[-] **tranquanghuy2111** 3 points almost 2 years ago

you're correct. In power BI service only offers two options upload JSON file and download JSON file. there is nothing regarding to apply theme from other report in dashboard EDIT setting

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: BE

Correct

[-] **alojt** 5 points over 2 years ago

"Here's an explanation of why these two actions are appropriate:

A: When you publish a report to Power BI, any custom themes you have applied to it will also be published to your tenant. This makes them available to other reports and dashboards within your organization.

E: Uploading a JSON theme from DashboardA allows you to apply the custom theme from ReportA to DashboardA without the need for additional development effort. This solution minimizes development effort and leverages work that has already been done in ReportA." ChatGPT

[-] **RazaTheLegend** 2 points over 2 years ago

Selected Answer: BE

B and E. The user needs to save the custom theme from ReportA and then upload the JSON theme to DashboardA in order to use the custom theme on the dashboard. Publishing ReportA to Power BI or the theme gallery is not necessary for this task.

[-] **RazaTheLegend** 3 points over 2 years ago

Selected Answer: AE

The correct actions to perform are:

A. Publish ReportA to Power BI.

E. From DashboardA, upload a JSON theme.

By publishing ReportA to Power BI, the custom theme used in the report is automatically saved to the My Themes section of the Theme gallery. From there, the JSON theme can be uploaded in DashboardA to apply the custom theme.

[-] **vairag** 3 points over 2 years ago

Selected Answer: BE

Right ans should be:

B. From ReportA save the current theme.

E. From DashboardA, upload a JSON theme.

[-] **1sourabhpatel1** 1 point over 2 years ago

option B alone is not sufficient to ensure that DashboardA uses the custom theme from ReportA. Therefore, the correct answers are A and E.

so

A. Publish ReportA to Power BI: This will make the custom theme available in the Power BI service, which can be used by DashboardA.

E. From DashboardA, upload a JSON theme: This will allow you to import the custom theme JSON file that was exported from ReportA, and apply it to DashboardA.

By uploading the JSON theme file exported from ReportA, you can apply the same custom theme to DashboardA without having to recreate it from scratch. This minimizes development effort and ensures consistency across your reports and dashboards.

[-] **Shalaleh** 3 points over 2 years ago

Take care that the question does not say that Dashboard A is made from Report A. it can be from any Report. we just need JSON file. for creating JSON theme we need to save current theme and generate JSON file. later we will upload the JSON file in Dashboard.

[-] **Lotusss** 1 point over 2 years ago

I do believe it is AB and here is why:

To ensure that DashboardA uses the custom theme from ReportA, you should publish ReportA to Power BI and save the current theme from ReportA. This will allow you to easily apply the custom theme to DashboardA without having to create a new theme from scratch or upload a JSON theme.

When ReportA is published to Power BI, the custom theme is included in the report package. You can then apply this theme to DashboardA by selecting the theme from the "Themes" pane in the "Visualizations" pane of the dashboard canvas.

Saving the current theme from ReportA will ensure that you have a backup of the custom theme in case you need to make any changes or modifications to the theme in the future

[-] **oogrio** 3 points over 2 years ago

Selected Answer: BE

You should first export the them, them import it. The answer is wrong.

[-] **chezleon62** 1 point over 2 years ago

Why not A and B. You have to publish to create dashboard, no ?

[-] **ewelaela** 1 point over 2 years ago

Selected Answer: BE

BE is correct

[-] **SayanChiku** 1 point over 2 years ago

Answer B,E

[-] **Hamdar61** 1 point over 2 years ago

B and E it's the correct answer!

[-] **jboiret** 2 points over 2 years ago

Selected Answer: BE

Answer B,E

[-] **Patrick666** 2 points over 2 years ago

B. From ReportA save the current theme.

E. From DashboardA, upload a JSON theme.

[-] **Hoeishetmogelijk** 1 point over 2 years ago

Selected Answer: BE

B & E is the correct answer

[-] **scotchtapebunny** 1 point over 2 years ago

Wrong. The answer is BE.

<https://learn.microsoft.com/en-us/power-bi/create-reports/service-dashboard-themes>
scroll down to part that says JSON themes

[-] **JukMar** 2 points almost 3 years ago

save the current theme first

[-] **Namenick10** 2 points almost 3 years ago

Selected Answer: BE

shoud be

[-] **centrumadresowe** 2 points almost 3 years ago

Selected Answer: BE

I think: BE

[-] **lukelin08** 3 points almost 3 years ago

Selected Answer: BE

B. From ReportA save the current theme.

E. From DashboardA, upload a JSON theme.

[-] **RichardOgoma** 5 points almost 3 years ago

1. Save the current theme from the report


2. Upload JSON file as theme for the dashboard

[-] **Manikom** 6 points almost 3 years ago


Selected Answer: BE

First you Save your current theme to JSON file, and then you upload the same in dashboard

You have the visual shown in the Original exhibit. (Click the Original tab.)



You need to configure the visual as shown in the Modified exhibit. (Click the Modified tab.)



What should you add to the visual?

- A. a measure
- B. an Average line
- C. a trendline
- D. a forecast

Hide Answer

[-] **INDEAVR** 15 points almost 3 years ago

Selected Answer: D
correct

[-] **MoxieTT** 8 points about 2 years ago

This was in the exam

[-] **jaume** 1 point 9 months ago

Selected Answer: D

Since we are expanding the visual with future dates (that's my assumption although it's not explicitly stated), we should add forecast.

I think to use a measure to add that additional period, we should use it in the dataset with a calculated column filling in the new dates with that measure keeping the rest of original values.

An average line and trenline would be drawn across the visual for all the dates not just in the expanded period

[-] **rcaliandro** 2 points 12 months ago

Selected Answer: D

The gray area is about Forecast. D is correct

[-] **b7c21a9** 4 points over 1 year ago

28-Mar-24 - This Q came up

[-] **StressFree** 1 point over 1 year ago

Selected Answer: D

answering Danylessoucis: No, it's not trendline. It's Forecast.

This video explains both

https://www.youtube.com/watch?v=332dF8_lpmw

[-] **bingomutant** 2 points almost 2 years ago

doesn't look like a forecast but must be the answer. It's a solid line - pretty sure the medians and averages are dotted or broken lines.

[-] **Acrious** 1 point about 2 years ago

Selected Answer: D

correct

[-] **Shalaleh** 3 points over 2 years ago

Selected Answer: D

Forecast is correct.

[-] **Danylessoucis** 4 points over 2 years ago

That's actually tricky. It clearly looks like a forecast. However a forecast wouldn't forecast a flat line but ups and downs. Flat line is what the trend or the average would look like here.

[-] **lukelin08** 1 point over 2 years ago

Selected Answer: D

D is correct for sure

[-] **Namenick10** 2 points almost 3 years ago

Selected Answer: D


D is correct

[-] **Clodia** 5 points almost 3 years ago

Selected Answer: D

correct

You need to create a visual that enables the adhoc exploration of data as shown in the following exhibit.



Which type of visual should you use?

- A. smart narrative
- B. decomposition tree
- C. Q&A
- D. key influencers

Hide Answer

[-] INDEAVR 11 points almost 3 years ago

Selected Answer: B

correct

[-] Proctored_Expert 8 points over 2 years ago

Selected Answer: B

You should use a decomposition tree visual to enable the ad hoc exploration of data as shown in the exhibit. A decomposition tree is a type of visual that is used to represent hierarchical data in a tree-like structure. It is commonly used to explore data and identify trends and patterns in the data. The visual consists of nodes that represent different data points, with the root node at the top and the child nodes branching out from it. The size and color of the nodes can be used to represent different data values or categories.

The exhibit in the question shows a visual with multiple nodes that can be expanded or collapsed to reveal more detailed data. This is consistent with the behavior of a decomposition tree visual, which allows users to drill down into the data to explore it in more detail.

[-] **jaume** 1 point 9 months ago

Selected Answer: B

Decomposition Tree

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: B

Yes, it is a decomposition tree

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: B

Adhoc exploration----> Decomposition Tree

[-] **discusspowerbi** 1 point over 2 years ago

Selected Answer: B

Correct

[-] **lukelin08** 2 points over 2 years ago

Selected Answer: B

Answer is B

[-] **Namenick10** 1 point almost 3 years ago

Selected Answer: B

B is correct

[-] **Clodia** 3 points almost 3 years ago

Selected Answer: B

correct

Question 228



Your company has employees in 10 states.

The company recently decided to associate each state to one of the following three regions: East, West, and North.

You have a data model that contains employee information by state. The model does NOT include region information.

You have a report that shows the employees by state.

You need to view the employees by region as quickly as possible.

What should you do?

- A. Create a new aggregation that summarizes by state.
- B. Create a new aggregation that summarizes by employee.
- C. Create a new group on the state column and set the Group type to List.
- D. Create a new group on the state column and set the Group type to Bin.

Hide Answer

[-] **SamuComqi** 29 points about 2 years ago

Selected Answer: C

I passed the exam today (948/1000). My answer was:

- Create a new group on the state column and set the Group type to List.

[-] **76ceb45** 4 points almost 2 years ago

thanks Samu

[-] **Danylessoucis** 5 points over 2 years ago

Selected Answer: C

C s the correct answer.

A & B are wrong. D is wrong because bins do not allow to choose which states corresponds to what region.

[-] **5bf040d** 1 point 5 months ago

Bins are for numerical values

[-] **rcaliandro** 2 points 12 months ago

Selected Answer: C

I was in doubt between A and C. I will trust you and I will choose C. Can you explain me why A is not correct?

[-] **Data_Island** 2 points 3 months ago

Hi, a bit late to this but A doesn't solve the question which is viewing the employees by region. It does not categorize states into regions as it only provides the summary data at the state level.

[-] **discusspowerbi** 1 point over 2 years ago

Selected Answer: C

Correct

[-] **lukelin08** 2 points over 2 years ago

Selected Answer: C

C is correct

[-] **fred92** 4 points almost 3 years ago

Selected Answer: C

Answer is correct

[-] **Aiti** 1 point almost 3 years ago

B Create a new group on the state column and set the Group type to List

[-] **Aiti** 2 points almost 3 years ago

Sorry C

Question 229

You have a collection of reports for the HR department of your company.

You need to create a visualization for the HR department that shows historical employee counts and predicts trends during the next six months.

Which type of visualization should you use?

A. ribbon chart

B. scatter chart

C. line chart

D. key influencers

Hide Answer

[-] **fred92** 9 points almost 3 years ago

Selected Answer: C

Answer is correct

[-] **lukelin08** 9 points over 2 years ago

Selected Answer: C

C is correct

[-] **jaume** 2 points 9 months ago

Selected Answer: C

Be aware to use the forecast feature in a line graph:

- there should be enough data points to be enabled (forecasting)
- date field must be clearly identified as date/time field

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: C

Correct answer, line chart is the most appropriate

[-] **Exam_Topics_Master** 1 point over 1 year ago

Selected Answer: C

Correct answer !

[-] **SamuComqi** 6 points about 2 years ago

Selected Answer: C

I passed the exam today (948/1000). My answer was:

- line chart

[-] **886eb14** 4 points 11 months ago

after passing the test why would you visit the questions again?

[-] **Shalaleh** 4 points over 2 years ago

Selected Answer: C

Forecast is only with Line chart.

[-] **Shalaleh** 3 points over 2 years ago

predict during 6month---> line chart

[-] **glenman0202** 4 points over 2 years ago

Selected Answer: C

Man, Microsoft really likes line charts

[-] **PaweuG** 4 points over 2 years ago

Selected Answer: C

Historical/over time -> Line chart

[-] **discusspowerbi** 3 points over 2 years ago

Selected Answer: C

Of course is C


[-] dorypl300 3 points almost 3 years ago

...predicts trends during the next six months -> Line chart

Question 230

You have a Microsoft Power BI dashboard. The report used to create the dashboard uses an imported dataset from a Microsoft SQL Server data source.

The dashboard is shown in the exhibit. (Click the Exhibit tab.)



What occurred at 12:03:06 PM?

- A. A new transaction was added to the data source.
- B. The dashboard tile cache refreshed.
- C. A user added a comment to a tile.
- D. A user pressed F5.

Hide Answer

[-] **ecwang** 32 points almost 3 years ago

Selected Answer: B

refreshed

[-] **SteveTheBeast** 5 points almost 2 years ago

F5 only refreshes the browser which has no effect on the server side, and nowhere in the provided link can we find anything about F5 so this is the obvious answer

[-] **ThariCD** 12 points almost 3 years ago

Selected Answer: B

I think this should be B The dashboard tile cache refreshed.

[-] **LuisViotti** 1 point 3 months ago

Selected Answer: B

Option B, checked with Chatgpt and tested.

[-] **jaume** 4 points 9 months ago

Selected Answer: B

12:03:06 PM is the time data was refreshed as it's reported in the subtitle of the column/line graph

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: B

Also for me is B, we have a tile refresh rather than a page refresh (F5)

[-] **Dani_eL** 1 point over 1 year ago

IT IS NOT D. When a user pushes on F5, the page reloads and the timestamp indicates « NOW », not a data time. I have no answer so far because to be able to test it you need a sql server instance and a bunch of other stuff

[-] **LeeTheRed** 5 points over 1 year ago

This question was on the exam today 9/12/2023

[-] **Azurijanac** 3 points almost 2 years ago

Selected Answer: B

F5 doesn't refresh dashboard.

<https://community.fabric.microsoft.com/t5/Service/Dashboard-tiles-do-not-refresh/td-p/2344543>

[-] **ApacheKafka** 3 points almost 2 years ago

Selected Answer: A

B and D are wrong. The answer is A for the simple fact that import keeps an active connection to the data source and the visual auto refreshes when changes take place in the data source.

Unlike upload that is independent of the data source after initial upload and need scheduled refreshes.

[-] **Dsbuff** 3 points over 1 year ago

A is not correct because adding a new transaction to the data source does not automatically refresh the dashboard.

[-] **Acrrious** 2 points about 2 years ago

Selected Answer: B

tile refreshed

[-] **MoxieTT** 5 points about 2 years ago

This was in the exam

[-] **Certany** 2 points about 2 years ago

I go with option B. But just thinking loud.. the user might have pressed F5. The first tile shows the refresh time since the "display refresh time" is ON and for the below tile it is not. So option D could be right as well.

[-] **Mabuse1** 1 point about 2 years ago

I got a dashboard, and refresh time is only shown for the uppermost visual.

[-] **Outsider** 2 points about 2 years ago

Just tested to confirm and Shalaleh is right.

F5 just refresh the browser not the dataset used. Tile will shown the last time when the dataset was refreshed

[-] **Shalaleh** 3 points over 2 years ago

Selected Answer: B

In a dachboard over a tile click 3 dots(...) and then Edit Details---->check "display last refresh time"

last time refresh will be shown on the Tile.

[-] **JudT** 1 point over 1 year ago

Thank you

[-] **Shalaleh** 2 points over 2 years ago

Pressing F5 refreshes the browser.

[-] **CG31** 1 point over 2 years ago

Selected Answer: B

If you press F5 the page browser will be refreshed and you would get <<Refreshed: Now>>.

See ex. 3 in the labs provided by Microsoft: <https://microsoftlearning.github.io/PL-300-Microsoft-Power-BI-Data-Analyst/Instructions/09-create-power-bi-dashboard.html>

[-] **srikanth923** 7 points over 2 years ago

Selected Answer: B

B is the answer, we dont know if all the tiles refreshed or only 1 tile refreshed. Since the refresh date is shown only on one tile, the user DID NOT press F5

[-] **Wadyba** 6 points over 2 years ago

F5 would refresh all tiles on the dashboard, but in this case a single tile got refreshed making B the right choice.

[-] **wolfsense** 1 point over 2 years ago

If you notice, one tile says refreshed but the other tile says nothing, so I believe that makes B the correct answer. Would refreshing by F5 refresh everything?

[-] **charles879987** 2 points over 2 years ago

Tried F5. It doesn't refresh.

[-] **iccent2** 1 point over 2 years ago

I think pressing F5 is not the solution here. When F5 was pressed, then what happened at 12:03PM, the dashboard cache was refreshed.

So, whether a user pressed F5 or there was a scheduled refreshed that just got executed, the crux of the matter is that time 12:03pm showed that there was a refresh and that is the answer - QED!

Option B

[-] **Hoeishetmogelijk** 1 point over 2 years ago

Selected Answer: B

B is correct. Individual users can't refresh a report or dashboard by hitting the F5 button.

[-] **lukelin08** 1 point over 2 years ago

Selected Answer: D

D is correct and the most complete answer. But B is also kind of true

[-] **lukelin08** 3 points over 2 years ago

Changed my mind, I believe its B. I cant find anything that says pressing F5 would result in refreshing the visual like that.

<https://subscription.packtpub.com/book/data/9781788297233/9/ch09/vl1sec86/dashboard-cache-refresh>

[-] **lukelin08** 1 point over 2 years ago

Yet tile cach refresh gets mentione a lot. So I believe its that.

[-] **mathvarela** 2 points over 2 years ago

Correct answer is D, I took the test in my personal workspace.

[-] **shakes103** 2 points over 2 years ago

Selected Answer: B

A tile is a report visual pinned to a dashboard, and dashboard tile refreshes happen about every hour so that the tiles show recent results. You can change the schedule in the dataset settings, as in the screenshot below, or force a dashboard update manually by using the Refresh now option.

[-] **milb** 4 points almost 3 years ago

Selected Answer: D

Last Refreshed all

[-] **fred92** 2 points almost 3 years ago

Selected Answer: D

Tested: D is correct; the refresh time for all tiles was set to now after pressing F5

[-] **Barb** 3 points almost 3 years ago

Tested : response D is correct

[-] **Hansen_G** 1 point over 2 years ago

Clicking refresh button on dashboard is not equivalent to pressing F5. Pressing F5 refreshes the page, not the tile of the dashboard. Answer is B.

[-] **Manzy2599** 1 point almost 3 years ago

How did you test? All the other website with this exact question say "The dashboard tile cache refreshed"

[-] **Mizaan** 1 point almost 3 years ago

Tested by adding a tile to a dashboard and then hitting refresh and the refreshed changes to "now"

Question 231



HOTSPOT -


You need to create a Power BI report. The first page of the report must contain the following two views:

☞ Sales By Postal Code

☞ Sales by Month

Both views must display a slicer to select a value for a field named Chain.

The Sales By Postal Code view must display a map visual as shown in the following exhibit.



The Sales By Month view must display a column chart visual as shown in the following exhibit.



Users must be able to switch between the views by using buttons on the report page. The selected Chain field must be maintained when switching between views.

What is the minimum number of bookmarks required, and which property should you apply to each bookmark? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Minimum number of bookmarks:

1
2
3
4

Property:

Data
Display
Current page

Hide Answer

Correct answer:

Box 1: 2 -

One for each visual.

Note: When you edit a report in Power BI Desktop and the Power BI service, you can add report bookmarks to capture the current state of a report page.

Bookmarks save the current filters and slicers, cross-highlighted visuals, sort order, and so on. When others view your report, they can get back to that exact state by selecting your saved bookmark.

Box 2: Display -

Users must be able to switch between the views by using buttons on the report page. The selected Chain field must be maintained when switching between views.

You can select whether each bookmark will apply Data properties, such as filters and slicers; Display properties, such as spotlight and its visibility; and Current page changes, which present the page that was visible when the bookmark was added. These capabilities are useful when you use bookmarks to switch between report views or selections of visuals, in which case you'd likely want to turn off data properties, so that filters aren't reset when users switch views by selecting a bookmark.

Note: When you create a bookmark, the following elements are saved with the bookmark:

The current page -

Filters -

Slicers, including slicer type (for example, dropdown or list) and slicer state

Visual selection state (such as cross-highlight filters)

Sort order -

Drill location -

Visibility of an object (by using the Selection pane)

The focus or Spotlight mode of any visible object

Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/desktop-bookmarks>

Answer Area

Minimum number of bookmarks:

1
2
3
4

Property:

Data
Display
Current page

[-] **Aiti** 28 points almost 3 years ago

-2
-Display

[-] **0e18c76** 2 points about 1 year ago

Correct answer!

Tested and it worked as expected. Magic and beautiful way to promote interaction.

[-] **Dani_eL** 10 points over 1 year ago

2 bookmarks -DISPLAY. It took me a while to reproduce the case study. Let me explain.

I have one report with two visuals, sales by Country, sales by month.

I add a slicer >option style: Tile

Then on the View Menu > Show Panes sub menu, i Click Selection -> displays Selection Panes.

In the pane, I hide Sales by Country. I create a bookmark named Sales By Month.

My bookmark only needs to react on visibility of the visual, not the data so I uncheck data and i keep DISPLAY

Then I show Sales by country and I hide Sales By Month. I create a bookmark named Sales by Country.

In INSERT menu > Elements I add a Bookmark button named Sales by country > action bookmark : SalesByCountry.

Same operation for Sales by Month.

I test the behaviour : Ctrl click on Sales by country button will only show the corresponding visual and will not change the slicer.

SO, I used 2 bookmarks with the Display option checked and the data option unchecked.

[-] **Lulu_2022** 1 point about 1 month ago

2 and display

you want to preserve the user's selection — like the selected Chain field — when switching between views using bookmarks, then you should not apply the Data property in your bookmarks.

👉 Here's what to do:

Uncheck "Data" in the bookmark settings This ensures that slicers, filters, and other user selections (like Chain) are not reset when the user clicks a button to switch views.

Keep "Display" checked This controls which visuals are shown or hidden — like toggling between a line chart and a column chart.

[-] **jaume** 2 points 9 months ago

2 bookmarks to switch between two different visuals and property to be set in the bookmark (when bookmark is updated) is Display.

In case we would mark the Data option when updating the bookmark, it would get the filter value at that moment therefore it would not keep the chain field

[-] **rcaliandro** 1 point 12 months ago

2, Display. The answer is correct

[-] **b7c21a9** 9 points over 1 year ago

28-Mar-24 – This Q came up

[-] **Harish_98** 1 point almost 2 years ago

How come 2, we need 4 book marks right, 2 for chain and 2 for visual!?

[-] **SamiaAwais** 8 points almost 2 years ago

It should be DATA! The selected Chain field must be maintained when switching between views. If data is unchecked, the selection of slicer would remain in effect, otherwise it will reset!

[-] **MoxieTT** 6 points about 2 years ago

This was in the exam

[-] **Shalaleh** 8 points over 2 years ago

Guys! watch this video! <https://www.youtube.com/watch?v=UPyK3mflwmU&t=14s>
it should be DATA

[-] **Mo2011** 4 points about 1 year ago

This video tells us NOT to apply the data property

[-] **SamiaAwais** 3 points almost 2 years ago

I also thought the same, missed the point, "which property should you apply to each bookmark" which means DISPLAY is correct.

[-] **a041a7d** 1 point over 1 year ago

Agreed with SamiaAwais. You want to UNSELECT data so the filters applied at a point in time are NOT saved with the bookmark.

[-] **Flaty** 5 points over 2 years ago

- 2
- Data (<https://learn.microsoft.com/en-us/power-bi/create-reports/desktop-bookmarks?tabs=powerbi-desktop>)

[-] **Flaty** 7 points over 2 years ago

...my bad, it is Display for the second option. ...which property has to be "applied" (which is only Display) not "unchecked"

[-] **charles879987** 1 point over 2 years ago

Does this mean display property is "unchecked" to maintain the currently selected chain while switching between sales by zip or city?

[-] **charles879987** 1 point over 2 years ago

Does this mean display property is "unchecked" to maintain the currently selected chain while switching between sales by zip or month(typo)?

[-] **AshND** 1 point about 2 years ago

This means Display property is applied or checked.

[-] **PaweuG** 3 points over 2 years ago

- 2
- Display

[-] **YokoSumiGaeshi** 8 points over 2 years ago

"The selected Chain field must be maintained when switching between views."

We need 4 bookmarks:

- Sales By Postal Code filtered on Fashions Direct

- Sales By Postal Code filtered on Lindsey

- Sales By Month filtered on Fashions Direct

- Sales By Month filtered on Lindsey

If we have only one bookmark per visual, these bookmarks will only preserve one possible value of the Chain filter.

For instance, you created your bookmarks with Sales By Postal Code filtered on Fashions Direct and Sales By Month filtered on Fashions Direct.

You are currently viewing Sales By Postal Code filtered on Fashions Direct, and you decide to click on the slicer to filter on

Lindsey instead. Then you click on your button to change the visual to Sales By Month, but the slicer value will change to Fashions Direct. It will not retain the value Lindsey.

[-] **YokoSumiGaeshi** 7 points over 2 years ago

My bad. By default my reasoning is right, but it is possible to disable the "Data" part of the bookmark so that the slicer value is retained while changing the type of visual. So 2 is the correct answer.

[-] **lukelin08** 5 points over 2 years ago

Given answer is correct, 2 bookmarks and Display.

<https://www.wiseowl.co.uk/blog/s2583/bookmarks-data.htm>


<https://www.wiseowl.co.uk/blog/s2583/bookmarks-display.htm>

[-] **dorypl300** 7 points almost 3 years ago

Correct

Question 232

You have the visual shown in the exhibit. (Click the Exhibit tab.)



You need to show the relationship between Total Cost and Total Sales over time.

What should you do?

A. Add a play axis.

- B. From the Analytics pane, add an Average line.
- C. Add a slicer for the year.
- D. Create a DAX measure that calculates year-over-year growth.

Hide Answer

[-] **Mongwadi** 17 points almost 3 years ago

Selected Answer: A

Correct

[-] **LeeTheRed** 10 points over 1 year ago

This question was on the exam today 9/12/2023.

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: D

The goal:

"Show the relationship between Total Cost and Total Sales over time."

✓ Why Play Axis is not the best fit:

The Play Axis visual is a custom animation tool that lets you "play" through data over time — typically used in scatter plots or bar charts to animate changes across a time dimension.

It's great for storytelling or visual flair, but it doesn't inherently analyze relationships between two measures like Total Cost and Total Sales.

It also doesn't calculate or display comparative metrics like growth, correlation, or divergence.

✓ Why D. Create a DAX measure for YoY growth is better:

It allows you to quantify how Total Cost and Total Sales are changing over time.

You can plot both YoY growth measures on a line chart to visually compare trends — which directly addresses the goal of showing their relationship.

This approach is analytical, not just visual.

[-] **LuisViotti** 1 point 3 months ago

Selected Answer: A

Option A, checked with Chatgpt and tested.

[-] **jaume** 1 point 9 months ago

Selected Answer: A

This is the optimal answer but I think option C would also work. Only difference between A and C options is to walk through the years manually or let PBI do that walk automatically

[-] **rcaliandro** 1 point 12 months ago

The answer is correct, add a play axis

[-] **Palwashai** 3 points about 1 year ago

Selected Answer: A

It would be A. A Play Axis works like a Dynamic slicer. Also see shakes103's comment:

"Both scatter and bubble charts can also have a play axis, which can show changes over time".

<https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-types-for-reports-and-q-and-a#scatter-bubble-and-dot-plot-chart>

[-] **Dani_eL** 5 points over 1 year ago

There was an exercise in the PL-300 self learning path where the scope was to build such a visual and finally setup the Play Axis. Seeing that visual here,... no question asked, it is the Play Axis

[-] **Dsbuff** 1 point over 1 year ago

Selected Answer: A

Adding a play axis will allow the viewer to see the changes through the years.

[-] **pepix74 4 points** over 2 years ago

I think there is a mistake, they say the correct answer is A but the description is related to the C.

[-] **Hoeishetmogelijk 4 points** over 2 years ago

Selected Answer: C

I think that the answer is C, because this is the most complete answer. It specifies also on which field the slicer must be based.

The Play Axis is actually also a slicer that plays automatically. Only with this option isn't specified on which field the Play Axis should be based, so the answer is not complete.

Another thing is that the Play Axis must be purchased as a custom visual and is not part of the basic set of Power BI visuals.

[-] **iccent2 3 points** over 2 years ago

You are absolutely correct. I would go for C.

Another point to note is that is that you have to download the play axis separately, it is not in the default visual icons. So, I would go for C.

[-] **olgix 1 point** almost 2 years ago

There is no information that we should compare years so why slicer for a YEAR? Why not MONTH? Or DAYS?

[-] **lukelin08 2 points** over 2 years ago

Selected Answer: A

A is correct

[-] **susunz 4 points** almost 3 years ago

Selected Answer: A

"You need to show the relationship between Total Cost and Total Sales over time", therefore, adding a play axis

[-] **fdsdgxcvbsfhshfg 4 points** almost 3 years ago

Selected Answer: A

add play axis

<https://radacad.com/storytelling-with-power-bi-scatter-chart>

[-] **June15 6 points** almost 3 years ago

Selected Answer: A

I think the answer should be play axis, it highlights the time changes part. Where as slicer it is the selection.

[-] **emmanuelkech 2 points** almost 3 years ago

Add a slicer just as the explanation stated Option C is the answer

[-] **shakes103 6 points** over 2 years ago

"Both scatter and bubble charts can also have a play axis, which can show changes over time".

<https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-types-for-reports-and-q-and-a#scatter-bubble-and-dot-plot-chart>

Question 233

HOTSPOT -

You have the Power BI dashboard shown in the Dashboard exhibit. (Click the Dashboard tab.)

Ask a question about your data


Total Sales

\$282,711

Total Quantity

915

Total Sales
BY PARENT CATEGORY




SubTotal

BY STATEPROVINCE • REFRESHED: NOW



You need to ensure that when users view the dashboard on a mobile device, the dashboard appears as shown in the Mobile exhibit. (Click the Mobile tab.)



What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Update the layout in the:

Dashboard mobile layout
Dashboard web layout
Report mobile layout

Resize and move:

The SubTotal map tile
The Total Sales and Total Quantity tiles
The Total Sales by Parent Category tile

Hide Answer

Correct answer:

Answer Area

Update the layout in the:

Dashboard mobile layout
Dashboard web layout
Report mobile layout

Resize and move:

The SubTotal map tile
The Total Sales and Total Quantity tiles
The Total Sales by Parent Category tile

[-] **Manikom** 131 points almost 3 years ago

From PowerBI service:

- Update Dashboard Mobile Layout
- Resize and move total sales and total quantity

Dashboard mobile feature already fits the tiles in the view, and when recreating same scenario you only need to work on the 2 cards

If you use Report Mobile View feature from PowerBI desktop, you will have an empty canvas and will need to work on all tiles

[-] **j0gam0d** 27 points almost 3 years ago

Dashboard mobile layout

Total Sales and Total Quantity

[-] **jaume** 1 point 9 months ago

I think given answer is correct.

Update must be applied in Dashboard layout not report layout and this is for a mobile view so "Dashboard mobile layout" Haven't tested this case but I think resizing and moving the Total sales by Parent category tile (the bar chart) and placing it below the Total Sales tile, it would automatically reallocate the total Qty tile on the right side of the Total Sales tile.

I dismissed second option as it's about resizing and moving both tiles but Total sales one (the one on the right) doesn't need to be moved

[-] **Smyrol** 1 point about 1 year ago

I believe this should be:

- Update Dashboard Mobile Layout
- Resize and move total sales

BECAUSE:

--Total quantity card needs to be next to the Total sales card and needs to be the same height and width as the Total sales card (3 dots by 3 dots) - so this ONLY needs to be moved

-- Subtotal map is too wide (needs to be 6 dots - twice the width of the Total sales card) - so it only needs to be resized.

NOW:

Total sales by parent category - it has the width of two cards already BUT in the original picture it shows 4 bars - in the final one it has to show only 3 - therefore, it needs to be moved (below the card) and resized (height).

Thank you, good night :)

[-] **d5b48ff** 1 point about 1 year ago

Answer is IN CORRECT.

I believe it should be:

Update Dashboard Mobile Layout & Resize and move total sales and total quantity

[-] **JudT** 1 point over 1 year ago

In my opinion it's:

- * Dashboard mobile layout
- * Total Sales and Total Quantity

As we need to put them side by side.
The rest of tiles will fit automatically

[-] **SomeAzureGuyincube** 1 point over 1 year ago

It also miss some requirements which ask to have only number and KPI on the mobile view.

[-] **Dani_eL** 1 point over 1 year ago

From powerbi.com, select dashboard > Edit > Mobile layout

When you look at the proportions of the dashboard in web layout:
2 cards tiles equal width of Total Sales

Subtotal by Province = 2x width of Total Sales
When switching to web layout, cards and Total sales fits perfectly.
Conclusion : You need to resize Subtotal by State Province to the same width of Total Sales

[-] **BryanVicente1807** 3 points over 1 year ago

- Report Mobile Layout
- Resize and move total sales and total quantity

Dashboard mobile layout will change as a whole report note per tile

—

[-] **cs3122** 2 points over 1 year ago

for your first answer, I think it should be Dashboard Mobile Layout, because the question is specifically talking about Dashboards, not Reports.

[-] **LeeTheRed** 3 points over 1 year ago

This question was on the exam today 9/12/2023

[-] **8b24250** 4 points over 1 year ago

these 250 questions enough to clear the exam or not .

[-] **SuniltheMentor** 8 points over 2 years ago

- Update Dashboard Mobile Layout
- Resize and move total sales and total quantity

When we drag a tile to the Mobile Layout it uses the full width, therefore we need to resize the Total Sales and Total Quantity tiles.

[-] **SanaCanada** 9 points over 2 years ago

Given Answer is correct
No confusion to discuss further

[-] **Vras** 18 points over 1 year ago

you are so annoying

[-] **princie** 3 points over 2 years ago

I will choose update the dashboard mobile layout and resize both sales and quantity cards based on the fact that when I tried in in PBI service that gave me the resulting the picture but with the report mobile service I had a mobile canvas and had to resize all visuals to look like the picture in the question

[-] **princie** 5 points over 2 years ago

I tried this just now, the dashboard mobile layout automatically added all the tiles from top down. I resized both cards to get the visual displayed in the exhibit.

[-] **lukelin08** 3 points over 2 years ago

- Update Dashboard Mobile Layout
- Resize and move total sales and total quantity

[-] **Booster21** 1 point over 2 years ago

Why not the Total Sales by Parent Category tile, Lukelin08?

[-] **Booster21** 8 points over 2 years ago

I tested it, with dashboard mobile layout, all the tiles are already there with the same size from top down, and then only Total Sales and Total Quantity cards need to be resized, make them smaller to fit as the displayed in the question.

[-] **disndat7** 1 point over 2 years ago

For Box 2: Why not the SubTotal Map size? It hasn't been displayed appropriately from the mobile layout.

[-] **louisaok** 2 points over 2 years ago

dashboard vs report in Mobile

<https://learn.microsoft.com/en-us/power-bi/consumer/mobile/mobile-apps-quickstart-view-dashboard-report>

[-] **luisnc** 3 points over 2 years ago

I have read this, and it says: "Power BI dashboards look a little different on your mobile device than they do on the Power BI service. All the tiles appear the same width, and they're arranged one after another from top to bottom"

[-] **YokoSumiGaeshi** 2 points over 2 years ago

I would say

- Update Dashboard Layout
- The Total Sales by Parent Category tile, because the cards are already in the proper tab order.

[-] **shakes103** 3 points over 2 years ago

Box 1: Update Dashboard Mobile Layout

The question was referring to Power BI dashboard and not report.

Box 2: The Total Sales by Parent Category tile

Card visuals don't require adjustments here but other visuals do. See live example below:

<https://learn.microsoft.com/en-us/power-bi/create-reports/power-bi-create-mobile-optimized-report-initial-layout#lay-out-visuals-on-the-canvas>

[-] **Booster21** 1 point over 2 years ago

This is report mobile layout!

Question 234



You are building a Power BI report to analyze customer segments.

You need to identify customer segments dynamically based on the Bounce Rate across dimensions such as source, geography, and demographics. The solution must minimize analysis effort.

Which type of visualization should you use?

A. decomposition tree

B. funnel chart

C. Q&A

D. key influencers

Hide Answer

[-] **shakes103** 59 points over 2 years ago

Selected Answer: A

Answer is A

The decomposition tree visual in Power BI lets you visualize data across multiple dimensions. It automatically aggregates data and enables drilling down into your dimensions in any order.

The key influencers visual helps you understand the factors that drive a metric you're interested in. It analyzes your data, ranks the factors that matter, and displays them as key influencers.

Key influencers does not visualize data across dimensions

[-] **Richdata23** 4 points over 1 year ago

agreed

[-] **fdsdgxcvbsdfhshfg** 22 points almost 3 years ago

Selected Answer: D

If we need to minimize the analysis effort then key influencers is the answer (Explain Bounce Rate by dimensions listed). Decomposition tree requires more effort; as per microsoft: "This tool is valuable for ad hoc exploration and conducting root cause analysis."

[-] **LuisViotti** 1 point 3 months ago

Selected Answer: D

Option D, checked with Chatgpt and Gemini.(both selected D with similar explanation)

[-] **ca63a55** 1 point 4 months ago

Selected Answer: D

Decomposition Tree requires manual exploration, not ideal if we're looking for automated insights

[-] **sroumi** 1 point 4 months ago

Selected Answer: D

he Key Influencers visual in Power BI automatically analyzes your data to determine which factors are most influential in driving a particular outcome—in this case, the Bounce Rate. By adding dimensions like source, geography, and demographics to the Explain By field, the visual segments your customers dynamically based on their Bounce Rate. This minimizes manual analysis effort because the visual leverages built-in machine learning to uncover the key drivers behind variations in Bounce Rate.

[-] **889efe8** 1 point 5 months ago

Selected Answer: D

Key Influencers helps us identify dimentions that drive a certain metric.

The tree is a fit for drilling down hierachies

[-] **Odidepse** 1 point 7 months ago

Selected Answer: D

solution must minimize analysis effort. Key Influencers simply drag your metric (e.g., Bounce Rate) and relevant fields (e.g., source, geography, demographics) into the visualization, and Power BI will take care of identifying key drivers. For

Decomposition tree, it takes more effort where you need to set up the drill-down path (which dimensions to decompose the metric by) and explore the data step-by-step. You may need to adjust the decomposition if the initial breakdown doesn't give you the exact insight you're looking for, so Answer is D Key influencers automatically analyzes your data and identifies which factors (dimensions, fields) most influence your metric (e.g., Bounce Rate)

[-] **jaume** 1 point 9 months ago

Selected Answer: A

With decomposition Tree visual you can choose dimensions to break down the customer segments by any of the mentioned fields

[-] **Endeetheanalyst** 1 point 11 months ago

Selected Answer: D

Minimize Analysis Effort- Key Influencer is the answer

[-] **rcaliandro** 2 points 12 months ago

A - Decomposition Tree

[-] **HenryBiz** 3 points about 1 year ago

Selected Answer: A

Because of the term "dynamically", I choose A - Decomposition Tree here. But I am not 100% sure.

[-] **LL_Seva** 2 points over 1 year ago

Selected Answer: A

A is the right answer

[-] **Florinuca** 2 points over 1 year ago

A - Decomposition Tree

[-] **Alamgir2004** 1 point over 1 year ago

Selected Answer: A

<https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-types-for-reports-and-q-and-a>
As said on website under Decomposition tree : "The decomposition tree visual lets you visualize data across multiple dimensions."

[-] **Dsbuff** 2 points over 1 year ago

Selected Answer: D

Analyze dynamically with minimal analysis effort => Key Influencers

[-] **_Dirk_** 3 points over 1 year ago

Selected Answer: D

The Key Influencers visual also has the option to show top segments. These will show which selections are made in the elements of the different attributes in the analyze by well.

[-] **LeeTheRed** 3 points over 1 year ago

This question was on the exam today 9/12/2023

[-] **thomas_90** 2 points almost 2 years ago

I vote for Key Influencers. This is strong powerful and use minimum effort.

[-] **ApacheKafka** 3 points about 2 years ago

ChatGPT:

Key Influencers (option D) is a powerful visualization that helps identify patterns and factors that influence a specific measure. In this case, it will allow you to understand which dimensions (source, geography, demographics) have the most significant impact on the Bounce Rate. By analyzing key influencers, you can dynamically identify customer segments that have higher or lower Bounce Rates based on various dimensions. Using the Key Influencers visualization will minimize the analysis effort, as it will automatically identify the most influential dimensions impacting the Bounce Rate without the need for complex manual analysis. This will help you quickly pinpoint customer segments that require attention or further investigation.

[-] **xkapelis** 4 points about 2 years ago

Selected Answer: A
for multiple dimensions

[-] **Shalaleh** 5 points over 2 years ago

The question asks "Dynamically"... so, decomposition tree is more suitable.

[-] **SanaCanada** 2 points over 2 years ago

Selected Answer: A

A decomposition tree would be the most suitable visualization for this scenario. It allows you to dynamically segment and analyze the data based on different dimensions, such as source, geography, and demographics, while also providing insights into the factors that contribute to high bounce rates. With a decomposition tree, you can quickly identify the segments with the highest bounce rates and drill down into the underlying factors to understand the root cause of the issue, without requiring significant analysis effort.

No confusion, and no need to discuss further

[-] **srikanth923** 6 points over 2 years ago

Selected Answer: A

The answer is decomposition tree.

The key difference between the Decomposition Tree and Key Influencers visualization is in the approach to analysis. While the Key Influencers visualization focuses on identifying the key factors that are influencing a metric, the Decomposition Tree allows you to dynamically analyze and explore multiple dimensions such as source, geography, and demographics to identify customer segments based on Bounce Rate.

The Decomposition Tree allows you to drill down into the data and see how different dimensions are contributing to the Bounce Rate. This makes it easier to identify patterns and customer segments based on the selected dimensions.

So, while Key Influencers can help identify segments that are contributing to a metric, the Decomposition Tree is better suited for dynamically analyzing and exploring multiple dimensions to identify customer segments based on Bounce Rate.

[-] **pisanoagus** 1 point over 2 years ago

Selected Answer: A
makes sense

[-] **iccent2** 11 points over 2 years ago

Questions like this is one reason why you may never see someone scoring 1000 in the exam

[-] **Sophieeeeeee** 1 point about 1 year ago

YOU ARE SO RIGHT!! These reading tests are so tiring...

[-] **lepettip** 2 points over 2 years ago

I marked D but A made sense after this video

<https://www.youtube.com/watch?v=DLT7gY083Qw>

Key influencers is capable to show the changes by rates/units, i.e. "...increases by 30%..."

[-] **csillag** 3 points over 2 years ago

Selected Answer: A
is the correct answer

[-] **KobeData** 4 points over 2 years ago

Selected Answer: A

The key here is in creating the customer segments, this requires you to drill down and select different factors to eventually group them. You can do this using the decomposition tree. Although you can easily spot which factors influence bounce rate more quickly with the key influencers visual, this isn't the actual goal. Creating segments is.

[-] **amcken** 3 points over 2 years ago

You can also see Top Segments using the Key Influences visual.

[-] **susunz** 2 points almost 3 years ago

" identify customer segments dynamically based on the Bounce Rate across dimensions" is the goal. Therefore, key influencer is the right method. While Decomposition tree is more likely to provide some information inside each dimensions.

[-] **dorypl300** 3 points almost 3 years ago

"The decomposition tree visual lets you visualize data across multiple dimensions." - <https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-types-for-reports-and-q-and-a>

[-] **lukelin08** 2 points over 2 years ago

This is a good point. Its a tough question, both A & D are valid. With probably D being the minimal amount of analysis effort

[-] **Barb** 4 points almost 3 years ago

Selected Answer: A

Agree with A

You don't have to explain but to analyse

Decomposition Tree is the best way to use dynamic segments for analyse an agregate

[-] **PinkZebra** 8 points almost 3 years ago

Selected Answer: D

Key Influencers then go to Top Segments.

Source: Microsoft Youtube Channel: <https://youtu.be/fDb5zZ3mxU?t=457>

[-] **Antarys** 3 points almost 3 years ago

What's a Bounce Rate?

[-] **Tata11** 7 points almost 3 years ago

It's like "rejection rate" Bounce Rate is the percentage of visitors to a particular website who navigate away from the site after viewing only one page.

Question 235



You have a table that contains sales data and approximately 1,000 rows.

You need to identify outliers in the table.

Which type of visualization should you use?

- A. area chart
- B. scatter plot
- C. pie chart
- D. donut chart

Hide Answer

[-] **fred92** 15 points almost 3 years ago

Selected Answer: B

A scatter chart (or plot, it's synonym) is useful to visualize outliers.

[-] **pisanoagus** 6 points over 2 years ago

Selected Answer: B

perfect for outliers detection

[-] **desibaby09** 1 point 8 months ago

Selected Answer: B

scatterplot identifies outliers

[-] **jaume** 1 point 9 months ago

Selected Answer: B

Scatter plot is the only visual featuring the "outliers identification" function

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: B
Scatter plot for outliers

[-] **Dsbuff** 2 points over 1 year ago

Selected Answer: B
A scatter plot is particularly useful for spotting outliers, trends, and correlations.

[-] **LeeTheRed** 1 point over 1 year ago

This question was on the exam today 9/12/2023

[-] **lukelin08** 4 points over 2 years ago

Selected Answer: B
B is correct

[-] **princie** 3 points over 2 years ago

B any day. For outliers scatter plot or whisker

[-] **dorypl300** 5 points almost 3 years ago

correct

Question 236



You need to create a visualization that compares revenue and cost over time.

Which type of visualization should you use?

- A. waterfall chart
- B. stacked area chart
- C. line chart
- D. donut chart

Hide Answer

[-] **dorypl300** 60 points almost 3 years ago

...over time -> Line chart

[-] **Mowji** 13 points about 2 years ago

Selected Answer: B

Am I the only one who thinks stacked area chart is better than line?

[-] **MasterZucchini** 7 points almost 2 years ago

Once they are stacked, it will be hard to compare via visuals. With line chart, you can see the lines crossing each other and moving up and down giving you a relative view.

[-] **itenginerd** 4 points almost 2 years ago

I did for the first minute. But revenue and cost are at odds, they detract from each other. Revenue + costs = what useful summation value? I can't think why you'd ever show them stacked up, so I'm in camp Line Chart

[-] **Laksh112** 4 points almost 2 years ago

Exactly. The area chart would have been better if we were comparing components of costs/revenue. Summing those up and comparing them makes sense.

[-] **Lulu_2022** 2 points about 1 month ago

Selected Answer: C

✅ Correct answer: C. line chart

📝 Why a line chart is the best fit:

Purpose-built for time series: Line charts are ideal for showing trends over time — like how revenue and cost evolve month by month or year over year.

Clear comparison: You can plot both revenue and cost as separate lines, making it easy to compare their movement, spot gaps, and identify crossover points.

Minimal clutter: Unlike stacked visuals, line charts keep each metric distinct and readable.

[-] **SylUK** 1 point 6 months ago

Selected Answer: A

For me the answer is A- Waterfall chart because: a waterfall chart is a data visualization tool that shows how an initial value changes over time due to a series of positive and negative values. It's a type of bar chart that's often used in finance to show financial gains and losses.

Use line chart when you want to see how a value changes over time,

and use waterfall chart when you need to understand how individual components contribute to final value like analysing financial statements or project budgets.

[-] **Odidepse** 1 point 7 months ago

Selected Answer: C

trends over time line chart revenue and cost can be plotted on the same axis, line chart is the most appropriate

[-] **jaume** 1 point 9 months ago

Selected Answer: C

Line graphs are usually used to visualize evolution through time and two measures would produce two lines you can compare easily.

Area charts could also work but since the option is to use "stacked" area charts, it could make comparison more difficult than the line graph

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: C

"Line charts are used to track changes over time"

[-] **00c7ee4** 1 point 12 months ago

Gráfico en cascada: este gráfico sirve para este propósito, ver a lo largo del tiempo ingresos y gastos, es el ejemplo típico para este tipo de visuales.

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: C

C. line chart

[-] **shahrzadkhhb** 1 point about 1 year ago

Line chart is used to compare multiple categories changes over time. So the correct answer would be line charts.

[-] **HenryBiz** 1 point over 1 year ago

Selected Answer: C

Revenue and Cost are rarely stacked together.

[-] **MANANDAVEY** 3 points over 1 year ago

Selected Answer: C

Line chart is a better option than area chart which is stacked.

[-] **Sessiz** 4 points almost 2 years ago

Selected Answer: C

C bro answer bro

[-] **Igetmyrole** 1 point almost 2 years ago

C is the correct answer.

A line chart is the most suitable visualization for comparing revenue and cost over time. It allows you to track the trend and fluctuations in both revenue and cost across different time periods, making it easy to see how they relate to each other over time.

[-] **Kate92** 1 point almost 2 years ago

Selected Answer: C

Line chart

[-] **Crunchy12** 1 point about 2 years ago

Answer is (B.) stacked area chart.

"Similar to a line graph, an area chart displays the change in one or more quantities over time."

"Stacked area charts typically allow us to visualize how a measure, observed through multiple category values, changes over time."

[-] **itenginerd** 1 point almost 2 years ago

What measure is composed of revenue plus cost? They don't add up to anything meaningful.

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: C

Given answer is correct.

[-] **RazaTheLegend** 3 points over 2 years ago

Selected Answer: C

over time -> Line chart

[-] **chezleon62** 3 points over 2 years ago

Selected Answer: C

Line Chart is the right answer

[-] **Lok_15** 4 points over 2 years ago

Everything over time ---> Automatically line Chart

[-] **slittle4782** 5 points over 2 years ago

Its C. A stacked Area chart will stack the Revenue & Cost on each other resulting in a sum that is meaningless.

[-] **Debs23** 2 points over 2 years ago

Stacked Area chart as well

[-] **ewelaela** 2 points over 2 years ago

Selected Answer: C

C is correct

[-] **jboiret** 1 point over 2 years ago

Selected Answer: C

Answer C

[-] **SaadNageeb** 4 points over 2 years ago

and Stacked Area Chart can do the same too.

[-] **Patrick666** 1 point over 2 years ago

Line Chart is correct 'C'

[-] **centrumadresowe** 2 points almost 3 years ago

Selected Answer: C

I think - Line Chart

[-] **lukelin08** 2 points almost 3 years ago

Selected Answer: C

Line Chart is correct 'C'

[-] **Snow_28** 1 point almost 3 years ago

A. should be the answer because waterfall chart is used to compare changes over time. So it can be used to compare revenue and cost over time.

[-] **MRT_17** 4 points almost 3 years ago

When you are looking for a comparison between 2 things its better to use "Line Chart",

In Waterfalls Chart you can't compare 2 things.

Question 237



You have a report that contains three pages. One of the pages contains a KPI visualization.

You need to filter all the visualizations in the report except for the KPI visualization.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Edit the interactions of the KPI visualization.
- B. Add the same slicer to each page and configure Sync slicers.
- C. Edit the interactions of the slicer that is on the same page as the KPI visualization.
- D. Configure a page-level filter.
- E. Configure a report-level filter.

Hide Answer

[-] **Fer079** 35 points almost 3 years ago

Selected Answer: BC

B and C are the right ones.

First we add slicers to sync all of them between pages and later we change the interactions between the KPI visual and the slicer of the same page report.

[-] **Hannahhhhhh** 14 points almost 3 years ago

Chose A and E

[-] **[Removed]** 8 points about 2 years ago

At first I thought you were right. But I tested it and it is B, C. This is because Edit Interactions only work on filters used as visuals. For report and page filters it doesn't work.

[-] **CindyWuu** 1 point 9 months ago

Editing the interactions of the KPI visualization directly (option A) would work only if you focus on that page's visual interactions.

[-] **Lulu_2022** 2 points about 1 month ago

Selected Answer: BC

B. Sync slicers across pages: This ensures that the same slicer selection applies consistently across all report pages — so your filters stay in sync without duplicating logic.

C. Edit slicer interactions: Use the Format → Edit interactions feature to disable the slicer's effect on the KPI visual. This way, the slicer filters all other visuals except the KPI.

[-] **Mkypm** 1 point 2 months ago

Selected Answer: AB

A & B is the correct pair.

That combo ensures:

All slicers sync and filter everything across pages (B)

Except the KPI, which is protected by editing its interaction (A)

[-] **LuisViotti** 1 point 3 months ago

Selected Answer: BC

Option BC, checked with Chatgpt and Gemini.(both selected BC with similar explanation)

[-] **b2775a4** 1 point 6 months ago

Selected Answer: AC

A. Edit the interactions of the KPI visualization:

This ensures that the KPI visualization does not respond to slicers or filters applied on the same page.

C. Edit the interactions of the slicer that is on the same page as the KPI visualization:

This ensures the slicer or filter correctly interacts with the other visuals on the page while not affecting the KPI visualization.

[-] **jaume** 1 point 9 months ago

Selected Answer: BC

All slicers must be sync'ed to ensure slicer selection is propagated thorough all pages in the report.

You can edit the interactions FROM the visual to be used to select a value and set how rest of visuals will be impacted by this selection hence you need to edit interactions of the slicer not interactions of the KPI visual

[-] **539d541** 1 point 11 months ago

Selected Answer: BC

Agreed B will perform the same filters on all report pages and C will negate filtering for the KPI only on that page

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: BC

The given answer is correct:

B - Add the same slicer to each page and configure Sync slicers

C - Edit the interactions of the slicer that is on the same page as the KPI visualization

[-] **NaudeDucon** 1 point about 1 year ago

Selected Answer: BC

It's B & C.

First, it has to be B - slicers to modify "filter" for each visualization. Report-level filter (E) would affect everything in the report.

Secondly, we need to edit interaction of the SLICER on other visualizations (C), not interaction of the visual itself. And it has to be the same page, so that we could see the targeted visualization to edit the interaction.

[-] **897048b** 1 point about 1 year ago

Selected Answer: AB
Its AB

[-] **e3ddceb** 1 point about 1 year ago

Correct answers are A & B

C is not correct, Editing the interactions of the slicer that is on the same page as the KPI visualization would only affect how that specific slicer interacts with other visuals on that page. It wouldn't prevent the KPI visualization from being affected by slicers or filters on other pages, or by report-level filters.

On the other hand, editing the interactions of the KPI visualization itself allows you to control how it responds to all slicers and filters throughout the report, ensuring that it remains unaffected regardless of the filters applied to other visuals. This is why the correct action is to edit the interactions of the KPI visualization, not the slicer.

[-] **HenryBiz** 1 point about 1 year ago

Selected Answer: BC
BC can do the required work.

[-] **Dsbuff** 2 points over 1 year ago

Selected Answer: AB

A & B

A. Edit the interactions of the KPI visualization. - This will allow you to set the KPI visualization to not interact with the slicers or filters you apply elsewhere in your report.

B. Add the same slicer to each page and configure Sync slicers. - This will allow you to control which visualizations the slicer affects across multiple pages. You can set the slicer to not affect the KPI visualization by adjusting its interactions.

[-] **JudT** 1 point over 1 year ago

Just tested as well - I will go for A and B

[-] **JudT** 2 points over 1 year ago

My bad, B and C is the correct answer

[-] **asnygen** 1 point over 1 year ago

chatgpt is saying DE is right

[-] **ultrxlght** 4 points over 1 year ago

don't listen to gpt

[-] **LeeTheRed** 3 points over 1 year ago

This question was on the exam today 9/12/2023

[-] **william_001** 2 points over 1 year ago

Selected Answer: AB

AB, edit interaction of the slicer is not possible. only possible to edit the interaction of the visual

[-] **Sophieeeee** 1 point about 1 year ago

You have to 'select the slicer', edit interactions, and then disable the interaction on the visual. So it is BC.

[-] **Shalaleh** 3 points over 2 years ago

Selected Answer: BC
B& C is correct. We should select slicer and then edit interactions.

[-] **Maverick7513** 4 points over 2 years ago

Selected Answer: AB

Should not it be AB ? First you add the same slicer on each page and sync all slicers; then you select slicer on KPI page and configure the KPI interaction to none ?

[-] **JudT** 1 point over 1 year ago

Yes! Simple as

[-] **Akhilesh_Maithani** 5 points over 2 years ago

AB is correct answer

[-] **Abeykoon12222** 1 point over 2 years ago

AC is correct

[-] **moalshalabi** 1 point over 2 years ago

I think the answer are A and C

Because you need to configure the filter for all pages after that you need to go to the KPI visualization and edit the interaction

[-] **Ridderxxl** 4 points over 2 years ago

editing the kpi visualization interactions can only influence other visuals which is not the point. So A cannot be a correct answer.

[-] **lukelin08** 2 points over 2 years ago

Selected Answer: BC

B & C is correct

[-] **emmanuelkech** 1 point almost 3 years ago

C and E


[-] **fdsdgxcvbsdfshfg** 1 point almost 3 years ago

makes no sense

Question 238

HOTSPOT -

You have a Power BI visual that uses indicators to show values that are out of range as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

The visual type is [answer choice] chart.

a line
a line and clustered column
an area

The visual indicators that show values out of range are created by using [answer choice].

a custom visual
a trendline
anomaly detection
line chart markers

Hide Answer

Correct answer:

Box 1: a line -

Incorrect:

* not line and clustered column

The Line and Clustered Column Chart is a combo charts that combines the Line chart and Column chart together in one visual. By combining these two visuals together, you can make a very quick comparison between two sets of measures.

Box 2: anomaly detection -

Anomaly detection helps you enhance your line charts by automatically detecting anomalies in your time series data. It also provides explanations for the anomalies to help with root cause analysis. With just a couple of clicks, you can easily find insights without slicing and dicing the data.

Example:

Reference:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-anomaly-detection>


Answer Area


The visual type is [answer choice] chart.

a line
a line and clustered column
an area

The visual indicators that show values out of range are created by using [answer choice].

a custom visual
a trendline
anomaly detection
line chart markers





[-] **dorypl300** 29 points almost 3 years ago
correct

[-] **PaweuG** 10 points over 2 years ago
Line chart, anomaly

[-] **00c7ee4** 1 point 12 months ago
Para las últimas versiones de PowerBi en el gráfico de líneas, donde se encuentra la opción de detección de anomalías?

[-] **rcaliandro** 1 point 12 months ago
Line chart, anomaly detection

[-] **JudT** 1 point over 1 year ago
Correct

[-] **lukelin08** 9 points over 2 years ago
given answer is correct

[-] **louisak** 5 points over 2 years ago
Line chart => Anomaly

[-] **Booster21** 6 points over 2 years ago
The given answer is correct.

You are creating a Power BI report to analyze consumer purchasing patterns from a table named Transactions. The Transactions table contains a numeric field named Spend.

You need to include a visual that identifies which fields have the greatest impact on Spend.

Which type of visual should you use?

- A. Q&A
- B. smart narrative
- C. decomposition tree
- D. key influencers

[Hide Answer](#)

[-] **dorypl300** 19 points almost 3 years ago
correct

[-] **Mern** 17 points about 2 years ago
Microsoft loves key influencers

[-] **jaume** 1 point 9 months ago
Selected Answer: D
My vote for the "Key Influencers" visual

[-] **rcaliandro** 1 point 12 months ago
Selected Answer: D
D. key influencers

[-] **shahrzadkhhb** 1 point about 1 year ago
Selected Answer: D
Key influencer is the answer.

[-] **LeeTheRed** 6 points over 1 year ago
This question was on the exam today 9/12/2023

[-] **farouk450** 2 points almost 2 years ago
wrong answer key influencer can NOT work numeric field.

[-] **Dsbuff** 1 point over 1 year ago
Yes, it can. Link: <https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-influencers?tabs=powerbi-desktop#analyze-a-metric-that-is-numeric>

[-] **lukelin08** 4 points over 2 years ago
Selected Answer: D
D is correct

[-] **louisaoak** 2 points over 2 years ago
Selected Answer: D
D is right

[-] Pauwels 4 points over 2 years ago

Selected Answer: D
Key work : Numeric values

[-] Booster21 3 points over 2 years ago

Selected Answer: D
D is the correct answer.

Question 240

HOTSPOT -

You are creating a line chart in a Power BI report as shown in the following exhibit.

Prior Year Employee Count By Month



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

The dashed line representing the Year Average Employee Count was created by using [answer choice].

- a trend line
- a secondary axis
- an average reference line
- two measures in the Values bucket

To enable users to drill down to weeks or days, add the Weeks and Days field to the [answer choice] bucket.

- Axis
- Values
- Legend
- Secondary values

Hide Answer

Correct answer:

Answer Area

The dashed line representing the Year Average Employee Count was created by using [answer choice].

a trend line
a secondary axis
an average reference line
two measures in the Values bucket

To enable users to drill down to weeks or days, add the Weeks and Days field to the [answer choice] bucket.

Axis
Values
Legend
Secondary values

[-] **emmanuelkech** 167 points almost 3 years ago

An Average reference Line

Axis

Should be the correct answer

[-] **Mizaan** 10 points almost 3 years ago

As explained here: <https://radacad.com/drill-down-and-up-in-power-bi-explained#:~:text=Click%20on%20the%20single%20arrow,and%20turn%20it%20on.&text=This%20means%20now%20that>

[-] **powerbibuddy** 6 points over 2 years ago

So, Axis is the correct answer?

[-] **bdub1976** 14 points over 1 year ago

Yes, and I don't know why they don't fix these broken answers, it's very distracting.

[-] **nikfed** 11 points almost 3 years ago

C and A

[-] **jaume** 1 point 9 months ago

My vote for "an average reference line" and for "Axis"

Cannot even understand how it could work adding month and days into the values (if this would be possible in a line graph) merging dates with numbers (number of employees)

[-] **rcaliandro** 1 point 12 months ago

an average reference line, axis

[-] **Dani_eL** 1 point over 1 year ago

There is no VALUES field in that visual.

Furthermore, Axis is a date/time, so basically you might want to add time values in there too.

Now... if you want a full refresh with other data format, you might want to use Drill through field and add your date values there..

So answer is Average ref line and AXIS

[-] **deyoz** 1 point over 1 year ago

In line chart there is no field such as value. You have axis, and y axis. In y axis, we obviously have measure and in axis date. Correct answer is Average reference line and Axis.

[-] **SuniltheMentor** 6 points over 2 years ago

Average Reference Line and Axis is the correct answer

[-] **srikanth923** 5 points over 2 years ago

an average reference line, axis

PaweuG 5 points over 2 years ago

Average reference line, Axis

AzureJobsTillRetire 7 points over 2 years ago

Box 1: an average reference line

With the Analytics pane in Power BI Desktop, you can add dynamic reference lines to visuals, and provide focus for important trends or insights.

<https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-analytics-pane>

Box 2: Axis

The question is about drill-down and not drill-through.

<https://radacad.com/drill-down-and-up-in-power-bi-explained>

"For example, in the visual below I have SalesAmount as the Value of the column chart, and the Date field (OrderDate) as the X-Axis.

Date hierarchy in a Power BI visual

This will lead to seeing drill down/up buttons on the top of the visual (or at the bottom of it if the visual is touched at the very top of the report)"

Mati_123 2 points over 2 years ago

A and C -- For drill down Axis should be used

Mati_123 2 points over 2 years ago

I mean the answer should be:

An Average reference Line

Axis

lukelin08 4 points over 2 years ago

correct answer is

- An Average reference Line

- Axis


rjramyyyy 2 points over 2 years ago

The Answer is C & A, is because for drill down we need to use X-axis, so the answer is axis


Question 241



You have a dashboard that contains tiles pinned from a single report as shown in the Original Dashboard exhibit. (Click the Original Dashboard tab.)



You need to modify the dashboard to appear as shown in the Modified Dashboard exhibit. (Click the Modified Dashboard tab.)



What should you do?

- A. Change the report theme.
- B. Change the dashboard theme.
- C. Edit the details of each tile.
- D. Create a custom CSS file.

Hide Answer

[-] **fred92** 19 points almost 3 years ago

Selected Answer: B
Change the dashboard theme

[-] **lukelin08** 7 points over 2 years ago

Selected Answer: B
answer is correct B

[-] **jaume** 2 points 9 months ago

Selected Answer: B

We are updating the Dashboard not the report, therefore is option B not option A.
Even editing details of each tile, this would still not change the background of the dashboard but just background of tiles (and font color).

[-] **539d541** 1 point 11 months ago

Selected Answer: B

B - Dashboard theme

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: B

B, just changing the dashboard theme

[-] **IrynaVilner** 4 points almost 2 years ago

B is correct. Just watch this video and you will be able to answer a lot of questions. Great investment:)

<https://www.youtube.com/watch?v=u8xTPzhTHGo>

[-] **MoxieTT** 3 points about 2 years ago

This "might" have been on the exam

[-] **princie** 3 points over 2 years ago

B is correct

[-] **shakes103** 4 points over 2 years ago

Selected Answer: B

Correct

Question 242

You have a Power BI report. The report contains a visual that shows gross sales by date. The visual has anomaly detection enabled.

No anomalies are detected.

You need to increase the likelihood that anomaly detection will identify anomalies in the report.

What should you do?

- A. Increase the Expected range transparency setting.
- B. Add a data field to the Legend field well.
- C. Increase the Sensitivity setting.
- D. Add a data field to the Secondary values field well.

Hide Answer

[-] **simplex06** 46 points almost 3 years ago

C. Increase the sensitivity

If you increase the sensitivity, the algorithm is more sensitive to changes in your data. In that case, even a slight deviation is marked as an anomaly. If you decrease the sensitivity, the algorithm is more selective on what it considers an anomaly.

reference: <https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-anomaly-detection>

[-] **June15 37 points** almost 3 years ago

Selected Answer: C
Should be C.

[-] **jaume 1 point** 9 months ago

Selected Answer: C
Increase sensitivity as explained by rest of colleagues

[-] **rcaliandro 1 point** 12 months ago

Selected Answer: C
By increasing the sensitivity, there is more likelihood to detect anomalies. C is the correct answer

[-] **Smyrol 2 points** about 1 year ago

The expected range transparency setting only makes the range more or less transparent. E.g. If you use black as expected range color:
--0% transparency makes the range 100% black
--100% transparency makes the range invisible
Sensitivity settings on the other hand makes the range go closer to or further from the chart's line - therefore this is the correct one

[-] **shahrzadkhab 1 point** about 1 year ago

Selected Answer: C
If you increase sensitivity, even a slight deviation is marked as an anomaly. So the correct answer would be increase the sensitivity.

[-] **Dani_el 2 points** over 1 year ago

Is C being more sensitive to something will reveal more about it... common sense right ?

[-] **JohnChung 4 points** over 1 year ago

Selected Answer: C
Should be C, should not be A.
Increase the Expected range transparency will decrease the likelihood of anomalies.

[-] **SanaCanada 6 points** over 2 years ago

C. Increase the Sensitivity setting.
By increasing the Sensitivity setting, the anomaly detection algorithm will become more sensitive to detecting anomalies, which increases the likelihood of identifying anomalies in the report. The Expected range transparency setting controls the opacity of the expected range, which does not directly affect the anomaly detection. Adding a data field to the Legend field well or the Secondary values field well will only change the way the data is displayed in the visual and will not affect the anomaly detection.
No confusion, no need to discuss further

[-] **28485e1 1 point** over 1 year ago

This is correct. The documentation they reference for their incorrect answer even says so. The range transparency is a visual setting and doesn't change the underlying anomaly detection.

[-] **dnbcursuri 2 points** over 2 years ago

Selected Answer: C
C is the correct answer

[-] **Patrick666 2 points** over 2 years ago

Increase the Sensitivity setting.

[-] **lukelin08 2 points** over 2 years ago

Selected Answer: C

C is the correct answer

[-] **princie** 3 points over 2 years ago

According to Microsoft web link given in the answer explanation, the correct answer should be 'increase sensitivity' option C

[-] **Clodia** 4 points almost 3 years ago

Selected Answer: C

C is correct

[-] **INDEAVR** 4 points almost 3 years ago

Selected Answer: C

Correct is C

[-] **EMMALEEEEEEEEE** 3 points almost 3 years ago

I would go C

[-] **sher72** 3 points almost 3 years ago

Should be C

If you increase the sensitivity, the algorithm is more sensitive to changes in your data. In that case, even a slight deviation is marked as an anomaly.

[-] **June15** 4 points almost 3 years ago

Selected Answer: C

Should be C

[-] **ThariCD** 4 points almost 3 years ago

Selected Answer: C

Should be sensitivity setting, so answer C

[-] **div4lyfe** 4 points almost 3 years ago

C. Increase the sensitivity setting

[-] **emmanuelkech** 4 points almost 3 years ago

C. Increase the Sensitivity setting

This is correct

[-] **Manikom** 7 points almost 3 years ago

correct answer is C.

expected range transparency is an anomaly's format feature

Question 243



You maintain a Power BI workspace that contains a supplier quality dashboard. The dashboard contains 10 card visuals, two map visuals and five bar chart visuals.

The dashboard mobile layout is shown in the exhibit. (Click the Exhibit tab.)



You need to modify the dashboard mobile layout to meet the following requirements:

☞ Only show single-value visuals.

☞ Minimize scrolling.

What should you do?

- A. Decrease the size of the card visuals. Remove the map and bar chart visuals.
- B. Decrease the size of the map and bar chart visuals. Move all the card visuals to the top of the layout.
- C. Remove the card visuals. Increase the size of the map and bar chart visuals.
- D. Move the bar chart visuals to the top of the layout. Remove the map visuals. Decrease the size of the card visuals.

Hide Answer

[-] **srikanth923** 23 points over 2 years ago

answer is A .
They said show only single value visuals

[-] **jaume** 2 points 9 months ago

Selected Answer: A
Decreasing the size of card visuals will minimize the scrolling. Removing maps and chart visuals is a requirement as they are non single-value visuals

[-] **LuluSkyy** 1 point 9 months ago

A - The question is show only single value visuals

[-] **539d541** 2 points 11 months ago

Selected Answer: A

Should be A, the image here doesn't show any bar chart - thanks examtopics
Kinda weird saying single-value visuals

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: A

A is the correct answer

[-] **shahrzadkhhb** 2 points about 1 year ago

Selected Answer: A

It says "single value", so the answer would be A.

[-] **Juff6** 3 points about 2 years ago

Answer is A

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: A

A is correct.

[-] **Danylessoucis** 3 points over 2 years ago

Selected Answer: A

"Single value visual" ---> A

[-] **lukelin08** 2 points over 2 years ago

Selected Answer: A

A is correct

[-] **louisaok** 1 point over 2 years ago

as the requirements, show only value, so A, remove map and charts.

[-] **Namenick10** 3 points almost 3 years ago

Selected Answer: A

Should be A

[-] **Booster21** 4 points almost 3 years ago

Agree with A

[-] **dorypl300** 2 points almost 3 years ago

correct

Question 244



You have a Power BI report.

You have a table named Data1 that contains 10 million rows.

Data1 is used in the following visuals:

☞ A card that shows the number of records

☞ A bar chart that shows total transaction amount by territory

☞ A scatter plot that shows transaction amount and profit amount on the axes and points colored by territory

You need to modify the scatter plot to make it easier for users to identify meaningful patterns. The solution must not affect the accuracy of the other visuals.

What should you do?

- A. Add a count field of the transaction amount to the size bucket of the scatter plot.
- B. Add a trend line to the scatter plot.
- C. Enable high-density sampling on the scatter plot.
- D. Apply a row filter to the Data1 query in Power Query Editor.

Hide Answer

[-] **shakes103** 48 points over 2 years ago

Selected Answer: C

This question requires "modification" of the scatter plot and what high-density sampling essentially does is to employ methods that capture and represent the underlying data more effectively and eliminates overlapping points.

Remember that the table named Data1 contains 10 million rows. How do you represent all that data in a scatter plot in a meaningful pattern for easy understanding and analysis? by use of high density sampling.

"By definition, high-density data is sampled to create visualizations reasonably quickly that are responsive to interactivity.

Too many data points on a visual can bog it down, and can detract from the visibility of trends".

This link explains it more: <https://learn.microsoft.com/en-us/power-bi/create-reports/desktop-high-density-scatter-charts#how-high-density-scatter-charts-work>

[-] **Clodia** 11 points almost 3 years ago

Selected Answer: C

The correct answer should be C - Enable high-density sampling on the scatter plot.

Trend line is only available if the X axis is time and type is "Continuous", in this case the option is not available.

[-] **Fer079** 6 points almost 3 years ago

You are wrong. Trend line is available even if the X axis is not time.

You can see this example:

<https://www.youtube.com/watch?v=mMTAIHBtB80>

So Trend line is the best option

[-] **iccent2** 7 points over 2 years ago

If you were talking of 1000 rows, we can be considering trend line not when we are dealing with 10 million rows.

High density sampling is the best option in this case considering the 10 million rows.

[-] **SylUK** 1 point 6 months ago

Selected Answer: C

When a scatter plot has a large number of data points, high-density sampling reduces visual clutter by only displaying a representative sample of points, while still accurately reflecting the overall data distribution. C is the answer.

[-] **Odidepse** 1 point 7 months ago

Selected Answer: B

Pay attention to the question 'must not affect the accuracy of the other visuals' C is not correct as Enabling high-density

sampling on the scatter plot affects the accuracy specially as outlined on the question where data 1 contains 10 MILLION rows likely you would have missed insights on this option. GO FOR B which would not affect the data as the data points remain the same; you're just adding a line to show the general trend.

[-] **jaume** 1 point 9 months ago

Selected Answer: C

I was not aware of this option (and its usage) in the scatter visuals.

Initially I thought of option A which would provide more information by using the bubble size in the chart but once I read the article shared by shakes103, I changed my mind.

Also in that article it's mentioned: "Too many data points on a visual can slow it down and detract from the visibility of trends" and this can be solved with high density option

[-] **Rob_vd_Brink** 1 point 10 months ago

According to this site: <https://learn.microsoft.com/en-us/power-bi/create-reports/desktop-high-density-sampling> it's not available for scatter plots. B should be correct

[-] **NaudeDucon** 2 points about 1 year ago

Selected Answer: B

Don't just rely too much on the wording of documentation, let's consider the question on Statistical sense.

The question focuses on the EASE of detecting PATTERN, so B - adding a trend line makes sense. A trend line visibly shows the (linear) relationship between 2 variables: upward - positive, downward - negative, so it helps users see the pattern on the spot. And ofc, it's not just for time series data like some other comments have mentioned.

Increase higher density of data (C) is basically increase the representation degree of the sample compared to the population. Of course the better representative the sample, the more accurate the trend on the chart. But the point is: this option

increases the ACCURACY, not the EASE OF DETECTING PATTERN. Even if the data on scatter chart is more accurately representative, but a bunch of points on it is not easier to show pattern than a trend line, right?

[-] **e3ddceb** 2 points about 1 year ago

The correct answer should be C.

Option B (Add a trend line to the scatter plot) can be more useful when we want to identify a linear relationship or trend between the two variables on the scatter plot.

Option C (Enable high-density sampling on the scatter plot) can be more useful when dealing with a large number of data points, as it can help visualize areas of high data concentration.

In question, specifically mentioned the data limit 10 M rows so, C is the correct answer.

[-] **Dani_eL** 1 point over 1 year ago

This is a basic scatter with no Play Axis value. Modifying the scatter is made using Analytics allowing you to add a bunch of trend lines, symmetry shadows and so on.

Based on these findings, the answer B looks legit: add trend line(s) such as min, max, average, median, percentile

[-] **28485e1** 1 point over 1 year ago

High density sampling was my first answer, but I think the question is saying that the scatterplot relates to the bar chart and does not contain 10M data points; that would be insane. So, yes, I think the answer is trend line.

[-] **panic_attack** 2 points over 1 year ago

This was on the exam on 22/2/2024 (:

[-] **temor** 3 points over 1 year ago

Selected Answer: B

The best option for modifying the scatter plot in Power BI to make it easier for users to identify meaningful patterns, without affecting the accuracy of the other visuals, is:

B. Add a trend line to the scatter plot.

Adding a trend line to the scatter plot in Power BI would enhance the visualization's ability to reveal patterns or trends in the data. This approach is beneficial because it doesn't impact the underlying data used in other visuals, such as the card showing the number of records or the bar chart displaying total transaction amounts by territory. Trend lines provide a visual representation of the general direction of the data, making it easier to identify relationships and patterns without altering the data itself.

This approach seems to be the most suitable and voted for, considering the requirements of maintaining the accuracy of other visuals and aiding in the identification of meaningful patterns in the scatter plot.

[-] **INDEAVR** 2 points over 1 year ago

The trend line option is available only when there is a time data:
<https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-analytics-pane>

"A scatter plot that shows transaction amount and profit amount on the axes and points colored by territory" - we don't have time data here.

[-] **Dsbuff 3 points** over 1 year ago

Selected Answer: C

The keyword in the question is: "10 million rows" => C. Enable high-density sampling on the scatter plot.

[-] **LanTodak 7 points** almost 2 years ago

Exam: 15/10/2023

Score: 948/1000

Answer: C

[-] **Diogo1998 6 points** over 1 year ago

You're a bot

[-] **thomas_90 3 points** almost 2 years ago

For my opinion, B is correct answer. Because the scatter plot that made by grouping territories, so it doesn't have too much points. In this case, the trend line will be more effective for users to understand the pattern of data.

[-] **SinaRamzi 1 point** almost 2 years ago

Selected Answer: C

Line chart is not a good choice for a scatter plot. C sounds more rational

[-] **MimoKnowsNothin 1 point** over 2 years ago

Selected Answer: C

<https://learn.microsoft.com/en-us/power-bi/create-reports/desktop-high-density-sampling>

[-] **SanaCanada 1 point** over 2 years ago

C. Enable high-density sampling on the scatter plot.

Enabling high-density sampling on the scatter plot will reduce the number of points displayed in the visual, while still maintaining the overall patterns and trends in the data. This will make it easier for users to identify meaningful patterns

without affecting the accuracy of the other visuals. Adding a count field to the size bucket of the scatter plot or applying a row filter to the Data1 query in Power Query Editor will change the way the data is displayed in the scatter plot and may affect

the accuracy of the other visuals. Adding a trend line to the scatter plot may help users identify trends in the data, but it may also obscure some of the underlying patterns in the data.

No confusion, no need to discuss further

[-] **Pinha 1 point** over 2 years ago

10 million rows >> high-density sampling

[-] **srikanth923 2 points** over 2 years ago

When dealing with a large dataset of 10 million rows, it can be difficult to find trends or patterns by analyzing the entire dataset. Instead, a better approach would be to use high-density sampling techniques to select a smaller, representative sample of the data for analysis.

[-] **Mobita3000 3 points** over 2 years ago

The correct solution to modify the scatter plot to make it easier for users to identify meaningful patterns without affecting the accuracy of the other visuals would be to enable high-density sampling on the scatter plot. Therefore, the correct answer is C.

Enabling high-density sampling allows you to plot a representative subset of the data in the scatter plot without losing significant information. This will help reduce the clutter in the scatter plot caused by a large amount of data and make it easier for users to identify patterns and trends.

Adding a count field of the transaction amount to the size bucket of the scatter plot (option A) would make the scatter plot more informative but may also add more clutter to the plot, making it harder to identify patterns.

Adding a trend line to the scatter plot (option B) would show the overall trend in the data, but it may not be useful in identifying patterns across different territories.

Applying a row filter to the Data1 query in Power Query Editor (option D) would reduce the number of rows in the dataset but would also affect the accuracy of all the visuals using the Data1 table, including the card and bar chart. Therefore, it's not a recommended solution.

[-] **Nurialzard** 2 points over 2 years ago

Selected Answer: C

I think since it is not required to show an evolution during time, but just the distribution of sales within territories, then a trend line would add little value

[-] **rmeng** 1 point over 2 years ago

Selected Answer: A

you only need to add a new metric into size in order to give more useful information (3 dimensions). Doesn't matter the size because legend is territory, so you don't have 10 M rows of territories.

[-] **Hoeishetmogelijk** 5 points over 2 years ago

Selected Answer: B

B. Adding a trend line

[-] **Booster21** 2 points over 2 years ago

Selected Answer: B

The solution must not affect the accuracy of the other visuals as required, and " C. Enable high-density sampling on the scatter plot." would reflect the shape of the scatter plot.

[-] **KobeData** 6 points almost 3 years ago

Selected Answer: C

When using the High Density Sampling algorithm for scatter charts, accurate distribution of the data is the goal, and implied visual density is not the goal. For example, you might see a scatter chart with lots of circles that overlap (density) in a certain area, and imagine many data points must be clustered there; since the High Density Sampling algorithm can use one circle to represent many data points, such implied visual density (or "clustering") will not show up. To get more detail in a given area, you can use slicers to zoom in. Would go with C on this one, B would be to spot a trend. C would be accurate since it makes users more likely to spot patterns.

[-] **Namenick10** 3 points almost 3 years ago

Selected Answer: B

Should be B.

[-] **Manzy2599** 4 points almost 3 years ago

Selected Answer: B

B is correct

Question 245

You have a Power BI workspace named Inventory that contains a dataset, a report, and a dashboard.

You need to add an additional tile to the dashboard. The tile must show inventory by location. This information is NOT visualized in the report. The solution must minimize the impact on the report.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. Ask a question by using Q&A.

- B. Hide the report page.
- C. Pin the visual to the dashboard.
- D. Use quick insights on the dashboard.
- E. Add the visual to the report.

Hide Answer

[-] **OGESSIUSER** 33 points almost 3 years ago

Selected Answer: AC

TESTED

[-] **LanTodak** 22 points almost 2 years ago

Exam: 15/10/2023

Score: 948/1000

Answer: A,C

[-] **Swathi_Jagdeesh** 1 point 5 months ago

Did get same question?

[-] **LuisViotti** 1 point 3 months ago

Selected Answer: AC

Option AC, checked with Chatgpt and Gemini.(both selected AC with similar explanation)

[-] **jaume** 1 point 9 months ago

Selected Answer: AC

Thanks 0e18c76 for your detailed explanation, really helpful

[-] **539d541** 1 point 11 months ago

Selected Answer: AC

Tested A and C

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: AC

AC is the correct option

[-] **0e18c76** 11 points over 1 year ago

A and C

To be clear on this point, it is fact that you can generate new visuals by using both Q&A and Quick insights. However, the difference is:

- Q&A - you ask questions (natural language) about a specific visual that doesn't exist in your report.
- Quick insights - you need to provide the users of Dashboards with additional tiles that are related to the content of an existing visual on a dashboard.

For this case, you want to generate a tile that doesn't exist on your report. Therefore, you use Q&A that will generate the tile that should be pinned to the dashboard.

[-] **Florinuca** 1 point over 1 year ago

The correct answer is : A & C

We don't have the option "Quick Insights" for a dashboard in Power BI Service. This option is available only for the reports.

So, with Q&A we can generate new visuals based on our questions and after that to pin them in a dashboard.

[-] **0e18c76** 1 point over 1 year ago

Yes we do also have the option "Quick insights" for dashboards in Power BI Service. Actually, you can get "Quick insights" from:

- The report in Power BI Service (Quick insights/view insights generated and then PIN the required visual to the dashboard).

- The Semantic model in Power BI Service (View insights)/the you can PIN the insights to the Dashboard.
 - A visual in the dashboard (select the visual/click on the 3 dots/click on "View insights"/PIN the a required visual to the Dashboard.
- <https://learn.microsoft.com/en-us/power-bi/create-reports/service-insights>
But for this question I would also go for A and C.

[-] **paulus100** 1 point over 1 year ago

What is difference with quick insights? Is also solution for receive some example visuals. after that indeed 'pin'.

[-] **hussamAlHunaiti** 3 points almost 2 years ago

Selected Answer: AC

<https://www.youtube.com/watch?v=qMf7OLJfCz8&list=PL1N57mwBHtN0JFoKSR0n-tBkUJHeMP2cP>

[-] **Geni44** 6 points about 2 years ago

Selected Answer: AC

<https://www.youtube.com/watch?v=qMf7OLJfCz8&list=PL1N57mwBHtN0JFoKSR0n-tBkUJHeMP2cP>

[-] **Imrod** 1 point almost 2 years ago

Perfect explanation. So AC is the answer

[-] **Certany** 2 points about 2 years ago

Selected Answer: AC

AC - The tile to be created is not directly visible but selected through Q&A. Pin the visual next.

[-] **TalktomeGoOse** 1 point about 2 years ago

Selected Answer: AD

"You need to add an additional tile to the dashboard. The tile must show inventory by location. This information is NOT visualized in the report"

The report don't have the visualization. Then how that can be pinned to the Dashboard?

[-] **luisnc** 1 point about 2 years ago

I think it's A and C. Look at this video <https://www.youtube.com/watch?v=f1ANOW5j9b0> . It clearly shows how Q&A can be used in a dashboard to produce and pin visuals

[-] **PaweuG** 3 points over 2 years ago

Selected Answer: AC

Guys saying that viz do not exist hence you can't pin them... QA feature, after you ask a question, proposes you visuals which can be then pinned to the dashboard right away - you don't first have to create them in the report. That's why I'd go for AC.

[-] **JPGo** 3 points over 2 years ago

I believe this is D & C if we can assume there was already something on the dashboard from the report. By doing Quick Insights, you'll get a bunch of visuals that could be pinned.

[-] **luisnc** 1 point over 2 years ago

yes, but I chose A and C because we need a specific visual, and Q&A is probably quicker way to find the information than quick insights, where you need to find what you need out of the list (if you can find it)

[-] **anasben** 4 points over 2 years ago

Selected Answer: AD

Answer is : A, D

VIZ NOT EXIST in Report (Can't Pin) /

D : Solution => Get Quick Insights (look for relevant Visual and PIN)

[-] **nmosq** 6 points over 2 years ago

Selected Answer: AD

It's either EC, create the viz in the report and then pin it to the dashboard (since it mentions that the viz doesn't exist).
or it's AD, use Q&A or Insights.
Since the condition it's also that the impact on the report should be minimal, the best option it's AD

[-] **Wadyba** 5 points over 2 years ago

The information is NOT visualized in the report, so from where are you guys getting the visual to pin on the dashboard. My options are AD

[-] **lukelin08** 2 points over 2 years ago

Selected Answer: AC
Tested and is correct

[-] **dorypl300** 3 points almost 3 years ago

correct

Question 246

HOTSPOT -

You have a dataset named Pens that contains the following columns:

☞ Item

☞ Unit Price

☞ Quantity Ordered

You need to create a visualization that shows the relationship between Unit Price and Quantity Ordered. The solution must highlight orders that have a similar unit price and ordered quantity.

Which type of visualization and which feature should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Visualization:

A column chart of Quantity Ordered and Unit Price by year
A line chart of Quantity Ordered and Unit Price by item
A scatter plot of Quantity Ordered and Unit Price by item

Feature:

Automatically find clusters
Explain the decrease
Find where the distribution is different

Hide Answer

Correct answer:

Box 1: A scatter plot of Quantity Ordered and Unit Price by item

A scatter chart shows the relationship between two numerical values.

Note: Scatter charts are a great choice:

To show relationships between two numerical values.

To plot two groups of numbers as one series of x and y coordinates.

To use instead of a line chart when you want to change the scale of the horizontal axis.

To turn the horizontal axis into a logarithmic scale.

To display worksheet data that includes pairs or grouped sets of values.

To show patterns in large sets of data, for example by showing linear or non-linear trends, clusters, and outliers.

To compare large numbers of data points without regard to time. The more data that you include in a Scatter chart, the better the comparisons that you can make.

Box 2: Automatically find clusters

Scatter charts are a great choice:

* To show patterns in large sets of data, for example by showing linear or non-linear trends, clusters, and outliers.

Reference:

<https://github.com/Microsoft/powerbi-visuals-corrplot/>

Answer Area

Visualization:

A column chart of Quantity Ordered and Unit Price by year
A line chart of Quantity Ordered and Unit Price by item
A scatter plot of Quantity Ordered and Unit Price by item

Feature:

Automatically find clusters
Explain the decrease
Find where the distribution is different

[-] **PaweuG** 24 points over 2 years ago

Correct - scatter plot + clusters

[-] **LanTodak** 22 points almost 2 years ago

Exam: 15/10/2023

Score: 948/1000

Answer: Scatter plot, Automatically find cluster

[-] **rcaliandro** 1 point 12 months ago

The answer is correct

[-] **Oe18c76** 1 point about 1 year ago

Correct answer.

Scatter plot can be used to show relationships between two numerical values and automatically find clusters.

<https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-scatter?tabs=powerbi-desktop>

[-] **yordiy** 3 points over 2 years ago

Correct

[-] **yordiy** 4 points over 2 years ago

Correct

[-] **lukelin08** 8 points over 2 years ago

Given answer is correct

[-] **Booster21** 4 points almost 3 years ago

Agree with it

[-] **Clodia** 5 points almost 3 years ago


Correct

Question 247

HOTSPOT -

You have a report in Power BI Desktop.

You add a key influencers visual as shown in the exhibit. (Click the Exhibit tab.)



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Identifying additional factors that increase attrition can be achieved by [answer choice].

	▼
turning on Cross-report	
adding more fields to Explain by	
adding more fields to Expand by	
moving fields from Explain by to Expand by	

Employee attrition is [answer choice] times greater when employees work overtime.

	▼
0.11	
.2	
1	
3	

Hide Answer

Correct answer:

Answer Area

Identifying additional factors that increase attrition can be achieved by [answer choice].

	▼
turning on Cross-report	
adding more fields to Explain by	
adding more fields to Expand by	
moving fields from Explain by to Expand by	

Employee attrition is [answer choice] times greater when employees work overtime.

	▼
0.11	
.2	
1	
3	

[-] **Manikom** 127 points almost 3 years ago

I would say

- adding more fields to Explain By

- 3

moving fields from explain to expand should not add any new factors in analysis

[-] **desibaby09** 1 point 8 months ago

this is correct. the reason why its 3 is because the formula is

attrition "yes"/ attrition "no" = $.3/1 = 3$

[-] **Shalaleh** 3 points over 2 years ago

Remember that because it is about "increase", it is continuous field, and in continuous field we do not calculate ratio, we calculate difference. and also beside "0.2" there is no "x". I mean it is not like "0.2 x". that means it is continuous or numerical field and we need the difference.

[-] **RicoPallazzo7** 4 points almost 2 years ago

But it says "[answer] times greater". So it is related to the lower and how many times is the greater one

[-] **centrumadresowe** 29 points almost 3 years ago

100%

- Explain by

- 3x

[-] **semauni** 2 points over 2 years ago

Why 3x?

[-] **semauni 5 points** over 2 years ago

Never mind, I did not look at the graph properly :)

[-] **SylUK 1 point** 6 months ago

The given answer is correct please read this: "You can use Expand By to add fields you want to use for setting the level of the analysis without looking for new influencers." found in this link:

<https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-influencers?tabs=powerbi-desktop#analyze-a-metric-that-is-numeric>.

[-] **539d541 1 point** 11 months ago

According to the tutorial by Microsoft on how to properly configure this visual: "Leave the Expand by field empty. This field is only used when analyzing a measure or summarized field.". Therefore it should just be to add more fields to Explain By and 3 <https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-influencers?tabs=powerbi-desktop>

[-] **rcaliandro 1 point** 12 months ago

- adding more fields to Explain By
- 3

[-] **0e18c76 10 points** over 1 year ago

Agree:

- adding more fields to Explain By
- 3

For those who don't understand, why on second selection it should be 3 and not 0.2, you should be aware that when overtime is "Yes", indeed the attrition goes from 0.1 to 0.3. This means that the attrition augments by 0.2 ($0.3 - 0.1$) as is shown on the left of the visual.

However, on the second selection, the question is about times of increase. Therefore, if you look at the column chart, when overtime is set to "Yes" the increase of attrition is 3 TIMES the average ($3 * 0.1 = 0.3$). I hope this explanation can clarify. ;-)

[-] **user28272615 7 points** over 1 year ago

Similar question but with other data was at the exam on February 12th 2024

[-] **benni_ale 1 point** over 1 year ago

+ Explain by , 3

[-] **shuchi9 20 points** over 1 year ago

Thank You. I passed the exam yesterday. Go through all the questions twice and please read the comments for answers. 90% of questions are from here.

[-] **Parv_2903 3 points** over 1 year ago

I can only access 24 pages can you please tell he how you could access all the pages without having access.

[-] **KokS24 2 points** over 1 year ago

My choices are: Adding more fields to Explain by and 3 times.

Reason for option1: Move fields that you think might influence Rating into the Explain by field. You can move as many fields as you want. On the other hand Expand by field is only used when analyzing a measure or summarized field.(In more detail, It can be checked from the below mentioned official Microsoft Learners website.)

Reason for option2: Can be checked from the below mentioned official Microsoft Learners website.

<https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-influencers?tabs=powerbi-desktop#analyze-a-metric-that-is-categorical>

[-] **thomas_90 4 points** almost 2 years ago

No need to discuss more. The true answer is Explain By and 3x

[-] **madyjoe21 2 points** almost 2 years ago

Good explanation about this visual: https://www.youtube.com/watch?v=NTvg_3fcoZo

[-] **Igetmyrole** 1 point almost 2 years ago

Adding mor fields to expand by % 3

Adding more fields to expand by: identifying additional factors that increase attrition can be achieved by adding more fields to expand by.

Employee attrition is 3 times greater when employees work overtime.

[-] **SamuComqi** 17 points about 2 years ago

I passed the exam today (948/1000). My answer was:

- adding more fields to Explain by

- 3

[-] **AY_Seyi** 5 points about 2 years ago

Leave the Expand by field empty. This field is only used when analyzing a measure or summarized field. source;

<https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-influencers?tabs=powerbi-desktop>

[-] **AyoJose** 1 point almost 2 years ago

Please can you explain further?

[-] **UlyUkr** 2 points over 2 years ago

adding more fields to Explain By

3 times (as 0.1 times 3 is 0.3)

[-] **RazaTheLegend** 2 points over 2 years ago

I would say

- adding more fields to Explain By

- 3

moving fields from explain to expand should not add any new factors in analysis

[-] **niki_dat** 3 points over 2 years ago

3 times! Guys, it`s 3 times greater

[-] **Shalaleh** 4 points over 2 years ago

Explain by

0.2

[-] **Maniula** 1 point about 2 years ago

"is X times greater"

0.1 x 0.2 doesn't equal 0.3

[-] **yordiye** 1 point over 2 years ago

I would say Explain by & .11 greater(look the dotted line in the column chart)

[-] **yordiye** 2 points over 2 years ago

I am wrong on the .11 part . it is how much other influencers are lower than the top influencer . I think Explain by & .2 .

Because $3 - 0.1 = 0.2$

[-] **BWayne32** 5 points over 2 years ago

"Times By". When over time is no, the attrition is 0.1, when it is yes, the attrition is 0.3. So 3 times is the attrition when overtime is yes

[-] **SayanChiku** 2 points over 2 years ago

- adding more fields to Explain By

- 3

[-] **AlexYang_** 5 points over 2 years ago

- add more fields to Explain By ("Leave the Expand by field empty. This field is only used when analyzing a measure or summarized field." <https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-influencers?tabs=powerbi-desktop>)
- 3 times

[-] **GeoffJones** 1 point over 2 years ago

The wording of this question seems inconsistent with the possible responses.
The rate of attrition is 3 times as high with overtime, which reflects the possible response.
However, that means that it is 2 times higher, which reflects the wording of the question.

[-] **jboiret** 2 points over 2 years ago

- adding more fields to Explain By
- 3

[-] **Patrick666** 3 points over 2 years ago

- 100%
- Explain by
- 3x

[-] **Patrick666** 3 points over 2 years ago

- adding more fields to Explain By
- 3

[-] **sebasaur** 4 points almost 3 years ago

- Adding more fields to explain by
- 3x

[-] **lukelin08** 5 points almost 3 years ago

- Adding more fields to explain by
- 3x

[-] **nucleus21** 1 point almost 3 years ago

The Expand By field well option comes in handy here. You can use Expand By to add fields you want to use for setting the level of the analysis without looking for new influencers.

Take a look at what the visualization looks like once we add ID to Expand By. Once you've defined the level at which you want your measure evaluated, interpreting influencers is exactly the same as for unsummarized numeric columns.

[-] **Manzy2599** 7 points almost 3 years ago

I think it's adding more fields to explain by and 0.2? because the increase for overtime is from 0.10 to 0.30 so increase of 0.20? Can someone please confirm

[-] **yordiye** 1 point over 2 years ago

I agree

[-] **rzm_1998** 11 points almost 3 years ago

it's 3x greater because they're saying "__ times greater" so it's 0.3/0.1 not 0.3-0.1

[-] **June15** 5 points almost 3 years ago

Should the first one "Add to Explain by"?

You have a Power BI report that contains three pages named Page1, Page2, and Page3. All the pages have the same slicers.

You need to ensure that all the filters applied to Page1 apply to Page1 and Page3 only.

What should you do?

- A. On each page, modify the interactions of the slicer.
- B. Enable visibility of the slicers on Page1 and Page3. Disable visibility of the slicer on Page2.
- C. Sync the slicers on Page1 and Page3.

Hide Answer

[-] **OGESSIUSER** 67 points almost 3 years ago

Selected Answer: C

C. Sync the slicers on Page1 and Page3.

[-] **Nuli** 9 points over 2 years ago

C is correct

[-] **LuisViotti** 1 point 3 months ago

Selected Answer: C

Option C, checked with Chatgpt and Gemini.(both selected C with similar explanation)

[-] **jaume** 1 point 9 months ago

Selected Answer: C

Editing interactions is not securing any selection in any page will be replicated for the same slicer in other pages.

Making visible or hiding slicers is also not impacting the selection in other pages (and it would be difficult selecting anything in a hidden slicer).

Slicers 1&3 must be sync'ed with equivalent slicers in all pages across the report

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: C

C is correct

[-] **Dani_eL** 2 points over 1 year ago

Select Slicer > View Menu > show Panes > Sync Slicers > in the pane uncheck the pages you don't want to be sync'ed.

Answer : C

[-] **Adryan_cm** 1 point 12 months ago

Confirm, tested.

Answer C.

[-] **kimii1993** 8 points over 1 year ago

Selected Answer: C

This was on the exam today. Passed with 917/1000

[-] **Azurijanac** 2 points almost 2 years ago

Selected Answer: A

A. Use visual interactions to exclude some page visualizations from being affected by others. For example, in the Retail

Analysis sample on the Overview page, the Total Sales Variance by FiscalMonth and District Manager chart shows overall comparative data for district managers by month, which is information that you may want to keep visible. Use visual

interactions to keep slicer selections from filtering this chart. It is also clearly mentioned in Microsoft docs Sync slicers are used to sync all pages.

[-] **IrynaVilner** 1 point almost 2 years ago

Selected Answer: C
C is correct

[-] **taphyoe** 2 points almost 2 years ago

Selected Answer: C
Correct answer is C

[-] **ApacheKafka** 3 points about 2 years ago

Tested C

[-] **globalexamtopics** 2 points about 2 years ago

ChatGPT4 trained with the PL-300 reading materials:

The document does not provide a direct answer to this question. However, based on general knowledge of Power BI and slicer functionality, you should:

Sync the slicers on Page1 and Page3 (Option C). Slicer syncing allows slicers to be used across multiple pages. This means that if a user applies a filter on Page1, the same filter will be applied on Page3 because the slicers are synced. This would not affect Page2 as the slicers are not synced with it.

[-] **TalktomeGoOse** 2 points about 2 years ago

Selected Answer: C

Check this video

<https://www.youtube.com/watch?v=E1HGcjzKQg>

You can Sync slicer in specific pages of a report

[-] **TalktomeGoOse** 3 points about 2 years ago

Selected Answer: C

Check this video. You can Sync slicer in specific pages of a report

[-] **rania** 3 points about 2 years ago

Selected Answer: A

you can't sync the slicers for 2pages only but for all the pages so it would be A

[-] **jsking** 4 points over 2 years ago

Selected Answer: C

C is correct

[-] **Patrick666** 4 points over 2 years ago

C. Sync the slicers on Page1 and Page3.

[-] **Hoeishetmogelijk** 3 points over 2 years ago

Selected Answer: C

C. Sync the slicers on Page1 and Page3.

[-] **lukelin08** 3 points over 2 years ago

Selected Answer: C

C is the most suitable answer

[-] **disndat7** 4 points over 2 years ago

Selected Answer: C

Happy with C. A could work but no one would do that in real life.

[-] **Mazhar332** 4 points almost 3 years ago

C is the correct answer

[-] **dorypl300** 3 points almost 3 years ago

C is correct

[-] **June15** 4 points almost 3 years ago

Why C is not correct?

[-] **olajor** 7 points almost 3 years ago

C is correct

Question 249



You have a Power BI report that contains five pages.

Pages 1 to 4 are visible and page 5 is hidden.

You need to create a solution that will enable users to quickly navigate from the first page to all the other visible pages. The solution must minimize development and maintenance effort as pages are added to the report.

What should you do first?

- A. Add a blank button to page 1.
- B. Add a page navigation button to page 1.
- C. Create a bookmark for each page.
- D. Add a bookmark navigation button to page 1.

Hide Answer

[-] **Sushvij** 52 points over 2 years ago

Wrong

B is correct. Add a page navigation button to page 1

because the solution must minimize development and maintenance effort as pages are added to the report. If we add more pages the report they will be automatically added to the page navigator. Only thing is you have to change 'show hidden pages' option to off.

But with the bookmark navigator, lot of efforts required to create individual bookmark to each page and also the newly added pages manually. another problem is it also adds all other bookmarks to the navigator which we dont need.

so we should create a page navigator button in page 1(and set 'show hidden pages' to off)

[-] **ZSun** 11 points about 2 years ago

This is a great explanation. To summarize: Adding bookmark can also meet the requirement but too complicated. Adding page navigation only need to insert "page navigator" and disable "show hidden pages"

[-] **pikachusrilanka** 1 point over 2 years ago

Thanks for the explanation!

[-] **PaweuG** 11 points over 2 years ago

Selected Answer: B

On Page 1.

Insert -> Buttons - > Navigator -> Page navigator

You're done.

[-] **jaume** 1 point 9 months ago

Selected Answer: B

A Blank button do nothing itself and it could only be associated with single action (so even having associated action, it only could bring you to one another page)

You could create a bookmark for each page (it would be absolutely the option with less dev and maintenance effort) but it's not mentioned all bookmars should be placed in page 1.

The bookmark navigation button, similar to option A, could be only associated with a single action leading to another page not to all pages.

Option C is the right one here

[-] **539d541** 2 points 11 months ago

Selected Answer: B

B is correct - tested

[-] **rcaliandro** 1 point 12 months ago

why C is wrong??? we first create bookmars then we set the actions to the buttons

[-] **Suman832** 1 point over 1 year ago

B is correct

[-] **panic_attack** 2 points over 1 year ago

This was on the exam on 22/2/2024 (:

[-] **deyoz** 1 point over 1 year ago

when i saw the answer, after clicking the show answer button, i felt woww.

[-] **Derpz** 1 point over 1 year ago

I feel c is correct because it says that users quickly navigate FROM first page to OTHER pages. By creating bookmarks per pages could easily navigate users from one page to the other.

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: B

We have two types of navigator, bookmark navigator and page navigator.

[-] **SuniltheMentor** 2 points over 2 years ago

Selected Answer: B

Must add a Page Navigator Button from the Insert Tab

[-] **Kepty** 1 point over 2 years ago

Selected Answer: B

B... I totally agree with Sushvij.

[-] **JBTC** 2 points over 2 years ago

add a page navigator button to page1 should be correct

[-] **jsking** 4 points over 2 years ago

Selected Answer: B

B should be the answer as it is an already built-in feature and so decreases development and maintenance effort.

[-] **Sushvij** 4 points over 2 years ago

Also the question clearly says what should you do first?

first add a page navigator button to page1
next disable 'show hidden pages'

Hope this helps!

[-] **mambamota** 1 point over 2 years ago

Yes bookmark

Question 250

You build a Power BI report that displays IoT temperature data streaming from a refrigerator.

You publish the report to the Power BI service.

You need to be notified when the temperature rises above four degrees Celsius.

What should you do?

- A. Set an alert on a KPI visual in the report.
- B. Pin a card visual to a dashboard and create a subscription.
- C. Pin a card visual to a dashboard and set an alert on the tile.
- D. Pin a report page to a dashboard and set an alert on the page.

Hide Answer

[-] **JPGo** 36 points over 2 years ago

Selected Answer: C

You can't do an alert on an entire report. The alert has to be on card/kpi and has to be on a dashboard.

[-] **darkfairy** 2 points over 2 years ago

What do you think about answer - A. Set an alert on a KPI visual in the report ?

[-] **Heshybay** 16 points over 2 years ago

Alerts are set on the tiles in a dashboard not in the report.

[-] **SamuComqi** 15 points about 2 years ago

Selected Answer: C

I passed the exam today (948/1000). My answer was:

- Pin a card visual to a dashboard and set an alert on the tile

[-] **jaume** 1 point 9 months ago

well, I guess this question is one of the reasons you haven't scored 1000
you can set an alert in a KPI visual in a report but port must be edited in powerbi service not in PBI Desktop

[-] **PhoebeZ** 1 point 20 days ago

Selected Answer: A

you can set alert in PowerBI report in PowerBI service. <https://learn.microsoft.com/en-us/fabric/real-time-intelligence/data-activator/activator-get-data-power-bi>

[-] **LuisViotti** 1 point 3 months ago

Selected Answer: C

Option C, checked with Chatgpt and Gemini.(both selected C with similar explanation)

[-] **Aliakseim** 1 point 6 months ago

Selected Answer: A

From Power BI service it's possible to set up alerts for the REPORT visuals, so there is no need to complicate the flow and create a Dashboard for that.

[-] **jaume** 2 points 9 months ago

Selected Answer: A

Reading all comments I was going to agree with option C as I realize alerts can only be set in PowerBI Service not in PBI desktop so I was forgetting option A assuming this would mean the visual must be in a Dashboard (I was totally aware alerts can only be set up in KPI, Gauges and cards, so I was already dismissing option D).

...but I've tested myself I can edit a report from powerservice and set an alert for a KPI visual to send notification by mail to any recipient I could set si I will stick to option A as there is no requirement in the question to create a Dhboard (which doesn't exist by default)

[-] **539d541** 1 point 11 months ago

Selected Answer: C

C is correct - tested

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: C

C. Pin a card visual to a dashboard and set an alert on the tile.

[-] **msoui** 1 point over 1 year ago

how come there is a lot of wrong answer in this practice exams questions
!

[-] **cs3122** 3 points over 1 year ago

To confuse the hell out of us. Best of luck

[-] **JohnChung** 2 points over 1 year ago

Selected Answer: C

Should be C. Alerts only support KPI, card and gauge

[-] **jaume** 1 point 9 months ago

you are right but in option A there is a KPI to be set so type of visual is not a reason to discard option A

[-] **_Dirk_** 6 points over 1 year ago

Selected Answer: A

I don't know if this is because of a recent update, but if you open the report in the service you can simply configure an alert on the KPI Visual.

[-] **BradleyAidanJohnson** 3 points over 1 year ago

Hopefully this gets seen. But realistically given this question no longer makes sense as there are 2 ways of doing it, it probably won't be on the exam anymore? But the simplest way to get this done would be go into the report and set the alert on the KPI visual, A
I tested this just this second, anyone can do it, takes 2 seconds

[-] **JudT** 2 points over 1 year ago

Tested - After you set up an alert on the KPI visual, the Data activator will send you a notification (Email or teams) when conditions are met. So A and C are correct but A is the simplest way indeed.

[-] **JudT** 1 point over 1 year ago

Bear in mind KPI visual = Tile

[-] **JudT** 1 point over 1 year ago

BUT as the tile MUST be seen or monitored by a team, use a Dashbord to set up your alert is the best option. C is the correct answer. Hope this help...

ps: Integrate alerts or notifications to notify stakeholders of significant changes or anomalies in sales performance, prompting further investigation.

[-] **taphyoe** 1 point almost 2 years ago

Selected Answer: C

C since only card visual can create the alert.

[-] **Mimi99** 2 points about 2 years ago

Selected Answer: C

i did not know we can set alert for report page

[-] **Shalaleh** 5 points over 2 years ago

Selected Answer: C

Alert is only on dashboard, not report.

[-] **SanaCanada** 4 points over 2 years ago

C. Pin a card visual to a dashboard and set an alert on the tile.

To be notified when the temperature rises above four degrees Celsius, you can pin a card visual showing the temperature to a dashboard and set an alert on the tile. To do this, first create the card visual on the report page showing the temperature

data, then click on the "Pin visual" button in the top right corner of the visual and select the dashboard where you want to pin it. Once the card is pinned, click on the ellipsis menu in the top right corner of the tile and select "Set alert". From there, you

can configure the alert settings to notify you when the temperature rises above four degrees Celsius. This solution allows you to receive notifications without having to constantly monitor the report or dashboard, and provides a targeted alert specific to the temperature data you're interested in.

No confusion, no need to discuss further

[-] **Nemesizz** 2 points over 2 years ago

Why not A ?

[-] **Pheto** 1 point over 1 year ago

You can set alerts in dashboards only for gauge/card/KPI visuals and not for the entire report. So, answer should be A.

[-] **PaweuG** 3 points over 2 years ago

Selected Answer: C

You first have to pin a one-value visual to the dashboard (Card/KPI/Gauge) and then you can set an alert on it's value. You can't set alerts on a report or whole report pages pinned to the dashboard.

[-] **JBTC** 1 point over 2 years ago

C should be the correct answer

[-] **jsking** 2 points over 2 years ago

Selected Answer: C

C is correct. Alerts can be set on a card visual.

[-] **Sushvij** 2 points over 2 years ago

Yes the correct answer is C. You can set alerts in dashboards only for gauge/card/KPI visuals and not for the entire report.

[-] **csillag** 1 point over 2 years ago


Selected Answer: C

Cis correct answer

You have the dashboard shown in the following exhibit.



You need to modify the dashboard to display as shown in the following exhibit.



What should you do?

- A. Create and apply a custom dashboard theme.
- B. Change the colors of the visuals in the report.
- C. Apply the Dark dashboard theme.
- D. Upload a snapshot image of the dashboard.

Hide Answer

[-] **JPGo** 32 points over 2 years ago

Selected Answer: A

The visual colors can't be changed on the dashboard from a report after the visual has already been pinned. Applying a dashboard custom theme will do it.

[-] **SamuComqi** 20 points about 2 years ago

Selected Answer: A

I passed the exam today (948/1000). My answer was:
- Create and apply a custom dashboard theme

[-] **AdrianBalescu** 9 points over 1 year ago

what it is up with everybody passing the exam exactly with 948/1000???

[-] **jaume** 3 points 9 months ago

I don't understand why anybody would walk through all these questions once they have passed the exam...
Moreover, I would take their comments as "source of truth" when they could claime their score is 1000/1000 :-P

[-] **JohnChung** 4 points over 1 year ago

It's the same person

[-] **seffy** 6 points over 1 year ago

I hope these Reponses aren't fishy

[-] **jaume** 1 point 9 months ago

Selected Answer: A

I will go with option A although I noted second exhibit has not only modified background colors (not the colors for dark theme) but titles and subtitles of both chrts are "lost in translation".... maybe it's not just customizing background colors

[-] **rcaliandro** 2 points 12 months ago

Selected Answer: A
A is the correct option

[-] **NaudeDucon** 1 point about 1 year ago

Selected Answer: A
I tested it myself. We can achieve the similar result with: Edit\Dashboard theme -> Corlor-blind friendly -> Custom -> Decrease Tile opacity. So it's basically create & apply a custom theme

[-] **DataEngDP** 1 point over 1 year ago

A. Create and apply a custom dashboard theme!

[-] **Vimbsu** 1 point over 1 year ago

Selected Answer: A
Create and apply a custom dashboard theme.

[-] **andrewkravchuk97** 1 point almost 2 years ago

B. In fact, there are no correct answer because we can not set up the column's color in the custom theme in the dashboard.
What you should do: choose Color-blind friendly theme in the dashboard. But i choose B option.

[-] **ApacheKafka** 4 points almost 2 years ago

Selected Answer: B
You all fell into the trap of Microsoft. If you pay attention closely you'll realise the intial Dashboard has title for each visual but the Target visual does not(it was disabled). So it is not just the colors but also the title that was tampered with. This can only be achieved by Option B.

[-] **JZChapman** 2 points almost 2 years ago

How does "chang[ing] the colors of the visuals in the report" allow one to remove the visual titles?

[-] **Tuvok79** 1 point about 2 years ago

A misunderstanding when the question and pictures were created. The lower image below has been selected and in the process create a teal-color (when you cross blue(as the bars are) with grey color thus creating the illusion of a theme or dark theme. It's basically Option B - Change color in the report and refresh to Power BI service.

[-] **rania** 4 points about 2 years ago

Selected Answer: B

for me is B because the color must be changed and there isn't customized theme like the report modified

[-] **RitaS** 2 points about 2 years ago

I was unsuccessful in doing this assuming Option A is correct. However, I was successful in doing it assuming Option B is correct.

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: A

A is correct, it is not snapshot, because in the second pic, title of charts are removed.

[-] **quxxy** 3 points over 2 years ago

Selected Answer: A

This is an another tricky question: If pinned visuals uses "destination theme" - we need to change colors in the report...

But the background... It looks like that we need to customize theme of the dashboard. So "A".

[-] **Nawabi** 2 points over 2 years ago

B is correct. theme change the background not only the visual. here visual colour is being changed.

[-] **Sushvij** 4 points over 2 years ago

A - create and apply custom dashboard theme.

Yes we cant change the colors of visuals on the dashboard, so the only option here is to go with the custom theme. It is not dark theme

[-] **mambamota** 1 point over 2 years ago

Selected Answer: A

Should be A

[-] **katmonon** 3 points over 2 years ago

Isn't it apply the Dark Dashboard theme?

Question 252



You need to create a Power BI theme that will be used in multiple reports. The theme will include corporate branding for font size, color, and bar chart formatting.

What should you do?

- A. From Power BI Desktop, customize the current theme.
- B. From Power BI Desktop, use a built-in report theme.
- C. Create a theme as a PBIVIZ file and import the theme into Power BI Desktop.
- D. Create a theme as a JSON file and import the theme into Power BI Desktop.

Hide Answer

[-] **SanaCanada** 34 points over 2 years ago

Selected Answer: D

D. Create a theme as a JSON file and import the theme into Power BI Desktop.

To create a Power BI theme that can be used across multiple reports and workspaces, the best approach would be to create a theme as a JSON file and then import it into Power BI Desktop. This will allow you to define the corporate branding for font size, color, and bar chart formatting in a single file, which can then be easily imported into all the reports that require it. To create a theme as a JSON file, you can use the built-in Theme Generator tool in Power BI or create the file manually. Once you have the JSON file, you can import it into Power BI Desktop by going to the "Switch Theme" menu and selecting "Import Theme." From there, you can select the JSON file and apply the theme to the current report. No confusion, and no need to discuss further

[-] **SamuComqi** 21 points about 2 years ago

Selected Answer: D

I passed the exam today (948/1000). My answer was:

- Create a theme as a JSON file and import the theme into Power BI Desktop.

[-] **junior17les** 2 points about 2 years ago

What other questions came up?

[-] **jaume** 1 point 9 months ago

Selected Answer: D

Option A would work for just the report we customize the current theme but it's stated "...will be used in multiple reports" so solution should work for other reports.

Right format to import / export theme is JSON therefore option D is the right one

PBIVIZ is the extension for a single visual.

Using a built-in report will not incorporate corporate branding (unless you could look for Microsoft branding :-P)

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: D

D is the correct answer, Create a theme as a JSON file and import the theme into Power BI Desktop.

[-] **Dani_eL** 1 point over 1 year ago

Answer A: customising current theme allows you to have access to ALL JSON elements on the fly with an immediate visual testing. When you are satisfied with your corporate branding customisation, you will save your work as a JSON file if you want to.

Changing all your other reports will be a matter of selecting the right theme in the list.

For those of say D : it says: use the built in theme generator tool in Power BI.

Well...that's exactly what you do with answer A, you customise current theme as save it as another name.

[-] **Dsbuff** 2 points over 1 year ago

Selected Answer: D

D. Create a theme as a JSON file and import the theme into Power BI Desktop.

[-] **william_001** 1 point over 1 year ago

Selected Answer: A

A, here particularly mentions that the theme is used in the report, not the dashboard. otherwise will be D

[-] **william_001** 2 points over 1 year ago

NVM, my bad, multiple reports, thus D

[-] **Mandar77** 1 point almost 2 years ago

Answer A is correct. Question asked to create a new theme. You can always modify current theme and save it to use it for other reports.

[-] **AniveM** 2 points about 2 years ago

La réponse A est la bonne mais elle n'est pas complète car après avoir personnalisé le thème, il faudrait l'enregistrer au format json pour ensuite le réutiliser dans d'autres rapports.

[-] **rania** 3 points about 2 years ago

Selected Answer: D

The theme will include corporate branding for font size, color, and bar chart formatting by in Json File

[-] **Kartikeraaj** 1 point over 2 years ago

Correct answer is A

For reference read this link - <https://radacad.com/power-bi-theme-customize-colors-fonts-and-visual-appearance-for-multiple-objects>

[-] **Roots00** 3 points over 2 years ago

Selected Answer: D

D is correct

[-] **Maverick7513** 2 points over 2 years ago

Selected Answer: A

i think for customizing bar chart formating you need to do it in json file. In desktop you can only customize visuals as regard to background, border, header and tooltip. For more granular customization it has to be done into a json file.

[-] **Maverick7513** 2 points over 2 years ago

i meant D sorry

[-] **quxxy** 6 points over 2 years ago

Selected Answer: A

Of course we need to create JSON file with theme and then using it as a theme for multiple reports! How do we can create it? Do we have some custom app for creating JSON themes for Power BI? Guess not...

So, first step is "Customizing current theme" after that - saving JSON file, etc...

Answers "A" and "D" are good, but first step - "A": "Customize current theme" is more correct, i guess.

[-] **SanaCanada** 4 points over 2 years ago

D. Create a theme as a JSON file and import the theme into Power BI Desktop.

To create a Power BI theme that can be used across multiple reports and workspaces, the best approach would be to create a theme as a JSON file and then import it into Power BI Desktop. This will allow you to define the corporate branding for font size, color, and bar chart formatting in a single file, which can then be easily imported into all the reports that require it.

To create a theme as a JSON file, you can use the built-in Theme Generator tool in Power BI or create the file manually. Once you have the JSON file, you can import it into Power BI Desktop by going to the "Switch Theme" menu and selecting "Import Theme." From there, you can select the JSON file and apply the theme to the current report.

No confusion, no need to discuss further

[-] **srikanth923** 8 points over 2 years ago

Selected Answer: D

D is a better answer, they said use the theme in multiple reports that means you need to create a json file and upload it as a theme

[-] **rawie** 1 point over 2 years ago

Selected Answer: D

The phrase "will be used in multiple reports" points a bit more to the JSON response which is more comprehensive

[-] **PaweuG** 2 points over 2 years ago

A seems to be correct but D is more complete solution, as you have to be able to use it in multiple reports. D does not say how you create the JSON file, though. You can create it by customizing current theme in one of the reports and then exporting it as JSON.

[-] **yordiyе** 3 points over 2 years ago

D is correct . Because it says we will use it in multiple reports . We can do that by importing the JSON file

[-] **amdeen** 2 points over 2 years ago

Selected Answer: A

A is correct

[-] **reyn007** 3 points over 2 years ago

Selected Answer: D

I would go for D because creating a JSON file means customizing the current theme. Answer D presents a complete solution.

[-] **Sushvij** 2 points over 2 years ago

Selected Answer: A

I believe its A

[-] **J** 3 points over 2 years ago

A is correct. The customised current theme can be saved

[-] **jsking** 3 points over 2 years ago

Selected Answer: D

D is correct. A is possible but it will not allow you to share the theme across multiple reports.

[-] **Sushvij** 5 points over 2 years ago

Options are a bit confusing.

But A seems to be correct. First we have to customize the current theme, save it as Json, and for other reports we can import the Json theme we have saved.

Question 253



You have a Power BI report that contains one page. The page contains two line charts and one bar chart.

You need to ensure that users can perform the following tasks for all three visuals:

- Switch the measures used in the visuals.
- Change the visualization type.
- Add a legend.

The solution must minimize development effort.

What should you do?

- A. Create a bookmark for each acceptable combination of visualization type, measure, and legend in the bar chart.
- B. Edit the interactions between the three visuals.
- C. Enable personalization for the report.
- D. Enable personalization for each visual.

Hide Answer

[-] **Sushvij** 25 points over 2 years ago

Correct.

Personalization can be enabled for each visual or the entire report. Here we have a single page report with 3 visuals and all three visuals need personalization, the answer is 'enable personalization for the entire report' to minimize development

efforts

[-] **desibaby09** 1 point 8 months ago

Selected Answer: C
answer is correct

[-] **jaume** 1 point 9 months ago

Selected Answer: C
Option A could work... but definitively is not minimizing dev effort
Option B will not allow switching measures, changing visuals nor adding legend
Option C (not sure you can enable personalization at visual level) would also not be the optimal solution looking to minimize the dev effort (at least you should enable an option three times.
Option C will work and enabling that permission once, it's complete

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: C
C is the correct answer

[-] **Oranjizzz** 1 point about 1 year ago

I believe the correct answer is D. The question only asks for the three visuals. Even though the report only contains three visuals, C allows the creation and deletion of more visuals.

[-] **habibq** 1 point 10 months ago

In order to enable personalisation for each visual, you have to first enable for the report. As the default is to enable for all, we don't need to do anything else.

[-] **Dani_el** 2 points over 1 year ago

A basic security rule in IT industry is to grant based on least privileges. The scope here is to be able to modify the visuals and visuals only.
Giving access to report modification will allow the user to delete visuals, add new visuals, elements, and so on.
Best practise should follow the specs to the point.

Based on that réflexion, I don't agree with the given answer.
I would grant users to modify visuals and visuals only, not the entire report.

[-] **habibq** 2 points 10 months ago

It's not an issue of privilege. In order to have personalisation, it must first be enabled for the report. After that you can switch it off for any visuals that don't need the feature.

[-] **Acrious** 1 point about 2 years ago

Selected Answer: C
correct

[-] **BillyBobby** 1 point about 2 years ago

Selected Answer: C
Enable personalisation

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: C
"Personalize for each visual" does exist at all. it is personalize the report.

[-] **JJMC5544** 1 point about 2 years ago

If you don't want all the visuals to be personalized, you can switch the setting on or off per page or per visual.

[-] **Danylessoucis** 1 point over 2 years ago

Correct answer

[-] **jsking** 3 points over 2 years ago

Selected Answer: C

Given answer is correct

Question 254

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a clustered bar chart that contains a measure named Salary as the value and a field named Employee as the axis. Salary is present in the data as a numerical amount representing US dollars.

You need to create a reference line to show which employees are above the median salary.

Solution: You create a median line by using the Salary measure.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **Sushvij** 47 points over 2 years ago

This question is in continuation of the series question # 22 of Topic 3.

Answer is Yes

We can definitely create a median line for the measure of salary (Tested)

Also the other solution in this series is create a percentile line at 50% for the salary measure because percentile value at 50 % is exactly equal to the median value.

[-] **ajvela** 8 points over 2 years ago

Yes ,tested, it's working

[-] **Koalakueh** 1 point over 1 year ago

Also, "Some question sets might have more than one correct solution". Even though the previous question's ans of "using the salary measure and setting 50% percentile" is a possible solution, this new option here can also be a possible solution

[-] **JPGo** 7 points over 2 years ago

Selected Answer: A

This should work, not sure why not.

[-] **a2c7cd3** 1 point about 1 month ago

Selected Answer: B

I'd say B is correct. You cannot create the median just by using the Salary measure. There are two functions, MEDIAN and MEDIANX. MEDIAN can only accept a column that exists in the semantic model, while MEDIANX requires a table first.

Therefore, a possible measure for the median could be formulated as follows:


```
MedianValue =  
VAR T1 = ADDCOLUMNS(VALUES('Employee'[Employee]), "Median", [Salary])  
RETURN MEDIANX(T1, [Median])
```

[-] **a2c7cd3** 1 point about 2 months ago

Selected Answer: B

MEDIAN(<Column>) needs a Column from the table, not a measure, so B is right

[-] **sroumi** 1 point 4 months ago

Selected Answer: B

Simply using the Salary measure to add a median line won't correctly compute the overall median salary across all employees. When you add a reference line based on the Salary measure, Power BI will typically aggregate (sum or average) the salary for each employee based on the context of the visual. It won't automatically calculate the median value across all data.

[-] **0002110** 1 point 5 months ago

Selected Answer: B

To create a reference line for showing which employees are above the median salary, you would need to calculate the median value of the Salary and then add that as a reference line to the chart. However, simply creating a median line by using the Salary measure itself would not necessarily give you the median value directly, since the Salary measure might be aggregated and doesn't directly calculate the median across employees. You would need to calculate the median of the Salary field.

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: A

A - Yes

[-] **TrainingCA06** 2 points over 1 year ago

THE ONLY WAY TO CREATE A You need to create a reference line in a clustered bar chart is adding the percentile line, that is in the options on analytics, next right to the formatting icon.

[-] **Dani_eL** 1 point over 1 year ago

The answer is in the question:

You need to create a reference line to show which employees are above the median salary.

What would you use percentile when it talks about Median which readily available ??

Furthermore with percentile you need to expressly put the percentage which is not the case with median, median is median and that's it.

[-] **Dsbuff** 1 point over 1 year ago

Selected Answer: A

A. Yes, creating a median line using the Salary measure in your clustered bar chart will meet the goal of showing which employees are above the median salary.

[-] **Enrique67** 1 point over 1 year ago

Debe crear una línea de referencia para mostrar qué empleados están por encima del salario medio.
Salario medio no es lo mismo que mediana. La respuesta es la B. No

[-] **ExamPage** 1 point almost 2 years ago

Selected Answer: A

Yes.

See this shot video: <https://www.projectpro.io/recipes/use-median-line-analytics-pane-power-bi>

[-] **Acrious** 3 points about 2 years ago

A. as median lines are references lines and would be at the 50% mark

[-] **hungry85** 3 points over 2 years ago

A is correct because you create a median line which by itself is a 50th percentile

[-] **quxxy** 5 points over 2 years ago

I guess the thing is why "no" is correct is because previously we created percentile line at 50%... So newly created measure would work but it's creating is not necessary...

[-] **Shalaleh** 2 points over 2 years ago

but questions are independent.

[-] **Nawabi** 2 points over 2 years ago

makes sense but dont know which one is right. if we consider linkage to previous questions you are right.

[-] **mambamota** 2 points over 2 years ago

Selected Answer: A
Should be A

Question 255

DRAG DROP

-

You have a Power BI report that contains a table visual with a measure named Revenue. The Revenue measure returns values within a range of 0 to 5.

You need to format the visual so that the Revenue column displays a specific background color based on the value range shown in the following table.

Range	Background color
Values equal to zero	#FFFFFF
Values above 0 and less than or equal to 2	#FFC000
Values above 2 and less than or equal to 3	#E2EFDA
Values above 3 and less than or equal to 4	#A9D062
Values above 4	#00B050

Which three actions should you perform in sequence in Power BI Desktop? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Set Format style to **Rules**.
- Add and configure a new rule for each value range.
- Set Format style to **Field value**.
- Open the **Background color** dialog for the Revenue column.
- Open the **Font color** dialog for the Revenue column.

Answer Area



Hide Answer

Correct answer:

Answer Area

- Open the **Background color** dialog for the Revenue column.
- Set Format style to **Rules**.
- Add and configure a new rule for each value range.

[-] **JBTC 41 points** over 2 years ago

Answer is correct

Open the Background color dialog for the revenue column.
set format style to rules.

Add and configure a new rule for each value range.

[-] **Shalaleh 8 points** over 2 years ago

4-1-2 is the correct order.

[-] **Lulu_2022 1 point** about 1 month ago

✅ Step 1: Open the Background color dialog for the Revenue column

This targets the specific field you want to format.

You access this by selecting the dropdown next to Revenue in the Values well of the table visual, then choosing Conditional formatting → Background color.

✅ Step 2: Set Format style to Rules

This tells Power BI you want to apply custom logic rather than a color scale or field value.

The Rules option allows you to define specific value ranges and assign colors to each.

✅ Step 3: Add and configure a new rule for each value range

You define the logic like:

If value ≥ 0 and $< 2 \rightarrow$ Red

If value ≥ 2 and $< 4 \rightarrow$ Yellow

If value ≥ 4 and $\leq 5 \rightarrow$ Green

Each rule maps a numeric range to a color, giving you precise control over how the background color reflects the data.

[-] **jaume 1 point** 9 months ago

Given option is the "standard" and more usual way to proceed... but since we have color codes in the table, if the table would be available in the data model and there would be a column stating the range as in the left column in this table, we could also use the "Field Value" option to set the conditional formatting.

Since it's not clear table is available in the data model, let's stick to the "usual way"

[-] **LuluSkyy 1 point** 9 months ago

The given answer is correct. 4-1-2

[-] **539d541 1 point** 11 months ago

Given answer is correct

[-] **rcaliandro 1 point** 12 months ago

4 - Open the background color dialog for the Revenue column

1 - Set Format style to Rules

2 - Add and configure a new rule for each value range

[-] **JudT 1 point** over 1 year ago

Given answer is correct

[-] **Florinuca 2 points** over 1 year ago

The options selected are correct, also their order.

[-] **Exam_Topics_Master 2 points** over 1 year ago

Correct

[-] **srikanth923 4 points** over 2 years ago

answer is correct.

[-] **Danylessoucis 2 points** over 2 years ago

You must have created the calculated column before using it in field value.

- 1 add rule
- 2 open background
- 3 field value

[-] **Nuli** 4 points over 2 years ago

Answer is correct.

[-] **Sushvij** 5 points over 2 years ago

Open the Background color dialog for the revenue column
set format style to rules
Add and configure a new rule for each value range

Question 256



You have a Power BI report that contains four pages.

All the pages contain a slicer for a field named Country.

You need to ensure that when a user selects a country on page 1, the selection is retained on page 2 and page 3.
The solution must prevent page 4 from being affected by selections on the other pages.

What should you do?

- A. Remove the Country slicer from page 1, page 2, and page 3. Add the Country field to the page-level filters.
- B. Remove the Country slicer from page 1, page 2, and page 3. Add the Country field to the report-level filters.
- C. Move the Country slicer from page 2 and page 3 to page 1.
- D. Sync the Country slicer on page 1, page 2, and page 3.

Hide Answer

[-] **Narband2778** 14 points over 2 years ago

Selected Answer: D
D is the correct answer.

[-] **SamuComqi** 10 points about 2 years ago

Selected Answer: D
I passed the exam today (948/1000). My answer was:
- Sync the Country slicer on page 1, page 2, and page 3

[-] **jaume** 1 point 9 months ago

Selected Answer: D
Since selection should affect three out of 4 pages, we can not set the page-level filter nor the report-level filter.
Moving slicer from page 2 and 4 to pge 1 would simply make impossible the slicer in page 1 would affect them.
Right solution is sync'ing the three required slicers

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: D
D. Sync the Country slicer on page 1, page 2, and page 3. (Correct answer)

[-] **b7c21a9** 2 points over 1 year ago

28-Mar-24 - This Q came up

[-] Dsbuff 1 point over 1 year ago

Selected Answer: D

Syncing the slicers across pages 1, 2, and 3 allows for a consistent filter selection across these pages. Page 4 will remain unaffected.

Syncing the slicers across pages 1, 2, and 3 allows for a consistent filter selection across these pages. Page 4 will remain unaffected.

[-] **Erick94** 5 points over 2 years ago

Selected Answer: D

The answer is D

The answer is D

[-] **dnjJ56** 3 points over 2 years ago

D is correct


D is correct

Question 257 ^

DRAG DROP -

You use Power BI Desktop to create a Power BI data model and a blank report.

You need to add the Word Cloud visual shown in the following exhibit to the report.



The solution must minimize development effort.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

From a web browser, download the PBIVIZ file for the Word Cloud visual from Microsoft AppSource.

Format the data colors and title.

From Power BI Desktop, get the Word Cloud visual from Microsoft AppSource.

Populate the drillthrough fields.

Populate the Category, Value, and Excludes fields.

Answer Area[Hide Answer](#)**Correct answer:****Actions**

From a web browser, download the PBIVIZ file for the Word Cloud visual from Microsoft AppSource.

Format the data colors and title.

From Power BI Desktop, get the Word Cloud visual from Microsoft AppSource.

Populate the drillthrough fields.

Populate the Category, Value, and Excludes fields.

**Answer Area**

From Power BI Desktop, get the Word Cloud visual from Microsoft AppSource.

Populate the Category, Value, and Excludes fields.

Format the data colors and title.



[-] **eholzapf** 139 points over 2 years ago

Should be:

1. From Power BI Desktop, get the Word Cloud visual from Microsoft AppSource
 2. Populate the Category, Value, and Excludes fields
 3. Format the data colors and title (Colors in the Exhibit are different from the default colors)
- Tutorial: <https://www.youtube.com/watch?v=brkbbS4GSGw>

[-] **539d541** 1 point 11 months ago

Yes, answer given on here is so wrong otherwise...you have the right order

[-] **JudT** 2 points over 1 year ago

Great link! Ta

[-] **df14ce0** 18 points over 2 years ago

Wrong answer

the answer is:

- From Power BI Desktop, get...
- Populate the Category, Value, and Excludes fields
- Format the data colors and title

[-] **ushakiranr** 6 points over 2 years ago

correct.

[https://www.acuitytraining.co.uk/news-tips/power-bi-word-cloud-](https://www.acuitytraining.co.uk/news-tips/power-bi-word-cloud-visual/#:~:text=Importing%20The%20Word%20Cloud%20Visual%20In%20Power%20BI&text=Click%20the%20%E2%80%99)

[visual/#:~:text=Importing%20The%20Word%20Cloud%20Visual%20In%20Power%20BI&text=Click%20the%20%E2%80%99](https://www.acuitytraining.co.uk/news-tips/power-bi-word-cloud-visual/#:~:text=Importing%20The%20Word%20Cloud%20Visual%20In%20Power%20BI&text=Click%20the%20%E2%80%99)

[-] **Jasmine121** 1 point 6 months ago

Isn't that

From Desktop get more visuals > Populate Categories...you want > Format those things ?

[-] **jaume** 1 point 9 months ago

I really cannot understand it can be suggested to get the PBIVIZ from MS Appsource and as second step, get once again the visual from MS Appsource but using PBI Desktop instead the web browser.....
Are the answers selected randomly?

Thanks to the community to share the right answer

[-] **Dani_eL** 1 point 11 months ago

I assume that at the time the question was built, PBI was not as mature as it is right now. Current PBI version (Version: 2.135.7627.0 64-bit (aug 2024) has direct download to Viz library meaning:
the answer is:

- From Power BI Desktop, get...
- Populate the Category, Value, and Excludes fields
- Format the data colors and title

[-] **rcaliandro** 1 point 12 months ago

It should be 3, 5, 2

[-] **b7c21a9** 2 points over 1 year ago

28-Mar-24 - This Q came up

[-] **DataEngDP** 2 points over 1 year ago

1. From Power BI Desktop....
2. Populate....
3. Format....

[-] **kimii1993** 9 points over 1 year ago

This was on the exam today. Passed with 917/1000

I answered:

- From PBI desktop...
- Populate category...
- Format color...

[-] **Acrious** 3 points about 2 years ago

3,5,2 for sure. You can just grab it from AppSource from within Power BI Desktop, no need to download anything yourself using a web browser.

[-] **Shalaleh** 3 points over 2 years ago

3-5-2 is the correct order.

[-] **dnjJ56** 3 points over 2 years ago

Answer is wrong

it should be 1,5,2 is correct

[-] **Acrious** 1 point about 2 years ago

No , it would be 3,5,2 you can download directly from appsource from within Power BI Desktop. If you do what you suggested, how did the theme get loaded anywhere to modify and to use?

Question 258

You build a report to help the sales team understand its performance and the drivers of sales.

The team needs to have a single visualization to identify which factors affect success.

Which type of visualization should you use?

A. Key influencers

B. Line and clustered column chart

C. Q&A

D. Funnel chart

Hide Answer

[-] **fdsdgxcvbsdfshshfg** 68 points almost 3 years ago

Selected Answer: A

Microsoft just loves pushing Key Influencers down your throat

[-] **cica07** 3 points over 2 years ago

so true LOL

[-] **lcamp** 2 points over 2 years ago

LOL!!!!!!!!!!!!

[-] **Churato** 2 points almost 3 years ago

indeed LOL

[-] **Snow_28** 6 points almost 3 years ago

A will be the legit answer

[-] **luisnc** 2 points over 2 years ago

Your answer is legit

[-] **jaume** 1 point 9 months ago

Selected Answer: A

Key Influencers is my vote

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: A

Key influencers

[-] **shahrzadkhhb** 2 points about 1 year ago

Selected Answer: A

Key influencers helps to see what factor drive a metrics you are interested in.

[-] **Usm_9** 5 points over 1 year ago

WAS ON THE EXAM 02 03 2024

[-] **lgetmyrole** 2 points almost 2 years ago

A is the correct answer.

Using Key Influencers visual allows you to pinpoint the factors that have the most influence on your sales performance.

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: A

A is correct.

[-] **jboiret** 3 points over 2 years ago

Selected Answer: A

Answer A

[-] **Patrick666** 1 point over 2 years ago

Selected Answer: A

[-] **vinodaggarwal** 3 points over 2 years ago

Selected Answer: A

It is a its correct

[-] **dorypl300** 4 points almost 3 years ago

...which factors affect --> Key Influencers

[-] **centrumadresowe** 3 points almost 3 years ago

Selected Answer: A

Key Inf.

[-] **lukelin08** 3 points almost 3 years ago

Selected Answer: A

'A' is correct

Question 259



DRAG DROP -

You have a Power BI report that contains five bookmarks.

You need to add an object to the report from which users can navigate between three specific bookmarks.

How should you complete the task? To answer, drag the appropriate actions to the correct steps. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Actions

Add a Bookmark button.

Change the Bookmark property for the button.

Group the other two bookmarks.

Group the three bookmarks.

Answer Area

First step: Add a Bookmark navigator button.

Second step:

Third step:

Hide Answer

Correct answer:

Actions

Add a Bookmark button.

Change the Bookmark property for the button.

Group the other two bookmarks.

Group the three bookmarks.

Answer Area

First step: Add a Bookmark navigator button.

Second step: Group the three bookmarks.

Third step: Change the Bookmark property for the button.

[-] **Turmalino** 82 points over 2 years ago

Shouldn't it be the other way around:

Second step: Group the three bookmarks

Third step: Change the Bookmark property for the button.

Otherwise the group is not available to be chosen in the property.

[-] **JudT** 11 points over 1 year ago

Tested:

1 - Add the bookmark Navigator button

2 - Group the three bookmarks

3 - Change the Bookmark property for the button

[-] **JudT** 1 point over 1 year ago

* Navigator button *

[-] **madyjoe21** 12 points over 2 years ago

Agree! <https://www.youtube.com/watch?v=IdXK470YwAQ>

[-] **XianglvLi** 9 points over 2 years ago

I agree with Turmalino, you have to group three bookmarks and then choose the group name you want to show in the Format Navigator, the video helps <https://www.youtube.com/watch?v=IdXK470YwAQ>

[-] **Lulu_2022** 1 point about 1 month ago

Correct Order of Actions:

Group the three bookmarks → This step organizes the bookmarks you want to include in the navigator and allows you to isolate them from the others.

Insert a bookmark navigator → Go to Insert → Buttons → Navigator → Bookmark navigator. This automatically creates a set of buttons linked to your bookmarks.

Configure the navigator to use the bookmark group → In the Format pane, under Bookmarks, select the group you created so only those three bookmarks appear in the navigator.

[-] **Dani_eL** 1 point 11 months ago

You need to group the bookmarks you want to use first (in bookmarks, shift select your bookmarks, then right click > group) so you will be able to select the group in the bookmark dropdown (properties of the visual)

[-] **539d541** 1 point 11 months ago

Given answer is wrong. Should be:

Second step: Group the three bookmarks

Third step: Change the Bookmark property for the button.

[-] **e3ddceb** 1 point about 1 year ago

The correct sequence is: Add a bookmark navigation button → Group the three bookmarks → Change the Bookmark property for the button.

[-] **Dani_eL** 1 point over 1 year ago

You will first group the bookmarks you want to pilot;
Then Add A bookmark Navigator
Finally Format > Bookmarks > select group

[-] **UlyUkr** 5 points about 2 years ago

Correct answer is:

Second step: Group the three bookmarks

Third step: Change the Bookmark property for the button.

[-] **ushakiranr** 2 points over 2 years ago

The answer is correct!

Question 260

You plan to use Power BI to create sales invoices for customers. The solution must meet the following requirements:

- Sales invoices must be exported in a PDF format.
- The PDF exports must show all columns and rows clearly.

What should you create?

- A. a paginated report that contains a tablix
- B. a dashboard that contains a table
- C. an interactive report that contains a table
- D. an interactive report that contains a matrix

Hide Answer

[-] **XianglvLi** 18 points over 2 years ago

Selected Answer: A

This is a tutorial video <https://www.youtube.com/watch?v=5Fcf8eXRq2E>

[-] **SamuComqi** 15 points about 2 years ago

Selected Answer: A

I passed the exam today (948/1000). My answer was:

- a paginated report that contains a tablix

[-] **desibaby09** 1 point 8 months ago

Selected Answer: A

paginated report

[-] **jaume** 1 point 9 months ago

Selected Answer: A

Agree with the paginated report solution

[-] **539d541** 1 point 11 months ago

Selected Answer: A

Paginated report

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: A
I agree with A, but is "tablix" a typo? We mean table or matrix?

[-] **Dsbuff** 2 points over 1 year ago

Selected Answer: A
A. a paginated report that contains a tablix.

[-] **AdrianBalescu** 1 point over 1 year ago

<https://learn.microsoft.com/en-us/sql/reporting-services/report-design/tablix-data-region-report-builder-and-ssrs?view=sql-server-ver16>

[-] **Pas77789** 3 points over 2 years ago

A paginated report that contains a tablix

[-] **ushakiranr** 5 points over 2 years ago

Selected Answer: A
a paginated report that contains a tablix

Question 261

DRAG DROP

-

You have a Power BI report that contains three pages. The pages are used to analyze sales across various countries.

You add a slicer named Country to each page of the report.

You need to configure the report to meet the following requirements:

- When a user selects a country on the first page, the report must filter the other pages.
- The second and third pages must display only the filtered results.

Which task should you perform for each requirement? To answer, drag the appropriate task to the correct requirement. Each task may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Tasks

Add the Country field to the filters on all the pages

Configure the Country slicer to sync across all the pages

Configure the Country slicer to sync only on the second and third pages

Hide the Country slicer on the second and third pages

Answer Area

When a user selects a country on the first page, the report must filter the other pages:

The second and third pages must display only the filtered results:

Hide Answer

Correct answer:

Answer Area

When a user selects a country on the first page, the report must filter the other pages:

Add the Country field to the filters on all the pages

The second and third pages must display only the filtered results:

Configure the Country slicer to sync only on the second and third pages

[-] **Erick94** 136 points over 2 years ago

- Configure the Country slicer to sync across all the pages
- Hide the Country slicer on the second and third pages

[-] **Ana_L** 4 points over 1 year ago

Both questions are asking the same thing. When first page is filtered by country, the other two need to reflect the filter.

Configure the country slicer to sync across all the pages will satisfy both questions. Hiding the country slicer from last two pages, is more about user experience and report design than functionality required to meet the given requirements. In the instructions it says that the same task may be used multiple times.

[-] **AnnaBi** 5 points over 2 years ago

Correct!

[-] **Imrod** 1 point almost 2 years ago

I agree. For me that's correct

[-] **ZSun** 14 points about 2 years ago

The question is a little bit ambiguous:

"The second and third pages must display only the filtered results" means, there cannot be slicer!!!

[-] **INDEAVR** 4 points over 1 year ago

It is absurdly ambiguous I would say.

[-] **Lulu_2022** 1 point about 1 month ago

- Configure the Country slicer to sync across all the pages
- Hide the Country slicer on the second and third pages

[-] **gpsaran** 1 point 5 months ago

The answer given seems wrong because if you add the Country field to the filters on all pages it does not mean you are syncing it and therefore when they say that filtering one page should automatically filter other pages will not work on setting filters individually. You have to set report level filters then on all pages

[-] **VladStan** 2 points 11 months ago

- Configure the Country slicer to sync across all the pages
- Hide the Country slicer on the second and third pages

[-] **539d541** 1 point 11 months ago

Agree with ZSun. Question is very ambiguous....because they said the 2nd and 3rd pages show only filtered results, I would choose to:

- Configure the Country slicer to sync across all the pages
- Hide the Country slicer on the second and third pages

Hiding the slicer would prevent the user from seeing anything other than the filtered results.

[-] **rcaliandro** 1 point 12 months ago

- Configure the Country slicer to sync across all the pages
- Hide the Country slicer on the second and third pages

[-] **SIH007** 1 point about 1 year ago

Bit difficult to answer, I agree to the second part
- Hide the Country slicer on the second and third pages

But at the moment there are 3 pages in the report, so both answers would be correct, as we don't know how a future page 4 should be handled

- Configure the Country slicer to sync across all the pages
- Hide the Country slicer on the second and third pages

[-] **Ana_L** 1 point over 1 year ago

Chatgpt as well as Gemini choose: Configure the country slicer to sync across all the pages, for both questions.

[-] **Dani_eL** 1 point over 1 year ago

You configure the country slicer to sync across all pages and disable visibility on page 2 and 3.

On page 1, select the slicer > Format > Edit interactions, set visual of page 1 to none. This will prevent filtering that visual only.

[-] **samianae** 2 points over 1 year ago

for me 3 and 4

[-] **ChampagneSickle** 2 points almost 2 years ago

The question is ambiguous and the requirement implies that the country chosen on Page 1 must only filter the other pages - meaning that Page 1 is not to be filtered at all. However, after testing - adding a slicer on Page 1 requires filtering on that page. I believe the correct answer is:

- Configure the Country slicer to sync across all the pages
- Hide the Country slicer on the second and third pages

[-] **_Radish_** 2 points about 2 years ago

why sync across all the pages? not only on the second and third pages?

[-] **cs3122** 1 point over 1 year ago

because in the first requirement, a country is selected on page 1. Therefore it is implied that page 1 is included in the sync.

[-] **bbshu0801** 1 point over 1 year ago

Same confusion.

[-] **Shalaleh** 1 point over 2 years ago

3 & 4 options

[-] **Minio1** 9 points over 2 years ago

Answer is wrong

- Configure country slicer to sync across all the pages and secondly,
- Since the 2nd and 3rd pages need just to display data, you simply hide the slicer (since it will be displaying data filtered from the main slicer in page 1)

[-] **ushakiranr** 4 points over 2 years ago

Configure country slicer to sync across all the pages

Add the country field to the filters on other pages

[-] **quxxy** 6 points over 2 years ago

I guess:

- Configure the Country slicer to sync only on the second and third pages
- Hide the Country slicer on the second and third pages

You have a Power BI report that contains a page. The page contains the following:

- A shape named Shape1
- A card named Sales Summary
- A clustered bar chart named Sales by Region

You need to ensure that Sales Summary renders on top of Shape1.

What should you modify?

- A. Tab order in the Selection pane
- B. Layer order in the Selection pane
- C. Maintain layer order in the General visual settings
- D. Vertical alignment in the Canvas settings

Hide Answer

[-] **SanaCanada** 19 points over 2 years ago

Selected Answer: B

B. Layer order in the Selection pane

To ensure that Sales Summary renders on top of Shape1, you need to adjust their layer order in the Selection pane. Power BI renders visuals based on the layer order in the Selection pane, with the topmost visual being rendered last and therefore appearing on top of other visuals.

To adjust the layer order, you can select the visuals in the Selection pane and drag them up or down to change their position in the layer order. In this case, you would want to select Sales Summary and drag it above Shape1 in the layer order to ensure it is rendered on top.

No confusion, and no need to discuss further

[-] **ushakiranr** 8 points over 2 years ago

Layer order in the selection pane

[-] **Jasmine121** 1 point 6 months ago

Selected Answer: B

Layer Order Document: <https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-customize-title-background-and-legend#customize-layer-order>

[-] **jaume** 1 point 9 months ago

Selected Answer: B

Selection Pane is the place to arrange all the items in a page of your report.

What you need to arrange is the layer order to ensure what layer is on top of the others.

[-] **539d541** 1 point 11 months ago

Selected Answer: B

Layer order is correct

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: B
Correct answer

[-] **Dsbuff** 1 point over 1 year ago

Selected Answer: B
B. Layer order in the Selection pane.

The layer order in the Selection pane determines the stacking order of visuals and shapes on the report page. By adjusting the layer order, you can place the "Sales Summary" card higher in the stack than "Shape1", ensuring it renders on top. Just like with layers in Photoshop. :)

[-] **Shalaleh** 4 points over 2 years ago

Selected Answer: B
From Selection pane----> layer order

Question 263

You have a Power BI report named Report1 and a dashboard named Dashboard1. Report1 contains a line chart named Sales by month.

You pin the Sales by month visual to Dashboard1.

In Report1, you change the Sales by month visual to a bar chart.

You need to ensure that the bar chart displays on Dashboard1.

What should you do?

- A. Refresh the dataset used by Report1 and Dashboard1.
- B. Pin the Sales by month bar chart to Dashboard1.
- C. Select Refresh visuals for Dashboard1.
- D. Edit the details for the dashboard tile of Dashboard1.

Hide Answer

[-] **SanaCanada** 46 points over 2 years ago

Selected Answer: B
B. Pin the Sales by month bar chart to Dashboard1.

When you pin a visual to a dashboard, you are essentially taking a snapshot of that visual at that point in time and adding it to the dashboard as a tile. Any changes made to the original visual in the report will not automatically reflect in the dashboard tile. To display the bar chart on Dashboard1, you need to pin the new Sales by month bar chart to Dashboard1. No confusion, and no need to discuss further

[-] **anishk** 1 point about 1 year ago

all confusion cleared. so pin from home is okay?

[-] **JudT** 2 points over 1 year ago

Correct! No need at all...

[-] **noone420** 36 points over 1 year ago

[-] **sss_15** 9 points about 2 years ago

<https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-report-change-visualization-type>

If you change the visualization type in the report after you pinned it to your dashboard, the dashboard tile does not automatically update. So, if you used the Power BI service to pin the visualization as a line chart and then, in the report, changed it to a bar chart, the already-pinned version of this data will remain a line chart. Pin the bar chart to see it too on the dashboard.

[-] **jaume** 1 point 9 months ago

Selected Answer: B

New updated visual needs to be pinned again

[-] **VladStan** 2 points 11 months ago

I have just tested it.

Dashboard contains line chart tile.

In PB Desktop, I updated the report by changing the line chart to pie chart.

I publish the new report.

The dashboard tile is AUTOMATICALLY updated to pie chart. I didn't have to touch anything (live refresh).

This questions is weird. Maybe PB got updated in these regards recently...

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: B

correct answer

[-] **HenryBiz** 2 points about 1 year ago

Selected Answer: B

B. Pin the Sales by month bar chart to Dashboard1.

Ref: <https://learn.microsoft.com/en-us/power-bi/create-reports/service-dashboard-tiles>

"If the original visualization that's used to create the tile changes, the tile doesn't change. For example, if you pin a line chart from a report and then you change the line chart to a bar chart, the dashboard tile continues to show a line chart. The data refreshes, but the visualization type doesn't."

[-] **28485e1** 1 point over 1 year ago

"You have one bucket that holds 2 gallons, and another bucket that holds 5 gallons. How many buckets do you have?"

"... Two?"

[-] **28485e1** 1 point over 1 year ago

That was distressingly easy.

[-] **DataEngDP** 1 point over 1 year ago

Pin it, Pin it, Pin it must be funny...

[-] **AdrianBalescu** 1 point over 1 year ago

pin it again!

[-] **Brandon9696** 2 points about 2 years ago

In the scenario, it already states that you have pinned the visual to the dashboard. So I believe the correct answer would be A.

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: B

Otherwise there is no way!

[-] **MimoKnowsNothin** 5 points over 2 years ago

Selected Answer: B

<https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-report-change-visualization-type>

[-] **luisnc** 1 point over 2 years ago

here's the answer. thank you

[-] **FibreNet** 2 points over 2 years ago

I think it's C, the report is already pinned to the dashboard.

[-] **Shalaleh** 2 points over 2 years ago

simply check it. refresh dataset, report or dashboard does not work. in edit details there is no such a thing. the only way is to pin new visual to dashboard.

[-] **ushakiranr** 3 points over 2 years ago

Selected Answer: B

Pin sales by month bar chart to dashboard

Question 264



In Power BI Desktop, you are creating a report that will contain three pages.

You need to create a custom tooltip page and prepare the page for use.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. For the tooltip page, set Allow use as tooltip to On.

B. For the target page, set Allow use as tooltip to On.

C. Configure filters on the target visual.

D. For the tooltip page, configure filters.

E. Add and configure visuals on the tooltip page.

Hide Answer

[-] **XianglvLi** 29 points over 2 years ago

Selected Answer: ADE

1. E, Add and configure visuals on the tooltip page;
2. A, For the target page, set Allow use as tooltip to On;
3. D, Configure filter for preparation of tooltip page.
So my answer is ADE

[-] **WingL** 8 points almost 2 years ago

Do you mean BDE? For the target page is on option B not option A.

[-] **cs3122** 1 point over 1 year ago

I agree with this solution too.

[-] **sa56** 17 points over 2 years ago

in order , AEB

A : set option on to use the page as tool tip

E: add the visuals you want to display on the target page in the tool tip page

B : enable the tool tip option for the target report page

[-] **JohnChung** 1 point over 1 year ago

I watched a video about Tooltip at the Udemy PL-300 course. Yes, it should be AEB

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: ADE

A. Set "Allow use as tooltip" to On This tells Power BI that the page is intended to be used as a tooltip. You'll find this setting under Page Information in the Format pane. Without this, the page won't appear as an option when assigning tooltips to visuals.

D. Configure filters on the tooltip page This ensures the tooltip dynamically reflects the data point being hovered over. You can use Tooltip fields or page-level filters to control what data is shown in the tooltip.

E. Add and configure visuals on the tooltip page The tooltip page needs visuals (like cards, charts, etc.) to display meaningful information when triggered. These visuals should be compact and relevant to the context of the hover action.

[-] **jaume** 1 point 9 months ago

Selected Answer: ADE

Using PBI Version: 2.138.1004.0 64-bit (November 2024), there is no longer such "allow use as a tooltip" option there. I think it has sense since you are already selecting the "Page Type" to be a "Tooltip page", why would you select it to be a tooltip not allowing it to work as a tooltip page.

Anyway, for given list of solutions, if we must select three out of that list, option A must be there

[-] **52f8a31** 1 point 10 months ago

AEC is the good answer

[-] **Dani_eL** 3 points 11 months ago

Build a case! the solution is:

1. create a page, then in Page Information, give it a meaningful name(MY_TOOLTIP)

2. Page Information > Allow use as tooltip : ON

3. you want your tooltip to show corresponding information to what you are data hovering on your main page. So you need to apply filter to your tooltip so it can show the corresponding data. This is done in Visualizations > tooltip > Drag tooltip values

here --> this will show the tooltip when you hover the row/column/element where you want you custom tooltip to appear

4. Your main report and control that you want to give it a custom tooltip: click your control: visualizations > Format Visual > General > Options > Page --> select your tooltip page (MY_TOOLTIP).

So, what you dot is:

create a custom page with controls and allow it to be used as a tooltip

Apply filters on that page to be sync'd with what you will select

In your main page, select the control and tell it it will use your custom tooltip page.

--> E D A (or A D E)

[-] **539d541** 2 points 11 months ago

For those confused whether it should be A or B. It should be A. It's a bit in the English wording but the target page is

referencing the page containing the visuals that you want the tooltip to pop up on. You need to set the page that you want to act as a tooltip to be allowed to use as a tooltip. There is no way that you should do that from the target page.

Hence answers should be ADE

[-] **rcaliandro** 1 point 12 months ago

mi astengo =)

[-] **HenryBiz** 1 point about 1 year ago

Selected Answer: ADE

A, E, then D.

[-] **JudT** 1 point over 1 year ago

The correct answer is A, E, D

A - it's obvious as you will get a tooltip reduced page that you can customized as well

E - Drop a stacked bar chart that you will analyse by Revenue and Product for example

D - For the tooltip page, configure filters. Filter the best 5 Products by Revenue. Apply TOP N

Hope this will help...

[-] **28485e1** 1 point over 1 year ago

GPT says A, D, E.

[-] **Dsbuff** 2 points over 1 year ago

Selected Answer: ADE

A. For the tooltip page, set Allow use as tooltip to On. - This setting enables the page to be used as a tooltip.

D. For the tooltip page, configure filters. - Apply any necessary filters to the tooltip page to ensure it shows the relevant data when used as a tooltip.

E. Add and configure visuals on the tooltip page. - Design and configure the visuals on the tooltip page as needed. This step is crucial because the visuals you add here will be what's displayed in the tooltip.

[-] **deyoz** 1 point over 1 year ago

A, E and D

[-] **Houassa** 1 point over 1 year ago

En ordre:

1- E. Add and configure visuals on the tooltip page.

2- A. For the tooltip page, set Allow use as tooltip to On.

3- D. For the tooltip page, configure filters.

4- B. For the target page, set Allow use as tooltip to On.

5- C. Configure filters on the target visual.

Référence : <https://learn.microsoft.com/en-us/power-bi/create-reports/desktop-tooltips?tabs=powerbi-desktop>

[-] **Solaroz** 2 points almost 2 years ago

<https://www.youtube.com/watch?v=URTA7JZsAtw>

E, A, D

[-] **StudyPurposes** 1 point over 1 year ago

Based on this video, it's E A B

[-] **Diegovelazquez2** 4 points almost 2 years ago

<https://learn.microsoft.com/en-us/power-bi/create-reports/desktop-tooltips?tabs=powerbi-desktop>. It is A,D,E. We enable as a tooltip on the tooltip page, not on the target page, as seen in this web page.

[-] **SamiaAwais** 4 points almost 2 years ago

ADE No further discussion required <https://www.youtube.com/watch?v=URTA7JZsAtw>

[-] **WingL** 3 points almost 2 years ago

I will go with the answer ADE.

Why A not B?

From my understanding, the question is "Prepare a page for a tooltip, how do we create it"

So, I will go for ADE.

If the question is "How do we set the tooltip for our report?"

It could be the answer to ABDE.

[-] **taod** 6 points almost 2 years ago

Selected Answer: ABE

E-A-B

I just created a minimal working example and those were the steps.

I don't know what the filters are about in the answers and the discussion.

[-] **Tuvok79** 2 points about 2 years ago

1.E: First you create a new tab(tooltip page) and name it for example Tooltip 1and with the information/visuals you want to use as a tooltip function (i.e. config visuals)

2. A: Then you set to allow in the tooltip page under Format>Page information>set to use as tooitip to ON and lastly..

3. D: Then back in tooltip page you select which fields/columns the tooltip should show up on.

[-] **kelvin3105** 11 points about 2 years ago

Selected Answer: ACE

For me, this is the correct answer, vote if you agree.

[-] **XiaoV587** 2 points about 2 years ago

what filter?????

[-] **JJMC5544** 1 point about 2 years ago

A, E , and probably C

[-] **hanjoe** 3 points about 2 years ago

Selected Answer: BDE

<https://www.youtube.com/watch?v=URTA7JZsAtw>

[-] **Shalaleh** 2 points over 2 years ago

E;D;A is the correct order.

[-] **CG31** 6 points over 2 years ago

Selected Answer: ACE

<https://learn.microsoft.com/en-us/power-bi/create-reports/desktop-tooltips?tabs=powerbi-desktop>

[-] **Shalaleh** 3 points over 2 years ago

A& E are inevitable. but I am not sure about C. And I think the order is not that much important.

[-] **Maverick7513** 4 points over 2 years ago

Selected Answer: ADE

my mistake, i think it's ADE. No need to configure filters on target page

[-] **Maverick7513** 2 points over 2 years ago

in order to work, you have to set Allow use as tooltip to On on the tooltip page. On the target visual you have to configure the tooltip options on the format pane but it s not a filter so i'm confused...but would go for ACE

[-] **luisnc** 6 points over 2 years ago

From my testing the answers would be A, E, C.

First step to allow the report page to be a tooltip page.

Then you could choose to Filter the tooltip section of the target visual to show the tooltip page as a tooltip, or add visuals to

the tooltip page. To me make it make more sense to add visuals to the tooltip page first, and once the tooltip page is ready, apply the filter to the target visual to show the fully prepared tooltip page as a tooltip

[-] **sa56** 1 point over 2 years ago

we are not configuring the filters in target page , jut setting up allow on target page

[-] **XianglvLi** 4 points over 2 years ago

Selected Answer: BDE

It is weird that there is no answer I prefer, my choices are:

1. E, Add and configure visuals on the tooltip page; (you have to create a tooltip page)
 2. D, For the tooltips page, configure filters; (otherwise, the tooltips page wouldn't filter based on the target visual)
 3. B, For the target page, set Allow use as tooltips to On. (choose Tooltips under options)
- So the answer is BDE.

The reference is <https://www.youtube.com/watch?v=URTA7JZsAtw>

[-] **Akhilesh_Maithani** 3 points over 2 years ago

ACE is correct

[-] **sa56** 3 points over 2 years ago

Sorry ABE tested

[-] **sa56** 4 points over 2 years ago

ACE , tested and verified

[-] **sa56** 3 points over 2 years ago

answer should be ACE

Question 265

DRAG DROP

-

You need to use AI insights to add a column of enhanced data based on the customer feedback. The solution must identify the following:

- What the customers most often provide feedback about
- Whether the customers like your company's product
- The language of the feedback

Which AI insights service should you use for each output? To answer, drag the appropriate services to the correct outputs. Each service may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

AI Insights services

Image Tagging

Key Phrase Extraction

Language Detection

Sentiment Analysis

Answer Area

What the customers most often provide feedback about:

Whether the customers like your company's product:

The language of the feedback:

Correct answer:

Answer Area

What the customers most often provide feedback about: Key Phrase Extraction

Whether the customers like your company's product: Sentiment Analysis

The language of the feedback: Language Detection

[-] **Karth** 29 points over 2 years ago

IMO given answers are correct.

[-] **Shalaleh** 27 points over 2 years ago

Guys, If you not familiar with these phrases like me, open power query, in Home tab there is Text Analysis. you can find there.

[-] **Imrod** 1 point almost 2 years ago

Thanks @Shalaleh

[-] **jaume** 4 points 9 months ago

Thanks Shalaleh.

Just for the record, in Version: 2.138.1004.0 64-bit (November 2024) this is called "Text Analytcs" and the three options are named "Detect Language", "Extract Key phrases" and "Score sentiment"

[-] **LuluSkyy** 3 points 9 months ago

The given answer is correct. Key Phrase, Sentiment analysis and Language detection.

[-] **rcaliandro** 1 point 12 months ago

The ansswer is correct

[-] **MoneyStacking** 1 point over 1 year ago

- Key Phrase Extraction: a text analysis technique that extracts important words and phrases from the input text
- Sentiment analysis: is the process of analyzing digital text to determine if the emotional tone of the message is positive, negative, or neutral
- Language Detection: usually used to identify the language of business texts like emails and chats

[-] **Yawak** 4 points over 1 year ago

<https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-ai-insights>

[-] **Solaroz** 1 point almost 2 years ago

<https://www.youtube.com/watch?v=dvyD-qeoHM4>

[-] **Acrious** 2 points about 2 years ago

Correct

You have a Power BI tenant that allows users to export data.

You need to ensure that consumers of ReportA cannot export any data from visuals.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From Power BI Desktop, modify the Report settings.
- B. From Power BI Desktop, modify the Data Load settings.
- C. From the Power BI service, modify the dataset permissions.
- D. From the Power BI service, modify the Report settings.

Hide Answer

[-] **luisnc** 21 points over 2 years ago

I'll choose A and D: <https://learn.microsoft.com/en-us/business-applications-release-notes/october18/intelligence-platform/power-bi-desktop/per-report-control-data-export>

[-] **Moabdil** 6 points over 2 years ago

I think that correct answer is C and A. D is not possible as there is no option for report setting in PBI Service

[-] **Lotusss** 6 points over 2 years ago

You are wrong, there is a report setting in Power Bi Service.

[-] **0002110** 2 points 5 months ago

Selected Answer: CD

A. From Power BI Desktop, modify the Report settings:

Power BI Desktop does not have an option to prevent data export. The export settings for visuals are configured at the Power BI service level, not in Power BI Desktop.

B. From Power BI Desktop, modify the Data Load settings:

The Data Load settings in Power BI Desktop primarily control how data is loaded into the model and how it is stored (e.g., Import or DirectQuery). These settings are not related to exporting data from visuals.

[-] **b2775a4** 1 point 6 months ago

Selected Answer: AD

Why not C: Modifying dataset permissions controls access to the dataset, but it doesn't specifically prevent exporting data from the report visuals.

[-] **jaume** 1 point 9 months ago

Selected Answer: AD

I would vote for A & D as they are the proposed solutions modifying the Report Settings.

We are looking to prevent export for a report and modifying any dataset setting could impact not only the specific report but other reports using that dataset.

The Data Load settings has nothing to do with users exporting data but with data being loaded into the report

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: AD

In my opinion is AD

[-] **cs3122** 3 points over 1 year ago

Selected Answer: AD

A&D are correct. You can disable exporting using both of these, and are complete solutions

[-] **william_001** 4 points over 1 year ago

Selected Answer: AD

A, D is correct,

<https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-export-data?tabs=powerbi-service>

[-] **GrootPiemel** 3 points almost 2 years ago

I agree with A & D, but can someone explain why C is NOT correct?

[-] **TalktomeGoOse** 2 points about 2 years ago

Selected Answer: AD

<https://learn.microsoft.com/en-us/business-applications-release-notes/october18/intelligence-platform/power-bi-desktop/per-report-control-data-export>

[-] **Shalaleh** 1 point over 2 years ago

I think D is not correct, there is no such an option in Power BI service to disable export only for one specific report. Admin can disable or enable it for entire organization or specific groups.

[-] **JJMC5544** 3 points about 2 years ago

There is. Report Settings > Export Data

[-] **Shalaleh** 1 point over 2 years ago

I checked it. A & D:

In data load there is no option for Export!

[-] **Maverick7513** 4 points over 2 years ago

Selected Answer: AD

Each correct answer presents a complete solution so A and D. You can configure report settings both in desktop and power bi service

[-] **Newb007** 1 point over 2 years ago

Why A and C ???? its A and D just go look lol. PBI Service... File...Settings...Export Settings similar in PBI Desktop

[-] **Retro01** 2 points over 2 years ago

A and C is correct.

[-] **Leon333** 1 point over 2 years ago

yes I agree.

[-] **KMLearn3** 2 points over 2 years ago

Selected Answer: AD

Report Settings in Desktop and Service

Question 267



You have a Power BI report that will be rendered on a vertical display.

You need to maximize the portion of the screen area used by the report.

What should you do?

- A. From the Canvas background setting of Power BI Desktop, configure the Image fit setting.
- B. From the Canvas settings of Power BI Desktop, set a custom width and height.
- C. From Power BI Desktop, select Personalize visuals.
- D. From the Power BI service, enable the Pages pane.

Hide Answer

[-] **SanaCanada** 21 points over 2 years ago

Selected Answer: B

B. From the Canvas settings of Power BI Desktop, set a custom width and height.

To maximize the portion of the screen area used by the report when it is displayed on a vertical screen, you should set a custom width and height for the report canvas in Power BI Desktop. This will allow you to adjust the size of the report canvas to fit the dimensions of the vertical screen, which will result in the report taking up as much space as possible on the screen. Option A, configuring the Image fit setting, is not relevant to maximizing the screen area used by the report.

Option C, selecting Personalize visuals, allows you to change the appearance and behavior of individual visuals within the report, but it does not relate to maximizing screen area.

Option D, enabling the Pages pane, allows you to navigate between pages in a report, but it does not relate to maximizing screen area either.

No confusion, and no need to discuss further

[-] **Dani_eL** 1 point 11 months ago

please elaborate with sequence selection -> where is canvas settings > menus to select custom width etc

[-] **Imml_et** 1 point 7 months ago

Report View > Visualizations pane > Format tab > Canvas settings > Type: Custom

[-] **jaume** 1 point 9 months ago

Selected Answer: B

Is the only option in the list dealing with dimensions of our report.

There is no mention of any image in the report and, anyway, option A would fit the image to the canvas but is not maximizing the screen area

Personalizing visuals is also just adjusting some visuals size but not the report canvas and enabling/disabling pages pane so is not dealing with our requirement

[-] **LuluSkyy** 1 point 9 months ago

B is the correct answer

[-] **Dani_eL** 1 point 11 months ago

click on your page > visualizations > Under Page information you will find Canvas Settings.

You will find a dropdown with predefined types, one of them is CUSTOM, you can then set Height and Width according to your needs.

[-] **539d541** 1 point 11 months ago

Given answer B is correct - no confusion and no need for further discussion.

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: B

B. From the Canvas settings of Power BI Desktop, set a custom width and height.

[-] **28485e1** 2 points over 1 year ago

I guessed A initially, but it isn't saying it will automatically fit to a vertical screen. It's likely saying that it will squish down the horizontal image to fit. This is why B is correct.

[-] **Dsbuff** 1 point over 1 year ago

Selected Answer: B

B. From the Canvas settings of Power BI Desktop, set a custom width and height.

[-] **MBBB** 1 point almost 2 years ago

Selected Answer: B

B. From the Canvas settings of Power BI Desktop, set a custom width and height.

correct and the only option

[-] **AnnaBi** 4 points over 2 years ago

Correct answer!

Question 268



You need to create a visual that compares profit across 10 product categories for a selected quarter.

What is the best visual to use to achieve the goal?

- A. an area chart
- B. a funnel chart
- C. a clustered bar chart
- D. a line chart

Hide Answer

[-] **SanaCanada** 22 points over 2 years ago

Selected Answer: C

C. A clustered bar chart.

A clustered bar chart is the best visual to use to compare profit across 10 product categories for a selected quarter. It allows you to easily compare the profit of each category side-by-side, making it easy to identify the highest and lowest performers.

In addition, a clustered bar chart is effective at displaying discrete data, such as categories, which makes it the ideal choice for this scenario.

No confusion, and no need to discuss further

[-] **JudT** 1 point over 1 year ago

Correct! Cheers Sana

[-] **DataEngDP** 1 point over 1 year ago

Indeed, a clustered bar chart is the best option for categorical data but I will discuss if i want to!

[-] **Suraj97** 9 points over 1 year ago

I will discuss if I want to. But, yeah option C is the right answer.

[-] **Lotusss** 5 points over 2 years ago

C is correct.

[-] **jaume** 1 point 9 months ago

Selected Answer: C

line graph is useful to compare evolution across time but this is to compare products in a single quarter.

The clustered bar chart will allow us to compare the profit by comparing the height of the columns

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: C
C. a clustered bar chart

[-] **AdrianBalescu** 2 points over 1 year ago

a clustered bar charts with 10 bars each cluster

[-] **Narband2778** 5 points over 2 years ago

Selected Answer: C
C is the right answer.

Question 269

HOTSPOT -


You have a table that contains the following three columns:

City -

⇒ Total Sales

⇒ Occupation

You need to create a key influencers visualization as shown in the exhibit. (Click the Exhibit tab.)



How should you configure the visualization? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Analyze:

	▼
City	
Occupation	
Total Sales	

Explain by:

	▼
City	
Occupation	
Total Sales	

Hide Answer

Correct answer:

Box 1: Total Sales -

The key influencers visual helps you understand the factors that drive a metric you're interested in, here Total Sales. It analyzes your data, ranks the factors that matter, and displays them as key influencers.

Box 2: Occupation -

Measures and summarized columns are automatically analyzed at the level of the Explain by fields used.

Reference:

<https://docs.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-influencers>

Answer Area

Analyze:

	▼
City	
Occupation	
Total Sales	

Explain by:

	▼
City	
Occupation	
Total Sales	

[-] [centrumadresowe](#) 53 points almost 3 years ago

100%

Total Sales

Occupation

[-] [lukelin08](#) 19 points almost 3 years ago

Total Sales
Occupation

[-] **Lulu_2022** 1 point about 1 month ago

correct answer.

[-] **LuluSkyy** 2 points 9 months ago

The answer is on the question. Total sales and Occupation

[-] **rcaliandro** 1 point 12 months ago

The answer is correct: Total sales, occupation

[-] **shahrzadkhh** 1 point about 1 year ago

what we try to analyze in this visualization is understand the factors influence on the total sale. Specifically, this factor is occupation. Therefore, the answer would be total sales and occupation.

[-] **Palwashai** 1 point about 1 year ago

Correct answer given

[-] **b7c21a9** 5 points over 1 year ago

28-Mar-24 - This Q came up

[-] **georgian4344** 2 points over 1 year ago

Yes correct

[-] **08b2ddd** 2 points over 1 year ago

CORRECT

[-] **lgetmyrole** 5 points almost 2 years ago

Total Sales

Occupation

In the Analyze part what we want is to know which attribute influences "Total Sales" to increase.

In the Explain by section, we want to understand how different "Occupation" affect the average of "Total Sales."

[-] **MoxieTT** 6 points about 2 years ago

This was on the exam

[-] **baraSIR** 2 points over 2 years ago

Total Sales

Occupation

[-] **RazaTheLegend** 4 points over 2 years ago

Total Sales

Occupation

[-] **Patrick666** 5 points over 2 years ago

Total Sales

Occupation

[-] **Sunny_008** 9 points almost 3 years ago

Correct Answer

You have a Power BI dataset named Finance that is hosted in a Power BI workspace.

The finance team at your company is NOT currently a member of any Power BI workspace roles.

You need to enable the finance team to use Microsoft Excel to analyze the Finance dataset.

What should you do?

- A. Grant the finance team build permissions to the Finance dataset.
- B. Provide an Excel workbook that is connected to the Finance dataset.
- C. Create a row-level security (RLS) role and add the finance team to the role as members.
- D. Grant the finance team write permissions to the Finance dataset.

Hide Answer

[-] **Maverick7513** 26 points over 2 years ago

Selected Answer: A

you have to have at least build permissions on the dataset

<https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-connect-power-bi-datasets-excel>

[-] **Shalaleh** 4 points over 2 years ago

this page explains correctly. A is correct.

[-] **sa56** 23 points over 2 years ago

To enable the finance team to use Microsoft Excel to analyze the Finance dataset, you need to provide them with an Excel workbook that is connected to the dataset. This can be done by installing the Power BI publisher for Excel add-in, connecting to the Finance dataset, and then importing the data into Excel. Once the data is in Excel, the finance team can use all of

Excel's analytical capabilities to analyze and visualize the data.

Granting build permissions (A) or write permissions (D) to the Finance dataset would allow the finance team to modify the dataset, which is not necessary for their analysis needs. Creating a row-level security (RLS) role and adding the finance team as members (C) would only be necessary if you needed to restrict access to specific rows of data in the Finance dataset based on user roles or permissions.

[-] **Of4908c** 1 point 6 months ago

Selected Answer: A

Build Allows user to build new content from the semantic model and find content that uses the semantic model.

Allows user to access reports that access composite models on Power BI Pro workspaces.

Allows user to build composite models.

Allows user to pull the data into Analyze in Excel.

Allows querying using external APIs such as XMLA.

Allows user to see hidden data fields.

<https://learn.microsoft.com/en-us/power-bi/connect-data/service-datasets-permissions>

[-] **jaume** 1 point 9 months ago

Selected Answer: A

In the URL shared by Maverick7513 is perfectly explained.

Several prerequisites to connect PBI Semantic Models (former dataset) to excel: live connection tenant setting must be

enabled, SMLA endpoints and Analyze in Excel with on-premises datasets tenant setting to be enabled.....

...but the most important prerequisite for this scenario is "you must have Build permission to the PBI Semantic model ot have at least Contributor role in PBI workspace containing te Semantic Model.

It has some sense a workspace has limited access, the dataset has also some security settings... you cannot bypass all these restrictions just by sharing an excel workbook connected to the dataset, it would be a back door to your data model

[-] **LuluSkyy** 1 point 9 months ago

The finance team is not part of any role in any workspace so I believe the correct answer is B.

[-] **Dani_eL** 1 point 11 months ago

you build a report having a table showing every single rows and columns, you publish it in your workspace, you let users export data with current layout and they have a copy in their local.

[-] **MattieK** 1 point 12 months ago

Still a little torn between answers. Co pilot says build permission should work but you also need to have a workspace role to access the dataset. And you can do a lot more than analyze in Excel. Also you still need to enable the option in the admin settings.

Giving them an Excel workbook connected to the dataset gives them ONLY the option analyse the dataset in Excel and even refresh the data. So I'm leaning to B.

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: A
AA is the correct one

[-] **c63b646** 1 point about 1 year ago

Selected Answer: B
Still unsure whether its A or B, and seems like the comments here are split between these two as well.

[-] **Uricata** 1 point over 1 year ago

B. Provide an Excel workbook that is connected to the Finance dataset.

By providing an Excel workbook connected to the Finance dataset, the finance team can use Microsoft Excel to analyze the dataset without needing to be members of any Power BI workspace roles. This approach allows them to leverage the data in the Finance dataset directly in Excel.

Granting the finance team build permissions to the Finance dataset (Option A) would allow them to create reports and dashboards directly within Power BI using the Finance dataset. However, since the requirement specifically mentions using Microsoft Excel for analysis, providing an Excel workbook connected to the dataset (Option B) seems to be the more suitable solution.

Option A might be a valid choice if the finance team needs to create Power BI reports, but for Excel analysis, Option B is more appropriate.

[-] **JudT** 1 point over 1 year ago

A is correct

[-] **JudT** 1 point over 1 year ago

Tested with 2 profiles:

Profile 1 : App access and Build permission > can Analyze in Excel

Profile 2 : Only App access > Can't Analyse in Excel

[-] **JJMC5544** 1 point about 2 years ago

B looks the closest answer.

[-] **CG31** 2 points over 2 years ago

Selected Answer: A

<https://learn.microsoft.com/en-us/training/modules/create-manage-workspaces-power-bi/2-distribute-report-dashboard?ns-enrollment-type=learningpath&ns-enrollment-id=learn-bizapps.manage-workspaces-datasets-power-bi>

[-] **Shalaleh** 4 points over 2 years ago

The finance team would need to be a member of the Power BI workspace containing the Finance dataset in order to access the dataset from Excel. The question mentions that the finance team is not currently a member of any Power BI workspace roles, which means they do not have any access to the workspace or the datasets within it.

However, it's important to note that in order to connect to the dataset from Excel, the user must also have the appropriate permissions to the dataset itself. This can be achieved either by being a member of a workspace role with appropriate permissions to the dataset or having Build permissions to the dataset directly.

So, to summarize, the finance team needs to be a member of the Power BI workspace containing the Finance dataset and have appropriate permissions to the dataset itself in order to connect to it from Excel

[-] **Moabdil** 1 point over 2 years ago

Can someone clarify if the correct answer is B or C ?

[-] **Dursem** 2 points over 2 years ago

I found out half a year ago during a project for finance that build permissions are needed. (A)

[-] **MSka** 1 point over 2 years ago

B
similar solutions described here that you have excel connected to the dataset:
<https://community.powerbi.com/t5/Power-Query/Connect-Excel-to-Power-BI-Dataset/m-p/1564731#M48468>

[-] **Lotusss** 5 points over 2 years ago

B is the correct one.

[-] **Moabdil** 2 points over 2 years ago

So, we consider than C is the correct one?

[-] **Shalaleh** 3 points over 2 years ago

the correct answer is A. you should have built permission or at least contributor role .

Question 271

You have a Power BI report that contains a visual. The visual contains a measure.

You need to ensure that the report meets the following requirements:

- All values must be set to two decimal places.
- All negative values must be displayed in red font and parentheses.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. For the visual, apply conditional formatting to the background color.
- B. Configure the measure to use a custom format.
- C. For the visual, apply conditional formatting to the font color.
- D. For the visual, set Value decimal places to 2.

Hide Answer

[-] **SamuComqi** 24 points about 2 years ago

Selected Answer: BC

I passed the exam today (948/1000). My answer was:

- Configure the measure to use a custom format
- For the visual, apply conditional formatting to the font color

[-] **fifi96** 4 points about 2 years ago

did you purchase contributor access for the exams? did it help?

[-] **madyjoe21** 3 points almost 2 years ago

yes, it does

[-] **Robby2521** 5 points almost 2 years ago

I have seen so many such comments. Why all get score 948?

[-] **lmrod** 4 points almost 2 years ago

It's true. Everybody that posts this reply, has the same note.

[-] **Andre12345** 14 points almost 2 years ago

It is the same person...

[-] **Maverick7513** 19 points over 2 years ago

Selected Answer: BC

B to format measure with parenthesis and decimals and c for configuring font color

[-] **b2775a4** 1 point 6 months ago

Selected Answer: BD

1.Set values to two decimal places:

To ensure all values have two decimal places, you can configure the visual by setting the "Value decimal places" to 2 under the Data label or Format pane. This is why D is correct.

2.Display negative values in red font and parentheses:

To achieve this, you need to apply a custom format to the measure. A custom format string can be configured in the measure settings (e.g., #,##0.00;(#,##0.00)).

#,##0.00;(#,##0.00): Formats positive numbers normally and displays negative numbers in red font with parentheses. This makes B correct.

[-] **Of4908c** 1 point 6 months ago

Selected Answer: CD

Decimal is not conditional formatting

[-] **jaume** 4 points 9 months ago

Selected Answer: BC

It's not enough set 2 decimal places as in option D as there is a requisite for negative values to be displayed in red font AND PARENTHESIS, that's the reason for the option B

Requisite is red FONT color not the background color, therefore second solution is option C

Requisite is red FONT color not the background color, therefore second solution is option C

[-] **LuluSkyy** 1 point 9 months ago

B and C is correct.

[-] **ec338ed** 1 point 10 months ago

BD

With conditional formatting it is not possible to do the paranthesis. This is only possible with a custom format.

[-] **ExamTopicsGuy123** 2 points 10 months ago

Selected Answer: BC

B & C is the correct answer as explained in this video : <https://www.youtube.com/watch?v=zLG4fAHgkK4>

[-] **539d541** 1 point 11 months ago

Selected Answer: BD

Wrong answer given...should be B & D. There is no way to give parantheses for negative value by configuring the visual font format....has to be custom

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: BC

BC is the correct answer

[-] **JudT** 1 point over 1 year ago

Tested - B and C is correct

[-] **28485e1** 1 point over 1 year ago

GPT says: B & C.

[-] **07552d9** 2 points over 1 year ago

Selected Answer: CD

FORMAT() will return a STRING, not number to use in visuals

[-] **msoui** 3 points over 1 year ago

the answers C and D could be correct if we dont need to add parentheses.

[-] **StudyPurposes** 1 point over 1 year ago

how to create a measure to set values to two decimal places?

[-] **cs3122** 3 points over 1 year ago

FORMAT()

<https://learn.microsoft.com/en-us/dax/format-function-dax>

[-] **mamuni123** 2 points over 1 year ago

Here is the code for custom measure for paranthesis Measure = var a =SUMX(FactInternetSales, FactInternetSales[DiscountAmount]-FactInternetSales[SalesAmount]) return format(a,"(##0.00)")

[-] **Acrious** 2 points about 2 years ago

Selected Answer: BC

Correct as many have stated the reasons

[-] **Iglesias** 2 points about 2 years ago

la respuesta B y la C sería la normal, pero si es tenemos una visualización tipo tarjeta, en la propia visualización se puede cambiar tanto los decimales, como el formato condicional , por lo tanto, al decir que el visual tiene una medida se entiende que es una tarjeta, por lo tanto C-D

[-] **Imrod** 1 point almost 2 years ago

I haven't found how to configure a card visual to show negative values with parenthesis. Only colour, size...

[-] **Shalaleh** 2 points over 2 years ago

why not D?

[-] **Dursem** 3 points over 2 years ago

without parentheses it's B and D.

with parentheses, custom format is required.

B and C is the answer.

[-] **Dursem** 1 point over 2 years ago

previous answer did not answer your question.
it is not a D because otherwise you miss the red color.

[-] **SanaCanada** 3 points over 2 years ago

Selected Answer: BC

Because..question each answer should be part of solutions...

D. For the visual, set Value decimal places to 2, is partially correct but it only addresses the first requirement of setting all values to two decimal places.

To address the second requirement of displaying negative values in red font and parentheses, we need to apply conditional formatting to the font color as stated in option C.

Therefore, we need to perform both actions: configuring the measure to use a custom format and applying conditional formatting to the font color.

No confusion, and no need to discuss further

[-] **ZSun** 3 points about 2 years ago

Add some details:

1. " Configure the measure to use a custom format. " applied to measures at "Model View"
2. "For the visual, apply conditional formatting to the font color." applied to columns of visualizations/chart at Report views

[-] **Narband2778** 2 points over 2 years ago

Selected Answer: BC

B&C are the right answers. You can able to format the Measure for 2 decimal and if we use the same measure in any visual would give 2 decimal.

[-] **Moabdil** 3 points over 2 years ago


From my point of view is C and B as with formar option we can set the format required.

Question 272

HOTSPOT

-

You are using Power Query Editor to preview the data in a column named Max Temp. The column statistics and value distribution are shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information

presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

The value that occurs most frequently in the column is [answer choice].

▼

25
41
45
1431

The smallest non-NULL value in the column is [answer choice].

▼

0
17
24
33

Hide Answer

Correct answer:

Answer Area

The value that occurs most frequently in the column is [answer choice].

The smallest non-NULL value in the column is [answer choice].

▼

25
41
45
1431

▼

0
17
24
33

[-] **Mohammedahe** 17 points almost 2 years ago

Correct!

[-] **pverde** 9 points about 2 years ago

Correct

[-] **jaume** 1 point 9 months ago

Agree with 45 as the most frequent value and 24 with the minimum value as stated in the left pane....and suprised with the Max being 1431!!!

It's currently not shown in the columns chart but it's mentioned below the min for 24... since the column is named Max Temp, it looks like this is really the max Temp!!!

[-] **ChopChop007** 1 point 11 months ago

Correct!

[-] **rcaliandro** 1 point 12 months ago

Correct answer

[-] **paulus100** 2 points over 1 year ago

Correct

[-] **Enrique67** 1 point over 1 year ago

Perdon pero no entiendo porque 0 no es una temperatura y ademas es no nulo

[-] **Enrique67** 1 point over 1 year ago

Perdon, 0 seria valido pero claramente pone en las estadisticas que el minimo es 24. No dije nada

Nagasoracle 2 points over 1 year ago

Plz Any one explain this question.

KauK 14 points over 1 year ago

The first question is asking which value was repeated the most in the column, as in, frequency.

When the frequency of the value increases, the bar shown in "value distribution" also increases. So the biggest bar is of the value that is repeated the most, which is 45.

For the second question, the smallest NON-null value, is a fancy way of saying the minimum value that is actually a value not an error, null or an empty field. Which is shown on the left hand side as 24.

This view is Column Profiling it profiles just one column and brings a lot of statistics about it as you can see.

You can read more here. <https://learn.microsoft.com/en-us/power-query/data-profiling-tools>

Inesd 1 point about 1 year ago

Thank you for the explanation

MoneyStacking 1 point over 1 year ago

Correct, cannot be better explained than this!

Imrod 5 points almost 2 years ago

Absolutely correct

ApacheKafka 4 points about 2 years ago

✓✓✓✓✓✓✓✓

Question 273

HOTSPOT

-

You have a Power BI report that contains a page. The page contains the following visuals:

- A card
- A matrix
- A bar chart

You need to configure the page to ensure that the card and the bar chart are unaffected when a user drills down in the matrix. The card and the bar chart must change when a user selects a cell in the matrix.

What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.


Answer Area

Visual type:
Bar chart
Card
Matrix

Set:
Edit Interactions to Filter
Edit Interactions to None
Apply drill down filters to Selected visual

Hide Answer

Correct answer:



[-] **pverde** 61 points about 2 years ago

I would choose:

Matrix

Apply drill down filters to Selected Visual

<https://learn.microsoft.com/en-us/power-bi/create-reports/service-reports-visual-interactions?tabs=powerbi-desktop#change-the-interactions-of-drillable-visualizations>

By default, a matrix will have "Entire Page" in the "Apply drill down filters to" option inside the Format tab, which is what we don't want to happen, so changing to "Selected Visual" should give us the behavior we want

[-] **Aldeus** 4 points over 1 year ago

Right answer but you are wrong, by default drill down filters are set to Selected Visual: "For both Power BI Desktop and Power BI service, certain Power BI visualizations can be drilled. By default, when you drill a visualization, it has no impact on the other visualizations on the report page. However, that behavior can be changed."

[-] **1763ab5** 2 points about 1 year ago

Great, it tested.
thanks a lot

[-] **0a58a92** 6 points almost 2 years ago

pverde is right, i tested, if Apply drill down filters to Entire page, when i drill down on one visual, other visuals on the page will be filtered as well

[-] **vidyaavs** 12 points almost 2 years ago

Drilling down should not affect the other charts as per the question. So shouldn't be Edit Interactions to filter?

[-] **anormalhuman** 7 points over 1 year ago

Correct. Visuals with drill down by default do not affect other visuals when drilling down- you have to tell them to specifically.

[-] **IrynaVilner** 10 points almost 2 years ago

Agree with you. I just tested:

1. Matrix
2. Edit interactions to filter

[-] **sankeytm** 23 points almost 2 years ago

Shouldn't the answer be Matrix and Edit Interactions to Filter?

[-] **IrynaVilner** 3 points almost 2 years ago

Yes, that's correct

[-] **deyoz** 1 point over 1 year ago

I think so. Default interaction settings of matrix visual with other visual is drill-down---> no change, and click ---> highlight. So, just need to change the setting to filter. therefore, Matrix, and filter are correct.

[-] **Lulu_2022** 1 point about 1 month ago

Yes — that's exactly right! 🎯

To meet the requirement where clicking a cell in the matrix updates the card and bar chart, you need to:

✅ Set the interaction type to Filter

Select the matrix visual (this is your source visual).

Go to the Format tab → Edit interactions.

On the card and bar chart, make sure the filter icon (🔍) is selected — this ensures they respond to matrix selections.

🧠 Why this works:

Filter interaction means the selected matrix cell will filter the other visuals (card and bar chart), updating them accordingly.

It avoids drill-down propagation but still allows selection-based filtering, which is exactly what the question requires.

[-] **jaume** 4 points 9 months ago

I tested by default, having a card, a bar chart and a matrix in page, when a matrix cell is selected, card is filtered and matrix selection is highlighted in the bar chart and drilling down the matrix is also drilling down the chart and th bar chart. To disable the drill down over the bar chart and the card, we need to "apply drill down filters to selected visual". This option is not in the visual but in the "Format" section in the upper ribbon of the report. Turning this option from "Entire page" to "selected visual" we can limit the drill down effect to the matrix visual
Note thar requisite it "...must change when a user selects a cell in the matrix" so it doesn't need to be the "filter change" but default highlight change" is fulfilling

[-] **patrup** 1 point 11 months ago

I created a report from the financials sample with the respective visuals. With the matrix visual selected you go to the Format tab and turn "Edit Interactions" on. Then you set the interactions on the Card and the Chart to Filter, which will give you the desired result.

[-] **rcaliandro** 1 point 12 months ago

No guys why drill down filters? In my opinion the given answer is correct

[-] **991b9dd** 5 points about 1 year ago

1. Matrix
2. Edit interactions to filter

[-] **HenryBiz** 1 point about 1 year ago

Agree with pvierde. I built a file and tested it.

[-] **JudT** 7 points over 1 year ago

Tested -

The correct answer is

Matrix and Edit Interactions filter

PS: "The card and the bar chart must change when a user selects a cell in the matrix"

So Apply drill down filters to Entire page or Selected visual doesn't make any difference!

[-] **GowthamMupparapu** 2 points over 1 year ago

The answer should be
Matrix
Edit Interactions to filter

I feel Apply drill down filters to selected visual is wrong as, our core intention is that there should be interactions/changes when something in matrix is selected.

[-] **28485e1** 3 points over 1 year ago

GPT says it's edit interactions to filter.

[-] **fbbucky** 2 points over 1 year ago

Just tested it using the sample given in the article below. I believe the answer is:

Matrix

Apply drill down filters to selected visual

The tricky part about this question is that when you are drilling down, you have to turn on drill mode on. If you select any columns/cells it will not affect any other visual (this is a drill through filter that the question wants not to affect other visuals).

But the question says also it must change the other visual when you select a cell. So then, if you turn off the drill mode off and then select a cell, it will cross highlight/filter the other visuals depending on the interaction settings. I hope it helps!
<https://learn.microsoft.com/en-us/power-bi/create-reports/service-reports-visual-interactions?tabs=powerbi-desktop>

[-] **0e18c76** 2 points about 1 year ago

No, no, no!

Guys check the requirements and then pay close attention to the answer area.

The configuration must be done on the visual type selected - "visual type" and then "Set" configuration.

In this case, everybody agrees that the visual type should be the Matrix. Right! Then, we should set/configure "Apply drill down filter", on the matrix.

Actually, we are just informed that the card and bar chart must change, when selecting a cell in the matrix. We were not asked to change the interaction of the existing interaction to filter. Have in mind that by default, the interaction is set on the bar and pie chart to highlight.

Therefore:

- Matrix
- Apply drill down filter (this will not affect other visuals)

[-] **deyoz** 3 points over 1 year ago

default interaction of matrix visual on other visuals is drill ---> no change, click in cell, highlight.

[-] **Houassa** 5 points over 1 year ago

Agreed with pverde : Matrix and Apply drill down filters to Selected Visual
<https://www.youtube.com/watch?v=a8r7c9NnLFY>

[-] **jl234** 1 point almost 2 years ago

Setting the interaction to "none" for the card and bar chart visuals will make sure they are not affected by drill-down actions in the matrix, but they will still respond to selections made within the matrix.

This configuration allows users to explore data in the matrix by drilling down while keeping the card and bar chart visuals stable unless they make explicit selections within the matrix.

[-] **Imrod** 5 points almost 2 years ago

This sentence makes me doubt: "The card and the bar chart must change when a user selects a cell in the matrix"

If a cell in the matrix has to modify (I understand "filter") card and bar chart, don't we have to apply "Edit interactions to Filter"??

[-] **JudT** 2 points over 1 year ago

Tested -

The correct answer is

Matrix and Edit Interactions filter

PS: "The card and the bar chart must change when a user selects a cell in the matrix"

So Apply drill down filters to Entire page or Selected visual doesn't make any difference!

[-] **want2clear** 1 point almost 2 years ago

I changed my mind, pverde is right.

[-] **want2clear** 2 points almost 2 years ago

i agree with selected Answer

Question 274



You have a Power BI model that contains two tables named Population and Date.

The Population table contains two columns named PopulationAmount and DateKey.

DateKey contains date values that represent the first day of a year and are used to create a many-to-one relationship with the Date table.

The Power BI model contains two measures that have the following definitions.

Total Population = Sum('Population'[PopulationAmount])

2023 Population = CALCULATE([Total Population], 'Date'[Year] = 2023)

You create a table visual that displays Date[Year] and [2023 Population].

What will the table visual show?

- A. one row per year that contains blank values for every year except 2023
- B. one row per date that contains the population value for the corresponding year repeated in each row
- C. a single row for the year 2023 that contains the related population value
- D. one row per year that contains the same value repeated for each year

Hide Answer

[-] **TigerTienie** 57 points almost 2 years ago

Tested and correct answer is: D. one row per year that contains the same value repeated for each year

[-] **Mo2011** 3 points about 1 year ago

Yes tested

[-] **cs3122** 3 points over 1 year ago

Tested, and correct. Initially I thought the answer was A, but I had to learn for myself ;)

[-] **ossanchezm** 3 points over 1 year ago

Tested. This is the correct answer.

[-] **[Removed]** 23 points about 1 year ago

A. one row per year that contains blank values for every year except 2023.

The `2023 Population` measure filters the `Total Population` to only show values for the year 2023. For all other years, the measure returns blank. Thus, the table visual will display one row per year with blank values except for the year 2023, which will show the population value for 2023.

[-] **Rajnahsadm** 9 points about 1 year ago

Tested. This is the correct answer.

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: D

I was doubting but A is the correct answer.

does not respect the row context of the Date[Year] column in the visual. Instead, it overrides it with a fixed filter: 'Date'[Year] = 2023.

So what happens?

Power BI evaluates the measure once, using only the filter 'Date'[Year] = 2023.

Then it repeats that same result for every row in the visual — regardless of the year shown in each row.

This behavior is expected when you hardcode a filter inside CALCULATE.

[-] **LuisViotti** 1 point 3 months ago

Selected Answer: A

Option A, checked with Chatgpt and Gemini.(both selected A with similar explanation)

[-] **jaume** 3 points 9 months ago

Selected Answer: D

2023 Population is a constant value across all years as calculation is encapsulated in a CALCULATE function setting the year to be '2023' despite any other context therefore, even when the table is reporting all years in the period, this is not going to change that result

[-] **FraGuara** 1 point 9 months ago

My Opinion: D

When I add Date[Year] as a column, the row context would typically calculate the population sum for each distinct year.

However, the measure forces a new row context to evaluate only for the year 2023, resulting in the same population value (for 2023) being displayed for every year in the table.

[-] **Dani_eL** 2 points 11 months ago

Well first of all; the Date measure is completely wrong:

It should be ; 2023 Population = CALCULATE([Total Population], YEAR('Date'[Date])=2023)

As a date table (created by calendar or calendar auto) will return a date you will have to format in short date anyway.

Secondly, the population table contains dates as 01/01/YYYY meaning, one record per year.

When you apply the one to many relationship, you will have all records from population matching the date of 01/01/yyyy in the Date table

And as your Measure is calculating with a filter applied on the YEAR portion of the date = 2023, well, you will get one row only.

In SQL you would have something like "select population from PopulationTable where Year(PopulationTable.Date)=2023

And when you have the measure being right it will show you the population number according to the selected year.

It will return 1 record for 2023 with the corresponding population amount

[-] **b92fc92** 3 points 11 months ago

Selected Answer: C

C in my opinion

[-] **Arth_1111** 1 point 11 months ago

Selected Answer: D
Tested and D is the correct answer.

[-] **539d541** 3 points 11 months ago

Selected Answer: C
C - i tested it. When you specify Date(Year) in the visual - it is implied that you are using that part of the Date hierarchy table.
That automatically means that only the year selected by the filter of the expression is returned

[-] **nelrosell** 2 points 11 months ago

Tested C

[-] **nammm112** 1 point 11 months ago

Selected Answer: D
D is the right answer.

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: D
D is the correct answer

[-] **gabrinico** 1 point about 1 year ago

Selected Answer: D
tested

[-] **Palwashai** 1 point about 1 year ago

Selected Answer: D
D is correct

[-] **SIH007** 1 point about 1 year ago

C is correct, if you use a table visual and select year only you will receive a list with the distinct years. Once you add the 2023 Population measure, there is only 1 row for 2023 and the Total Population (in 2023) left.

[-] **HenryBiz** 3 points about 1 year ago

Selected Answer: D
Tested and correct answer is D.
Ref: <https://learn.microsoft.com/en-us/dax/calculate-function-dax>

This is a property of CALCULATE function.

"When the filter expression is not wrapped in the KEEPFILTERS function:

If the columns (or tables) aren't in the filter context, then new filters will be added to the filter context to evaluate the expression.

If the columns (or tables) are already in the filter context, the existing filters will be overwritten by the new filters to evaluate the CALCULATE expression".

This question refers to the "overwritten case.

[-] **Oe18c76** 5 points about 1 year ago

D is the right answer.
Result from the test:

Year 2023 Population
2020 1.200.000

2021 1.200.000
2022 1.200.000
2023 1.200.000

Total 1.200.000

[-] **Oe18c76** 2 points over 1 year ago

Tested and correct answer is D. 100% sure!

[-] **9f73003** 6 points over 1 year ago

Selected Answer: C

C - 100% - The filter constrains rows to just 2023, and yes, that is a valid filter they are showing.

[-] **JudT** 2 points over 1 year ago

Tested D is correct - The Filter context is all about that with CALCULATE

[-] **Dani_eL** 4 points over 1 year ago

Selected Answer: D

Because of the many to one relationship, it will display all years with the value of the filter. Correct answer is D (tested in power bi desktop)

[-] **28485e1** 4 points over 1 year ago

Selected Answer: D

The table visual will show the [2023 Population] measure value for every year listed under Date[Year], but the value displayed will be the same for each year: the total population for the year 2023. This is because the [2023 Population] measure explicitly filters the data to only include records from the year 2023, regardless of the year context provided by Date[Year] in the visual.

[-] **28485e1** 1 point over 1 year ago

The table visual will show the [2023 Population] measure value for every year listed under Date[Year], but the value displayed will be the same for each year: the total population for the year 2023. This is because the [2023 Population] measure explicitly filters the data to only include records from the year 2023, regardless of the year context provided by Date[Year] in the visual.

[-] **rajukg** 1 point over 1 year ago

D is the correct.

Table Visual has Date[Year] and [2023 Population] columns; Date[Year] displays Year (all the years), while [2023 Population] displays same value for every year (=population of 'Date'[Year]=2023).

[-] **kadu7982** 1 point over 1 year ago

I tested, and confirmed that correct answer is D

[-] **Florinuca** 1 point over 1 year ago

Tested and the correct answer is D.

[-] **AB16** 2 points over 1 year ago

D...tested with dummy data. Actually does not need to be even tested....filter context is such that every year/date will have same value.

[-] **paocard** 1 point over 1 year ago

La respuesta correcta es:

C. una sola fila para el año 2023 que contiene el valor de población relacionado.

La medida [Población 2023] está condicionada para calcular la suma total de la población solo cuando el año es 2023. Por lo tanto, en la tabla visual, solo verás una fila correspondiente al año 2023 con el valor de población asociado a ese año.

[-] **temor** 5 points over 1 year ago

Selected Answer: C

After a quick search, here's what I discovered.

In your Power BI model with the defined measures, when you create a table visual displaying Date[Year] and [2023 Population], it will show a single row for the year 2023 containing the related population value. This is because the measure

'2023 Population' is calculated specifically for the year 2023, and thus, only the population for 2023 will be displayed in the table visual.

[-] **Abdulwahab1983** 3 points over 1 year ago

A is the correct answer. I have just tested that. We would not have any repeats because the measures are working according to the context of the visualization. because we had a previous filter it showed the other years as blank. It will show repeats if you use the aggregation to create a calculated table.

[-] **Dsbuff** 4 points over 1 year ago

Selected Answer: A

A. One row per year that contains blank values for every year except 2023.
In the visual, each year will be represented, but only the year 2023 will display a population value. All other years will show blank values because the measure [2023 Population] is explicitly filtered to calculate only for the year 2023.

[-] **MScapris** 2 points over 1 year ago

Selected Answer: D

correct answer is D

[-] **Aldeus** 9 points over 1 year ago

Let's think by steps:

1. Populating Date[Year] will show all the distinct values for the Date[Year] column.
2. Adding the measure will show the population for 2023, as it is the only value it can show, it will repeat for all the rows.

[-] **issam_gp** 1 point over 1 year ago

C est plus logique

[-] **TDwayne** 1 point over 1 year ago

What is the answer to this? I am still kind of confused because my initial answer was C. However clarification from Sauguad makes my doubt my answer.

[-] **kelvin3105** 2 points over 1 year ago

Selected Answer: A

These two tables are related, so they will not have repeated values, but one value in 2023 and the others in blank.

[-] **Mal42** 5 points over 1 year ago

Selected Answer: D

D is the correct option

[-] **Sauguad** 4 points almost 2 years ago

D. one row per year that contains the SAME VALUE REPEATED for each year
Is correct answer.

If C is the correct answer, then the DAX should be:

2023 Population =
CALCULATE([Total Population] ,
FILTER('Date', 'Date' [Year] = 2023))

[-] **j1234** 3 points almost 2 years ago

Selected Answer: C

The measure [2023 Population] is calculated using the CALCULATE function with a filter condition 'Date'[Year] = 2023. This filter will restrict the calculation to only the year 2023, and as a result, the table visual will display a single row for the year 2023 with the related population value. For all other years, the population value will be blank or null, as there is no corresponding filter condition for them in the measure definition.

[-] **0a58a92** 2 points almost 2 years ago

This only correct when you add FILTER to the CALCULATE

[-] **9f73003** 1 point over 1 year ago

That is not true! With CALCULATE, the way they filter in the question is correct, as it is implicit with the calculate function that the second argument is a filter.

Question 275



You have a Power BI dataset that contains quarterly sales performance data.

You need to enable managers to review the data in a format that meets the following requirements:

- Is optimized for printing.
- Renders data in Microsoft Excel, Word, PowerPoint, and PDF formats.

What should you create?

- A. a template app
- B. a dashboard
- C. a paginated report
- D. an interactive report

Hide Answer

[-] **Florinuca** 9 points over 1 year ago

The correct answer is C = paginated report.

[-] **jaume** 2 points 9 months ago

Selected Answer: C

Whenever I find a question mentioning "optimized for printing", I'm almost sure "Paginated report" would be in the list of proposed solutions.

No doubt for me it's option C

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: C

Paginated report is correct

[-] **varuns** 1 point 12 months ago

Selected Answer: C

a paginated report

[-] **Girona** 1 point about 1 year ago

Selected Answer: C

Correct

[-] **ankit_pednekar** 1 point about 1 year ago

Selected Answer: C

Correct Answer

[-] **khalidmirghnee** 1 point about 1 year ago

C is correct answer.

[-] **INDEAVR** 2 points over 1 year ago

Selected Answer: C
C. a paginated report

Question 276

You have a Power BI report that contains the visuals shown in the following table.

Type	Horizontal coordinate	Vertical coordinate
Table	300	200
Clustered column chart	700	200
Slicer	20	100

You need to modify the location of each visual.

What should you modify for each visual?

- A. the layer order
- B. the padding
- C. the position
- D. the tab order

Hide Answer

[-] **noone420** 8 points over 1 year ago

Selected Answer: C
C is correct

[-] **Anloindian123** 1 point 6 months ago

Selected Answer: C
The coordinates correspond to the position of each visual. C is correct

[-] **jaume** 2 points 9 months ago

Selected Answer: C
It seems clear to me modifying the layer order and/or tab order is not going to change the location of any visual but it could be argued modifying the padding is changing it.
Anyway, no discussion modifying the position is changing the position

[-] **LuluSkyy** 1 point 9 months ago

Correct answer is C

[-] **539d541** 2 points 11 months ago

Selected Answer: C
Ridiculously wrong answer given.....it is C

[-] **nammm112** 1 point 11 months ago

Selected Answer: C
C is correct

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: C
C, the position

[-] **varuns** 1 point 12 months ago

Selected Answer: C
the position

[-] **AfulRa** 1 point over 1 year ago

WhatsApp

[-] **MITZ619** 4 points over 1 year ago

Selected Answer: C

C. should be the correct answer because the position of a visual in Power BI determines where it appears on the report page.

[-] **Florinuca** 2 points over 1 year ago

The correct answer is C = Position (X and Y coordinates)

[-] **INDEAVR** 1 point over 1 year ago

Selected Answer: C

C. the position

[-] **albert1809** 3 points over 1 year ago

Selected Answer: C

i think the answer is C

[-] **6f38739** 1 point over 1 year ago

thats 100% C, layer control whats on top of something, not actual position of the visuals

Question 277



You have a Power BI report. The report contains a line chart that displays sales data for several regions.

You need to add an element to the report that will enable users to filter the sales data to include only a selected region.

Which two elements achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

A. a slicer visual

B. a drillthrough filter

C. a table visual

D. a card visual

E. a Key Performance Indicator (KPI) visual

Hide Answer

[-] **RonStrassburg** 7 points over 1 year ago

Selected Answer: AC

drillthrough filter is a possible solution but you have to add several elements for this solution (new page, new sales visual on this page). So i go with AC

[-] **Lulu_2022** 1 point 30 days ago

Selected Answer: AB

A. Slicer visual A slicer is the most direct and user-friendly way to let users filter data by region. You can add a slicer bound to the Region field, and when a user selects a region, the line chart (and any other visuals on the page) will update accordingly.

B. Drillthrough filter A drillthrough filter allows users to right-click a data point (like a region) and navigate to a separate page that shows detailed data filtered for that selection. It's especially useful for deep-dives into specific regions without cluttering the main report.

[-] **LuisViotti** 1 point 3 months ago

Selected Answer: AB

Option AB, checked with Chatgpt and Gemini.(both selected AB with similar explanation)

[-] **viv1212541** 2 points 7 months ago

Selected Answer: AB

The AB is correct answer lets suppose we have multiple values in column now we possibly select only one value in table then it will show information regarding that row only but if we use slicer then all the summarize info get reflected in visual line chart and similarly in drillthrough we have to put particular column so that it will redraw the line chart

[-] **jaume** 1 point 9 months ago

Selected Answer: AC

Drillthrough filter could work in case there would be a "geography hierarchy" (e.g. Region - City, drilling down you could break down a specific city in its cities) but that would be a hard assumption.

With only available details from the question, slicer (option A) and a table with regions in the rows field (with right interactions table - line chart)

[-] **nammm112** 3 points 11 months ago

Selected Answer: AC

Slicer and Table Visual

[-] **rcaliandro** 2 points 12 months ago

Selected Answer: AC

AC is the right answer

[-] **varuns** 2 points 12 months ago

Selected Answer: AB

AB - slicer and drillthrough filter

[-] **Flix** 1 point about 1 year ago

A/C for A you also need to specify. B? Where will you drill-through from?

[-] **malik777** 2 points about 1 year ago

Selected Answer: AB

correct

[-] **Palwashai** 3 points about 1 year ago

Selected Answer: AB

A & B would have to be the correct answers because "Each correct answer presents a complete solution" and B can be used by itself to accomplish the request.

[-] **SIH007** 1 point about 1 year ago

I think the answer is correct (A/B), and this again is a trick question. Each correct answer is a complete solution. How do you change a table visual to filter to a certain region – you would need the slicer for it, but thats not part of C.

[-] **finlarian** 2 points about 1 year ago

My answer is AC
Tested

[-] **Valimammadov** 2 points about 1 year ago

Selected Answer: AB
javascript:void(0)

[-] **noone420** 4 points over 1 year ago

Selected Answer: AC
AC correct

[-] **MITZ619** 3 points over 1 year ago

Selected Answer: AC
AC are correct options

[-] **toussdev** 4 points over 1 year ago

Selected Answer: AC
the slicer of course. And a table (with only a column "City" for example)

[-] **Florinuca** 4 points over 1 year ago

The selected options are correct.
A - Slicer visual
B - Drillthrough filter

[-] **INDEAVR** 3 points over 1 year ago

Selected Answer: AB
A. a slicer visual
B. a drillthrough filter

Question 278



DRAG DROP

-

You plan to use Power BI to create a quarterly profit report that meets the following requirements:

- Emphasizes the percentage of total profits contributed by each product category in dollars and as a percentage
- Compares profit margins across sales regions

Which type of visual should you use for each requirement? To answer, drag the appropriate visuals to the correct requirements. Each visual may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Visuals

Area chart

Funnel chart

Multi-row card

Pie chart

Stacked bar chart

Answer Area

Emphasizes the percentage of total profits contributed by each product category:

Compares profit margins across sales regions:

Hide Answer

Correct answer:

Answer Area

Emphasizes the percentage of total profits contributed by each product category:

Pie chart

Compares profit margins across sales regions:

Stacked bar chart

[-] **Florinuca** 15 points over 1 year ago

Yes, the answer is correct.

- Pie chart
- Stacked bar chart

[-] **ChopChop007** 1 point 11 months ago

Correct!

[-] **rcaliandro** 1 point 12 months ago

Correct answer

[-] **khalidmirghnee** 1 point about 1 year ago

The answer is correct!

[-] **0e18c76** 1 point about 1 year ago

Correct:

- Pie chart
- Stacked bar chart

[-] **noone420** 1 point over 1 year ago

Correct answer

[-] **YaakovShlomo** 2 points over 1 year ago

Pie, Stacked

Question 279

You have the CSV file shown in the following table.

Month	2021	2022
January	1000	2500
February	4000	5000
March	2800	3400

You use Power Query Editor to preview the data in the file.

You need to transform the data to meet the following requirements:

- The first column must contain the month.
- The second column must contain the year.
- The third column must contain the order amount for the month and year.

Which transformation should you use first?

- A. remove
- ☒ B. unpivot
- C. transpose
- D. pivot

Hide Answer

[-] **INDEAVR** 11 points over 1 year ago

Selected Answer: B

B. unpivot

[-] **jaume** 1 point 9 months ago

Selected Answer: B

Whatever we could remove (option A) would result in a loss of information

Transposing the table (Option C) would result in a 4x3 table with columns "Month", "January", "February" and "March"

We should unpivot 2nd and 3rd columns

[-] **ChopChop007** 1 point 11 months ago

Correct!

[-] **539d541** 1 point 11 months ago

Selected Answer: B

B - unpivot

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: B

B. unpivot. Correct choice

[-] **IVO999** 1 point over 1 year ago

Selected Answer: B

B is correct

[-] **elcabansh** 1 point over 1 year ago

Selected Answer: B

b is correct

[-] **noone420** 1 point over 1 year ago

Selected Answer: B

B unpivot

[-] MITZ619 1 point over 1 year ago

Selected Answer: B
B is correct

Question 280

You are using the key influencers visual to identify which factors affect the quantity of items sold in an order.

You add the following fields to the Explain By field:

- ⇒ Customer Country
- ⇒ Product Category
- ⇒ Supplier Country
- ⇒ Sales Employee
- ⇒ Supplier Name
- ⇒ Product Name
- ⇒ Customer City

The key influencers visual returns the results shown in the following exhibit.



What can you identify from the visual?

- A. Customers in Austria order 18.8 more units than the average order quantity.

- B. Customers in Boise order 20.37 percent more than the average order quantity.
- C. Product Category positively influences the quantity per order.
- D. Customers in Cork order lower quantities than average.

Hide Answer

[-] **lukelin08** 29 points almost 3 years ago

Selected Answer: A
'A' is correct

[-] **SamuComqi** 14 points about 2 years ago

Selected Answer: A
I passed the exam today (948/1000). My answer was:
- Customers in Austria order 18.8 more units than the average order quantity

[-] **jaume** 3 points 9 months ago

Selected Answer: A

The "Qty x order" is measured in Quantity of Items, then, as stated in option A, Austrian customers order 18.8 more units than the average as it's explained on the left pane of the visual.
Option B is similar and is stating the right figure for Boise but what's reported is not a % increment but increment in item units
There is no information on Product Category in the exhibit
On the right pane, column for Cork goes above the red dotted line reporting the average meaning they are ordering more than the average

[-] **fgo** 1 point 9 months ago

'A' is correct:
The value in left pane is obtained by dividing the chart length by the average value.
<https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-influencers?tabs=powerbi-desktop>.

[-] **jiheneB** 1 point 11 months ago

Why answer A ?

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: A
A is the correct answer

[-] **28485e1** 3 points over 1 year ago

Selected Answer: A
Stupid, trick question, I agree. The answer they're looking for:
The analysis on the left shows the INCREASE IN AVERAGE. B states that customers order 20% MORE than THE average, shown in red in the column chart. Therefore, the answer is A.

[-] **Parv_2903** 5 points over 1 year ago

How can you guys get access after 24th page kindly help

[-] **rahul_30** 3 points about 1 year ago

JUST TYPE "EXAMTOPICS PL-300 TOPIC X1 AND QUESTION X2"

Here X1 is Topic Number and X2 is Question Number.

For example, In order to study topic 3 question 8. Type Examtopics pl-300 topic 3 question 8 in google. You have to search each question individually in order to study the questions without buying contributor access.
All the best!

[-] **1d41aaa** 1 point over 1 year ago

I think you need contributor access

[-] **LINAM** 3 points over 1 year ago

Tiene que comprar la suscripción joven

[-] **alfi22190** 1 point over 1 year ago

Per order mean per unit

[-] **SnakePlissken123** 5 points over 1 year ago

I don't see Austria on the chart.....

[-] **lgetmyrole** 1 point almost 2 years ago

C is the answer.

The average quantity increase associated with different customer cities and countries.

[-] **RazaTheLegend** 2 points over 2 years ago

Selected Answer: A

'A' is correct

[-] **AdolinKholin** 2 points over 2 years ago

Selected Answer: A

A is ok

[-] **yordiye** 1 point over 2 years ago

How about B ?

[-] **yordiye** 4 points over 2 years ago

oh got is it says percent

[-] **Dani_eL** 1 point over 1 year ago

B is by percentage, not per units

[-] **jboiret** 3 points over 2 years ago

Selected Answer: A

Answer A

[-] **samad1234** 5 points almost 3 years ago

A is correct

[-] **centrumadresowe** 10 points almost 3 years ago

'A' correct

Question 281



You are creating a Power BI single-page report.

Some users will navigate the report by using a keyboard, and some users will navigate the report by using a screen reader.

You need to ensure that the users can consume content on a report page in a logical order.

What should you configure on the report page?

- A. the layer order
- B. the X position
- C. the bookmark order
- D. the tab order

Hide Answer

[-] **Lulu_2022** 2 points 30 days ago

Selected Answer: D

Tab order defines the sequence in which visuals and objects are accessed when users navigate using the Tab key. It's especially critical for keyboard-only users and those using screen readers, as it ensures content is read and interacted with in a logical, meaningful flow.

[-] **lechuc508** 1 point 2 months ago

Selected Answer: D

D is correct

[-] **desibaby09** 2 points 8 months ago

Selected Answer: D

Tab order works for "screen readers"

[-] **SylUK** 1 point 6 months ago

No it is Alt Text which works with screen readers.

[-] **jaume** 3 points 9 months ago

Selected Answer: B

I was thinking "tabs" as "Worksheets" in a workbook, but "Tab order" is about the order a users using keyboard would move by clicking the Tab key. Links shared in this conversation are detailing that option

[-] **b92fc92** 3 points 11 months ago

Selected Answer: D

Tab order in my opinion

[-] **539d541** 2 points 11 months ago

Selected Answer: D

Ok, sorry I was confused because I didn't know about this....D is indeed correct. Explanation here: <https://learn.microsoft.com/en-us/power-bi/create-reports/desktop-accessibility-creating-reports>

[-] **Tex02** 1 point 11 months ago

It's a single page report so there can't be a tab order so B X position would be correct

[-] **539d541** 2 points 11 months ago

Selected Answer: B

Actually, I think tab order may be wrong. They said it's a single page report....so hence there is only one tab! In that case, it should be X position. Can't figure out how to delete my previous answer

[-] **9d92039** 4 points 11 months ago

Tab order is correct. Dont think about the report tab, thats the throw-off. Think tab as in pressing the tab key on your keyboard on a webpage. As you tab thru the page, certain fields get highlighted. So for this example, you want to "tab" thru the report in the correct order: the order should be the flow in which a user reads a report. reference:

<https://learn.microsoft.com/en-us/power-bi/create-reports/desktop-accessibility-creating-reports>

[-] **Jayaruwan** 1 point 11 months ago

Selected Answer: D

Tab order is the correct answer

[-] **nelrosell** 1 point 11 months ago

D is the correct answer

Question 282

You are configuring a Power BI report for accessibility as shown in the following table.



You need to change the default colors of all three visuals to make the report more accessible to users who have color vision deficiency.

Which two settings should you configure in the Customize theme window? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. First-level elements colors

B. Theme colors

C. Divergent colors

D. Sentiment colors

Hide Answer

[-] **lechuc508** 1 point 2 months ago

Selected Answer: AB

I think A & B

[-] **desibaby09** 2 points 8 months ago

Selected Answer: BC

B- theme colors cause you can customize it yourself

C- Divergent specifically address color blind users

D is not correct because it uses colors like RED, GREEN, which hurts visual impaired users

[-] **jaume** 1 point 9 months ago

Selected Answer: BD

In a PBI report you can customize Theme colors (View > Customize Theme > Name and colors) setting colors for three different palettes:

Theme colors: standard colors for the entire report

Sentiment colors: colors used for KPIs and WATERFALL charts (positive/negative/neutral values)

Divergent colors: colors used in conditional formatting (to set Gradient)

Since our PBI report has a table, a KPI and a Waterfall chart, solution must be B & D

Theme colors are the ones used in the table

Sentiment colors are the ones used in the KPI and the Waterfall

[-] **_jay95_** 1 point 6 months ago

I agree to jaume.

[-] **FraGuara** 1 point 9 months ago

In my opinion: B and C

Sentiment colors are assigned to visuals like waterfall charts and KPIs, so adjusting them will impact two of the three visuals in our report. Divergent colors are used with gradient colors in conditional formatting, which applies to the third visual.

Adjusting these settings will therefore modify all visuals in the report accordingly.

[-] **f3ecb98** 4 points 10 months ago

Selected Answer: CD

The table uses the default colors of conditional formatting to show values in a range. These are the so-called "Divergent colors". The waterfall chart is one of the visuals that use "sentiment colors" as default colors. I don't see any theme colors being used in the report except for the start and end values in the waterfall chart, so I wouldn't pick "Theme colors" in my answer...

[-] **9d92039** 4 points 11 months ago

Selected Answer: BC

theme and divergent

[-] **9d92039** 2 points 11 months ago

Selected Answer: BC

Divergent colors for accessibility issues; sentiment is for rules

Question 283



HOTSPOT

-

You have a Power BI workspace that contains a semantic model and a report named Sales report.

All users in the sales department are assigned the Viewer role for the workspace.

The Sales report is configured as shown in the Sales report exhibit. (Click the Sales report tab.)

Settings for Sales report

Choose the type of data you allow your end users to export.

Summarized data and data with current layout

Filtering experience

Allow users to change filter types



Enable search for the filter pane



Cross-report drill through

Allow visuals in this report to use drill-through targets from other reports



Comments

Allow users to add comments to this report.



Personalize visuals

Allow report readers to personalize visuals to suit their needs.



Modern visual tooltips

Use modern visual tooltips with drill actions and updated styling



Tooltips auto-scale (preview)

Tooltip size is affected by canvas size




Insights (preview)

Allow users to get notified when key insights are available for this report.



From Power BI Desktop, you configure the Report settings as shown in the Report settings exhibit. (Click the Report settings tab.)



For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area		
Statements	Yes	No
A user can change a bar chart to a pie chart in the Sales report.	☐	☐
A user can reshare their modified visuals with users outside of the sales department.	☐	☐
A user can create a new quick measure and add it to a visual.	☐	☐

Hide Answer

Correct answer:

Answer Area		
Statements	Yes	No
A user can change a bar chart to a pie chart in the Sales report.	☒	☐
A user can reshare their modified visuals with users outside of the sales department.	☐	☒
A user can create a new quick measure and add it to a visual.	☐	☒

[-] **ak57** 12 points 11 months ago

Yes, No, No.

I believe the answer shown are correct.

For the second one, the viewer role does not have access to share/reshare: <https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

For third, there is no mention of being able to add a new measure:

<https://learn.microsoft.com/en-us/power-bi/create-reports/power-bi-personalize-visuals?tabs=powerbi-desktop>

[-] **desibaby09** 1 point 8 months ago

Yes to the first one since personalize visual box is checked

No the second one and third because they are in view only access which disallow reshare and creating measures

[-] **ec338ed** 1 point 10 months ago

Answer Yes-No-No.

User can personalize visuals (statement 1), but not share these personalizations with others (statement 2)

[-] **mghf61** 1 point 10 months ago

No No Yes,

Yes because user can personalize the visuals

[-] **Jayaruwan** 3 points 11 months ago

Yes Yes Yes

Question 284



You need to use Power BI to create a visual that will allow users to compare the sales performance of five sales regions for the current month.

Which visual should you use?

A. a line chart

B. a stacked bar chart

C. a 100% stacked bar chart

D. a waterfall chart

Hide Answer

[-] **jaume** 1 point 9 months ago

Selected Answer: B

It would be even easier with a clustered Bar chart but since this option is not available, let's stick to the stacked version.

Not sure why it's not also possible the 100% option; it's my understanding the difference is reporting sales in absolute values or as % of total values, comparison would still be possible

[-] **Arth_1111** 3 points 11 months ago

Selected Answer: B

B is correct

[-] **Arth_1111** 2 points 11 months ago

Selected Answer: B

Correct answer should be B - Stacked Bar Chart

[-] **Jayaruwan** 3 points 11 months ago

Selected Answer: B

Comparing is easy with stacked bar chart than 100% stacked bar chart

[-] **Philip9845** 1 point 11 months ago

Selected Answer: B

I chose option B. Crossed checked with chatgpt as well.

Question 285



HOTSPOT -

You have a Power BI workspace.

You need to create two reports that meet the following requirements:

- Report1: Optimized for printing and can be delivered to users via a scheduled email subscription
- Report2: Optimized for dynamic user interactivity

Which format should you use for each report? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Report1:

- Microsoft SQL Server Reporting Services (SSRS) (.rdlc)
- Power BI (.pbix)
- Power BI paginated (.rdl)

Report2:

- Microsoft SQL Server Reporting Services (SSRS) (.rdlc)
- Power BI (.pbix)
- Power BI paginated (.rdl)

Hide Answer

Correct answer:

Answer Area

Report1:

- Microsoft SQL Server Reporting Services (SSRS) (.rdlc)
- Power BI (.pbix)
- Power BI paginated (.rdl)

Report2:

- Microsoft SQL Server Reporting Services (SSRS) (.rdlc)
- Power BI (.pbix)
- Power BI paginated (.rdl)

[-] **Ash_34** 24 points 11 months ago

I disagree with the answer given. It should be Power BI paginated and Power BI

[-] **Imml_et** 1 point 7 months ago

I agree with you. You are working in a workspace, so paginated reports and Power BI reports can be created. And paginated reports can be emailed with subscriptions

[-] **Quasimof170** 1 point 7 months ago

SSRS can be emailed with subscription. <https://learn.microsoft.com/en-us/sql/reporting-services/subscriptions/create-and-manage-subscriptions-for-native-mode-report-servers?view=sql-server-ver16>

[-] **539d541** 8 points 11 months ago

I disagree...should be Paginated report and Power BI

[-] **Tex02** 4 points 11 months ago

Agree paginated report and power bi

[-] **Arth_1111** 4 points 11 months ago

I agree with you

[-] **Lulu_2022** 1 point 30 days ago

 Report1: Optimized for printing and email delivery

☒ Format: Power BI Paginated Report (.rdl)
Designed for pixel-perfect layouts

Ideal for multi-page, printable reports

Supports scheduled email subscriptions with consistent formatting

☐ Report2: Optimized for dynamic user interactivity

☒ Format: Power BI Interactive Report (.pbix)
Built in Power BI Desktop

Supports slicers, drillthrough, cross-filtering, and real-time exploration

Perfect for on-screen, interactive analysis

[-] **SylUK** 3 points 6 months ago

The correct answers are: Report 1:Power BI Paginated (.rdl), Report 2: Power BI (.pbix)

Reference here:<https://learn.microsoft.com/en-us/power-bi/guidance/report-paginated-or-power-bi>

[-] **LuluSkyy** 1 point 9 months ago

The correct answer is Paginated report and power bi

[-] **d216393** 2 points 10 months ago

Agree with the mentioned answers: Paginated report and Power BI

[-] **Jayaruwan** 6 points 11 months ago

Box1:Power bi Paginated

Box2:Power bi

Question 286



You have a Power BI report that contains the table shown in the following exhibit.

Current Month Returns in USD

Store ID	Store	Returns	
6	Leo	\$6,108	●
5	Fama	\$6,097	●
13	Contoso	\$5,214	●
11	Pomum	\$4,968	●
7	VanArsdel	\$4,964	●
10	Pirum	\$4,644	●
2	Aliqui	\$4,479	●
1	Abbas	\$4,070	●
8	Natura	\$3,376	●
14	Victoria	\$2,317	●
4	Salvus	\$2,296	●
12	Quibus	\$2,208	●
3	Barba	\$1,601	●
Total		\$52,342	

The table contains conditional formatting that shows which stores are above, near, or below the monthly quota for returns.

You need to ensure that the table is accessible to consumers of reports who have color vision deficiency.

What should you do?

- A. Move the conditional formatting icons to a tooltip report.
- B. Add alt text that lists the values in the table.
- C. Change the icons to use a different shape for each color.
- D. Remove the icons and use red, yellow, and green background colors instead.

Hide Answer

[-] **539d541** 7 points 11 months ago

Selected Answer: C

Given answer of B only makes sense for BLIND people...not color blind! Icons will help color blind people so should be C

[-] **LuluSkyy** 1 point 9 months ago

I agree

[-] **Jayaruwan** 6 points 11 months ago

Selected Answer: C

People with color vision deficiency can recognize shapes

[-] **jaume** 2 points 9 months ago

Selected Answer: C

It's a "color vision deficiency" so using different shapes would secure understanding of the report for that group of users

[-] **52f8a31** 1 point 10 months ago

REPOSE C

[-] **d216393** 1 point 10 months ago

Selected Answer: C
Option C

Question 287



You have a Power BI report that contains one visual.

You need to provide users with the ability to change the visual type without affecting the view for other users.

What should you do?

- A. From the Bookmarks pane, select Focus mode, and then select Add.
- B. From Report settings, select Personalize visuals.
- C. From Visual options in Report settings, select Use the modern visual header with updated styling options.
- D. From Tabular Editor, create a new perspective.

Hide Answer

[-] **jaume** 1 point 9 months ago

Selected Answer: B

I will also vote for B as cannot even imagine how the other options could be close to enable editing options for the users

[-] **LuluSkyy** 1 point 9 months ago

B is correct

[-] **d216393** 1 point 10 months ago

Selected Answer: B

B is correct

[-] **imti2204** 2 points 11 months ago

b is correct

[-] **539d541** 4 points 11 months ago

Selected Answer: B

B is correct

[-] **Jayaruwan** 1 point 11 months ago

Selected Answer: B

Correct answer

Question 288



HOTSPOT

-

You have a Power BI report that contains the table visual shown in the following exhibit.

OrderDate	Total Sales	Total Cost
01-Oct-22	10.75	8.06
03-Oct-22	98.50	73.88
07-Oct-22	43.00	32.25
11-Oct-22	25.99	19.49
12-Oct-22	156.00	117.00
15-Oct-22	40.80	30.60

You need to modify the visual to display as shown in the following exhibit.

	01-Oct-22	03-Oct-22	07-Oct-22	11-Oct-22	12-Oct-22	15-Oct-22	Total
Total Cost	8.06	73.88	32.25	19.49	117.00	30.60	281.28
Total Sales	10.75	98.50	43.00	25.99	156.00	40.80	375.04

How should you configure the visual? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Type:

Format:

Hide Answer

Correct answer:

Answer Area

Type:

Format:

[-] LuluSkyy 2 points 9 months ago

Answer is correct

[-] desibaby09 1 point 8 months ago

since the table is transposed the answer is correct

[-] **d216393** 1 point 10 months ago

Answer is correct.

[-] **MonikaStop** 4 points 11 months ago

Tested, answer is correct

[-] **ak57** 3 points 11 months ago

When testing it out, need to make sure to switch the OrderDate from Rows well to Columns. Otherwise, it will not display in this format.

[-] **Jayaruwan** 2 points 11 months ago

Answer is correct

[-] **nelrosell** 2 points 11 months ago

Correct

Question 289



You have a Power BI report that contains a card. The card displays the value for year-to-date revenue.

You need to ensure that screen reader users can read the value when initially interacting with the card. The value must stay updated as the dataset is refreshed.

What should you do?

- A. Convert the card into a text box.
- B. Add the value to the chart title text.
- C. Populate the alt text with a static value.
- D. Populate the alt text by using conditional formatting with a DAX measure.

Hide Answer

[-] **Lulu_2022** 1 point 30 days ago

Selected Answer: D

Alt text is what screen readers use to describe visuals to users who can't see them.

By using conditional formatting with a DAX measure, you can dynamically populate the alt text with the current year-to-date revenue value.

This ensures that the alt text updates automatically whenever the dataset is refreshed — keeping it accurate and accessible.

[-] **jaume** 3 points 9 months ago

Selected Answer: D

Enabling screen reader to read anything, you must use the alt text.

Since "value must stay updated as the dataset is refreshed", we cannot use a static value but a dynamic one so option D instead C

[-] **d216393** 1 point 10 months ago

Selected Answer: D

Alt text is the feature used for screen readers. As we want a solution that retrieves updated results, It has to be option D

[-] **Jayaruwan** 3 points 11 months ago

Selected Answer: D

Given answer is correct

[-] **nelrosell** 4 points 11 months ago

Correct answer but we need to move the date from row to column bucket

Question 290

You have a Power BI report that contains a table visual. The visual contains a column.

The column contains whole numbers ranging from 1 to 20.

You need to use conditional formatting to meet the following requirements:

- Visually compare the values without having to read the text containing the number.
- Show a different format for each distinct value.
- Hide the numeric value of ColumnA.
- Minimize development effort.

Which formatting should you use?

- A. font color
- B. icons
- C. data bars
- D. background color

Hide Answer

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: D

It would be C if it was not requesting show different formats for distinct values

Why background color is still the better fit (for your specific goals):

You mentioned four key requirements:

Visually compare values ✓

Show a different format for each distinct value (1–20) ✓

Hide the numeric value ✓

Minimize development effort ✓

Background color formatting lets you:

Assign a unique color per value using rules (e.g., 1 = light blue, 2 = darker blue, etc.)

Hide the number by setting the font color to match the background

Apply it quickly without writing DAX or creating custom icons

✗ Why data bars fall short here:

Data bars are great for showing magnitude, but:

They don't support a unique format per distinct value (you get a gradient, not 20 distinct styles)

[-] **jaume** 3 points 9 months ago

Selected Answer: C

Agree with explanations from 539d541.

Font color or background color options would result in a mess, difficult to identify all colors and since the goal is to compare values, how can you get which value is bigger from the color (only using kind of gradient, for 20 colors, not too much contrast)

Icons allows to hide the numeric value but, again, 20 different icons and/or their colors would result in a very difficult exercise to compare 20 values (worst case, all different).

With data bars, even using one single color, would make easier to compare two different values in the table by comparing widths

[-] **LuluSkyy** 2 points 9 months ago

Was leaning between B and c. But i will go with C (Data Bars), this minimizes development efforts.

[-] **b92fc92** 2 points 11 months ago

Selected Answer: C
C in my opinion

[-] **P_ri** 1 point 11 months ago

c. data bars

[-] **Ash_34** 4 points 11 months ago

Selected Answer: C
It should be data bar. Key word is visually compare the values

[-] **SamiaAwais** 2 points 11 months ago

Selected Answer: B
It should be Icons as you can hide the numeric value by adjusting the "Icon only" option, which removes the numbers and displays only the icons.

[-] **nelrosell** 1 point 11 months ago

B. Icons

[-] **539d541** 4 points 11 months ago

Selected Answer: C
Disagree with using background color formatting. Data bars - option C would show a visual difference between each distinct integer for the range between 1 to 20. Can you imagine having 20 different background colors instead?

[-] **Endeetheanalyst** 1 point 11 months ago

B. Icons

[-] **539d541** 1 point 11 months ago

That will be 20 different icons...

[-] **ak57** 2 points 11 months ago

One of the requirements is Minimize development effort and setting 20 different icons based on rules is a lot of development work. So it can't be Icons.

[-] **Jayaruwan** 1 point 11 months ago

Selected Answer: C
C. Data bars
With background colors values cannot be given

Question 291

You have a report that contains four pages. Each page contains slicers for the same four fields.

Users report that when they select values in a slicer on one page, the selections are not persisted on other pages.

You need to recommend a solution to ensure that users can select a value once to filter the results on all the pages.

What are two possible recommendations to achieve this goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Create a bookmark for each slicer value.
- B. Replace the slicers with report-level filters.
- C. Sync the slicers across the pages.
- D. Replace the slicers with page-level filters.
- E. Replace the slicers with visual-level filters.

Hide Answer

[-] **simplex06** 37 points almost 3 years ago

B and C are correct options.

[-] **1sourabhpatel1** 15 points over 2 years ago

Sync the slicers across the pages: This can be achieved by selecting the slicers on each page, and then clicking on the "Format" tab on the right-hand side of the Power BI desktop. In the "Visualizations" pane, under "Slicer", toggle the "Sync slicers" option to "On". This will ensure that any selections made on one page will be reflected on all other pages that have the same slicers.

[-] **1sourabhpatel1** 9 points over 2 years ago

Replace the slicers with report-level filters: Instead of using slicers on each page, you can create report-level filters that apply to all pages in the report. To do this, go to the "Filters" pane on the right-hand side of the Power BI desktop, and select "New filter". Choose the field that you want to filter on, and then set the filter type to "Visual-level filters". This will allow you to create a filter that applies to all visuals in the report, including those on different pages.

[-] **1sourabhpatel1** 4 points over 2 years ago

Both of these solutions should ensure that users can select a value once to filter the results on all the pages in the report. While creating bookmarks for each slicer value or replacing the slicers with visual-level filters may also work in certain situations, they are not complete solutions to this specific problem.

[-] **oreshetnik** 6 points over 1 year ago

In Power BI Desktop on the View ribbon, select Sync slicers

[-] **hattoh** 2 points over 1 year ago

Thank you, View ribbon > Sync slicers is how to do this

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: BC

The correct answers are: B. Replace the slicers with report-level filters C. Sync the slicers across the pages

🧠 Here's why:

B. Report-level filters

These filters apply globally across all pages in the report.

If users don't need to interact with slicers and just want consistent filtering, this is a simple and effective solution.

C. Sync slicers across pages

Power BI allows you to synchronize slicers so that a selection on one page is reflected on others.

This keeps the slicer visible and interactive while ensuring filter consistency across pages.

You can manage this via the "Sync Slicers" pane under the View tab in Power BI Desktop

[-] **desibaby09** 1 point 8 months ago

Selected Answer: BC
sync slicers, report level filters

[-] **jaume** 1 point 9 months ago

Selected Answer: BC
Syn'ing (option C) slicers will makes them to be all together to be set to the value user can select in any of them.
Replacing the slicers with report-level filters (opton B) will ensure any value selected in any of these slicers (one single slicer per field within the report) will impact all visuals in any page of the report.
Page-level and visual-level filters (options D & E) will not impact all the pages in the report at the same time and bookmars could deine a specific view but within a page not for the entire report

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: BC
The answer is correct

[-] **Gmt5886Gmt** 3 points almost 2 years ago

Selected Answer: BC
B and C

[-] **lgetmyrole** 1 point almost 2 years ago

B & C are answers.
B. Report-level filters allow you to set filters that apply to all pages within the report.
C. This option can help synchronize slicer selections across multiple pages.

[-] **abbeyabh** 1 point about 2 years ago

Correct -
B. Replace the slicers with report-level filters.
C. Sync the slicers across the pages.

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: BC
Correct.

[-] **RazaTheLegend** 1 point over 2 years ago

Selected Answer: BC
B and C are correct options.

[-] **ManuelG00** 1 point over 2 years ago

Selected Answer: BC
correct!

[-] **ewelaela** 2 points over 2 years ago

Selected Answer: BC
BC is correct

[-] **jboiret** 2 points over 2 years ago

Selected Answer: BC
Answer B,C

[-] **SaadNageeb** 3 points over 2 years ago

Please !!! I didn't find anything called Report Level Filter, If you know kindly provide the link

[-] **Kowshigha** 2 points over 2 years ago

Instead of Slicers use option filters on all pages under filter pane.

[-] **Patrick666 2 points** over 2 years ago

Selected Answer: BC

[-] **Hoeishetmogelijk 1 point** over 2 years ago

Selected Answer: BC

I think B & C are valid answers.

[-] **Booster21 3 points** over 2 years ago

Selected Answer: BC

B. Replace the slicers with report-level filters.

C. Sync the slicers across the pages. are correct.

[-] **Booster21 1 point** over 2 years ago

Selected Answer: CD

Why D. Replace the slicers with page-level filters. is not correct?

[-] **iccent2 1 point** over 2 years ago

D is not correct bcos page-level filter affects only a page and not the 4 pages.

The type of filter that affects all the pages is called "FILTER ON ALL PAGES"

[-] **Booster21 1 point** over 2 years ago

Ok, page-level filter "on this page" is wrong, but if page-level filter "on all pages" would be correct, wouldn't it?

[-] **scotchtapebunny 2 points** over 2 years ago

I might be wrong here but page level filters are individually set on all pages. That's not what you want. You want filter for the all the pages, hence report-level.

[-] **MayaYao 2 points** over 2 years ago

How to remove the wrong answer?

[-] **samad1234 3 points** almost 3 years ago

B and C

[-] **lukelin08 3 points** almost 3 years ago

B and C is correct

[-] **centrumadresowe 3 points** almost 3 years ago

B, C - ok


although bookmarks seems also "tasty" but you can not select checkbox to save as slicer

Question 292

HOTSPOT -

You use Power Query Editor to preview the data in a column named Resource Location.

The column statistics and value distributions of Resource Location appear as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

There are [answer choice] values that occur only once in Resource Location.

0
13
2,863

The value that occurs the most frequently is [answer choice].

EU North
Middle East And Africa
US East
ZA North

Hide Answer

Correct answer:

Answer Area

There are [answer choice] values that occur only once in Resource Location.

0
13
2,863

The value that occurs the most frequently is [answer choice].

EU North
Middle East And Africa
US East
ZA North

[-] **Davery** 34 points 10 months ago

If it occurs only once, this means it is unique, which means the correct answer should be zero.

[-] **52f8a31** 7 points 10 months ago

0-US EAST is the good answer

[-] **sigfusion** 1 point 5 months ago

I scored (951/1000) earlier today and the answer is 0 - US East.
No need to further discuss

[-] **jaume** 6 points 9 months ago

First solution must be '0' as there are no UNIQUE values.
13 is the number of DISTINCT values in the dataset.

US East is the one occurring many more times than the reast (on top in the bar chart)

[-] **VladStan** 1 point 10 months ago

Unique

US East

[-] **VladStan** 2 points 10 months ago

Clicked to fast:
Unique: 0
Most frequent: US East

[-] **ak57** 3 points 10 months ago

Unique is 0.
Most frequently occurred is US East

[-] **1CY1** 3 points 10 months ago

Only once : 0. {Unique}
Most Frequent : US East.

Question 293



You have a Power BI report that contains the visual shown in the following exhibit.

Product	Sales
Amarilla	17,747,116.06
Carretera	13,815,307.89
Montana	15,390,801.88
Paseo	33,011,143.95
Velo	18,250,059.47
VTT	20,511,921.02
Total	118,726,350.26

You need to make the visual more accessible to users who have color vision deficiency.

What should you do?

A. Change the font color of values in the Sales column to white.

- B. Change the red background color to orange.
- C. Add additional measures to the table values.
- D. Add icons to represent the sales status of each product.

Hide Answer

[-] **b92fc92** 9 points 10 months ago

D in my opinion

[-] **MANANDAVEY** 1 point 6 months ago

Selected Answer: D
D is correct.

[-] **jaume** 2 points 9 months ago

"color vision deficiency" so options A and B wouldn't work as it would still be about colouring different values.
Icons would support people with color deficiency to get the comparison in the visual

[-] **LuluSkyy** 1 point 10 months ago

D is the correct answer

[-] **ak57** 1 point 10 months ago

I agree with D

Question 294



You have a Power BI app that contains a report named Report1.

You add a new page to Report1.

You need to ensure that users can view the new page. The solution must minimize administrative effort.

What should you do?

- A. Update the audience in the app.
- B. Update the app.
- C. Update the contact information in the app.
- D. Unpublish and create a new app.

Hide Answer

[-] **b92fc92** 7 points 10 months ago

Selected Answer: B
B in my opinion

[-] **MANANDAVEY** 1 point 6 months ago

Selected Answer: B
B is right

[-] **jaume** 1 point 9 months ago

Selected Answer: B

Audience has not change so no effect in the current users.

Similarly, updating contact information would no impact the content available to the app users.

Option D could work as creating a new app replica (same content as original) would have same effect as simply updating the app.. but would not minimize administrative effort.

Question 295

You have a Power BI semantic model that contains a table named Table1. Table1 contains the following columns:

- WebsiteName
- URL

You need to create a report named Report1 that will contain a table visual. The solution must meet the following requirements:

- Display the website name.
- Enable users to navigate to the website's URL by selecting the website name.

What should you use?

- A. data categories
- B. Conditional Formatting
- C. inline hierarchy labels
- D. URL icons

Hide Answer

[-] gstep 5 points 7 months ago

Selected Answer: B

B- need to "Enable users to navigate to the website's URL by selecting the website name"

[-] ferben 4 points 7 months ago

Exactly

You have two columns "Name" and "URL"

You create a table visual with only Name then you do the conditionnal formatting

Name > Conditionnal formatting > web URL > based on the column URL

[-] Odidepse 2 points 7 months ago

Tested it as well , confirmed answer is B

[-] AmieM 1 point 8 days ago

Selected Answer: B

Answer is B. One may first think that data categories is the way to go as this is the foundation of URL use, but only conditional formatting will allow for you to click a website name (that has a hidden URL) that is different than the actual URL.

[-] Lulu_2022 1 point about 1 month ago

Selected Answer: B

Correct answer: B. Conditional Formatting

🧠 Why this works:

To make the WebsiteName column clickable and navigate to the corresponding URL, you should use Conditional Formatting
→ Web URL in Power BI:
Create a table visual with WebsiteName.
In the Format pane, go to:
Values → Conditional formatting → Web URL
In the dialog box:
Set Based on field to the URL column.
This tells Power BI to treat the WebsiteName text as a hyperlink pointing to the actual URL.

[-] **225401f** 1 point about 2 months ago

Selected Answer: A
A is correct

[-] **lechuc508** 1 point 2 months ago

Selected Answer: A
A is correct

[-] **MANANDAVEY** 2 points 6 months ago

Selected Answer: B
Its B. If considering chatgpt answer its wrong

[-] **0e11c58** 2 points 7 months ago

Selected Answer: A

Chat gpt:

Data Categories

To achieve the requirement where users can navigate to a website's URL by selecting the website name, you need to set the URL column to the Web URL data category in Power BI. This allows Power BI to recognize the URL as a clickable link, which can be associated with the WebsiteName column in your visual.

[-] **_jay95_** 2 points 7 months ago

The requirement here is different, and option B is correct.

Question 296



HOTSPOT -

You use Power Query Editor to review a query that contains a column named Country.

You need to view the following information in the Data preview view for the Country column:

- The percentage of values that contain errors.
- The count of empty values.

What should you enable? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

To view the percentage of values that contain errors:

	▼
Column distribution	
Column profile	
Column quality	

To view the count of empty values:

	▼
Column distribution	
Column profile	
Column quality	

Hide Answer

Correct answer:

Answer Area

To view the percentage of values that contain errors:

	▼
Column distribution	
Column profile	
Column quality	

To view the count of empty values:

	▼
Column distribution	
Column profile	
Column quality	

[-] **Pey1nkh** 15 points 7 months ago

Error Percentage : Column quality
Count of Zero : Column Profile
(Zero Percentage : Column Quality)

[-] **f133b89** 7 points 6 months ago

Both Answers are Column Quality
Column Quality:

The Column quality feature in Power Query provides a visual summary of the column data, including:

The percentage of valid values.
The percentage of error values.
The percentage of empty (null) values.

This is exactly what you need to see both the percentage of errors and the count of empty values.
Column Profile:

The Column profile provides a statistical overview of the data, such as distinct values, unique values, and value distribution. While useful, it does not specifically display the percentage of errors or count of empty values.

Column Distribution:

The Column distribution feature shows the frequency distribution of values in the column as a bar chart. It is not used for viewing errors or empty values.

[-] **Zakzouk23** 1 point 3 months ago

chatGPT : The correct answer is Column quality because it shows a visual summary of the column's data, including the percentage of valid, error, and empty values.

Although it primarily displays percentages, when you hover over the empty or error segments, a tooltip appears showing both the percentage and the actual count of values.

Therefore, Column quality allows you to view both the percentage of values with errors and the count of empty values.

[-] **be79ac3** 1 point 4 months ago

Quality - as it is a %

Profile - as it counts

[-] **Jasmine121** 1 point 6 months ago

They are Quality and Profile.

[-] **Jasmine121** 1 point 6 months ago

quality/profile

one for percentage, one for counts

[-] **santhosh28** 5 points 6 months ago

Tested:

Column Quality

Column Profile

[-] **57fa092** 2 points 7 months ago

Both should be Column Quality

[-] **57fa092** 2 points 7 months ago

after review, i think , column quality and column profile

Question 297




You have a Power BI semantic model named Model1 that contains two fields named Sales and Quarter. Model1 contains a DAX measure that sums the Sales column.

You need to create a report that will contain the visual shown in the following exhibit.

Sales By Quarter

Category ● Product A ● Product B ● Product C ● Product D



The solution must NOT require additional DAX measures.

Which type of visual should you use?

- A. ribbon chart
- B. line chart
- C. 100% stacked area chart
- D. area chart

Hide Answer

[-] **be79ac3** 3 points 4 months ago

Selected Answer: C

100% stacked as it is showing different segments in a 100% total

[-] **SylUK** 1 point 6 months ago

Selected Answer: C

C is the answer 100% stacked area chart:

A 100% stacked area chart shows how the constituent parts of a whole have changed over time. The y axis scale is always 100%. Each area of colour represents one part of the whole. The parts are stacked up, usually vertically. (Found in Google)

[-] **Odidepse** 1 point 7 months ago

Selected Answer: C

B does not show referring to the visual diagram where you have different product category stacked up, question outlines 'You need to create a report that will contain the visual shown in the following exhibit.', that is clearly meant for 100% stacked area chart. Cannot be B line chart as per the exhibited visual shown which is stacked category..

[-] **namuuu** 1 point 7 months ago

Selected Answer: B

The report requires a visual that shows how Sales changes over time (by quarter). A line chart is the most appropriate choice because:

Purpose of a Line Chart:

A line chart is ideal for visualizing trends and patterns over a continuous dimension, such as time (Quarter in this case). It displays the progression of values (e.g., Sales) across sequential periods.

No Additional DAX Measures Required:

Since the DAX measure already sums the Sales column, the line chart can directly use the measure for plotting the aggregated sales values against the Quarter field.

[-] **0e11c58** 2 points 7 months ago

Selected Answer: C

Checked google

Question 298

DRAG DROP

-

You have a Power BI semantic model that contains a table.

You need to create a Power BI report page that contains two visuals that meet the following requirements:

- Visual 1: Displays the distribution of hierarchical data
- Visual 2: Search and then filter by values

Which type should you choose for each visual? To answer, drag the appropriate visual types to the correct visuals.

Each visual type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Visuals

- Gauge
- Slicer
- Smart narrative
- Table
- Treemap

Answer Area

Visual 1:

Visual 2:

Hide Answer

Correct answer:

Answer Area

Visual 1:

Visual 2:

[-] **Odidepse** 7 points 7 months ago

Presented answer is correct - Treemap is for hierarchical data and slicer is for filtering

[-] **f83734b** 1 point 3 months ago

Treemap

Slicer

Question 299

HOTSPOT

-

You use Power Query Editor to review the query shown in the following exhibit.

	A^B_C Region	A^B_C State	1²₃ Jan-24	1²₃ 24-Feb
1	New England	Connecticut	135406	301796
2		Maine	277491	379959
3		Massachusetts	351593	51885
4		New York	228595	469117
5		Vermont	351707	428020
6	Mountain	Colorado	98470	47417
7		Idaho	233238	298378
8		Montana	398674	38907
9		Utah	457837	221236
10	Mid Atlantic	Maryland	161599	250716
11		New Jersey	76077	351063
12	Midwest	Kansas	75837	278442
13		Missouri	403898	19499
14		Nebraska	62773	71883
15	Pacific	Washington	299344	405026
16		Oregon	197197	191106
17		California	385586	39890

Each Region value appears only on the row where it first occurred. Each subsequent occurrence of the Region value is blank.

You need to ensure that every row contains the correct non-blank value. The solution must minimize development effort.

Which column should you select, and which action should you perform on the column? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Column:

	▼
Jan-24	
Region	
State	

Action:

	▼
Fill down.	
Fill up.	
Replace the values.	
Unpivot the column.	

Hide Answer

Correct answer:

Answer Area

Column:

	▼
Jan-24	
Region	
State	

Action:

	▼
Fill down.	
Fill up.	
Replace the values.	
Unpivot the column.	

[-] **b2775a4** 10 points 6 months ago

Region/Fill down

The Fill Down action in Power Query propagates the last non-blank value downward into subsequent blank cells within the same column. This ensures that all blank rows in the "Region" column are filled with the correct value from the previous row where the region was specified.

Question 300

You have a Power BI report that contains a bar chart. The bar chart displays sales by country.

You need to ensure that a summary of the data shown on the bar chart is accessible by using a screen reader.

What should you configure on the bar chart?

A. conditional formatting

B. alt text

- C. the tab order
- D. the layer order

Hide Answer

[-] EdExamTopics 3 points 6 months ago

Selected Answer: B
Alt text (alternative text) provides a textual description of the visual content, which can be read by screen readers.

[-] SylUK 1 point 6 months ago

Selected Answer: B
The answer is B : alt text

[-] SylUK 2 points 6 months ago

"Alt text" refers to a textual description added to an image that explains its content for users with visual impairments who rely on screen readers, while "tab order" defines the sequence in which interactive elements on a webpage are navigated using the keyboard's tab key, ensuring a logical flow for users to access information.

[-] b2775a4 1 point 6 months ago

Selected Answer: B
Alt text (alternative text) is used to provide a textual description of the visual content for users relying on screen readers. In this case, configuring alt text ensures that a summary of the bar chart (e.g., "Sales by country") can be read out by a screen reader, making the data accessible.

Question 301



HOTSPOT

-

You have the Performance analyzer results shown in the following exhibit.

Start recording	Refresh visuals	Stop
Clear Export		
Name	Duration (ms)	
Recording started (9/6/2024 7:16:11 PM)	-	
Refreshed visual	-	
Mobility Button	176	
Visual display	138	
Other	37	
Copy query		
Run in DAX Query View		
Adoption Button	175	
Visual display	138	
Other	37	
Copy query		
Run in DAX Query View		
Usage Button	175	
Visual display	139	
Other	36	
Copy query		
Run in DAX Query View		
August 2024 Active User %	474	
DAX query	12	
Visual display	177	
Other	286	
Run in DAX Query View		
Exec Sum Selected	172	
Visual display	138	

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

The visual that has the slowest load time is [answer choice].

- Adoption Button
- Exec Sum Selected
- August 2024 Active User %
- August 2024 Active and Enabled Users

[Answer choice] waits the longest for other visuals to load.

- Adoption Button
- Exec Sum Selected
- August 2024 Active User %
- August 2024 Active and Enabled Users

Hide Answer

Correct answer:

Answer Area

The visual that has the slowest load time is [answer choice].

Adoption Button
Exec Sum Selected
August 2024 Active User %
August 2024 Active and Enabled Users

Adoption Button
Exec Sum Selected
August 2024 Active User %
August 2024 Active and Enabled Users

[Answer choice] waits the longest for other visuals to load.

[-] **BKel** 1 point 16 days ago

Should it not be Exec Sum Selected as this visual has to wait the longest to load?

[-] **a2c7cd3** 3 points about 1 month ago

Both are August 2024 Active User %

Question 302

HOTSPOT -

You have a Power BI tenant that hosts the datasets shown in the following table.

Name	Contents	Used to generate
Sales	Sales targets Sales data Employee salary data	Daily performance reports Quarterly reports used to calculate bonuses
Operations	Environmental sensor data	Reports that show average sensor readings over time
Finance	Financial transaction data	Budget planning reports Monthly board reports

You have the following requirements:

The export of reports that contain Personally Identifiable Information (PII) must be prevented.

Data used for financial decisions must be reviewed and approved before use.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements

The Sales dataset requires a sensitivity label.

Yes

No

☐
☐

The Operations dataset requires a sensitivity label and must be certified.

☐
☐

The Finance dataset requires a sensitivity label and must be certified.

☐
☐

Hide Answer

Correct answer:

Reference:

<https://docs.microsoft.com/en-us/power-bi/enterprise/service-security-sensitivity-label-overview>

Answer Area

Statements	Yes	No
The Sales dataset requires a sensitivity label.	☒	☐
The Operations dataset requires a sensitivity label and must be certified.	☐	☒
The Finance dataset requires a sensitivity label and must be certified.	☒	☐

[-] **Hannahhhhh** 56 points almost 3 years ago

Correct

[-] **Narband2778** 19 points over 2 years ago

Yes-No-Yes

[-] **jaume** 3 points 9 months ago

I would vote for Yes, No, Yes as suggested

[-] **LuluSkyy** 2 points 9 months ago

Yes No Yes

[-] **LuluSkyy** 1 point 10 months ago

Yes No Yes is the correct answer

[-] **nammm112** 2 points 11 months ago

Yes-No-Yes

[-] **rcaliandro** 2 points 12 months ago

Yes, NO, Yes

[-] **temor** 10 points over 1 year ago

Based on the requirements and the data provided in the image:

The Sales dataset requires a sensitivity label: Yes, because it contains employee salary data, which is considered PII.

The Operations dataset requires a sensitivity label and must be certified: No, there is no mention of PII, and unless environmental sensor data is specifically classified as sensitive by the organization, it typically wouldn't require certification.

The Finance dataset requires a sensitivity label and must be certified: Yes, as it contains financial transaction data, which is sensitive and used for financial decisions.

[-] **Acrious** 3 points about 2 years ago

Correct Yes-No-Yes all financials in most companies are considered confidential. Nobody wants their numbers just out there for competitors or investors to see (without explanations etc) especially public companies

[-] **MoxieTT** 11 points about 2 years ago

This was in the exam

[-] **aarshsachdeva98** 3 points over 2 years ago

The financial data requires approval before use so it must be verified.

[-] **Soma1995** 2 points over 2 years ago

As per the requirement, financial data needs to be certified so, { Y, N, Y}

[-] **iccent2** 8 points over 2 years ago

Yes
No
No

Any reason why you have to put sensitive label on financial data for budgeting? Does it contain personal data?

[-] **JudT** 1 point over 1 year ago

Here we go

<https://www.lumenafinancial.com/blog/safeguarding-your-identity-a-guide-to-protecting-personally-identifiable-i>

[-] **JudT** 1 point over 1 year ago

Yes
No
Yes

[-] **iccent2** 4 points over 2 years ago

I change my mind.
Financial data are sensitive data.

[-] **cnmc** 5 points over 2 years ago

Sensitivity labels aren't limited to personal data... Here's a hint: 100% of companies consider financial data to be "sensitive"..

[-] **Maverick7513** 2 points over 2 years ago

yes but the questions says that only reports with PII must be prevented from exporting, so from what i understand, financial dataset must be certified but does not require a sensitivity label. Any comments ?

[-] **erency3** 1 point over 1 year ago

correct

[-] **Hoeishetmogelijk** 1 point over 2 years ago

Yes, No, Yes

[-] **lukelin08** 3 points over 2 years ago

Given answer is correct.

Yes
No
Yes

[-] **Jay_98_11** 3 points over 2 years ago

correct

[-] **Wadyba** 3 points over 2 years ago

Correct - why can't somebody edit their comment

[-] **Wadyba** 3 points over 2 years ago

NO, NO, Yes

[-] **davidjiny** 2 points over 2 years ago

sensitivity labels don't prevent export, just encryption.

[-] **Shalaleh** 1 point over 2 years ago

I agree with you. NO NO YES

[-] **Shalaleh** 1 point over 2 years ago

I changed my mind, sensitivity label does not prevent. but if it is exported, the data will be encrypted. That means it is better than nothing. So I go with YES; NO, YES

Question 303



In Power BI Desktop, you are creating visualizations in a report based on an imported dataset.

You need to allow Power BI users to export the summarized data used to create the visualizations but prevent the users from exporting the underlying data.

What should you do?

- A. From the Power BI service, configure the dataset permissions.
- B. From Power BI Desktop, configure the Data Load settings for the current file.
- C. From Power BI Desktop, modify the data source permissions.
- D. From Power BI Desktop, configure the Report settings for the current file.

Hide Answer

[-] **June15** 45 points almost 3 years ago

Selected Answer: D

I think the answer should be D.

Reference: <https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-export-data?tabs=powerbi-desktop>

[-] **Orkhannnn** 36 points almost 3 years ago

Selected Answer: D

in Power BI Desktop -> File -> Options and Settings -> Options

Current File -> Report Settings -> Export Data -> Allow end users to export data with current layout and summarized data from the Power BI service or Power BI Report Server.

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: D

In Power BI Desktop, you can control what type of data users are allowed to export when the report is published. To allow export of summarized data only, you need to:

- Go to File → Options and settings → Options

- Under Current File, select Report settings

- In the Export data section, choose:

✓ Allow end users to export summarized data from the service or Report Server

This ensures users can export only the aggregated data shown in visuals—not the raw, underlying rows.

[-] **jaume** 1 point 9 months ago

Selected Answer: C

Main constraint here is "...must NOT provide the Azure network security team with the ability to manage reports, datasets or dashboards".

Options A and D would not match that constraint.

Option B would not support Azure Network Team to take the maintenance task of user management.

[-] **jaume** 1 point 9 months ago

please, dismiss this one... it was supposed to be comments for the next question

[-] **jaume** 1 point 9 months ago

Selected Answer: D

Option A is about restricting access to data but, for the available data would be no "export restrictions" (the ones already in place)

Option B is about how data will be fed into the report not "out of the report" (export)

Option C is again related to the access to data source similar to option A

[-] **539d541** 1 point 11 months ago

Selected Answer: D

Should be D

[-] **nammm112** 1 point 11 months ago

Selected Answer: D

D should be the right answer. Check under Current file-> Report Settings

[-] **varuns** 1 point 12 months ago

Selected Answer: D

D - configure report settings from Power BI desktop

[-] **NaudeDucon** 1 point about 1 year ago

Selected Answer: A

In Power BI Service, go to File -> Settings -> Export Data. There are 3 options:

- Summarized data, and data with current layout
- Summarized data, data with current layout, and underlying data

- None.

To achieve what the question states, we should select "None". So the answer is A.

[-] **NaudeDucon** 1 point about 1 year ago

ah my mistake, we must choose "Summarized data, and data with current layout"...Still A

[-] **NaudeDucon** 3 points about 1 year ago

hm....maybe the settings I've mentioned above is not "Data Permission", but "Export Data" settings. So...D. Ah I wanna delete my old discussions

[-] **e3ddceb** 1 point about 1 year ago

A. From the Power BI service, configure the dataset permissions.

In the Power BI service, we can control the ability of users to export data by configuring the dataset permissions. We can allow users to export summarized data while preventing them from exporting the underlying data. This setting is not available in Power BI Desktop; it can only be configured in the Power BI service.

[-] **TrainingCA06** 1 point over 1 year ago

A and D are correct

[-] **28485e1** 2 points over 1 year ago

Selected Answer: A

Option D, configuring the Report settings in Power BI Desktop, doesn't directly control user permissions for exporting data.

Exporting data capabilities, especially distinguishing between summarized data and underlying data, are managed through dataset permissions in the Power BI service (option A). This approach allows administrators to set specific export permissions at the dataset level, controlling how users can interact with the data in reports and dashboards within the Power BI service, rather than through settings in Power BI Desktop.

[-] **lmrod** 3 points almost 2 years ago

Selected Answer: D

I think D is correct too

[-] **SamuComqi** 13 points about 2 years ago

Selected Answer: D

I passed the exam today (948/1000). My answer was:

- From Power BI Desktop, configure the Report settings for the current file

[-] **Shalaleh** 4 points over 2 years ago

Selected Answer: D

There is such an option in Power BI desktop.

[-] **SanaCanada** 3 points over 2 years ago

Selected Answer: D

D. From Power BI Desktop, configure the Report settings for the current file.

To allow Power BI users to export the summarized data used to create the visualizations but prevent them from exporting the underlying data, you can configure the Report settings in Power BI Desktop.

No confusion, and no need to discuss further

[-] **Loesf** 2 points over 2 years ago

B?

The correct option to allow Power BI users to export the summarized data used to create the visualizations but prevent the users from exporting the underlying data is:

B. From Power BI Desktop, configure the Data Load settings for the current file.

To configure the Data Load settings for the current file in Power BI Desktop, follow these steps:

In the Home tab, click on the Options button.

In the Options dialog box, select the Current File option from the left-hand pane.

Under the Data Load section, select the "Load" option for "Allow data to be loaded into the model".

Select the "Do not include model data" option for "Data connectivity mode".

Click on the OK button to save the changes.

By selecting "Do not include model data" option, you are allowing the users to export only the summarized data used to create the visualizations but not the underlying data.

Note that this setting only applies to the current file, so you will need to apply this setting to each Power BI file that you want to limit data export for.

[-] **csillag** 3 points over 2 years ago

Selected Answer: D

1.) in Power BI Desktop > File > Options > Report Settings > Export data > Allow end users to export data with current layout, summarize data and underlying data from the service or Report Server.

2.) in Power BI Service in Report Settings > Export data section I found: "Choose the type of data you allow your end users to export." Here you can select one option from:

- Summarized data and data with current layout

- Summarized data, with current layout and underlying data

- None

But this option is missing from offered answers, the correct answer is D.

A is incorrect as in Manage Dataset Permission you can grant access:

-allow recipients to modify dataset,

-allow recipients to share this dataset,

-allow recipients to build content with the data associated with dataset,

-send an email notification

or remove granted reshare, remove build, remove write, remove access

So here you can not change or limit data export.

<https://learn.microsoft.com/en-us/power-bi/connect-data/service-datasets-permissions>

[-] **Hoeishetmogelijk** 2 points over 2 years ago

Selected Answer: D

D is correct.

[-] **lukelin08** 2 points over 2 years ago

Selected Answer: D

D is correct

[-] **wzwd** 2 points over 2 years ago

Why the admin is not able to provide the correct answer?? Absolutely is D!

[-] **Pauwels** 2 points over 2 years ago

Selected Answer: D

<https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-export-data?tabs=powerbi-desktop>

[-] **Mazhar332** 3 points almost 3 years ago

Selected Answer: A

A is the right answer.

As you need to do it from the Dataset level in PowerBI.com.

[-] **iccent2** 2 points over 2 years ago

Be careful and observe the question very well.

We are told in "PBI Desktop" NOT in "PBI Service". Take note of that.

[-] **iccent2** 2 points over 2 years ago

Sorry, this was meant to address answer A that talked about PBI service.

[-] **fdsdfgxcvbsfhshfg** 4 points almost 3 years ago

Selected Answer: D

D:

The export functionality can be disabled on several levels. First, Power BI Service admins can disable this functionality on tenant level. With that, nobody will be able to export the data. More about that later. Second, as a dataset owner you can decide if you allow your users to export the data. This is managed in dataset settings, but only changeable in Power BI desktop.

No matter what settings are applied in Power BI desktop, the tenant settings will overrule this. In the end the Power BI Service admin decides what options are possible to use.

<https://data-marc.com/2020/04/13/power-bi-governance-why-you-should-consider-to-disable-export-to-excel/>

[-] **Manikom** 2 points almost 3 years ago

'to export the summarized data used to create the visualizations but prevent the users from exporting the underlying data' this is an option under report setting in PowerBI Service... looks like the correct answer should be:.. In Power BI service configure the Report settings for the current file.. but there is not such an answer in the options

Question 304



You have a Power BI report that uses row-level security (RLS).

You need to transfer RLS membership maintenance to an Azure network security team. The solution must NOT provide the Azure network security team with the ability to manage reports, datasets, or dashboards.

What should you do?

- A. Grant the Read and Build permissions for the Power BI datasets to the Azure network security team.
- B. Configure custom instructions for the Request access feature that instructs users to contact the Azure network security team.
- C. Instruct the Azure network security team to create security groups. Configure RLS to use the groups.
- D. Add the Azure network security team as members of the RLS role.

Hide Answer

[-] **fred92** 32 points almost 3 years ago

Selected Answer: C

It is common practice that the PBI developer creates RLS groups and instructs the network team to create the corresponding AD roles. Then the developer assigns the AD groups to the RLS groups.

[-] **SanaCanada** 6 points over 2 years ago

Selected Answer: C

C. Instruct the Azure network security team to create security groups and configure RLS to use the groups is the best option in this scenario. This solution allows the Azure network security team to manage RLS membership without granting them access to the reports, datasets, or dashboards. By using security groups, the Azure network security team can add or remove users from the groups, and those changes will automatically apply to the RLS rules. This solution also ensures that the RLS membership is managed by the appropriate team, which is important for security and compliance purposes. No confusion, and no need to discuss further

[-] **benjamin2023** 3 points about 1 year ago

No confusion, and no need to discuss further

[-] **ultrxlght** 3 points over 1 year ago

No confusion, and no need to discuss further

[-] **28485e1** 3 points over 1 year ago

No confusion, and no need to discuss further

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: C

- Security groups in Microsoft Entra ID (formerly Azure AD) are the recommended way to manage RLS membership at scale.
- By configuring RLS roles to reference these groups, you delegate membership management to the Azure network security team without giving them access to the Power BI workspace or content.
- This approach ensures separation of duties: the Power BI team retains control over reports and datasets, while the network security team manages group membership.

[-] **Jasmine121** 1 point 6 months ago

Selected Answer: C

key word: security groups

[-] **jaume** 1 point 9 months ago

Selected Answer: C

Main constraint here is "...must NOT provide the Azure network security team with the ability to manage reports, datasets or dashboards".

Options A and D would not match that constraint.

Option B would not support Azure Network Team to take the maintenance task of user management.

[-] **LuluSkyy** 1 point 10 months ago

correct answer is C

[-] **paocard** 2 points over 1 year ago

La opción C sugiere la creación de grupos de seguridad en Azure y configurar el RLS para utilizar estos grupos. Esto proporciona una separación clara entre la administración de membresía de RLS y la gestión de informes, conjuntos de datos y paneles, ya que el equipo de seguridad en red de Azure puede administrar los grupos de seguridad sin tener acceso directo a los objetos de Power BI.

Las otras opciones no abordan la necesidad de transferir específicamente el mantenimiento de la membresía de RLS al equipo de seguridad en red de Azure sin darles la capacidad de administrar informes, conjuntos de datos o paneles.

[-] **Shalaleh** 4 points over 2 years ago

Selected Answer: C
Given answer is correct.

[-] **Michcat** 2 points over 2 years ago

The answer is C. It is common practice that the PBI developer creates RLS groups and instructs the network team to create the corresponding AD roles. Then the developer assigns the AD groups to the RLS groups.

[-] **lukelin08** 1 point over 2 years ago

Selected Answer: C
C is correct

[-] **Booster21** 2 points almost 3 years ago

C is correct.

Question 305



You have four sales regions. Each region has multiple sales managers.

You implement row-level security (RLS) in a data model. You assign the relevant mail-enabled security group to each role.

You have sales reports that enable analysis by region. The sales managers can view the sales records of their region. The sales managers are prevented from viewing records from other regions.

A sales manager changes to a different region.

You need to ensure that the sales manager can see the correct sales data.

What should you do?

- A. Change the Microsoft Power BI license type of the sales manager.
- B. From Microsoft Power BI Desktop, edit the Row-Level Security setting for the reports.
- C. Manage the permissions of the underlying dataset.
- D. Request that the sales manager be added to the correct Azure Active Directory group.

Hide Answer

[-] **Mizaan** 24 points almost 3 years ago

Selected Answer: D
Request that the sales manager be added to the correct Azure Active Directory group

[-] **MoneyStacking** 9 points over 1 year ago

Selected Answer: D
Passed with 917/1000
Question and answers were exactly the same but different order with the options!

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: D

Why the action takes place outside of Power BI

Since the RLS model is static, the logic is already baked into the dataset and tied to Azure AD groups. So, to reflect a sales manager's move:

- You don't need to touch the model or the RLS roles.
- You just update their group membership in Azure AD.
- That automatically gives them access to the correct region's data based on the existing role definitions.

So the key here is:

It's static RLS implemented using Azure AD security groups, which puts the responsibility for access updates on identity management, not Power BI Desktop.

If the model had been dynamic (say, with a UserAccess table and DAX filters), then yes—you'd make changes directly within Power BI or the data source. But that's not the case here.

Would you like a side-by-side comparison of static vs. dynamic RLS patterns? I can sketch one out for clarity.

[-] **jaume** 2 points 9 months ago

Selected Answer: D

Option A would not change the RLS setting for the user

Option B will change permissions for all the users related to settings changed

Similar to option B, option C would also affect all users related to the underlying data changed.

User permissions are managed through user groups, so reallocating the user to the right group would be enough

[-] **28485e1** 4 points over 1 year ago

This was on my exam 2/2024.

[-] **paocard** 4 points over 1 year ago

La respuesta correcta es:

D. Request that the sales manager be added to the correct Azure Active Directory group.

Explicación:

En este escenario, como se está utilizando Row-Level Security (RLS) y los roles están asignados a grupos de seguridad de correo habilitados, cuando un gerente de ventas cambia a una región diferente, lo que se debe hacer es asegurarse de que esté agregado al grupo de Active Directory correcto que tiene acceso a la nueva región. Esta acción se realiza fuera de

Power BI, en el nivel de administración de Active Directory. Cambiar la pertenencia al grupo correcto garantizará que el gerente de ventas pueda ver los datos correctos para la nueva región en Power BI.

[-] **Shalaleh** 4 points over 2 years ago

Selected Answer: D

D is correct answer.

[-] **Shalaleh** 8 points over 2 years ago

pay attention to this sentence in the question: "You assign the relevant mail-enabled security group to each role.". That means there are Azure Active Security Groups, and we just need to change the group of the manager.

[-] **lukelin08** 4 points over 2 years ago

Selected Answer: D

D is correct

[-] **EMMALEEEEEEEEE** 5 points almost 3 years ago

I was wondering why not B?

[-] **Shalaleh** 12 points over 2 years ago

Because in the question they mentioned "You assign the relevant mail-enabled security group to each role." it means they already have Azure security groups. and RLS are assigned to these groups. So we just need to assign the user to the correct group.

[-] **EMMALEEEEEEEEE** 1 point almost 3 years ago

SORRY why not A

[-] **MayaYao** 1 point over 2 years ago

Why is A

You have more than 100 published datasets.

Ten of the datasets were verified to meet your corporate quality standards.

You need to ensure that the 10 verified datasets appear at the top of the list of published datasets whenever users search for existing datasets.

What should you do?

- A. Promote the datasets.
- B. Certify the datasets.**
- C. Feature the dataset on the home page.
- D. Publish the datasets in an app.

Hide Answer

[-] **ivanb94** 20 points over 2 years ago

Not too intuitive but true: "Certified datasets make it easier for organizations to steer users toward trusted and authoritative datasets. This "stamp of approval" for a dataset can only be applied by a specific group of Power BI users as defined in a new tenant setting. Once a dataset is certified, it shows up prominently in the new dataset discovery experience, making sure report authors can effortlessly find and leverage these high-quality sources of data." - from: <https://learn.microsoft.com/en-us/business-applications-release-notes/october18/intelligence-platform/power-bi-service/shared-certified-datasets>

[-] **MoxieTT** 6 points about 2 years ago

"This is one reason why having official datasets promoted and certified is recommended, as these will appear at the top of the list, with certified datasets appearing before promoted datasets." The question asks for datasets to appear at the TOP of the list. By that logic, it must be certified based on explanation above.

[-] **Pey1nkh** 1 point 7 months ago

Selected Answer: B

Certified datasets are marked with a special badge and appear at the top of search results, making them easily discoverable for users.

[-] **asdren88** 1 point 10 months ago

It should be Promote, as is has already been certified, right?

[-] **1763ab5** 2 points about 1 year ago

Selected Answer: B

Promotion: Promotion is a way to highlight content you think is valuable and worthwhile for others to use. It encourages the collaborative use and spread of content within an organization.

Any content owner, as well as any member with write permissions on the workspace where the content is located, can promote the content when they think it's good enough for sharing.

Certification: Certification means that the content meets the organization's quality standards and can be regarded as reliable, authoritative, and ready for use across the organization.

Only authorized reviewers (defined by the Power BI administrator) can certify content. Content owners who wish to see their content certified and are not authorized to certify it themselves need to follow their organization's guidelines about getting their content certified.

[-] **Mo2011** 1 point about 1 year ago

Answer B Certify

Once a dataset is certified, it shows up prominently in the new dataset discovery experience, making sure report authors can effortlessly find and leverage these high-quality sources of data.

[-] **Saluk_DE** 3 points over 1 year ago

Selected Answer: B

Promoting can be done by nearly everybody, certification is done only by assigned roles. So you only can assure that these 10 are always on top when you certify them. Promoting would only randomly show the sets that "somebody" thinks are worthwhile using. So Answer must be B

[-] **Shalaleh** 3 points over 2 years ago

Selected Answer: B

Because of this sentence in the question : "Ten of the datasets were verified to meet your corporate quality standards." I choose B.

[-] **Shalaleh** 1 point over 2 years ago

But guys, I know first certified and then promoted dataset show up. but the question does not mentioned that we are able to certify the datasets. by default dataset owner cannot certify datasets. owner should first sent a request to certify the dataset. therefore I think B is the correct answer.

[-] **Maverick7513** 4 points over 2 years ago

Selected Answer: B

the datasets were verified to meet corporate quality standards so they can be certified.

- Promotion: Promotion is a way to highlight content you think is valuable and worthwhile for others to use. It encourages the collaborative use and spread of content within an organization.

- Certification: Certification means that the content meets the organization's quality standards and can be regarded as reliable, authoritative, and ready for use across the organization.

<https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-endorse-content>

[-] **Maria86** 4 points over 2 years ago

Selected Answer: B

<https://learn.microsoft.com/en-us/business-applications-release-notes/october18/intelligence-platform/power-bi-service/shared-certified-datasets>

"... Once a dataset is certified, it shows up prominently in the new dataset discovery experience, making sure report authors can effortlessly find and leverage these high-quality sources of data."

[-] **SanaCanada** 2 points over 2 years ago

Correct Answer

A. Promote the datasets.

To ensure that the 10 verified datasets appear at the top of the list of published datasets whenever users search for existing datasets, promoting the datasets is the best option. Promoting the datasets would involve highlighting them in search results, adding labels to them indicating that they have been verified, and making them more visible on the platform. This will make it easier for users to find and access the verified datasets, which can help increase their usage and value. Certifying the datasets, featuring them on the home page, or publishing them in an app may also be helpful in promoting them, but promoting the datasets is the most direct and effective way to ensure they appear at the top of search results.

No confusion, no need to discuss further

[-] **mstemg** 1 point about 1 year ago

Lmaooo

[-] **Maria86** 5 points over 2 years ago

sorry, not true: <https://learn.microsoft.com/en-us/business-applications-release-notes/october18/intelligence-platform/power-bi-service/shared-certified-datasets>

"... Once a dataset is certified, it shows up prominently in the new dataset discovery experience, making sure report authors can effortlessly find and leverage these high-quality sources of data."

[-] **Hoeishetmogelijk** 3 points over 2 years ago

Selected Answer: B

Answer B is right: "Now when a report writer, from Power BI desktop, wants to connect to a dataset they will be offered certified datasets, then promoted datasets, with all other datasets listed afterwards."

Source: [https://hatfulofdata.blog/power-bi-endorse-a-](https://hatfulofdata.blog/power-bi-endorse-a-dataset/#:~:text=There%20are%20two%20types%20of,list%20of%20datasets%20when%20connecting.)

[dataset/#:~:text=There%20are%20two%20types%20of,list%20of%20datasets%20when%20connecting.](https://hatfulofdata.blog/power-bi-endorse-a-dataset/#:~:text=There%20are%20two%20types%20of,list%20of%20datasets%20when%20connecting.)

[-] **lukelin08** 3 points over 2 years ago

Selected Answer: B
B is correct per the explanation in the answer

[-] **chloen203** 1 point over 2 years ago

I thinks its A

[-] **fred92** 3 points almost 3 years ago

Selected Answer: B
Answer is correct

Question 307

DRAG DROP -

You have a Microsoft Power BI workspace.

You need to grant the user capabilities shown in the following table.

User name	Task
User1	Create and publish apps.
User2	Publish reports to the workspace and delete dashboards.

The solution must use the principle of least privilege.

Which user role should you assign to each user? To answer, drag the appropriate roles to the correct users. Each role may be used once, more than once, or not at all. You may need to drag the split bar.

NOTE: Each correct selection is worth one point.

Select and Place:

Roles

Admin	Contributor
Member	Viewer

Answer Area

User1:

User2:

Hide Answer

Correct answer:

Box 1: Member -

Only Admin and Member can publish, unpublish, and change permissions for an app.

Incorrect:

Contributors can update the app associated with the workspace, if the workspace Admin delegates this permission to them. However, they can't publish a new app or change who has permission to it.

Box 2: Contributor -

Admin, Member and Contributor can create, edit, and delete content, such as reports, in the workspace.

Note: Contributor - This role can access and interact with reports and dashboards. Additionally, this role can create, edit, copy, and delete items in a workspace, publish reports, schedule refreshes, and modify gateways.

Incorrect:

Viewer - This role provides read only access to workspace items. Read access does provide report / dashboard consumers the ability to not only view, but also interact with visuals. Interaction does not mean changing a visual.

Reference:

<https://docs.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

<https://www.mssqltips.com/sqlservertip/6487/power-bi-workspace-permissions-and-roles>

Roles	
Admin	Contributor
Member	Viewer

Answer Area	
User1:	Member
User2:	Contributor

[-] **fred92** 30 points almost 3 years ago

User 1: Member

User 2: Contributor

Answer is correct

[-] **RobertON1969** 7 points over 2 years ago

<https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

[-] **SamuComqi** 15 points about 2 years ago

I passed the exam today (948/1000). My answer was:

- Member

- Contributor

[-] **_jay95_** 1 point 7 months ago

No, contributors in Power BI workspaces cannot create a new app from scratch, but they can update an existing app if the workspace administrator grants them the permission to do so. Essentially, contributors can modify and update the content within an app but cannot create a brand-new app or manage its access permissions.

[-] **_jay95_** 1 point 7 months ago

User 1: Member

User 2: Contributor

[-] **jaume** 3 points 9 months ago

Box 1: Member. Only Admin and Member can publish, unpublish and change permissions for an app (contributors can update the app associated with the workspace if the admin delegates this permission to them, but they cannot publish a new app or

change who has permission to it)

Box 2: Contributor. Admin, member and contributor can create, edit and delete content in the workspace

[-] **LuluSkyy** 1 point 9 months ago

Given answer is correct: Member and Contributor

[-] **JudT** 1 point over 1 year ago

Given answer is correct

[-] **IVO999** 3 points about 2 years ago

Member-Contributor

[-] **Shalaleh** 4 points over 2 years ago

Given answer is correct.

[-] **Nisa93** 2 points over 2 years ago

Given answer is correct!

[-] **iccent2** 2 points over 2 years ago

Given answer is correct!

[-] **lukelin08** 2 points over 2 years ago

Answer is correct

Question 308



You create a dashboard by using the Microsoft Power BI Service. The dashboard contains a card visual that shows total sales from the current year.

You grant users access to the dashboard by using the Viewer role on the workspace.

A user wants to receive daily notifications of the number shown on the card visual.

You need to automate the notifications.

What should you do?

- A. Create a subscription.
- B. Create a data alert.
- C. Share the dashboard to the user.
- D. Tag the user in a comment.

Hide Answer

[-] **ThariCD 78 points** almost 3 years ago

Selected Answer: A

A is correct, you need a subscription, not an alert as alerts don't include a snapshot and they will only be sent based on a certain condition whereas here you want daily notifications, not just when the value exceeds a certain threshold.

[-] **Hoeishetmogelijk 6 points** over 2 years ago

I think this reasoning is completely valid, especially the fact that for sending an alert a certain threshold must be exceeded. While the requirement is that the update must be sent daily.

[-] **Manikom 22 points** almost 3 years ago

Correct answer should be A... a subscriptions, which allows you to receive email with a snapshot of a report or a dashboard, with the time frequency you decide.

Alerts are only used when you set a threshold for a value and you need to be informed based on current value exceeding a limit

[-] **Hoeishetmogelijk 3 points** over 2 years ago

I think this reasoning is completely valid, especially the fact that for sending an alert a certain threshold must be exceeded. While the requirement is that the update must be sent daily.

[-] **jaume 1 point** 9 months ago

Selected Answer: A

Alerts will trigger notifications when value in the card would pass the threshold set, and this threshold could be set to '0'

(assuming positive values) to ensure a notification is sent every time value is updated,... but this question is looking for "daily notifications" even when there is no change, therefore subscription is the way

Anyway, the easiest way is to use subscription to ensure notification everytime value is updated

[-] **539d541 1 point** 11 months ago

Selected Answer: A

Should be A - subscription

[-] **nammm112 1 point** 11 months ago

Selected Answer: A

A is the answer since the users need to see daily updates and not when the data meets a certain threshold

[-] **varuns 1 point** 12 months ago

Selected Answer: A

Create a subscription. user does not have any threshold defined for an alert to be triggered.

[-] **Dani_eL 1 point** over 1 year ago

Thé scope is : user wants to receive daily notifications of the number shown on the card visual.

User just want to know what is shown, he does not want to know WHEN changed.(which is the role of an alert)

Based on this, A is correct, subscription

[-] **28485e1 1 point** over 1 year ago

Selected Answer: A

A subscription would be appropriate for daily updates without specific data change conditions. So, for daily notifications

regardless of data changes, the answer should be:

A. Create a subscription.

[-] **c02faba 1 point** over 1 year ago

In the link provided <https://learn.microsoft.com/en-us/power-bi/create-reports/service-set-data-alerts> , it says: 'Only you can see the alerts you set, even if you share your dashboard. Similarly, the dashboard owner can't see alerts you set on your view of their dashboard'. It means you can't use alert to notify other users! So I would say answer A should be the right answer

[-] **Mandar77** 1 point almost 2 years ago

Answer B is right. You can send notifications using data alerts. Also you can send email notification

[-] **Sauguad** 1 point almost 2 years ago

DAILY notification is required here. So, it should be A: Subscription.

[-] **KyriakosL** 3 points about 2 years ago

Selected Answer: A

The question does not specify that the alert should be value based.

Creating a subscription seems more correct

[-] **rania** 1 point about 2 years ago

Selected Answer: B

they say that You need to automate the notifications so the correct answer is B

[-] **Oa58a92** 1 point over 1 year ago

Users want to get information on daily basis while Data alert only send email to users when data get over threshold, not only daily basis.

[-] **AshND** 2 points about 2 years ago

Answer is A. By automate they mean the process of sharing the value daily should be automated. The process of setting an alert or subscription will be manual only.

[-] **RitaS** 1 point about 2 years ago

To me this is tricky because it says You need to automate the notifications. A user should be able to subscribe w/o you doing anything. With Power Automate, you can automate it. How to send Power BI Dashboard alerts to anyone, anywhere? | Power BI | Automate | BI Consulting Pro

[-] **Shalaleh** 4 points over 2 years ago

Selected Answer: A

For daily notification we need subscription.

[-] **Lotusss** 1 point over 2 years ago

It is A and why not B? An alert immediately gives you real time data when something changes and that is not asked in the questions. It states on "Daily Bases". So it is A: Subscriptions are useful when a user needs to keep an eye on data over time, but they do not provide real-time notifications about specific changes in data.

[-] **Shalaleh** 2 points over 2 years ago

Alert is when the number reaches a threshold.

[-] **SanaCanada** 2 points over 2 years ago

Correct Answer is B

To automate the notifications for the total sales card visual, you should create a data alert.

Option B - Create a data alert is the correct answer because a data alert allows you to monitor changes in data and send notifications based on specified criteria. In this case, you can set up a data alert to monitor the total sales value on the card visual and send a notification to the user on a daily basis if there is a change in the value.

Option A - Create a subscription, allows users to receive a snapshot of a report or dashboard on a regular basis, but it does not allow for monitoring changes in data and sending notifications based on specific criteria.

Option C - Sharing the dashboard with the user would allow them to view the dashboard, but it does not provide a way to send notifications.

Option D - Tagging the user in a comment is not an automated solution and requires the user to actively monitor the dashboard for updates.

No confusion, no need to further discuss

[-] **SanaCanada** 4 points over 2 years ago

A. Create a subscription.

To automate the notifications, you can create a subscription for the card visual. A subscription is a way to automatically deliver a report or dashboard to someone's email inbox or a shared location at scheduled intervals, such as daily or weekly. By creating a subscription, the user will receive an email notification with the number shown on the card visual at the desired frequency.

Sorry for my first response...

[-] **TimO_215** 3 points over 2 years ago

The correct answer is A.

<https://learn.microsoft.com/en-us/power-bi/collaborate-share/end-user-subscribe?tabs=creator>

[-] **RobertON1969** 2 points over 2 years ago

I go for B

<https://learn.microsoft.com/en-us/power-bi/create-reports/service-set-data-alerts>

[-] **ukn** 2 points over 2 years ago

It's B, because YOU need to automate the task. In a subscription, the USER do the task.

[-] **csillag** 2 points over 2 years ago

Selected Answer: A

is correct

[-] **Hoeishetmogelijk** 2 points over 2 years ago

Selected Answer: A

A. Subscription is correct.

For sending an alert, first a certain threshold must be exceeded. While the requirement is that the update must be sent daily.

[-] **lukelin08** 1 point over 2 years ago

I think it can be 'B'. Because its alerting on Daily Sales which will change daily and trigger the notification. Also the question just asks for the number shown on the card visual which an alert would do. The question doesnt ask for an entire snapshot of the dashboard which a subscription would do.

[-] **INDEAVR** 4 points almost 3 years ago

Selected Answer: A

A is correct

[-] **Clodia** 4 points almost 3 years ago

Selected Answer: A

A is correct

[-] **emmanuelkech** 5 points almost 3 years ago

A is the more accurate as the user wants to receive daily report not for a specific range

Question 309

You have a Power BI workspace named Workspace1 that contains a dataset named DS1 and a report named RPT1.

A user wants to create a report by using the data in DS1 and publish the report to another workspace.

You need to provide the user with the appropriate access. The solution must minimize the number of access permissions granted to the user.

What should you do?

A. Add the user as a Viewer of Workspace1.

B. Grant the Build permission for DS1 to the user.

C. Share RPT1 with the user.

D. Add the user as a member of Workspace1.

Hide Answer

[-] **Hoeishetmogelijk** 32 points over 2 years ago

Selected Answer: B

Correction. Microsoft says: To copy a report to another workspace, and to create a report in another workspace based on a dataset in the current workspace, you need Build permission for the dataset. For datasets in the original workspace, if you have at least the Contributor role, you automatically have Build permission through your workspace role. So answer D would work, but because the permission must be minimal, answer B is the best answer.

[-] **Booster21** 5 points almost 3 years ago

B is correct.

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: A

Publishing a Power BI app to the entire organization is an effective way to grant read access to selected content—like one dashboard and three reports—without overexposing the rest of the workspace.

Here's why this works:

- 📁 Apps allow you to bundle specific reports and dashboards from a workspace.
- 👤 You can target the entire organization as the audience when publishing the app.
- 🔒 Users get read-only access by default, which aligns with the requirement.
- 🎯 You can select exactly which items (1 dashboard + 3 reports) to include in the app, keeping the rest private.

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: B

- Build permission allows a user to create new content (like reports or dashboards) based on a semantic model (dataset) without giving them broader access to the entire workspace.

- 🔒 This approach minimizes permissions—the user doesn't need to be a workspace member or viewer, which would grant more access than necessary.
- ❌ Option A (Viewer) only allows the user to view content, not build new reports.
- ❌ Option C (Share RPT1) gives access to the existing report, but not to the underlying dataset for building new reports.
- ❌ Option D (Member) grants too many permissions, including editing and managing all workspace content.

[-] **varuns** 1 point 12 months ago

Selected Answer: B

Build permission works perfectly in this case.

[-] **Imrod** 4 points almost 2 years ago

Selected Answer: B

D is correct but less restrictive than B.

From <https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

To copy a report to another workspace, and to create a report in another workspace based on a dataset in the current workspace, you need Build permission for the dataset. You also need at least the Contributor role on the source and

destination workspaces. For datasets in the original workspace, if you have at least the Contributor role, you automatically have Build permission through your workspace role.

[-] **SanaCanada** 4 points over 2 years ago

The correct answer is B

To allow the user to create a report using the data in DS1 and publish it to another workspace with the least amount of access permissions granted, you should grant the Build permission for DS1 to the user.

Option B - Grant the Build permission for DS1 to the user, is the correct answer because granting Build permission for a

dataset provides the user with access to the data within the dataset, and allows them to create a report using the data. This

permission can be granted without giving the user access to other reports or dashboards in Workspace1.

Option A - Adding the user as a Viewer of Workspace1, would not give the user permission to create reports or access the data in DS1.

Option D - Adding the user as a member of Workspace1 would give them access to all the content in the workspace, including other reports and datasets, which may not be necessary and could lead to a higher risk of unauthorized access or data leaks.

No confusion, no need to further discussion

[-] **ZSun 2 points** about 2 years ago

confusion and need further discussion.

The question is "The solution must <minimize> the number of access". Therefore, we need to use lowest security, therefore Option D is not as good as Option B

[-] **Michcat 2 points** over 2 years ago

Answer is B rather than D because granting "member" role will also enable dataset modification right to the user, which is not necessary.

[-] **Nawabi 2 points** over 2 years ago

Watch this if u have confusion

https://www.youtube.com/watch?v=DvnTd3C9_mQ

[-] **thatguytryingtostudy 2 points** over 2 years ago

Selected Answer: D

The correct answer is D.

"The solution must minimize the number of access permissions granted to the user."

"To copy a report to another workspace, and to create a report in another workspace based on a dataset in the current workspace, you need Build permission for the dataset. For datasets in the original workspace, if you have at least the

Contributor role, you automatically have Build permission through your workspace role. For details, see Copy reports from other workspaces."

<https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

[-] **thatguytryingtostudy 2 points** over 2 years ago

Yep. I'm wrong too. I think it's B based on the minimal permissions. I read that incorrectly.

[-] **Hoeishetmogelijk 3 points** over 2 years ago

Selected Answer: D

The correct answer is D:

Requirement here is "to publish to another workspace". Therefore a Member role is necessary. (Contributor role would also work, but this is not an option as answer)

Look up the Capability "Create a report in another workspace based on a dataset in this workspace" in this page:

<https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

[-] **Hoeishetmogelijk 2 points** over 2 years ago

Correction. Microsoft says: To copy a report to another workspace, and to create a report in another workspace based on a dataset in the current workspace, you need Build permission for the dataset. For datasets in the original workspace, if you have at least the Contributor role, you automatically have Build permission through your workspace role.

So answer D would work, but because the permission must be minimal, answer B is the best answer.

[-] **lukelin08 3 points** over 2 years ago

Selected Answer: B

answer given is correct 'B'

[-] **NotMeAnyWay 5 points** almost 3 years ago

Selected Answer: B

B is correct.

[-] **fred92** 4 points almost 3 years ago

Selected Answer: B

Answer is correct

Question 310



Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have five reports and two dashboards in a workspace.

You need to grant all organizational users read access to one dashboard and three reports.

Solution: You publish an app to the entire organization.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **Fer079** 27 points almost 3 years ago

I would say YES, because I understand that we can add to the app the desired reports/dashboard.
And for the next question which given solution is "You enable included in app for all assets." is NO

[-] **Fer079** 15 points almost 3 years ago

if we publish the app with just the needed dashboard and reports to the entire organization then the answer should be YES, but the question does not say anything about the app must contain all the objects or the selected ones.

[-] **sroumi** 1 point 4 months ago

Selected Answer: B

If the users you are granting access to do not all have Power BI Pro licenses, then publishing an app to the entire organization will only work if the workspace where the reports and dashboards reside is backed by a Power BI Premium capacity (P1 or higher), Fabric capacity, or if the content is explicitly shared with each user individually (which contradicts the goal of granting access to "all organizational users" efficiently).

[-] **Pey1nkh** 1 point 7 months ago

Selected Answer: A

You can select specific dashboards and reports to include in the app.

You can share the app with all organizational users (entire organization) or specific groups/users.

Users with access to the app can view the included content (dashboard and reports) in read-only mode.

[-] **GigachadPrime** 1 point 8 months ago

Selected Answer: B

How is one yes and next one wrong????????????????????????????????

[-] **jaume** 1 point 9 months ago

Selected Answer: A

We should assume the app would only contain content we want to share nothing else... so you would be always wondering whether your assumption is right or not as solution would depends on it

[-] **MonikaStop** 1 point 11 months ago

Selected Answer: B
Answer is No

[-] **539d541** 2 points 11 months ago

Selected Answer: B
I hate questions like this. It's always unclear whether the answer is meant to be partially getting to the solution or whether it needs to be the whole solution step by step. This surely is just part of the solution, creating the app and sharing it to the organization is just part of it, you still need to choose the 1 dashboard and 3 reports etc etc.

[-] **28485e1** 2 points over 1 year ago

These multi-part case questions allegedly only have one correct answer, and it seems the correct answer for this one is the active directory group, meaning all other answers should be, "No," including this one.

[-] **Palwashai** 1 point about 1 year ago

It is specifically stated otherwise in the question itself:
"Some question sets might have more than one correct solution, while others might not have a correct solution."
So there can be multiple correct answers or no correct answers within these question series.
I would say Yes for this question.

[-] **Dsbuff** 1 point over 1 year ago

Selected Answer: A
Yes. By selectively including only these items in the app, you can grant read access to all users specifically for the intended reports and dashboard.

[-] **LeeTheRed** 6 points over 1 year ago

This question was on the exam today 9/12/2023

[-] **DemoNight** 1 point almost 2 years ago

B. asigne a todos los usuarios el rol de Visor al espacio de trabajo. Usando grupo en AD

[-] **Maverick7513** 2 points over 2 years ago

Selected Answer: A
my mistake. It's yes.

[-] **Maverick7513** 4 points over 2 years ago

Selected Answer: B
publishing an app is not a complete solution to me

[-] **SanaCanada** 12 points over 2 years ago

the answer is A..Yes
When you publish an app in Power BI, you can select the specific content you want to include in the app, such as reports and dashboards, and specify the access levels for each item. You can also choose to make the app available to specific users or groups, or publish it to the entire organization.
If you publish an app to the entire organization, all users in your organization would have access to the app and its included content, as long as they have a Power BI license. You can set the appropriate access level for each item in the app, such as read-only access for the selected dashboard and reports, to ensure that users only have access to the content they need.
Therefore, publishing an app to the entire organization with the appropriate access levels for the dashboard and reports would meet the goal of granting all organizational users read access to one dashboard and three reports.
No confusion, no need to discuss further

[-] **Hoeishetmogelijk** 3 points over 2 years ago

Selected Answer: A
A: Yes is correct

[-] **INDEAVR** 7 points almost 3 years ago

Selected Answer: A

similar question, DA-100,topic 5, question 1, answer is YES

Question 311

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have five reports and two dashboards in a workspace.

You need to grant all organizational users read access to one dashboard and three reports.

Solution: You enable included in app for all assets.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **SamuComqi** 12 points about 2 years ago

Selected Answer: B

I passed the exam today (948/1000). My answer was:
- No

[-] **INDEAVR** 10 points almost 3 years ago

Selected Answer: B

Similar question DA-100, topic 5, question 13, answer is No

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: B

- Enabling "Included in app" for all assets means every report and dashboard in the workspace will be part of the app.
- Since the requirement is to share only one dashboard and three reports, this approach overexposes content—granting access to more than intended.
- This violates the principle of least privilege, which aims to limit access to only what's necessary.

[-] **Odidepse** 1 point 7 months ago

Selected Answer: B

Its also yes but there is only one Yes for these questions, the presented answers are not detailed enough, boils down to interpretation and comprehension over validation of skill. Would go for no on this one cross fingers

[-] **LuluSkyy** 2 points 9 months ago

I hate this kind of questions.

[-] **539d541** 1 point 11 months ago

I hate this question still....there are other questions that phrase it as 'the users must not be able to see any other reports or dashboards apart from the 1 & 3'. The given solution will ensure that they can see the dashboard and reports of interest....in

addition to all the others. Dumb trick question with highly ambiguous language in the context of other phraseology that they use in other exam questions.

[-] **Matt2000** 4 points about 2 years ago

The question seems outdated. "The include in app" toggle" appears to removed.
"https://support.oneplan.ai/hc/en-us/articles/8699079915789-Why-is-the-Include-in-app-toggle-in-Power-BI-is-greyed-out-#:~:text=The%20new%20steps%20are%20this%3A%201%20Click%20on,new%20report%20will%20now%20appear%20in%20

[-] **kelvin3105** 3 points about 2 years ago

could someone explain? I did not understand

[-] **55884** 4 points over 1 year ago

the answer is no because the requirement only requires few assets (reports/dashboard). but the solution included ALL assets. while using app is correct, including ALL assets are not.

[-] **Booster21** 3 points almost 3 years ago

The answer must be NO.

Question 312



Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have five reports and two dashboards in a workspace.

You need to grant all organizational users read access to one dashboard and three reports.

Solution: You assign all the users the Viewer role to the workspace.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **Manikom** 64 points almost 3 years ago

this should be NO... in this way all users will see all workspace content not only the one dashboard and 3 reports

[-] **June15** 2 points almost 3 years ago

Agree.

[-] **EMMALEEEEEEEEE** 8 points almost 3 years ago

but they didn't say can not access other dashboard and reports, I would go YES

[-] **YokoSumiGaeshi** 16 points over 2 years ago

"You have five reports and two dashboards in a workspace.

You need to grant all organizational users read access to one dashboard and three reports."

The user have to have access to a subset of what is available in the workspace. The answer is No.

[-] **Mizaan** 14 points almost 3 years ago

Selected Answer: B

"You have five reports and two dashboards in a workspace.

You need to grant all organizational users read access to one dashboard and three reports"

So we need to give access to a subset of reports and dashboards. If you give access to the workspace, they can see all. So answer is NO

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: B

- Assigning all users the Viewer role to the entire workspace gives them read access to all content—that includes all five reports and both dashboards, not just the one dashboard and three reports you intended.

- This approach overexposes content, violating the goal of limiting access to only specific assets.

✓ To meet the goal:

- Create a Power BI app from the workspace.

- Include only the one dashboard and three reports in the app.

- Publish the app to the entire organization to grant read access at scale.

This way, you maintain granular control while ensuring broad access to just the right content. Want help setting up selective app publishing or managing multiple audiences?

[-] **SylUK** 1 point 6 months ago

Selected Answer: B

The answer is B:

because A "Viewer" role typically grants access to read all the contents within a workspace, meaning a user with this role can view all the available information but cannot edit or modify any of it; they only have read-only access to the entire workspace content.

Therefore, if Viewer role is granted to all organizational users, they would automatically read all the 5 reports and 2 dashboards. The correct answer is B.

[-] **DN9** 1 point 6 months ago

Selected Answer: B

To have read access, an user can be assigned as a Member or Contributor or Viewer. So assigning the users only Viewer role doesn't seem to be correct. So I'll choose option: B, "No".

[-] **VladStan** 1 point 10 months ago

I believe that it should be "NO". I mean, you can give them Admin rights as well and it will meet the goal but it is wrong on so many levels...

[-] **adriankohws** 1 point about 1 year ago

Actually it meets the goal, just inappropriate, the question is not asking appropriately.

[-] **billerk13** 3 points over 1 year ago

Selected Answer: A

When you assign all the users the Viewer role, they will get access to the one dashboard and three reports. Therefore, the correct answer is Yes.

The fact that they also gain access to the other two reports is irrelevant.

[-] **Seda_** 1 point about 1 year ago

Your logic is completely wrong. You have redirected the purpose of asking the question to a different purpose than you thought. This is so interesting!

[-] **podalloc100** 2 points over 1 year ago

Selected Answer: B

It contradicts the justification of the previous answers.

[-] **Dani_eL** 1 point over 1 year ago

After reading a lot of discussion and a lot of confusion; this solution is valid;

It is said: create an azure Active Directory group with the « all users » group.

Then you share the 3 reports and the one dashboard to that group.
Basically.... That group will only see the 3 reports and one dashboard

[-] **sraakesh95** 2 points over 1 year ago

Selected Answer: B

Assigning all the users the Viewer role to the workspace would grant them read access to all the content within that workspace, not just to one dashboard and three reports. The goal is to grant access to specific items, not to everything in the workspace

[-] **StressFree** 1 point over 1 year ago

Selected Answer: B

simply cant understand how this site show so many incorrect answers... :(

[-] **WRTopics** 2 points almost 2 years ago

Selected Answer: B

This is a tricky question because both solutions works, A is less restricted.

[-] **Imrod** 2 points almost 2 years ago

Selected Answer: A

I go with A. I agree that you are giving access to all dashboards and reports, but it's not said that only must have access to one dashboard and 3 reports...

[-] **SamuComqi** 6 points about 2 years ago

Selected Answer: B

I passed the exam today (948/1000). My answer was:
- No

[-] **KyriakosL** 1 point about 2 years ago

Selected Answer: A

Yes, they will be able to see the content shared

[-] **UlyUkr** 1 point about 2 years ago

I would say YES.

[-] **SanaCanada** 2 points over 2 years ago

Correct answer is YES

A. Yes, assigning all the users the Viewer role to the workspace would meet the goal of granting all organizational users read access to one dashboard and three reports. However, it may not be the most efficient or secure solution.

No Confusion, no need to discuss further

[-] **anasben** 1 point over 2 years ago

Selected Answer: B

NO ! Golden rule, never publish the link of a report / dashboards to users in this case, share the link of the app, and grant permission directly from reports/ dash settings

[-] **ZSun** 1 point about 2 years ago

This is not appropriate, but did give everyone access.

In practice, this is not recommended;

In this question, it works and meet the requirement

[-] **Hoeishetmogelijk** 1 point over 2 years ago

Selected Answer: B

Answer is B: No

Users must not be granted read access to all reports and dashboards, but just to a subset.

[-] **INDEAVR** 2 points almost 3 years ago

Selected Answer: B

Similar question in DA-100, topic 5, question 8, answer is No

[-] **zerone72** 2 points almost 3 years ago

The thing is that the question says: "You need to grant all organizational users read access to one dashboard and three reports". It doesn't say anything about preventing users from accessing the other reports and other dashboards. Moreover, it doesn't say anything about the workspace containing other dashboards and reports either

[-] **iccent2** 2 points over 2 years ago

That is the trap in the question. Access should be granted to 1 dashboard and 3 reports. You are not told the 2 dashboards and 5 reports. Think!

[-] **Luffy561** 1 point almost 3 years ago

can someone tell me the answer that would be yes?

[-] **iccent2** 1 point over 2 years ago

Answer is NO

[-] **Dumi44** 2 points almost 3 years ago

"You publish an app to the entire organization."

Question 313



You have a Power BI tenant.

You have reports that use financial datasets and are exported as PDF files.

You need to ensure that the reports are encrypted.

What should you implement?

- A. Microsoft Intune policies
- B. row-level security (RLS)
- C. sensitivity labels
- D. dataset certifications

Hide Answer

[-] **Hannahhhhh** 25 points almost 3 years ago

C is correct

[-] **SamuComqi** 16 points about 2 years ago

Selected Answer: C

I passed the exam today (948/1000). My answer was:
- sensitivity labels

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: C

Why sensitivity labels?

Sensitivity labels in Power BI are part of Microsoft Purview Information Protection. When applied to a report, they:
- Encrypt the exported PDF automatically, preserving protection even outside Power BI

- Restrict access based on the label's configuration (e.g., only internal users can open the file)

- Travel with the file, so the protection persists even if the PDF is emailed or saved elsewhere

This is the only option listed that ensures encryption of exported files like PDFs.

🚫 Why not the others?

| Option | Why It Doesn't Work |

| A. Microsoft Intune policies | Manages devices and apps, not file-level encryption for exported reports |

| B. row-level security (RLS) | Controls data visibility within Power BI, not protection of exported files |

| D. dataset certifications | Flags trusted datasets for governance, but doesn't apply encryption or protection |

[-] **jaume** 2 points 9 months ago

Selected Answer: C

My vote for option C, Sensitivity labels

[-] **LuluSkyy** 1 point 9 months ago

C is the correct answer

[-] **52f8a31** 2 points 10 months ago

C: Dans le service Power BI, les étiquettes de sensibilité peuvent être appliquées aux modèles sémantiques, aux rapports, aux tableaux de bord et aux flux de données. Lorsque les données étiquetées quittent Power BI, soit via une exportation vers des fichiers Excel, PowerPoint, PDF ou .pbix, soit via d'autres scénarios d'exportation pris en charge tels qu'Analyser dans

Excel ou des tableaux croisés dynamiques de connexion en direct dans Excel, Power BI applique automatiquement l'étiquette au fichier exporté et le protège en fonction des paramètres de chiffrement de fichier de l'étiquette. De cette façon, vos

données sensibles peuvent rester protégées, même lorsqu'elles quittent Power BI.

Source: <https://learn.microsoft.com/en-us/power-bi/enterprise/service-security-sensitivity-label->

[-] **fb510f5** 1 point about 2 months ago

can you type in english?

[-] **rcaliandro** 4 points 12 months ago

Selected Answer: C

C. sensitivity labels

[-] **cs3122** 3 points over 1 year ago

Selected Answer: C

C is Correct.

<https://learn.microsoft.com/en-us/power-bi/enterprise/service-security-sensitivity-label-overview>

[-] **Acrious** 3 points about 2 years ago

Selected Answer: C

C is correct

[-] **Shalaleh** 4 points over 2 years ago

Selected Answer: C

Sensitivity labels is correct answer.

[-] **youssef_yt89** 1 point over 2 years ago

it s D not C , because we can t enrypt data with sensitivity label which is used just to protect the data

[-] **glenman0202** 3 points over 2 years ago

Yes, you can. From the Microsoft link in the solution: "when you configure a sensitivity label to apply encryption"

[-] **Diegovelazquez2** 5 points almost 2 years ago

Do a quick google search before commenting things that aren't true, as it throws people off.

[-] **lukelin08** 3 points over 2 years ago

Selected Answer: C
C is correct

[-] **Wadyba** 4 points over 2 years ago
correct

[-] **Booster21** 3 points over 2 years ago
Selected Answer: C
Agreed

Question 314

From Power BI Desktop, you publish a new dataset and report to a Power BI workspace. The dataset has a row-level security (RLS) role named HR.

You need to ensure that the HR team members have RLS applied when they view reports based on the dataset.

What should you do?

- A. From powerbi.com, add users to the HR role for the dataset.
- B. From powerbi.com, share the dataset to the HR team members.
- C. From Power BI Desktop, change the Row-Level Security settings.
- D. From Power BI Desktop, import a table that contains the HR team members.

Hide Answer

[-] **shakes103** 23 points over 2 years ago

Selected Answer: A

"You can't assign users to a role within Power BI Desktop. You assign them in the Power BI service". That automatically eliminates the option C.

Read here: <https://learn.microsoft.com/en-us/power-bi/enterprise/service-admin-rls#define-roles-and-rules-in-power-bi-desktop>

[-] **Inesd** 1 point about 1 year ago

How come you can't assign roles in power bi desktop. What is the functionality of "Manage Roles" ?

[-] **SylUK** 1 point 6 months ago

To create roles and add a table filter DAX expression to the roles.

[-] **lukelin08** 5 points over 2 years ago

Selected Answer: A

A is correct

[-] **539d541** 1 point 11 months ago

Selected Answer: A

Yeah it's A

[-] **sraakesh95** 1 point over 1 year ago

Selected Answer: A

To ensure that the HR team members have Row-Level Security (RLS) applied when they view reports based on the dataset, you should:

- A. From powerbi.com, add users to the HR role for the dataset.

This action directly assigns the HR team members to the RLS role named HR that you have defined in your Power BI dataset. By adding users to the RLS role, you ensure that the RLS policies are enforced when these users view the reports, thereby restricting data access according to the rules defined in the HR role

[-] **Hoeishetmogelijk** 3 points over 2 years ago

Selected Answer: A

A is correct

[-] **juanceee** 3 points almost 3 years ago

Selected Answer: A

A is correct

[-] **milb** 2 points almost 3 years ago

Selected Answer: C

Sorry correction C!

[-] **shakes103** 3 points over 2 years ago

"You can't assign users to a role within Power BI Desktop. You assign them in the Power BI service". That automatically eliminates the option C.

Read here: <https://learn.microsoft.com/en-us/power-bi/enterprise/service-admin-rls#define-roles-and-rules-in-power-bi-desktop>

[-] **milb** 3 points almost 3 years ago

Selected Answer: A

A is correct

[-] **Booster21** 2 points almost 3 years ago

The answer is correct.

Question 315



You have a Power BI dashboard that monitors the quality of manufacturing processes. The dashboard contains the following elements:

☞ A line chart that shows the number of defective products manufactured by day

☞ A KPI visual that shows the current daily percentage of defective products manufactured

You need to be notified when the daily percentage of defective products manufactured exceeds 3%.

What should you create?

A. a subscription

B. an alert

C. a smart narrative visual

D. a Q&A visual

Hide Answer

[-] **Shalaleh** 14 points over 2 years ago

Selected Answer: B

We can set alerts on KPI, Cards and gauge .

Alerts aren't supported for card tiles with date or time measures.

Alerts only work with numeric data types.

Alerts only work on refreshed data. They don't work on static data.

Because alerts are only sent if your data changes, you don't receive duplicate alerts for an unchanged value.

Alerts only work on streaming datasets if you build a KPI, card, or gauge report visual and then pin that visual to the dashboard.

You can create up to 250 alerts across all your models.

[-] **SamuComqi** 9 points about 2 years ago

Selected Answer: B

I passed the exam today (948/1000). My answer was:
- an alert

[-] **jaume** 1 point 9 months ago

Selected Answer: B

An alert is the way to set a threshold and trigger a notification when threshold value is reached. Alerts can only be set in cards, KPI and gauges

[-] **anasben** 3 points over 2 years ago

Selected Answer: B

B is correct

[-] **lukelin08** 4 points over 2 years ago

Selected Answer: B

B is correct

[-] **Homer_Jay** 2 points over 2 years ago

Selected Answer: B

answer is correct

[-] **powerbibuddy** 3 points over 2 years ago

B is the correct answer
Create an alert

[-] **Booster21** 2 points almost 3 years ago

Create an alert is correct.

Question 316



You create a report by using Microsoft Power BI Desktop.

The report uses data from a Microsoft SQL Server Analysis Services (SSAS) cube located on your company's internal network.

You plan to publish the report to the Power BI Service.

What should you implement to ensure that users who consume the report from the Power BI Service have the most up-to-date data from the cube?

- A. an OData feed
- B. an On-premises data gateway
- C. a subscription
- D. a scheduled refresh of the dataset

[-] **fdsdgxcvbsfhshfg** 11 points almost 3 years ago

Selected Answer: B

<https://learn.microsoft.com/en-us/power-bi/connect-data/service-gateway-enterprise-manage-ssas#use-the-data-source-with-live-connections>

[-] **Hoeishetmogelijk** 9 points over 2 years ago

Selected Answer: B

B is correct

The gateway can be used for both Live Connect and Scheduled Refresh.

See: <https://learn.microsoft.com/en-us/power-bi/connect-data/service-gateway-enterprise-manage-ssas#use-the-data-source-with-live-connections>

[-] **jaume** 1 point 9 months ago

Selected Answer: B

Since it's explicitly mentioned data is hosted in an INTERNAL NETWORK, an On-premises GW would be required to get that data

[-] **CookieMingkee** 4 points about 1 year ago

My answer here is D.

The gateway is required when publishing if the plan is to publish the report. You cannot publish a report that uses an SSAS as a datasource. But that is not the question to answer here.

The question is "What should you implement to ensure that users who consume the report from the Power BI Service have the most up-to-date data from the cube?" and you need to schedule a refresh in order to get the most up-to-date data from the cube.

[-] **LeeTheRed** 3 points over 1 year ago

This question was on the exam today 9/12/2023

[-] **TalktomeGoOse** 3 points about 2 years ago

The question mentions: The report uses data from a Microsoft SQL Server Analysis Services (SSAS) cube located on your company's internal network.

It says Internal network. That doesn't necessarily mean the SSAS is on-prem. Does it? if no, then should D be the right answer [a scheduled refresh of the dataset]

[-] **Emarus** 5 points about 2 years ago

Internal network = on-prem = not in the cloud.

The gateway is required

[-] **lukelin08** 3 points over 2 years ago

Selected Answer: B

B is correct

[-] **INDEAVR** 6 points almost 3 years ago

Selected Answer: B

DA-100, topic 5, question 6, answer is B

[-] **emmanuelkech** 5 points almost 3 years ago

D.a scheduled refresh of the dataset

This is more specific and appropriate as before this is achieved you need a gateway

[-] **fdsdgxcvbsfhshfg** 5 points almost 3 years ago

You can setup a live connection with an On-premise SSAS; the correct answer is B

[-] **Wadyba** 5 points over 2 years ago

Connect Live is not the only option when you are SSAS, you can also import data. The question did not mention any of the connection mode, so why are you assuming Connect Live. The question is; does on-premise gateway guarantee up-to-date data? For me I think the right answer is D

[-] **MayaYao** 1 point over 2 years ago

The question is "the most" up-to-date data.

Question 317



You have five sales regions. Each region is assigned a single salesperson.

You have an imported dataset that has a dynamic row-level security (RLS) role named Sales. The Sales role filters sales transaction data by salesperson.

Salespeople must see only the data from their region.

You publish the dataset to powerbi.com, set RLS role membership, and distribute the dataset and related reports to the salespeople.

A salesperson reports that she believes she should see more data.

You need to verify what data the salesperson currently sees.

What should you do?

- A. Use the Test as role option to view data as the salesperson's user account.
- B. Use the Test as role option to view data as the Sales role.
- C. Instruct the salesperson to open the report in Microsoft Power BI Desktop.
- D. Filter the data in the reports to match the intended logic in the filter on the sales transaction table.

Hide Answer

[-] **ThariCD** 63 points almost 3 years ago

Selected Answer: A

Answer should be A, to be able to see what the specific salesperson sees (and compare it to what she should see) you should test the report as that user account since the RLS is dynamic and based on the user accounts.

[-] **Fenderol** 5 points over 1 year ago

RLS is based on roles, not accounts

[-] **nosalismus** 14 points over 2 years ago

Selected Answer: A

After you clicked "Test as a Role", then you apply the user account email. That is even showed in the explanation but somehow ignored.

[-] **VladStan** 1 point 11 months ago

I don't think this is true - the e-mail box visible in the screenshot is used to add users to roles and takes no part in the scenario where you click on "Test as a Role"

We can only test based on role - not user accounts

[-] **jaume** 1 point 9 months ago

Selected Answer: A

You need to check permissions for that specific user not the entire role (in case he/she could be assigned other role)

[-] **539d541** 2 points 11 months ago

Selected Answer: A

I've done this as a power bi admin before, so hopefully nothing has changed since Apr 2024 - should be A

[-] **seffy** 1 point 6 months ago

google says: RLS (Row Level Security) testing is primarily based on roles rather than individual accounts

[-] **varuns** 1 point 12 months ago

Selected Answer: A

The issue has been reported by only 1 salesperson, so the Test role has to be verified using that specific username.

[-] **b43c3f7** 2 points over 1 year ago

Selected Answer: B

You can only test roles, not accounts

[-] **sraakesh95** 2 points over 1 year ago

Selected Answer: A

To verify what data the salesperson currently sees in the Power BI report, you should:

A. Use the Test as role option to view data as the salesperson's user account.

Using the Test as role feature in Power BI, you can impersonate the salesperson's account and see the data as they would see it. This will help you determine if the salesperson is seeing the correct data based on their region and role.

[-] **SamuComqi** 6 points about 2 years ago

Selected Answer: A

I passed the exam today (948/1000). My answer was:

- Use the Test as role option to view data as the salesperson's user account

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: A

We can give her E-mail address and view data as the salesperson.

[-] **Shalaleh** 2 points over 2 years ago

Nooooooooooooo, guy!!!!!!! we can just test roles. we cannot use salesperson's account!!!!

[-] **Shalaleh** 3 points over 2 years ago

you are right option A is correct.

[-] **SanaCanada** 8 points over 2 years ago

Correct Answer "A"

A. Use the Test as role option to view data as the salesperson's user account.

The Test as role option in Power BI allows you to view the data as a user with a specific role, such as the Sales role in this case. By selecting the salesperson's user account, you can verify which data the salesperson can see. Here are the steps to use the Test as role option in Power BI:

Open the dataset in Power BI and go to the "Manage roles" section.

Select the Sales role from the list of roles.

Click on the "Test as role" button.

In the "Test as role" dialog box, select the salesperson's user account.

Click "Apply" to view the data as the selected user.

By using this option, you can verify which data the salesperson can see and investigate if there are any discrepancies.

No confusion, no need to discuss further

[-] **yordiy** 1 point over 2 years ago

A is correct

[-] **VinayKadaya** 5 points over 2 years ago

The Cue is "You need to verify what data the salesperson currently sees". They are refereing to the person in question. While we should still click the "Test as role" then enter the email of the particular user. While Option B is not wrong, its only half answer.

[-] **Hoeishetmogelijk** 6 points over 2 years ago

Selected Answer: A

A is correct.

It only makes sense to test with the specific salesperson's user ID and that is possible.

Source: <https://learn.microsoft.com/en-us/power-bi/enterprise/service-admin-rls>

[-] **lukelin08** 4 points over 2 years ago

Selected Answer: A

A is correct

Question 318



You have multiple dashboards.

You need to ensure that when users browse the available dashboards from powerbi.com, they can see which dashboards contain Personally Identifiable

Information (PII). The solution must minimize configuration effort and impact on the dashboard design.

What should you use?

A. Microsoft Information Protection sensitivity labels

B. tiles

C. comments

D. Active Directory groups

Hide Answer

[-] **steladoynova** 20 points almost 3 years ago

Selected Answer: A

A is correct, DA-100, topic 5, question 2

[-] **glenman0202** 10 points over 2 years ago

Gotta love it when one answer is the only one even remotely connected to the question

[-] **jaume** 1 point 9 months ago

Selected Answer: A

Comments are useful to share any issue/doubt/comment in any single page or even single visual with rest of users, but Sensitivity labels are about the content of the report

[-] **varuns** 1 point 12 months ago

Selected Answer: A

MIP sensitivity labels.

[-] **asnygen** 2 points over 1 year ago

Answer frm chatgpt: B. Tiles

[-] **lukelin08** 3 points over 2 years ago

Selected Answer: A
A is correct

Question 319

HOTSPOT -

You have a dataset that has the permissions shown in the following exhibit.

+ Add user

Links	Direct access
People and groups with access	
Email Address ↑	Permissions
Ben Smith	Owner
corp@contoso.com	Read, Reshare, Build ...
finance@contoso.com	Read, Build ...

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Users in the finance group can [answer choice] the dataset.

Users in the corp group can [answer choice] the dataset.

Hide Answer

Correct answer:

Answer Area

Users in the finance group can [answer choice] the dataset.

assign sensitivity labels to
use Analyze in Excel with
delete

Users in the corp group can [answer choice] the dataset.

grant the Build permission for
grant the Read permission for
remove a table from

[-] **fred92** 73 points almost 3 years ago

- Analyze in Excel
- Grant build permission

see: <https://learn.microsoft.com/en-us/power-bi/connect-data/service-datasets-build-permissions>

"Say you have Reshare and Build permission on a dataset. When you share a report or dashboard built on that dataset, you can specify that the recipients also get Build permission for the underlying dataset."

[-] **thanhtran7** 2 points over 2 years ago

Pls help clarify my concerns:

1. why dont choose "delete"? Since users have Read & Build Permission, suppose they at least have a Contributors role. For that role, they can also delete dataset. Is that right?
2. If users in corp group can grant build permission, they are also able to grant read permission, is that right?

[-] **iccent2** 3 points over 2 years ago

Read up the answer on the link:

<https://learn.microsoft.com/en-us/power-bi/connect-data/service-datasets-build-permissions>

We are not told they can delete but can Analyze in Excel.

And for the 2nd qtn, I quote the link:

"Say you have Reshare and Build permission on a dataset. When you share a report or dashboard built on that

dataset, you can specify that the recipients also get Build permission for the underlying dataset."

Did you see they talked about read permission or build permission?

Follow instruction so that you will prosper!

[-] **iccent2** 3 points over 2 years ago

Correction here: I think read permission is the correct answer because they only have build right and can only give read permission. I think this is the right approach.

[-] **ZSun** 1 point about 2 years ago

You do not have a clear understanding about "Permission" and "Workspace roles"

[-] **28485e1** 1 point over 1 year ago

I checked the documentation link and it's accurate. It's straight from Microsoft so this must be the answer. Disregard my answer if it appears, it must be outdated or wrong.

[-] **Hoeishetmogelijk** 4 points over 2 years ago

I completely agree. That is exactly the text from the Microsoft page that explains it clearly.

[-] **Wadyba** 6 points over 2 years ago

Users with read permission can not grant Build access, so the answer is Read permission.

[-] **anormalhuman** 2 points over 1 year ago

Users with Build permissions can grant Build permissions. The corp users have been granted Build permissions.

[-] **Hongzu13** 14 points almost 3 years ago

I took this from Ms documentation:

<https://learn.microsoft.com/en-us/power-bi/connect-data/service-datasets-build-permissions>

"Ways to give Build permission":

(...) Say you have Reshare and Build permission on a dataset. When you share a report or dashboard built on that dataset, you can specify that the recipients also get Build permission for the underlying dataset.

So the answer is:

- Analyze in Excel
- Grant build permission

[-] **Lulu_2022** 1 point 29 days ago

Nope — users with only Reshare, Read, and Build permissions cannot delete a table from a semantic model in Power BI.

- ☒ If an employee has Reshare and Build permissions on a semantic model, they can grant Build permission to others when sharing content built on that model.
- ☐ However, they cannot explicitly grant Read permission on its own. Power BI doesn't allow users to assign just Read access unless they have higher-level roles (like Admin or Member) in the workspace or dataset.

[-] **Flix** 1 point about 1 year ago

If you have Reshare and Build permission on a semantic model, and you share a report or dashboard you built on that semantic model, you can specify that the recipients also get Build permission for the semantic model. For more information, see Share Power BI reports and dashboards with coworkers and others.

[-] **9f73003** 3 points over 1 year ago

- Analyze in Excel
- Grant Build permission

If you have Reshare and Build permission on a semantic model, and you share a report or dashboard you built on that semantic model, you can specify that the recipients also get Build permission for the semantic model. For more information, see Share Power BI reports and dashboards with coworkers and others.

[-] **JudT** 2 points over 1 year ago

Tested-

- Analyse in Excel
- Grant build permission

[-] **28485e1** 1 point over 1 year ago

Granting build permissions requires administrative privileges, which are not included in read, reshare, and build capabilities.

[-] **sraakesh95** 2 points over 1 year ago

B, B

"Reshare" capability includes the ability to grant others access to view the dataset. They cannot grant the "Build" permission unless they have administrative rights or ownership of the dataset.

So the completed statement would be:

Users in the corp group can grant the Read permission for the dataset.

[-] **Aldeus** 1 point over 1 year ago

Bing chat:

No, a user with Build permission cannot grant Build permissions to others. According to Microsoft's documentation¹², Build permission allows a user to create new content based on a dataset, such as reports, dashboards, and other items. However, the ability to grant permissions to others is associated with the Reshare permission². This permission allows a user to grant access to the semantic model to others². Therefore, unless a user also has Reshare permission, they cannot grant Build permissions to others. Please note that this is a simplified explanation and actual Power BI permissions may involve more variables and complexities. If you have any more questions, feel free to ask!

[-] **Aldeus** 1 point over 1 year ago

Sorry, I meant the answer is Yes. Reshare can grant build permission while build permission cannot.

[-] **MoxieTT** 2 points about 2 years ago

Fairly sure this was on the exam

[-] **JJMC5544** 2 points about 2 years ago

I tried the second option, "Grant the Build permission for" looks right.

[-] **AzSheh** 4 points about 2 years ago

- Analyze in Excel
- Grant build permission

If you have Reshare and Build permission on a dataset, and you share a report or dashboard you built on that dataset, you can specify that the recipients also get Build permission for the dataset. For more information, see Share Power BI reports and dashboards with coworkers and others.

<https://learn.microsoft.com/en-us/power-bi/connect-data/service-datasets-build-permissions>

[-] **Luisfer** 1 point about 2 years ago

The answer is grant Read permission. When you grant this permission, you have also the option to grant build permission, but first you grant read permission. SO in any case, you will grant read permission and on top of that build permission, so read permission is never wrong.

[-] **UlyUkr** 2 points about 2 years ago

- Analyze in Excel
- Grant build permission

[-] **UlyUkr** 2 points about 2 years ago

Typo sorry, pals.
Correct Answer is:
- Analyze in Excel
- Grant read permission

[-] **CG31** 1 point over 2 years ago

Power BI provides Build permission as a complement to Read and Reshare permissions. All users who already have Read permission for datasets via app permissions, sharing, or workspace access also get Build permission for those datasets. Those users get Build permission automatically because Read permission already grants them the right to build new content on the dataset by using Analyze in Excel or Export.

[-] **CG31** 1 point over 2 years ago

- Analyze in Excel
- Grant build permission

With the more granular Build permission, you can choose who can only view the content in an existing report or dashboard, and who can create content connected to the underlying dataset.

<https://learn.microsoft.com/en-us/power-bi/connect-data/service-datasets-build-permissions>

[-] **Shalaleh** 1 point over 2 years ago

"If you have Reshare and Build permission on a dataset, and you share a report or dashboard you built on that dataset, you can specify that the recipients also get Build permission for the dataset." from microsoft page

[-] **BrunoBruno** 1 point over 2 years ago

1. Analyze in Excel
2. grant the Build permission

- "If you have Reshare and Build permission on a dataset, and you share a report or dashboard you built on that dataset, you can specify that the recipients also get Build permission for the dataset. For more information, see Share Power BI reports and dashboards with coworkers and others."

see: <https://learn.microsoft.com/en-us/power-bi/connect-data/service-datasets-build-permissions>

[-] **Hoeishetmogelijk** 3 points over 2 years ago

- Analyze in Excel
- Grant build permission

Corp members can read, build and reshare. So they must have the Workspace Member Role. See table:

<https://learn.microsoft.com/en-us/power-bi/connect-data/service-datasets-permissions>

That gives them the permission to add other as Member or Contributor, in these roles users can build content as reports and dashboards. See table: <https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

[-] **AzureJobsTillRetire** 2 points over 2 years ago

Corp users can read, build and reshare, but they do not necessarily have Member role. If they had member role, they could also remove a table from the dataset.

[-] **Hoeishetmogelijk** 1 point over 2 years ago

You are right. The Member Role concerns the whole workspace. The question concerns only the permissions on one dataset.

[-] **Hoeishetmogelijk** 1 point over 2 years ago

Say you have Reshare and Build permission on a dataset. When you share a report or dashboard built on that dataset, you can specify that the recipients also get Build permission for the underlying dataset.

See: <https://learn.microsoft.com/en-us/power-bi/connect-data/service-datasets-build-permissions>
Different argumentations, but still the same answer.

[-] **steladoynova** 4 points almost 3 years ago

Answer is Correct.

"Users can create Sensitivity labels in the Microsoft 365 compliance center. Access to this feature in the Microsoft 365 compliance center is available for admins of the Microsoft 365 of your organization."

So first is not sensitivity labels, and is not delete.

"Dataset owners can assign Build permission to specific users or security groups on the Manage permissions page. See Manage dataset access permissions for detail."
So second is not Build.

[-] **Mizaan** 5 points almost 3 years ago

Reshare Allows user to share the content of the dataset with other users who will get read, reshare, or build permissions for it
Analyze in Excel

Grant read permission for

[-] **shimmy_** 2 points almost 3 years ago

Then shouldn't be "Grant BUILD permission"?

[-] **Maniula** 1 point about 2 years ago

Both are correct in real life

[-] **Aiti** 4 points almost 3 years ago

Say you have Reshare and Build permission on a dataset. When you share a report or dashboard built on that dataset, you can specify that the recipients also get Build permission for the underlying dataset. See Share Power BI reports and dashboards for detail.

- Build permission is right?

Question 320



Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not

appear in the review screen.

You have five reports and two dashboards in a workspace.

You need to grant all organizational users read access to one dashboard and three reports.

Solution: You create an Azure Active Directory group that contains all the users. You share each selected report and the one dashboard to the group.

Does this meet the goal?

A. Yes

B. No

Hide Answer

[-] **ThariCD** 38 points almost 3 years ago

Selected Answer: A

This should be A. Yes, from the documentation a suggestion made there to share with more than 100 separate users is to "Share with a user group that contains all the users."

[-] **SanaCanada** 12 points over 2 years ago

Correct Answer "A"

A. Yes

The solution meets the goal of granting all organizational users read access to one dashboard and three reports.

By creating an Azure Active Directory (AAD) group that contains all the users and sharing each selected report and the one dashboard to the group, you can grant read access to the selected resources to all users in the organization. This approach simplifies the management of access permissions since you can manage access for all users in one central place, the AAD group, instead of granting permissions to each user individually.

No confusion, no need to discuss further

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: A

Yes, this solution meets the goal.

Here's why it works:

- 👤 By creating an Azure Active Directory (AAD) group that includes all organizational users, you centralize access management.
- 🇮🇱 Sharing only the selected reports and dashboard to that group ensures users get read access to just the intended content—not the entire workspace.
- 🛡️ This approach respects the principle of least privilege, avoiding overexposure of the other two reports and one dashboard.

[-] **jaume** 2 points 9 months ago

Selected Answer: A

Managing permissions using groups makes things easier but proposed solution will work because you are only sharing what you need to share

[-] **Shalaleh** 1 point over 2 years ago

If a user has the Contributor role in the workspace, they have more permissions than the Read role. This means that if you share a dashboard or report with a group that includes a user with the Contributor role, that user will have the Contributor permissions rather than the Read permissions.

In other words, the Contributor role overwrites the Read role. Therefore, if you want to ensure that a user has only Read access to a dashboard or report, you should remove their Contributor role or explicitly grant them the Read role at the report or dashboard level.

[-] **Shalaleh** 1 point over 2 years ago

Here is the point! If the users do not have any RLS then the solution meets the goal. otherwise No!!!!

[-] **Shalaleh** 1 point over 2 years ago

Sorry, I mean workspace memrship! for example if a user has Contributor role, and we assign him to security group. still he has Contributor role.

[-] **Rajd1979** 2 points over 2 years ago

Selected Answer: A

Correct Answer "A"

[-] **Nawabi** 3 points over 2 years ago

<https://learn.microsoft.com/en-us/azure/active-directory/fundamentals/how-to-manage-groups>

[-] **yordiye** 4 points over 2 years ago

I think NO Because We need to make sure that they have only Read Access . Showing to the group only doesn't achieve the goal . We must specify the access level

[-] **anasben** 2 points over 2 years ago

Selected Answer: B

You can do A.

But B is the solution that optimize the pbiservice logic and features :
B IS THE ANSWER !

[-] **csillag** 1 point over 2 years ago

Selected Answer: B

Share button does not allow to select AD group. Here you can choose only from these 3 options to share with:

- People in your organization,
- People with existing access,
- Specific people.

[-] **csillag** 2 points over 2 years ago

I have to correct my upper opinion. The correct answer is A. I found in MS documentation, that for selection: "Specific people" "You can also choose to directly send the link to Specific people or groups (distribution groups or security groups). Just enter their name or email address, optionally type a message, and select Send." Source:

<https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-share-dashboards>.

[-] **AzureJobsTillRetire** 5 points over 2 years ago

Selected Answer: B

You cannot share with a particular AD group, and there is no configuration for a particular AD group to be shared.
You can share with

- People in your organization
- People with existing access
- Specific people

<https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-share-dashboards>

[-] **master_yoda** 1 point over 2 years ago

Answer: A

Specific people: This type of link allows specific people or groups to access the report.

[-] **Hoeishetmogelijk** 2 points over 2 years ago

Selected Answer: A

I also think that the answer is A: Yes

[-] **lukelin08** 2 points over 2 years ago

Selected Answer: A

A is correct answer

[-] **Wadyba** 1 point over 2 years ago

Yes, it does

[-] **Lomfana** 3 points almost 3 years ago

This should be A

[-] **emmanuelkech** 4 points almost 3 years ago

This should be YES

Question 321

DRAG DROP -

You have a Power BI table named Customer that contains a field named Email Address.

You discover that multiple records contain the same email address.

You need to create a calculated column to identify which records have duplicate email addresses.

How should you complete the DAX expression for the calculated column? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Values

Answer Area

- ALL
- CALCULATE
- COUNTROWS
- EVALUATE
- SUM
- SUMX

```
Count Email =  
VAR Email = [Email Address]  
RETURN  
    (   
        (Customer),  
        (Customer),  
        Customer[Email Address] = Email  
    )
```

Hide Answer

Correct answer:

Values

Answer Area

ALL

CALCULATE

COUNTROWS

EVALUATE

SUM

SUMX

Count Email =

VAR Email = [Email Address]

RETURN

CALCULATE (

COUNTROWS (Customer),

ALL (Customer),

Customer[Email Address] = Email

)

[-] **steladoynova** 32 points almost 3 years ago

Answer is correct, tested.

[-] **lukelin08** 9 points over 2 years ago

Given answer tested and is correct

[-] **jaume** 2 points 9 months ago

I think solution is not clearly fitting our goal.

We are looking to identify which records have duplicated mail addresses, so we should use results from this calculated values identifying these fields where resulting value is greater than '1'.

We can realize the DAX measure to populate the calculated column is labelled "Count email" so that's the objective of the formula.

First we will encapsulate the entire calculation with CALCULATE to get rid of any context could affect that calculation, then

we need to count which rows in the table (so COUNTROWS) have same email (this is the final condition comparing the "Email Address" field in the row) and this count should be applied to the entire table (then filter should be ALL customers)

[-] **adriankohws** 1 point about 1 year ago

It is not wrong on the calculated column but what can I do knowing which records have how many duplicates, to solve problem, shouldn't I try to find which record having same email address on each of the record?

[-] **spamhz** 5 points almost 2 years ago

Just want to say that the formula works without "all(Customer)," as well

[-] **mayankep043** 2 points about 1 year ago

I tested, it doesn't work without all(customer)

[-] **Grant5072** 2 points about 2 years ago

Can someone please explain to me, how does counting the records help you identify which records have the same email address ?

[-] **Grant5072** 2 points about 2 years ago

Nevermind, misread the question.

[-] **Flaty** 1 point over 2 years ago

for me the picture is a bit strange - it looks like that one closing bracket is missing at the end of the picture (cut off the picture because currently the closing bracket it is not at the exact beginning of the last row).

1.) if the picture is correct with only one closing bracket then the last argument will be ALL

2.) if the picture is not correct and does not show the second closing bracket at the end then the last argument is FILTER
Both is working but it depends on the number of closing brackets at the end.

[-] **Flaty 1 point** over 2 years ago

disregard my comment filter is not available so it is ALL... :/

[-] **Nemesizz 2 points** over 2 years ago

Can someone explain why ALL? I don't get it..

[-] **charles879987 2 points** over 2 years ago

I believe ALL is necessary this is as stated, the filter context is calculated column or current row.
In order to find match across all the rows, it is necessary to override it with ALL

[-] **ZSun 1 point** about 2 years ago

ALL is not necessary, since the question does not specify it uses any filter.

If it specifies this DAX need to work regardless of filter or slicer, then ALL is mandatory

[-] **Sushvij 4 points** over 2 years ago

Tested. Correct
Calculate

Countrows
All

[-] **jsking 2 points** over 2 years ago

Answer is correct

[-] **Lewiasskick 2 points** over 2 years ago

should be countrows, filter, all

[-] **e31df62 1 point** about 1 year ago

No, that would be incorrect.

[-] **thanhtran7 1 point** over 2 years ago

can anyone help to explain the answer in details?

[-] **iccent2 10 points** over 2 years ago

You are to count the number of rows having same email address.

1. Declare a variable and call it any name you prefer
2. Calculate the row count on the table

3. Apply filter to ALL of the values in the table under the column name email address and equate it to the variable.
You may need to read up filter functions for a proper understanding of how it works.

Question 322



You have a Power BI dataset and a connected report.

You need to ensure that users can analyze data in Microsoft Excel only by connecting directly to the dataset.

You grant the users the Build permission for the dataset.

What should you do next?

- A. Certify the dataset used by the report.
- B. Change the default visual interaction for the report.
- C. For the report, change the Export data setting to None.
- D. For the report, change the Export data setting to Summarized data, data with current layout and underlying data.

Hide Answer

[-] **glenman0202** 36 points over 2 years ago

Selected Answer: C

C is the correct answer. Note the part of the question that says "ONLY by connecting directly to the dataset." As mentioned in <https://www.designmind.com/blog/business-intelligence/export-underlying-data-in-power-bi>, "You should export summarized data when you want to see the relevant data in the visualization." Therefore, D cannot be the right answer, as summarized data is not obtained from connecting directly to the dataset, but rather by effectively filtering the dataset based on the contents of the visualization. Additionally, the "data with current layout and underlying data" part is irrelevant - by allowing Summarized data to be exported, we allow forms of analyzing data other than connecting directly to the dataset, and thus fail the requirements of the question.

[-] **jsking** 20 points over 2 years ago

Selected Answer: D

The correct answer is D. C is incorrect because if you change the export data setting to None, users will not be able to export the data in any form.

By providing the users with Summarized data, data with current layout and underlying data option, it will not change the way data is visualized in the report, but it allows the users to download the data and analyze it with Excel.

[-] **Aldeus** 8 points over 1 year ago

That's the point, they shouldn't be able to export, just access through excel.

[-] **jaume** 2 points 9 months ago

Selected Answer: C

As stated by glenman0202 the tricky part in this question is "...only by connecting directly to the dataset" therefore the report export options must be disabled

[-] **asnygen** 1 point over 1 year ago

chatgpt reply : Option A

[-] **bbshu0801** 8 points over 1 year ago

ChatGPT does not always give right answer.

[-] **taod** 2 points almost 2 years ago

Selected Answer: C

C is correct

[-] **AniveM** 2 points about 2 years ago

la bonne réponse est C car la réponse D interdit aux utilisateurs d'analyser avec excel

[-] **Ash_Alansari** 5 points about 2 years ago

Selected Answer: C

Excel can be connected directly to an online PowerBI dataset, according to this page <https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-connect-power-bi-datasets-excel>

Therefore, the only correct answer is C. D would allow an exported local copy of the data even if only summarized, which is not allowed in this scenario.

[-] **Ash_Alansari** 2 points about 2 years ago

Further information: <https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-connect-excel-power-bi-datasets>

[-] **TalktomeGoOse** 2 points about 2 years ago

Selected Answer: D

D is the correct answer

[-] **Nemesizz** 4 points about 2 years ago

So what is the answer?

[-] **SteveTheBeast** 1 point almost 2 years ago

The answer is C because in the question it is stated that users can only retrieve the data from the dataset. With answer D, you'd allow users to export data and let other users retrieve it locally which is not what we want.

[-] **UlyUkr** 2 points about 2 years ago

C is the correct answer. The word ONLY indicates that users are not allowed to export data. The answer is in the question.

[-] **Shalaleh** 4 points over 2 years ago

Selected Answer: C

From GPT:

C. For the report, change the Export data setting to None would be the correct option.

By changing the Export data setting for the report to None, you can prevent users from exporting data from the report to

Excel. This ensures that users can analyze data in Excel only by connecting directly to the dataset.

Option A, certifying the dataset used by the report, does not ensure that users can analyze data in Excel only by connecting directly to the dataset.

Option B, changing the default visual interaction for the report, does not ensure that users can analyze data in Excel only by connecting directly to the dataset.

Option D, changing the Export data setting for the report to Summarized data, data with current layout and underlying data, allows users to export data from the report to Excel, which is not what is required in this scenario.

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: D

The user needs to have access to report data. D is correct answer

[-] **SanaCanada** 3 points over 2 years ago

Selected Answer: C

Please ignore my first response

After review in detail

correct answer is C

[-] **sa56** 1 point over 2 years ago

There is no "None" Option inside export data under report setting

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: C

Question said "Only by connecting directly to the dataset." it means the user should not be able to EXPORT the data from report.

[-] **Akhilesh_Maithani** 3 points over 2 years ago

C is correct i believe.

[-] **SanaCanada** 5 points over 2 years ago

Correct Answer "D"

D. For the report, change the Export data setting to Summarized data, data with current layout, and underlying data.

By granting users the Build permission for the dataset, you have given them the ability to connect directly to the dataset using tools such as Microsoft Excel. To ensure that users can only analyze data in Excel by connecting directly to the dataset, you can change the Export data setting for the report to "Summarized data, data with current layout, and underlying data." This setting allows users to export data from the report to Excel, but only in a summarized format or with the current visual layout. It also allows users to view the underlying data in Excel, but not to export it as raw data. This helps to ensure that users can only access the data through the approved channel, which is the direct connection to the dataset.

No confusion, No need to discuss further

[-] **Mati_123** 4 points over 2 years ago

The Answer is C

Reason: in Question it is mentioned that the user should directly connect with the data set to Analyse the data in excel.

[-] **srikanth923** 3 points over 2 years ago

Selected Answer: C

To ensure that users can analyze data in Microsoft Excel only by connecting directly to the dataset, you should change the Export data setting for the report to None (option C). This will prevent users from exporting data from the report to Excel.

[-] **Sanatandharma** 3 points over 2 years ago

D is the correct answer:

[https://www.designmind.com/blog/business-intelligence/export-underlying-data-in-power-](https://www.designmind.com/blog/business-intelligence/export-underlying-data-in-power-bi#:~:text=In%20Power%20BI%20Desktop%2C%20please,Underlying%20Data%20from%20the%20Service.%E2%80%9D)

[bi#:~:text=In%20Power%20BI%20Desktop%2C%20please,Underlying%20Data%20from%20the%20Service.%E2%80%9D](https://www.designmind.com/blog/business-intelligence/export-underlying-data-in-power-bi#:~:text=In%20Power%20BI%20Desktop%2C%20please,Underlying%20Data%20from%20the%20Service.%E2%80%9D)

[-] **Nemesizz** 3 points over 2 years ago

C or D? What is the answer..

[-] **LuukVriel** 3 points over 2 years ago

Selected Answer: C

Correct answer should be C.

In case when data export should be only enabled on the Dataset, Analyze in Excel can provide this connection. Disable Export data (None) would enforce this.

[-] **yordiye** 1 point over 2 years ago

A. Certify the dataset used by the report.

[-] **yordiye** 2 points over 2 years ago

C is correct

[-] **JPGo** 4 points over 2 years ago

Selected Answer: C

correct

[-] **csillag** 3 points over 2 years ago

Selected Answer: C

is correct

Question 323



You have a Microsoft Excel file on a file server.

You create a Power BI report and import a table from the Excel file.

You publish the report.

You need to ensure that the data refreshes every four hours.

What should you do first?

- A. Upload the Excel file to a Power BI workspace.
- B. Create a subscription to the report.
- C. Deploy an on-premises data gateway.
- D. Edit the data source credentials.

Hide Answer

[-] **dorypl300** 33 points almost 3 years ago

For on-premises data sources we need a data gateway.
We have a Microsoft Excel file on a file server, so the answer is C.

[-] **57fa092** 1 point 7 months ago

File Server is On Premises.

[-] **ushakiranr** 9 points over 2 years ago

Selected Answer: C
Deploy on-premises data gateway

[-] **jaume** 1 point 9 months ago

Selected Answer: C

I will vote for option C but just as is the one it does more sense to me.

File is on a file server but it's not clearly stated this file server is in a local network (not the usual, but in case it would be reachable in a DMZ, would it requires on-premises GW?).

Subscription option would just keep users informed of updates, and right credentials are also implicitly supposed to be already in place since the moment the table was imported first time.

[-] **539d541** 1 point 11 months ago

Selected Answer: C
Gateway needed

[-] **nammm112** 1 point 11 months ago

Selected Answer: C
Needs a data gateway

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: C
Deploy an on-premises data gateway

[-] **Dani_eL** 1 point over 1 year ago

Selected Answer: C
Because wild guess :) but finally reaching topic 4 and last set of 250 questions

[-] **paocard** 1 point over 1 year ago

La respuesta correcta es:

C. Implementar una puerta de enlace de datos local.

Para garantizar que los datos en tu informe de Power BI se actualicen cada cuatro horas, necesitas implementar una puerta de enlace de datos local. Esta puerta de enlace permite que Power BI se conecte a fuentes de datos locales, como el archivo de Excel en tu servidor de archivos, y habilita actualizaciones programadas para tu conjunto de datos en Power BI. La opción A (Cargar el archivo de Excel en un espacio de trabajo de Power BI) no es necesaria para lograr una actualización programada.

Las opciones B (Crear una suscripción al informe) y D (Editar las credenciales de la fuente de datos) no están directamente relacionadas con la configuración de la actualización programada de los datos. La puerta de enlace de datos local es el

componente clave en este escenario.

[-] **LeeTheRed** 2 points over 1 year ago

This question was on the exam today 9/12/2023

[-] **Aldeus** 2 points over 1 year ago

The answer is A since the file es in a file server not on a local storage.

[-] **fillfm** 2 points almost 2 years ago

Selected Answer: C
C is correct

[-] **Acrious** 2 points about 2 years ago

Selected Answer: C
C: definitely need the gateway

[-] **ZSun** 4 points about 2 years ago

There are four types of storage mode, 1. import, 2. DirectQuery, 3. LiveConnect, 4. Push.
In this case, "Microsoft Excel file on a file server." means data source that reside on-premises.
Therefore, to refresh the data, we must first connect the dataset with on-premises data gateway.
This question looks like a refresh question, but actually a data connection question

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: C
C is correct answer.

[-] **SanaCanada** 3 points over 2 years ago

C. Deploy an on-premises data gateway.

[-] **srikanth923** 2 points over 2 years ago

Selected Answer: A
Answer is C since the data source is on premises

[-] **lukelin08** 2 points over 2 years ago

Selected Answer: C
C is correct

[-] **Booster21** 1 point over 2 years ago

Selected Answer: C
C. Deploy an on-premises data gateway. is correct.

[-] **Booster21** 3 points almost 3 years ago

Correct

Question 324



HOTSPOT

-

You have two Power BI workspaces named WorkspaceA and WorkspaceB. WorkspaceA contains two datasets named Sales and HR.

You need to provide a user named User1 with access to the WorkspaceB. The solution must meet the following requirements:

- Create reports that use the HR dataset.
- Publish the reports to WorkspaceB.
- Prevent the ability to modify the HR dataset.
- Prevent the ability to add users to Workspaces.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

To access the HR dataset:

Assign User1 the Contributor role for WorkspaceA.
Grant User1 the Build permission for the HR dataset.
Grant User1 read permissions for the HR dataset.
Grant User1 share permissions for the HR dataset.

To publish reports to WorkspaceB:

Assign User1 the Admin role for Workspaces.
Assign User1 the Contributor role for WorkspaceA.
Assign User1 the Contributor role for WorkspaceB.
Assign User1 the Member role for WorkspaceB.

Hide Answer

Correct answer:

Answer Area

To access the HR dataset:

Assign User1 the Contributor role for WorkspaceA.
Grant User1 the Build permission for the HR dataset.
Grant User1 read permissions for the HR dataset.
Grant User1 share permissions for the HR dataset.

To publish reports to WorkspaceB:

Assign User1 the Admin role for Workspaces.
Assign User1 the Contributor role for WorkspaceA.
Assign User1 the Contributor role for WorkspaceB.
Assign User1 the Member role for WorkspaceB.

[-] **mambamota** 33 points over 2 years ago

Answer is ok

[-] **csillag** 10 points over 2 years ago

the answer is correct

[-] **Tata777** 1 point 7 months ago

Saying only the answer is Ok is not the right answer please why it's OKAY give the reason if it's possible!

[-] **SylUK** 1 point 6 months ago

To copy a report to another workspace, and to create a report in another workspace based on a semantic model in the current workspace, you need Build permission for the semantic model. You also need at least the Contributor role on the source and destination workspaces. For semantic models in the original workspace, if you have at least the Contributor role, you automatically have Build permission through your workspace role. For details, see Copy reports from other workspaces.

[-] **jaume** 1 point 9 months ago

I was thinking in the contributor role to gain access to HR dataset enabling the user to publish a report in another workspace, but I guess that would exceed the requirements as it would also provide the user with Build access to Sales dataset (contributor role would automatically set build permissions).
For the second question, Admin and Member roles would exceed the Contributor role which is enough

[-] **LuluSkyy** 1 point 9 months ago

answer is correct

[-] **JudT** 1 point over 1 year ago

Given answer is correct

[-] **28485e1** 8 points over 1 year ago

This was on my exam 2/2024.

[-] **Imrod** 4 points almost 2 years ago

In my opinion, correct...

[-] **Shalaleh** 7 points over 2 years ago

Answer is correct.
To copy a report to another workspace, and to create a report in another workspace based on a dataset in the current workspace, you need Build permission for the dataset. You also need at least the Contributor role on the source and destination workspaces. For datasets in the original workspace, if you have at least the Contributor role, you automatically have Build permission through your workspace role.

[-] **Shalaleh** 4 points over 2 years ago

Build permission applies to datasets. When you give users Build permission, they can build new content on your dataset, such as reports, dashboards, pinned tiles from Q&A, paginated reports, and Insights discovery. If a report outside the dataset workspace uses your dataset, you can't delete the dataset. If you try to do so, you get an error message. from Microsoft site

[-] **Shalaleh** 2 points over 2 years ago

for sure first part is giving Built Permission.

[-] **Neilsy** 2 points over 2 years ago

need to be users in both workspaces hence contributor option for both is only valid option available. contributor automatically gives you build permission. You can't be granted build permission unless you have access to the workspace eg at least viewer access.

[-] **glenman0202** 3 points over 2 years ago

No, because you don't need to be a Contributor to use a dataset, you only need build permission, which does not require a role.
Also, the principle of least privilege says that you shouldn't give a user more access than they need, and the Contributor roll is far more access than is needed for the requirements of the question. Given that other questions in this exam have explicitly mentioned the principle of least privilege, I'd wager that "Assign User1 the Contributor role for WorkspaceA" is an invalid answer.

[-] **Fenderol** 2 points over 1 year ago

A user needs to have one of the following roles in a workspace : Admin, Member, Contributor, or Viewer.

<https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

User permissions are related to user's role in a workspace.

So User1 should be assign to Contributor's role in Workspace A and B.

[-] **Danylessoucis** 2 points over 2 years ago

I believe its Build and Contributor to Workspace A since dataset is in Workspace A

[-] **reyn007** 4 points over 2 years ago

The answer given is correct. Build and contributor role to workspace B because the user already has build permission for the HR dataset in workspace A and now should be able to publish in workspace B, so the user should be given

Contributor role to workspace B.

Question 325

You have a Power BI workspace named BI Data that contains a dataset named BI Finance.

You have the Build permission for the BI Finance dataset, but you do NOT have permissions for the workspace.

You need to connect to BI Finance and create a report.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. From the Power BI service, create a dataflow to the dataset by using DirectQuery.
- B. From Power BI Desktop, connect to a Dataverse data source.
- C. From the Power BI service, create a new report and select a published dataset.
- D. From Power BI Desktop, connect to a shared dataset.

Hide Answer

[-] **Dsbuff** 14 points over 1 year ago

Selected Answer: CD

C. From the Power BI service, create a new report and select a published dataset.

With Build permission on the dataset, you can create a new report in the Power BI service and select the BI Finance dataset as the basis for your report.

D. From Power BI Desktop, connect to a shared dataset.

You can also use Power BI Desktop to connect to the BI Finance dataset if it's shared. The Build permission enables you to use the dataset to create new content in Power BI Desktop.

[-] **Bamlaku** 13 points almost 2 years ago

The answer is correct:

CD

From the Power BI service, create a new report and select a published dataset.

From Power BI Desktop, connect to a shared dataset.

[-] **jaume** 1 point 9 months ago

Selected Answer: CD

I was confused initially as I was thinking as a 2-steps process to reach the target and was unable to imagine how 2 out of the listed steps could work together.

Now I'm assuming this is about two alternative ways to reach same goal therefore I'm selecting options C and D, each of them would enable us to reach the goal

[-] **JudT 1 point** over 1 year ago

Given answer is correct. C and D

[-] **hussamAlHunaiti 3 points** almost 2 years ago

Selected Answer: CD
correct CD

Question 326

DRAG DROP

-

You use Power Query Editor to load two queries named Query1 and Query2.

Query1 results in the following error.

```
Expression.Error: The column 'Sales' of the table wasn't found.
Details:
    Sales
```

Query2 results in the following error.

```
Dataformat.Error: We couldn't convert to Number.
Details:
    NA
```

Which type of error occurred for each query? To answer, drag the appropriate error types to the correct queries. Each error type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Error message types

Cell-level

OLAP cube

Provider

Step-level

WebView2

Answer Area

Query1: Error message type

Query2: Error message type

Hide Answer

Correct answer:

Answer Area

Query1:

Query2:

[-] **rcaliandro** 7 points 11 months ago

Answer is correct

[-] **jaume** 5 points 9 months ago

Query 2 --> Step-level Error: a step-level error prevents the query from loading and displays the error components in a yellow pane

Query 2 --> Cell-level Error: a cell-level error won't prevent the query from loading but displays error values as Error in the cell.

[-] **P_BKTX** 4 points 11 months ago

Correct

[-] **P_BKTX** 6 points 11 months ago

<https://learn.microsoft.com/en-us/power-query/dealing-with-errors>

[-] **azryyyyyyy** 1 point 11 months ago

hi is there any more question that you know that released on the exam?

Question 327



You publish a dataset to the Power BI service. The dataset contains a connection to an on-premises Microsoft SQL Server database.

You attempt to configure a scheduled refresh but cannot select the appropriate on-premises data gateway.

You confirm the following with the administrator of the gateway:

- You have the appropriate permissions to use the gateway.
- The data source was created on the gateway.
- The gateway has a status of Running.

What is the most likely reason the gateway is unavailable?

- A. The type of data source is not supported by the on-premises data gateway.
- B. The server name in the PBIX file does not match the data source name in the gateway.
- C. The credentials for the data source are invalid.
- D. The data source is configured to use single sign-on (SSO).

Hide Answer

[-] **CyrilleC** 10 points almost 2 years ago

Selected Answer: B

In Power BI, when you configure a data source to use an on-premises data gateway, the server name and other connection details in your PBIX file must match the data source configuration in the gateway. If there's a mismatch in the server name or other connection details, the scheduled refresh won't work, and you won't be able to select the appropriate gateway.

[-] **Suppi1234** 7 points over 1 year ago

hiiii

[-] **LuluSkyy** 1 point 9 months ago

B is correct

[-] **539d541** 1 point 11 months ago

Selected Answer: B
B is correct

[-] **XAPT_Kft** 4 points over 1 year ago

Selected Answer: B
<https://learn.microsoft.com/en-us/power-bi/connect-data/service-gateway-onprem-tshoot#error-you-dont-see-the-on-premises-data-gateway-present-when-you-configure-scheduled-refresh>

[-] **jl234** 4 points almost 2 years ago

Selected Answer: B

It should be B. For Option C, based on the information provided in the question, it states that you have confirmed that the credentials for the data source are valid. So the answer should be B.

[-] **WRTopics** 1 point almost 2 years ago

Selected Answer: C
I think is C

[-] **539d541** 1 point 11 months ago

Nope, the gateway wouldn't have a running status if the source credentials were invalid

Question 328

You create a report by using Microsoft Power BI Desktop.

The report uses data from a Microsoft SQL Server Analysis Services (SSAS) tabular model located on your company's internal network.

You plan to publish the report to the Power BI Service.

What should you implement to ensure that users who consume the report from the Power BI Service have the most up-to-date data from the tabular model?

- A. a scheduled refresh of the semantic model
- B. an OData feed
- C. an On-premises data gateway
- D. a subscription

Hide Answer

[-] **rcaliandro** 8 points 11 months ago

Selected Answer: C
Similar to a previous question. C is the correct answer

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: C
SSAS Tabular + Power BI = Live Connection (not Import or standard DirectQuery)
- When you connect to an SSAS tabular model from Power BI Desktop, you're using a Live connection by default.
- A Live connection is technically a special type of DirectQuery, where all queries are executed against the SSAS model in real time—no data is imported into Power BI Desktop or the Power BI Service.
- This type of connection requires an On-premises data gateway when published, because Power BI Service needs to "reach into" your internal network to fetch data dynamically.

[-] **desibaby09** 2 points 8 months ago

Selected Answer: C
C final and ONLY answer

[-] **jaume** 1 point 9 months ago

Selected Answer: C
This is the same as Question 22 also in topic 4, glad to see it's the same proposed solution

Question 329

HOTSPOT

-

You have a semantic model that has the permissions shown in the following exhibit.

+ Add user

Links		
Direct access		
People and groups with access	Email Address ↑	Permissions
 Ben Smith	bensmith@contoso.com	Workspace Admin, All permissio...
 corp	corp@contoso.com	Read, Reshare, Build ...
 finance	finance@contoso.com	Read, Build ...

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

Users in the finance group can [answer choice] the semantic model.

assign sensitivity labels to
use Analyze in Excel with
delete

Users in the corp group can [answer choice] the semantic model.

grant the Build permission for
grant the Read permission for
remove a table from

Hide Answer

Correct answer:

Answer Area

Users in the finance group can [answer choice] the semantic model.

assign sensitivity labels to
use Analyze in Excel with
delete

Users in the corp group can [answer choice] the semantic model.

grant the Build permission for
grant the Read permission for
remove a table from

[-] **faruk3d** 24 points 11 months ago

finance group can analyze
build permission

[-] **539d541** 11 points 11 months ago

Given answer is wrong....and there is a repeat of this question earlier with the right answer. The answers should be:
Use Analyze in Excel with
grant the Read permission for

[-] **f534a80** 2 points 8 months ago

If you have Reshare and Build permission on a semantic model, and you share a report or dashboard you built on that semantic model, you can specify that the recipients also get Build permission for the semantic model
<https://learn.microsoft.com/en-us/power-bi/connect-data/service-datasets-build-permissions>

[-] **1CY1** 1 point 10 months ago

Is there a difference between dataset and semantic model?
I think it's just a renaming, i.e. synonymous.
In which case the answer is the same as the previous question.

[-] **Lulu_2022** 1 point 29 days ago

dataset and semantic model are synonyms. So, same answer as before
Use Analyze in Excel with and grand the build permission
users can give build permissions if they have reshare and build permission, however they cannot give read permission to users.

[-] **jaume** 2 points 8 months ago

Indeed, this is the same as question 25 in the Topic 4 group and I got everybody (majority, at least) agreed the right answers there were "use Analyze in excel with" and "grant the Read permissions for" the right answers.

I don't know the reason it's suggested different solution for the same question, who is the one filling in that "Solution" section?

Question 330



You have a Power BI semantic model named Model1 that contains sales data.

You need to ensure that Model1 is refreshed on the first day of each month to include last month's sales data.

What should you configure?

- A. a scheduled refresh
- B. an incremental refresh
- C. a Microsoft Power Automate flow
- D. an on-premises data gateway

Hide Answer

[-] **Saiqua123** 5 points 5 months ago

Selected Answer: C

pls correct me if i'm wrong, shouldn't it be C as per "Power BI does not have a monthly refresh interval option. However, you can use Power Automate to create a custom refresh interval that occurs monthly" <https://learn.microsoft.com/en-us/power-bi/connect-data/refresh-scheduled-refresh#scheduled-refresh>

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: A

Here's why:

- A scheduled refresh allows you to configure specific days and times when Power BI should refresh your semantic model.
- Since your goal is to refresh Model1 on the first day of each month, this aligns perfectly with the capabilities of scheduled refresh.
- You can set this up in the Power BI Service under the dataset's Settings > Scheduled refresh section.
- 🔍 Why not ?
- B. Incremental refresh: Useful for optimizing performance when dealing with large datasets by refreshing only recent partitions—but it doesn't control when the refresh happens. You'd still need a scheduled refresh to trigger it.

[-] **LuisViotti** 1 point 3 months ago

Selected Answer: A

Option A, checked with Chatgpt and Gemini.(both selected A with similar explanation)

[-] **b92fc92** 1 point 3 months ago

Selected Answer: C

C in my opinion

[-] **0002110** 1 point 5 months ago

Selected Answer: A

Scheduled Refresh:

Purpose: Scheduled refresh is used to automate the process of refreshing the dataset on a regular basis, e.g., daily, weekly, monthly.

Use Case: You can schedule the refresh to happen automatically on a specific date or time. In your case, you want to refresh the dataset on the first day of each month. This could be done using scheduled refresh

[-] **SylUK** 1 point 6 months ago

Selected Answer: A
A is the answer : a scheduled refresh.

In Power BI, "schedule refresh" means setting a recurring time to automatically refresh all data in a dataset, while "incremental refresh" only updates the new or changed data since the last refresh, allowing for faster updates on large datasets by avoiding unnecessary reloads of the entire data set. (found on Google)

[-] **FazzieA** 2 points 6 months ago

Selected Answer: B

The answer is correct as you cannot schedule refreshes to be once a month, the refresh frequency can be either daily or weekly. Incremental refresh will refresh the dataset for the last month with new data, the old data will not change.

[-] **Bildey** 3 points 6 months ago

Selected Answer: A
- a scheduled refresh

While incremental refresh can help optimize the refresh process by refreshing only the data that has changed, it does not set the schedule for when the refresh happens. It helps with large datasets by minimizing data reloads, but it doesn't solve the requirement of scheduling the refresh for the first day of each month.

Question 331

You have a dataset that is used infrequently and refreshes every hour.

You receive a notification that the refresh was disabled due to inactivity.

Which two actions will cause the scheduled refresh schedule to resume? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Enable query caching for the dataset.
- B. Import the dataset to Microsoft Excel.
- C. From the Power BI service, open a dashboard that uses the dataset.
- D. From the Power BI service, open a report that uses the dataset.
- E. From PowerShell, run the get-powerbireport cmdlet.

Hide Answer

[-] **PinkZebra** 23 points almost 3 years ago

Selected Answer: CD

Correct. Thank you.

<https://learn.microsoft.com/en-us/power-bi/connect-data/refresh-scheduled-refresh#scheduled-refresh>

[-] **iccent2** 21 points over 2 years ago

The answer is correct!

Note

After two months of inactivity, scheduled refresh on your dataset is paused. A dataset is considered inactive when no user has visited any dashboard or report built on the dataset. At that time, the dataset owner is sent an email indicating the scheduled refresh is paused. The refresh schedule for the dataset is then displayed as disabled. To resume scheduled refresh, simply revisit any dashboard or report built on the dataset.

<https://learn.microsoft.com/en-us/power-bi/connect-data/refresh-scheduled-refresh#scheduled-refresh>

[-] **Nuli** 2 points over 2 years ago

Nice explanation.

[-] **Lulu_2022** 1 point about 1 month ago

Selected Answer: D

orrect answer: C. Deploy an on-premises data gateway

👉 Why this is the right first step:

Since your Excel file is stored on a file server (on-premises) and not in the cloud (like OneDrive or SharePoint), Power BI cannot access it directly from the Power BI Service. To enable scheduled refreshes (like every 4 hours), you must first: Install and configure an on-premises data gateway

This gateway acts as a secure bridge between Power BI in the cloud and your local file server
Once installed, you can configure scheduled refreshes in the Power BI Service

[-] **rcaliandro** 1 point 12 months ago

Selected Answer: CD

CD is the correct answer

[-] **28485e1** 1 point over 1 year ago

This was on my exam 2/2024.

[-] **Acrious** 2 points about 2 years ago

Selected Answer: CD

CD is correct

[-] **MoxieTT** 4 points about 2 years ago

This was on the exam

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: CD

Given answer is correct.

[-] **SanaCanada** 3 points over 2 years ago

C. From the Power BI service, open a dashboard that uses the dataset.

D. From the Power BI service, open a report that uses the dataset.

The scheduled refresh for a dataset can be suspended if the dataset has not been accessed for a certain period of time. To

resume the scheduled refresh, you can access the dataset by opening a report or a dashboard that uses the dataset.

Query caching and importing the dataset to Excel do not directly trigger a scheduled refresh for the dataset. Running

PowerShell cmdlets can be used to manage Power BI assets, but it does not directly cause a scheduled refresh to resume...

no confusion, no need to discuss further

[-] **cecbynzqohlmbdbmb** 3 points over 2 years ago

Selected Answer: CD

"To resume scheduled refresh, simply revisit any dashboard or report built on the dataset."

<https://learn.microsoft.com/en-us/power-bi/connect-data/refresh-scheduled-refresh#scheduled-refresh>

[-] **lukelin08** 4 points over 2 years ago

Selected Answer: CD

Correct answer given

Question 332



You have a Power BI workspace that contains a dataset, a report, and a dashboard. The following groups have access:

⇒ External users can access the dashboard.

⇒ Managers can access the dashboard and a manager-specific report.

⇒ Employees can access the dashboard and a row-level security (RLS) constrained report.

You need all users, including the external users, to be able to tag workspace administrators if they identify an issue with the dashboard. The solution must ensure that other users see the issues that were raised.

What should you use?

- A. comments
- B. chat in Microsoft Teams
- C. alerts
- D. subscriptions

Hide Answer

[-] **Dsbuff** 15 points over 1 year ago

Selected Answer: A

B. Chat in Microsoft Teams: the chat is not directly tied to the Power BI service. External users may not have access to the chat. Incorrect.

C. Alerts: not for communication purposes and do not allow for tagging. Incorrect.

D. Subscriptions: used to send snapshots of your dashboards or reports at a scheduled time, not interactive and would not be suitable for tagging administrators. Incorrect.

=> A is correct.

[-] **jaume** 1 point 9 months ago

Thanks for your detailed explanation

[-] **lukelin08** 10 points over 2 years ago

Selected Answer: A

A is correct

[-] **Dani_eL** 1 point over 1 year ago

Selected Answer: A

Settings for dashboard, scroll down, check Comments

[-] **paocard** 2 points over 1 year ago

La respuesta correcta es la A

<https://learn.microsoft.com/en-us/power-bi/consumer/end-user-comment>

[-] **Acrrious** 1 point about 2 years ago

Selected Answer: A

Yes comments

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: A

Given answer is correct.

[-] **louisaoak** 2 points over 2 years ago

Comment

[-] **fred92** 6 points almost 3 years ago

Selected Answer: A

Comments is correct

[-] **Andy4** 5 points almost 3 years ago

A is correct

Question 333



You have a PBIX file that imports several tables from an Azure SQL database.

The data will be migrated to another Azure SQL database.

You need to change the connections in the PBIX file. The solution must minimize administrative effort.

What should you do?

- A. From Power Query Editor, create new queries.
- B. From Power Query Editor, modify the source of each query.
- C. Create a PBIT file, open the file, and change the data sources when prompted.
- D. Modify the Data source settings.

Hide Answer

[-] **fred92** 22 points almost 3 years ago

Selected Answer: D
Answer is correct

[-] **jaume** 1 point 9 months ago

Selected Answer: D
I think option B would also work but would be not the one minimizing administrative effort.
Option C should be the right solution here.

[-] **nammm112** 2 points 11 months ago

Selected Answer: D
Modify the data source settings

[-] **Dani_eL** 3 points over 1 year ago

Selected Answer: D
File > options and settings > data source settings

[-] **28485e1** 4 points over 1 year ago

This was on my exam 2/2024.

[-] **Acrrious** 3 points about 2 years ago

Selected Answer: D
D is correct

[-] **Shalaleh** 4 points over 2 years ago

Selected Answer: D
Given answer is correct.

[-] **pepix74** 3 points over 2 years ago

Selected Answer: D
D is correct

[-] **Michcat** 2 points over 2 years ago

The assumed answer is D, but practically, it needs the schema of both sources to be identical. Otherwise, it may prompt fatal errors with caches swapped.

[-] **Shalaleh** 2 points over 2 years ago

The same data, will migrate to another source. That means the schema is identical.

[-] **yordiye** 1 point over 2 years ago

D is correct

[-] **csillag** 1 point over 2 years ago

Selected Answer: D

is Correct

[-] **Hoeishetmogelijk** 3 points over 2 years ago

Selected Answer: D

B could work, but D takes the least effort. So the answer is D. (Assuming that the table names and definitions remain the same)

[-] **lukelin08** 2 points over 2 years ago

Selected Answer: D

D is correct

[-] **Mazhar332** 1 point almost 3 years ago

Selected Answer: C

I guess C is the correct answer. Since you need to minimize administrative effort of user.

[-] **Hoeishetmogelijk** 2 points over 2 years ago

I'm sorry, but C is not correct: "A PBIT file acts as a Power BI template. It doesn't include any data from your source systems. So, if you're mashing up data from Excel files with some data from SQL Server and load that data into your Power BI model, when you save that file as PBIT it clears all of your data, but keeps your report structure."

Source: <https://www.datavizioner.com/resources/pbit-vs-pbix-how-and-why-theyre-different/#:~:text=A%20PBIT%20file%20acts%20as,but%20keeps%20your%20report%20structure>.

[-] **Booster21** 4 points almost 3 years ago

D. Modify the Data source settings. is correct.

Question 334



You have a Power BI workspace that contains several reports.

You need to provide a user with the ability to create a dashboard that will use the visuals from the reports.

What should you do?

- A. Create a row-level security (RLS) role and add the user to the role.
- B. Share the reports with the user.
- C. Grant the Read permission for the datasets to the user.
- D. Add the user as a member of the workspace.**
- E. Add the user as a Viewer of the workspace.

Hide Answer

[-] **fred92** 22 points almost 3 years ago

Selected Answer: D

Contributor is the lowest possible role to create dashboards, but the answers only provide Member as a role, so this is it.

[-] **Shalaleh** 1 point over 2 years ago

Is it the same as Member role?

[-] **csillag** 8 points over 2 years ago

Selected Answer: D

If you have Read only or Viewer access to workspace, pin icon is disabled for you. So you can open a report, but can't pin any visualization to dashboard. Read only content can't be pinned.

[-] **Amy_Y** 1 point about 1 month ago

Selected Answer: D

This question was in the test today, but instead of "Add the user as a member of the workspace." it was "Add the user as a contributor of the workspace." (7 July 25)

[-] **jaume** 1 point 9 months ago

Selected Answer: D

As explained by fred92, contributor would be the least privileged solution but it's not available

[-] **Acrious** 1 point about 2 years ago

Selected Answer: D

Is correct

[-] **lukelin08** 3 points over 2 years ago

Selected Answer: D

D is correct

[-] **ItsMeScripting** 1 point over 2 years ago

I think it might be B. This would allow the user to pin visuals to a dashboard the user creates outside of the workspace

[-] **Shalaleh** 1 point over 2 years ago

NO, it is possible to share reports with others but do not give them any access. they can only view reports.

[-] **ItsMeScripting** 1 point over 2 years ago

Or even option E. This would allow the user to pin the visuals to a dashboard in their private workspace?

[-] **DiRNiS** 1 point over 2 years ago

Selected Answer: D

D would be the correct answer in this case.

[-] **Booster21** 2 points almost 3 years ago

D. Add the user as a member of the workspace. is the correct answer.

Question 335



DRAG DROP -

You have a Power BI workspace that contains a single-page report named Sales.

You need to add all the visuals from Sales to a dashboard. The solution must ensure that additional visuals added to the page are added automatically to the dashboard.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions		Answer Area
Open Power BI Desktop .		
Pin the page.		
Pin each visual.		
Open powerbi.com .	➤	⬆
Open the Sales report.	⬅	⬇
Create a new report.		

Hide Answer

- Correct answer:**
- An entire report page can be pinned to a dashboard, which is called pinning a live tile. It's called a live tile because you can interact with the tile on the dashboard.
- Unlike with individual visualization tiles, changes made in the report are automatically synced with the dashboard.
- Step 2: Open the Sales report -
- Step 3: Pin the page.
1. Open a report in Editing view.
 2. With no visualizations selected, from the menu bar, select Pin to a dashboard.
 3. Pin the tile to an existing dashboard or to a new dashboard. Notice the highlighted text: Pin live page enables changes to reports to appear in the dashboard tile when the page is refreshed.
 4. Select Pin live. A Success message (near the top right corner) lets you know the page was added, as a tile, to your dashboard.

Reference:
<https://docs.microsoft.com/en-us/power-bi/create-reports/service-dashboard-pin-live-tile-from-report>

Actions		Answer Area
Open Power BI Desktop .		Open powerbi.com .
		Open the Sales report.
Pin each visual.	➤	Pin the page.
	⬅	
Create a new report.		

Preview: Last saved state

Retail Analysis Sample

DISTRICT MONTHLY SALES



Pin to dashboard

Select an existing dashboard or create a new one.

Where would you like to pin to?

☒ Existing dashboard
 ☐ New dashboard

Retail Analysis Sample

Pin live page enables changes to reports to appear in the dashboard tile when the page is refreshed.

Pin live

Cancel

[-] **Mizaan** 74 points almost 3 years ago

Open powerbi.com
Select sales report

Pin the page

Pinning the page means that it pins all visuals on the page. If you add more visuals to the report page they will also appear on the dashboard

[-] **28485e1** 3 points over 1 year ago

Excellent, straightforward answer, thank you.

[-] **iccent2** 15 points over 2 years ago

Someone may be thinking, why do we have to "pin the page" and not "pin each visual"?

The answer is clear bcos we want any additional visual on the page to reflect on the dashboard. So, if you have the page under your control, everything on the page is as well under your control.

[-] **LuluSkyy** 1 point 9 months ago

The answer is correct. Open power bi.com, open sales report and pin the page. (Pinning the page makes the dashboard a live connection)

[-] **539d541** 2 points 11 months ago

given answer is correct

[-] **M_Jawah** 2 points over 1 year ago

Given answer is correct.

[-] **Acrious** 5 points about 2 years ago

The answer is Correct

[-] **lwantopass** 1 point about 2 years ago

why not open power bi desktop?

[-] **ZSun** 4 points about 2 years ago

In Power bi desktop, you can publish the report and dataset to your workspace.
In your workspace of powerbi.com, you can now pin tiles/pages to dashboard

[-] **[Removed]** 2 points almost 2 years ago

You cannot create dashboards from Power BI desktop

[-] **JJMC5544** 2 points about 2 years ago

Pin Live

[-] **Shalaleh** 3 points over 2 years ago

Given answer is correct.

[-] **Hoeishetmogelijk** 5 points over 2 years ago

Open powerbi.com
Open the sales report
Pin the page
The answer is correct

[-] **lukelin08** 4 points over 2 years ago

Given answer is correct

[-] **Booster21** 4 points almost 3 years ago

The answer is correct.

Question 336



You have a report in Power BI named report1 that is based on a shared dataset.

You need to minimize the risk of data exfiltration for report. The solution must prevent other reports from being affected.

What should you do?

- A. Clear Allow recipients to share your dashboard and Allow users to build new content using the underlying datasets for the dataset.
- B. Apply row-level security (RLS) to the shared dataset.
- C. Select the Allow end users to export both summarized and underlying data from the service or Report Server Export data option for the report.
- D. Select the Don't allow end users to export any data from the service or Report Server Export data option for the report.

Hide Answer

[-] **fred92** 41 points over 2 years ago

Selected Answer: D

To set this options:
in Power BI Desktop -> File -> Options and Settings -> Options

Current File -> Report Settings

There you'll find "Export data" section and 3 options. The last one is "Don't allow end users to export any data from the service or Report server"

In PBI service, you can also allow or forbid to export data, but there the only option to prevent data from being exported is "None".

[-] **65945de** 1 point about 1 year ago

may I ask why not b?

[-] **ITGEXAM** 1 point 11 months ago

RLS would only restrict the users from seeing data they have no permission to, but not as asked here to restrict the ability to EXPORT the data.

Option D restricts the ability to export the data on both the report and the dataset.

[-] **asnygen** 1 point about 1 year ago

According to chatgpt : Option B is correct

[-] **cs3122** 3 points about 1 year ago

ChatGPT is wrong here. D is the correct answer

[-] **LeeTheRed** 3 points about 1 year ago

This question was on the exam today 9/12/2023

[-] **M_Jawah** 1 point about 1 year ago

D, is Correct

[-] **Acrrious** 3 points over 1 year ago

Selected Answer: D

Is correct

[-] **Shalaleh** 1 point almost 2 years ago

I think if in power bi service we unable Export! it affects all the workspace reports, right? that is why we should configure in power bi desktop. Am I right? please correct me.

[-] **Shalaleh** 1 point almost 2 years ago

I answer by myself. In Power BI service, if we select a report in "..." part go to setting, and from their we can mange exporting the data.

[-] **ushakiranr** 2 points almost 2 years ago

Selected Answer: D

Select the Don't allow end users to export any data from the service or Report Server Export data option for the report

[-] **lukelin08** 1 point about 2 years ago

Selected Answer: D

D is correct

[-] **Orkhannnn** 2 points over 2 years ago

Selected Answer: D

D-Correct

[-] **Clodia** 1 point over 2 years ago

Selected Answer: A

I think the answer should be A.

There is no option to "Don't allow end users to export any data from the service or Report Server Export data"

[-] **Clodia** 7 points over 2 years ago

I was wrong - the answer is D

Question 337

You have a Power BI workspace named Workspace1 and a group named Group1.

You need to ensure that the members of Group1 are notified when there are issues in Workspace1. The solution must follow the principle of least privilege.

What should you do?

- A. Assign Group1 the Admin role.
- B. Update the contact list to include Group1.
- C. Assign Group1 the Contributor role for Workspace1.
- D. Assign Group1 the Member role for Workspace1.

Hide Answer

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: B

- The contact list for a Power BI workspace is used to send notifications about issues, such as refresh failures or permission problems.

- By adding Group1 to the contact list, you ensure they're notified without granting any workspace access, which perfectly aligns with the principle of least privilege.

[-] **f83734b** 1 point 3 months ago

Selected Answer: B

Answer: Update the contact list to include Group1.

[-] **HUSSAIN_ALYAFEI** 3 points 6 months ago

Selected Answer: B

Answer: B. Update the contact list to include Group1.

By adding Group1 to the workspace contact list, you ensure that they receive notifications about issues (like refresh failures) without giving them unnecessary privileges in the workspace. This follows the principle of least privilege because the group is only being notified; they are not granted extra permissions (such as Contributor, Member, or Admin) unless required.

[-] **Odidepse** 3 points 7 months ago

Selected Answer: B

delivers the notification requirements, and the requirement for the least privilege as you are not granting any roles and the contact list allows you to add users or groups to group 1 which will get the notification.

Question 338

You need to create the required relationship for the executive's visual.

What should you do before you can create the relationship?

- A. Change the data type of Sales[region_id] to Whole Number.
- B. Change the data type of Sales[region_id] to Decimal Number.
- C. In the Sales table, add a measure for Sum(sales_amount).
- D. Change the data type of Sales[sales_id] to Text.

Hide Answer

[-] **Booster21** 28 points almost 3 years ago

A. Change the data type of Sales[region_id] to Whole Number. is correct, because the data type is INTEGER in Sales Region, Region_Manager and Targets.

[-] **cs3122 24 points** over 1 year ago

Selected Answer: A

A. So much fluff to this question, so my suggestion is to read the question first, before reading through the case study. 95% of the paragraph is not relevant to the question being asked.

[-] **jaume 1 point** 8 months ago

Selected Answer: A

"Sales by Region" report would require relationship between [Sales] and [Sales_Region] tables (additional break down views would require to link also data tables, manager table....)

"region_id" field for [Sales] is VARCHAR data type while this field, not only in [Sales_Region] but in other tables, is INTEGER so we would require to change data type in [Sales] to WHOLE NUMBER.

In [Weekly>Returns] table, the "sales_region_id" field is also VARCHAR and should be also changed to WHOLE NUMBER in case we would require regional details

[-] **Dani_eL 4 points** over 1 year ago

Selected Answer: A

The question is about creating a relationship. You cannot create relationships between two different datatypes, (varchar vs integer).

Answer is A

[-] **vvijaya86 5 points** over 1 year ago

How many case study questions will com in the exam?

[-] **Imrod 1 point** almost 2 years ago

Selected Answer: A

The data type is varchar in Sales and INTEGER in Sales Region, Region_Manager and Targets

[-] **SamuComqi 9 points** about 2 years ago

Selected Answer: A

I passed the exam today (948/1000). My answer was:

- Change the data type of Sales[region_id] to Whole Number

In the case study, the Sales[region_id] is set as VARCHAR.

[-] **ApacheKafka 14 points** about 2 years ago

Seems like you are a bot. You are all over the place announcing you scored 948/1000.

You can tell the answer without advertising your score.

[-] **Shalaleh 1 point** over 2 years ago

Selected Answer: A

A should be correct.

[-] **Shalaleh 1 point** over 2 years ago

Selected Answer: A

region_id should be INTEGER! I am not sure changing to whole number is the same!

[-] **Hoeishetmogelijk 1 point** over 2 years ago

Selected Answer: A

A is correct

[-] **shakes103 2 points** over 2 years ago

Selected Answer: A

Correct

[-] **Mazhar332** 1 point almost 3 years ago

Selected Answer: D

I think it is 'D', since these are unique IDs, we can use them as a text.

[-] **Dani_eL** 1 point over 1 year ago

The question is about creating a relationship. You cannot create relationships between two different datatypes, (string >< number)

[-] **fred92** 7 points almost 3 years ago

Selected Answer: A

Answer is correct

Question 339

You have a semantic model named Model1.

You need to ensure that users can verify that the data in Model1 meets corporate standards.

What should you do?

- A. Create an image of Model1.
- B. Promote Model1.
- C. **Certify Model1.**
- D. Apply a sensitivity label to Model1.

Hide Answer

[-] **Lulu_2022** 2 points 29 days ago

Selected Answer: C

- Certification is the highest level of endorsement in Power BI's data governance framework.
- It signals to users that Model1 has been reviewed and approved by trusted data stewards or administrators as meeting corporate standards for quality, accuracy, and compliance.
- Certified datasets appear with a badge and are prioritized in search results, helping users confidently choose the right data source.

Question 340

You attempt to open a PBIX file in Microsoft Power BI Desktop and receive the following error message in Power Query Editor.

DataSource.Error: Could not find file D:\Data.txt.

How should you resolve the issue?

- A. Update the Microsoft OLE DB Provider client libraries on your client computer.
- B. **Change the file path of Data.txt.**
- C. Change the file format to CSV.
- D. Use an on-premises data gateway.

[-] Lulu_2022 1 point 29 days ago

Selected Answer: B

means Power BI is trying to load a file from a local path that no longer exists or is inaccessible. This is a file path issue, not a format or connectivity problem.

Question 341

You have a Fabric workspace named Workspace1 that contains two Power BI reports named Report1 and Report2.

You create a workspace app that contains both reports.

You need to ensure that the app meets the following requirements:

- Report1 must be visible to all the users in your organization.
- Report2 must be visible to only a security group named Group1.

What should you do next?

- A. Assign Group1 the Viewer role for Workspace1.
- B. Create an audience and assign Group1 to the audience.
- C. Allow access to the hidden content of the app.
- D. Share Report1 with the built-in All users security group.

[-] **Lulu_2022** 2 points 29 days ago

Selected Answer: B

Power BI apps now support multiple audiences, allowing you to tailor which content is visible to which users—all from a single app. Here's how this solves your scenario:

- You can create one audience for "Entire organization" and include only Report1.
- Then create another audience for Group1 and include Report2 (and optionally Report1 if needed).
- This ensures Report1 is visible to everyone, while Report2 is restricted to Group1—all without duplicating workspaces or apps.

[-] 225401f 2 points about 2 months ago

Selected Answer: B

correct

Question 342

HOTSPOT

—

You have a Fabric workspace that contains the items shown in the following table.

Name	Type
Headcount	Report
Headcount	Semantic model
Company Expenses	Report
Expenses	Semantic model
Department Expenses	Report

You need to make content available to the management department and the accounting department at your company. The solution must meet the following requirements:

- The management department must have view access to the Headcount and Department Expenses reports.
- The management department must NOT be able to view any other current or future reports.
- The management department must NOT be able to build new reports by using the semantic models.
- The accounting department must only be able to view the Company Expenses report.
- The accounting department must be able to build new reports by using the Expenses semantic model.

The solution must follow the principle of least privilege and minimize administrative effort.

How should you make the content available to the users in each department? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Management:

Assign the Viewer role for the workspace to each management department user.
 Embed the report is into Microsoft SharePoint Online.
 Publish an app.
 Use Publish to web.

Accounting:

Assign the Viewer role for the workspace to each management department user.
 Embed the report is into Microsoft SharePoint Online.
 Publish an app.
 Use Publish to web.

Hide Answer

Correct answer:

Answer Area

Management:

Assign the Viewer role for the workspace to each management department user.
Embed the report is into Microsoft SharePoint Online.
Publish an app.
Use Publish to web.

Accounting:

Assign the Viewer role for the workspace to each management department user.
Embed the report is into Microsoft SharePoint Online.
Publish an app.
Use Publish to web.

[-] **AmieM** 1 point 7 days ago

I think publishing an app for both, since you can choose just the few reports and/or view only or view and build permissions

[-] **Lulu_2022** 1 point 29 days ago

Management department

Publish a Power BI app that includes only the Headcount and Department Expenses reports.

- This gives them view-only access to just those two reports.
- They cannot build new reports, which aligns with the requirement.
- They also won't see any other current or future content, satisfying the principle of least privilege.

✓ Accounting department

Assign Viewer role for the workspace

- This gives them access to all reports in the workspace, but we'll assume only the Company Expenses report is in that workspace.
 - Then, in the dataset permissions, grant them Build permission on the Expenses semantic model.
 - This allows them to create new reports using that dataset while still restricting their access to just what's needed.
- BI app does not allow to create a report.

[-] **Koriza** 3 points about 2 months ago

Publishing app for management and granting build permissions to one report for accounting, but since it's not an option i'd say it's embedding the report

[-] **225401f** 1 point about 2 months ago

I think

- Management : Embed the report into Microsoft SharePoint Online
- Accounting : Publish an app

[-] **bp_a_user** 1 point about 2 months ago

wrong,

management: publish an app

accounting: assign the viewer role

Question 343

You have a PBIX file that contains sensitive information.

You need to secure the information to meet the following requirements:

- Only internal users must be able to open the file if the file is shared via email.
- Once the file is published, only internal users must be able to open the semantic model and the report downloaded from the Power BI service.

What should you do?

- A. From Microsoft Power BI Desktop, apply a sensitivity label.
- B. Certify the semantic model and the report.
- C. Use a live connection for the file.
- D. From the Power BI service, apply a sensitivity label.

Hide Answer

[-] **Lulu_2022** 2 points 29 days ago

Selected Answer: A

- From the Power BI service, apply a sensitivity label WRONG

This protects content after publishing, but doesn't secure the PBIX file itself if shared via email.

[-] **c42611c** 2 points about 1 month ago

Selected Answer: A

Correct Answer is A.

"In addition, sensitivity labels can be applied to .pbix files in Power BI Desktop, so that your data and content is safe when it's shared outside Power BI (for example, so that only users within your organization can open a confidential .pbix that has been shared or attached in an email), even before it has been published to the Power BI service"

<https://learn.microsoft.com/en-us/power-bi/enterprise/service-security-sensitivity-label-overview>

[-] **225401f** 2 points about 2 months ago

Selected Answer: A

Correct

Question 344



You create a Power BI workspace named Workspace1.

You publish a semantic model and a report to Workspace1.

You need to configure Workspace1 to meet the following requirements:

- Provide access to a group named Sales.
- Ensure that Sales can invite other users to Workspace1.
- Follow the principle of least privilege.

Which role should you assign to Sales?

- A. Contributor
- B. Member
- C. Admin
- D. Viewer

Hide Answer

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: B

- Least privilege: Member is the lowest role that allows inviting others—Admin would be overkill, as it grants full control over the workspace.

[-] **Jasmine121** 1 point 6 months ago

Selected Answer: B

Members can reshare, while contributors can not.

[-] **SylUK** 1 point 6 months ago

Selected Answer: B

B is the correct answer : Member

Only member can ' Provide access to a group named Sales.

Ensure that Sales can invite other users to Workspace1' following the principle of least privilege.

[-] **Odidepse** 3 points 7 months ago

Selected Answer: B

Presented answer is correct B, cannot be viewer because of the ability to invite requirement, the next least privilege is member which can view and edit as well as invite.

[-] **f133b89** 6 points 6 months ago

The correct answer is member, but also note that the next least privilege to view is not member it is contributor Admin Full control (manage access, content, and settings). More permissions than needed.

Member Can invite users, edit and create content, and publish apps. Meets all requirements.

Contributor Can edit and create content but cannot invite users.

Viewer View-only access; cannot invite users or edit content.

Question 345

You need to get data from the Microsoft SQL Server tables.

What should you use to configure the connection?

- A. Import that uses a Microsoft account
- B. Import that uses a database credential
- C. DirectQuery that uses a database credential
- D. DirectQuery that uses the end-user's credentials

Hide Answer

[-] **Mizaan** 56 points almost 3 years ago

I think it should be: C. DirectQuery that uses a database credential

If you used the credentials of the user (D) then all users would need to be created in the database.

[-] **charles879987** 5 points over 2 years ago

If the end users in AD have been given access the database, then it won't be necessary to create them again in direct query i think. "After you publish an Azure SQL DirectQuery dataset to the service, you can enable single sign-on (SSO) using Azure Active Directory (Azure AD) OAuth2 for your end users."

[-] **charles879987** 2 points over 2 years ago

When the SSO option is enabled and your users access reports built atop the data source, Power BI sends their authenticated Azure AD credentials in the queries to the Azure SQL database or data warehouse. This option enables Power BI to respect the security settings that are configured at the data source level.

[-] **charles879987** 4 points over 2 years ago

So answer is D

[-] **AzureJobsTillRetire** 15 points over 2 years ago

Selected Answer: D

The requirements are:

- Litware plans to leverage data from an Azure SQL database (not an on-premise SQL Server)
- Litware uses Azure Active Directory (Azure AD) to authenticate users (not through gateway)
- The maximum allowed latency to include transactions in reports is five minutes (not import and schedule refresh)

So the answer is D. DirectQuery that uses the end-user's credentials

We will also give the AD group that represents the whole company the read access to the database so all users can run direct queries on the database.

[-] **AzureJobsTillRetire** 29 points over 2 years ago

Sorry I was wrong. After I reviewed my own responses, I think the answer is

C. DirectQuery that uses a database credential

A gateway should be implemented with DirectQuery and users should not be given read access to the database

directly. This is to ensure that RSL in PowerBI is warranted. If users are given direct read access to the database, they can easily bypass the RSL in PowerBI.

[-] **Odidepse** 2 points 7 months ago

No you dont, its an azure sql database, unless it explicitly say managed instance you dont need a gateway

[-] **iccent2** 12 points over 2 years ago

Now, you get the point. You cannot grant users direct access to database.

It is an abomination in database security. A user could delete the entire database mistakenly or intentionally. :)

[-] **AmieM** 1 point 7 days ago

Selected Answer: D

D is correct as this allows for less than 5 minute latency AND RLS

[-] **LuisViotti** 1 point 3 months ago

Selected Answer: C

Option C, checked with Chatgpt and Gemini.(both selected C with similar explanation)

[-] **sroumi** 1 point 4 months ago

Selected Answer: D

The correct answer is: D. DirectQuery that uses the end-user's credentials.

Here's the reasoning:

Low-Latency Requirement: Since the maximum allowed latency for the reports is five minutes, you need to ensure near real-time access to the data. This is best achieved with DirectQuery, as it queries the database live rather than relying on cached or imported data.

Azure SQL Database with Azure AD Authentication: The company uses Azure Active Directory (Azure AD) for authentication.

Using the end-user's credentials ensures that row-level security (RLS) can be enforced at the database level, restricting data access to only what the authenticated user is permitted to see.

Alignment with Reporting Requirements: The reporting requirements involve personalized data visibility, such as sales managers seeing only their region's data. Using the end-user's credentials ensures these data security needs are met.

[-] **Pey1nkh** 1 point 7 months ago

Selected Answer: D

why not C:

Using a shared database credential does not enforce row-level security (RLS) at the database level, meaning all users would see the same data, which violates the requirement for sales managers to see only their respective regions.

[-] **jaume** 2 points 8 months ago

Selected Answer: C

"maximum allowed latency..... is five minutes" requires the DirectQuery storage mode in our data model so Options C or D.

It's assumed no all end-users (in fact it's expected not too many of them, if any) would have access to database, therefore connection must be set using database credentials

[-] **Mo2011 1 point** about 1 year ago

Selected Answer: D

DirectQuery provides real-time data access, and using the end-user's credentials ensures that each user sees data they are permitted to see according to their permissions in Azure Active Directory. This aligns with the security requirements of allowing sales managers to see only their respective region's data and other role-specific data views.

[-] **Dani_eL 1 point** over 1 year ago

Selected Answer: D

db credentials (sql server groups) make use of AD groups, never individual users; Maybe if your company has some 10

resources but in big businesses (like at least 1.000 resources) it would be a nightmare to manage.

A case where you might want to use DB credentials is when you use impersonation on sql server side (aka : technical user ID)

[-] **Dsbuff 8 points** over 1 year ago

Selected Answer: C

C should be correct.

Link: <https://learn.microsoft.com/en-us/power-bi/connect-data/desktop-directquery-about>

Quote: "Alternate credentials aren't supported when making DirectQuery connections to SQL Server from Power BI Desktop. You can use your current Windows credentials or database credentials."

[-] **Bamlaku 2 points** almost 2 years ago

Selected Answer: D

As given in the description, you can enable single sign-on (SSO) using Azure Active Directory (Azure AD) OAuth2 for your end users. Azure AD authentication is a mechanism to connect to your SQL resource by using identities in Azure AD. With Azure AD authentication, you can centrally manage the identities of database users and other Microsoft services in one central location. Central ID management provides a single place to manage database users and simplifies permission management.

[-] **Acrious 3 points** about 2 years ago

It is definitely weird, to say they use Azure SQL, and then say its Microsoft SQL Server, which certainly sounds like an onpremis (or a VM, which they dont mention).

So I would have to go with D if its Azure, C if its On Premise

[-] **SamuComqi 11 points** about 2 years ago

Selected Answer: C

I passed the exam today (948/1000). My answer was:

- DirectQuery that uses a database credential

[-] **UlyUkr 3 points** about 2 years ago

The definite answer is C. DirectQuery that uses a database credential

[-] **Shalaleh 1 point** over 2 years ago

The maximum allowed latency to include transactions in reports is five minutes.

Question

You need to get data from the Microsoft SQL Server tables.

What should you use to configure the connection?

A. Import that uses a Microsoft account

B. Import that uses a database credential

C. DirectQuery that uses a database credential

D. DirectQuery that uses the end-user's credentials

[-] **Shalaleh 3 points** over 2 years ago

Sorry

Option C. DirectQuery that uses a database credential, is the best choice to configure the connection as the maximum allowed latency is five minutes, which is a relatively short time frame.

DirectQuery mode in Power BI allows queries to be sent directly to the data source, without importing the data into Power BI. This way, the report data stays up-to-date with the source data, and the maximum latency of five minutes can be easily achieved.

Using a database credential to connect to the SQL Server tables ensures secure access to the database. This also helps to meet the authentication requirements for Azure AD.

Option D, DirectQuery that uses the end-user's credentials, is not recommended as it can create security vulnerabilities, and it may not meet the requirements for Azure AD authentication.

[-] **SanaCanada** 2 points over 2 years ago

Selected Answer: C

I think C

[-] **luisnc** 20 points over 2 years ago

No confusion, no need to discuss further

[-] **3cc17f1** 4 points almost 2 years ago

apocalyptic levels of confusion :D

[-] **Mati_123** 1 point over 2 years ago

Answer is C

[-] **KungFuKenny** 2 points over 2 years ago

Selected Answer: C

Answer is C

[-] **naomilena** 3 points over 2 years ago

Selected Answer: C

I second AzureJobsTillRetire comment

[-] **yordiye** 3 points over 2 years ago

D DirectQuery lets a report viewer's credentials pass through to the underlying source, which applies security rules.

DirectQuery supports single sign-on (SSO) to Azure SQL data sources, and through a data gateway to on-premises SQL servers. For more information, see Overview of single sign-on (SSO) for gateways in Power BI.

<https://learn.microsoft.com/en-us/power-bi/connect-data/desktop-directquery-about>

[-] **yordiye** 2 points over 2 years ago

I would say C because we have to configure gateway that uses database credential right ?

[-] **JPGo** 3 points over 2 years ago

Selected Answer: C

I think C because of "The sales managers must be able to see only the sales data of their respective region." and the 5 minute latency. Doing an import every 5 minutes seems impractical. Using Direct Query will honor the security in place on the database.

[-] **Hoeishetmogelijk** 4 points over 2 years ago

Selected Answer: C

Answer should be C

[-] **lucadiodoardo** 3 points over 2 years ago

why direct query and not import?

[-] **Hoeishetmogelijk** 1 point over 2 years ago

See this last requirement: "The maximum allowed latency to include transactions in reports is five minutes."

[-] **Maverick7513** 1 point over 2 years ago

Question says we have to get data from Microsoft SQL Server and not from Azure SQL. Shouldn't it be database credentials and import mode then ?

[-] **cnmc** 1 point over 2 years ago

Above reply. Also typically you wouldn't want to import production databases. They'll cripple your performance

[-] **Hoeishetmogelijk** 1 point over 2 years ago

See this last requirement: "The maximum allowed latency to include transactions in reports is five minutes." So it must be DirectQuery.

[-] **Homer_Jay** 3 points over 2 years ago

Selected Answer: C

Should be C. Read Mizaan's comments

[-] **JohnHail** 2 points over 2 years ago

In my opinion it should be C. If this would be D, all end users would need to have access to the database which I believe is not good approach.

[-] **fred92** 4 points almost 3 years ago

Selected Answer: D

It's a little confusing.

It says in the infos that there is an Azure SQL database (cloud) and Azure AD is used to authenticate users. But in the question it says Microsoft SQL Server, which is on-premises ... strange.

If it's a writing error and Azure SQL database is meant in the question as well, I would go for answer D.

When you follow the link in the explanation of the solution provided, there is stated that you can enable SSO, so that end users use their own OAuth2 credentials.

Anyway, if Microsoft SQL Server is meant actually, you can also enable AD SSO via Kerberos, but I'm not sure if this is the best solution.

Question 346



You are creating a new semantic model in Microsoft Power BI Desktop.

You connect to a recently used data source and receive an error message indicating that the password is expired.

You need to update the credentials for the data source.

What should you do?

A. From Data Source settings, select the data source, and then select Edit Permissions.

B. From Options, select Data Load, and then select Clear Cache.

C. From Power Query Editor, select Refresh Preview.

D. From the Modeling tab, select Manage Roles, and then add a role.

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: A

- When Power BI Desktop throws a password expired error for a data source, it means the stored credentials are no longer valid.
- To fix this, you need to update the credentials associated with that data source.
- You do this by going to File > Options and settings > Data source settings, selecting the affected source, and clicking Edit Permissions. From there, you can re-enter your username and new password.

[-] **raavilam** 4 points 6 months ago

Selected Answer: A

Tested with SQL Server connections:

Data Source Settings --> Edit Permissions --> Edit

The option to change credentials appears

Question 347



You use Power BI Desktop to open a PBIX file that contains a Microsoft Excel data source.

You attempt to refresh the data and receive the following error message.

Expression.Error: The column 'Cost' of the table wasn't found.

What is a possible cause of the error?

- A. The Cost column was renamed in the data source.
- B. The privacy level of the data source does not allow combining the data with other data sources.
- C. The data in the Cost column cannot be converted into the target data type.
- D. The source file was moved to a new location.

[-] **be79ac3** 1 point 4 months ago

Selected Answer: A

A, just makes the most sense to me.

[-] **SylUK** 1 point 5 months ago

Selected Answer: A

the cost column was renamed in data source. is the answer

Question 348



You have a Power BI tenant that contains a workspace named WS1. WS1 contains the following items:

- A semantic model named SM1.
- A report named RPT1 that is connected to SM1.

- A report named RPT2 that is connected to SM1.
- A report named RPT3 that is connected to SM1.
- A dashboard named DB1 that contains content from RPT1 and RPT2.

You need to grant workspace access to a group named Group1. The solution must meet the following requirements:

- Group1 must be able to view RPT1, RPT2, and DB1.
- Group1 must be prevented from viewing RPT3.
- Group1 must be prevented from creating new reports and dashboards by using SM1.
- Group1 must be prevented from sharing the reports and dashboards to other users.
- Administrative effort must be minimized.

What should you do?

- A. Publish an app.
- B. Assign Group1 the Viewer role for WS1.
- C. Store PBIX files in a shared folder in Microsoft OneDrive.
- D. Share each item individually.

Hide Answer

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: A

- Selective visibility: When publishing an app, you can choose exactly which reports and dashboards to include—so you can publish RPT1, RPT2, and DB1, while excluding RPT3.
- Read-only access: App users cannot create new content or build on the semantic model (SM1), which satisfies the requirement to prevent report/dashboard creation.
- No reshare rights: App viewers cannot share the content with others unless explicitly allowed.
- Low admin overhead: You manage access and permissions centrally through the app, which is far more efficient than managing individual report shares.

[-] **MANANDAVEY** 2 points 6 months ago

Selected Answer: A

✓ A. Publish an app.

Explanation:

Publishing an app in Power BI allows you to control which reports and dashboards are accessible to a specific audience while keeping administrative effort minimal. This approach meets all the given requirements:

- ✓ Group1 can view RPT1, RPT2, and DB1 (you can include only these reports in the app).
- ✓ Group1 is prevented from viewing RPT3 (since RPT3 will not be included in the app).
- ✓ Group1 cannot create new reports or dashboards using SM1 (viewers of the app cannot modify the dataset).
- ✓ Group1 cannot share reports and dashboards (app viewers cannot share content).
- ✓ Minimal administrative effort (you only need to manage access to the app instead of configuring individual report permissions).

[-] **EdExamTopics** 2 points 6 months ago

Selected Answer: A

Publishing an app allows you to selectively include RPT1, RPT2, and DB1 while excluding RPT3. This approach prevents

Group1 from creating new reports and dashboards using SM1 and from sharing the content with other users. Additionally, it minimizes administrative effort by providing a centralized way to manage access.

[-] **SylUK** 2 points 6 months ago

Selected Answer: C

C is the answer: Store PBIX files in a shared folder in Microsoft OneDrive. because the Group 1 will only view RPT1,RPT2 and DB1.

A is wrong because it require an administrative effort.

B is also wrong because viewer role will allow Group1 to read all reports in the workspace even RPT3 which is against the requirement.

D also needs administrative effort.

Therefore C is the correct answer in this context .

[-] **SylUK** 2 points 6 months ago

Another explanation is: you can configure a shared folder in Microsoft One Drive to prevent users from creating new content or sharing it with other users, by adjusting the permission levels assigned to the folder; if you only give users "Read" access to a shared folder, they can only view existing files and cannot creates new ones or further share that content with others.

So "Read" access can only view files within the folder, no create new ones or share them further, while "Edit" access can view, edit, and share files within the folder.

So C Store PBIX files in a shared folder in Microsoft One Drive is the correct answer.

[-] **b2775a4** 2 points 6 months ago

Selected Answer: A

- Group1 must view specific reports and dashboards (RPT1, RPT2, DB1):
- Publishing an app allows you to share selected reports and dashboards with specific groups or users.
- Group1 must be prevented from viewing RPT3:
- Apps allow fine-grained control, so you can exclude RPT3 from the app content.
- Group1 must not create new reports or dashboards or share content:
- When users access content via an app, they cannot edit or create new reports/dashboards or share the app itself.
- Minimize administrative effort:
- Publishing an app is simpler and more manageable than other options.

Question 349



HOTSPOT

-

You have a Power BI semantic model named Model1 that will be used to support reports viewed in the Power BI service.

Model1 contains data from the following sources:

- An Azure SQL database that is accessible only via a private endpoint
- A Microsoft Excel file stored in Microsoft SharePoint Online
- A Microsoft SQL Server database in a private datacenter

You need to publish Model1 and schedule the model to refresh 12 times a day.

How many data sources require a data gateway, and which license mode will the workspace require to support the scheduled refresh? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Data sources:

	▼
1	
2	
3	

License mode:

	▼
Embedded	
Premium Per User (PPU)	
Pro	

Hide Answer

Correct answer:

Answer Area

Data sources:

	▼
1	
2	
3	

License mode:

	▼
Embedded	
Premium Per User (PPU)	
Pro	

[-] Lulu_2022 2 points 29 days ago

- Azure SQL Database via Private Endpoint
- Normally, Azure SQL doesn't require a gateway.
- However, when it's locked behind a private endpoint, the Power BI Service cannot access it directly.
- ☒ Requires a data gateway (specifically, a VNet Data Gateway or On-premises Data Gateway configured in a VM inside the VNet).
- Excel file in SharePoint Online
- This is a cloud source accessible directly by the Power BI Service.
- ☒ Does NOT require a gateway.
- SQL Server in a private datacenter
- This is an on-premises source.
- ☒ Requires an On-premises Data Gateway
- Pro or PPU license: Limited to 8 refreshes/day.
- Premium per capacity: Allows up to 48 refreshes/day.

[-] SylUK 2 points 6 months ago

The given answer is correct : 2 and Premium Per User (PPU).

2 data sources need gateway : An Azure SQL database that is accessible only via a private endpoint and A Microsoft SQL Server database in a private data center.
Premium Per User (PPU) supports cloud and on-premises storage .

An Azure SQL database that is accessible only via a private endpoint (on-premise)

- A Microsoft Excel file stored in Microsoft SharePoint Online (cloud)
- A Microsoft SQL Server database in a private datacenter (on-premise)

[-] **SylUK** 1 point 6 months ago

Power BI premium has a limit of 48 scheduled refreshes a day while power BI pro licenses allow only 8 refreshes a day and remember the question says ' You need to publish Model1 and schedule the model to refresh 12 times a day' therefore Premium Per User (PPU) is the correct license mode to use.

Question 350

DRAG DROP

-

You have a Power BI semantic model.

You need to configure row-level security (RLS) to restrict data access for users that have the Viewer permissions.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Assign the users the Contributor role for the Power BI workspace.	1.
Publish the semantic model.	2.
Assign the users the Member role for the Power BI workspace.	3.
From the Power BI service, assign the new RLS role to the users.	
From Microsoft Power BI Desktop, create a new RLS role by using a DAX filter.	

Hide Answer

Correct answer:

Answer Area
1. From Microsoft Power BI Desktop, create a new RLS role by using a DAX filter.
2. From the Power BI service, assign the new RLS role to the users.
3. Publish the semantic model.

[-] **b2775a4** 16 points 6 months ago

Correct Sequence:

1. From Microsoft Power BI Desktop, create a new RLS role by using a DAX filter.
 - You must first define the RLS roles and the corresponding DAX filters in Power BI Desktop to determine how data is restricted for different users.
2. Publish the semantic model.
 - After creating the RLS roles, you need to publish the semantic model to the Power BI Service to apply these roles in the cloud environment.
3. From the Power BI service, assign the new RLS role to the users.
 - Once the model is published, you assign the roles to specific users or groups in the Power BI Service to enforce RLS.

[-] **MANANDAVEY** 5 points 6 months ago

Given answer is wrong.

1. From Microsoft Power BI Desktop, create a new RLS role by using a DAX filter.
2. Publish the semantic model.
3. From the Power BI service, assign the new RLS role to the users.

Correct sequence.

[-] **Lulu_2022** 1 point 29 days ago

the answer is wrong

Correct sequence:

- Define roles and rules in Power BI Desktop
- Go to the Modeling tab → Manage Roles
- Create roles and apply DAX filters to restrict data (e.g., [Region] = "West" or dynamic filters using USERPRINCIPALNAME())
- Publish the semantic model to the Power BI Service
- This uploads the model along with the defined RLS roles to your workspace.
- Assign users or groups to the roles in the Power BI Service
- In the workspace, go to the dataset → click More options (⋮) → Security
- Add users or security groups to the appropriate RLS roles.

[-] **be79ac3** 1 point 4 months ago

1.2.3

Makes more sense you have updated the version in the desktop, then published, then headed to the service.

[-] **Jasmine121** 3 points 6 months ago

The given answer is wrong.

You have to first publish your semantic model to the power bi service and next you can do RLS setting on your report.

I go for (1) From Desktop.... (2) Publish the senmatic model (3) From the Power BI service...

[-] **0002110** 1 point 5 months ago

Yes this is the correct sequence

[-] **SylUK** 1 point 6 months ago

I am ok with the answer's order

1. From Microsoft Power BI Desktop, create a new RLS role by using a DAX filter
2. From the Power BI service, assign the new RLS role to the users.
3. Publish the semantic model.

[-] **0002110** 1 point 5 months ago

wrong sequence

Question 351



You have a Power BI report named Report1.

You plan to share Report1 with multiple users.

You need to add the users to a group.

Which two types of groups can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

A. security group

B. distribution group

C. Microsoft Teams team

D. Microsoft 365 group

Hide Answer

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: AB

Security group

- Power BI supports sharing reports and assigning workspace roles using Azure Active Directory (AAD) security groups.
- These are ideal for managing access at scale, especially when permissions need to be centrally controlled.
- You can assign a security group to a workspace, dataset, or app audience.

Microsoft 365 group

- A Microsoft 365 group is a special type of security group that includes collaboration tools like Outlook, SharePoint, and Teams.
- Power BI recognizes Microsoft 365 groups for workspace access, app distribution, and sharing reports.
- This is especially useful when your organization already uses Microsoft 365 groups for team collaboration.

[-] **a2c7cd3** 1 point about 2 months ago

Selected Answer: AB

A and B are right guys. <https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-share-dashboards#link-settings> (You can't use Microsoft 365 Unified groups for direct sharing and email subscriptions. If you don't want to specify individuals, you can use email-enabled distribution groups or security groups to share with multiple users.)

[-] **MANANDAVEY** 2 points 6 months ago

Selected Answer: AD

To share a Power BI report named Report1 with multiple users by adding them to a group, you can use the following types of groups:

- A. Security group
- D. Microsoft 365 group

Both security groups and Microsoft 365 groups can be used to manage access to Power BI reports. Security groups are typically used for managing permissions and access control, while Microsoft 365 groups provide a collaborative workspace with shared resources, including access to Power BI reports. Distribution groups and Microsoft Teams teams are not typically used for managing access to Power BI reports in this context.

[-] **EdExamTopics** 3 points 6 months ago

Selected Answer: AD

- A. security group Security groups can be used to manage user access and permissions in Power BI.
- D. Microsoft 365 group Microsoft 365 groups (formerly known as Office 365 groups) can also be used to manage access and permissions in Power BI, and they integrate well with other Microsoft 365 services.

[-] **SylUK** 1 point 6 months ago

Selected Answer: AB

A and B are the right answer :security group and distribution group.

[-] **SylUK** 1 point 6 months ago

Sorry , the answer is A and D instead because B : distribution group is a group which contains a list of email addresses of members to notify the group.

Question 352



You plan to create a Power BI report that will be connected to multiple data sources. One of the data sources contains tax records.

You need to ensure that other queries cannot access the tax record information.

To what should you set Privacy Level for the data source?

- A. None

B. Organizational

C. Private

D. Public

Hide Answer

[-] **Lulu_2022** 2 points 29 days ago

Selected Answer: C

- Setting the Privacy Level to Private ensures that the data source is completely isolated from all other sources in Power

Query.

- This prevents data leakage through query folding or merging operations, which could otherwise expose sensitive tax record information to less secure sources.

- Power BI will block any attempt to combine this data with other sources unless they are also marked Private and reside in the same isolation zone.

Question 353

You need to create the dataset.

Which dataset mode should you use?

A. Import

B. DirectQuery

C. Composite

D. live connection

Hide Answer

[-] **Mizaan** 45 points almost 3 years ago

Selected Answer: A

You wouldn't use composite for all. I would say import as the SQL Server data is only 2GB and excel is really small. Also, only need it refreshing once a day so this dataset is very small. Answer is A (Import)

[-] **desibaby09** 1 point 8 months ago

import mode can be used for azure sql and excel

[-] **Dani_eL** 2 points over 1 year ago

you missed this detail : The warehouse shipping department must be notified if the percentage of late orders within the current month exceeds 5%..

How do you put an alert then ?

[-] **Nawabi** 4 points over 2 years ago

Also data is 2gb and 5mb but we need only top 20 reports.

[-] **powerbibuddy** 9 points over 2 years ago

Capacity for import is 1 GB, so How can we use Import for 2GB data

[-] **Smyrol** 1 point about 1 year ago

it is, for excel files

[-] **LeeTheRed** 4 points over 1 year ago

I worked with DBs that are much larger than 5GB and have always used import due to fast response/RLS/Time Intelligence etc...There are a few ways to limit the dataset size, most common is to use SQL with Where clause to limit the data to only that you needed or if you don't use/don't know SQL, do a transform before loading the data. I would do an import in this case but my answer will not be necessarily the correct answer that Microsoft wanted.

[-] **msexamkiller** 1 point over 2 years ago

I think the size of the data is 2GB in the database though not Vertipaq compressed. 1GB limitation applies to size of the pbix file which is already compressed and will be significantly less than raw data.

[-] **ivanb94** 3 points over 2 years ago

what do you mean by "all"? The technical requirements state that all reports must be supported by a SINGLE dataset and that one will definitely exceed the 1GB limit.

[-] **charles879987** 1 point over 2 years ago

The data model must minimize the size of the dataset as much as possible, while meeting the report requirements and the technical requirements.
import option will make the dataset too large

[-] **YokoSumiGaeshi** 10 points over 2 years ago

Another key sentence is "The reports must provide fast response times when users interact with a visualization." Using DirectQuery increases the latency when interacting with a viz, because the data needs to be fetched from the source at every refresh, an issue which doesn't exist when the data is imported. A is correct.

[-] **yordiye** 4 points over 2 years ago

Plus we have to apply RLS direct query is not suitable unless we do the RLS at the source level

[-] **ajvela** 1 point over 2 years ago

Also the report requires current year data and last three calendar year data, so no need to import the whole data

[-] **ApacheKafka** 1 point about 2 years ago

This is not a one time thing. The Data will continue to grow and import will turn out inefficient. The 7:00AM need can be addressed using incremental refresh which will reduce the workload by far compared to import.

[-] **0a58a92** 1 point over 1 year ago

it grows but this report only keep data within three years

[-] **JohnChung** 3 points over 1 year ago

Apart from the small data size, another hint shows the correct answer should be A is "The reports must provide fast response times when users interact with a visualization." which is absolutely merit of using Import.

[-] **shakes103** 28 points over 2 years ago

Selected Answer: C

Composite Model means now you can have a model, that very large tables of that are coming from the DirectQuery

connection, without the need for importing, and small tables to be imported to be accessible quickly.

In this case, Composite fits perfect. Source1 is 2GB, which is relatively too large for daily updates and way larger than Source2 which is only 5MB.

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: A

For a 2 GB dataset, Import mode is typically the better choice

[-] **f83734b** 1 point 3 months ago

Selected Answer: A

Correct answer is A

[-] **SylUK** 2 points 6 months ago

Selected Answer: C

The answer is C composite mode which means a combination of Direct Query and Import mode. Remember in this model there is a many-to-many relationship between the Sales Employee table and the Orders table. (See previous question in the previous page)and this kind of relationship (many-to-many) is always used in a composite model.

[-] **SylUK** 1 point 6 months ago

A "composite model" in Power BI is a data model that allows you to combine data from multiple sources, including both imported data and data accessed directly through Direct Query (live connection to a database), within a single model, enabling you to create relationships and build reports using data from different origins simultaneously; essentially, it lets you mix and match data storage modes for optimal performance depending on the source data.

[-] **_jay95_** 1 point 7 months ago

Selected Answer: A

Import would be a better option.

[-] **jaume** 1 point 8 months ago

Selected Answer: A

I would use Import storage mode.

We only need to secure one refresh per day ("7 AM Pacific Time each day") so there is no need for a DirectQuery mode.

Although Import would result in a larger Semantic model than using DirectQuery, SQL is "only" 2 Gb and, with Import mode, we will reach the "...fast response times when users interact with a visualization" requirement

[-] **LuluSkyy** 1 point 10 months ago

The correct answer is C- Composite because it is the only model that supports connections from multiple data sources

[-] **HenryBiz** 3 points about 1 year ago

Selected Answer: A

Near the real-time data is not required.

2GB size data seems large but it is the whole raw data, we need the latest 3 years data only here and we can pre-aggregate it. So, I prefer "A" which gives the highest speed and flexibility here.

[-] **e3ddceb** 2 points about 1 year ago

A. Import

The Import mode is the best choice here. This mode allows you to import the data into Power BI's memory, enabling fast response times when users interact with a visualization, which is one of the requirements.

DirectQuery and Live Connection modes would not be suitable because they keep the data in the source system and query it from there, which can lead to slower response times.

The Composite mode, which allows a combination of Import and DirectQuery, is not necessary here as there's no requirement to combine these two modes.

Remember that with Import mode, you need to refresh the data to keep it up-to-date. The requirement is to have the report data current as of 7 AM Pacific Time each day, which can be achieved by scheduling a daily refresh in Power BI.

[-] **9f73003** 3 points over 1 year ago

Selected Answer: A

What about row level security, I believe it (RLS) does not work well with DirectQuery. (A)

[-] **JudT** 1 point over 1 year ago

2 different sources = Composite Model

[-] **JudT** 1 point over 1 year ago

C is the correct answer. I will go for the composite model.

Bear in mind that the capacity for import mode is 1GB only.

[-] **Dani_eL** 1 point over 1 year ago

how do you manage : The warehouse shipping department must be notified if the percentage of late orders within the current month exceeds 5%.
in a full data import ?
As far as I'm concerned, For that issue, I would put an alert on data change so tell me how you will put an alert in your "light for now" early morning import ? :-)

[-] **28485e1** 2 points over 1 year ago

I had a hard time choosing between import and composite. Ultimately, what another user posted reminds us: the database is 2GB+ of text and growing. Do we want to be running a daily import on that? I think this is why the given answer is composite.

[-] **Onbekend** 1 point over 1 year ago

Source1 has a datasize of 2gb. The text does not specifically state that there is a premium capacity, so I suspect that the model size for an import model is 1GB. Is there a way to know how big this model size is?

[-] **JohnChung** 4 points over 1 year ago

Selected Answer: A
Report data must be current as of 7 AM Pacific Time each day
The reports must provide fast response times when users interact with a visualization

[-] **Mandar77** 3 points almost 2 years ago

There are 2 sources. first is azure sql data base with 2GB of data and other one is excel 5 MB. You can not load 2GB of data in model hence you have to use direct query and excel we can import. Hence it is composite mode

[-] **5bf040d** 1 point 5 months ago

You can if you have PRO or PREMIUM license. On technical requirements they mentioned that the reports must be store in a single Power BI workspace so we can assume that the company have any of each license. The best option is Import mode

[-] **janojano** 2 points almost 2 years ago

Selected Answer: C
Composite mode because it can mix Import and DirectQuery modes.

[-] **spamhz** 1 point almost 2 years ago

Selected Answer: A

I think is Import. Because Direct query cannot fulfill this "Report data must be current as of 7 AM Pacific Time each day.", it will pull the latest lets say if it is 10AM, it will pull 10AM data right? Please correct me if I am wrong.

[-] **taod** 1 point almost 2 years ago

Selected Answer: A

I also go for A.

Import mode meets the requirements for fast response times and current data at 7 in the morning. Though the model must minimize the size of the dataset "as much as possible", it must meet the report and technical requirements. Fast response time is a hard requirement and it's sure that Import mode delivers that better than DirectQuery.

I am no expert on Composite but I would argue that in the best case, it's as fast as Import mode. In Composite mode, some tables might switch to DirectQuery due to the user behaviour, but that would mean we would overachieve the requirement for daily refreshing, buying this overachievement through slower response time. That's not what we want.

Future growth of the data is not to be considered in a question like this.

[-] **Acrrious** 3 points about 2 years ago

A: I believe that since they specifically call out a time of 7AM its either a trick lol or its intended to tell us IMPORT is fine (since its 7AM)
Secondarily, they talk about performance and since you can import that easily, the performance will be much better on IMPORT and DirectQuery is known to induce latency / lower performance.
So I don't see a reason to select Composite in this case.

[-] **leggoteam 2 points** about 2 years ago

I'm confused by the case studies. Are we going to be interacting with a user interface or are we just selecting a multiple choice answer or is it both?

[-] **Acrious 2 points** about 2 years ago

You wont have a UI unless you mean possible drag and drop answers. Then it would be both. If you meant actually like the SMS / Admin / Etc / Gateway, Power BI, no you wont touch those.

[-] **JJMC5544 1 point** about 2 years ago

One of the biggest advantage of Direct Query is when we need a near real time data.

But in this scenario they say "Report data must be current as of 7 AM Pacific Time each day."

Since they don't need the near real time data, to have the advantages of Import for all other requirements, included RLS, IMPORT looks a better approach to me.

[-] **Time2excel 1 point** about 2 years ago

Selected Answer: C

My answer is C. Composite/dual suits this application.

[-] **Nemesizz 5 points** about 2 years ago

Guys please what is the answer? A or C?

[-] **VNAS06 4 points** about 2 years ago

The answer is 'C'. As per the Microsoft - <https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-composite-models>

"Composite models let you connect to the data warehouse by using DirectQuery and then use Get data for more sources. In this example, we first establish the DirectQuery connection to the corporate data warehouse. We use Get data, choose Excel, and then navigate to the spreadsheet that contains our local data."

[-] **Caterpillar_Soni 2 points** about 2 years ago

I think A should be the correct answer.

as based on requirements :

1) Response should be fast.

2) Out of 20 GB only top 20 reports required.

3) Data to refreshed on a fix time interval i.e. 7AM everyday (not so frequent)

4) RLS = USERNAME()

[-] **UlyUkr 1 point** about 2 years ago

I am sure that answer is A because the data is exported daily and must be current as of 7am every day. No need to use Direct Query as it has some limitations.

[-] **Shalaleh 1 point** over 2 years ago

Selected Answer: A

I would rather to go with A. with do not need DQ and the composite model.

"The reports must provide fast response times when users interact with a visualization.

The data model must minimize the size of the dataset as much as possible, while meeting the report requirements and the technical requirements."

[-] **Shalaleh 4 points** over 2 years ago

Selected Answer: C

https://www.youtube.com/watch?v=043x57_b1Oc

[-] **glenman0202 12 points** over 2 years ago

Selected Answer: C

C is the right answer. This is both because of what others have mentioned (Source1 is 2GB and Source2is only 5MB) and because of this one sentence:

"The data model must minimize the size of the dataset as much as possible, while meeting the report requirements and the technical requirements."

Ergo, we know by default that A cannot be the correct answer, as Importing a 2GB file makes the dataset much larger than just using DirectQuery. However, we cannot just use pure DirectQuery, because of the following requirement:

"The reports must provide fast response times when users interact with a visualization."

Visualizations would be extremely slow if we were forced to query the 2GB file every time we wanted to interact with a visual that uses Source2. As such, we are forced to use a composite model: It allows both DirectQuery for the larger SQL database, while enabling import for the smaller Excel spreadsheet. Additionally, data caching may be used to speed up interactions with the SQL database.

[-] **SanaCanada** 5 points over 2 years ago

Selected Answer: C

The correct answer is C

No confusion to discuss further

[-] **charles879987** 1 point over 2 years ago

Use Composite: import for the 5 MB excel. direct query for the 2 GB Database.

[-] **Nawabi** 3 points over 2 years ago

Selected Answer: C

C is correct.

technical requirements

1)Capacity 2gb 5mb

2)Each day refresh

3)Fast response when interact with visualization

4)Single dataset for all 3 reports

5)Model should minimize the size of dataset as much as possible

[-] **TimO_215** 4 points over 2 years ago

Selected Answer: C

After reading the comments and performing some additional research, I vote for C. The combination of accessing a large database and a small spreadsheet would be better using different methods. The article describes it well, and it has an

example scenario that is very similar to the case study question.

Reference article: <https://learn.microsoft.com/en-us/power-bi/transform-model/desktop-composite-models>

[-] **yordiye** 2 points over 2 years ago

I think Import is correct because the report requirement is to get top 20 (TopN which is not supported in direct Query). So TopN filters: You can define advanced filters to filter on only the top or bottom N values ranked by some measure. For

example, filters can include the top 10 categories. This approach again sends two queries to the underlying source. However, the first query returns all categories from the underlying source, and then the TopN are determined based on the returned results. Depending on the cardinality of the column involved, this approach can lead to performance issues or query failures because of the one-million row limit on query results.

<https://learn.microsoft.com/en-us/power-bi/connect-data/de>

[-] **yordiye** 1 point over 2 years ago

Here is the link <https://learn.microsoft.com/en-us/power-bi/connect-data/desktop-directquery-about>

[-] **yordiye** 1 point over 2 years ago

Plus time intelligence function is limited DAX is available, but there are certain time intelligence DAX features that you cannot use such as every year, month over month, same period, and last year. <https://blog.pragmaticworks.com/direct-query-limitations-in-power-bi>

[-] **VinayKadaya** 1 point over 2 years ago

For me, this line - "The data model must minimize the size of the dataset as much as possible, while meeting the report requirements and the technical requirements" compels to use a Composite model. If Size of data model was not an issue, the answer would have been an Import

[-] **youssef_yt89** 3 points over 2 years ago

Selected Answer: A

Report data must be current as of 7 AM Pacific Time each day--> Import mode

The reports must provide fast response times when users interact with a visualization.--> Import mode

[-] **jsking** 4 points over 2 years ago

Selected Answer: C

Composite model is the best option here!

People saying import should understand that the SQL database is a data storage model and will exceed the current capacity of 2GB as data would normally expand. At that point you would be forced to disregard the import and go for a composite.

Composite would give you all the flexibility you need.

[-] **ukn** 2 points over 2 years ago

Selected Answer: C

Excel file is small and can be imported, the database is too large and exceeds the max size... so yes or yes must be directquery... So, we have a Composite model

[-] **AlexYang_** 2 points over 2 years ago

Selected Answer: C

C is correct

[-] **AzureJobsTillRetire** 3 points over 2 years ago

Selected Answer: A

Requirements:

- Report data must be current as of 7 AM Pacific Time each day.
- The reports must provide fast response times when users interact with a visualization

- Source 1 has data size of 2GB; Source 2 has data size of 5MB

I would assume that the company is going with the Premium capacity.

For workspaces in Premium capacity:

There's a limit of 100 TB per Premium capacity.

There's no per-user storage limit.

<https://learn.microsoft.com/en-us/power-bi/admin/service-admin-manage-your-data-storage-in-power-bi>

Import mode would suit for both source1 and source2.

If we choose composite, we will use DirectQuery for Source1 and Import for source2. Using DirectQuery for Source1 slows down the response times when users interact with a visualization and hence it is not desirable.

[-] **Hoeishetmogelijk** 1 point over 2 years ago

Selected Answer: A

Given these two requirements:

- Report data must be current as of 7 AM Pacific Time each day.
- The reports must provide fast response times when users interact with a visualization.

I would say that the answer is A: Import

[-] **NotMeAnyWay** 5 points almost 3 years ago

Selected Answer: C

Answer C is correct:

"A composite model in Power BI means part of your model can be a DirectQuery connection to a data source (for example, SQL Server database), and another part as Import Data (for example, an Excel file)."

[https://radacad.com/composite-model-directquery-and-import-data-combined-evolution-begins-in-power-](https://radacad.com/composite-model-directquery-and-import-data-combined-evolution-begins-in-power-bi#:~:text=A%20composite%20model%20in%20Power,data%20source%20into%20the%20model.)

[bi#:~:text=A%20composite%20model%20in%20Power,data%20source%20into%20the%20model.](https://radacad.com/composite-model-directquery-and-import-data-combined-evolution-begins-in-power-bi#:~:text=A%20composite%20model%20in%20Power,data%20source%20into%20the%20model.)

[-] **juanceee** 3 points almost 3 years ago

Selected Answer: A

As it's said, the report should be refreshed once a day and at specific time

You need to configure access for the sales department users. The solution must meet the security requirements.

What should you do?

- A. Share each report to the Azure Active Directory group of the sales department.
- B. Add the Azure Active Directory group of the sales department as an Admin of the reports workspace.
- C. Distribute an app to the users in the Azure Active Directory group of the sales department.
- D. Add the sales department as a member of the reports workspace.

Hide Answer

[-] **ItsMeScripting** 55 points over 2 years ago

The answer is C. It's a trick question. It asks how the access for the sales department USERS needs to be set up. This requires RLS to work, and RLS won't work when they are member or admin. The requirements listed that require admin rights refer to the sales DEPARTMENT, not to the sales USERS.

[-] **539d541** 1 point 11 months ago

I think you're right...it is a trick question

[-] **mdeg87** 2 points over 2 years ago

ItsMeScripting is right. There is a difference between these two sections in the requirements:

"The sales department must be able to..."

and

"Users in the sales department must be able to..."

Only the latter is relevant to the question, and only C works for their limited functionality.

[-] **Shalaleh** 1 point over 2 years ago

but who is the user in sales department? you are right. workspace roles always override RLS roles. It is really tricky. first I went with option C. but after reading the answer I am really confused!

[-] **Clodia** 26 points almost 3 years ago

Selected Answer: D

I think it should be D - Add the sales department as a member of the reports workspace.

For the actions they need to perform (edit reports, publish app, etc) the Member role would be the least privilege

[-] **Fer079** 5 points almost 3 years ago

But a member cannot "Manage permissions for workspaces, datasets, and reports" , right?

[-] **shimmy_** 4 points almost 3 years ago

As per my understanding members can do it.

<https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

[-] **MayaYao** 3 points over 2 years ago

Nope. Only Admin can manage the permissions for workspaces.

[-] **Hoeishetmogelijk** 10 points over 2 years ago

Sorry, but that isn't true.

A member can do the following: "Add members or others with lower permissions."

See: <https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

[-] **iccent2** 4 points over 2 years ago

A member can add members or others with lower permissions.

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: D

RLS applies when members:

- View reports or dashboards in the workspace
- Access content via the published app
- Don't use "Build" permissions to create new reports based directly on the dataset

[-] **MirianeAn** 1 point 3 months ago

Selected Answer: D

je pense que la réponse est D

[-] **33148b2** 1 point 6 months ago

Selected Answer: B

The only thing I know for sure is that it's not A, otherwise it's impossible. I threw the question at three different AI tools, and each one gave a different answer. I'd keep B (my first option)

[-] **SylUK** 1 point 6 months ago

Selected Answer: C

The correct answer is C. By looking clearly at the question , it is asking about " users" in the Sales department. While the role description listed which for me it is a Admin role refer to the SALES DEPARTMENT. Beside it is said : "Users in the sales department must be able to access only the data of the sales region to which they are assigned in the Sales Employees table." C is the right answer. B and D are talking about SALES DEPARTMENT .

[-] **_jay95_** 1 point 7 months ago

Selected Answer: D

D without RLS condition.

[-] **iloum** 1 point 8 months ago

Selected Answer: D

It says: "The sales department relies on the IT department to generate reports in Microsoft SQL Server Reporting Services (SSRS). The IT department takes too long to generate the reports and often misunderstands the report requirements".. Sales department want to have the control of sales reports

[-] **539d541** 1 point 11 months ago

Selected Answer: C

For the Sales Department USERS to access the reports, they must access them through the app. That is the prescribed method for persons who should only have read access with RLS and negates other access to the workspace.

[-] **JudT** 1 point over 1 year ago

C: An App is the solution to set up the access for the sales department users with all requirements by creating a specific Group

[-] **JudT** 1 point over 1 year ago

Sorry - I think that the correct answer is D - Tested-

The application will just allow you to consume the reports via the APP. But being a Member will allow you to modify reports, add users to the workspace and so on...

[-] **Dani_eL** 2 points over 1 year ago

With this requirement: Assign Azure AD groups role-based access to the reports workspace.

As only Admins can ; Add or remove any user in a workspace role.

(<https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>)

Considering an AD group is a User whose nature is a group of users (at least any user sharing the same privileges) Seems We need to :

B. Add the Azure Active Directory group of the sales department as an Admin of the reports workspace.

[-] **10d9950** 3 points over 1 year ago

the answer is B

B. Add the Azure Active Directory group of the sales department as an Admin of the reports workspace.

Here's why:

Admin Privileges: The requirement for the sales department to create, edit, delete content, manage permissions, and control app distribution necessitates admin-level access to the workspace. This level of access allows users to perform all the listed tasks.

Azure AD Group for Access Control: Adding the Azure AD security group of the sales department to the workspace and assigning them admin roles aligns with the requirement to use Azure AD groups for access control.

RLS for Data Access: The use of RLS will ensure that even within the sales department, users will only be able to see data relevant to their sales region. The RLS expression [EmailAddress] = USERNAME() will filter data based on the user's email address, which should correspond with the email addresses in the Sales Employees table.

[-] **Dsbuff** 1 point over 1 year ago

D should be correct.

Members can be granted permissions to create, edit, and delete content, but unlike Admins, their access can be restricted by RLS. This setup would allow the sales department to manage content and permissions without granting them full Admin rights, which would override RLS.

[-] **deyoz** 3 points over 1 year ago

i initially thought the answer was d but after reading the discussion, I realized that the security mentioned is only for the users of the sales department, not the whole sales department. So, my answer is C.

[-] **_Dirk_** 4 points over 1 year ago

Selected Answer: C

It is certainly not B or D, because RLS only applies to viewers. Both Admin and Member can modify the dataset (write permission) and therefore the RLS is not applied.

[-] **Aldeus** 2 points over 1 year ago

I think the question is just wrong, you can't manage app if you don't have at least member role, in the other hand RLS is only applied for the viewer role.

[-] **Lavoisier** 1 point almost 2 years ago

Selected Answer: D

I think the answer is D. When talking about security. We can have different settings for the same user group at the level of Workspace and at the level of app. If we choose answer C we will not be able to give the right to manage workspace to the sales department. The answer is D. It can't be B, because of RLS. RLS can't be applied to Admin

[-] **Acrious** 1 point about 2 years ago

Selected Answer: C

C: In this case the only one that will correctly apply what was asked specifically for the Sales Department Users themselves is C. Anything else gives too much, won't work or not enough

[-] **Kushal_P** 4 points about 2 years ago

This question is so long!!! I feel like I will waste a lot of time just reading this.
Anyway... feel like D is the answer

[-] **JJMC5544** 3 points about 2 years ago

Selected Answer: C

The question is about Sales Department Users, not about Sales Department, as each of them has different Security Requirements explained in the fore-text :

☰ Users in the Sales Department :

- Must be able to access only the data of the sales region to which they are assigned in the Sales Employees table.
- Power BI has the following row-level security (RLS) Table filter DAX expression for the Sales Employees table.

- [EmailAddress] = USERNAME()
- RLS will be applied only to the sales department users.

I would say C, but why not A, well they are users, not authors, I might be wrong though.

[-] **JJMC5544** 1 point about 2 years ago

So, whole Sales Department users are ADMIN hm ? That's clever...

[-] **VNAS06** 1 point about 2 years ago

Selected Answer: D

The answer is D.

Member roles as per Microsoft (<https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>)

1. Publish, unpublish, and change permissions for an app.
2. Manage dataset permissions.
3. Publish reports to the workspace, and delete content.
4. Create a report in another workspace based on a dataset in this workspace.
5. Modify gateway connection settings.
6. View and interact with an item.
7. Read data that's stored in workspace dataflows.

[-] **AshND** 2 points about 2 years ago

But if they are assigned Member role for the workspace, RLS will NOT be applied. Actually within the Sales department, there are two different sets of people who can 1)Add/Edit Reports 2)Manage permissions for rest of the lot for workspace/dataset/report/app and AD group access. So I think all of the users should get access to reports through App, which is answer C

[-] **UlyUkr** 1 point about 2 years ago

The answer is definitely D. Otherwise sales team won't be able to create, edit, and delete content in the reports, manage permissions for workspaces, datasets, and report and publish, unpublish, update, and change the permissions for an app. Remember to assign the least privilege. Besides, if you add them as Admins, they will be able to see all data, I think

[-] **Shalaleh** 3 points over 2 years ago

I would rather to go with A!!!!

[-] **Shalaleh** 4 points over 2 years ago

Selected Answer: B

Managing permission is only for Admin!

[-] **glenman0202** 9 points over 2 years ago

Selected Answer: C

C is the correct answer, and it's possible to arrive at this answer using only deductive reasoning:

B and D: Cannot be the right answer, as making the Azure Active Directory sales department group admins/members prevents RLS from working, thus failing the requirements ("RLS will be applied only to the sales department users").

A: This may be a correct answer, however, note the emphasis on "sales department users" in regards to this question. Sales department isn't necessarily sales department users, so the ambiguous nature of Answer A works against it, especially when option C explicitly mentions the sales department users. Even if this were not the case, sharing each report individually is more work than just sharing them to one app that every user in the sales department has access to, further making A the wrong answer.

[-] **MimoKnowsNothin** 10 points over 2 years ago

Selected Answer: C

RLS does NOT apply to Admins, Members or Contributors. <https://learn.microsoft.com/en-us/power-bi/enterprise/service-admin-rls>

[-] **SanaCanada** 9 points over 2 years ago

Selected Answer: C

Correct Answer is C

The correct answer is not A, B, or D because sharing each report to the Azure Active Directory group of the sales department, adding the Azure Active Directory group of the sales department as an Admin of the reports workspace, or

adding the sales department as a member of the reports workspace will not provide row-level security to the dataset to restrict access to data based on the sales region assignment of each employee. Option C, distributing an app to the users in the Azure Active Directory group of the sales department, may provide access to the reports, but it will not enforce row-level security on the data.

No confusion, and no need to discuss further

[-] **Neilsy** 1 point over 2 years ago

Selected Answer: B

Managing permissions for workspaces indicates a need for admin level access

[-] **Sanatandharma** 1 point over 2 years ago

Correct Answer is B, bcas there they have to manager permissions too.

[-] **pisanoagus** 5 points over 2 years ago

Selected Answer: C

The question says " The solution must the meet the security requirements." so if this is the case, if should be an App so security is not lost.

[-] **nmosq** 5 points over 2 years ago

Selected Answer: C

C. Take into consideration that any role above Viewer, it's not going to hace RLS apply to them.

[-] **anasben** 3 points over 2 years ago

Selected Answer: C

Correct Answer is C

We don't need to share links of reports from WS to users or add them in WS...

We have to create an App and after that share link, (RLS Rules : AD groups, Usernamr()....)will be applied on DataSet stored in the WS of the App

[-] **youssef_yt89** 1 point over 2 years ago

Selected Answer: D

D is the best answer

[-] **iccent2** 9 points over 2 years ago

Eye Opener:

There is a difference between SALES DEPARTMENT and USERS IN SALES DEPARTMENT and the question is asking for this access:

Users in the sales department must be able to access only the data of the sales region to which they are assigned in the Sales Employees table.

This is RLS which is answer C

[-] **AlexYang_** 1 point over 2 years ago

Selected Answer: D

D is correct based on what Sales Dept. needs to do.

[-] **iccent2** 2 points over 2 years ago

These are the roles that only Admin can perform and not a Member:

1. Update and delete the workspace.
2. Add or remove people, including other admins.
3. Allow Contributors to update the app for the workspace.

To manage permission on workspace does not mean to update or delete a work space but rather to give others permission e.g to reshare.

So, I would go with Add the sales department as a member of the reports workspace.

You cannot make an entire sales department as Admin to your workspace. That may be disastrous you know.

[-] **iccent2** 3 points over 2 years ago

I change my mind. I would go for answer C

[-] **AzureJobsTillRetire** 2 points over 2 years ago

Selected Answer: B

Requirements:

1. The reports must be stored in a single Power BI workspace. (no mention of dataset here, so the Sales workspace may only contain reports)
2. The sales department must be able to perform the following tasks in Power BI:

- 1) Create, edit, and delete content in the reports.
- 2) Manage permissions for workspaces, datasets, and reports. (it can be any dataset, but we do not have the particular dataset for the three reports in this workspace)
- 3) Publish, unpublish, update, and change the permissions for an app.
- 4) Assign Azure AD groups role-based access to the reports workspace.

5) Users in the sales department must be able to access only the data of the sales region to which they are assigned in the Sales Employees table.

Since the dataset is not in the Report workspace, we can choose to give Sales department either the Admin or Member role without worrying about RLS. We choose Admin over Member as there is a requirement to Manage permissions for workspaces

[-] **AzureJobsTillRetire** 1 point over 2 years ago

<https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

[-] **Acrious** 1 point about 2 years ago

And its Number 5 that the question is asking about.. not the whole department, so its C

[-] **amcken** 4 points over 2 years ago

Honestly, if they ask this much of an ambiguous question during the exam I'm probably going to be pretty upset. Admin and member both sound like they have the access to do what is necessary. However, from the reasoning I've read so far both of those roles would override the required RLS so the sales department would be able to see much more than their data with those roles which is not what the security requirements require.

[-] **Hoeishetmogelijk** 1 point over 2 years ago

Selected Answer: D

I think the answer is D. Add the sales department as a member of the reports workspace.

[-] **disndat7** 1 point over 2 years ago

I believe Admin Access must be given to the Sales Department staff as they must be able to "Manage permissions for workspaces, datasets, and reports.". With member access they can only manage dataset permission and add members or others (with lower permissions) to the workspace (not remove, etc...). Source: <https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

[-] **YokoSumiGaeshi** 2 points over 2 years ago

I cannot find the right answer .

"The sales department must be able to perform the following tasks in Power BI:

Create, edit, and delete content in the reports.

Manage permissions for workspaces, datasets, and reports.

Publish, unpublish, update, and change the permissions for an app."

The above tells me it should at least have Member access.

"Users in the sales department must be able to access only the data of the sales region to which they are assigned in the Sales Employees table."

The above tells me they should have at most Viewer access. Member access overrides any RLS that is set up, and the sales department would view all data.

[-] **ivanb94** 3 points over 2 years ago

One more note why it is not B: Admin access overwrites RLS so the whole RLS configuration with username would be pointless (RLS works only on the viewer level).

[-] **ptrprc** 1 point over 2 years ago

I think the correct is "B. Add the Azure Active Directory group of the sales department as an Admin of the reports workspace." because only Admin can "Assign Azure AD groups role-based access to the reports workspace." which is basically "Add or remove people, including other admins." from role as they're explained here: <https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

[-] **Hoeishetmogelijk** 1 point over 2 years ago

Sorry, but that isn't true.

A member can do the following: "Add members or others with lower permissions."

See: <https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

[-] **ivanb94** 1 point over 2 years ago

My concern with D is that members cannot add or remove ppl from the workspace, only admins can. And the following security requirement "Assign Azure AD groups role-based access to the reports workspace." implies the sales ppl need to do exactly that, doesn't it?

[-] **Hoeishetmogelijk** 1 point over 2 years ago

Yes, they can!

A member can do the following: "Add members or others with lower permissions."

See: <https://learn.microsoft.com/en-us/power-bi/collaborate-share/service-roles-new-workspaces>

[-] **susunz** 2 points almost 3 years ago

"Assign Azure AD groups role-based access to the reports workspace." is the requirement, therefore, D is the right answer.

[-] **Booster21** 3 points almost 3 years ago

B is the correct answer.

[-] **Mizaan** 4 points almost 3 years ago

Selected Answer: A

I think this should be A. A. Share each report to the Azure Active Directory group of the sales department. Giving them admin is not a good idea as not the least priv and you may not want them to see everything in the workspace.

HOTSPOT -

You need to create a solution to meet the notification requirements of the warehouse shipping department.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Populate a

report
bookmark
dashboard

 by using a card visualization that shows the percentage of late

orders in the current month, and then configure a

data alert.
phone view.
subscription.

Hide Answer

Correct answer:

Box 1: dashboard -

The warehouse shipping department must be notified if the percentage of late orders within the current month exceeds 5%. You can set alerts to notify you when data in your dashboards changes beyond limits you set.

Box 2: data alert -

Reference:

<https://docs.microsoft.com/en-us/power-bi/create-reports/service-set-data-alerts>

Answer Area

Populate a

report
bookmark
dashboard

 by using a card visualization that shows the percentage of late

orders in the current month, and then configure a

data alert.
phone view.
subscription.

[-] **Mizaan** 49 points almost 3 years ago

You can't set alerts on reports, only dashboards. And must be a data alert.

So:

Dashboard

Data alert

[-] **Nuli** 2 points over 2 years ago

I agree with you. notifications have to be on the dashboard

[-] **Hoeishetmogelijk** 5 points over 2 years ago

Dashboard

Data alert

Source: <https://learn.microsoft.com/en-us/power-bi/consumer/end-user-alerts>

[-] **Lulu_2022** 1 point 29 days ago

- Anyone with view access to a dashboard tile (typically a card, KPI, or gauge) can set up their own alerts.

So:

Dashboard

Data alert

[-] **namuuu** 3 points 7 months ago

Good Luck all.

[-] **539d541** 3 points 11 months ago

Answer is correct - Dashboard & Data alert

[-] **zvm** 2 points 11 months ago

You cannot set data alert for the others, so the answer cannot be "Data Alert".

"Only you can see the alerts you set, even if you share your dashboard."

<https://learn.microsoft.com/en-us/power-bi/create-reports/service-set-data-alerts>

<https://learn.microsoft.com/en-us/power-bi/consumer/end-user-alerts>

[-] **f534a80** 1 point 8 months ago

<https://www.winwire.com/blog/power-bi-alerts-with-power-automate/>

[-] **MoneyStacking** 3 points over 1 year ago

Passed with 917/1000

Question and answers were exactly the same but different order with the options!

Answer given:

- Dashboard

- Data alert

[-] **paocard** 3 points over 1 year ago

This question was on the exam on 02/02/2024

[-] **JohnChung** 1 point over 1 year ago

Agree the given answer is correct.

Dashboard

Data alert

[-] **hungry85** 3 points over 2 years ago

-Dashboard

- Data alert correct answers

[-] **lukelin08** 2 points over 2 years ago

Answers given are correct
Dashboard
Data alert

[-] **juanceee** 4 points almost 3 years ago

Answered correct.
Dashboard
Data alert

Question 356



You need to create the relationship between the product list and the revenue results. The solution must minimize the time it takes to render visuals.

What should you set as the relationship cardinality?

- A. One to one
- B. Many to many
- C. Many to one
- D. One to many

Hide Answer

[-] **Dani_eL** 14 points over 1 year ago

I didn't understand a single shit about that question :-)))) didn't see any revenue schema either

[-] **d3bef3e** 5 points over 1 year ago

lol same. Too long didn't read.

[-] **NotMeAnyWay** 13 points almost 3 years ago

Selected Answer: D
Correct D - One to Many

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: D
Although the revenue can be aggregated, it will still be shown by month. So, 1 product can appear in different months.

[-] **jaume** 4 points 8 months ago

Selected Answer: D

There is one single product (with its own ID) in the Product catalog but there could be many rows in the revenue data for that product (one per each date there is a revenue for the product) as it's detailed "revenue data is provided at the date and product level."

[-] **28485e1** 3 points over 1 year ago

One product to many revenue results over time (likely quarters).

[-] **taod** 4 points almost 2 years ago

Selected Answer: D
D - One to Many

The relevant info is: Revenue data is provided at the date and product level.

This means, we can expect a table of the length [dates * products] (at max, because there might be days where some products didn't generate revenue).

The product list has one line per product. So when creating a relationship, it is one-to-many.

[-] **ab97776** 1 point over 1 year ago

that sentence is very important. allows you go realize each row of revenue corresponds to one row in products, but one row in product can correspond to many rows in revenue

[-] **Shalaleh** 1 point over 2 years ago

<https://www.youtube.com/watch?v=g-nRxDVt3To>

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: B

When creating the relationship between the product catalog and the revenue results tables, the relationship cardinality should be set to Many-to-Many. This is because there may be multiple products associated with each revenue result and multiple revenue results associated with each product.

[-] **Shalaleh** 1 point over 2 years ago

In that case, since the revenue data is coming from the Azure SQL database and the product catalog data is coming from Microsoft Dynamics 365, you will need to create a composite model in Power BI.

[-] **Shalaleh** 1 point over 2 years ago

Guys! If it were before, I would also go with D! but here we have two data source!!! it means we have composite dataset!!!
when we have two table from two different data sources, the relationship between them in Many-to- Many.
Please correct me, if I am wrong!

[-] **Heshybay** 8 points over 2 years ago

Please does anyone knows how to quickly understand the requirement of a case study. It is too long for me. I guess there is way around understanding it. Thank you!

[-] **sa56** 37 points over 2 years ago

directly jump to question asked and then read the case related to the question

[-] **yordiy** 2 points over 2 years ago

Exactly D

[-] **lukelin08** 3 points over 2 years ago

Selected Answer: D

correct answer is D one-to-many

[-] **disndat7** 2 points over 2 years ago

Agreed with given Answer

Question 357



HOTSPOT -

You need to create a measure that returns the percent of revenue by product category.

How should you complete the measure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Category Revenue Contribution =
VAR AllCategoryRev =

	▼	(SUM ([Revenue]),
ALL		
ALLEXCEPT		
CALCULATE		
DIVIDE		
FILTER		

	▼	(ProductList[ProductCategory]))
ALL		
ALLEXCEPT		
CALCULATE		
DIVIDE		
FILTER		

RETURN

	▼	(SUM([Revenue]), AllCategoryRev)
ALL		
ALLEXCEPT		
CALCULATE		
DIVIDE		
FILTER		

Hide Answer

Correct answer:

Box 1: CALCULATE -

CALCULATE evaluates an expression in a modified filter context.

Syntax: CALCULATE(<expression>[, <filter1> [, <filter2> [, ...]]])

Box 2: REMOVEFILTERS -

REMOVEFILTERS clear filters from the specified tables or columns.

Box 3: DIVIDE -

DIVIDE performs a division.

Example: MEASURE FactInternetSales[%Sales] = DIVIDE([TotalSales], CALCULATE([TotalSales], REMOVEFILTERS()))

Note: The RETURN keyword consumes variables defined in previous VAR statements.

Reference:

<https://docs.microsoft.com/en-us/dax/calculate-function-dax>

<https://docs.microsoft.com/en-us/dax/removefilters-function-dax> <https://dax.guide/st/return/>

Category Revenue Contribution =
VAR AllCategoryRev =

	▼ (SUM ([Revenue]),
ALL	
ALLEXCEPT	
CALCULATE	
DIVIDE	
FILTER	

	▼ (ProductList [ProductCategory]))
ALL	
ALLEXCEPT	
CALCULATE	
DIVIDE	
FILTER	

RETURN

	▼ (SUM([Revenue]), AllCategoryRev)
ALL	
ALLEXCEPT	
CALCULATE	
DIVIDE	
FILTER	

[-] **ThariCD** 98 points almost 3 years ago

Explanation and answer incorrect for the second function, REMOVEFILTERS in the explanation isn't part of the options, instead it should be ALL to remove any context from the calculation. So the final formula should be

```
VAR AllCategoryRev =  
CALCULATE(SUM([Revenue]),  
ALL(ProductList[ProductCategory]))
```

```
RETURN  
DIVIDE(SUM([Revenue]), AllCategoryRev)
```

[-] **charles879987** 7 points over 2 years ago

ALL should not be used because if All Category Revenue will always be equal to sum of revenue since all categories are added up. AllExcept should be used because it will preserve the filter on a selected product category(i.e. Slicer or row context) and thus return the revenue on a particular category only.

[-] **28485e1** 3 points over 1 year ago

This was very helpful. We need to think that we're calculating one category as percent of total revenue, so applying ALLEXCEPT is the way we achieve that.

[-] **charles879987** 3 points over 2 years ago

ALL should not be used because All Category Revenue will always equal to the totalsum of revenue since all categories are added up. So the result of the Divide will be 1.

AllExcept should be used because it will preserve the filter on a selected product category(i.e. Slicer or row context) and thus return the revenue on a particular category only.

[-] **taod** 4 points almost 2 years ago

I don't agree. We need a total sum in the denominator to receive the ratio.

In the documentation of ALLEXCEPT, this specific case is even explained as a usecase for ALL:
ALL: This function is useful when you are working with many levels of grouping, and want to create a calculation that creates a ratio of an aggregated value to the total value.

<https://learn.microsoft.com/en-us/dax/allexcept-function-dax>

[-] **fdsdgxcvbsdfshshfg** 18 points almost 3 years ago

ALL[ProductCategory] is the correct option in the second dropdown.

ALLEXCEPT - Removes all context filters in the table except filters that have been applied to the specified columns; so It's wrong and we wouldn't get All the revenue for the divide measure, but only row level ProductCategory revenue

[-] **Lulu_2022** 1 point 29 days ago

```
VAR AllCategoryRev =  
CALCULATE(SUM([Revenue]),  
ALL(ProductList[ProductCategory]))  
RETURN  
DIVIDE(SUM([Revenue]), AllCategoryRev)
```

[-] **Jasmine121** 1 point 6 months ago

ALLEXCEPT (Table, Col) so it is wrong

[-] **SylUK** 1 point 6 months ago

The given answer is correct : CALCULATE , ALLEXCEPT , and DIVIDE.
see this:<https://learn.microsoft.com/en-us/dax/all-function-dax>

[-] **539d541** 2 points 11 months ago

Answer should be:
CALCULATE
ALL
DIVIDE
I tested it. ALLEXCEPT doesn't work with these arguments.

[-] **HenryBiz** 2 points about 1 year ago

CALCULATE
ALL
DIVIDE
"All" is correct because of the grand total needed, because of the number of the arguments required by this function.

[-] **SIH007** 1 point about 1 year ago

ALLEXCEPT is correct, I tried it.
When using ALL you get the error message "Multiple table arguments are not allowed in the ALL/ALLNOBLANKROW/REMOVEFILTERS function."

[-] **ab97776** 2 points over 1 year ago

the variable assigned is for the denominator , so ALL makes more sense to me

[-] **Dani_eL** 6 points over 1 year ago

ALLEXCEPT (Customer, Customer[Continent])
requires 2 parameters!!!!

[-] **Dani_eL** 3 points over 1 year ago

```
CALCULATE()  
ALL()  
DIVIDE()
```

[-] **cs3122** 4 points over 1 year ago

```
CALCULATE()  
ALL()  
DIVIDE()
```

[-] **c02faba** 5 points over 1 year ago

ALLEXCEPT doesn't work. The argument of ALLEXCEPT should be: ALLEXCEPT(Table, Column1 [,Column2]...).

I tested it and it gives me the following error: 'Too few arguments were passed to the ALLEXCEPT function. The minimum argument count for the function is 2.'

ALL works without error: ALL (Column[, Column[, ...]])
<https://learn.microsoft.com/en-us/dax/all-function-dax>

[-] **_Dirk_** 3 points over 1 year ago

Calculate, All, Divide

It can't be allexpect because all expect has a table argument AND a column argument seperated by a comma.

[-] **UlyUkr** 13 points about 2 years ago

CALCULATE, ALL, DIVIDE. Tested - working.

[-] **Outsider** 3 points about 2 years ago

REMOVEFILTERS = ALL. So, Calculate. All and DIVIDE>

[-] **SanaCanada** 6 points over 2 years ago

Correct Answer Calculate, All, Divide

No confusion, and no need to discuss further

[-] **youssef_yt89** 8 points over 2 years ago

CALCULATE

ALL

DIVIDE

[-] **jsking** 10 points over 2 years ago

Anyone with experience in DAX would only need to read the question in these case study questions. The questions seem to hint the answer already.. for this question for example anyone would know that the moment you see a percentage of the total is required you would immediately go with the ALL function and the rest is easy.

CALCULATE, ALL, DIVIDE

[-] **Patrick666** 4 points over 2 years ago

CALCULATE ALL DIVIDE

[-] **Mati_123** 5 points over 2 years ago

for Var AllCatogroyRev in 2nd function option "ALL" should be used, not ALLEXCEPT

Question 358

DRAG DROP -

Once the profit and loss dataset is created, which four actions should you perform in sequence to ensure that the business unit analysts see the appropriate profit and loss data? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

From powerbi.com, assign the analysts the Contributor role to the workspace.

From Power BI Desktop, add a Table Filter DAX Expression to the roles.

From powerbi.com, add role members to the roles.

From Power BI Desktop, create four roles.

From Power BI Desktop, publish the dataset to powerbi.com.

Answer Area



Correct answer:

Step 1: From BI Desktop, create four roles

You can define roles and rules within Power BI Desktop.

Step 2: From BI Desktop, add a Table Filter DAX Expression to the roles.

To define security roles, follow these steps.

1. From the Modeling tab, select Manage Roles.
2. Select Manage Roles
3. From the Manage roles window, select Create.
4. Select Create
5. Under Roles, provide a name for the role.
6. Under Tables, select the table to which you want to apply a DAX rule.
7. In the Table filter DAX expression box, enter the DAX expressions. This expression returns a value of true or false. For example: [Entity ID] = 1€Value€.

After you've created the DAX expression, select the checkmark above the expression box to validate the expression.

8. Select Save.

Step 3: From powerbi.com, add role members to the roles.

You can't assign users to a role within Power BI Desktop. You assign them in the Power BI service.

Step 4: From BI Desktop, publish the dataset to powerbi.com

Now that you're done validating the roles in Power BI Desktop, go ahead and publish your report to the Power BI service.

Reference:

<https://docs.microsoft.com/en-us/power-bi/enterprise/service-admin-rls>

Actions	Answer Area
From powerbi.com, assign the analysts the Contributor role to the workspace.	From Power BI Desktop, create four roles.
	From Power BI Desktop, add a Table Filter DAX Expression to the roles.
	From powerbi.com, add role members to the roles.
	From Power BI Desktop, publish the dataset to powerbi.com.

[-] **fdsdgxcvbsdfhshfg** 131 points over 2 years ago

- 1) Create four roles
- 2) add DAX filters
- 3) publish
- 4) add role members

Contributor role give analysts a possibility to save reports to a workspace, which is not permitted by requirements

[-] **EMMALEEEEEEEEE** 11 points over 2 years ago

'Analysts must NOT be able to share' so the role could be Contributor. Member can share. I would go :

- 1) Create four roles
- 2) add DAX filters
- 3) publish
- 4) assign the Contributor role

[-] **Hoeishetmogelijk** 18 points about 2 years ago

I understand the way you think, I made the same error. This question is very misleading. It doesn't say "assign the Member Role", but "add the role members to the role".

So this is not about a Workspace Role, but about a Row Level Security role!

[-] **YokoSumiGaeshi** 17 points about 2 years ago

If you assign the Contributor role to a user, the RLS will be overridden and the user will see all the data. "Workspace members assigned Admin, Member, or Contributor have edit permission for the dataset and, therefore, RLS doesn't apply to them. If you want RLS to apply to people in a workspace, you can only assign them the Viewer role."
<https://learn.microsoft.com/en-us/power-bi/enterprise/service-admin-rls>

[-] **AdrianBalescu** 5 points about 1 year ago

- 1) Create four roles
- 2) add DAX filters
- 3) publish
- 4) add role members

[-] **Manikom** 16 points over 2 years ago

'From powerbi.com, add role members to the roles' this should be last action.
You need to publish the dataset first to have it available to PowerBI service

[-] **Mochaluv405** 1 point about 2 months ago

1. Create four roles
 2. Add Dax filter
 3. Publish
 4. Add role members
- Publish

Add the role members

You publish first from BI Desktop to BI service, then in BI Service you can now add role members

[-] **MoneyStacking** 8 points 9 months ago

Passed with 917/1000

Question and answers were exactly the same but different order with the options!

Answer given:

- From Power BI Desktop, create four roles
- From Power BI Desktop, add a Table Filter DAX Expression to the roles
- From Power BI Desktop, publish the dataset to powerbi.com
- From powerbi.com, add role members to the roles

[-] **DataEngDP** 4 points 10 months ago

In the exam 6/04/2025

[-] **DataEngDP** 1 point 11 months ago

Why four roles?

[-] **JudT** 2 points 10 months ago

Contoso holds quarterly board meetings for which financial analysts manually prepare Microsoft Excel reports, including balance sheets and profit and loss statements for each of the company's four business units.

[-] **Suraj97** 2 points about 1 year ago

"Analysts must be able to access all balance sheet and product catalog data.
Analysts must be able to access only the profit and loss data of their respective business unit.

Analysts must be able to create new reports from the dataset that contains the profit and loss data, but the reports built by the analysts must NOT be included in the quarterly reports for the board.

Analysts must NOT be able to share the quarterly reports with anyone.

Analysts must NOT be able to make new reports by using the balance sheet data."

why four roles, please explain and how report building option and denial to share report option possible through RLS. Should we just create just one role since only business unit analysts are involved here

[-] **Acrious 2 points** over 1 year ago

1. In Power BI Desktop, Create 4 roles.
2. In Power BI Desktop, Add a table filter DAX expression.
3. In Power BI Desktop, Publish dataset.
4. In Power BI Service, Add roles members to roles.

Credit to UlyUkr whom I copied from so I didnt need to type this lol but its correct

[-] **UlyUkr 3 points** over 1 year ago

1. In Power BI Desktop, Create 4 roles.
2. In Power BI Desktop, Add a table filter DAX expression.
3. In Power BI Desktop, Publish dataset.
4. In Power BI Service, Add roles members to roles.

[-] **BabaJee 6 points** about 2 years ago

Makes sense to publish first and then assign roles.

- 1) Create four roles
- 2) Add DAX filters
- 3) Publish
- 4) Add role members

[-] **youssef_yt89 6 points** about 2 years ago

- 1) Create four roles
- 2) Add DAX filters
- 3) Publish
- 4) Add role members

[-] **lukelin08 5 points** about 2 years ago

- 1) Create four roles
- 2) add DAX filters
- 3) publish
- 4) add role members

[-] **Jay_98_11 5 points** about 2 years ago

1. Publish
2. create role
3. add DAX filters
4. add members to roles

[-] **iccent2 6 points** about 2 years ago

This is wrong! The correct sequence is:

- 1) Create four roles
- 2) add DAX filters
- 3) publish
- 4) add role members

[-] **zubairakram 2 points** almost 2 years ago

Correct answer

[-] **Aksana 3 points** over 2 years ago

I would go with this approach:

<https://vceguide.com/case-study-125/>

[-] **ecwang 6 points** over 2 years ago

- 1) From Power BI Desktop publish
- 2) create four roles
- 3) add a Table filter DAX expression

4) From powerbi.com, add role members to the roles

[-] **patthebadcat** 6 points about 2 years ago

this is wrong

Question 359

Which DAX expression should you use to get the ending balances in the balance sheet reports?

- A. `CALCULATE ( SUM( BalanceSheet[BalanceAmount] ), LASTDATE ( 'Date'[Date] ) )`
- B. `CALCULATE ( SUM( BalanceSheet[BalanceAmount] ), DATESQTD('Date'[Date]) )`
- C. `FIRSTNONBLANK ( 'Date'[Date] SUM( BalanceSheet[BalanceAmount] ) )`
- D. `CALCULATE ( MAX( BalanceSheet[BalanceAmount] ), LASTDATE ( 'Date'[Date] ) )`

Hide Answer

[-] **fdsgxcvbsfshshfg** 58 points almost 3 years ago

A) - LASTDATE()

as we do not sum the balances of last 3 months

[-] **1CY1** 1 point 10 months ago

I don't understand why it would be the MAX.
The balance is the last entry for the period which may not be a MAX.

[-] **Tsuk** 3 points almost 3 years ago

A) I agree with term of "balance" and it doesn't make sense to roll up 3 months snapshot of asset value or ending balance.

[-] **Hoeishetmogelijk** 2 points over 2 years ago

I think that you are right. These are monthly balances and you can't sum them up over 3 months. So you should take only the last one.

[-] **charles879987** 3 points over 2 years ago

I think A is right. balance is typically semi-additive. Nevertheless, when aggregating over time you cannot use the SUM function. The balance of a quarter is not the sum of individual monthly balances. Instead, the measure should report the last balance of the quarter. <https://www.daxpatterns.com/semi-additive-calculations/>

[-] **badrionlion** 1 point over 2 years ago

nope. From a Financial perspective, one doesn't sum up the account balances every last date of the month.
Its only the last balance that is valid.

[-] **olajor** 12 points almost 3 years ago

no B is correct as you want the sum of the last 3 months. "At least one of the balance sheet reports in the quarterly reporting package must show the ending balances for the quarter"

[-] **fdsgxcvbsfshshfg** 8 points over 2 years ago

do you even know what a balance is?

[-] **Lewiasskick** 2 points over 2 years ago

why we should add up the end balance of balance sheet account

[-] **cs3122** 3 points over 1 year ago

Because this is a balance, we want to only pick up the last entry for the quarter. Therefore I agree, A is the answer.

[-] **NotMeAnyWay** 15 points almost 3 years ago

Selected Answer: B

B) DATESQTD

The Balance sheet report is a quarterly report so it needs to have the sum of the last three months. The Balances table is reporting in monthly intervals, so it needs to be summed up to produce a quarterly result. That is where DATESQTD comes in, as it states: "Returns a table that contains a column of the dates for the quarter to date, in the current context." LASTDATE() will instead produce a result: "Returns the last date in the current context for the specified column of dates." Which would only show the last month's result.

[-] **badrionlion** 6 points over 2 years ago

one should not add the balance amount every month and say that's the balance. Only the last value is valid from the financial perspective

[-] **1CY1** 1 point 10 months ago

Exactly, you don't add up the balance of bank account each day to get the balance at the end of the month???

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: A

his expression returns the sum of balances on the last date in the current filter context, which is exactly what you want for ending balances in a balance sheet report.

- LASTDATE('Date'[Date]) identifies the final date in the current period (e.g., end of month or quarter).
- CALCULATE(..., LASTDATE(...)) shifts the context to that specific date.

- SUM(BalanceSheet[BalanceAmount]) then aggregates the balances for that date.

This is a classic semi-additive measure pattern used in financial reporting.

[-] **hebertorosillo** 1 point 7 months ago

Selected Answer: B

this question is out context, this comes from a use case . case : you to get the following information from the quarterly reports. the answer is B.

[-] **Layla0322** 3 points 7 months ago

Selected Answer: A

This question revolves around calculating values for a balance sheet report. In financial reporting, balance amounts (like assets, liabilities) are typically semi-additive, meaning you use the value from the last period (e.g., the end of the quarter) rather than summing up balances from each month.

Option A (LASTDATE): Returns the balance for the last date in the quarter. This is correct for balance sheet data since it reflects the final state for the reporting period.

Option B (DATESQTD): Calculates a sum of balances for all dates in the quarter. This is typically used for metrics like sales or revenue, but not appropriate for balances because adding balances over time doesn't make sense.

Conclusion: The correct answer is A (LASTDATE), as it accurately represents the final balance at the end of the quarter.

[-] **speranza1** 1 point 8 months ago

Selected Answer: B

In the discription they say about the type of report: "Analysts must be able to create new reports from the dataset that contains the profit and loss data, but the reports built by the analysts must NOT be included in the quarterly reports for the board.

Analysts must NOT be able to share the quarterly reports with anyone.
Changes in long-term liabilities from the previous quarter".

[-] **jaume** 1 point 8 months ago

Selected Answer: A

I was little mislead with the fact reports are intended to be used in the QUARTERLY board meetings so I was thinking of

option B to get the result of the entire quarter (there it's used the DATESQTD function), but there is no sense at all to sum the inventories (and other items in the balance sheet) for each month in the period, report must only show the current final amount so we need to take the LASTDATE.

It looks to me this question is more about evaluating your understanding of what a balance sheet is rather than PBI analysis.

[-] **HenryBiz** 1 point about 1 year ago

Selected Answer: A

Daily balance should not be added, or there will end up with counted items multiple times.

[-] **Mo2011** 1 point about 1 year ago

CALCULATE (SUM(BalanceSheet[BalanceAmount]), LASTDATE ('Date'[Date]))

This expression sums the BalanceAmount from the BalanceSheet table and uses LASTDATE to consider only the amounts up to the last date in the Date table, which is typically the end of the period like a month, quarter, or year. This is a common way to calculate ending balances in financial reporting1.

The other options provided are not standard for calculating ending balances:

[-] **DataEngDP** 4 points over 1 year ago

In Exam, 06/04/2024

Calculate/SUM/LASTDATE

[-] **M_Jawah** 1 point over 1 year ago

A- IS CORRECT

[-] **M_Jawah** 1 point over 1 year ago

The correct answer is B.

The DAX expression in option B uses the CALCULATE function to sum the balance amount for each quarter, based on the date column in the Date table.

The DATESQTD function returns a table of dates in the same quarter as the last date in the current filter context. This way, the ending balances in the balance sheet reports are calculated for each quarter, regardless of the granularity of the date column.

[-] **SamiaAwais** 1 point almost 2 years ago

A) LastDate

As per the case study, there must be at least one balance sheet report in the quarterly reporting package that will demonstrate the ending balance for the quarter and also the previous quarter.

Semi-additive calculations, like the balance at end of the month, apply LASTDATE Function.

[-] **taod** 1 point almost 2 years ago

Selected Answer: A

A) - LASTDATE()

[-] **khushal3051** 1 point almost 2 years ago

hey man how was your paper did you pass the exam/

[-] **Aslan3** 1 point almost 2 years ago

Selected Answer: B

Balance report is quarterly so DATESQTD is the correct answer.

[-] **Acrrious** 2 points about 2 years ago

Selected Answer: A

LASTDATE, please please do not add up the last 3 months (or any quarters) ending balance to get your quarters total

[-] **JJMC5544** 4 points about 2 years ago

Selected Answer: A

They don't say every balance sheet is in quarterly form.

They say "At least one of the balance sheet reports in the quarterly reporting package must show the ending balances for the quarter, as well as for the previous quarter."

Question texts are so ambiguous, confusing.

[-] **UlyUkr** 1 point about 2 years ago

The correct answer is LASTDATE. We don't need Quarterly Running Total of the Balance Amount.

[-] **MimoKnowsNothin** 3 points over 2 years ago

Selected Answer: A

We do not sum balance. Balance should be the number shown on the last day.

[-] **SanaCanada** 1 point over 2 years ago

Selected Answer: B

The correct answer is B

If consider this question up top asking question ONLY with LastDate, then the Correct answer would be A, but when considering the question scenario, it must be a quarterly based answer

The correct Answer is B

No confusion, and no need to discuss further

[-] **ppt_powerbi** 4 points over 2 years ago

A is correct. The board meeting requires quarter balance. For example, Jan - Mar. So what we need is the balance as at 31 Mar, the LASTDATE is appropriate. The balance sheet already gives you the number directly. No need to calculate up to 3 months.

In case of using DATESQTD, daily sale and expenses will be listed in a table rather than balance in balance sheet.

[-] **kkklo** 2 points over 2 years ago

Selected Answer: B

The board must be able to get the following information from the quarterly reports:

[-] **BabaJee** 3 points over 2 years ago

Selected Answer: B

for ending balances last date makes sense. If we were accumulating entries then DaresQTD() would have been a better choice.

[-] **jsking** 5 points over 2 years ago

Selected Answer: A

The answer is A. BUT the given option even for A is out-of-date or optional unless microsoft is trying to test the analyst's understanding of LASTDATE() function because as of June, 2022 we have the CLOSINGBALANCEMONTH() function that pretty much does the same thing with more efficiency and less calculate time.

<https://learn.microsoft.com/en-us/dax/closingbalancemonth-function-dax>

[-] **AzureJobsTillRetire** 4 points over 2 years ago

Selected Answer: A

Balance sheets are a snapshot of point-in-time figures and cannot be added over a period of time.

<https://www.investopedia.com/terms/b/balancesheet.asp>

[-] **ItsMeScripting** 3 points over 2 years ago

Answer is A. LASTDATE will get the final balance amount. DATESQTD would get the total sum of all dates in the quarter, so is wrong

[-] **TZCT1FX** 4 points over 2 years ago

A). A balance sheet is a snapshot of the business. The end of month december balance is the same as the Q4 balance. Using DATESQTD creates a running total, summing Oct, nov and december. This is not correct.

[-] **YokoSumiGaeshi** 10 points over 2 years ago

Selected Answer: A

It doesn't make sense to sum balance amounts. For instance, if I have 1000€ in my bank account and make zero transactions for an entire week, my balance at the end of the week would be 1000€, not 7000€. We need to use LASTDATE, because my balance at the end of the week is my balance at the last day of the week.

Have a look additive, semi-additive, and non-additive measures.

[-] **Wadyba** 3 points over 2 years ago

A. since we do not sum up balances, the LastDate function will pick the balance for the last day of the quarter

[-] **KobeData** 2 points almost 3 years ago

Selected Answer: B

Lastdate returns a single row and single column date. Wouldn't do the trick. you want the dates from the quarter so QTD

[-] **MayaYao** 1 point over 2 years ago

But balance sheet is a snapshot. It doesn't make sense to sum up the past 3 months' figure together.

[-] **fred92** 10 points almost 3 years ago

Selected Answer: A

Balance is a semi-additive measure! It is summed by other dimensions but not over time.

LASTDATE() returns the last date of the filtered period and that represents exactly what we need: the balance of the month if a month is filtered, the balance of the quarter if a quarter is filtered, and so on.

SQLBI has a good example here: <https://www.sqlbi.com/articles/semi-additive-measures-in-dax/>

Question 360

You need to create relationships to meet the reporting requirements of the customer service department.

What should you create?

- A. a one-to-many relationship from Date[date_id] to Sales[sales_date_id] and another one-to-many relationship from Date[date_id] to Weekly_Returns[week_id]
- B. a one-to-many relationship from Sales[sales_date_id] to Date[date_id] and a one-to-many relationship from Sales[sales_ship_date_id] to Date[date_id]
- C. an additional date table named ShipDate, a many-to-many relationship from Sales[sales_date_id] to Date[date_id], and a many-to-many relationship from Sales[sales_ship_date_id] to ShipDate[date_id]
- D. an additional date table named ShipDate, a one-to-many relationship from Date[date_id] to Sales[sales_date_id], and a one-to-many relationship from ShipDate[date_id] to Sales[sales_skip_date_id]

Hide Answer

[-] **fdsdgxcvbsdfhshfg** 34 points over 2 years ago

Selected Answer: D

Two date dims, two 1:* relationships

[-] **DataEngDP** 24 points 10 months ago

GUYS ATTENTION!

There were 6-7 new questions, one of them I remember was:

Do you have a power BI Report Visual (foto of a visual dashboard report)

What can you do to make it color user friendly for visual defficiency? Choose 2 options, options: Sentiment colors, Theme colors, Divergent colors, First-level colors.

My answers were: Theme colors and divergent colors.

Good luck!

[-] **JudT** 4 points 10 months ago

Correct answer! Thanks for sharing

[-] **JudT** 1 point 10 months ago

D is correct, in this case the key word is "independently". So we need to have two 1:* active relationships with the sale table

[-] **Jane777** 5 points 12 months ago

This case study (including this question and others from this page) was in the test today - 20240219. I passed and my answer was D in this case.

[-] **JohnChung** 4 points about 1 year ago

Absolutely D.
Two date table, two one-to-many relationships
(One for sales date, one for sales ship date)

[-] **Mandar77** 2 points over 1 year ago

Answer A is wrong as you cannot link Date[Date_Id] to Weekly[Week_Id] as they are different entities. Answer D is right one.
You can create two separate date dimension for sales date and ship date and link to date table with many one relationship

[-] **WRTopics** 1 point over 1 year ago

Selected Answer: A
I think is A.

[-] **hussamAlHunaiti** 5 points over 1 year ago

Selected Answer: D
The answer is D but i don't know if this is a tricky if you notice it Sales[sales_skip_date_id] it's write as skip not ship
There are spelling mistakes

[-] **ApacheKafka** 1 point over 1 year ago

I think B would have been the best option if not for the fact that we still have to use USERELATIONSHIP() to activate the second relationship with ship_date.
But D has all the requirement and hence the Best Option.

[-] **Acrious** 2 points over 1 year ago

Selected Answer: D
Based on the relationship requirements, and that the answer is logistically correctly worded but the selected option is wrong (A).

[-] **Shalaleh** 3 points almost 2 years ago

Selected Answer: D
The report needs to calculate independently! so we need two active relationship!

[-] **SanaCanada** 2 points almost 2 years ago

Selected Answer: D
Even the given answer is also D, because
The explanation is correct but they mentioned A wrongly

[-] **youssef_yt89** 3 points about 2 years ago

Selected Answer: D
D is the correct answer.
One to many from dimensions tables to the fact table

[-] **Hoeishetmogelijk** 1 point about 2 years ago

Selected Answer: D
Definitely answer D

[-] **Booster21** 2 points about 2 years ago

Selected Answer: B

I believe B is the correct answer. In A, what does Customer service Dept need Weekly_Returns[week_id] for???

[-] **NotMeAnyWay** 7 points over 2 years ago

The customer department requires two dates (sales date & ship date) to filter the report by, so they will need another date table. This answer is shown correctly in DA-100: <https://www.examttopics.com/discussions/microsoft/view/41209-exam-da-100-topic-8-question-3-discussion/>

[-] **simba_10** 3 points over 2 years ago

Selected Answer: A

Creating two 1:* relationships, one of them being inactive, and the DAX function USERRELATIONSHIP() will satisfy the reporting requirements.

<https://learn.microsoft.com/en-us/training/modules/create-measures-dax-power-bi/4-relationships>

[-] **ajvela** 2 points almost 2 years ago

A seems to be correct for me but the requirement says "The customer service department requires a visual that can be filtered by both sales month and ship month independently" means we need to create another date table for Ship date.

[-] **JudT** 1 point 10 months ago

Correct

[-] **INDEAVR** 1 point about 2 years ago

yes, but the direction described in the asnwer is wrong.

[-] **ThariCD** 14 points over 2 years ago

Selected Answer: D

Explanation is correct but given answer (A) is wrong.

[-] **zerone72** 8 points over 2 years ago

"A" is marked as correct answer.

However, the "A" option is not coherent with the explanation.

Answer A suggests creating 2 relationships from the Date table to Sales, whereas the explanation suggests creating 2 DATES tables which allow

filtering both by sales month and ship month independently. In my opinion, the correct answer is "D" as you need an additional Dates table. Please let me know if I am wrong

Question 361

You need to provide a solution to provide the sales managers with the required access.

What should you include in the solution?

- A. Create a security role that has a table filter on the Sales Manager table where username = UserName().
- B. Create a security role that has a table filter on the Sales Manager table where username = sales_manager_id.
- C. Create a security role that has a table filter on the Region Manager table where sales_manager_id = UserPrincipalName().
- D. Create a security role that has a table filter on the Sales_Manager table where name = UserName().

Hide Answer

[-] **DataEngDP** 25 points over 1 year ago

GUYS ATTENTION!

There were 6-7 new questions, one of them I remember was:

Do you have a power BI Report Visual (foto of a visual dashboard report)

What can you do to make it color user friendly for visual defficiency? Choose 2 options, options: Sentiment colors, Theme colors, Divergent colors, First-level colors.

My answers were: Theme colors and divergent colors.

Good luck!

[-] **Layla0322** 2 points 7 months ago

My answer is Sentiment colors, divergent colors

[-] **ivanb94** 14 points over 2 years ago

Well I would agree if a table names Sales Manager (with space) existed, but only the Sales-Manager table exists as written in D so I see no reason why it wouldn't be D. Especially bc the name column used for the USERNAME DAX function in D exists in the table as well.

[-] **meswdf4** 22 points about 2 years ago

Just passed the exam. There is no typo like shown here. It is written "Sales_Manager" in all options. So it is A.

[-] **lukelin08** 6 points over 2 years ago

Good spotting. Damn Microsoft and weird ambiguous questions

[-] **jaume** 3 points 8 months ago

Selected Answer: A

Filter must be applied to Sales_Manager table as this is the information would be used to filter data (Region details to be picked up through the related tables) and this is discarding option C (moreover we cannot match [sales_manager_id] which

is an INTEGER with the result of the USERPRINCIPALNAME() which is text (mail address))

Option B would try to match username (supposedly to be text) with sales_manage_id which is INTEGER, so can also be discarded

Remaining options A and D will match UserName() (this is the credentials used by the user to reach access to the report) with [username] or [name] fields from "Sales_Manager" table. Since there are no other details than both are text (VarChar for SQL) fields, we should assume the one matching the result of USERNAME() function is the field using the same name so Option A

[-] **Koalakueh** 1 point over 1 year ago

Is it because we might have repeated names in Sales_Manager[Name] that's why we do not choose D?

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: A

This time I would go with A :D because there is also username column.

[-] **LuluSkyy** 1 point 10 months ago

I agree

[-] **Shalaleh** 1 point over 2 years ago

Selected Answer: D

The column that consists the name of managers is "name". so the DAX function should be [name] = USERNAME()

[-] **Sanatandharma** 1 point over 2 years ago

Even I picked up D bcos of the space between Sales Manager.

[-] **Nurialzard** 4 points over 2 years ago

to Ivan: I just found out in a different website that here is a typo: All four options seem to have the correct table name Sales_Manager, therefore, it is still answer A

[-] **Hoeishetmogelijk** 2 points over 2 years ago

Selected Answer: A

Definitely answer A

[-] **Booster21** 2 points almost 3 years ago

Correct

[-] **Alexeyvykhodtsev** 4 points almost 3 years ago

Selected Answer: A

A is correct

Question 362



You merge data from Sales_Region, Region_Manager, Sales_Manager, and Manager into a single table named Region.

What should you do next to meet the reporting requirements of the executives?

- A. Create a DAX calculated column that retrieves the region manager from the Weekly_Returns table based on the sales_region_id column.
- B. Apply row-level security (RLS) to the Region table based on the sales manager username.
- C. Configure a bi-directional relationship between Region and Sales_Region.
- D. In the Region table, create a hierarchy that has the manager name, and then the sales manager name.

Hide Answer

[-] **ThariCD** 31 points almost 3 years ago

Selected Answer: D

Explanation is correct but given answer is wrong.

[-] **Manikom** 11 points almost 3 years ago

Selected Answer: D

It should be D according to the explanation

[-] **jaume** 1 point 8 months ago

Selected Answer: D

We should assume we've linked "Weekly_returns" and "sales" table with the new table resulting from the merge and first visual (sales by region) it's a simple one from all this data.

I guess the tricky part in this question is about second requirement showing returns by "Region_manager" and "Sales managers" reporting to them as now this information is not split in two dimension tables but in the same table so we should build the suggested hierarchy from option D

[-] **1CY1** 2 points 11 months ago

The question is...

What should you do next to meet the reporting requirements of the executives?
There seem to be two requirements?

- 1) Executives require a visual that shows sales by region.
 - 2) Executives require a visual that shows returns by region manager and the sales managers that report to them.
- They don't say to look at requirement 1???

[-] **Sophieeeee** 2 points about 1 year ago

I have a question... there is no common column in Sales_manager with other three tables, how come it can be merged with them?

[-] **summmmercxxxx** 3 points about 2 years ago

Selected Answer: D

D is correct

[-] **Ebenanatalo** 3 points over 2 years ago

D seems to be correct because the Executives will only be able to see Region managers and Sales managers that report to them in a hierarchy, besides there is nothing to measure there so A is actually wrong

[-] **svg10gh** 3 points over 2 years ago

Selected Answer: D

D is the correct answer as per description.

[-] **lukelin08** 4 points over 2 years ago

Selected Answer: D

Correct answer is D

[-] **Tin123** 2 points almost 3 years ago

ThariCD is right, the answer is correct but they trap the chosen

[-] **iccent2** 2 points over 2 years ago

The given answer is not correct but the explanation is correct.

The answer should be D

Question 363



What should you create to meet the reporting requirements of the sales department?

- A. a measure that uses a formula of COUNTROWS(Sales)
- B. a calculated column that use a formula of COUNTA(Sales[sales_id])
- C. a calculated column that uses a formula of SUM(Sales[sales_id])
- D. a measure that uses a formula of SUM(Sales[sales_id])

Hide Answer

[-] **fred92** 10 points almost 3 years ago

Selected Answer: A

Answer is correct

[-] **Hoeishetmogelijk** 8 points over 2 years ago

Selected Answer: A

A is correct.

It must be a count function and a measure.

[-] **jaume** 2 points 8 months ago

Selected Answer: A

There is a requirement to not consider negative and missing sales_amount but this is just for the total sales_amount

calculation so we should assume every row in the "sales" table stands for one single transaction and we should count all of them, so right answer should be option A counting the ROWS of the "Sales" table

We need a measure to return a scalar and options B and C are about adding calculated columns.

In option D it's suggested to SUM the [Sales_id] but there is no sense summing any field to count number of transactions and even less summing some Id which could be used in any coding to identify sales.

[-] **Newb007** 1 point over 2 years ago

Why not B? whats wrong with a new column ? also what about the blanks in sales?

[-] **Shalaleh** 2 points over 2 years ago

we do not need calculated column! calculated column uses row- filter but we need a scaler value!

[-] **olajor** 2 points almost 3 years ago

Shouldn't it be B though? You don't want to count blank sales_ids

[-] **June15** 3 points almost 3 years ago

B says it's a column, not a measure.

[-] **KAYBOL** 1 point almost 2 years ago

sales_ids are unique identifier (primary key) of the table; cant be null

Question 364

What should you do to address the existing environment data concerns?

- A. a calculated column that uses the following formula: `ABS(Sales[sales_amount])`
- B. a measure that uses the following formula: `SUMX(FILTER('Sales', 'Sales'[sales_amount] > 0)), [sales_amount])`
- C. a measure that uses the following formula: `SUM(Sales[sales_amount])`
- D. a calculated column that uses the following formula: `IF(ISBLANK(Sales[sales_amount]),0,(Sales[sales_amount]))`

Hide Answer

[-] **fdsdgxcvbsdfhshfg** 30 points almost 3 years ago

Selected Answer: B
legit answer 👍👍👍

[-] **Imrod** 7 points almost 2 years ago

Selected Answer: B
B is the only option that ignores blanks and negative values

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: B
This measure ensures that only positive, non-blank sales_amount values contribute to the total. It directly addresses the data concern: "negative and missing sales_amount values do NOT contribute to the total sales amount calculation."
- `FILTER('Sales', 'Sales'[sales_amount] > 0)` excludes negative and blank values.
- `SUMX(...)` iterates over the filtered table and sums the valid sales_amount values.

[-] **jaume** 1 point 8 months ago

Selected Answer: B

We need to discard missing and negative sales_amount from the total sales_amount calculation. Summing all the sales_amount would, by default, not consider missing amounts as there would be nothing there so we only need to take care of the negative amounts.

Using ABS function as in option A, we would turn negative amounts into positive amounts but we wouldn't get rid of them and would be included in the total calculation

In option C we are summing everything including the negative values should not be considered.

Option C is just discarding the missing amounts (assuming they to be BLANK not '0', which is not clearly defined in the statement of the question) but is not discarding the negative amounts.

In Option B, we are using an IF function to consider only positive values in the total calculation

[-] **Time2excel** 1 point about 2 years ago

Can't believe it, even Answer D has the extra parenthesis. Now which is which???

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: B

ABS return Absolute number. and we need a measure not a calculated column

[-] **nmosq** 3 points over 2 years ago

Selected Answer: B

The error in the formula for B it's probably just a typo.

D option would work on the missing values, but not with the negative values

[-] **amcken** 3 points over 2 years ago

I think the extra parenthesis is just a typo. D would make blank sales value equal to 0 which would be included in the analysis which we don't want.

[-] **Hoeishetmogelijk** 1 point over 2 years ago

Selected Answer: B

Answer is B

[-] **Jay_98_11** 2 points over 2 years ago

Selected Answer: D

Answer B has wrong syntax.

[-] **taod** 1 point almost 2 years ago

That's just a typo in the question... D doesn't account for negative amounts at all. Go for B!

[-] **AlejandroErazo** 1 point almost 2 years ago

The correct syntax should be:

```
SUMX(FILTER('Sales', 'Sales'[sales_amount] > 0),Sales[sales_amount])
```

[-] **Glubbs** 4 points over 2 years ago

Selected Answer: D

B only if it had the correct parentheses as per this formula - tested.

```
SUMX(FILTER('Sales', 'Sales'[sales_amount] > 0),[sales_amount])
```

[-] **DBAH** 1 point almost 3 years ago

I'd go for D, the formula in B is not correct, due to the brackets.

[-] **Astex56** 2 points almost 3 years ago

B has 2 opening brackets '(', but 3 closing bracket ')'. A bit strange

Question 365

You need to create a calculated column to display the month based on the reporting requirements.

Which DAX expression should you use?

A. `FORMAT('Date'[date],"MMM YYYY")`

B. `FORMAT('Date'[date_id],"MMM") & " " & FORMAT('Date'[year], "#")`

- C. `FORMAT('Date'[date_id],"MMM YYYY")`
- D. `FORMAT('Date'[date],"M YY")`

Hide Answer

[-] **fdsdgxcvbsfhshfg** 20 points almost 3 years ago

Selected Answer: A

legit answer 👍👍👍

[-] **Nurialzard** 8 points over 2 years ago

What is confusing here is the fact that there is a `date_id` defined in the format `yyyymmdd`. Therefore, some people would tend to select C. However, I do not quite understand why this info is even given to us. I would have expected this field ID to be... an ID, not a date?

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: A

- This expression returns a formatted string like "Feb 2020", which matches the reporting requirement exactly.
- 'Date'[date] is assumed to be a proper date column, and `FORMAT(..., "MMM YYYY")` converts it to the desired month-year label.
- It's clean, readable, and works well in visuals like slicers, tables, and matrix headers.

[-] **jaume** 2 points 8 months ago

Selected Answer: A

[`date_id`] is an `INTEGER` and cannot be formatted as a date data type (we should first convert it to date data type using the `DATE` DAX function) and this discards options B and C.
We want a result as "Feb 2020" and this is "MMM YYYY" not "M YY" --> option A

[-] **Dani_eL** 2 points over 1 year ago

Selected Answer: A

you can only apply date format on dates columns, `date_id` being an integer, it will throw an error. Answer A is the good answer

[-] **[Removed]** 3 points almost 2 years ago

Correct answer, broken encoding

[-] **Shalaleh** 6 points over 2 years ago

Selected Answer: A

Feb 2020--> month has 3 character, therefore the format should be `MMYYYY` and also `date_id` column data type is `int` and we cannot use in `Format` function! we need a date type column.

[-] **Nemesizz** 2 points over 2 years ago

What does `æ` this symbol means in the answer?

[-] **dodoinparis** 1 point about 2 years ago

OMG, that's really annoying theses symbols

[-] **JJMC5544** 2 points about 2 years ago

paste it to ChatGPT, it corrects

[-] **lukelin08** 1 point over 2 years ago

Selected Answer: A

A is correct answer

[-] **Booster21** 1 point almost 3 years ago

A is correct.

Question 366

HOTSPOT -

You need to design the data model and the relationships for the Customer Details worksheet and the Orders table by using Power BI. The solution must meet the report requirements.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
A relationship must be created between the CustomerID column in the Customer Details worksheet and the CustomerID column in the Orders table.	☐	☐
The Data Type of the columns in the relationship between the Customer Details worksheet and the Orders table must be set to Text .	☐	☐
The Region field used to filter the Top Customers report must come from the Orders table.	☐	☐

Hide Answer

Correct answer:

Answer Area

Statements	Yes	No
A relationship must be created between the CustomerID column in the Customer Details worksheet and the CustomerID column in the Orders table.	☐	☒
The Data Type of the columns in the relationship between the Customer Details worksheet and the Orders table must be set to Text .	☒	☐
The Region field used to filter the Top Customers report must come from the Orders table.	☐	☒

[-] **ThariCD** 101 points over 2 years ago

Answer should be No - Yes - No. According to the sample data the CustomerID in Customer Details is a number (1 through 10 is shown in the example data) and the CustomerID in the Orders table has an example value of VINET, which looks like it corresponds to the value of CustomerCRMID instead of CustomerID from the Customer Details worksheet so the first answer should be No. The second answer should be Yes, the CustomerID from Orders has example value VINET, which is text.

[-] **SylUK** 1 point 6 months ago

My question is: have you ever seen a key-id has text as data type? It is always converted as integer or whole number data type.

So that was the trick in this question.

[-] **LeeTheRed** 1 point about 1 year ago

Technically, you can't use the CustomerID in the Orders table to create a relationship to any other table as it would contain NULL, you can't create PK or FK from column that has NULL data.

[-] **fdsdgxcvbsfhshfg** 6 points over 2 years ago

Also the Region should come from Customer Details as the one in Order table is a shipping region, not sales region

[-] **Wadyba** 3 points about 2 years ago

Wrong: there is no CustomerCRMID on the Orders table. It's explicitly stated CustomerID, pls don't manufacture questions.

[-] **YokoSumiGaeshi** 13 points about 2 years ago

ThariCD is right. We cannot link CustomerID from both tables because of the reasons he said. One is a number and one is a five characters text.

The fact that there is no CustomerCRMID on the Orders table is entirely irrelevant to the question.

[-] **Wadyba** 6 points about 2 years ago

Yeah, ThariCD is right; I was wrong.

[-] **sraakesh95** 4 points 12 months ago

Correct! Also, for the 3rd question, the region could be considered from the Customer Detail worksheet and not the Orders table

[-] **youssef_yt89** 24 points over 2 years ago

1/ NO : the relationship is between CustomerCRMID from Customer Details and CustomerID from Orders

2/ YES: the relationship is between CustomerCRMID from Customer Details and CustomerID(NCHAR) from Orders --> CustomerCRMID have to be text too.

3/ NO: from Customer Details

[-] **Moin23** 1 point 8 months ago

How do you know CustomerCRMID in Customer Details Sheets is Text ? I meant, it seems a text value but is it because we are getting it from Excel so thats why Text ?
Kindly confirm

[-] **MoneyStacking** 2 points 9 months ago

Passed with 917/1000

Question and answers were exactly the same but different order with the options!

Answer given:

- No
- Yes
- No

[-] **JudT** 2 points 10 months ago

According to the sample data I will go for:

- No
- No
- No

[-] **Dani_eL** 1 point 11 months ago

1: NO : link should be on customer CRMID as it is the same datatype as 'orders'[customerID]

2. YES : both are string based

3. NO : Top customers = The one with most sales, worksheet alone does not provide the needed info

[-] **AdrianBalescu** 3 points about 1 year ago

Full access with commentaries is totally worth it!

[-] **ltjc 1 point** over 1 year ago

Where is the damn example data??

[-] **Lavoisier 3 points** over 1 year ago

1 NO - You can't join 02 tables using columns that are not the same type. In this scenario, if we assume that we are going to change the column type before joining them, we won't have any results. Because the values in those columns (The value of customer id in the table Customer is not the same as customer Id in the table Orders) are different. (in the customer table, we have 1,2,3,.. and in the the orders, we have VINET as exemple
2 NO - Even if we change the type of column to TEXT it won't work because the values in those columns (The value of customer id in the table Customer is not the same as customer Id in the table Orders) are different. (in the customer table, we have 1,2,3,.. and in the the orders, we have VINET as exemple
3 No - Region is not relevant to filter according to the requirement

[-] **Luisfer 7 points** over 1 year ago

I don't get the logic of many of you:

First the questions asks , if there must be a relation in Customer ID column. The answer is yes, of course there must be a relation in that column as is the only comon table.

Next question is if there must be changed to text data type. The answer is no, it doesn't have to be of a text data type, it can be also an integer data type. Is true that to create a relationship you need the same data type in both columns but doesn't have to be of a text data type.

And third, the region doesn't have to come from the Order table to work correctly. Furthermore, it isn't even there, it comes from Customer details table.

So Y/N/N I think are the answers. It can get tricky but I would say I followed the correct logic here.

[-] **Luisfer 5 points** over 1 year ago

Ok I just saw the example value of Cutomer ID in Orders table and seems to be the same as CustomerCRMID column from Customer details table, so is a No the first as the relation should be in those 2 columns. This also changes my answer to the second question, as now we know what data types are both so, it can only be a text data type. Final answer is N/Y/N , sorry for confusion

[-] **billerk13 1 point** 10 months ago

Totally agree.

The first statement is about creating a relationship between Customer Details and Orders table, which of course is YES as they must be linked. The fact that before linking you need to change the data type is a different topic, almost irrelevant.

Comments in discussion are super helpful, but sometimes I feel like it can lead to wrong answers based on people's interpretation of the question.

[-] **UlyUkr 2 points** over 1 year ago

NO (Relationship should be based on CustomerDetails.CustomerCRMID = Orders.CustomerID

YES technically, if it's not so already in the CustomerDetails table

NO Region field in this case is associated to customer and should come from CustomerDetails Table.

[-] **cecbynzqohlmbdbmb 7 points** about 2 years ago

1) NO - CustomerID in Orders is text ("VINET") while CustomerID in Customer Details is number ("1").

2) YES - Relationship between Orders and Customer Details will be via column CustomerCRMID in Customer Details and CustomerID in Orders, which are both text.

3) NO - the Orders table only contains shipping address, which is different from the billing address which should be used for sales region. Thus, it should come from Customer Details table.

[-] **AlexYang_ 7 points** about 2 years ago

1) Y

2) N

3) N

Guys, please consider the 3 questions as connected process.

For 1), we must build relationship for these two tables. CustomerID is the only common field in both tables;
2) is to achieve 1), we will set the Data Type of CustomerID to Integer rather than Text.
3) The Region field also exists in Customer Details table, not only in Orders table.

[-] **Jay_98_11** 4 points about 2 years ago

No-yes-no

[-] **fred92** 8 points over 2 years ago

no - no - no

1. no, because Customer Details CustomerID is int and Order CustomerID is text - not the same content
2. no, because there is no common column where we could join on. Furthermore, it should be avoided to join via text columns, because integer fields in relations are faster
3. no, because sales region is nowhere defined as the ship-to country or the sold-to country. So it can't be said, that it MUST come from the Orders.

[-] **quuxy** 2 points almost 2 years ago

Agree about no-no-no, but in 2nd both columns are already text columns, so it is not necessary to set to text...

[-] **Hoeishetmogelijk** 1 point about 2 years ago

I agree with no - no - no

Only for the last one I would simply argue that Region is already in the Customer Details, so no need to get it from somewhere else.

[-] **zerone72** 3 points over 2 years ago

According to the example value in the CustomerID column of the ORDERS table, this table contains strings such as "VINET" which can't be converted to an integer. Therefore, in my opinion, the primary and foreign keys of the relationship must be TEXT and not INTEGER.
As a consequence, I believe the second statement is TRUE

Question 367

HOTSPOT -

You need to create a measure that will return the percentage of late orders.

How should you complete the DAX expression? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

1 2 3 4 5

```

Late Orders Percent =
VAR OrderCount =
    COUNTROWS ( 'Orders' )
VAR LateOrders =
    CALCULATE (
        COUNTROWS ( 'Orders' ),
        FILTER ( Orders,
            Orders[OrderDate] > Orders[RequiredDate]
            Orders[ShippedDate] >= Orders[OrderDate]
            Orders[ShippedDate] < Orders[RequiredDate]
            Orders[ShippedDate] > Orders[RequiredDate]
        )
    )
RETURN
    DIVIDE ( LateOrders, OrderCount )

```

Hide Answer

Correct answer:

Box 1: CALCULATE -

CALCULATE evaluates an expression in a modified filter context.

Syntax: CALCULATE(<expression>[, <filter1> [, <filter2> [, <filterN>]]) expression - The expression to be evaluated. filter1, filter2,... - (Optional) Boolean expressions or table expressions that defines filters, or filter modifier functions.

Incorrect:

* COUNTX - Counts the number of rows that contain a non-blank value or an expression that evaluates to a non-blank value, when evaluating an expression over a table.

* CALCULATETABLE evaluates a table expression in a modified filter context.

Syntax: CALCULATETABLE(<expression>[, <filter1> [, <filter2> [, <filterN>]])

Expression - The table expression to be evaluated.

Box 2: FILTER -

FILTER returns a table that represents a subset of another table or expression.

Syntax: FILTER(<table>,<filter>)

Box 3: Orders[ShippedDate] > Orders[RequiredDate]

Northwind Traders defines late orders as those shipped after the required shipping date.

Reference:

<https://docs.microsoft.com/en-us/dax/calculate-function-dax>

<https://docs.microsoft.com/en-us/dax/filter-function-dax>

Answer Area

```
Late Orders Percent =  
VAR OrderCount =  
    COUNTRWS ( 'Orders' )  
VAR LateOrders =  
    SUM  
    COUNTX  
    CALCULATE  
    CALCULATETABLE  
    COUNTRWS ( 'Orders' ),  
    ( Orders,  
        FILTER  
        ALLEXCEPT  
        CALCULATE  
        DATESBETWEEN  
        Orders[OrderDate] > Orders[RequiredDate]  
        Orders[ShippedDate] >= Orders[OrderDate]  
        Orders[ShippedDate] < Orders[RequiredDate]  
        Orders[ShippedDate] > Orders[RequiredDate]  
    )  
RETURN  
    DIVIDE ( LateOrders, OrderCount )
```

[-] **fred92** 35 points over 1 year ago

Answer is correct.

CALCULATE

FILTER

Orders[ShippedDate] > Orders[RequiredDate]

[-] **Wadyba** 11 points about 1 year ago

Correct Answer

[-] **Shalaleh** 6 points 9 months ago

Given answer is correct.

[-] **Hoeishetmogelijk** 5 points about 1 year ago

Answer is correct.

[-] **lukelin08** 7 points about 1 year ago

Answer is correct.

CALCULATE

FILTER

Orders[ShippedDate] > Orders[RequiredDate]

Question 368

You need to minimize the size of the dataset. The solution must meet the report requirements.

What should you do?

- A. Group the Categories table by the CategoryID column.
- B. Remove the QuantityPerUnit column from the Products table.

- C. Filter out discontinued products while importing the Products table.
- D. Change the OrderID column in the Orders table to the Text data type.

Hide Answer

[-] **fred92** 11 points almost 3 years ago

Selected Answer: B

Answer is correct

[-] **Hoeishetmogelijk** 9 points over 2 years ago

Selected Answer: B

B is correct.

QuantityPerUnit column from the Products table is not necessary for the analysis.

Discontinued products may not be filtered out because OrderDetails can still have foreign key referencing to them (historical data must be kept).

[-] **jaume** 3 points 8 months ago

Selected Answer: B

In Option A, it's expected to be one row per CategoryID (dimension table) therefore grouping data using it would change nothing

In Option D, changing data type for OrderID column would break relationship between "Orders" and Order Details" tables (moreover, integer data type usually takes less space than text data type)

Filtering discontinued products could remove some rows from our data model (depending on how many discontinued products could be in the data table) but it would impact older reports in periods

where it could happen these products were not discontinued yet and there is a requirement "The reports must show

historical data for the current calendar year and the last three calendar years."

The "QuantityPerUnit" field is not explicitly mentioned to be used in any report hence we can remove this entire column and save that storage in our data model

[-] **Dani_eL** 1 point over 1 year ago

Selected Answer: B

B, remove unused data

[-] **Shalaleh** 2 points over 2 years ago

Selected Answer: B

The column is unnecessary.

[-] **Nisa93** 2 points over 2 years ago

B is correct

[-] **lukelin08** 1 point over 2 years ago

Selected Answer: B

B is correct

[-] **Tin123** 2 points almost 3 years ago

Can anyone explain it for me? Many thanks

[-] **ivanb94** 7 points over 2 years ago

The QuantityPerUnit column from the Products table is not necessary for the analysis, so that is the correct answer.

Filtering does not affect the size of the dataset, so as the grouping.

[-] **Hoeishetmogelijk** 2 points over 2 years ago

Filtering rows during import DOES affect the size of the dataset.

I think that the correct argumentation should be that discontinued products may not be filtered out because

OrderDetails can still have foreign key referencing to them.

[-] **erhard** 8 points over 2 years ago

"The reports must show historical data" including discontinued products.

Question 369

You need to design the data model to meet the report requirements.

What should you do in Power BI Desktop?

- A. From Power Query, add a date table. Create an active relationship to the OrderDate column in the Orders table and an inactive relationship to the ShippedDate column in the Orders table.
- B. From Power Query, add columns to the Orders table to calculate the calendar quarter and the calendar month of the OrderDate column.
- C. From Power BI Desktop, use the Auto date/time option when creating the reports.
- D. From Power Query, use a DAX expression to add columns to the Orders table to calculate the calendar quarter of the OrderDate column, the calendar month of the OrderDate column, the calendar quarter of the ShippedDate column, and the calendar month of the ShippedDate column.

Hide Answer

[-] **fdsdgxcvbdshshfg** 51 points almost 3 years ago

Selected Answer: A

Auto date/time does not meet the criteria: The data model must minimize the size of the dataset as much as possible, while meeting the report requirements and the technical requirements.

The correct answer is A

[-] **MayaYao** 3 points over 2 years ago

A is not correct. 2 tables can only have a pair of relationship. Option A cannot fulfill the requirements of display by either order quarter (month) or shipdate quarter (month).

[-] **fdsdgxcvbdshshfg** 11 points over 2 years ago

nope, just use USERELATIONSHIP

[-] **badrionlion** 1 point over 2 years ago

A is not right, because there's no sufficient information regarding the date table, whether it will have "quarter" details.

[-] **Fer079** 15 points almost 3 years ago

Selected Answer: C

I think that the C option is the correct one.

the option A creates an active relationship between Sales.orderDate and Date and a inactive relationship between sales.shippedDate and Date. However we will have visuals where we will have to filter either shippedDate or orderDate, so we will no be able to filter by shippedDate because of the relationship is inactive (we could create measures using the USERELATIONSHIP() function but this is not the case due to we have to use the filters directly from the visuals)

[-] **SylUK** 1 point 6 months ago

No option C is going to increase the size of the model instead.

Remember for the better performance in this scenario we have to reduce the model size as much as possible (See the question above: question # 3 topic 9)

Beside it has been said in : "Requirements. Technical Requirements

Northwind Traders identifies the following technical requirements:

The data model must minimize the size of the dataset as much as possible, while meeting the report requirements and the technical requirement"

A. is the right answer : From Power Query, add a date, create an active relationship to the order date column in the orders table and inactive relationship to the shipped date column in the orders table.

[-] **YokoSumiGaeshi** 7 points over 2 years ago

I think A is right, because we do have visuals that need a filter on either order or shipping date, but no visual requires a filter on both at the same time.

[-] **Hoeishetmogelijk** 2 points over 2 years ago

I agree with your argumentation.

[-] **sa56** 1 point over 2 years ago

To show "on time shipping" we need to have both order data and shipped date as active column

[-] **AbuAbdillah** 1 point over 1 year ago

This is not right, on-time shipping requires ship date and required date NOT order date.
USERRELATIONSHIP() can still be used for the inactive relationships as mentioned by @Fer079

[-] **Lulu_2022** 1 point 29 days ago

Selected Answer: A

- The reports require filtering and analysis by both OrderDate and ShippedDate, such as:
- Top Customers and Products by order month or quarter
- On-Time Shipping metrics by shipping month or quarter
- Creating a dedicated date table and linking it to both date columns in the Orders table allows you to:
- Use active relationship for OrderDate (default for most visuals)
- Use inactive relationship for ShippedDate, activated via USERRELATIONSHIP() in DAX when needed
- This approach supports flexible time-based analysis without duplicating the Orders table or bloating the model.

[-] **Mkypm** 1 point 2 months ago

Selected Answer: D

D seems the most accurate.

[-] **b92fc92** 1 point 3 months ago

Selected Answer: D

why not D?

[-] **a2c7cd3** 1 point about 2 months ago

DAX can not be used in Power Query

[-] **SylUK** 1 point 6 months ago

Selected Answer: A

A is the right answer.

[-] **desibaby09** 2 points 8 months ago

Selected Answer: A

If you are "designing the model" then we should focus on ship date and order date and utilizing userrelationship()

[-] **HenryBiz** 2 points about 1 year ago

I know "A" could do the job, but does anyone think "D" can also do the work? If so, it creates fewer columns and rows than adds a complete date table.

[-] **KRISTINMERIEANN** 1 point over 1 year ago

Selected Answer: C

<https://docs.microsoft.com/en-us/power-bi/transform-model/desktop-auto-date-time>

[-] **Dani_eL** 3 points over 1 year ago

this is weird because in the learning path they explicit state not to use auto date/time as it is bad practice and use date table only. But in this scope... one date table is not enough and it's not mentioned to duplicate the date table. So to fulfill the

requirements, the only stable solution I see is D, I do agree It doesn't minimize the size but it doesn't make it that much bigger either...

D. From Power Query, use a DAX expression to add columns to the Orders table to calculate the calendar quarter of the OrderDate column, the calendar month of the OrderDate column, the calendar quarter of the ShippedDate column, and the calendar month of the ShippedDate column.

[-] **Florinuca** 1 point over 1 year ago

The correct answer is A. Any Model should have a Data Table to make it easier for us later to create DAX measures for analysis, hierarchies and so on.

[-] **ApacheKafka** 2 points about 2 years ago

✗ A

✓ C/D

Things to take notice of. Power Query is not the best place to create Date table and relationships.

[-] **Florinuca** 1 point over 1 year ago

This is not true. Also in the documentation it is specified that we can create a new date table in Power Query using M code (and for that, we have many examples and very useful functions that are used) or in Power BI using DAX (CALENDAR() CALENDARAUTO() functions). By creating more columns, we'll increase the size of the model.

[-] **Acrrious** 2 points about 2 years ago

Selected Answer: A

A: for me

Also, I notice people mention that since its 2GB it cannot be imported into Power BI. That isn't true. 1) it depends on its finalized compression sizes, not the size of the DB etc and 2) also depends on if they have premium or not

[-] **Shalaleh** 6 points over 2 years ago

Selected Answer: A

we need a calendar table for current year and last 3 years!

Auto data/time increase the size of data model.

[-] **sa56** 1 point over 2 years ago

In the previous question , where we need to use both order date and shipped date to calculate the late orders, In that case we need both columns as active. So I think its C.

If it was an independent question then definitely answer would be C

[-] **charles879987** 2 points over 2 years ago

Answer A does not have correct active/inactive relationship. Order Shipped date should be active. So that leaves C as correct option

[-] **Hoeishetmogelijk** 13 points over 2 years ago

Selected Answer: A

I think the answer is A.

The inactive relationship on shipping date can be used in a measure with USERELATIONSHIP() function, because nowhere is being filtered on both order date and shipping date at the same time.

[-] **Wadyba** 1 point over 2 years ago

A is the answer

[-] **Orkhannnn** 3 points over 2 years ago

Selected Answer: C

C is correct.

[-] **zerone72** 8 points almost 3 years ago

--> Top Customers report : "will show the top 20 customers based on the highest sales amounts in a selected order month or quarter, product category, and sales region.". Therefore you don't need a Dates Table at all. All you need is month and quarter from the sales-date which you will get if you enable auto-dateTime.

--> Top Products report "will show the top 20 products based on the highest sales amounts sold in a selected order month or quarter, sales region, and product category". You don't need a Dates table for this report. With auto-DateTime you can get the month and quarter from the sales-date.

--> On-Time Shipping report "will show the following metrics for a selected shipping month or quarter:". Therefore, you don't need a dates table for this report. You only need the shipping month and quarter from the shipping-date which are gone be automatically created once you will have enabled auto-dateTime

[-] [Removed] 9 points over 2 years ago

The auto Date/Time only works in Import mode and the dataset is 2GB so it can't be imported.

[-] [Removed] 2 points almost 2 years ago

The whole database is 2GB. You will not be imported all the information. You keep historical data from 3 years prior and create to 20 reports.

[-] sidyndiaye 2 points almost 3 years ago

Agree with you

Question 370

HOTSPOT -

You need to create a relationship in the dataset for RLS.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Create a

one-to-one
one-to-many
many-to-one
many-to-many

 relationship between the Sales Employees table and the

Orders table
Suppliers table
Order Details table
Customer Details worksheet

Hide Answer

Correct answer:

Answer Area

Create a

one-to-one
one-to-many
many-to-one
many-to-many

 relationship between the Sales Employees table and the

Orders table
Suppliers table
Order Details table
Customer Details worksheet

Fer079 61 points almost 3 years ago

Many-to-Many

Customer details

Sales employees should see the sales of their region only, so all sales ordered by customers whose billing address belongs to the sales employee's region.

Therefore, the relationship between sales employees (region) and customer details (region) should be many-to-many (a sales employee has many customers in his region and a customer in a region can have many sales employees for that region).

In this case, as the customer table is related to the order table, the sales employees will only be able to see the orders of the customers in their region.

GrootPiemel 4 points almost 2 years ago

I don't agree with customer details.

If you are a customer from eg France and you order a product from the US, the customer detail page will make this sale visible for the sales department in France, breaking this rule:

Users in the sales department must be able to access only the data of the sales region to which they are assigned in the Sales Employees table.

desibaby09 2 points 8 months ago

They have a common table "region" so a many to many relationship is inappropriate. they share a common key which makes it a one to many

LucasCovey 1 point over 2 years ago

I agree Many-to-Many, but where are we able to see that Order table is related to the Customer table? They do not have a shared data type between their ID columns, unless the pictures have a typo. For me it would be Order Details because I don't see where the relationship is declared between Customer Details (one) and Order Details (many).

BabaJee 3 points over 2 years ago

The billing address is in the customer details, therefore, when assigning and working out commission etc for sales employees, the billing address in customer details will be counted not the shipping address which is in the orders table. Although the case study should have made it clear.

Many to many link with customer details worksheet

charles879987 2 points over 2 years ago

Customers can have placed orders in multiple regions so then the sales employees will be able to see other regions sales

PinkZebra 4 points almost 3 years ago

Agreed as "Each employee in the Sales Employees table is assigned to one sales region. Multiple employees can be assigned to each region."

In a good operations and real life model, customers will be assigned to Sales employees ID for performance tracking and bonuses.

fdsdgxcvbsfhshfg 13 points almost 3 years ago

One to Many

Customer Details

'EACH employee in the Sales Employees table is assigned to one SALES region '

fred92 15 points almost 3 years ago

But we are not connecting to a region entity but to a customer entity. There'll be more than one customer in a region. There are also more than one sales employee assigned to one region.

So it should be many-to-many.

Lulu_2022 1 point 29 days ago

Many-to_one

customer details

"Each employee in the Sales Employees table is assigned to one sales region. Multiple employees can be assigned to each region.

- Each employee is assigned to one region, and
- Each region can have multiple employees,

The correct cardinality between Sales Region and Sales Employees is one-to-many:

- One region → many employees
- Meaning, SalesEmployees[RegionID] should be related to Region[RegionID] as a many-to-one relationship from the employee side

[-] **Attollo** 1 point about 2 months ago

Im totally lost with the question and the answers here. The table "Sales employee" got a column called Region. Should this be a one-to-many to the Order table (column ShippedRegion). Isnt this about making sure that the Sales employee only can see data for its own region? How does this have anything to do with the customer details?

[-] **Aeffat17** 1 point 6 months ago

Customer Details contains billing addresses, but RLS is required for sales employees filtering orders by shipping region. Orders table directly relates to sales transactions and regions.

Many-to-Many → Orders Table

[-] **MANANDAVEY** 1 point 6 months ago

Many-to-Many

Customer details.

Correct answer

[-] **_jay95_** 2 points 7 months ago

Billing Address vs. Shipping Address.

Many-to-many

Customer Details

[-] **539d541** 1 point 11 months ago

Agree with the answer given actually....In a star schema with Orders as the fact table, we would want to use Sales employees as the dimension to relate to the fact. We can use the Sales Employees(Region) and Orders(ShippingRegion) as the key for a many to many relationship. The tricky bit in these questions is the keys in the tables don't have the same name.

[-] **MoneyStacking** 7 points over 1 year ago

Passed with 917/1000

Question and answers were exactly the same but different order with the options!

Answer given:

- Many-to-Many

- Customer details worksheet

[-] **Ana_L** 2 points over 1 year ago

One to many

order table

Orders are made of order header one record per order. A given order can only have one sales employee. Otherwise, they will have duplicates. Realistically, we do have a One to many relationship between sales employee and orders table. The order table already has the customer. We don't need to associate customers to sales employee. By adding sales employee relationship to the order table, the report requirement is satisfied.

[-] **Enrique67** 2 points over 1 year ago

De uno a varios. Recordemos que es un filtro de seguridad. El empleado solo podra ver los datos de su región y de los clientes de su región, con sus pedidos y detalles de pedidos.

[-] **Aldeus** 1 point over 1 year ago

The should be answer would be to make and intermediate table

[-] **thomas_90** 3 points almost 2 years ago

Many to Many with Order Table.
The answer is correct. The relationship make by region column.

[-] **Acrious** 3 points about 2 years ago

Many to Many
Customer Details

For those who may have confused using one to many, think of it like this.
There are many sales people in a region
the same customer can buy from many sales people
but since there are multiple customers and they can do the same thing its many to many

[-] **yooshua** 1 point about 2 years ago

I'm getting confused by this question. Can anyone explain to me how to make a relationship between customer details and Sales Employees? I don't see any common data type to make a relationship.

[-] **halofrosty** 1 point about 2 years ago

SalesEmployee[Region] - CustomerDetails[Region]. You have multiple sales employees in that same region handling all customers there.

[-] **darkfairy** 2 points over 2 years ago

Many to many relationship between Sales employee and Orders table. And some more general question on the test case:
How a sales employee is related to a particular order? Who has created that order? I assume all the orders should be created by a sales agent, right?!

[-] **Hoeishetmogelijk** 1 point over 2 years ago

One to Many

Customer Details

It doesn't make sense to me that an order could be placed by more than one sales person. So One-to-Many and not Many-to-Many.

[-] **Hoeishetmogelijk** 4 points over 2 years ago

Correction:
Many to Many
Customer Details

I go with reasoning of Fer079
A very confusing question.

[-] **nmosq** 3 points over 2 years ago

Many to Many. You are going to make a relationship using Region, where you will have multiples Sales Employees assign to the same region

[-] **Barb** 4 points almost 3 years ago

I think many-to-many is right
Region in employee table is nullable.

So you can have a one-to-many relationship if one value of region is null