Digital Assignment 1. optimisation Techniques

Name: Sourny ordeep Grangelly

Reg: 24 MDT 0082

1) Limitations of Operational Research:

1) Dependenced of Quantitime Data:

Heavily relies on numerical data & mathematical model. It data is inaccurate, outdated, or unavoidable, the result can be mis leading

The mathematical models used in our em be 11) camplescity at models: very compled and difficult to understend for people without specialized Annining.

(ii) cast & time intensive & Developing & implementing OR. models con be costly & fine consuming.

(V) Simplifying Assumption 1

OR models often make assumptions to simplify real-life problems, These assumption may not always hald true, reducing the effectiveness of the model.

V) Dynamic Environment:

Business environments are comstantly changing. OR models may not quickly adapt these changes, leading to decisions that are , no longer aptimal.

- 2) Different Techniques of Operations Research:
 - 1) Linear programming.

 This technique is used to optimize an absective function subject to Certain Constaints. absective function production planning,

 It is widely used in production planning,

 perource allocation & TP.
 - 2) Integer Programming:

 Similar to LP, but salutions are restricted to whole numbers. This is useful terr problems where fectorial values are not problems where fectorial values are not practical.
- 3) Dynamic programming!

 Used for multistage dicision pho problems

 Where the solution involves breaking down

 the problems into smaller sub-problems.
- A) Snewing Theory:

 This technique studies the behaviour of

 waiting lines. It is used to optimize service

 waiting lines. It is used to optimize service

 efficiency in bounds, hospitals, call cuiters etc.

 efficiency in bounds, hospitals, call cuiters etc.

 by minimizing wait times & improving

 by minimizing wait times & improving

 constoner service.
- (Frank theory: is used in competitive this technique the outcome depends mon situations) where the outcome decistom-markers.

 The actions of multiple decistoms decistoms

 The helps in making strategic decistoms

 In business negotiation, pricing or marketing in business negotiation, pricing

3) Assuming, I no of day center of non minimize Z= 40x + 50 y sit: 140x + 100y > 1540 -- 37 60× + 1809 7 1440. 20 80 9 20 (1) (11) 11 24. 22 12 (6-96, 5-68 12 19 16 18 20 840/0 n+ 6000 y = 92400 89/0 x + 25200 y = 201600 -10200 y = 100200 9 2 5.68 N= 1440 - 180× 3.68 = 6.96

4) max
$$z = 3x + 2y + 081 + 082 + 083$$

 $s \cdot t : 2x + y \le 18$
 $2x + 3y \le 42$
 $3x + y \le 24$

 $29.49 + S_1 + 0S_2 + 0S_3 = 18$ $29.439 + 0S_1 + S_2 + 0S_3 = 42$ $39.49 + 0S_1 + 0S_2 + S_3 = 24$

	,	"	Col	3	2	0	0	0	CT
			Bub	જા. જ	9	SI	52	83	mhu rate
	CB	طه	-	2	· SA	1	0	0	9
	0	SI	18		3	0	1	0	21
	0	S2	92	2	<i>ا</i>	0	D	1	8
	0	53	29	[3]				0	
_		-	10	To	0	0	0		-
		正子	1	10	-2	0	0	0	
•		25	c) 7	13					
		10)		41					

$$(42,2,3,0,1,0) - 2(8,1,1/3,0,0,1/3)$$

$$(42,2,3,0,1,0) - 2(8,1,1/3,0,0,1/3)$$

$$(42,2,3,0,1,0) - 2(8,1,1/3,0,0,1/3)$$

$$(18,2,1,1,0,0)-2(8,1,1/3,0,0,1/3)$$

	1 1	. 1	3	2	6	0	C	
		(-)	2	5	51	Sz	53	min radio
Co	Nm	B	(C) 16	FTO 1	16	6	-213	G
0	Si	2	0	1131	0	9/	- 2/3	u
0	52	2 6	0.	7/3	0	,	g	
	2	8	1	V3	0	0	1/3	29
3	1	9	1	17.7%	0	1	2	<u> </u>
	老	24	3	- T	0	0		3
	25	3 ×	0	-1	Ó	0	7/6	
•			1-	1			2	-21
(24 0	. 7/2	0.1.	3) - 7	12 (6)	0,1,	3,6,	-2)
		, 127		2, (1)	9 C-+	(· · ·	9 . 6 . 1	, 5 , 2
	12)	0,6,	-7, Ĭ) 213	2			
(8	3,1,	1/3,0	,0,13) - 1/3	(6,0	1/2	3,0,-2	2)
			-1,0			-		
-)	(0)						,	
	N - 1-	Co	3	2	6	8	1-0	
CB	XB	13	d	7	2,	5 2	S 3	min natio
2	3	6	0	1	3	0	-2	_
0	6	12	0	0	-7	= -1	98	, , , , , ,
O	S2		1	0	-1	0	= He	6/1 26
3	x	6	a Vj		-			-

-1

~

3

EJ

E7-C7

		cal	3	2 .	0	0	6	İ
Co	NB	B	n	7	S	S_2	Sig	min vatio
2	5	12	0		-1/2	1/2	0	
0	Sg	3	0	0	-7/9	Va	1	
3	x	3	1	0	3/4	- Va	6	10-
	Zj	33	3	2	Sia	Vq	D	-
	E) C	X	0	0	5/4	1/4	0	p B
					10			

(6,0,1,3,0,-2)+2(3,6,0,-7/4,1/4,1) $9(12,0,1,-1/2,-\frac{1}{2},0)$ (6,1,0,-1,0,1)-(3,0,0,-7/4,1/4,1)

(6) (1,0,-1,0) () - (3,0,0,-1/4,1/4,1/4)) (6) (1,0,-1/0) () - (3,0,0,-1/4,1/4)

man Z = 33] It is the optimal soulution

5) Min
$$Z = 12x_1 + 16x_2$$

5.4: $x_1 + 2x_2 \le 40$ $x_1 > 0$
 $x_1 + x_2 \le 30$ $x_2 > 0$

: Max 2= -1291 - 1692 + 05, + 032

$$S.4$$
: $\chi_1 + 2\chi_2 + S_1 + 0S_2 = 40$
 $\chi_1 + \chi_2 + 0S_1 + S_2 = 30$

1	}	CJ	-12	-16	0	0	1 min
CB	NB	B	21	2 2	S ₁	S ₂	oiten
0	Sı	40	1	2	1	0	
0	32	30	1	1	0	1	
-	73	0	0	0	0	O	
•	-C.	X	+12	416	0	O	
	(F)		<u> </u>				

1. The salution is unbouded basic peasible salution.