```
import java.util.*;
class NumWord
{
    void words(int n)
    {
        String a[]={"Zero","One","Two","Three","Four","Five","Six","Seven","Eight","Nine"};
        String b[]={"Ten","Eleven","Twelve","Thirteen","Fourteen","Fifteen","Sixteen","Seventeen","Eighteen","Nineteen"};
        String c[]={"","TEN","Twenty","Thirty","Fourty","Fifty","Sixty","Seventy","Eighty","Ninety"}; //initialising the array with preset values
        String s="";

        int q;

        if(n>1000)
        {
            System.out.println("OUT OF RANGE ");
            System.exit(0); //checking for the range if false then exiting the program
        }
        if(n>99)
        {
            q=n/100;
            n=n%100;
            s=s+a[q]+" Hundred ";  //concatinating the string with the equivalent value from the array
        }
        if(n>19 || n==10)
        {
            q=n/10;
            n=n%10;
            s=s+c[q]+" "; //concatinating the string with the equivalent value from the array and adding a space
        }
        if(n>=11 && n<=19)
        {
            q=n%10;
            s=s+b[q]+" ";   //concatinating the string with the equivalent value from the array and adding a space
        }
        else
            s=s+a[n];      //concatinating the string with the equivalent value from the array and adding a space

        System.out.println(s); //printing the string
    }

    public static void main()
    {
```

```
        Scanner sc=new Scanner(System.in);
        NumWord nm=new NumWord();
        int x;
        System.out.println("ENTER A NUMBER : ");
        x=sc.nextInt(); //accepting an input from user
        nm.words(x);
    }
}
```