

```
1 import java.util.Scanner;
2 class PrimeAdam
3 {
4     int m,n;
5     boolean isPrime(int n)
6     {
7         int c=0;
8         for(int i=1; i<=n; i++)
9         {
10             if(n%i==0)
11                 c++;
12         }
13         if(c==2)
14             return true;
15         else
16             return false;
17     }
18
19     boolean isAdam(int n)
20     {
21         int rev = reverse(n);
22         int sq_of_n = n*n;
23         int sq_of_rev = rev*rev;
24         if(sq_of_n == reverse(sq_of_rev))
25             return true;
26         else
27             return false;
28     }
29
30     int reverse(int n)
31     {
32         int rev=0;
33         while(n!=0)
34         {
35             rev = rev*10+n%10;
36             n/=10;
37         }
38         return rev;
39     }
40
41     public void input()
42     {
43         Scanner in = new Scanner(System.in);
44         System.out.println("Enter value of m and n");
45         System.out.print("m = ");
46         int m = in.nextInt();
47         System.out.print("n = ");
48         int n = in.nextInt();
49     }
50 }
```

```
51     public static void main()
52     {
53         PrimeAdam a=new PrimeAdam();
54         a.input();
55         a.work(a.m,a.n);
56     }
57     void work(int m, int n)
58     {
59         if(m>=0 && n>0 && m<n)
60         {
61             PrimeAdam obj = new PrimeAdam();
62             System.out.println("THE PRIME-ADAM INTEGERS ARE:");
63             int freq=0;
64             for(int i=m; i<=n; i++)
65             {
66                 if(obj.isPrime(i) && obj.isAdam(i))
67                 {
68                     freq++;
69                     System.out.print(i + " ");
70                 }
71             }
72             if(freq==0)
73                 System.out.print("NIL");
74             System.out.println("\nFREQUENCY OF PRIME-ADAM INTEGERS IS: " +freq);
75         }
76         else
77         {
78             System.out.println("INVALID INPUT");
79         }
80     }
81 }
```