

```
1 import java.util.*;
2 class Distance
3 {
4     int km, m, cm; //declaring data members
5
6     void sum(Distance x)
7     {
8
9         Distance s=new Distance();
10        s.km=km+x.km; //sum of kilometres
11        s.m=m+x.m;    //sum of metres
12        s.cm=cm+x.cm; //sum of centimetres
13        int temp=0;
14        if(s.cm>100)
15        {
16            temp=s.cm/100;
17            s.m+=temp;
18            s.cm=s.cm%100;
19        }
20
21        if(s.m>1000)
22        {
23            temp=s.m/1000;
24            s.km+=temp;
25            s.m=s.m%1000;
26        }
27        s.display(); //displaying the output
28    }
29
30    void input()
31    {
32        Scanner sc=new Scanner(System.in);
33        System.out.println("ENTER KILOMETERS:");
34        this.km=sc.nextInt(); //taking input from the user
35        System.out.println("ENTER METERS:");
36        this.m=sc.nextInt();
37        System.out.println("ENTER CENTIMETERS:");
38        this.cm=sc.nextInt();
39    }
40
41    void display()
42    {
43        System.out.println("KILOMETERS:"+this.km+"\tMETERS :"+this.m+"\tCENTIMETERS
44        :"+this.cm); //to display the output
45    }
46
47    public static void main()
48    {
49        Distance ob=new Distance(); //instance of a class for the first set of values
50        ob.input();
```

```
50         ob.display();
51         Distance ob2=new Distance();//instance of a class for the second set of
values
52         ob2.input();
53         ob2.display();
54         ob.sum(ob2);
55     }
56 }
57
58
59
60
```