CN Synthetic Collections Data

collections data for three problem statements. Everything in it is invented.

Files

File	What it holds	Used for
`data/shared/accounts.csv`	One row per loan account: lender, product, bucket, dues and what the lender knows about the borrower	PS1, PS2, PS3
`data/shared/splits.csv`	Which accounts are train, validation and test	PS1, PS2, PS3
`data/shared/lenders.csv`	The six lenders	PS1, PS2, PS3
`data/shared/agents.csv`	Tele-calling agents, field agents and the voice bot	PS1, PS2, PS3
`data/shared/dial_attempts.csv`	Every outbound call attempt, with its result, disposition and agent remark	PS1, PS2
`data/shared/payments.csv`	Every payment received	PS1, PS2
`data/shared/addresses.csv`	Every address on file, as written in the lender's system	PS2, PS3
`data/shared/field_visits.csv`	Every field visit, with check-in location, outcome and agent remark	PS2, PS3
`data/ps1_fake_ptp/ptps.csv`	Every promise to pay recorded on a call or a visit	PS1
`data/ps1_fake_ptp/call_transcripts.csv`	Turn-by-turn transcripts of calls	PS1
`data/ps1_fake_ptp/post_call_events.csv`	What happened after a PTP: payment link sent or opened,	PS1

File	What it holds	Used for
	WhatsApp confirmations, customer calls	
`data/ps1_fake_ptp/annotated_ptp_sample.csv`	200 PTPs labelled by type by a reviewer (some labels are wrong)	PS1
`data/ps2_right_party_contact/phones.csv`	Every phone number linked to an account, and where the number came from	PS2
`data/ps2_right_party_contact/skip_traces.csv`	Skip-trace requests and what they found	PS2
`data/ps2_right_party_contact/verified_contact_points.csv`	250 numbers checked by a verification campaign	PS2
`data/ps3_geocoder/towns.csv`	The three towns	PS3
`data/ps3_geocoder/localities.csv`	Localities in each town, with pincode and approximate centre	PS3
`data/ps3_geocoder/landmarks_poi.csv`	Landmark database (incomplete and slightly off)	PS3
`data/ps3_geocoder/baseline_geocodes.csv`	Where a commercial geocoder places each address: the baseline to beat	PS3
`data/ps3_geocoder/visit_gps_points.csv`	GPS trail for each field visit	PS3
`data/ps3_geocoder/surveyed_addresses.csv`	100 addresses with accurately surveyed locations	PS3

Files by problem statement

PS1, Real-Time Fake PTP Detection: `ptps.csv`, `call_transcripts.csv`, `post_call_events.csv`, `annotated_ptp_sample.csv`, `dial_attempts.csv`, `payments.csv`, `accounts.csv`, `agents.csv`

PS2, Right-Party Contact Prediction and Skip-Trace Prioritisation: `dial_attempts.csv`, `phones.csv`, `skip_traces.csv`, `verified_contact_points.csv`, `field_visits.csv`, `addresses.csv`, `payments.csv`, `accounts.csv`, `agents.csv`

PS3, Address Geocoder That Learns from Field Visits: `addresses.csv`, `baseline_geocodes.csv`, `field_visits.csv`, `visit_gps_points.csv`, `surveyed_addresses.csv`, `localities.csv`, `landmarks_poi.csv`, `towns.csv`, `accounts.csv`, `agents.csv`

All three also use `splits.csv`.