

Cucumber Report

07-Apr-2025, 8:22:22 pm

Start : Apr 07, 8:20:58.427 pm

End : Apr 07, 8:22:20.186 pm

Duration : 1 m 21.759 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 1
FAILED - 4
SKIPPED - 0


PASSED - 15
FAILED - 4
SKIPPED - 11




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login to DemoWebShop Web Application</u>	42.119 s	2	1	1	0	6	5	1	0
<u>Sign Up for Newsletter</u>	18.847 s	2	0	2	0	10	8	2	0
<u>Purchasing a Product in DemoWebShop</u>	20.702 s	1	0	1	0	14	2	1	11

#	Feature Name	Scenario Name
1	<u>Login to DemoWebShop Web Application</u>	<u>Login with Invalid credentials</u>
2	<u>Sign Up for Newsletter</u>	<u>Sign up for the newsletter</u>
3		<u>Sign up with invalid email</u>
4	<u>Purchasing a Product in DemoWebShop</u>	<u>Purchasing a product from the store using Excel data</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	1	0	0	1	0	1	0
@InvalidCredentials	1	0	1	0	1	0	1	0
@Subscribe	1	0	1	0	1	0	1	0
@Invalid	1	0	1	0	1	0	1	0
@Purchase	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login to DemoWebShop Web Application	2	1	1	0	42.119 s
2	Sign Up for Newsletter	2	0	2	0	18.847 s
3	Purchasing a Product in DemoWebShop	1	0	1	0	20.702 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login to DemoWebShop Web Application</u>	<u>Login with valid credentials</u>	3	3	0	0	12.588 s
2		<u>Login with Invalid credentials</u>	3	2	1	0	29.476 s
3	<u>Sign Up for Newsletter</u>	<u>Sign up for the newsletter</u>	5	4	1	0	8.749 s
4		<u>Sign up with invalid email</u>	5	4	1	0	10.065 s
5	<u>Purchasing a Product in DemoWebShop</u>	<u>Purchasing a product from the store using Excel data</u>	14	2	1	11	20.702 s

Login to DemoWebShop Web Application



FAILED	DURATION - 42.119 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 8:20:58.427 pm // 8:21:40.546 pm /					

Login with valid credentials

<div>PASSED</div> <div>DURATION - 12.588 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:20:58.435 pm // 8:21:11.023 pm /</div>				
<div>Login to DemoWebShop Web Application</div>				
<div>@ValidCredentials</div>				



#	Step / Hook Details	Status	Duration
1	Given user is on the Login Page "https://demowebshop.tricentis.com/login"	PASSED	4.427 s
2	When user enters username and password	PASSED	3.285 s
3	Then User should be able to login successfully and new page open	PASSED	0.072 s

Login with Invalid credentials



<div>FAILED</div> <div>DURATION - 29.476 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 8:21:11.070 pm // 8:21:40.546 pm /				
Login to DemoWebShop Web Application				
@InvalidCredentials				

#	Step / Hook Details	Status	Duration
1	Given user is on the Login Page "https://demowebshop.tricentis.com/login"	PASSED	15.975 s
2	When user enters username "2k21eee64@kiot.ac.in" and password "k iot1234"	PASSED	0.893 s
3	<p>Then User should see an Error Message "Login was unsuccessful. Please correct the errors and try again."</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='message-error validation-summary-errors']/ul/li"} (Session info: chrome=134.0.6998.179) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element- exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2fe307f18d1e898d55108ba1ac0a837b, findElement {using=xpath, value="//div[@class='message-error validation-summary-errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.179, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\admi\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50006}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50006/devtoo..., se:cdpVersion: 134.0.6998.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2fe307f18d1e898d55108ba1ac0a837b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at action.LoginPageAction.isErrorMessageDisplayed(LoginPageAction.java:52) at definitions.LoginPageDefinition.verifyErrorMessage(LoginPageDefinition.java:41) at ?.User should see an Error Message "Login was unsuccessful. Please correct the errors and try again."(file:///C:/Users/admi/git/ repository51/DemoWebShop/src/test/resources/features/LoginPage.feature:14) * Not displayable characters are replaced by '?'. </pre>	FAILED	10.444 s

Sign Up for Newsletter



FAILED	DURATION - 18.847 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 10 Pass - 8 Fail - 2 Skip - 0	
/ 8:21:40.595 pm // 8:21:59.442 pm /					

Sign up for the newsletter

FAILED	DURATION - 8.749 s		Steps Total - 5 Pass - 4 Fail - 1 Skip - 0	
/ 8:21:40.595 pm // 8:21:49.344 pm /				
Sign Up for Newsletter				
@Subscribe				



#	Step / Hook Details	Status	Duration
1	Given user is on the Login Page "https://demowebshop.tricentis.com/login"	PASSED	3.896 s
2	When user enters username and password	PASSED	2.843 s
3	When the user provides an email	PASSED	0.183 s
	<div>Email</div> <div>2k21eeee65@kiot.ac.in</div>		
4	And the user clicks the Subscribe button	PASSED	0.118 s
5	Then the user should see the subscription confirmation text	FAILED	0.061 s
	<pre>java.lang.AssertionError: Subscription confirmation failed expected [true] but found [false] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1590) at org.testng.Assert.assertTrue(Assert.java:57) at definitions.LoginPageDefinition.the_user_should_see_the_subscription_confirmation_text(LoginPageDefinition.java:58) at ?.the user should see the subscription confirmation text(file:///C:/Users/admi/git/repository51/DemoWebShop/src/test/resources/features/NewsletterSubscription.feature:11) * Not displayable characters are replaced by '?'. </pre>		

Sign up with invalid email



<div>FAILED</div> <div>DURATION - 10.065 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:21:49.377 pm // 8:21:59.442 pm /</div>				
<div>Sign Up for Newsletter</div>				
<div>@Invalid</div>				

#	Step / Hook Details	Status	Duration				
1	Given user is on the Login Page "https://demowebshop.tricentis.com/login"	PASSED	4.803 s				
2	When user enters username and password	PASSED	3.315 s				
3	When the user provides an Invalid email	PASSED	0.146 s				
	<table><tr><td>Email</td><td>ErrorMessage</td></tr><tr><td>@@2K21EEEE</td><td>Enter valid email</td></tr></table>	Email	ErrorMessage	@@2K21EEEE	Enter valid email		
Email	ErrorMessage						
@@2K21EEEE	Enter valid email						
4	And the user clicks the Subscribe button	PASSED	0.196 s				
5	Then the user should see an error message	FAILED	0.114 s				
	<div>java.lang.AssertionError: Invalid email error not shown expected [true] but found [false] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1590) at org.testng.Assert.assertTrue(Assert.java:57) at definitions.LoginPageDefinition.the_user_should_see_an_error_message(LoginPageDefinition.java:70) at ?.the user should see an error message(file:///C:/Users/admi/git/repository51/DemoWebShop/src/test/resources/features/NewsletterSubscription.feature:24) * Not displayable characters are replaced by '?'. </div>						

Purchasing a Product in DemoWebShop

<div>FAILED</div> <div>DURATION - 20.702 s</div>		<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 14</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 11</div>	<div></div>
/ 8:21:59.484 pm // 8:22:20.186 pm /					

Purchasing a product from the store using Excel data

<div>FAILED</div> <div>DURATION - 20.702 s</div>		<div></div>	<div>Steps</div> <div>Total - 14</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 11</div>	<div></div>
/ 8:21:59.484 pm // 8:22:20.186 pm /				
Purchasing a Product in DemoWebShop				
@Purchase				

#	Step / Hook Details	Status	Duration
1	Given user is on the Login Page "https://demowebshop.tricentis.com/login"	PASSED	4.251 s
2	When user enters username and password	PASSED	2.876 s
3	When the user clicks on the Computers category and selects Desktops org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=134.0.6998.179) Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f2915c786f53cbb77a3fbfa3304e2a8e, clickElement {id=f.410DD8759876449B4D91660E5BF32934.d.C95C6179122C000C9E5E6E909F99EAEF.e.78}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.179, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\admi\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50149}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:50149/devtoo..., se.cdpVersion: 134.0.6998.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (f2915c786f53cbb77a3fbfa3304e2a8e)] -> xpath: //ul[@class='top-menu']/a[contains(text(),'Desktops')]] Session ID: f2915c786f53cbb77a3fbfa3304e2a8e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)	FAILED	11.648 s

#	Step / Hook Details	Status	Duration
	at action.HomePageAction.selectDesktopCategory(HomePageAction.java:42) at definitions.LoginPageDefinition.clickComputersAndDesktops(LoginPageDefinition.java:75) at ?.the user clicks on the Computers category and selects Desktops(file:///C:/Users/admi/git/repository51/DemoWebShop/src/test/resources/features/ProductPurchase.feature:9) * Not displayable characters are replaced by '?'.		
4	And the user clicks on the first desktop product	SKIPPED	0.001 s
5	And the user clicks the Add to cart button	SKIPPED	0.000 s
6	And the user navigates to the shopping cart	SKIPPED	0.001 s
7	And the user agrees to the terms of service	SKIPPED	0.001 s
8	And the user clicks the Checkout button	SKIPPED	0.000 s
9	And the user should see the billing address page and enter details from Excel	SKIPPED	0.001 s
10	And the user clicks the In Store Pickup checkbox and clicks the Continue button	SKIPPED	0.001 s
11	And the user chooses Cash on Delivery as the payment method and clicks the Continue button	SKIPPED	0.001 s
12	And the user clicks the Continue button under Payment Information	SKIPPED	0.001 s
13	And the user clicks the Confirm button under Confirm Order	SKIPPED	0.001 s
14	Then the user should see the order confirmation message	SKIPPED	0.000 s