

Cucumber Report

07-Apr-2025, 8:15:50 pm

Start : Apr 07, 8:14:44.673 pm

End : Apr 07, 8:15:47.803 pm

Duration : 1 m 3.130 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 1
FAILED - 4
SKIPPED - 0


PASSED - 5
FAILED - 4
SKIPPED - 21




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login to DemoWebShop Web Application</u>	56.843 s	2	1	1	0	6	5	1	0
<u>Sign Up for Newsletter</u>	4.084 s	2	0	2	0	10	0	2	8
<u>Purchasing a Product in DemoWebShop</u>	2.097 s	1	0	1	0	14	0	1	13

#	Feature Name	Scenario Name
1	<u>Login to DemoWebShop Web Application</u>	<u>Login with Invalid credentials</u>
2	<u>Sign Up for Newsletter</u>	<u>Sign up for the newsletter</u>
3		<u>Sign up with invalid email</u>
4	<u>Purchasing a Product in DemoWebShop</u>	<u>Purchasing a product from the store using Excel data</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	1	0	0	1	0	1	0
@InvalidCredentials	1	0	1	0	1	0	1	0
@Subscribe	1	0	1	0	1	0	1	0
@Invalid	1	0	1	0	1	0	1	0
@Purchase	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Login to DemoWebShop Web Application</u>	2	1	1	0	56.843 s
2	<u>Sign Up for Newsletter</u>	2	0	2	0	4.084 s
3	<u>Purchasing a Product in DemoWebShop</u>	1	0	1	0	2.097 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login to DemoWebShop Web Application</u>	<u>Login with valid credentials</u>	3	3	0	0	35.831 s
2		<u>Login with Invalid credentials</u>	3	2	1	0	20.925 s
3	<u>Sign Up for Newsletter</u>	<u>Sign up for the newsletter</u>	5	0	1	4	1.989 s
4		<u>Sign up with invalid email</u>	5	0	1	4	2.056 s
5	<u>Purchasing a Product in DemoWebShop</u>	<u>Purchasing a product from the store using Excel data</u>	14	0	1	13	2.097 s

Login to DemoWebShop Web Application



FAILED	DURATION - 56.843 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 8:14:44.673 pm // 8:15:41.516 pm /					

Login with valid credentials

PASSED	DURATION - 35.831 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:14:44.678 pm // 8:15:20.509 pm /				
Login to DemoWebShop Web Application				
@ValidCredentials				



#	Step / Hook Details	Status	Duration
1	Given user is on the Login Page "https://demowebshop.tricentis.com/login"	PASSED	5.246 s
2	When user enters username and password	PASSED	27.698 s
3	Then User should be able to login successfully and new page open	PASSED	0.092 s

Login with Invalid credentials



FAILED	DURATION - 20.925 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 8:15:20.591 pm // 8:15:41.516 pm /				
Login to DemoWebShop Web Application				
@InvalidCredentials				

#	Step / Hook Details	Status	Duration
1	Given user is on the Login Page "https://demowebshop.tricentis.com/login"	PASSED	8.306 s
2	When user enters username "2k21eee64@kiot.ac.in" and password "k iot1234"	PASSED	0.860 s
3	<p>Then User should see an Error Message "Login was unsuccessful. Please correct the errors and try again."</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='message-error validation-summary-errors']/ul/li"} (Session info: chrome=134.0.6998.179) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element- exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [40f4947b6684f8fb52f4ba4b92131e88, findElement {using=xpath, value=//div[@class='message-error validation-summary-errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.179, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\admi\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60986}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60986/devtoo..., se:cdpVersion: 134.0.6998.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 40f4947b6684f8fb52f4ba4b92131e88 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.getText(Unknown Source) at action.LoginPageAction.isErrorMessageDisplayed(LoginPageAction.java:52) at definitions.LoginPageDefinition.verifyErrorMessage(LoginPageDefinition.java:41) at ?.User should see an Error Message "Login was unsuccessful. Please correct the errors and try again."(file:///C:/Users/admi/git/ repository51/DemoWebShop/src/test/resources/features/LoginPage.feature:14) * Not displayable characters are replaced by '?'. </pre>	FAILED	10.122 s

Sign Up for Newsletter

FAILED	DURATION - 4.084 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 10 Pass - 0 Fail - 2 Skip - 8	
/ 8:15:41.592 pm // 8:15:45.676 pm /					



Sign up for the newsletter

FAILED	DURATION - 1.989 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 8:15:41.592 pm // 8:15:43.581 pm /				
Sign Up for Newsletter				
@Subscribe				

#	Step / Hook Details	Status	Duration
1	<p>Given user is on the Login Page "https://demowebshop.tricentis.com/login"</p> <p>org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=134.0.6998.179) Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f7043333e95f3c85bd3e00f25c67a860, get {url=https://demowebshop.tricentis.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.179, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\admi\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61017}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61017/devtoo..., se:cdpVersion: 134.0.6998.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f7043333e95f3c85bd3e00f25c67a860</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)</p>	FAILED	0.367 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at action.LoginPageAction.navigateToLoginPage(LoginPageAction.java:21) at definitions.LoginPageDefinition.loginTest(LoginPageDefinition.java:19) at ?.user is on the Login Page "https://demowebshop.tricentis.com/login"(file:///C:/Users/admi/git/repository51/DemoWebShop/src/test/resources/features/NewsletterSubscription.feature:5) * Not displayable characters are replaced by '?'.		
2	When user enters username and password	SKIPPED	0.001 s
3	When the user provides an email	SKIPPED	0.006 s
	Email 2k21eee65@kiot.ac.in		
4	And the user clicks the Subscribe button	SKIPPED	0.001 s
5	Then the user should see the subscription confirmation text	SKIPPED	0.002 s



Sign up with invalid email

FAILED	DURATION - 2.056 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 8:15:43.620 pm // 8:15:45.676 pm /				
Sign Up for Newsletter				
@Invalid				



#	Step / Hook Details	Status	Duration
1	Given user is on the Login Page "https://demowebshop.tricentis.com/login" org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=134.0.6998.179) Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c269a89eae6b981b02f9fec3b4ee6265, get {url=https://demowebshop.tricentis.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.179, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\admi\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61030}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61030/devtoo..., se:cdpVersion: 134.0.6998.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c269a89eae6b981b02f9fec3b4ee6265 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)	FAILED	0.376 s

#	Step / Hook Details	Status	Duration				
	<div>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)</div> <div>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</div> <div>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313)</div> <div>at action.LoginPageAction.navigateToLoginPage(LoginPageAction.java:21)</div> <div>at definitions.LoginPageDefinition.loginTest(LoginPageDefinition.java:19)</div> <div>at ?.user is on the Login Page "https://demowebshop.tricentis.com/login"(file:///C:/Users/admi/git/repository51/DemoWebShop/src/test/resources/features/NewsletterSubscription.feature:18)</div> <div>* Not displayable characters are replaced by '?'. </div>						
2	When user enters username and password	SKIPPED	0.003 s				
3	When the user provides an Invalid email	SKIPPED	0.001 s				
	<table><tr><td>Email</td><td>ErrorMessage</td></tr><tr><td>@@2K21EEEE</td><td>Enter valid email</td></tr></table>	Email	ErrorMessage	@@2K21EEEE	Enter valid email		
Email	ErrorMessage						
@@2K21EEEE	Enter valid email						
4	And the user clicks the Subscribe button	SKIPPED	0.000 s				
5	Then the user should see an error message	SKIPPED	0.001 s				

Purchasing a Product in DemoWebShop

FAILED	DURATION - 2.097 s	Scenarios		Steps	
/ 8:15:45.706 pm // 8:15:47.803 pm /		Total - 1	1	Total - 14	14
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 13	

Purchasing a product from the store using Excel data

<div>FAILED</div> <div>DURATION - 2.097 s</div>		<div></div>	<div>Steps</div> <div>Total - 14</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 13</div>	<div></div>
/ 8:15:45.706 pm // 8:15:47.803 pm /				
Purchasing a Product in DemoWebShop				
@Purchase				

#	Step / Hook Details	Status	Duration
1	<p>Given user is on the Login Page "https://demowebshop.tricentis.com/login"</p> <p>org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=134.0.6998.179) Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [02014cb06efca3eb034e7fff2682ca13, get {url=https://demowebshop.tricentis.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.179, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\admi\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61043}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61043/devtoo..., se:cdpVersion: 134.0.6998.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 02014cb06efca3eb034e7fff2682ca13 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at action.LoginPageAction.navigateToLoginPage(LoginPageAction.java:21) at definitions.LoginPageDefinition.loginTest(LoginPageDefinition.java:19) at ?.user is on the Login Page "https://demowebshop.tricentis.com/login"(file:///C:/Users/admi/git/repository51/DemoWebShop/src/test/resources/features/ProductPurchase.feature:7) * Not displayable characters are replaced by '?'. </p>	FAILED	0.369 s
2	When user enters username and password	SKIPPED	0.001 s
3	When the user clicks on the Computers category and selects Desktops	SKIPPED	0.000 s
4	And the user clicks on the first desktop product	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	And the user clicks the Add to cart button	SKIPPED	0.001 s
6	And the user navigates to the shopping cart	SKIPPED	0.001 s
7	And the user agrees to the terms of service	SKIPPED	0.001 s
8	And the user clicks the Checkout button	SKIPPED	0.001 s
9	And the user should see the billing address page and enter details from Excel	SKIPPED	0.001 s
10	And the user clicks the In Store Pickup checkbox and clicks the Continue button	SKIPPED	0.001 s
11	And the user chooses Cash on Delivery as the payment method and clicks the Continue button	SKIPPED	0.001 s
12	And the user clicks the Continue button under Payment Information	SKIPPED	0.001 s
13	And the user clicks the Confirm button under Confirm Order	SKIPPED	0.006 s
14	Then the user should see the order confirmation message	SKIPPED	0.001 s