

Cucumber Report

07-Apr-2025, 8:14:35 pm

Start : Apr 07, 8:10:55.404 pm

End : Apr 07, 8:14:33.721 pm

Duration : 3 m 38.317 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 1
FAILED - 4
SKIPPED - 0


PASSED - 14
FAILED - 4
SKIPPED - 12




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login to DemoWebShop Web Application</u>	1 m 53.120 s	2	1	1	0	6	4	1	1
<u>Sign Up for Newsletter</u>	58.871 s	2	0	2	0	10	8	2	0
<u>Purchasing a Product in DemoWebShop</u>	46.253 s	1	0	1	0	14	2	1	11

#	Feature Name	Scenario Name
1	<u>Login to DemoWebShop Web Application</u>	<u>Login with Invalid credentials</u>
2	<u>Sign Up for Newsletter</u>	<u>Sign up for the newsletter</u>
3		<u>Sign up with invalid email</u>
4	<u>Purchasing a Product in DemoWebShop</u>	<u>Purchasing a product from the store using Excel data</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	1	0	0	1	0	1	0
@InvalidCredentials	1	0	1	0	1	0	1	0
@Subscribe	1	0	1	0	1	0	1	0
@Invalid	1	0	1	0	1	0	1	0
@Purchase	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Login to DemoWebShop Web Application</u>	2	1	1	0	1 m 53.120 s
2	<u>Sign Up for Newsletter</u>	2	0	2	0	58.871 s
3	<u>Purchasing a Product in DemoWebShop</u>	1	0	1	0	46.253 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login to DemoWebShop Web Application</u>	<u>Login with valid credentials</u>	3	3	0	0	27.486 s
2		<u>Login with Invalid credentials</u>	3	1	1	1	1 m 25.570 s
3	<u>Sign Up for Newsletter</u>	<u>Sign up for the newsletter</u>	5	4	1	0	33.253 s
4		<u>Sign up with invalid email</u>	5	4	1	0	25.593 s
5	<u>Purchasing a Product in DemoWebShop</u>	<u>Purchasing a product from the store using Excel data</u>	14	2	1	11	46.253 s

Login to DemoWebShop Web Application



FAILED	DURATION - 1 m 53.120 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
/ 8:10:55.404 pm // 8:12:48.524 pm /					

Login with valid credentials

PASSED	DURATION - 27.486 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:10:55.411 pm // 8:11:22.897 pm /				
Login to DemoWebShop Web Application				
@ValidCredentials				

#	Step / Hook Details	Status	Duration
1	Given user is on the Login Page "https://demowebshop.tricentis.com/login"	PASSED	4.779 s
2	When user enters username and password	PASSED	16.651 s
3	Then User should be able to login successfully and new page open	PASSED	0.135 s



Login with Invalid credentials

FAILED	DURATION - 1 m 25.570 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 8:11:22.954 pm // 8:12:48.524 pm /				
Login to DemoWebShop Web Application				
@InvalidCredentials				



#	Step / Hook Details	Status	Duration
1	Given user is on the Login Page "https://demowebshop.tricentis.com/login"	PASSED	1 m 20.354 s
2	<p>When user enters username "2k21eee64@kiot.ac.in" and password "k iot1234"</p> <pre> org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f171934b62231ced9bfcc8cc3343bb05, findElement [value, using]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.179, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\admi\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60842}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60842/devtoo..., se:cdpVersion: 134.0.6998.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f171934b62231ced9bfcc8cc3343bb05 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:572) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source) at action.LoginPageAction.enterUsername(LoginPageAction.java:40) at definitions.LoginPageDefinition.goToHomePageWithCredentials(LoginPageDefinition.java:29) at ?.user enters username "2k21eee64@kiot.ac.in" and password "k iot1234"(file:///C:/Users/admi/git/repository51/DemoWebShop/src/test/ resources/features/LoginPage.feature:13) Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:497) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.lambda\$executeAsync\$1(JdkHttpClient.java:384) at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:572) at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:317) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:642) at java.base/java.lang.Thread.run(Thread.java:1583) Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes at java.net.http/jdk.internal.net.http.HttpClientImpl.send(HttpClientImpl.java:966) at java.net.http/jdk.internal.net.http.HttpClientFacade.send(HttpClientFacade.java:133) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:456) ... 8 more Caused by: java.io.IOException: HTTP/1.1 header parser received no bytes at java.net.http/jdk.internal.net.http.common.Utils.wrapWithExtraDetail(Utils.java:388) at java.net.http/jdk.internal.net.http.Http1Response\$HeadersReader.onReadError(Http1Response.java:590) </pre>	FAILED	3.803 s

#	Step / Hook Details	Status	Duration
	<pre> at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.checkForErrors(Http1AsyncReceiver.java:302) at java.net.http/jdk.internal.net.http.Http1AsyncReceiver.flush(Http1AsyncReceiver.java:268) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$LockingRestartableTask.run(SequentialScheduler.java:182) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$CompleteRestartableTask.run(SequentialScheduler.java:149) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:207) ... 3 more Caused by: java.net.SocketException: Connection reset at java.base/sun.nio.ch.SocketChannelImpl.throwConnectionReset(SocketChannelImpl.java:401) at java.base/sun.nio.ch.SocketChannelImpl.read(SocketChannelImpl.java:434) at java.net.http/jdk.internal.net.http.SocketTube.readAvailable(SocketTube.java:1178) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.read(SocketTube.java:841) at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowTask.run(SocketTube.java:181) at java.net.http/jdk.internal.net.http.common.SequentialScheduler\$SchedulableTask.run(SequentialScheduler.java:207) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:280) at java.net.http/jdk.internal.net.http.common.SequentialScheduler.runOrSchedule(SequentialScheduler.java:233) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$InternalReadSubscription.signalReadable(SocketTube.java:782) at java.net.http/jdk.internal.net.http.SocketTube\$InternalReadPublisher\$ReadEvent.signalEvent(SocketTube.java:965) at java.net.http/jdk.internal.net.http.SocketTube\$SocketFlowEvent.handle(SocketTube.java:253) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.handleEvent(HttpClientImpl.java:1469) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.lambda\$run\$3(HttpClientImpl.java:1414) at java.base/java.util.ArrayList.forEach(ArrayList.java:1596) at java.net.http/jdk.internal.net.http.HttpClientImpl\$SelectorManager.run(HttpClientImpl.java:1414) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
3	Then User should see an Error Message "Login was unsuccessful. Please correct the errors and try again."	SKIPPED	0.001 s

Sign Up for Newsletter



FAILED	DURATION - 58.871 s	Scenarios		Steps	
/ 8:12:48.564 pm // 8:13:47.435 pm /		Total - 2		Total - 10	
		Pass - 0		Pass - 8	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	

Sign up for the newsletter

<div><div>FAILED</div><div>DURATION - 33.253 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 5</div><div>Pass - 4</div><div>Fail - 1</div><div>Skip - 0</div></div>	<div></div>
/ 8:12:48.564 pm // 8:13:21.817 pm /				
Sign Up for Newsletter				
@Subscribe				



#	Step / Hook Details	Status	Duration
1	Given user is on the Login Page "https://demowebshop.tricentis.com/login"	PASSED	5.319 s
2	When user enters username and password	PASSED	25.712 s
3	When the user provides an email	PASSED	0.196 s
	Email 2k21eee65@kiot.ac.in		
4	And the user clicks the Subscribe button	PASSED	0.104 s
5	Then the user should see the subscription confirmation text	FAILED	0.079 s
	<pre> java.lang.AssertionError: Subscription confirmation failed expected [true] but found [false] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1590) at org.testng.Assert.assertTrue(Assert.java:57) at definitions.LoginPageDefinition.the_user_should_see_the_subscription_confirmation_text(LoginPageDefinition.java:58) at ?.the user should see the subscription confirmation text(file:///C:/Users/admi/git/repository51/DemoWebShop/src/test/resources/features/NewsletterSubscription.feature:11) * Not displayable characters are replaced by '?'. </pre>		

Sign up with invalid email



<div>FAILED</div>	<div>DURATION - 25.593 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:13:21.842 pm // 8:13:47.435 pm /</div>				
<div>Sign Up for Newsletter</div>				
<div>@Invalid</div>				

#	Step / Hook Details	Status	Duration
1	Given user is on the Login Page "https://demowebshop.tricentis.com/login"	PASSED	5.582 s
2	When user enters username and password	PASSED	17.853 s
3	When the user provides an Invalid email <div> <div>Email</div> <div>@@2K21EEEE</div> <div>ErrorMessage</div> <div>Enter valid email</div> </div>	PASSED	0.160 s
4	And the user clicks the Subscribe button	PASSED	0.135 s
5	Then the user should see an error message <div> <pre>java.lang.AssertionError: Invalid email error not shown expected [true] but found [false] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1590) at org.testng.Assert.assertTrue(Assert.java:57) at definitions.LoginPageDefinition.the_user_should_see_an_error_message(LoginPageDefinition.java:70) at ?.the user should see an error message(file:///C:/Users/admi/git/repository51/DemoWebShop/src/test/resources/features/NewsletterSubscription.feature:24) * Not displayable characters are replaced by '?'. </pre> </div>	FAILED	0.067 s

Purchasing a Product in DemoWebShop

FAILED	DURATION - 46.253 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 14 Pass - 2 Fail - 1 Skip - 11	
/ 8:13:47.468 pm // 8:14:33.721 pm /					

Purchasing a product from the store using Excel data

FAILED	DURATION - 46.253 s		Steps Total - 14 Pass - 2 Fail - 1 Skip - 11	
/ 8:13:47.468 pm // 8:14:33.721 pm /				
Purchasing a Product in DemoWebShop				
@Purchase				

#	Step / Hook Details	Status	Duration
1	Given user is on the Login Page "https://demowebshop.tricentis.com/login"	PASSED	6.247 s
2	When user enters username and password	PASSED	23.406 s
3	When the user clicks on the Computers category and selects Desktops org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=134.0.6998.179) Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7050932521eaa7e39d615457a4cb4b35, clickElement {id=f.6FDE91913630723C1F23161E89196665.d.3ADA77CABE2FDFBDB2F9F35462AF48.e.90}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.179, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\admi\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60930}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60930/devtoo..., se:cdpVersion: 134.0.6998.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (7050932521eaa7e39d615457a4cb4b35)] -> xpath: //ul[@class="top-menu"]//a[contains(text(),'Desktops')]] Session ID: 7050932521eaa7e39d615457a4cb4b35 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at action.HomePageAction.selectDesktopCategory(HomePageAction.java:42) at definitions.LoginPageDefinition.clickComputersAndDesktops(LoginPageDefinition.java:75) at ?.the user clicks on the Computers category and selects Desktops(file:///C:/Users/admi/git/repository51/DemoWebShop/src/test/resources/features/ProductPurchase.feature:9) * Not displayable characters are replaced by '?'.	FAILED	13.210 s
4	And the user clicks on the first desktop product	SKIPPED	0.001 s
5	And the user clicks the Add to cart button	SKIPPED	0.001 s
6	And the user navigates to the shopping cart	SKIPPED	0.001 s
7	And the user agrees to the terms of service	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
8	And the user clicks the Checkout button	SKIPPED	0.001 s
9	And the user should see the billing address page and enter details from Excel	SKIPPED	0.003 s
10	And the user clicks the In Store Pickup checkbox and clicks the Continue button	SKIPPED	0.001 s
11	And the user chooses Cash on Delivery as the payment method and clicks the Continue button	SKIPPED	0.001 s
12	And the user clicks the Continue button under Payment Information	SKIPPED	0.001 s
13	And the user clicks the Confirm button under Confirm Order	SKIPPED	0.001 s
14	Then the user should see the order confirmation message	SKIPPED	0.001 s