

Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Login to HRM application	4.787 s	1	0	1	0	3	1	1	1	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Login to HRM application	Login with valid credentials

TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Login to HRM application	1	0	1	0	4.787 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login to HRM application	Login with valid credentials	3	1	1	1	4.782 s

DETAILED SECTION -- 7 -

## **Login to HRM application**

FAILED	DURATION - 4.787 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 9:24:20.031 p	m // 9:24:24.818 pm /	Pass - 0	1	Pass - 1	3
		Fail - 1		Fail - 1	l 🦶 ŭ 🍠 📗
		Skip - 0		Skip - 1	

## **Login with valid credentials**



#	Step / Hook Details	Status	Duration
1	Given user is on the Login Page "https://opensource-demo.orangehrmlive.com/"	PASSED	1.360 s
2	When user enters unername and password	FAILED	0.027 s
	java.lang.NullPointerException: inStream parameter is null at java.base/java.util.Objects.requireNonNull(Objects.java:259) at java.base/java.util.Properties.load(Properties.java:408) at com.actions.LoginPageActions.login(LoginPageActions.java:41) at com.definitions.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:25) at ?.user enters unername and password(file:///C:/Users/admi/git/repository49/CucumberPageObjectModel/src/test/resources/features/ LoginPage.feature:7) * Not displayable characters are replaced by '?'.		
3	Then User should be able to login successfully and new page open	SKIPPED	0.000 s