
## **Cucumber Report**



Feature			Scenario						Step		
Name	Duration	T	P	F	S	T	P	F	S		
Login to HRM application	5.651 s	1	0	1	0	3	1	1	1		

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Login to HRM application	Login with valid credentials

TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration	
1	Login to HRM application	1	0	1	0	5.651 s	

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration	
1	Login to HRM application	Login with valid credentials	3	1	1	1	5.647 s	

DETAILED SECTION -- 7 -

## **Login to HRM application**

Scenarios		Steps	
Total - 1		Total - 3	
Pass - 0	1	Pass - 1	3
Fail - 1		Fail - 1	🦊 ് 🍠
Skip - 0		Skip - 1	
	Total - 1 Pass - 0 Fail - 1	Total - 1  Pass - 0  Fail - 1	Total - 1 Pass - 0 Fail - 1  Total - 3 Pass - 1 Fail - 1

## **Login with valid credentials**



#	Step / Hook Details	Status	Duration
1	Given user is on the Login Page "https://opensource-demo.orangehrmlive.com/"	PASSED	3.461 s
2	When user enters unername and password	FAILED	0.023 s
	java.lang.NullPointerException: inStream parameter is null		
	at java.base/java.util.Objects.requireNonNull(Objects.java:259)		
	at java.base/java.util.Properties.load(Properties.java:408)		
	at com.actions.LoginPageActions.login(LoginPageActions.java:41)		
	at com.definitions.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:25)		
	at ?.user enters unername and password(file:///C:/Users/admi/git/repository49/CucumberPageObjectModel/src/test/resources/features/		
	LoginPage.feature:7)		
	* Not displayable characters are replaced by '?'.		
3	Then User should be able to login successfully and new page open	SKIPPED	0.001 s