Cucumber Report

Start : Apr 03, 9:23:55.458 pm	End : Apr 03, 9:24:01.844 pm	Duration : 6.386 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 1

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Login to HRM application	*6.386 s*	*1*	*0*	*1*	*0*	*3*	*1*	*1*	*1*

#	Feature Name	Scenario Name
1	*Login to HRM application*	*Login with valid credentials*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Login to HRM application	1	0	1	0	6.386 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login to HRM application	Login with valid credentials	3	1	1	1	6.381 s

Login to HRM application

FAILED	DURATION - 6.386 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 9:23:55.458 pm // 9:24:01.844 pm /			1		3

Login with valid credentials

FAILED	DURATION - 6.381 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 9:23:55.463 pm // 9:24:01.844 pm /				3
Login to HRM application				
@ValidCredentials				

#	Step / Hook Details	Status	Duration
1	Given user is on the Login Page "https://opensource-demo.orangehrmlive.com/"	PASSED	3.835 s
2	When user enters unername and password	FAILED	0.029 s

	java.lang.NullPointerException: inStream parameter is null
	    at java.base/java.util.Objects.requireNonNull(Objects.java:259)
	    at java.base/java.util.Properties.load(Properties.java:408)
	    at com.actions.LoginPageActions.login(LoginPageActions.java:41)
	    at com.definitions.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:25)
	    at ?.user enters unername and password(file:///C:/Users/admi/git/repository49/CucumberPageObjectModel/src/test/resources/features/LoginPage.feature:7)
	* Not displayable characters are replaced by '?'.		

3	Then User should be able to login successfully and new page open	SKIPPED	0.001 s