DATE:26.11.20 230701326

## **WORKING WITH CURSOR, PROCEDURES AND FUNCTION**

```
Program 1
FACTORIAL OF A NUMBER USING FUNCTION
CREATE OR REPLACE FUNCTION itfact (a NUMBER) RETURN NUMBER IS fact
  NUMBER := 1; b NUMBER;
BEGIN b
  := a;
  WHILE b > 0 LOOP fact
    := fact * b; b
    := b - 1;
  END LOOP;
  RETURN fact;
END:
/
Function created.
DECLARE result NUMBER;
BEGIN
  result := itfact(7); -- Call the function with 7 as input
  DBMS_OUTPUT.PUT_LINE('The factorial of 7 is ' || result);
END;
/
The factorial of 7 is 5040
Statement processed.
```

Program 2

```
Write a PL/SQL program using Procedures IN, INOUT, OUT parameters to retrieve the
corresponding book information in library
-- Create a simple table for the library books
CREATE TABLE library (book id
 INT PRIMARY KEY,
 book_name VARCHAR2(100), author_name
 VARCHAR2(100)
):
-- Sample data insertion
INSERT INTO library VALUES (1, 'Introduction to PL/SQL', 'John Doe'); INSERT
INTO library VALUES (2, 'Advanced SQL', 'Jane Smith');
-- Procedure to retrieve book information
CREATE OR REPLACE PROCEDURE get book info (p book id
  IN INT, p_book_name IN OUT
  VARCHAR2, p author name OUT VARCHAR2
) IS
BEGIN
  -- Retrieve book information based on the book id
  SELECT book_name, author_name
  INTO p_book_name, p_author_name
  FROM library
  WHERE book_id = p_book_id;
  -- Modify book name if needed (optional, based on INOUT)
p_book_name := p_book_name || ' - Updated'; END;
-- Test the procedure
DECLARE v book name
  VARCHAR2(100); v_author_name
  VARCHAR2(100);
BEGIN
  v_book_name := 'Sample Book'; -- Initial value
  get_book_info(1, v_book_name, v_author_name); -- Fetch book info for ID 1
  DBMS_OUTPUT.PUT_LINE('Book Name: ' || v_book_name); -- Output modified book name
  DBMS_OUTPUT.PUT_LINE('Author Name: ' || v_author_name); -- Output author name
END;
```

Book Name: Introduction to PL/SQL - Updated Author Name: John Doe

Statement processed.