

#1. Write a Python script to add a key to a dictionary

```
"""
d={"name":"sound","clg":"gceb","dept":"cse"}
print("ORG DICT:",d)
d.update({"place":"bargur"})
print("update DICT:",d)
"""
```

#2. Write a Python script to concatenate the following dictionaries to create a new one.

##Sample Dictionary :

##Dic1={1:10, 2:20}

##Dic2={3:30, 4:40}

##Dic3={5:50,6:60}

```
"""
d={}
print("empty dict:",d)
d1={1:10,2:20}
d2={3:30,4:40}
d3={5:50,6:60}
d.update(d1)
d.update(d2)
d.update(d3)
print(d)
"""
```

#3. Write a Python program to
#iterate over dictionaries using for loops.

```
"""
d={"name":"sound","clg":"gceb","dept":"cse","place":"bargur"}
print(d)
for i,j in d.items():
    print(i,":",j)
"""
```

#4. Write a Python script to print a dictionary where
#the keys are numbers between 1 and 15 (both
#included) and the values are the square of the keys.

#Sample Dictionary

#{1: 1, 2: 4, 3: 9, 4: 16, 5: 25, 6: 36, 7: 49, 8: 64, 9: 81, 10: 100, 11: 121, 12: 144, 13: 169, 14: 196, 15: 225}

```
"""
d={}
for i in range(1,16):
    d[i]=i**2
print(d)
"""
```

#5. Write a Python script to merge two Python dictionaries.

```
"""
d={"name":"sound","clg":"gceb","dept":"cse","place":"bargur"}
print("NO MEGRE:",d)
d1={"COURSE":"AI","hello":"hey","dei":"adaï"}
d.update(d1)
print(d)
"""
```

#6. Write a Python program to
#sum all the values in a dictionary.

```
"""
d={"tam":98,"eng":95,"maths":96,"sci":95,"soc":95}
```

```
total=sum(d.values())
print(total)
d2={1,2,3,4,5,6,7,8,9,34}
d1=sum(d2)
print(d1)
'''
```

```
#7. Write a Python program to
#map two lists into a dictionary
'''
```

```
keys = ["name", "clg", "dept", "place"]
values = ["Soundhar", "GCEB", "CSE", "Bargur"]
l=len(keys)
s={}


```

```
for i in range(l):
    s[keys[i]]=values[i]
print(s)


```

```
mapped_dict = dict(zip(keys, values))


```

```
print("Mapped Dictionary:", mapped_dict)
'''
```

```
#8. Write a Python program to
#remove duplicates from the dictionary.
'''
```

```
d={"a":10,"b":10,"a":20,"a":20,"e":40,"g":50,"g":50}
print("duplicates:",d)
s={}
for i,j in d.items():
    if j not in s.values():
        s[i]=j
print("after removed duplicates:",s)
'''
```

```
#9. Write a Python program to get the key, value and item in a dictionary
'''
```

```
d={"name":"sound","clg":"gceb","dept":"cse","place":"bargur"}
keys=d.keys()
values=d.values()
items=d.items()
print(keys)
print(values)
print(items)
'''
```